

17 September 2019

ASX ANNOUNCEMENT

Arrowsmith Central BFS and Maiden Ore Reserve

VRX Silica Limited (**VRX Silica** or **Company**) (ASX: VRX) is pleased to announce details of the Bankable Feasibility Study (**BFS**) and maiden Probable Ore Reserve at its Arrowsmith Central Silica Sand Project (**Arrowsmith Central**), located 270km north of Perth, WA, the second BFS for the Company's three advanced silica sand projects.

Highlights:

- **Arrowsmith Central has compelling financial metrics and compliments Arrowsmith North**
- **Ungeared NPV₁₀ of \$147 million based on 25 years of a potential mine life of +35 years. Other key BFS outcomes:**

Post Tax, ungeared NPV ₁₀	\$147,600,000
Post Tax, ungeared NPV ₂₀	\$56,100,000
Post Tax, ungeared IRR	60%
Payback period (yrs) (post tax) (ramp up rate)	2.8
Exchange Rate US\$/A\$	\$0.70
Life of Mine (yrs) (Scope of BFS Study)	25
EBIT	\$737,000,000
Total Sales (initial 25 years) no escalation	\$2,167,000,000
Cashflow after finance and tax	\$539,000,000
Capex (2 mtpa)	\$25,880,000
Capex contingency (inc)	20%
Life of Mine C1 costs, FOB Geraldton (inc royalties)	\$27.67
Tonnes Processed (initial 25 years) (Mt)	51
Production Target (Mt) (initial 25 years) (BFS Study)	39.6
Probable Ore Reserves @ 99.6% SiO ₂ (Mt)	19
Ore Reserve life (yrs)	10
JORC Resources (million tonnes)	77

Notes:

1. A proportion of the production target is based on Inferred Mineral Resource. There is a low level of geological confidence associated with Inferred Mineral Resources and there is no certainty that further exploration work will result in the determination of Indicated Mineral Resources or that the production target itself will be realised.
2. The Probable Ore Reserve and Inferred Mineral Resource underpinning the above production target have been prepared by a Competent Person in accordance with the requirements of the JORC Code 2012.
3. Full summary of economic assumptions for the BFS is set out in this announcement.
4. All figures are presented in Australian dollars, unadjusted for inflation

- **Total Probable Ore Reserve of 18.9 Mt @ 99.6% SiO₂**
- **Mining Lease application area contains Probable Ore Reserve of 18.7 Mt @ 99.6% SiO₂**
- **Studies identify four saleable silica sand products suitable for international and local markets**
- **Full BFS annexed to this announcement**

ASX: VRX

Capital Structure

Shares on Issue:
404 million

Top 20: 47%

Unlisted Options:
72 million

Corporate Directory

Paul Boyatzis

Non-Executive Chairman

Bruce Maluish

Managing Director

Peter Pawlowitsch

Non-Executive Director

John Geary

Company Secretary

Company Projects

Arrowsmith Silica Sand Project, 270km north of Perth, WA.

Muchea Silica Sand Project, 50km north of Perth, WA.

Boyatup Silica Sand Project, 100km east of Esperance, WA.

Warrawanda HPQ Project south of Newman, WA.

Biranup base metals and gold Project adjacent to the Tropicana Gold Mine, WA.

The Company is actively assessing other silica sand projects in Australia.

The Probable Ore Reserve for Arrowsmith Central totals **18.9Mt @ 99.6% SiO₂** as reported in accordance with the JORC Code 2012 edition¹, (**JORC Code**), with **18.7Mt @ 99.6% SiO₂** contained within the area of the Company's Mining Lease application (M70/1392) for Arrowsmith Central. This follows the Company's recent announcement of a Probable Ore Reserve for Arrowsmith North totalling 223 Mt @ 99.7% SiO₂ in accordance with the JORC Code, with 204Mt @ 99.7% SiO₂ contained within the area of the Company's Mining Lease application (M70/1389) for that project.

VRX Silica Managing Director Bruce Maluish said: *"This Reserve estimate is in accordance with our expectations and is complementary to our nearby Arrowsmith North Silica Sand Project."*

"Arrowsmith Central is a smaller Resource than Arrowsmith North but has the potential to still be a very long-life project with additional drilling of the Inferred Resource expected to be sufficient to realise the production target."

Arrowsmith Central will produce alternative products to Arrowsmith North and will add to our available catalogue of products to be produced from our silica sand projects," said Maluish.

Following pre-referral discussions with the State EPA and Federal DoTEE, follow up surveys this month at both projects will be incorporated into formal referrals for final environmental assessment.

BFS Summary

The information in this report refers to the Arrowsmith Central silica sand project, which is located north of Eneabba, 270km north of Perth in Western Australia, Figure 1.




Figure 1: Arrowsmith Central Project Location

¹ 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves

Silica sand markets

Globally, silica sand is in a growth phase due to increasing demand from the construction sector, with both volume and value having increased worldwide. Sales of silica sand experienced a compound annual growth rate of approximately 8.7% in value terms from 2009 to 2016, with a market value of US\$6.3 billion. This was due to its applications across a range of industries, including glass making as well as foundry casting, water filtration, chemicals and metals, along with the hydraulic fracturing process.

Accelerations in construction spending and manufacturing output worldwide are expected to drive growth in important silica sand-consuming industries, including the glass, foundry and building products sectors. Significant growth is projected in the hydraulic fracturing market as horizontal drilling for shale oil and gas resources expands, largely in North America.

The Asia-Pacific region is expected to remain the largest regional consumer of industrial sand through 2025, supported by the dominant Chinese market. The country's container glass industry will drive further silica sand sales, supported by rising production of glass bottles, particularly in the alcoholic beverage sector including wine and beer.

In India, foundry activity has shown strong growth, driven by the production of sand moulds to manufacture metal castings. Indonesia will also register strong growth in silica sand sales through 2022, supported by rapid advances in the output of glass products and metal castings, combined with increased hydraulic fracturing activity.

Products

High-grade silica sand is a key raw material in the industrial development of the world, especially in the glass, metal casting, and ceramics industries. High-grade silica sand contains a high portion of silica (over 99% SiO₂) and is used for applications other than construction aggregates. Unlike construction sands, which are used for their physical properties alone, high-grade silica sands are valued for a combination of chemical and physical properties.

Global consumption of industrial silica sand is expected to climb 3.2% per year through 2022. Asia Pacific growth is higher than global growth and is expected to be around 5-6% per year. Ongoing economic and infrastructure development in the Asia/Pacific region will drive growth, as will hydraulic fracturing activity in North America. Frac sand will be used increasingly in Asia Pacific in future years but unlikely to match the use in North America where 100 million tonnes are used annually.

Glassmaking

Silica sand is the primary component of all types of standard and specialty glass. It provides the essential SiO₂ component of glass formulation; its chemical purity is the primary determinant of colour, clarity and strength in glass. Industrial sand is used to produce flat glass for building and automotive use, container glass for foods and beverages, and tableware. In its pulverised form, ground silica is required in the production of fibreglass insulation and for reinforcing glass fibres. Specialty glass applications include test tubes and other scientific tools, incandescent and fluorescent lamps.

Over the past 20 years growth in glass demand has exceeded GDP growth and continues to grow at circa 5% per annum.

Key points and assumptions

The BFS is based on only 25 years production from a long-term +35 year mine life.

The maiden Probable Ore Reserve of 18.7 Mt @ 99.6% SiO₂ (see below) contained within the area of the Company's Mining Lease application area supports a 13-14 year project. This is estimated from the Indicated Mineral Resource only and constitutes approximately 48% of the estimated total production target (in terms of processed tonnes of silica sand) over the 25 year mine life for the project BFS. The Company intends to mine solely from Probable Ore Reserves during the initial 13-14 years of the project.

The balance is from Inferred Mineral Resource in the proposed mining area which is 29.4 Mt @ 96.2% SiO₂, which the Company intends to mine from year 14 onwards.

The Company has undertaken sufficient drilling to assume geological and metallurgical continuity of the sand deposit. There is negligible difference between the modelled sand in each category. In order to upgrade the Inferred Mineral Resource, the Company anticipates that an additional 500 m of aircore drilling will be required. The cost for drilling, assaying and associated studies is estimated (at current rates) to be in the region of \$100,000 and will need to be undertaken within the first 13 years of mining operations.

Given the simple nature of the silica sand deposit at the project and the associated geological and metallurgical confidence, the Company expects that this additional drilling will be sufficient to realise the production target.

Notwithstanding the above, there is a low level of geological confidence associated with inferred mineral resources and there is no certainty that further exploration work will result in the determination of indicated mineral resources or that the production target itself will be realised.

The project will be a potentially new long-term industry for Western Australia with substantial economic benefits, including long-term employment and royalties with a significant economic contribution to the local and Mid West region.

The Company has met with the local Shires, Mid West Development Commission, Mid West Chamber of Commerce & Industry and various local Members of State and Federal Parliament with great support for the project.

The Company has engaged with the Department of Water and Environmental Regulation following preliminary environmental studies to identify key issues pertaining to the project environmental approvals for mining particularly the habitat for potential foraging by Carnaby's cockatoos.

VRX Silica has developed a mining and rehabilitation methodology specific to the environment at Arrowsmith Central which will enable a successful restoration of mined areas.

A key challenge for industrial minerals projects is meeting market specifications. The silica sand market has specifications for parameters such as purity (e.g. SiO₂ content) in addition to tight specifications for trace elements such as Fe, Ti, Al and Cr in the glass industry.

The Company is confident that it can meet these specifications from Arrowsmith Central.

Key economic assumptions for the BFS are as follows:

Currency	Australian dollars <i>Sales contracts in Asia for silica sand are invariably based \$US and a A\$0.70 exchange rate has been applied</i>
Project life	25 years Total Probable Ore Reserve alone supports a 13-14 year project. Mining will occur solely from the Probable Ore Reserve during the first 13-14 years. There is a reasonable expectation that with further close spaced drilling the existing Inferred Mineral Resource would convert to Indicated Mineral Resource and subsequently Probable Ore Reserve. This will increase the mine life to well in excess of this time period, however the model is conservatively restricted to 25 years.
Depreciation	15% rate on capital
Corporate tax rate	27% on taxable profit
Production	Steady state of production from Probable Ore Reserves over life of mine, with the first 5 years at 1 million tonnes per year and thereafter at 2 million tonnes per year <i>The Company has currently expressions of interest and letters of intent to purchase 1 million tonnes per year of Arrowsmith Central products and expects further interest once these products are made available to the market</i>
Shares on Issue	404,318,617
NPV estimation discount rates	Standard financial modelling conducted at both 10% and 20% discount rates. <i>The 20% rate is generally above standard reporting rates but demonstrates that the Project is still financially robust at this higher rate</i>
Capital cost	Based on estimates $\pm 15\%$ from engineering companies with extensive experience in sand separation
Operating costs	A\$27.67 C1 costs, including royalties <i>Based on first principles and current rates for equipment</i>
Sales revenue	US\$35-46 per dry metric tonne dependent on product type, product quality, contract terms and quantity <i>Revenue is constant based on current prices and ignores any projected growth in prices</i>
Maximum debt	A\$20 million
Borrowing rates	12%
Accounts receivable	30 days
Accounts payable	30 days
Plant maintenance	5% of capital cost per year
Environmental bond	A\$500,000 <i>May be substituted by the WA Department of Mines, Industry Regulation and Safety's "Mining Rehabilitation Fund"</i>
Capex contingency	20%
Recoveries	CF400 (Glass 400 ppm Fe ₂ O ₃) 17% C20 (Foundry ASF 20) 34% C50 (Foundry ASF 50) 17% TiO ₂ Concentrate 9% <i>Recoveries are based on CDE testwork at $\pm 5\%$</i>

Probable Ore Reserve

The Probable Ore Reserve for Arrowsmith Central totals **18.9 Mt @ 99.6% SiO₂** as reported in accordance with the JORC Code with **18.7 Mt @ 99.6% SiO₂** contained within the area of the Company's Mining Lease application (MLA70/1392).

VRX Silica has previously announced² an upgraded Mineral Resource Estimate (MRE) for Arrowsmith Central as an **Indicated Mineral Resource** of **28.2 Mt @ 96.6% SiO₂** in addition to an **Inferred Mineral Resource** of **48.3 Mt @ 96.9% SiO₂**, for a **Total MRE** of **76.5 Mt @ 96.8% SiO₂**, see Table 1.

Classification	Million Tonnes	SiO ₂ %	Al ₂ O ₃ %	Fe ₂ O ₃ %	TiO ₂ %	LOI%
Indicated	28.2	96.6	1.7	0.4	0.2	0.7
Inferred	48.3	96.9	1.5	0.4	0.2	0.7
Indicated + Inferred	76.5	96.8	1.5	0.4	0.2	0.7

** Note: Interpreted silica sand mineralisation is domained above a basal surface wireframe defined based on drill sampling depths. A depletion zone, consisting of the upper 0.5 m, is reserved for rehabilitation purposes and is not estimated or reported. Differences may occur due to rounding.*

Table 1: Arrowsmith Central Silica Sand Mineral Resource Estimate as at September 2019

VRX Silica has now completed the necessary work to convert the Indicated Mineral Resource to Probable Ore Reserve. A summary of the work undertaken is included in this document, and in Appendix 1, JORC Code Table 1 Sections 1 to 4 set out in full in the BFS (annexed to this announcement).

Table 2 below details the Probable Ore Reserve that will be produced from the mining of the Indicated Mineral Resource and processing in a purpose built, wet sand processing plant.

The plant will produce four saleable products for different markets with a **total Probable Ore Reserve of 18.9 Million tonnes**, with 18.7 Million tonnes contained within the mining lease application M70/1392.

Chemical Composition			Global	Within M70/1392					
Classification	Product	Recovery	Million Tonnes	Million Tonnes	SiO ₂ %	Al ₂ O ₃ %	Fe ₂ O ₃ %	TiO ₂ %	LOI %
Probable	Arrowsmith-CF400	17%	4.2	4.1	99.6	0.25	0.04	0.03	0.1
	Arrowsmith-C20	34%	8.4	8.2					
	Arrowsmith-C50	17%	4.2	4.1					
	TiO ₂ Concentrate	9%	2.2	2.2			<1%	+2%	
Total Reserve			18.9	18.7					

Product	10 / 2mm	20 / 850	30 / 600	Sieve Opening (Mesh / µm Retained)						AFS No
				40 / 425	50 / 300	70 / 212	100 / 150	140 / 106	200 / 75	
Arrowsmith-CF400	-	0%	0.5%	44%	38.9%	16.1%	0.5%	-	-	37
Arrowsmith-C20	6.2%	22.2%	30.4%	37.9%	2.9%	0.3%	0.1%	-	-	22
Arrowsmith-C50	-	-	0.3%	31.9%	27.5%	17.3%	13.7%	8.2%	1.1%	49

Table 2: Arrowsmith Central Silica Sand Probable Ore Reserve as at September 2019

²ASX announcement of 15 August 2019, "Arrowsmith Central Mineral Resource Estimate Upgrade".

Metallurgical Factors

As a part of the upgraded MRE, CSA Global reviewed the metallurgical testwork to comply with Clause 49 of the JORC Code. CSA Global has concluded that the available process testwork indicates likely product qualities for glass, ceramics and foundry sand are considered appropriate for eventual economic extraction from Arrowsmith Central. Favourable logistics and the location of the Project support the classification of Arrowsmith Central (in accordance with Clause 49) as an industrial mineral with an Inferred/Indicated Mineral Resource

The extensive metallurgical testwork which has been completed by CSA Global at their facility in Cookstown, Northern Ireland, and Nagrom in Kelmscott, Perth, allowed for the creation of a catalogue of silica sand products that could be produced from Arrowsmith Central³ (see Table 3).

Chemical Composition (%)

Product	Industry	SiO ₂	Al ₂ O ₃	Fe ₂ O ₃	TiO ₂	CaO	MgO	K ₂ O
Arrowsmith-CF400	Glass	99.6	0.25	0.040	0.030	0.005	0.001	0.050
Arrowsmith-C20	Foundry	99.6	0.25	0.040	0.030	0.005	0.001	0.050
Arrowsmith-C50	Foundry	99.6	0.25	0.040	0.030	0.005	0.001	0.050

Particle Size

Sieve Opening (Mesh / µm Retained)

Product	10 / 2mm	20 / 850	30 / 600	40 / 425	50 / 300	70 / 212	100 / 150	140 / 106	200 / 75	AFS No
Arrowsmith-CF400			0.5%	44%	39%	16%	0.5%			
Arrowsmith-C20	6%	22%	30%	38%	3%	0.3%	0.1%	0%		22
Arrowsmith-C50		0%	0.3%	32%	28%	17%	14%	8%	1%	49

Table 3: Arrowsmith Central saleable Products from Catalogue

In addition to these products the processing plant will produce a by-product from the spirals plant which contains a concentration of titanium minerals such as rutile and ilmenite which can be sold at a nominal value to a company with specialist equipment for separating mineral concentrate.

These products become the recovered products which make up the Ore Reserve, Table 2.

The mass balance of the particle sizes was analysed allowing for the recoveries of these products in a wet processing plant to be estimated.⁴ The recovery of each product is shown in Table 4.

Product	Industry	Recovery
Arrowsmith - C20	Foundry	34%
Arrowsmith - C50/CF400	Foundry / Glass	34%
TiO ₂ Concentrate	Mineral sands	9%
Total Recovery		77%

Table 4: Arrowsmith Central Product Recovery

³ASX announcement of 26 February 2019, "Testwork Update and product Catalogues".

⁴ASX announcement of 3 May 2019, "High Recovery from Silica Sand Process Plant Design".

Material Modifying Factors – Mining Factors

The mining method chosen for Arrowsmith Central is a rubber wheeled front-end loader, feeding into a 3 mm trommel screen to remove oversize particles organics. The undersize sand is slurried and pumped to a sand processing plant which is located proximal to the Eneabba to Geraldton railway line. After processing, the silica sand is then loaded into railway trucks for bulk export from the Geraldton Port.

Mining of the dune sand will extract to the base of the Indicated Resource/Probable Ore Reserve. This will leave a slightly undulating surface. An appropriate buffer around the Eneabba to Geraldton railway line has been included in the Mineral Resource and is utilised in the conversion to Mining Reserves. The pre- and post-mining topography is shown in Figures 2 and 3.

100% of the material in the mining area is considered to be sand that can be beneficiated to a saleable silica sand product. The top 500mm has been excluded from the MRE as it will be reserved for rehabilitation purposes. As there is no waste material, the recovery factor is considered to be 100% and ore loss therefore is considered to be 0%.




Figure 2: Arrowsmith Central Pre-Mining Topography (10:1 vertical exaggeration)




Figure 3: Arrowsmith Central Post-Mining of Mining Reserves, Topography (10:1 vertical exaggeration)

Material Modifying Factors – Environmental Studies

Development location:

- East of the Beekeepers Nature Reserve
- Approximately 20 km inland of the coast
- South of the Arrowsmith River (Registered Aboriginal Heritage Site)
- Outside of World Heritage Areas, National Heritage Places, Ramsar Wetlands, Conservation Reserves or Commonwealth Marine Reserves

The Probable Ore Reserve is located within an area of deep sands, leached of nutrients. The vegetation is coastal scrub heath (known as Kwongan heath). The topography is low relief typical of a broad flooding plain.

Assessment Process:

- Referral submission to the Federal Department of the Environment and Energy (**DotEE**)
- Submission of Section 38 referral to State Environmental Protection Authority (**EPA**)
- Seek an Accredited *Environment Protection and Biodiversity Conservation Act 1999* (Cth) Assessment under the *State Environmental Protection Act 1986* (WA) via an Environmental Review Document with public comment
- Undertake any further studies required
- Submission of Environmental Review Document

Mitigation Strategies

- Proposed Action lies within a large Development Envelope, allowing for the flexibility to target areas of lower significance to matters of national environmental significance (**MNES**)
- Disturbance will be kept to a minimum, up to 35 ha per year and 14 at any one time
- Progressive rehabilitation using topsoil re-location to ensure topsoil and plants are translocated to previously mined areas
- Conduct further surveys to identify Matters of National Environmental Significance
- Use findings to steer the project and avoid MNES where possible

There are no mine tailings storage requirements.

There are no waste dumps.

Processing requires no chemicals.

Material Modifying Factors – Infrastructure

The project is located on unallocated crown land which is east of the Beekeepers Nature Reserve and bounded to the north by a Proposed A Class Reserve. The east boundary is the limit of tenure. The Brand Highway is proximal to the area and access is via an unsealed road from Brand Highway. The Eneabba/Geraldton rail line runs through the western part of the project area and will be used to transport the processed silica sand to the Geraldton Port for bulk export.

The project will require its own installed power and water infrastructure.

Labour will be sourced from the nearest towns Dongara and Eneabba (approximately 30km from the mine site) and there will be no accommodation installed at the mine site.

Costs

Operating costs

Operating costs were determined from first principles and are estimated to include all costs to mine, process, transport and load product on to ships. They are estimated on 1 million tonnes per year throughput, with expected unit cost savings if throughput is increased as anticipated to potentially 2 million tonnes per year.

Royalties

The prevailing rate of royalty due to the State is used in the Company's economic assessments. The State Royalty rate is A\$1.17 per dry metric tonne and reviewed every 5 years with the next review due in 2020. There are no other royalties payable (including private) though a royalty may be negotiated with Native Title claimants.

Revenue

Product Quality

Multiple products will be differentiated during processing subject to required particle size distribution by screening. Recovery of products has been independently assessed by CDE Global, a world leading silica sand testing laboratory.

Commodity Prices

Commodity prices for silica sand products have been determined by independent industry source Stratum Resources. The industry standard is that sales contracts are in US dollars. The exchange rate to convert to Australian dollars will be the prevailing rate at the time of payment.

Subject to final quality produced, the prices for the commodity will range from US\$35 to US\$46 per dry metric tonne Free on Board (**FOB**). There are no shipping cost estimates with all contracts to be based on FOB rates.

Revenue will be based on a negotiated per shipment basis per dry metric tonne FOB with payment by demand on an accredited bank letter of credit.

There will be no other treatment, smelting or refining charges.

Market Assessment

The Company has commissioned an independent assessment of the current market prices for proposed products by industry leader Stratum Resources. The assessment includes projections for future demand and supply of silica sand and concludes that there is a future tightening of supply of suitable glassmaking silica sand with a commensurate increase in price.

Sales volumes have been estimated as a result of received letters of intent and expressions of interest to purchase products.

Economic Factors

The Company's economic analysis has calculated a 10% and 20% discounted ungeared post tax net present value (**NPV**). A 20% discounted NPV has also been calculated to demonstrate the strength of the economic analysis.

The assessment has not considered any escalated future product prices nor any inflation to operating costs. The analysis has used a US\$/A\$ exchange rate of US\$0.70/A\$1.00.

The analysis is based on a 25 year production profile with the Probable Ore Reserve supporting a 13-14 year project. Mining will occur solely from the Probable Ore Reserve during that period. There is a reasonable expectation that with further close spaced drilling the existing Inferred Resources would convert to Indicated Resources and Probable Reserves well in excess of this time period, however the model is conservatively restricted to 25 years. See under "Key Points and Assumptions" heading above for further information.

Capital requirements are based on independent estimates.

The analysis is most sensitive to the exchange rate and sales prices.

The analysis indicates the financials of the project are very robust and there is a high confidence that a viable long-term mining operation can be justified.

Social Factors

The Company made an application for a mining lease (M70/1392) on 13 February 2019. The application lies within the Southern Yamatji Native Title claim boundaries (WC2017/002), which replaced a pre-combination claim (WC2004/002) by the Amangu People. The Company is currently in negotiations with the claimant group with respect to the mining lease application for Arrowsmith Central, as well as the application for Arrowsmith North, and the Company expects that an agreement will be reached between the parties allowing for both of the mining leases to be granted.

The project is wholly on unallocated crown land therefore there is little negative impact on local communities.

Project Funding

The financial model summarised in the BFS sets out the project metrics and provides a basis for the potential capital structure of the Company for the development of the project. Total capital expenditure at Arrowsmith Central (for a 2 million tonnes per annum processing plant) is estimated at approximately A\$28 million (the BFS details capital cost estimates).

The Company anticipates that the source of funding the capital investment at Arrowsmith Central will be any one, or a combination of, equity, debt and pre-paid offtake from the project. Whilst no final decision has been made in that regard, the financial model assumes a maximum A\$20 million in debt.

The Company has received a number of enquiries and expressions of interest from debt financiers for the project. As noted above, the financial model provides for debt capacity and is designed to meet the expectations of any providers of potential debt funding for their due diligence and other internal requirements.

In addition, VRX has also received enquiries and expressions of interest from organisations across Asia for silica sand products from the project and holds signed letters of intent for substantial tonnages. A number of these organisations have expressed interest in becoming a funding partner of the Company for development of a mine by way of pre-paid offtake arrangements.

The balance of the Company's capital requirements will be funded from equity capital.

Whilst the envisaged project development requires a low capital intensity relative to a greenfields hard rock mining project, and any one of, or a combination of equity, debt and pre-paid offtake is planned, VRX has not as yet secured the required capital. The positive financial metrics of the BFS and feedback from potential funding partners provides encouragement as to the likelihood of meeting optimum project and corporate capital requirements.

Financial model

Based on the capital and operating cost estimates a financial model was developed for the purpose of evaluating the economics of the Project.

Key economic assumptions for the model are set out above and in detail in the BFS. The BFS also contains further details, including a life of mine production profile and sensitivity analysis for the model.

Key outcomes from the BFS and summary financial model outputs are set out below, with the first column showing outputs from the Probable Ore Reserve only and the second column shows outputs when aggregated with the Inferred Mineral Resource.

Mining from the area of the Probable Ore Reserve only supports a 13-14 year mine life. The Company intends to mine solely from the Probable Ore Reserve during that period. The financial model shows that Arrowsmith Central is a viable project with the Probable Ore Reserve only, and the Inferred Mineral Resource is not the determining factor for its viability.

	Maiden Probable Ore Reserve Only	Maiden Probable Ore Reserve and Inferred Mineral Resource
Post Tax, ungeared NPV ₁₀	\$103,800,000	\$147,600,000
Post Tax, ungeared NPV ₂₀	\$47,800,000	\$56,100,000
Post Tax, ungeared IRR	60%	60%
Payback period (yrs) (post tax) (ramp up rate)	2.8	2.8
Exchange Rate US\$/A\$	\$0.70	\$0.70
Life of Mine (yrs) (BFS Study)	13-14	25
EBIT	\$335,000,000	\$737,000,000
Total Sales (no escalation)	\$1,022,000,000	\$2,167,000,000
Cashflow after finance and tax	\$243,000,000	\$539,000,000
Capex (2 Mtpa)	\$25,880,000	\$25,880,000
Capex contingency (inc)	20%	20%
Life of Mine C1 costs, FOB Geraldton (inc Royalties)	\$28.21	\$27.67
Tonnes Processed (Mt) (BFS Study)	24	51
Production Target (Mt)	19	39.6
Probable Ore Reserves (Mt)	99.6% SiO ₂ 19	99.6% SiO ₂ 19
Ore Reserve life (yrs)	9	9
JORC Resources (Mt)	77	77

Notes:

1. There is a low level of geological confidence associated with inferred mineral resources and there is no certainty that further exploration work will result in the determination of indicated mineral resources or that the production target itself will be realised.
2. The Probable Ore Reserve and the Inferred Mineral Resource underpinning the above production targets have been prepared by a Competent Person in accordance with the requirements of the JORC Code 2012.
3. Full summaries of economic assumptions are set out in the BFS for each project⁵.
4. All figures are presented in Australian dollars, unadjusted for inflation.

⁵ BFS for Arrowsmith North set out in the ASX announcement of 28 August 2019, "Arrowsmith North BFS and Maiden Ore Reserve". BFS for Arrowsmith Central attached to this announcement.

Arrowsmith North and Central Project Metrics

Key BFS outcomes for both Arrowsmith North and Arrowsmith Central, and in aggregate, are set out below.

	Arrowsmith North	Arrowsmith Central	Total
Post Tax, ungeared NPV ₁₀	\$242,300,000	\$147,600,000	\$389,900,000
Post Tax, ungeared NPV ₂₀	\$99,800,000	\$56,100,000	\$155,900,000
Post Tax, ungeared IRR	79%	60%	72%
Payback period (yrs) (post tax) (ramp up rate)	2.4	2.8	
Exchange Rate US\$/A\$	\$0.70	\$0.70	\$0.70
Life of Mine (yrs) (BFS Study)	25	25	25
EBIT	\$1,144,000,000	\$737,000,000	\$1,881,000,000
Total Sales (25 years) no escalation	\$2,773,000,000	\$2,167,000,000	\$4,940,000,000
Cashflow after finance and tax	\$835,000,000	\$539,000,000	\$1,374,000,000
Capex (2 mtpa)	\$28,260,000	\$25,880,000	\$54,140,000
Capex contingency (inc)	20%	20%	20%
Life of Mine C1 costs, FOB Geraldton (inc Royalties)	\$30.18	\$27.67	\$28.95
Tonnes Processed (million tonnes) (BFS Study)	53	51	104
Production Target (initial 25 years) (Mt)	47.7	39.6	87
Probable Ore Reserves (million tonnes)	99.7% SiO ₂ 204	99.6% SiO ₂ 19	223
Ore Reserve life (yrs)	102	10	112
JORC Resources (million tonnes)	771	77	848

Notes:

1. A proportion of the production target for Arrowsmith Central is based on Inferred Mineral Resource. There is a low level of geological confidence associated with inferred mineral resources and there is no certainty that further exploration work will result in the determination of indicated mineral resources or that the production target itself will be realised.
2. The Ore Reserves and, in the case of Arrowsmith Central, the Inferred Mineral Resource underpinning the above production targets have been prepared by a Competent Person in accordance with the requirements of the JORC Code 2012.
3. Full summaries of economic assumptions are set out in the BFS for each project⁶.
4. All figures are presented in Australian dollars, unadjusted for inflation

⁶ BFS for Arrowsmith North set out in the ASX announcement of 28 August 2019, "Arrowsmith North BFS and Maiden Ore Reserve". BFS for Arrowsmith Central attached to this announcement.

COMPETENT PERSONS' STATEMENTS

The information in this report that relates to Arrowsmith Central Exploration Results is based on data collected and compiled under the supervision of Mr David Reid, who is a full time employee of VRX Silica. Mr Reid, BSc (Geology), is a registered member of the Australian Institute of Geoscientists and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and the activity being undertaken to qualify as a Competent Person under the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). Mr Reid consents to the inclusion of the data in the form and context in which it appears.

The information in this report that relates to Arrowsmith Central Mineral Resources is based on information compiled by Mr Grant Louw who is a full-time employee of CSA Global, under the direction and supervision of Dr Andrew Scogings, who is an Associate of CSA Global. Dr Scogings is a Member of the Australasian Institute of Mining and Metallurgy and a Member of the Australian Institute of Geoscientists. He is a Registered Professional Geologist in Industrial Minerals. Dr Scogings has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as Competent Person as defined in the 2012 edition of the Australasian Code for the Reporting of Exploration Results, Mineral Resources, and Ore Reserves (JORC Code). Dr Scogings consents to the disclosure of information in this report in the form and context in which it appears.

The information in this report that relates to the Probable Ore Reserve is based on data collected and compiled under the supervision of Mr David Reid, who is a full time employee of VRX Silica. Mr Reid, BSc (Geology), is a registered member of the Australian Institute of Geoscientists and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and the activity being undertaken to qualify as a Competent Person under the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). Mr Reid consents to the inclusion of the data in the form and context in which it appears.

For silica sand enquiries contact Mr Yoonil Kim:

Manager International Sales

yooniik@vrxsilica.com.au

+60 17 687 8238

Further information:

Bruce Maluish
Managing Director
brucem@vrxsilica.com.au
0418 940 417

Andrew Rowell
Cannings Purple
arowell@canningspurple.com.au
0400 466 226

About VRX Silica

VRX Silica Ltd (**VRX Silica**) (ASX: VRX) has significant silica sand projects in Western Australia.

The Arrowsmith North and Arrowsmith Central Silica Sand Projects, located 270km north of Perth, comprise five granted exploration licences and two mining lease applications pending. Bankable feasibility studies for both projects have been released, each demonstrating exceptional financial metrics.

The Muchea Silica Sand Project, located 50km north of Perth, comprises one granted exploration licence, with one mining lease application pending. Muchea is a world-class project with high purity silica sand in situ.

The Boyatup Silica Sand Project, located 100km east of Esperance, comprises two adjacent granted exploration licences. Initial indications are that this project will complement the Arrowsmith and Muchea projects while adding to the range of silica products capable of production.


The Warrawanda Project, 40km south of Newman, WA is prospective for high purity quartz and nickel sulphides.

The Biranup Project, adjacent to the Tropicana Gold Mine in WA's Goldfields, is prospective for gold and base metals.

Proven Management


The VRX Silica Board and management team have extensive experience in mineral exploration and mine development into production and in the management of publicly listed mining and exploration companies.

Project Locations



VRX Silica Limited

A Level 1, 6 Thelma St, West Perth WA 6005 Australia • PO Box 1925, West Perth WA 6872 Australia • ABN 59 142 014 873
P +61 8 9226 3780 • E info@vrxsilica.com.au • W vrxsilica.com.au



VRXSILICA

Bankable Feasibility Study

Arrowsmith Central Silica Sand Project

17 September 2019

VRX Silica Limited

A Level 1, 6 Thelma St, West Perth WA 6005 Australia • PO Box 1925, West Perth WA 6872 Australia • ABN 59 142 014 873
P +61 8 9226 3780 • E info@vrxsilica.com.au • W vrxsilica.com.au

For personal use only

Important Information

Nature of Document

This document has been prepared and issued by VRX Silica Limited (**Company**) to provide general information about the Company and the Arrowsmith Central Silica Sand Project (**Project**). The information in this document is in summary form and should not be relied upon as a complete and accurate representation of any matters that a reader should consider in evaluating the Company or the Project. While management has taken every effort to ensure the accuracy of the material in this document, the Company and its advisers have not verified the accuracy or completeness of the material contained in this document.

Disclaimer

No representation or warranty, express or implied, is made by the Company that the material contained in this document will be achieved or proved correct. Except for statutory liability which cannot be excluded, each of the Company, its directors, officers, employees, advisors and agents expressly disclaims any responsibility for the accuracy, fairness, sufficiency or completeness of the material contained in this document and excludes all liability whatsoever (including in negligence) for any loss or damage which may be suffered by any person as a consequence of any information in this document or any effort or omission therefrom.

The Company will not update or keep current the information contained in this document or to correct any inaccuracy or omission which may become apparent, or to furnish any person with any further information. Any opinions expressed in the document are subject to change without notice.

No offer

This document and its contents are not an invitation, offer, solicitation or recommendation with respect to the purchase or sale of any securities in the Company in any jurisdiction and must not be distributed, transmitted, or viewed by any person in any jurisdiction where the distribution, transmission or viewing of this document would be unlawful under the securities or other laws of that or any other jurisdiction. This document is not a prospectus or any other offering document under Australian law (and will not be lodged with the Australian Securities and Investments Commission) or any other law.

No financial product advice

Neither the Company nor any of its related bodies corporate is licensed to provide financial product advice in respect of the Company's securities or any other financial products. You should not act and refrain from acting in reliance on this document. Nothing contained in this document constitutes investment, legal, tax or other advice. This document does not take into account the individual investment objectives, financial situation and particular needs of shareholders. Before deciding to invest in the Company at any time, you should conduct, with the assistance of your broker or other financial or professional adviser, your own investigation in light of your particular investment needs, objectives and financial circumstances and perform your own analysis of the Company before making any investment decision.

Forward-looking statements

Statements regarding plans with respect to the Company's mineral properties may contain forward looking statements. Statements in relation to future matters can only be made where the Company has a reasonable basis for making those statements. This document has been prepared in compliance with the JORC Code¹ and ASX Listing Rules. The Company believes it has a reasonable basis for making the forward-looking statements, including any production targets, based on the information contained in this document.

All statements, trend analysis and other information contained in this document relative to markets for the Company, trends in resources, recoveries, production and anticipated expense levels, as well as other statements about anticipated future events or results constitute forward- looking statements. Forward-looking statements are often, but not always, identified by the use of words such as "seek", "anticipate", "believe", "plan", "estimate", "expect" and "intend" and statements that an event or result "may", "will", "should", "could" or "might" occur or be achieved and other similar expressions. Forward-looking statements are subject to business and economic risks and uncertainties and other factors that could cause actual results of operations to differ materially from those contained in the forward-looking statements. Forward-looking statements are based on estimates and opinions of management at the date the statements are made. The Company does not undertake any obligation to update forward- looking statements even if circumstances or management's estimates or opinions should change. Investors should not place undue reliance on forward-looking statements.

¹ Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves, 2012 Edition (**JORC Code**).

Cautionary statement

The production target for Arrowsmith Central incorporates the maiden Probable Ore Reserve that sits within the proposed mining area for the Project and a portion of the Inferred Mineral Resource within the area. Given the simple nature of the silica sand deposit at the Project, the Company expects that additional drilling will be sufficient to upgrade the Inferred Mineral Resource and to realise the production target.

Notwithstanding the above, there is a low level of geological confidence associated with Inferred Mineral Resources and there is no certainty that further exploration work will result in the determination of Indicated Mineral Resources or that the production target itself will be realised.

The Probable Ore Reserve and Inferred Mineral Resource for the Project have been prepared by a Competent Person and a Competent Person's Statement is included in this document.

For personal use only

Contents

Section	Page
Important Information	Inside Cover
1 Overview	1
2 Project Background.....	2
2.1 Project Location.....	2
2.2 Environmental Data	3
2.3 Site Topography and Drainage	3
2.4 Existing Infrastructure.....	3
2.5 Ownership and Leases	3
2.6 Political Overlay.....	4
3 Native Title and Aboriginal Heritage	5
3.1 Claimant Parties.....	5
3.2 Surveys.....	5
3.3 Existing Registered Aboriginal Sites	5
3.4 Negotiations.....	5
4 Community.....	6
5 Geology, Resources and Reserves.....	7
5.1 Geology	7
5.2 Resources.....	8
5.2.1 Mineral Resource Estimate.....	8
5.2.2 Drilling	9
5.2.3 Mineral Resource estimation	15
5.2.4 Mineral Resource Classification	18
5.2.5 Classification and JORC Code 2012, Clause 49	20
5.2.6 Glass and ceramics specifications	20
5.2.7 Foundry sand specifications.....	20
5.2.8 Conclusion supporting economic extraction.....	21
5.3 Reserves.....	22
5.3.1 Metallurgical Factors.....	23
5.3.2 Material Modifying Factors – Mining Factors	23
5.3.3 Material Modifying Factors – Environmental Studies	25
5.3.4 Material Modifying Factors – Infrastructure.....	25
5.3.5 Costs	25
5.3.6 Revenue.....	26
5.3.7 Market Assessment	26
5.3.8 Economic Factors	26
5.3.9 Social Factors	26
5.3.10 Project Funding.....	26
5.4 Mine Plan	27
6 Mining	29
7 Metallurgy.....	37
7.1 Sampling.....	37

- 7.1.1 Attrition and washing tests 37
- 7.1.2 Spiral tests 37
- 7.1.3 Chemical analyses 38
- 7.1.4 Conclusions - glass and ceramic specifications 38
- 7.1.5 CDE Global testwork – 2019..... 38
- 7.1.6 Attrition and washing tests..... 39
- 7.1.7 Spiral tests 39
- 7.1.8 Magnetic separation tests 40
- 7.1.9 Foundry products – comments on PSD 40
- 7.2 Conclusions for products..... 40
- 8 Infrastructure..... 45
 - 8.1 Roads 45
 - 8.2 Mine Services Area 45
 - 8.3 Accommodation 45
 - 8.4 Fuel Storage 45
 - 8.5 Water Supply and Distribution 45
 - 8.5.1 Raw Water 45
 - 8.5.2 Potable Water 45
 - 8.6 Waste Disposal 45
 - 8.7 Power Supply..... 45
 - 8.8 Communications..... 45
- 9 Mill Residue 46
 - 9.1 Water Management 46
 - 9.2 Residue Management..... 46
- 10 Product Logistics..... 47
 - 10.1 Rail..... 47
 - 10.2 Port 47
- 11 Environment, Water and Social Factors..... 48
 - 11.1 Environment..... 50
 - 11.1.1 Vegetation and Flora 50
 - 11.1.2 Fauna..... 56
 - 11.2 Groundwater 60
 - 11.2.1 Potential development of groundwater 61
 - 11.2.2 Hydrogeology..... 61
 - 11.2.3 Superficial geology and aquifer 62
 - 11.2.4 Yarragadee geology and aquifer 68
 - 11.2.5 Development constraints 71
 - 11.3 Social factors 73
 - 11.3.1 Population Centres..... 73
 - 11.3.2 Land Ownership and Use..... 73
 - 11.3.3 Socio-economic Context..... 73
 - 11.3.4 Potential Development..... 73
- 12 Project Implementation..... 74
 - 12.1 Staged Construction..... 74
 - 12.2 Implementation Plan 74
 - 12.3 Contracting Strategy..... 74

12.4	Early Engineering	74
12.5	Detailed Engineering.....	76
13	Operational Readiness	77
13.1	Company Values.....	77
13.2	Operational Strategy.....	77
13.3	Risk Based Approach.....	78
13.4	Development of Operational Readiness Plan.....	79
13.5	Implementation of Operational Readiness Plan.....	79
14	Human Resources.....	80
15	Operating Cost Estimate	81
15.1	Administration.....	81
15.2	Mining.....	81
15.3	Processing	82
15.4	Product Handling.....	82
15.5	Royalties and Marketing	83
15.6	Total Operating Costs	83
16	Capital Cost Estimate	84
17	Marketing.....	85
17.1	Silica Sand Markets.....	85
17.1.1	Glassmaking	85
17.1.2	Specialty Markets.....	86
17.1.3	Container Glass	87
17.2	Market Risk	87
17.3	Glassmaking Silica Sand Pricing	87
17.4	Glassmaking Silica Sand Demand	88
17.5	Foundry Silica Sand Pricing.....	89
17.6	Foundry Silica Sand Demand.....	90
18	Financial	91
18.1	Key Assumptions	91
18.2	Project Metrics	92
18.3	Production Profile.....	93
18.4	Sensitivity Analysis.....	94
19	Resources and Reserves JORC Tables	95
19.1	JORC Code 2012 Edition Table 1.....	95
19.2	JORC Code 2012 Edition Table 2.....	97
19.3	JORC Code 2012 Edition Table 3.....	98
19.4	JORC Code 2012 Edition Table 4.....	102
19.5	JORC Compliance Statement.....	107

Figures

Figure 1: Arrowsmith Central project and tenement location map	2
Figure 2: Simplified geology of the Arrowsmith Central area. Section line A – B shown.....	7
Figure 3: Existing access track at Arrowsmith Central	9
Figure 4: Landcruiser mounted Mantis 82 NQ sized aircore drill rig	10
Figure 5: Representative schematic section A – B.....	11
Figure 6: Control Chart for VRX-22S - SiO ₂	13
Figure 7: Scatter plot and Q-Q plot Primary vs field duplicate samples for SiO ₂	14
Figure 8: Histograms for SiO ₂	15
Figure 9: Variogram models.....	17
Figure 10: Swath plot by Northing for White sand above and Yellow sand below	18
Figure 11: Model classification plan view	18
Figure 12: Arrowsmith Central - all sand grade tonnage curve.....	19
Figure 13: Arrowsmith Central Pre-Mining Topography.....	24
Figure 14: Arrowsmith Central Post-Mining of Ore Reserves, Topography	24
Figure 15: Arrowsmith Central Post-Mining of Ore Reserves and Inferred Resources.....	28
Figure 16: Mining process – initial cleared area.....	29
Figure 17: Mining process – conveyor cleared area	30
Figure 18: Mining process – vegetation trimmed	31
Figure 19: Mining process – ground ripped below shrub root systems.....	31
Figure 20: Mining process – vegetation and topsoil translocated.....	32
Figure 21: Mining process – silica sand mined in 2.25 ha panels	32
Figure 22: Mining process – continuous process of mining and rehabilitation.....	33
Figure 23: Mining process – silica sand loaded and screened.....	34
Figure 24: Mining process – mining continues to the extent of conveyor, then retreats.....	34
Figure 25: Mining process – mining continues in retreat to initial cleared area	35
Figure 26: Mining process – process is repeated	36
Figure 27: Lab scale attrition mill (left) and paddle shaft from lab scale attrition mill (right)	37
Figure 28: Arrowsmith Central – visual comparison post attrition.....	38
Figure 29: Arrowsmith Central sand oversize after screening to 1 mm.....	39
Figure 30: PSD curves for Arrowsmith Central raw material and +1mm oversize material (CDE Global 2019)	41
Figure 31: Schematic diagram of the magnetic filter separation process.....	42
Figure 32: Size distribution (% retained) on sieves – raw material feed sample (CDE Global, 2019)	43
Figure 33: Arrowsmith Central sand.....	44
Figure 34: Processing circuit	44
Figure 35: Bioregions across Western Australia (Project area in the Lesueur Sandplain subregion)	50
Figure 36: Average randomised species accumulation graph.....	54
Figure 37: Physiography.....	62
Figure 38: Geological east-west section through the Superficial Formations (after Nidigal, 199)	63
Figure 39: Watertable across the coastal plain	65
Figure 40: Interpretive isopachof the Superficial aquifer	66
Figure 41: Groundwater salinity distribution within the Superficial aquifer	67
Figure 42: Mesozoic geology in the Arrowsmith area.....	69
Figure 43: Geological profile: sub-division units (A-D) and interpretive groundwater salinity.....	70
Figure 44: Depth to the water table over the coastal plain in the Arrowsmith area.....	72

Figure 45: Processing Plant General Arrangement.....	75
Figure 46: Feeder and Trommel Arrangement.....	75
Figure 47: Sand Processing Circuit.....	82
Figure 48: Production Expenditure and Revenue (first 13-14 years of mine life)	93
Figure 49: Production Expenditure and Revenue (mine life of 25 years)	93
Figure 50: Sensitivity Analysis	94

For personal use only

Tables

Table 1: Arrowsmith Central tenement details.....	4
Table 2: Arrowsmith Central Mineral Resource	8
Table 3: Summary statistics for round robin testing of VRX-22s by 4A/ICP-OES.....	12
Table 4: Summary statistics for all testing of VRX-22s by 4A/ICP-OES	12
Table 5: Comparison of performance of VRX-22S	13
Table 6: Summary statistics Primary vs field duplicate samples	13
Table 7: Summary Statistics for twin drilling.....	14
Table 8: Density measurement results	15
Table 9: Summary statistics for Arrowsmith Central silica sand layer	16
Table 10: Top cuts applied to grade variables.....	16
Table 11: Variogram parameters.....	16
Table 12: Model validation comparing mean values for model IDS, model OK and drillhole sample data	17
Table 13: Arrowsmith Central Mineral Resource	19
Table 14: Silica chemical specifications for glass and ceramics markets	21
Table 15: Silica sand and quartz chemical specifications by market	21
Table 16: Physical size specifications for glass sand	21
Table 17: Examples of hypothetical foundry sand distributions and AFS numbers.....	21
Table 18: VRX Silica – provisional Arrowsmith Central glass sand chemical specifications	21
Table 19: VRX Silica – provisional Arrowsmith Central glass sand PSD.....	22
Table 20: VRX Silica – provisional Arrowsmith Central foundry sand chemical specifications.....	22
Table 21: VRX Silica – provisional Arrowsmith Central foundry sand PSD and AFS specifications	22
Table 22: Arrowsmith Central Silica Sand Probable Ore Reserve as at July 2019.....	22
Table 23: Arrowsmith Central Saleable Products from Catalogue	22
Table 24: Arrowsmith Central Product Recovery	23
Table 25: Arrowsmith Central particle size distribution before and after attritioning	39
Table 26: Summary chemistry of samples processed at CDE Global, Northern Ireland.	40
Table 27: Arrowsmith Central raw material and +1mm oversize material PSD results	40
Table 28: Chemical analysis of Arrowsmith Central raw material and +1mm oversize	41
Table 29: Arrowsmith Central post attrition wash	41
Table 30: Chemical analysis of Arrowsmith Central	41
Table 31: XRF chemical analysis of Arrowsmith Central magnetic separation tests 0.5T, 0.56T and 1.0T	42
Table 32: ICP-MS chemical analysis of Arrowsmith Central magnetic separation tests 0.5T, 0.56T and 1.0T	42
Table 33: AFS calculation for Arrowsmith Central raw material feed (sieve data from CDE Global 2019 report)	43
Table 34: Summary of flora and vegetation, fauna, inland waters and social surroundings	49
Table 35: Potential limitations affecting the conclusions	54
Table 36: Survey Limitations	59
Table 37: Stratigraphy of the Superficial Formations in the Arrowsmith Project area.	61
Table 38: Superficial Formation units intersected in Leeman Shallow monitoring bores	64
Table 39: Summary of quote details for processing plant (exchange rate of 1GBP = 1.87AUD)	84
Table 40: Summary of quote details for feeder, trommel and pump station	84
Table 41: Glassmaking Silica Sand Pricing.....	87
Table 42: Glassmaking Silica Sand Particle Sizes	87
Table 43: Asian Silica Sand Markets	88
Table 44: Silica sand estimated demand in selected Asian countries Mt to 2025.....	89

Table 45: Foundry Silica Sand Pricing89
Table 46: Foundry Sand Particle Sizes90
Table 47: Project Metrics92

For personal use only

1 Overview

VRX Silica Limited (**VRX** or **Company**) is an ASX-listed silica sand exploration and development company (ASX: VRX). VRX is focused on developing silica sand assets in Western Australia.

This Bankable Feasibility Study (**BFS**) details the project and financial attributes supporting the development of VRX's Arrowsmith Central Silica Sand Project (**Arrowsmith Central** or **Project**).

Arrowsmith Central is one of three separate, advanced silica sand projects being progressed by the Company, being Arrowsmith North, Arrowsmith Central and Muchea. This BFS is solely for Arrowsmith Central.

The Company is proposing to mine and process raw sand from Arrowsmith Central. The raw sand can be processed to a quality suitable for the glass making and foundry industries.

The silica sand Probable Ore Reserve is substantial and will support a long-life mining and processing project with substantial benefits to the region and Western Australia generally.

Silica sand products will be transported by rail from Arrowsmith Central to the Geraldton Port for export to Asian glass manufacturing and foundry industries.

Glass manufacturing product specifications are centred around the silica dioxide content of the silica sand, with consideration specifically attributed to other contained elements such as iron, titanium, aluminium and calcium, all of which affect the quality of the final glass products. Foundry industry product specifications are mostly centred around the size and shape of the silica sand grains.

Arrowsmith Central can produce saleable products that meet the required specifications for both industries.

The Company has received enquiries and expressions of interest from organisations and also agents across Asia for these products and holds signed letters of intent for substantial tonnages. Subject to completion of the approvals process for mining, offtake agreements will be finalised before the Company makes a decision to proceed to mine.

VRX has lodged a Mining Lease application for the Project. The Company is currently undertaking negotiations for a mining agreement with the Native Title holders, which is required before the grant of the Mining Lease.

The Company is progressing the environmental approval process for the Project with both State and Federal Government authorities and completing additional requisite studies necessary for the grant of a Mining Permit.

Details of the work undertaken on the Project by the Company to-date and an economic evaluation that supports development of a mining operation follows.



2 Project Background

2.1 Project Location

Arrowsmith Central is located 270 km north of Perth, WA and is between the regional towns of Dongara and Eneabba, WA (Figure 1).

The Project is located adjacent to the Brand Highway and the Geraldton-Eneabba Railway, with a rail connection direct to Geraldton Port.




Figure 1: Arrowsmith Central project and tenement location map

2.2 Environmental Data

Arrowsmith Central is located on the Lesueur Sandplain subregion.

The climate is warm Mediterranean with a hot, dry summer and a cool, wet winter. Median and mean annual rainfall in this region are 481 mm and 489 mm respectively. The Lesueur Sandplain is dominated by proteaceous heath on sand over deeper limestone; the dominant land uses are dryland agriculture, conservation and crown reserves.

Vegetation over the Project area primarily consists of scattered eucalypts over mixed kwongan shrubland on sand. There is a seasonal drainage line running through the southern part of the Project area.

Fauna assemblage is typical of the Lesueur Sandplains subregion and is moderately rich, but incomplete with some species locally extinct. The area is notable for a rich reptile assemblage and high proportion of non-resident birds, many of which are nectarivorous and exploit seasonal abundance of nectar and pollen from the species-rich flora. Few species of high conservation significance are present or expected, but the Carnaby's Black-Cockatoo is important, with known roost sites in the district and the species very likely to be a regular foraging visitor to the Project area.

There is a Crown Reserve area (39744) for Conservation of Flora and Fauna 4 km to the south of the Project area.

2.3 Site Topography and Drainage

The Project area lies within the northern Perth Basin, containing a succession of Quaternary to Permian age deposits up to a total of 12,000 m thick. It comprises a topographic high atop an aeolian sand dune system up to 5 m thick from the western edge of the deposit with a gentle west sloping erosional surface from 52mRL to 65mRL.

The surface is leached loose sand with very high transmissivity and drains from the east of the Project to the west. The seasonal Arrowsmith River lies 2km to the north and flows only during very high rainfall events.

A topographic image (pre-mining) is shown in Figure 13.

2.4 Existing Infrastructure

Aside from road and rail, there is limited infrastructure in or around the Project area.

There are no established power, water or sewerage services and the Company will have to install all of its required services.

The site can be accessed via an existing road that extends east to the Brand Highway or from Beekeepers Road to the south. The Project is transected by the Eneabba–Geraldton Railway line.

Employees will be stationed at Eneabba and Dongara and there will be no requirements for site accommodation.

2.5 Ownership and Leases

Land in the Arrowsmith Central area is vacant, unallocated Crown land with the State and Native Title claimants the only stakeholders.

The entire Arrowsmith project area (incorporating Arrowsmith Central and VRX's other silica sand projects adjacent to the Project, namely Arrowsmith North and Arrowsmith South) has five granted exploration licences covering 420 km².

The granted tenements are held in a VRX 100% owned subsidiary, Ventnor Mining Pty Ltd, and comprise E70/5027 (Arrowsmith North), E70/4987 (Arrowsmith Central), E70/4986 (Arrowsmith South), E70/5109 adjacent to the west of Arrowsmith North and E70/5197 adjacent to the east of Arrowsmith North. All tenement holdings are contiguous with combined reporting status.

For Arrowsmith Central, the Company also has pending applications for a Mining Lease (MLA70/1392), three Miscellaneous Licenses, one for the Search for Water over the Mining Lease area, the second for an access route south of the Mining Lease area to a location adjacent to the rail line reserve and the third for an alternate access route from Brand Highway.

Table 1 sets out tenement details for Arrowsmith Central.

Tenement	Holders	Grant date	Expiry date	Area (km ²)
E70/4987	Ventnor Mining Pty Ltd	6/04/2018	5/04/2023	86.5
MLA70/1392	Ventnor Mining Pty Ltd	08/02/2019*	Mining Lease	19.0
L70/198	Ventnor Mining Pty Ltd	13/03/2019*	Search for water	19.0
L70/202	Ventnor Mining Pty Ltd	23/05/2019*	Access route	
L70/203	Ventnor Mining Pty Ltd	23/05/2019*	Access route	

Table 1: Arrowsmith Central tenement details

* Application date (not yet granted)

2.6 Political Overlay

The location of Arrowsmith Central is within the jurisdiction of Western Australia and the Commonwealth of Australia.

Current Government positions relevant for the Project area and operations include:

Federal Minister

Melissa Price; MHR Durack

State Ministers

Premier; Minister for State Development; Jobs and Trade; Mark McGowan; MLA for Rockingham

Treasurer; Ben Wyatt; MLA for Victoria Park

Minister for Transport; Rita Saffioti; MLA for West Swan

Minister for Energy; Mines and Petroleum; Industrial Relations; Bill Johnston; MLA for Cannington

Minister for Ports; Alannah MacTiernan MLC for the North Metropolitan Region

Minister for Environment; Stephen Dawson MLC for Mining and Pastoral Region

State MPs

MLA for Moore; Shane Love

MLA for Geraldton; Ian Blayney

MLC for the Agricultural Region Darren West

Government Departments

Department of Transport (Includes Ports); Richard Sellers; Director General

Department of Mines, Industry Regulation and Safety (DMIRS); David Smith; Director General

Department of Jobs, Tourism, Science and Innovation (includes State Development) (DJTSI); Rebecca Brown; Director General

Department of Water and Environmental Regulation (DWER); Mike Rowe; Director General

Environmental Protection Authority; Chairman Dr Tom Hatton

Mid-West Development Commission; Chief Executive Officer; Gavin Treasure

Midwest Chamber of Commerce & Industry; Chief Executive Officer; Joanne Fabling

Mid-West Ports Authority; Chief Executive Officer; Dr. Rochelle Macdonald

Local Government

Shire of Carnamah; Chief Executive Officer; Kate Oborn

Shire of Irwin; Executive; Darren Simmons

City of Greater Geraldton; Chief Executive Officer; Ross Mckim

3 Native Title and Aboriginal Heritage

3.1 Claimant Parties

Arrowsmith Central is located wholly within the Southern Yamatji Native Title Claim (WC2017/002).

3.2 Surveys

The Company has in place a standard Heritage Agreement which covers the Company's Exploration Licence at Arrowsmith Central.

The Company has conducted an extensive Aboriginal Heritage clearance survey on all drill lines used in the March 2019 drill program. All lines were walked, and no sites of significance were noted. This was confirmed in a clearance report.

The area has previously been surveyed extensively for oil and gas exploration with no sites recorded in the Project area.

The Arrowsmith River, which runs 2 km to the north of the Project area, is noted as a sensitive area.

3.3 Existing Registered Aboriginal Sites

The closest Registered Aboriginal Site is the Arrowsmith River, to the south of Brand Highway, and north of the Project area.

This Site is not within the Mining Lease application area.

3.4 Negotiations

The Company is currently undertaking its Right to Negotiate with both the claimant group (Southern Yamatji) and the Government Party (Tenure and Native Title Branch of the Department of Mines, Industrial Regulation and Safety). The Company has no reason to believe that an agreement will not be reached between the parties.

Upon successful completion of the negotiations the Mining Lease will be granted, and a State Deed executed.

4 Community

Arrowsmith Central is located on vacant, unallocated Crown land.

The closest communities are Dongara, 42 km by bitumen road to the north and Eneabba, 40 km by bitumen road to the south. Both towns are expected to be the main source of personnel for mining and processing operations.

Dongara is located at the mouth of the Irwin River, contiguous with the town of Port Denison and is in the seat for the Shire of Irwin. It has a population of approximately 2,800 people. The main industries are the rock lobster fishery and agriculture.

Eneabba is the centre of what was once an extensive mineral sand industry. Major mineral sand operators still in the district are Iluka Resources, Tronox Holdings and Western Titanium. The sand plains to the east of Eneabba are used predominately for broadacre agricultural cultivation.

For personal use only

5 Geology, Resources and Reserves

5.1 Geology

Most economically significant silica sand deposits in Western Australia are found in the coastal regions of the Perth Basin, and the targeted silica sand deposits are the aeolian sand dunes that overlie the Pleistocene limestones and paleo-coastline, which also host the regional heavy mineral deposits.

Within the Project area, data obtained from the Department of Agriculture soil mapping shows there are pale and yellow deep sands predominating with lesser swampy areas and occasional ironstone ridges (Figure 2).




Figure 2: Simplified geology of the Arrowsmith Central area. Section line A – B shown.

Red dots – Air Core collars, Blue Dots - Auger collars.

Tenements as in Figure 1.

Source: Outlines based on DOAG soil mapping data.

5.2 Resources

5.2.1 Mineral Resource Estimate

The updated Mineral Resource estimate (**MRE**) for the Arrowsmith Central Deposit comprises 76.5 Mt @ 96.8% SiO₂ reported in accordance with the JORC Code².

The MRE is based on the results obtained from 39 hand auger drill holes for 98.6 m, and 76 air core (**AC**) drill holes for 247.4 m, to define the modelled silica sand layer.

Based on metallurgical testwork completed to-date, the silica sand at Arrowsmith Central is readily amenable to upgrading by conventional washing and screening methods to produce a high-purity silica sand product with high mass recoveries. The high-purity silica sand product specifications are expected to be suitable for industries such as glass making and foundry sand.

The MRE results are shown in Table 2.

Classification	Tonnage (Mt)	SiO ₂ %	Al ₂ O ₃ %	Fe ₂ O ₃ %	K ₂ O%	LOI%	TiO ₂ %
Indicated	28.2	96.6	1.7	0.4	0.2	0.7	0.2
Inferred	48.3	96.9	1.5	0.4	0.2	0.7	0.2
Indicated + Inferred	76.5	96.8	1.5	0.4	0.2	0.7	0.2

**Note: Interpreted silica sand layer is domained above a basal surface wireframe defined based on the current drill sampling depths. A depletion zone consisting of the upper 0.5 m is reserved for rehabilitation purposes, is not estimated or reported. Differences may occur due to rounding.*

Table 2: Arrowsmith Central Mineral Resource

The following summary presents a fair and balanced representation of the information contained within the MRE technical report prepared by CSA Global:

- Silica sand mineralisation at Arrowsmith Central occurs within the coastal regions of the Perth Basin, and the targeted silica sand deposits are the aeolian sand dunes that overlie the Pleistocene limestones and paleo-coastline. (ASX LR 5.8.1 geology & geological interpretation).
- Samples were obtained from hand auger and AC drilling. Quality of drilling/sampling and analysis, as assessed by the Competent Person, is of an acceptable standard for use in a Mineral Resource estimate publicly reported in accordance with the JORC Code. (ASX LR 5.8.1 Sampling & 5.8.1 Drilling)
- Major and trace elements apart from SiO₂ were analysed using a four-acid digest followed by Inductively Coupled Plasma Optical (Atomic) Emission Spectrometry (ICP-OES) analysis at the Intertek Genalysis, Perth laboratory. Loss on Ignition at 1000°C (LOI) was analysed by Thermal Gravimetric Analyser. SiO₂ was back-calculated by subtracting all ICP major and trace elements plus LOI from 100%, as this is the most accurate way of determining SiO₂ content for samples with very high SiO₂. Certain of the ICP results were verified by X-Ray Fluorescence (XRF) analyses. (ASX LR 5.8.1 Analysis)
- The Mineral Resource was estimated above a 3-d wireframe basal surface for the silica sands. This basal surface is nominally limited to the drill hole depths and the modelled extents are limited to within the VRX nominated Arrowsmith Central target area. The surface is based on the geological boundaries defined by logged silica sand from the drill data and with reference to the publicly available soil mapping data. The surface humus layer is typically about 300 mm thick. In consultation with VRX, CSA Global considered that the upper 500 mm (overburden) is likely to be reserved for rehabilitation purposes. This overburden surface forms the upper boundary of the estimated Mineral Resource and is depleted from the reported Mineral Resources. The Geraldton to Eneabba railway line and reserve passes through the target area and is depleted from the reported Mineral Resources. (ASX LR 5.8.1 Estimation methodology).
- Grade estimation was completed using ordinary kriging, with an inverse distance weighting to the power of two validation check estimate concurrently completed. (ASX LR 5.8.1 Estimation methodology).

² Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves, 2012 Edition (**JORC Code**).

- The Mineral Resource is quoted from all classified blocks above the defined basal surface wireframe for the silica sand layer and below the overburden surface layer. (ASX LR 5.8.1 cut-off grades).
- The Mineral Resource was classified as Indicated and Inferred based on drill hole logging, drill hole sample analytical results, drill spacing, geostatistical analysis, confidence in geological and grade continuity, and metallurgical / process test results. (ASX LR 5.8.1 classification).
- Roughly 25% of the interpreted mineralisation is considered to be extrapolated.
- Clause 49 of the JORC Code requires that industrial minerals must be reported “in terms of the mineral or minerals on which the project is to be based and must include the specification of those minerals” and that “it may be necessary, prior to the reporting of a Mineral Resource or Ore Reserve, to take particular account of certain key characteristics or qualities such as likely product specifications, proximity to markets and general product marketability.” (ASX LR 5.8.1 Mining, metallurgy & economic modifying factors).
- Therefore, the likelihood of eventual economic extraction was considered in terms of possible open pit mining, likely product specifications, possible product marketability and potentially favourable logistics and it is concluded that Arrowsmith Central may be classified as an industrial Mineral Resource in terms of Clause 49. (ASX LR 5.8.1 Mining, metallurgy & economic modifying factors).

5.2.2 Drilling

Drilling over the Project area has been completed by means of hand auger along existing tracks (Figure 3) and AC (Figure 4).

Hand auger hole depths ranged from 0.9 m to 3.8 m with an average depth of 2.5 m, while AC drilling ranged from 1.3 m to 9 m with an average depth of 3.3 m.

Drilling was completed along existing tracks, infill grid lines, the railway reserve and gas pipeline reserve. The infill grid lines are oriented nominally parallel to the railway reserve, with a nominal drill spacing of 400 m between holes along the section lines and section lines being nominally 200 m or 400 m apart. A nominal 300 m by 300 m drilling pattern is formed through the more densely drilled area in the centre and west of the Mining Lease application area, due to the orientation of the drill sections (Figure 5).



Figure 3: Existing access track at Arrowsmith Central



Figure 4: Landcruiser mounted Mantis 82 NQ sized aircore drill rig

Geological logging

Geological logging of drill samples was completed by the field geologist with samples retained in chip trays for later interpretation. Logging is captured in an excel spreadsheet, validated and uploaded into an Access database. The aeolian dune sand types were logged geologically and defined on the basis of field observation of colour, tone and grain size. All drilling intervals were logged.

Sampling

AC drilling samples are 1m down hole intervals with sand collected from a cyclone mounted rotary cone splitter, ~2-3kg (representing 50% of the drilled sand) was collected. Two sub-samples, A and B, of ~200g were taken from the drill samples. The remainder was retained for metallurgical testwork purposes.

The 100 mm screw auger drilling samples are 1 m down hole intervals with sand collected from a plastic tub which received the full sample, ~8 kg, from the hole. All auger samples were weighed to determine if down hole collapse was occurring, if the samples weights increased significantly the hole was terminated to avoid up hole contamination. The sand was homogenised prior to sub sampling, two sub-samples, A and B, of ~200 g were taken from the drill samples. A bulk sample of ~5 kg was retained for each 1 m interval for metallurgical testwork. The "A" sample was submitted to the Intertek Laboratory in Maddington, Perth for drying, splitting (if required), pulverisation in a zircon bowl to a nominal -75 μm . The "B" sample was used for field duplicate samples inserted to the sample stream at a rate of 1 in 20.

The analysis for multi-elements are determined by an initial specialised four-acid digest including Hydrofluoric, Nitric, Perchloric and Hydrochloric acids in Teflon tubes on the pulverised samples. The digest is then analysed by means of Inductively Coupled Plasma Optical (Atomic) Emission Spectrometry (ICP-OES) analysis, with silica reported by difference. Loss on Ignition at 1000°C (LOI) was analysed by Thermal Gravimetric Analyser (TGA).

Mineral Resource modelling

The Mineral Resource is estimated above a 3-d wireframe basal surface for the silica sand layer. The basal surface is nominally limited to the drill hole depth extents, or in the deeper AC holes. based on the geological and chemical analysis results limiting the upper silica sand layer. The modelled extents are further limited to within the VRX nominated Arrowsmith Central target area, and based on the geologically logged drill data and with reference to the publicly available soil mapping data.

The entire Arrowsmith Central target area is defined on the basis of the soil mapping data as being underlain by a single mixed silica sand material unit, which consists of dominant pale deep sands with interspersed yellow sands. The bulk composite sample sent for metallurgical testing to CDE included material from all drilled intervals, not separated into pale or yellow silica sand. CSA Global in consultation with VRX's geologist has considered it most appropriate to model the entire area as a single silica sand layer. The metallurgical testing has demonstrated that the mixed silica sand making up the deposit can be beneficiated to the desired product specifications as discussed in the metallurgy and other sections in this report. The decision was also taken with reference to the current stage of resource development and the drill spacing making it impractical to attempt separation of sand types.

The surface humus layer is typically about 300 mm thick. In consultation with VRX, CSA Global considered that the upper 500 mm (overburden) is likely to be reserved for rehabilitation purposes. This overburden surface forms the upper boundary of the estimated Mineral Resource and is depleted from the reported Mineral Resources. The railway reserve, which is 40 m wide, is also depleted from the Mineral Resources.

All available samples in the Arrowsmith Central area were flagged for further statistical analysis and use in the grade estimation. The drilling in Arrowsmith Central is relatively shallow and the area with sufficient drilling data to imply geological and grade continuity, is limited to the area that is drilled at a nominal 400 m drill spacing in the target area. The classified Mineral Resources have a nominal maximum extrapolation of grade estimated material beyond drill data points of roughly 400 m, and are additionally constrained within the VRX nominated target area.




Figure 5: Representative schematic section A – B

(See Figure 2), Looking north; 10 times Vertical exaggeration

Quality Assurance – Quality Control

VRX has provided CSA Global with an internal file note detailing procedures employed to ensure suitable levels of accuracy and precision are achieved by means of assay quality control work, and details provided in this section are largely derived from this note.

There is no certified, commercially available standard for high purity silica sand. VRX approached OREAS Pty Ltd to prepare a specialised run of 500 x 10 g packets, of their certified blank, OREAS 22e, without their usual 0.5% iron oxide pigment, this new standard has been denoted as VRX-22S. This material is generated from high purity silica sand as its base. As the sample does not include the pigment, and the exact composition of the pigment is unknown the certified values for OREAS 22e cannot be used. It should also be noted that the sample was prepared using a steel bowl pulveriser which will affect the total iron contained within the samples.

VRX has started a process of establishing values for VRX-22S, initially by doing a “Round Robin” to three laboratories in Perth. 20 sample packets were sent to Intertek, 10 to SGS and 10 to Nagrom. They all completed duplicated analysis on the packets with half of the packets using the two different analytical techniques:

- SiO₂ by difference through four acid digestion with ICP-OES finish (4A/ICP-OES), and LOI by TGA,
- Fused bead X-ray fluorescence (XRF) analysis, direct reporting of SiO₂

The purpose of this exercise was twofold; first, to determine which analytical technique was most appropriate for high purity silica analysis and, second, to achieve a baseline set of values for the standard, VRX-22s. When comparing the XRF results with the 4A/ICP-OES results it becomes apparent that the XRF produces low variability results for all elements, including Si whereas 4A/ICP-OES has more variability. Generally, 4A/ICP-OES has lower detection limits, but these vary from laboratory to laboratory. When just comparing the SiO₂ value, it is believed that 4A/ICP-OES returns a better estimate of the true value, and

further investigation has revealed that the “Industry Standard” for determining SiO₂ is the 4A/ICP-OES method tested here.

Overall CSA Global is of the opinion that the quality control work has demonstrated that the laboratory analyses and the sampling method has been appropriate, and the results of the chemical analysis are suitable for use in a reportable MRE.

Certified Reference Materials

CSA Global has completed a summary statistical analysis of the results from the round robin testing of the VRX-22S standard, with the results presented in Table 3. VRX geology staff expressed concern that the standard was not well enough understood using only the relatively few available analyses. Based on the fact that an additional 100 data points have been generated through the insertion of the standard to the sample stream, it was considered prudent to use the full available analysis result data set to establish a more robust statistical analysis of the values and variability that can be expected from the standard. The mean and standard deviation (SD) derived from this full data set analysis (Table 4) has been used as the basis for establishing the expected value and SD control lines in the control graph validating the laboratory analysis performance.

	Al ₂ O ₃ %	Fe ₂ O ₃ %	MgO%	TiO ₂ %	LOI%	SiO ₂ %
Number	40	40	40	40	40	40
Mean	0.126	0.038	0.005	0.040	0.082	99.699
Min	0.097	0.03	0.003	0.037	0.03	99.6369
Q1	0.122	0.036	0.004	0.039	0.050	99.677
Median	0.129	0.040	0.005	0.040	0.080	99.702
Q3	0.134	0.040	0.005	0.042	0.103	99.723
Max	0.141	0.05	0.0071	0.043	0.14	99.7503
Variance	0.0001	0.0000	0.0000	0.0000	0.0010	0.0008
Std Dev	0.0109	0.00438	0.0009	0.0018	0.0315	0.0279
Coeff Var	0.0869	0.1143	0.1933	0.0438	0.3839	0.0003

Table 3: Summary statistics for round robin testing of VRX-22s by 4A/ICP-OES

	Al ₂ O ₃ %	Fe ₂ O ₃ %	MgO%	TiO ₂ %	LOI%	SiO ₂ %
Number	140	140	140	140	140	140
Mean	0.140	0.041	0.005	0.041	0.088	99.682
Min	0.097	0.03	0	0.037	0.01	99.5514
Q1	0.131	0.039	0.004	0.040	0.050	99.654
Median	0.139	0.040	0.005	0.042	0.080	99.689
Q3	0.154	0.042	0.005	0.043	0.120	99.708
Max	0.1767	0.06	0.0074	0.0474	0.2	99.8
Variance	0.0002	0.0000	0.0000	0.0000	0.0018	0.0020
Std Dev	0.0146	0.00562	0.0011	0.0021	0.0426	0.0452
Coeff Var	0.1043	0.1386	0.2314	0.0505	0.4860	0.0005

Table 4: Summary statistics for all testing of VRX-22s by 4A/ICP-OES

The VRX-22S standard was inserted to the drill sample submissions to the Intertek Laboratory in Maddington, in sequence, at a ratio of 1:20, with a total of 20 samples being analysed from within the Arrowsmith Central sample submissions. Most analytes are very close to the assay method detection limit, so some inherent additional variability is expected to be seen in the results. Additionally, the preparation of the standard using a steel pulveriser is likely to introduce some variable low levels of iron to the sample. The statistical results of the standard analysis shown in Table 5 show that the mean results for the 20 submitted samples in the Arrowsmith Central sample data stream are very close to the all testing dataset values, while the SD is somewhat more variable.

Grade variable	Al ₂ O ₃	Fe ₂ O ₃	MgO	TiO ₂	LOI	SiO ₂
Detection Limit	0.01%	0.02%	0.004%	0.001%	0.01%	0.1%
Analysis Number	20	20	20	20	20	20
Expected Value	0.140%	0.041%	0.005%	0.041%	0.088%	99.682%
Analysis Mean	0.140%	0.042%	0.004%	0.041%	0.092%	99.691%
Expected Std Dev	0.0146	0.0056	0.0011	0.0021	0.0426	0.0452
Std Dev	0.0125	0.0066	0.0010	0.0023	0.0564	0.0592

Table 5: Comparison of performance of VRX-22S

(All testing against Arrowsmith Central sample stream submission)

The control plot for SiO₂ is presented in Figure 6 and shows three values approaching the +3SD failure limit, but the standard performance is considered to be acceptable in the context of the overall mean results and acceptable field duplicate performance.




Figure 6: Control Chart for VRX-22S - SiO₂

Blanks

It was not considered necessary to insert blanks to the sample stream as the VRX-22S material is effectively also a blank.

Field duplicates

Field duplicate samples were inserted in the sample stream at a rate of 1 in 20, resulting in 73 field duplicate samples. Analysis of the mean grades shown in Table 6 shows that the grade variables have reasonably similar mean grade results, similar population variability and generally strong correlation coefficients.

Grade Variable	SiO ₂ Prim	SiO ₂ Dup	Fe ₂ O ₃ Prim	Fe ₂ O ₃ Dup	TiO ₂ Prim	TiO ₂ Dup
Number	73	73	73	73	73	73
Mean	97.09	97.01	0.44	0.46	0.17	0.19
Variance	9.04	9.38	0.19	0.23	0.01	0.01
Std Deviation	3.01	3.06	0.43	0.48	0.08	0.09
Coeff.Var	0.03	0.03	0.97	1.03	0.08	0.09
Correl Coeff.	0.986		0.973		0.824	
Grade Variable	Al ₂ O ₃ Prim	Al ₂ O ₃ Dup	K ₂ O Prim	K ₂ O Dup	LOI Prim	LOI Dup
Number	73	73	73	73	73	73
Mean	1.27	1.29	0.17	0.17	0.68	0.69
Variance	1.91	2.05	0.04	0.04	0.98	0.96
Std Deviation	1.38	1.43	0.20	0.21	0.99	0.98
Coeff.Var	1.09	1.11	1.18	1.19	1.45	1.41
Correl Coeff.	0.983		0.990		0.993	

Table 6: Summary statistics Primary vs field duplicate samples

Although there is more scatter than is ideal seen in the analysis of the some of the grade variable scatter plots, the fact that the analytes are being assessed fairly close to their method detection limits must be taken into account. Overall the resulting SiO₂ grade analysis results appear to be reasonable when looking at both the scatter and q-q plots in Figure 7, and the QC results demonstrate that the analytical results are suitable for use in a Mineral Resource estimate.




Figure 7: Scatter plot and Q-Q plot Primary vs field duplicate samples for SiO₂

Twin holes

Seven AC drill holes were twinned in the Arrowsmith Central Project area for a total of 23 sample pairs. As can be seen from Table 7 the correlation coefficients are reasonably high, while the mean values of SiO₂ and TiO₂ are very similar, with Al₂O₃, Fe₂O₃ and LOI having more variable mean results. The Silica sand layer modelled at Arrowsmith Central has more inherent variability in the minor constituents, which primarily constitute a minor clay component, and this can be seen in the variability of the minor component results of the twin drilling. Overall the results are considered to be a reasonable result, which reflect the geological variability of the silica sand at Arrowsmith Central.

Grade Variable	SiO ₂ % Twin	SiO ₂ % Org	Fe ₂ O ₃ % Twin	Fe ₂ O ₃ % Org	TiO ₂ % Twin	TiO ₂ % Org	Al ₂ O ₃ % Twin	Al ₂ O ₃ % Org	LOI% Twin	LOI% Org
Number	23	23	23	23	23	23	23	23	23	23
Mean	95.66	95.60	0.78	0.62	0.23	0.23	2.11	2.21	0.94	1.05
Variance	9.88	8.18	0.77	0.28	0.01	0.01	3.15	3.05	0.53	0.48
Std Deviation	3.14	2.86	0.87	0.53	0.09	0.09	1.77	1.75	0.73	0.69
Coeff.Var	0.03	0.03	1.12	0.86	0.09	0.09	0.84	0.79	0.78	0.66
Correl Coeff.	0.882		0.852		0.787		0.830		0.812	

Table 7: Summary Statistics for twin drilling

Density

Four, certified, dry *in situ* bulk density measurements were completed by Construction Sciences Pty Ltd using a nuclear densometer. Table 8 shows the mean results from the four measurements and the results of the moisture factor correction to a dry *in situ* density mean result of 1.63 t/m³ which was used for all material in the MRE.

Mean Wet Density (t/m ³)	Mean Moisture %	Mean Dry Density (t/m ³)	Min. Dry (t/m ³)	Max. Dry (t/m ³)
1.68	3.3	1.63	1.51	1.83

Table 8: Density measurement results

5.2.3 Mineral Resource estimation

A block model was constructed using Datamine Studio software with a parent cell size of 200 m(E) by 200 m(N) by 2 m(RL). Sub-blocks down to 12.5 m(E) x 12.5 m(N) x 0.25 m(RL) were used for domain volume resolution. The model is flagged in the same way as the drillhole samples based on the interpreted silica sand mineralisation domain zone, or for depletion based on being within the railway reserve. The model is limited by the overburden and topographic surfaces above, to within a nominal maximum extension past known data points of up to 400 m and to within the VRX nominated Arrowsmith Central target area.

The 1 m composited auger and AC drillhole sample analysis results were subjected to detailed statistical analysis. The statistical analysis showed, by plotting on histograms (Figure 8), the estimated grade variables had grade population distributions that are reasonably normally distributed. There is a minor negative skew to the SiO₂ population with the remaining grade variables showing a minor positive skew. This is a reflection of the material types in the deposit being mixture of pale and yellow sand with a variable minor clay component.




Figure 8: Histograms for SiO₂

	Al ₂ O ₃	Fe ₂ O ₃	K ₂ O	LOI	SiO ₂	TiO ₂
Number	340	340	340	340	340	340
Minimum	0.17	0.04	0.03	0.06	81.33	0.05
Maximum	10.29	3.40	0.64	4.54	99.51	0.58
Mean	1.60	0.43	0.20	0.73	96.75	0.22
Median	1.01	0.27	0.18	0.46	97.77	0.21
Std Dev	1.56	0.46	0.11	0.68	2.71	0.09
Variance	2.44	0.22	0.01	0.46	7.34	0.01
Coeff Var	0.98	1.08	0.55	0.93	0.03	0.42

Table 9: Summary statistics for Arrowsmith Central silica sand layer

	Al ₂ O ₃	Fe ₂ O ₃	LOI
Top Cut	7.5	2.4	3
Number cut	2	3	3
Uncut mean	1.597	0.432	0.725
Cut mean	1.586	0.427	0.716

Table 10: Top cuts applied to grade variables

A spatial analysis of the data, although based on relatively few data points (340), yielded sufficiently robust variograms (Figure 9) that ordinary kriging (OK) was selected as the primary grade estimation methodology. Variogram modelling indicated a preferred mineralisation trend direction with primary continuity modelled toward 065°, and a 20% modelled nugget. The double spherical variogram parameters modelled and used in the OK estimate are shown in Table 11.

	Modelled strike	Modelled dip	Modelled dip direction	Nugget
	065°	0°	0°	0.2
Structure	Major axis range	Semi-major axis range	Minor axis range	Sill
1	460	300	2.2	0.47
Structure	Major axis range	Semi-major axis range	Minor axis range	Sill
2	660	500	2.5	0.27

Table 11: Variogram parameters

The composited samples were interpolated into the block model using OK, with inverse distance to the power of two weighting (IDS) used as a check estimate for validation purposes.

A search distance of 660 m for the major, 500 m for the semi-major axes and 10 m for minor axis was considered appropriate based on the results of the variography and the drillhole spacing. A maximum of 24 and a minimum of 15 samples were required for a valid block estimate from within the first search volume. The required sample numbers were reduced to 12 minimum and 20 maximum for the doubled size second search volume, and reduced again to 8 minimum and 16 maximum for the twenty-fold increased third search volume, which ensured all blocks were estimated. A maximum of four samples per drillhole was allowed per block estimate. Cell discretisation of 3(X) x 3(Y) x 4(Z) was applied and no octant-based searching was used in the grade estimate.

The measured, moisture factor corrected, mean density value of 1.63 t/m³ was assigned to all interpreted, modelled and reported sand material in the model.

The model was validated visually, graphically, and statistically. The visual analysis and the trend plots (SiO₂ by northing shown as an example in Figure 9), which compare model and drillhole composite grades by elevation, northing and easting, showed that the grade trends in the model reflect the drillhole grade trends to an acceptable degree. Table 12 shows the similarity between OK and IDS grades and similarity between estimated and drillhole sample grades considering volume variance and expected grade estimation smoothing effects.

The modelled extents of mineralisation at Arrowsmith Central are extrapolated beyond the limits of the drillhole data. The limit of the modelling has been applied at a nominal 400 m past the drill information where the limiting boundary of the nominated target area is further than this distance away from the data points. Approximately 25% of the interpreted mineralisation is considered to be extrapolated.

	SiO ₂ %	Al ₂ O ₃ %	Fe ₂ O ₃	K ₂ O%	LOI%	TiO ₂ %
Model OK	96.81	1.55	0.41	0.20	0.72	0.22
Model IDS	96.77	1.55	0.43	0.20	0.73	0.22
1m Comp DH	96.75	1.60	0.30	0.20	0.73	0.22

Table 12: Model validation comparing mean values for model IDS, model OK and drillhole sample data




Figure 9: Variogram models

The modelled extents of mineralisation at Arrowsmith Central are extrapolated beyond the limits of the drillhole data. The limit of the modelling has been applied at a nominal 200 m past the drill information where the limiting boundary of the nominated target area is further than this distance away from the data points. Approximately 20% of the interpreted mineralisation is considered to be extrapolated.

For personal use only




Figure 10: Swath plot by Northing for White sand above and Yellow sand below

5.2.4 Mineral Resource Classification

The Mineral Resource is classified as Inferred and Indicated according to the principles contained in the JORC Code.




Figure 11: Model classification plan view

Material that was classified as Indicated was considered by the Competent Person to be sufficiently statistically robust and informed by geological and sampling data to assume geological and grade continuity between data points.

Material that was classified as Inferred was considered by the Competent Person to be sufficiently informed by geological and sampling data to imply but not verify geological and grade continuity between data points.

The results of the MRE are presented in Table 13. The MRE may also be presented in a grade-tonnage curve with the curve for all material reported shown in Figure 12.

The MRE may also be presented in a grade-tonnage curve with the curve for all material reported shown in Figure 12.

Classification	Million Tonnes	SiO ₂ %	Al ₂ O ₃ %	Fe ₂ O ₃ %	K ₂ O%	LOI%	TiO ₂ %
Indicated	28.2	96.6	1.7	0.4	0.2	0.7	0.2
Inferred	48.3	96.9	1.5	0.4	0.2	0.7	0.2
Indicated + Inferred	76.5	96.8	1.5	0.4	0.2	0.7	0.2

*Note: Interpreted silica sand layer is domained above a basal surface wireframe defined based on the current drill sampling depths. A depletion zone consisting of the upper 0.5 m is reserved for rehabilitation purposes, is not estimated or reported. Differences may occur due to rounding.

Table 13: Arrowsmith Central Mineral Resource




Figure 12: Arrowsmith Central - all sand grade tonnage curve

5.2.5 Classification and JORC Code 2012, Clause 49

Mineral Resource tonnes and in situ SiO₂ content are key metrics for assessing silica sand projects; however these projects also require attributes such as final product size distribution, purity, grain shape, mechanical strength and thermal stability to be evaluated to allow consideration of potential product specifications (e.g. Scogings, 2014). These specifications are some of the parameters that drive the value in silica sand projects.

Clause 49 of the JORC Code requires that industrial minerals such as silica sand that are produced and sold according to product specifications be reported “in terms of the mineral or minerals on which the project is to be based and must include the specification of those minerals”.

Clause 49 also states that “It may be necessary, prior to the reporting of a Mineral Resource or Ore Reserve, to take particular account of certain key characteristics or qualities such as likely product specifications, proximity to markets and general product marketability”.

Therefore, silica sand Mineral Resources must be reported at least in terms of purity and size distribution, in addition to SiO₂ and tonnes, and should also take account of logistics and proximity to markets.

Likely product specifications for the Arrowsmith Central deposit are supported by the results of the composite sample process test work program undertaken by VRX in 2018 and 2019 at CDE Global in Northern Ireland.

Quartz (also known as silica) is produced commercially from a wide variety of deposits including unconsolidated sand, sandstone, quartzite, granite, aplite, and pegmatite. Silica sand and quartz are economical sources of SiO₂ used in glass and ceramics manufacture, for which key deleterious elements include iron and titanium. Silica sand is also used for foundry mould manufacture.

5.2.6 Glass and ceramics specifications

Though the production of glass requires a variety of different commodities, silica represents over 70% of its final weight. Its chemical purity is the primary determinant of colour, clarity and strength of the glass produced.

In the production of glass, there is both the need and requirement for silica to be chemically pure (composed of over 98% SiO₂), of the appropriate diameter (e.g. a grain size of between approximately 0.1 mm and 0.4 mm and with low iron content (less than approximately 0.04% Fe₂O₃). Refer to Tables 14, 15 and 16 for examples of chemical composition and size distribution for silica products for the glass and ceramics markets. Proposed VRX glass sand specifications are given in Tables 18 and 19; these are based on laboratory tests of drill sample composites in 2018 and 2019.

5.2.7 Foundry sand specifications

Silica sand is used in the production of sand moulds for casting of metals; this product is described generically as ‘foundry sand’. Although other types of sand e.g. olivine, zircon, aluminosilicate or chromite sands can be used to make moulds, silica sand is used primarily because it is globally available and relatively inexpensive.

There are different size specifications depending on the foundry application and VRX has identified opportunities for a range of sand sizes. Foundry sands are commonly bonded using bentonite clay and water, or resin, depending on the application. Milled coal is commonly added to create a reducing environment and to improve the casting finish by depositing a lustrous carbon layer at the sand/casting interface.

It is preferable to have rounded to sub-rounded silica grains with medium to high sphericity, as this improves flowability of the mould during formation and allows for higher permeability after the metal has been poured. More angular sands don’t pack as well and require higher binder additions.

Most foundry sands fall into the range of ~0.1 mm to 0.5 mm and they are produced to meet specific size distributions which are commonly described by a number known as the ‘AFS number’ (Table 17). The higher the AFS number, the finer the sand. Proposed VRX foundry sand specifications are given in Tables 20 and 21; these are based on laboratory tests of drill sample composites in 2018 and 2019.

5.2.8 Conclusion supporting economic extraction

CSA Global is of the opinion that available process testwork indicates that likely product qualities for glass, ceramics and foundry sand are considered appropriate for eventual economic extraction from Arrowsmith Central. In addition, potentially favourable logistics and project location support the classification of the Arrowsmith Central deposit as an industrial mineral Inferred/Indicated Mineral Resource in terms of Clause 49.

Market	SiO ₂ %	Al ₂ O ₃ %	Fe ₂ O ₃ %
Flat glass	>99.5	<0.3	<0.04
Container flint glass	>98.5	<0.5	<0.035
Insulation fibre glass	>95.5	<2.2	<0.3
Porcelain	>97.5	<0.55	<0.2
Enamels	>97.5	<0.55	<0.02

Table 14: Silica chemical specifications for glass and ceramics markets

Source: Modified from Sinton (2006)

Specification	SiO ₂ %	Other Elements %	Other Elements ppm
Clear glass-grade sand	>99.5	<0.5	<5,000
Semiconductor filler, LCD, and optical glass	>99.8	<0.2	<2,000
"Low Grade" HPQ	>99.95	<0.05	<500
"Medium Grade" HPQ	>99.99	<0.01	<100
"High Grade" HPQ	>99.997	<0.003	<30

Table 15: Silica sand and quartz chemical specifications by market

Source: Modified from Richard Flook (Hughes, E., *Industrial Minerals Magazine*, December 2013)

Sieve size	Mesh size	Flat glass	Flint container glass
mm	Openings per inch	Cumulative percent retained	Cumulative percent retained
1.18	14	0.0	0.0
0.85	18	<0.01	0.0
0.425	36	<0.1	<4
0.106	150	>92	>25
0.075	200	>99.5	>95

Table 16: Physical size specifications for glass sand

Source: Modified from Herron (2006)

US mesh #	Sieve size (mm)	Coarse	Medium	Fine
6	3.35	% retained	% retained	% retained
12	1.7	35	5	
20	0.85	40	24	
30	0.6	20	40	
40	0.425	3	20	20
50	0.3	2	8	38
70	0.212		2	33
100	0.15		1	6
140	0.106			3
200	0.075			
270	0.053			
Total		100	100	100
AFS		20	32	60

Table 17: Examples of hypothetical foundry sand distributions and AFS numbers

Product	SiO ₂	Al ₂ O ₃	Fe ₂ O ₃	TiO ₂	CaO	MgO	K ₂ O
Arrowsmith – CF400	99.6	0.25	0.040	0.03	0.005	0.001	0.05

Table 18: VRX Silica – provisional Arrowsmith Central glass sand chemical specifications

Source: VRX Silica ASX announcement February 2019

Product	Sieve micron and % retained on sieve								
	850	600	425	300	212	150	106	75	53
Arrowsmith – CF400		0.5%	44%	39%	16%	0.5%			

Table 19: VRX Silica – provisional Arrowsmith Central glass sand PSD

Source: VRX Silica ASX announcement February 2019

Product	SiO ₂	Al ₂ O ₃	Fe ₂ O ₃	TiO ₂	CaO	MgO	K ₂ O
Arrowsmith-C20 / C40	99.6	0.25	0.054	0.03	0.005	0.001	0.05

Table 20: VRX Silica – provisional Arrowsmith Central foundry sand chemical specifications

Source: VRX Silica ASX announcement February 2019

Product	10/2	Mesh/mm % retained on sieve								AFS No
		20/0.85	30/0.6	40/0.425	50/0.3	70/0.212	100/0.15	140/0.196	200/75	
Arrowsmith-C20	6%	22%	30%	38%	3%	0.3%	0.1%			21
Arrowsmith-C50			0.3%	32%	28%	17%	14	8%	1%	36

Table 21: VRX Silica – provisional Arrowsmith Central foundry sand PSD and AFS specifications

Source: VRX Silica ASX announcement February 2019

5.3 Reserves

VRX has completed the necessary work to convert the Indicated Mineral Resource to Probable Ore Reserves. A summary of the work undertaken is included in this BFS.

Table 22 details the Probable Ore Reserve that will be produced from mining of the Indicated Mineral Resource and processing in a purpose built, wet sand processing plant. The plant will produce four saleable products for different markets with a **Probable Ore Reserve** for Arrowsmith Central totals **18.9 Mt @ 99.6% SiO₂** as reported in accordance with the JORC Code with **18.7 Mt @ 99.6% SiO₂** contained within the area of the Company's Mining Lease application (MLA70/1392).

Ore Reserve			Global	Within M70/1392	SiO ₂ %	Al ₂ O ₃ %	Fe ₂ O ₃ %	TiO ₂ %	LOI %
Classification	Product	Recovery	Million Tonnes	Million Tonnes					
Probable	Arrowsmith-CF400	17%	4.2	4.1	99.6	0.25	0.04	0.03	0.1
	Arrowsmith-C20	34%	8.4	8.2					
	Arrowsmith-C50	17%	4.2	4.1					
	TiO ₂ Concentrate	9%	2.2	2.2					
Total Reserve			18.9	18.7					

Table 22: Arrowsmith Central Silica Sand Probable Ore Reserve as at July 2019

Product	Sieve Opening (Mesh / µm Retained)									
	10 / 2mm	20 / 850	30 / 600	40 / 425	50 / 300	70 / 212	100 / 150	140 / 106	200 / 75	AFS No
Arrowsmith-CF400	-	0%	0.5%	44%	38.9%	16.1%	0.5%	-	-	37
Arrowsmith-C20	6.2%	22.2%	30.4%	37.9%	2.9%	0.3%	0.1%	-	-	22
Arrowsmith-C50	-	-	0.3%	31.9%	27.5%	17.3%	13.7%	8.2%	1.1%	49

Table 23: Arrowsmith Central Saleable Products from Catalogue

5.3.1 Metallurgical Factors

As a part of the upgraded MRE, CSA Global reviewed the metallurgical testwork to comply with Clause 49 of the JORC Code. CSA Global has concluded that the available process testwork indicates likely product qualities for glass, ceramics and foundry sand are considered appropriate for eventual economic extraction from Arrowsmith Central. Favourable logistics and the location of the Project support the classification of Arrowsmith Central in accordance with Clause 49 as an industrial mineral with an Inferred/Indicated Mineral Resource. The extensive metallurgical testwork which has been completed by CSA Global at their facility in Cookstown, Northern Ireland, and Nagrom in Kelmscott, Perth, allowed for the creation of a catalogue of silica sand products that could be produced from Arrowsmith Central³ (see Table 23).

These products become the recovered products which make up the Ore Reserve (see Table 22).

The mass balance of the particle sizes was analysed allowing for the recoveries of these products in a wet processing plant to be estimated.⁴

The recovery of each product is shown in Table 24.

Product	Industry	Recovery
Arrowsmith - C20	Foundry	34%
Arrowsmith - C50/CF400	Foundry / Glass	34%
TiO ₂ Concentrate	Mineral sands	9%
Total Recovery		77%

Table 24: Arrowsmith Central Product Recovery

5.3.2 Material Modifying Factors – Mining Factors

The mining method chosen for Arrowsmith Central is a rubber wheeled front-end loader, feeding into a 3 mm trommel screen to remove oversize particles and organics. The undersize sand is slurried and pumped to a sand processing plant which is located proximal to the Eneabba-Geraldton Railway line. After processing, the silica sand is loaded into railway trucks for bulk export from the Geraldton Port.

Mining of the dune sand will extract to the base of the Indicated Resource/Probable Ore Reserve. This will leave a slightly undulating surface. An appropriate buffer around the Eneabba to Geraldton railway line has been included in the Mineral Resource and is utilised in the conversion to Mining Reserves. The pre- and post-mining topography is shown in Figures 13 and 14.

100% of the material in the mining area is considered to be sand that can be beneficiated to a saleable silica sand product. The top 500mm has been excluded from the MRE as it will be reserved for rehabilitation purposes. As there is no waste material, the recovery factor is considered to be 100% and ore loss therefore is considered to be 0%.

³ASX announcement of 26 February 2019, "Testwork Update and product Catalogues".

⁴ASX announcement of 3 May 2019, "High Recovery from Silica Sand Process Plant Design".




Figure 13: Arrowsmith Central Pre-Mining Topography
(10:1 vertical exaggeration)



Figure 14: Arrowsmith Central Post-Mining of Ore Reserves, Topography
(10:1 vertical exaggeration)

5.3.3 Material Modifying Factors – Environmental Studies

Development location

- East of the Beekeepers Nature Reserve
- Approximately 20 km inland of the coast
- South of the Arrowsmith River (Registered Aboriginal Heritage Site)
- Outside of World Heritage Areas, National Heritage Places, Ramsar Wetlands, Conservation Reserves or Commonwealth Marine Reserves

The Probable Ore Reserve is located within an area of deep sands, leached of nutrients. The vegetation is coastal scrub heath (known as Kwongan heath). The topography is low relief typical of a broad flooding plain.

Assessment Process:

- Referral submission to the Federal Department of the Environment and Energy (**DotEE**)
- Submission of Section 38 referral to State Environmental Protection Authority (**EPA**)
- Seek an Accredited *Environment Protection and Biodiversity Conservation Act 1999* (Cth) Assessment under the State *Environmental Protection Act 1986* (WA) via an Environmental Review Document with public comment
- Undertake any further studies required
- Submission of Environmental Review Document

Mitigation Strategies

- Proposed action lies within a large development envelope, allowing for the flexibility to target areas of lower significance to matters of national environmental significance (**MNES**)
- Disturbance will be kept to a minimum, up to 35 ha per year and 14 ha at any one time
- Progressive rehabilitation using topsoil re-location to ensure topsoil and plants are translocated intact to previously mined areas
- Conduct further surveys to identify MNES
- Use findings to steer the project and avoid MNES where possible

There are no mine tailings storage requirements.

There are no waste dumps.

Processing requires no chemicals.

5.3.4 Material Modifying Factors – Infrastructure

The Project is located on vacant, unallocated crown land which is east of the Beekeepers Nature Reserve and bounded to the north by a Proposed A Class Reserve. The east boundary is the limit of tenure. The Brand Highway is proximal to the area and access is via an unsealed road from Brand Highway. The Eneabba/Geraldton rail line runs through the western part of the Project area and will be used to transport the processed silica sand to the Geraldton Port for bulk export.

The Project will require its own installed power and water infrastructure.

Labour will be sourced from the nearest towns, Dongara and Eneabba (approximately 30 km from the mine site) and there will be no accommodation installed at the mine site.

5.3.5 Costs

Operating costs

Operating costs have been determined from first principles and are estimated to include all costs to mine, process, transport and load product on to ships.

Royalties

The prevailing rate of royalty due to the State is used in VRX's economic assessments. The State Royalty rate is A\$1.17 per dry metric tonne and reviewed every 5 years with the next review due in 2020.

There are no other royalties payable (including private), though a royalty may be negotiated with Native Title claimants.

5.3.6 Revenue

Product Quality

Multiple products will be differentiated during processing subject to required particle size distribution by screening. Recovery of products has been independently assessed by CDE Global, a world leading silica sand testing laboratory.

Commodity Prices

Commodity prices for silica sand products have been determined by independent industry source, Stratum Resources. The industry standard is that sales contracts are in US dollars. The exchange rate to convert to Australian dollars will be the prevailing rate at the time of payment.

Subject to final quality produced, the prices for the commodity will range from US\$38 to US\$58 per dry metric tonne Free on Board (**FOB**). There are no shipping cost estimates with all contracts to be based on FOB rates.

Revenue will be based on a negotiated per shipment basis per dry metric tonne FOB with payment by demand on an accredited bank letter of credit.

There will be no other treatment, smelting or refining charges.

5.3.7 Market Assessment

The Company has commissioned an independent assessment of the current market prices for proposed products by independent industry source, Stratum Resources. The assessment includes projections for future demand and supply of silica sand and concludes that there is a likely future tightening of supply of suitable glassmaking silica sand with a commensurate future increase in price.

Sales volumes have been estimated as a result of received letters of intent and expressions of interest to purchase products.

5.3.8 Economic Factors

The Company's economic analysis has calculated a 10% and 20% discounted ungeared post tax net present value (**NPV**). A 20% discounted NPV has also been calculated to demonstrate the strength of the economic analysis.

The analysis has not considered any escalated future product prices nor any inflation to operating costs. The analysis has used a US\$/A\$ exchange rate of US\$0.70/A\$1.00.

The analysis is based on a 25-year production profile, despite the Probable Ore Reserve far exceeding that project life.

Capital requirements are based on independent estimates.

The economic analysis is most sensitive to the exchange rate.

The analysis indicates the financials of the Project are very robust and there is a high confidence that a viable long-term mining operation can be justified.

5.3.9 Social Factors

The Company's Mining Lease application for Arrowsmith Central lies within the Southern Yamatji Native Title claim boundaries (WC2017/002), which replaced a pre-combination claim (WC2004/002) by the Amangu People.

The Company is currently in negotiations with both the claimant group (Southern Yamatji) and the Government Party (Tenure and Native Title Branch of the Department of Mines, Industrial Regulation and Safety) with respect to the Mining Lease application. The Company expects that an agreement will be reached between the parties allowing for the mining lease to be granted.

The Project is wholly on vacant, unallocated Crown land and, therefore, there is negligible negative impact on local communities.

5.3.10 Project Funding

The financial model summarised in Section 18 sets out the project metrics and provides a basis for the potential capital structure of the Company for the development of the Project. Total capital expenditure at Arrowsmith Central (for a 2 million tonnes per annum processing plant) is estimated at approximately A\$25.88 million. Section 16 details capital cost estimates.

The Company anticipates that the source of funding for the capital investment at Arrowsmith Central will be any one of, or a combination of, equity, debt and pre-paid offtake from the Project. Whilst no final decision has been made in that regard, the financial model assumes a maximum A\$20 million in debt.

The Company has received a number of enquiries and expressions of interest from debt financiers for the Project. As noted above, the financial model provides for debt capacity and is designed to meet the expectations of any providers of potential debt funding for their due diligence and other internal requirements.

In addition, the Company has also received enquiries and expressions of interest from organisations across Asia for silica sand products from the Project, and holds signed letters of intent for substantial tonnages. A number of these organisations have expressed interest in becoming a funding partner of the Company for development of a mine by way of pre-paid offtake arrangements.

The balance of the Company's capital requirements will be funded from equity capital.

Whilst the envisaged project development requires a low capital intensity relative to a greenfields hard rock mining project, and any one of, or a combination of equity, debt and pre-paid offtake is planned, VRX has not as yet secured the required capital. The positive financial metrics of the BFS and feedback from potential funding partners provides encouragement as to the likelihood of meeting optimum project and corporate capital requirements.

5.4 Mine Plan

The production target for Arrowsmith Central incorporates the maiden Probable Ore Reserve of 18.7 Mt @ 99.6% SiO₂ that sits within the Mining Lease application area (see Section 5.3) as well as a portion of the Inferred Mineral Resource.

The Inferred Mineral Resource available to mine within the Mining Lease application area is 29.4 Mt @ 96.2% SiO₂.

Figure 15 illustrates, at both topographical and cross-sectional perspectives, the locations of the maiden Probable Ore Reserve over the area and the Inferred Mineral Resource available to mine.

The maiden Probable Ore Reserve is estimated from the Indicated Mineral Resource only. This constitutes approximately 48% of the estimated total production target (in terms of processed tonnes of silica sand) over the 25 year mine life for the Project BFS. It provides sufficient tonnage for the first 13-14 years of mining operations. The Company intends to mine solely from the Probable Ore Reserve during that period. Section 18.1 sets out key assumptions underpinning the financial model for the Project, including timing for project start-up and ramp-up to full capacity.

The ore which forms the Inferred Mineral Resource is contiguous with the Indicated Mineral Resource and has been categorised as lower confidence due to wider spaced drilling. (Drilling of the Indicated Mineral Resource is typically 200m to 400m x 400m drill spacing, whereas the Inferred Mineral Resource is drilled on a 800m x 800m spacing.)

The Company has undertaken sufficient drilling to assume geological and metallurgical continuity of the sand deposit. There is negligible difference between the modelled sand in each category and it is believed an additional 500m of drilling would be required to upgrade the inferred resource category. The cost for drilling, assaying and associated studies is estimated (at current rates) to be in the region of \$100,000 and will need to be undertaken within the first 13 years of mining operations.

Given the simple nature of the silica sand deposit at the Project and the associated geological and metallurgical confidence, the Company expects that this additional drilling will be sufficient to realise the production target.

Figures 48 and 49 (in Section 18.3) illustrate the expected production profile.

Notwithstanding the above, there is a low level of geological confidence associated with Inferred Mineral Resources and there is no certainty that further exploration work will result in the determination of Indicated Mineral Resources or that the production target itself will be realised.




Figure 15: Arrowsmith Central Post-Mining of Ore Reserves and Inferred Resources

Topography (10:1 vertical exaggeration)

Probable Ore Reserve within green boundaries and Inferred Mineral Resource within blue boundaries.

6 Mining

The Project will utilise a unique and flexible mining and rehabilitation method to maximise production and the recovery of rehabilitated mined areas.

The proposed mining process is to sequentially mine 8-15 m of sand from below the base of the soil profile in 2.25 ha blocks (150 m x 150 m), with up to 8 blocks mined per year (18 ha).

High grade silica sand will be produced in line with the following sequential process:

- An initial area of 150 m x 150 m will be cleared conventionally by dozing the topsoil to 400 mm into a topsoil stockpile to one side of the proposed mining area.***

This windrow will be undisturbed for a significant time (up to 10 years). The windrow will be utilised as a seed bank and will be later reused as topsoil on the last area mined.




Figure 16: Mining process – initial cleared area

2. *A conveyor route will be established*




Figure 17: Mining process – conveyor cleared area

3. Vegetation is trimmed in preparation for translocation.

This will utilise a dozer front mounted mulcher which will trim the vegetation to approximately 800 – 1000 mm above ground. This will create vegetation material which will later breakdown as a humus but most important will reduce the foliage and aspiration rates to increase the survival rates after the Direct Vegetation Transfer (DVT) in a low rainfall area.




Figure 18: Mining process – vegetation trimmed

4. The ground will then be ripped using a dozer mounted scythe which will rip the shrub root systems at 400 mm below ground level.

This will reduce the root disturbance when later excavated by front end loader (FEL) during the DVT sequence.




Figure 19: Mining process – ground ripped below shrub root systems

5. **Intact vegetation and topsoil are translocated via DVT and silica sand mined in panels.**

A modified FEL will be used to excavate a 3 m x 3 x 400 mm sod of topsoil which will include the relatively undisturbed microbial and invertebrate content. The sod including the topsoil and vegetation will be translocated to the previously mined area.




Figure 20: Mining process – vegetation and topsoil translocated

Silica sand is extracted in 2.25 ha panels following DVT.




Figure 21: Mining process – silica sand mined in 2.25 ha panels

For personal use only

The process is continuous. Following extraction the mined 2.25 ha panel is rehabilitated with intact vegetation and topsoil translocated via DVT from the next 2.25 ha panel




Figure 22: Mining process – continuous process of mining and rehabilitation

6. Silica sand is screened and conveyed to a rotating trommel

Mined silica sand is shifted via a conventional front end loader to a feeder bin for transfer on to a conveyor. This mobile feeder site is located at the mine face.



Figure 23: Mining process – silica sand loaded and screened

The trommel will have a water washed 3 mm screen that will remove any oversize and organic material. The silica sand will then be slurried (water sand mixture) and pumped to an off-site processing plant for beneficiation into a final saleable product.

7. Mining continues to the extent of the conveyor system

The mining and conveyor will advance in 150 m x 150 m panels with continuous DVT rehabilitation to the extent of the conveyor system, at which point the process will revert to the other side of the conveyor and retreat back to the initial mined area.




Figure 24: Mining process – mining continues to the extent of conveyor, then retreats

For personal use only

8. **Mining continues in panels to the initial cleared area at which point the previously stockpiled topsoil will be spread across the final mined panel**




Figure 25: Mining process – mining continues in retreat to initial cleared area

For personal use only

9. *The conveyor will then have a transverse added component and move the mining to a new area where the process will be repeated.*




Figure 26: Mining process – process is repeated

7 Metallurgy

7.1 Sampling

A composite auger sand sample from Arrowsmith Central was sent to CDE Global, in Cookstown, Northern Ireland for testing. The sample was screened at 4 mm to remove oversize particles. The remaining material was then subjected to an attrition process followed by spiral separations (Figure 27). The summary below was extracted from CDE Global's report (*Testing report, lab quotation number 0032; also refer to the Company's ASX announcement of 20 September 2018*).

7.1.1 Attrition and washing tests

Attrition testing was carried out at a retention period of 5 minutes, with the sample washed after attritioning to remove any liberated fine particles. Spiral testing was then carried out with approximately 80 kg of attritioned material. Attrition scrubbing is a process whereby minerals such as quartz can be cleaned, by the action of particles impacting one another and the removal of coating impurities such as clay. The attritioned sample was analysed for particle size distribution (Table 25) and a visual comparison is shown in Figure 28.

7.1.2 Spiral tests

Two different cut points were utilised in the spirals testing: an aggressive cut which produces high quality material but a lower yield and a conservative cut which produces material of a reduced quality but with a higher yield. The samples then underwent wet magnetic separation to explore the possibility of reducing the magnetic mineral content. The products from each stage of testing were chemically analysed to give an overview of the composition of each product (Table 26).




Figure 27: Lab scale attrition mill (left) and paddle shaft from lab scale attrition mill (right)



Figure 28: Arrowsmith Central – visual comparison post attrition
Pre-washed material (left) with post attrition, washed material (right).

7.1.3 Chemical analyses

Chemical analysis showed a general decrease in Al_2O_3 with processing; attritioning and washing the material removed the largest fraction of Al_2O_3 . The spiral separation process produced samples where the largest fraction of Al_2O_3 was found in the heavy mineral fraction. Magnetic separation resulted in the largest fraction of Al_2O_3 being in the magnetic fraction. The results for Fe_2O_3 follow the same general trend as for Al_2O_3 .

The percentage fraction of SiO_2 in the samples increased during the test process. Attritioning and washing the material removed fines and silt, which increased the SiO_2 content. The spirals test produced samples where the largest fraction of SiO_2 was found in the light fraction. Magnetic separation indicated that the largest fraction of SiO_2 was in the middlings fraction.

7.1.4 Conclusions - glass and ceramic specifications

In the production of glass, there is both the need and requirement for silica to be chemically pure (composed of over 98% SiO_2), of the appropriate diameter (a grain size of between approximately 0.1 mm and 0.4 mm) and with low iron content (less than approximately 0.04% Fe_2O_3). Refer to Tables 18, 19 and 20 for examples of chemical and size distribution for silica products for the glass and ceramics markets. CSA Global is of the opinion that available process testwork indicates that likely product quality is considered appropriate for industrial mineral applications such as glass manufacture.

7.1.5 CDE Global testwork – 2019

Raw material remaining from first phase of testwork was removed from storage and was screened at 1 mm to remove oversize material and organics (Figure 29). These two fractions were screened to obtain particle size distributions (PSD) which are presented in Table 26 and Figure 30. Chemical analyses are presented in Table 27 and show that the +1 mm material contains less Al_2O_3 , Fe_2O_3 and TiO_2 than the feed material, probably because there is less clay in the +1 mm fraction.

The sand was then wet screened through a 0.212 mm sieve and PSD test run which showed that the +0.212 mm material contains some fines (3.25% passing the 0.212 mm sieve) and in contrast the -0.212 mm sample contains a large amount of fines with 27.2% passing the 0.053 mm sieve. Chemical analysis showed that the -0.212 mm fraction contains more Al_2O_3 and Fe_2O_3 than the +0.212 mm fraction, due to higher clay fraction in the finer sample.




Figure 29: Arrowsmith Central sand oversize after screening to 1 mm

7.1.6 Attrition and washing tests

The 0.212-1 mm fraction was then attrited for 5 minutes and washed over a 0.063 mm sieve, highlighting that the attrition and washing process removed fine particles, and reduced Al₂O₃, Fe₂O₃ and TiO₂ contents (Tables 25 and 26).

7.1.7 Spiral tests

The 0.212 mm material was then processed in a spirals test unit and three fractions were produced, namely heavy, middling and light. Particle size distribution analysis showed that the heavies contain the highest amount of fines and that the lights contain the lowest amount of fines. This is probably because fine-grained dense minerals containing Fe and Ti are concentrated with the heavy fraction. This observation was borne out by chemical analysis which showed that Al₂O₃, Fe₂O₃ and TiO₂ are highest in the heavy fraction. These elements are lowest in the middling and light fractions, and lower than the feed material.

Sieve sizes	Post attrition & wash 1	Post attrition & wash 2, post 0.212mm screen	-0.212mm material
mm	% passing	% passing	% passing
1.7	100.0	100.0	100.0
1.18	100.0	100.0	100.0
0.85	94.2	89.4	100.0
0.6	67.6	65.0	99.7
0.425	41.5	38.2	99.4
0.3	18.8	16.1	99.0
0.212	3.5	1.3	65.3
0.15	0.6	0.1	14.9
0.106	0.2	0.1	4.2
0.075	0.04	0.1	0.8
0.053	0.01	0.1	0.2

Table 25: Arrowsmith Central particle size distribution before and after attritioning

Process stage	Sample description	Mass	Fe ₂ O ₃	MnO	TiO ₂	Al ₂ O ₃	SiO ₂
		%	%	%	%	%	%
Feed	Raw Material		0.25	0.19	1.27	0.57	97.35
Attrition process and EvoWash Simulation	Attritioned & washed material		0.10	0.08	0.32	0.23	99.16
Spiral test 1. High grade, low yield	Heavies	8.88	0.23	0.34	0.34	0.18	98.77
	Middlings	78.25	0.07	0.03	0.22	0.19	99.43
	Lights	12.87	0.09	0.02	0.22	0.21	99.40
Spiral test 2. Low grade, high yield	Heavies	2.18	0.37	0.56	0.40	0.25	98.23
	Middlings	45.81	0.07	0.07	0.33	0.16	99.23
	Lights	52.01	0.11	0.02	0.24	0.06	99.49
Mag Sep Feed	Low grade, high yield - lights + middlings mixed		0.06	0.06	0.28	0.14	99.35
Magnetic separation of spiral test 2	Magnetics	0.41	4.42	3.70	1.60	1.08	88.83
	Middlings	7.31	0.07	0.07	0.29	0.18	99.29
	Non-magnetic	92.27	0.03	0.03	0.26	0.13	99.46

Table 26: Summary chemistry of samples processed at CDE Global, Northern Ireland.

(Analyses by ICP method)

7.1.8 Magnetic separation tests

The middling and light fractions from the spiral testwork were combined to form the feed for magnetic separation tests. The composite was then processed through a magnetic filter to generate magnetic, middling and non-magnetic fractions (Figure 31). Three magnetic strengths namely 0.5 Tesla, 0.65 Tesla and 1.0 Tesla were used.

The separation process works by passing sand and water slurry through a magnetised matrix in what is known as a 'HI Filter Unit'. Material which passes freely through the filter is described as non-magnetic, whereas the magnetic material adheres to the filter. At the end of the test, the HI Filter is de-energised and flushed using compressed air and water to discharge the magnetic particles which have collected in the magnetic matrix.

Magnetic separation results in an increase in SiO₂ and a decrease in Al₂O₃, Fe₂O₃ and TiO₂ in the non-magnetic fraction compared with the feed material (Tables 28 and 29).

7.1.9 Foundry products – comments on PSD

The composite sample tested by CDE Global in 2018 and 2019 indicates that a product with AFS ~45 should be achievable (Table 28 and Figure 32) and that some coarser AFS 20 product may also be achievable. Other foundry sand specifications include roundness and sphericity (Figure 33), clay content (generally <0.5%), moisture and SiO₂ content, which should be achievable with suitably processed Arrowsmith Central silica sand.

7.2 Conclusions for products

Process testwork on a composite drill sample indicates that the Arrowsmith Central deposit is suitable for the production of silica sand for glass, ceramics and foundry markets.

Sieve size (mm)	Sieve size (US mesh)	Raw material % passing	+1mm material % passing
2.36	8	-	100.0
1.7	12	96.8	86.2
1.18	16	91.0	53.8
0.85	20	78.7	7.5
0.600	30	62.1	2.8
0.425	40	44.6	1.7
0.300	50	31.0	0.8
0.212	70	21.3	0.4
0.150	100	15.3	0.4
0.106	140	10.8	0.3
0.075	200	7.9	0.3

Table 27: Arrowsmith Central raw material and +1mm oversize material PSD results




Figure 30: PSD curves for Arrowsmith Central raw material and +1mm oversize material (CDE Global 2019)

Process Stage	Sample Name	Analysis method	Al ₂ O ₃	CaO	Fe ₂ O ₃	MgO	SiO ₂	TiO ₂
			%	%	%	%	%	%
Feed	Raw material	XRF	1.32	0.01	0.24	0.01	97.06	0.33
		ICP-MS	1.268	0.15	0.245	0.009	97.88*	0.1890
1 mm screen	>1mm material	XRF	0.4	0.04	0.18	0.01	98.49	0.04
		ICP-MS	0.312	0.012	0.1553	0.0039	99.41*	0.0240

* Calculated value

Table 28: Chemical analysis of Arrowsmith Central raw material and +1mm oversize

Sieve Sizes	Post attrition & wash 1	Post attrition & wash 2, post 0.212mm screen	-0.212mm material
	% passing	% passing	% passing
1.7	100.0	100.0	100.0
1.18	100.0	100.0	100.0
0.85	94.2	89.4	100.0
0.6	67.6	65.0	99.7
0.425	41.5	38.2	99.4
0.3	18.8	16.1	99.0
0.212	3.5	1.3	65.3
0.15	0.6	0.1	14.9
0.106	0.2	0.1	4.2
0.075	0.04	0.1	0.8
0.053	0.01	0.1	0.2

Table 29: Arrowsmith Central post attrition wash

(Post attrition and wash 2 post 0.212 mm; -0.212 mm PSD results)

Process Stage	Sample Name	Analysis method	Al ₂ O ₃	CaO	Fe ₂ O ₃	MgO	SiO ₂	TiO ₂
			%	%	%	%	%	%
Attrition and EvoWash 1	Post wash	XRF	0.32	0.01	0.06	<0.01	99.29	0.08
		ICP-MS	0.266	0.011	0.0703	0.0035	99.52*	0.0411
Attrition and EvoWash 2. 0.212 mm screen	-0.212 mm	XRF	1.02	0.03	0.19	0.01	97.17	0.41
		ICP-MS	0.915	0.031	0.1846	0.0059	98.09*	0.2314
	+ 0.212 mm	XRF	0.29	0.02	0.08	0.01	98.64	0.06
		ICP-MS	0.20	0.008	0.0459	0.0021	99.65*	0.0319

* Calculated value

Table 30: Chemical analysis of Arrowsmith Central

(Post attrition and wash 2 post 0.212 mm; -0.212 mm)




Figure 31: Schematic diagram of the magnetic filter separation process

Process Stage	Sample Identification	Al ₂ O ₃	CaO	Fe ₂ O ₃	K ₂ O	MgO	SiO ₂	TiO ₂	Total	LOI 1000
		%	%	%	%	%	%	%	%	%
Magnetic Separation Feed Material	Feed	0.24	0.01	0.05	0.04	<0.01	99.59	0.04	100.2	0.23
0.5T Magnetic Separation	Magnetics	0.7	0.03	0.99	0.06	0.02	96.67	0.77	99.65	0.35
	Middlings	0.25	0.01	0.04	0.04	<0.01	>100.0	0.05	100.8	0.24
	Non-magnetics	0.24	0.01	0.03	0.04	<0.01	98.99	0.04	99.55	0.2
0.65T Magnetic Separation	Magnetics	0.85	0.04	1.09	0.09	0.03	95.64	1.52	99.85	0.51
	Middlings	0.25	0.01	0.04	0.04	<0.01	99.24	0.05	99.83	0.18
	Non-magnetics	0.23	0.01	0.03	0.04	<0.01	99.36	0.03	99.86	0.15
1.0T Magnetic Separation	Magnetics	0.92	0.03	1.11	0.12	0.03	95.97	1.54	100.2	0.43
	Middlings	0.26	0.01	0.04	0.04	<0.01	99.96	0.04	100.65	0.3
	Non-magnetics	0.23	0.01	0.03	0.04	<0.01	>100.0	0.04	100.9	0.17

Table 31: XRF chemical analysis of Arrowsmith Central magnetic separation tests 0.5T, 0.56T and 1.0T

Process Stage	Sample Identification	Al ₂ O ₃	CaO	Fe ₂ O ₃	MgO	*SiO ₂	TiO ₂
		%	%	%	%	%	%
Magnetic Separation Feed Material	Feed	0.234	0.009	0.053	0.003	99.60	0.032
0.5T Magnetic Separation	Magnetics	0.747	0.036	1.151	0.018	97.18	0.713
	Middlings	0.199	0.007	0.047	0.002	99.66	0.029
	Non-magnetics	0.217	0.008	0.044	0.002	99.64	0.027
0.65T Magnetic Separation	Magnetics	0.615	0.033	0.993	0.013	97.83	0.387
	Middlings	0.200	0.007	0.044	0.002	99.67	0.028
	Non-magnetics	0.228	0.007	0.042	0.002	99.63	0.026
1.0T Magnetic Separation	Magnetics	0.665	0.029	0.924	0.013	97.65	0.558
	Middlings	0.228	0.008	0.052	0.002	99.62	0.029
	Non-magnetics	0.204	0.006	0.038	0.002	99.67	0.024

Table 32: ICP-MS chemical analysis of Arrowsmith Central magnetic separation tests 0.5T, 0.56T and 1.0T

Sieve mm	Sieve US mesh	Retained Sieve %	Multiplier	Product
3.35	6	0	3	0
1.7	12	3.2	5	16
0.85	20	18.1	10	181
0.6	30	16.6	20	332
0.425	40	17.5	30	498
0.3	50	13.6	40	700
0.212	70	9.7	50	680
0.15	100	6	70	679
0.106	140	4.5	100	600
0.075	200	2.9	140	630
0.063	270	1.6	200	580
	PAN	6.3	300	480
	Total	100		5376
	AFS			54

Table 33: AFS calculation for Arrowsmith Central raw material feed (sieve data from CDE Global 2019 report)




Figure 32: Size distribution (% retained) on sieves – raw material feed sample (CDE Global, 2019)



Figure 33: Arrowsmith Central sand
(0.212-0.425 mm non-magnetic fraction Sphericity = 0.6 and roundness = 0.4)

The Project will utilise existing technology widely used in the mineral sands separation industry.




Figure 34: Processing circuit

8 Infrastructure

8.1 Roads

The project will be accessed by a 6 km dedicated road from a junction with the adjacent Brand Highway. The access road will be an upgraded existing cleared track.

8.2 Mine Services Area

The mine services area of 1 Ha will include demountable offices, workshop and ablutions.

8.3 Accommodation

No accommodation will be constructed or is required on the site

8.4 Fuel Storage

Fuel storage will require one 55,000 litre bunded fuel storage ISOTainer facility for mining operations.

8.5 Water Supply and Distribution

8.5.1 Raw Water

Processing will recycle 95% of water and require 500 Megalitres per year as top up process water. Water will be stored in a 80 m x 80 m lined storage dam constructed in the vicinity of the feeder station. An additional two similar sized dams will be required to polish processing plant return water before being re-used.

Water supply will be from 2 bores sunk to the Yarragadee North deep aquifer and piped to the storage dam at the processing plant site. The Company has a pending application for a Miscellaneous License for the Search for Water over the Mining Lease area.

8.5.2 Potable Water

Potable water requirements will be from off site and trucked to a day storage tank.

8.6 Waste Disposal

The site will generate very little waste products which will be disposed of offsite. Waste hydrocarbon products will be disposed of offsite at licensed disposal sites.

8.7 Power Supply

The Project will have a dedicated diesel fired power supply adjacent to the off-site processing plant facility. Power requirements for the feeder and mining area will be reticulated by aerial power lines.

The Company will undertake a study to determine the economics of accessing the nearby Dongara and Dampier gas pipelines to power a long-term power facility.

Total power requirements will be 4 Megawatts with 5 Megawatts installed with redundant capacity.

8.8 Communications

The site has mobile phone coverage and will utilise VHF channels for site communications.

9 Mill Residue

9.1 Water Management

The processing plant will utilise a thickener and polishing ponds to recycle 95% of the processing water.

9.2 Residue Management

The processing plant will produce a tailings residue of up to 40,000 tonnes per year of fine-grained clay. The clay will be predominately aluminium and titanium with some iron. The clay contains no heavy metals or significant deleterious elements. A series of high-pressure cyclones will be utilised to produce a near dry (2-3% moisture) tail as clay and recover the water for re-use. The clay can be returned to the mined area and spread over the remaining sand after mining and before the VDT procedure. There is also a local market for tailings residue as a soil conditioner in the local sandy agricultural areas.

For personal use only

10 Product Logistics

10.1 Rail

There is a rail connection from the project area to the Geraldton Port via Narngulu, which is the route previously used by the Eneabba mineral sands operations. The rail is rated at 19 tonnes per axle and is a Tier 1 railway line. The mineral sands operations have depleted reserves and are no longer operating. The rail turnaround is at Eneabba and there is also a passing bay near Dongara. Rail operations for Arrowsmith Central would most likely use the Dongara passing bay to avoid the Brand Highway crossing at Eneabba. There is very little rail traffic on the route.

The owner of the line is Arc Resources Pty Ltd, a subsidiary of Brookfield Limited.

While Arc Resources owns and maintains the railway line, it does not operate rolling stock.

The main operators in Western Australia are Watco Group, Pacific National and Aurizon. Carriages will be the same as for grain cartage; namely, covered wagons and bottom dumping. All operators have available carriages but locomotives are in short supply. Each operator will require six months' notice to begin haulage operations. All operators have submitted haulage proposals.

The rail capacity can haul up to 2 million tonnes per year with one train set. The rail operators have estimated that up to 4 million tonnes per year and two train sets is the maximum capacity without significant upgrades to the rail operations.

10.2 Port

Geraldton port operations are operated by Mid West Ports, which owns the rail unloading and ship loading equipment and leases storage areas.



The Company has engaged with the Mid West Ports Authority for unloading, storage and shiploading and has received indicative operating costs, barrier limits and capacity.

11 Environment, Water and Social Factors

The Company has undertaken detailed surveys and investigations regarding flora and vegetation, fauna, inland waters and social surroundings for the Project area.

Table 34 sets out a summary of the surveys undertaken, potential impacts and impact management plans.

EPA Factor*	Surveys and investigations undertaken	Potential impact(s) – based on the surveys	Management of impacts
Flora and Vegetation	<p>Desktop and Field study of Flora and Vegetation, Spring 2018 (Mattiske).</p> <p>Key notes:</p> <ul style="list-style-type: none"> • Survey covers part of the DE • No Threatened Flora found in DE to date • No Threatened Flora with high likelihood of occurrence • Priority Flora recorded in DE • No TECs or PECs 	<p>Vegetation Clearing:</p> <ul style="list-style-type: none"> • Mining will occur in 2.25 ha blocks (150 m x 150 m), up to 16 blocks will be mined each year (35 ha) • 12 ha of vegetation will be cleared for long term infrastructure, this will last the life of the mine • A total of 15 ha will be 'open' at any one time (inclusive of long term clearing) • This strategy will result in 353 ha of vegetation being cleared and rehabilitated over the life of the Proposal. <p>No clearing of Threatened Flora (will be avoided if new specimens found during surveys)</p> <p>Clearing of Priority Flora could occur and their survival after VDT cannot be guaranteed at this stage.</p> <p>The health of 353 ha of vegetation will be affected by the VDT method.</p>	<ul style="list-style-type: none"> • Detailed flora and vegetation survey over DE to identify areas of significance (i.e. significant flora and vegetation) • Any Threatened Flora records will be avoided • Long-term clearing restricted to 12 ha for mining and processing infrastructure. • Mining will be carried out in panels, with only 2.25 ha of active mining area at any one time. • Direct rehabilitation will happen in parallel with mining, using VDT • Vegetation will be removed in situ and transferred directly to already mined and landformed areas to retain vegetation and rootstock • Flexibility is provided by a 1,572 ha development envelope • By utilising a large development envelope it is possible to select areas to mine which will not have an impact on significant flora and vegetation • Implementing VDT results in a greater likelihood of retaining the complete vegetation assemblage. This method retains hard to rehab flora such as recalcitrant species
Terrestrial Fauna	<p>Level 1 Fauna Survey, Summer 2019 (Bamford Consulting Ecologists)</p> <p>Key notes:</p> <ul style="list-style-type: none"> • Survey covers part of the DE • No Threatened Fauna found in DE to date 	<ul style="list-style-type: none"> • Habitat clearing (refer above for size and method). • All habitat predicted to be potential Carnaby's Black Cockatoo foraging habitat • No impacts to active Malleefowl mounds 	<ul style="list-style-type: none"> • Detailed fauna survey over DE to identify areas of significant habitat • Refer above for clearing method • If roosting trees are recorded they will be avoided • If active Malleefowl mounds are recorded they will be avoided

EPA Factor*	Surveys and investigations undertaken	Potential impact(s) – based on the surveys	Management of impacts
	<ul style="list-style-type: none"> • Vegetation represents Carnaby’s Black Cockatoo foraging habitat • No roosting trees recorded or expected • No Malleefowl mounds recorded • High pest numbers (wild cats, foxes and dogs) 	<p>(will be avoided if found)</p> <ul style="list-style-type: none"> • Direct impacts (mortality, injury) to conservation significant fauna from clearing and mining operations could occur • Impacts to fauna habitat health are expected to be minimal due to VDT method 	
Inland Waters	<p>Hydrogeological Feasibility Assessment, January 2019 (HydroConcept).</p> <p>Key notes:</p> <ul style="list-style-type: none"> • All mining to occur above water table • Water supply to target deeper Yarragadee North Aquifer • No defined surface drainage due to sandy soils • No contamination risk – process plant simply washes clays (2%) out of sand 	<ul style="list-style-type: none"> • Changes to surface water infiltration and flows due to removal of 3 – 8 m of silica sand and deposition of clays • Potential impact on other groundwater users of the Yarragadee North Aquifer 	<ul style="list-style-type: none"> • Abstraction will be from the Yarragadee North Aquifer which will minimise the impact on groundwater dependent ecosystems (if present) or users of the surficial aquifer. • Abstraction managed under RIWI Act • No other groundwater users were identified in close proximity to the Proposal. • Landforming of the mined areas to maintain a natural water regime.
Social Surroundings	<p>None to date.</p> <p>No registered Aboriginal or European heritage sites in DE</p>	<ul style="list-style-type: none"> • Noise and dust impacts unlikely given small scale of operations and distance to residents (buffer distance can be maintained) • Impacts to Aboriginal heritage sites expected to be able to be avoided if recorded 	<ul style="list-style-type: none"> • Buffer distance between operations and residential properties • Use of existing rail – no transport on public roads • Aboriginal heritage surveys to be completed • Heritage sites to be avoided if recorded, or S18 approval if it cannot be avoided (unlikely)

Table 34: Summary of flora and vegetation, fauna, inland waters and social surroundings

11.1 Environment

The Project site falls into the Lesueur Sandplain subregion – Figure 35 (Thackway & Cresswell 1995).

The climate is warm Mediterranean with a hot, dry summer and a cool, wet winter.

Median and mean annual rainfall in this region are 481 mm and 489 mm respectively. The Lesueur Sandplain is dominated by proteaceous heath on sandy over lateritic soil; the dominant land uses are dryland agriculture, conservation and crown reserves.



Figure 35: Bioregions across Western Australia (Project area in the Lesueur Sandplain subregion)

11.1.1 Vegetation and Flora

Vegetation in the Project area primarily consists of scattered eucalypts over mixed kwongan shrubland on sand. There is a seasonal drainage line running through the southern part of the Project area.

Mattiske Consulting was commissioned in October 2018 by Preston Consulting Pty Ltd on behalf of VRX to undertake a flora and vegetation survey of the entire Arrowsmith survey area (including the Company's other project areas adjacent to Arrowsmith North). The survey area occupies an area of approximately 2520 ha, and is located between the towns of Eneabba and Dongara, Western Australia. A total of 139 vegetation survey quadrats were established to sample all the apparent vegetation community types which were located within the survey area. A total of 16 of these vegetation survey quadrats were located with a current revised development envelope.

Rainfall in the three months preceding the October/November 2018 survey was above the long-term average rainfall for the area, based on Bureau of Meteorology data for Green Grove. Overall, and based on a range of factors including the proportion of potential flora recorded (estimated at 85%), proportion of annual taxa recorded (14.35 %), and vegetation quadrat distribution within the survey area the survey has not been constrained by factors which would adversely affect the survey outcomes nor the conclusions derived from the data used to support vegetation analysis. It is acknowledged the development envelope

had been altered between completing fieldwork and reporting, however top up field surveys will be completed in spring 2019 to infill remaining unsurveyed areas.

A total of 263 vascular plant taxa, representative of 126 genera and 48 families, were recorded within the Arrowsmith Project survey area. The majority of taxa recorded were representative of the *Proteaceae* (36 taxa), *Myrtaceae* (33 taxa), and *Fabaceae* (22 taxa) families. Within the current development envelope, a total of 154 vascular plant taxa, representative of 88 genera and 38 families were recorded. The majority of the taxa recorded were widespread both locally and more broadly within the associated biogeographical subregion.

No threatened flora pursuant to Subdivision 2, Section 19 of the Biodiversity Conservation Act 2016 were recorded in the survey area. Ten priority taxa, as listed by the WAH (1998-) were recorded in the survey area. These were *Comesperma rhadinocarpum* (P3), *Hemiandra* sp. *Eneabba* (H. Demarz 3687) (P3), *Hopkinsia anoectocolea* (P3), *Hypocalymma gardneri* (P3), *Leschenaultia juncea* (P3), *Persoonia rudis* (P3), *Banksia elegans* (P4), *Calytrix chrysantha* (P4), *Schoenus griffinianus* (P4) and *Stawellia dimorphantha* (P4). Two of these species, *Hemiandra* sp. *Eneabba* (H. Demarz 3687) (P3) and *Persoonia rudis* (P3), are present in the current development envelope.

Vegetation mapping based upon the quadrat-based species data resulted in four vegetation communities comprising three *Eucalyptus todtiana* shrublands and one mixed heathland community. The most dominant vegetation type was the S2 vegetation community which was present throughout the central and northern portion of the development envelope. This community accounted for 41.7 % of the total area surveyed. The second most commonly represented vegetation was the H1 vegetation community which was a common feature in the central and southern portion of the development envelope. The most restricted vegetation community defined was the Woodland of *Xylomelum angustifolium* and *Eucalyptus todtiana* community (W1, 2.3 % of the area surveyed).

Overall, the vegetation communities mapped and species recorded in the Arrowsmith survey area were consistent with the historical mapping of Beard (1976, 1990). The majority of the survey area is situated on sand plains supporting *Eucalyptus todtiana* over mixed heath. The vegetation communities they hosted were not locally or regionally unique as they are well represented in the wider area. It is recommended to infill areas in the current development envelope that were not assessed in the current survey - spring is the optimal time. Given two priority flora species were recorded in the current development envelope, *Hemiandra* sp. *Eneabba* (H. Demarz 3687) (P3) and *Persoonia rudis* (P3), it is recommended that the development envelope be further refined so a more detailed and targeted search can be carried out to obtain an accurate idea of population numbers to be impacted.

Environmental Legislation and Guidelines

The following key Commonwealth (federal) legislation relevant to this survey is the:

- *Environment Protection and Biodiversity Conservation Act 1999.*

The following key Western Australian (state) legislation relevant to this survey include the:

- *Biodiversity Conservation Act 2016 (BC Act);*
- *Biosecurity and Agriculture Management Act 2007 (BAM Act); and*
- *Environmental Protection Act 1986 (EP Act); and Wildlife Conservation Act 1950 (WC Act).*

Furthermore, key Western Australian guidelines relevant to the survey are the:

- *Environmental Factor Guideline: Flora and Vegetation (Environmental Protection Authority [EPA] 2016a); and*
- *Technical Guidance – Flora and vegetation surveys for environmental impact assessment (EPA 2016b).*

Desktop Assessment

A desktop assessment was conducted using FloraBase (WAH 1998-), NatureMap (DPaW 2007-) and Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act) Protected Matters Search Tool (DoTEE 2013) databases, to identify the possible occurrence of threatened and priority flora and threatened and priority ecological communities within the Project survey area.

The NatureMap search was conducted separately for the three main Arrowsmith exploration licences: North (E70/5027), Central (E70/4987) and South (E70/4986). Search parameters were 'by rectangle' and encompassed each Arrowsmith licence area.

Field Survey

A detailed field assessment of the flora and vegetation of the Arrowsmith survey area within tenements E70/4987 and E70/5027 was undertaken by four experienced botanists from MCPL, between 29 October and 9 November 2018, in accordance with methods outlined in Technical Guidance – Flora and vegetation surveys for environmental impact assessment (EPA 2016b) (**Technical Guidance**). All botanists held valid collection licences to collect flora for scientific purposes, issued under the WC Act.

The geographic co-ordinates defining the Arrowsmith survey area were supplied by the Company. Aerial photographic maps of the proposed Arrowsmith survey area were prepared and supplied by CAD Resources. Survey sites for the Arrowsmith survey area were selected using aerial photographic maps and field observations. A total of 139 survey sites (41 in Central survey area and 98 in North survey area) were selected to sample all vegetation types, with replication, within the survey area.

Survey sites consisted of pegged 10 m x 10 m quadrats. Flora and vegetation were described and sampled systematically at each survey site, and additional opportunistic collections were undertaken wherever previously unrecorded plants were observed. At each quadrat the following floristic and environmental parameters were recorded:

- GPS location (GDA94 datum, zone 50J);
- Local site topography;
- Soil type and colour;
- Outcropping rocks and their type;
- Percentage litter cover and percentage bare ground;
- Approximate time since fire;
- Vegetation condition (based on [Keighery 1994]); and
- Flora & Vegetation – Arrowsmith Project.

For each vascular plant species, the average height and the percentage cover (of both alive and dead material) over the survey site.

For assessing threatened and priority flora, methodology consisted of extensive foot traverses within the Arrowsmith Project survey area. Botanists used handheld Garmin GPS units loaded with the survey polygons and a 400 m wide grid overlayed. Botanists walked in a zig-zag fashion recording conservation significant species. If suspected or known conservation significant flora species were encountered, a specimen was collected and plant numbers were recorded for the population.

All plant specimens collected during the field surveys were dried and processed in accordance with the requirements of the WAH. The plant species were identified based on taxonomic literature and through comparison with pressed specimens housed at the WAH. Where appropriate, plant taxonomists with specialist skills were consulted. Nomenclature of the species recorded is in accordance with the WAH (1998)

Survey Timing

According to Table 3 in the Technical Guidance, the primary survey timing for the Irwin Botanical Province is spring (September/November). As the current survey was conducted in October and November, it falls within this period. The survey was timed, where possible, to align with peak flowering periods of conservation significant flora with the potential to occur in the Arrowsmith survey area. Rainfall in the three months preceding the survey (July to September 2018) was slightly above average.

Analysis of Site Data

A species accumulation curve, based on accumulated species versus sites surveyed was prepared to provide an indication of the level of adequacy of the survey effort (Estimates – Colwell 2006). As the number of survey sites increases, and correspondingly the size of the area surveyed increases, there should be a diminishing number of new species recorded. At some point, the number of new species recorded becomes essentially asymptotic. The asymptotic value was determined using Michaelis-Menten modelling and provided an incidence based coverage estimator of species richness (Chao 2004). When the number of new species being recorded for survey effort expended approaches this asymptotic value, the survey effort can be considered to be adequate.

Plymouth Routines in Multivariate Ecological Research v7 (PRIMER) statistical analysis software was used to analyse species-by-site data and discriminate survey sites on the basis of their species composition (Clarke and Gorley 2006). To down-weight the relative contributions of quantitatively dominant species, a

fourth root transformation was applied to the data set. Introduced species, annual species, specimens not identified to species level and singletons (species recorded at a single quadrat and not forming a dominant structural component) were excluded from the data set prior to analysis. Computation of similarity matrices was based on the Bray-Curtis similarity measure. Data were analysed using a series of multivariate analysis routines including Similarity Profile (SIMPROF), Hierarchical Clustering (CLUSTER), Analysis of Similarity (ANOSIM) and Similarity Percentages (SIMPER). Results were used to inform and support interpretation of aerial photography and delineation of individual plant communities.

Vegetation Descriptions

Vegetation descriptions were based on Alpin's (1979) modification of the vegetation classification system of Specht (1970), to align with the National Vegetation Information System (NVIS) (see Appendix A5). Vegetation communities were described at the association level of the NVIS classification framework, as defined by the Executive Steering Committee for Australian Vegetation Information (2003). Vegetation condition of each of the mapping sites was assessed as per the criteria developed by Keighery (1994).

Survey Limitations

A general assessment was made of the current survey against a range of factors that may have limited the outcomes and conclusions of the report (Table 3, Technical Guidance). Based on this assessment, the present survey has not been subject to constraints which would affect the thoroughness of the survey, and the conclusions which have been formed.

Potential Survey Limitation	Impact on Current Survey
Availability of contextual information at a regional and local scale	Not a limitation: Reference resources such as Beard's mapping, together with online flora and vegetation information, has provided an appropriate level of information for the current survey.
Competency/experience of team carrying out survey; experience in the bioregion surveyed	Not a limitation: All botanists had extensive experience working in a range of botanical districts across the state. Majority of the plants observed in the field were collected for formal identification and were compared with specimens at the Western Australian State Herbarium where required.
Proportion of flora collected and identification issues	Potential limitation: While many plants were in flower during the survey, a proportion of plants encountered during the survey were sterile and may impact the chance of identification of some specimens to species level. Orchid species may not emerge each year if conditions are not favourable. Although this may affect the completeness of the species list, it is not expected to have a significant effect on mapping reliability, nor on the identification of threatened and priority species in the area as the majority were perennial species.
Effort and extent of survey (Was the appropriate area surveyed for the type of survey?) (reconnaissance/targeted/detailed)?	Potential limitation: The survey area was thoroughly covered. Survey quadrats were initially selected from high resolution aerial maps, with additional quadrats selected in situ based on in field observations. Low replication of some vegetation communities was unavoidable given their low occurrences within the survey area. It is acknowledged the development envelope had been altered between completing fieldwork and reporting, however top up field surveys will be completed in spring 2019 to infill remaining unsurveyed areas.
Access restrictions within survey area	Not a limitation: Vehicle access to the Arrowsmith Project survey area and foot traverses were sufficient to allow access to the entirety of the survey area.
Survey timing, rainfall, season of survey	Not a limitation: The EPA (2016a) recommends that flora and vegetation surveys in the South – West Botanical Province be conducted in Spring (September-November). The current survey was conducted in October and November which falls within this period. Rainfall in the three months preceding the survey (July to September 2018) was slightly above average.

Potential Survey Limitation	Impact on Current Survey
Disturbances (fire/flood/clearing)	Not a limitation: The Arrowsmith Project survey area exhibits minimal levels of disturbance, mainly from past fire events.
Data and statistical analysis	Not a limitation: Introduced species, annual species and singletons were excluded from the data set prior to analysis. Data collected was sufficient for delineation of vegetation communities based on statistical analysis.

Table 35: Potential limitations affecting the conclusions

Field Survey Results

A total of 139 survey quadrats were used to assess the flora and vegetation of the Arrowsmith Project survey area. A total of 16 quadrats were surveyed within the current development envelope.

Flora

A total of 263 vascular plant taxa, representative of 126 genera and 48 families, were recorded within survey quadrats within the entire Arrowsmith projects survey area. The majority of taxa recorded were representative of the *Proteaceae* (36 taxa), *Myrtaceae* (33 taxa) and *Fabaceae* (22 taxa) families (see Appendix E for a complete species list). From within the current development envelope, total of 154 vascular plant taxa, representative of 88 genera and 38 families were recorded. Thirty-three annual plant species were recorded during the survey of the Arrowsmith projects survey area, representing 14.35 % of all taxa recorded, five of these represent introduced annual species. A number of plant species collected could not be identified accurately to species level due to the absence of sufficient taxonomic characters to enable accurate identification. The principle reasons for not being able to fully identify some of the collected specimens to species level were:

- plant material was sterile or lacked sufficient taxonomic feature to permit accurate identification to species level. In these cases the species is identified as, for example, *Thysanotus* sp. or *Drosera* sp.; and
- the plant material collected could not be determined to a known taxon. For example, *Lepidosperma* species are currently undergoing taxonomic revision.

A species accumulation curve was used to evaluate the sampling adequacy (Figure 36). The incidence based coverage estimator (ICE) of species richness was 309.41. Based on this value and the total of 263 species recorded (in vegetation mapping sites only), approximately 85% of the flora species potentially present within the Arrowsmith projects survey area were recorded.




Figure 36: Average randomised species accumulation graph

Threatened and Priority Flora

No threatened flora species pursuant to subsection (2) of section 23F of the WC Act and as listed by the DBCA (2018a), or pursuant to section 179 of the EPBC Act or listed by the DotEE (2019b), were recorded within the Arrowsmith Project survey area.

Ten priority flora species, *Comesperma rhadinocarpum* (P3), *Hemiandra* sp. Eneabba (H. Demarz 3687) (P3), *Hopkinsia anoetocolea* (P3), *Hypocalymma gardneri* (P3), *Leschenaultia juncea* (P3), *Persoonia rudis* (P3), *Banksia elegans* (P4), *Calytrixchrysantha* (P4), *Schoenus griffinianus* (P4) and *Stawellia dimorphantha* (P4),

as listed by the WAH (1998-), was recorded within the Arrowsmith Project survey area. Two of these species are present in the current development envelope, *Hemiandra* sp. Eneabba (H. Demarz 3687) (P3) and *Persoonia rudis* (P3). *Hemiandra* sp. Eneabba (H. Demarz 3687) (P3) was recorded from 23 locations totalling 26 plants and *Persoonia rudis* (P3) was recorded from 6 locations totalling 8 plants.

Flora Range Extensions

Two species recorded at the Arrowsmith projects survey area represented extensions to their current known distributions, these species being *Tricoryne* sp. *Mullewa* (G.J. Keighery 12080) and *Synaphea spinulosa* subsp. *borealis*. *Tricoryne* sp. *Mullewa* (G.J. Keighery 12080) represents a range extension of approximately 110 km to the south of its current known distribution (WAH 1998-). While, *Synaphea spinulosa* subsp. *borealis* represents a range extension of approximately 130 km to the south of its current known distribution (WAH 1998-). In this report, 100 km has been used as a basis to determine an extension to the currently known range for a species.

Introduced (Weed) Species

A total of five introduced (weed) species were recorded within the Arrowsmith survey area. None of these species, *Aira caryophyllea*, *Hypochaeris glabra*, *Lysimachia arvensis*, *Ursinia anthemoides* and *Wahlenbergia capensis* are declared pest organisms pursuant to section 22 of the BAM Act. None are listed as Weeds of National Significance (DotEE 2019c). All species recorded are listed in the Midwest region impact and invasiveness ratings (DPaW 2013). Two were listed as having high ecological impact and two were listed as being of low ecological impact, the remaining species *Wahlenbergia capensis* is listed as having unknown ecological impacts (DPaW 2013). All weed species recorded were described as having rapid invasiveness (DPaW 2013).

Statistical Analysis

SIMPROF analysis identified four significantly associated groups of quadrats. Four significantly dissimilar vegetation communities were delineated within the Arrowsmith projects survey area. A dendrogram representing the results of the cluster analysis, and the corresponding four vegetation communities was produced.

Vegetation Communities

Based on statistical analysis, four vegetation communities were defined and mapped across the Arrowsmith Project survey area. In addition to the statistical analysis, survey quadrat physical data and aerial photographic maps were used to delineate the boundaries of the vegetation communities in the Arrowsmith Project survey area. A summary of the vegetation communities is presented below.

S1: Isolated trees of *Eucalyptus todtiana*, over shrubland of *Banksia leptophylla* var. *melletica*, *Acacia blakelyi* over mixed understorey of *Proteaceae* and *Myrtaceae* species on grey/white sand plains.

S2: Isolated trees of *Eucalyptus todtiana*, over shrubland of *Melaleuca leuropoma*, *Calothamnus quadrifidus* subsp. *quadrifidus* and *Xanthorrhoea drummondii*, over isolated *Ecdeiocolea monostachya* and *Mesomelaena pseudostygia* on cream/grey sand plains

W1: Woodland of *Xylomelum angustifolium* and *Eucalyptus todtiana*, over open shrubland of *Melaleuca leuropoma* and *Hakea polyanthema* over isolated *Mesomelaena pseudostygia* on cream sand plains.

H1: Heathland of *Banksia attenuata*, *Hakea polyanthema* and *Melaleuca leuropoma* over isolated *Verticordia grandis* and *Banksia nivea* on white sand plains.

Threatened and priority Ecological Communities

No TECs, pursuant to Schedule 1 of the WC Act and as listed by the DBCA (2018b) or DoTEE (2019d) were recorded within the Arrowsmith Project survey area. No PECs as listed by the DBCA (2019b) were recorded within the Arrowsmith Project survey area

Vegetation Condition

The condition of the vegetation within the Arrowsmith projects survey area ranged from Pristine to Completely Degraded, with majority of the area was considered Pristine according to the Keighery (1994; Appendix A5) scale.

Within the Arrowsmith Central survey area these areas can be delineated as follows:

Pristine: Majority of the current development envelope, away from edge effects on western side and recently burnt area in south. No tracks or disturbances present.

Excellent: Areas in the southern section of the development envelope, very little disturbance from fire and associated fire breaks.

Completely Degraded: Road, dam next to railway line on western side.

Conclusion and recommendations

Overall, the vegetation communities mapped and species recorded in the Arrowsmith projects survey area were consistent with the historical mapping of Beard (1976, 1990). The majority of the survey area is situated on sand plains supporting *Eucalyptus tottiana* over mixed heath. The vegetation communities they hosted were not locally or regionally unique as they are well represented in the wider area. It is recommended to infill areas in the current development envelope that were not assessed in the current survey - spring is the optimal time.

Given two priority flora species were recorded in the current development envelope, *Hemiandra sp.* Eneabba (H. Demarz 3687) (P3) and *Persoonia rudis* (P3), it is recommended that the development envelope be further refined so a more detailed and targeted search can be carried out to obtain an accurate idea of population numbers to be impacted.

11.1.2 Fauna

The objectives of investigations to date are to: identify fauna values; review impacting processes with respect to these values and the proposed activity; and provide recommendations to mitigate these impacts.

The methods used for this assessment are based upon the general approach to fauna investigations for impact assessment. The impact assessment process involves the identification of fauna values, review of impacting processes and, where possible, preparation of mitigation recommendations.

This approach to fauna impact assessment has been developed with reference to guidelines and recommendations set out by the Western Australian Environmental Protection Authority (EPA) on fauna surveys and environmental protection, and Commonwealth biodiversity legislation (EPA 2002; EPA 2004). The EPA proposes two levels of investigation that differ in the approach to field investigations, Level 1 being a review of data and a site reconnaissance to place data into the perspective of the site, and Level 2 being a literature review and intensive field investigations (e.g. trapping and other intensive sampling). The level of assessment recommended by the EPA is determined by the size and location of the proposed disturbance, the sensitivity of the surrounding environment in which the disturbance is planned, and the availability of pre-existing data.

The following approach and methods are divided into three groupings that relate to the stages and the objectives of impact assessment:

Desktop assessment. The purpose of the desktop review is to produce a species list that can be considered to represent the vertebrate fauna assemblage of the project area based on unpublished and published data using a precautionary approach.

Field investigations. The purpose of the field investigations is to gather information on this assemblage: confirm the presence of as many species as possible (with an emphasis on species of conservation significance), place the list generated by the desktop review into the context of the environment of the project area, collect information on the distribution and abundance of this assemblage, and develop an understanding of the project area's ecological processes that maintain the fauna. Note that field investigations cannot confirm the presence of an entire assemblage, or confirm the absence of a species. This requires far more work than is possible in the EIA process. For example, in an intensive trapping survey, How and Dell (1990) recorded in any one year only about 70% of the vertebrate species found over three years. In a study spanning over two decades, Bamford et al. (2010) has found that the vertebrate assemblage varies over time and space, meaning that even complete sampling at a set of sites only defines the assemblage of those sites at the time of sampling.

Impact assessment. Determine how the fauna assemblage may be affected by the proposed development based on the interaction of the project with a suite of ecological and threatening processes.

Desktop Assessment

Information on the fauna assemblage of the survey area was drawn from a wide range of sources. These included state and federal government databases and results of regional studies. Databases accessed were the Atlas of Living Australia (ALA), the WA Department of Biodiversity, Conservation and Attractions (DBCA)

NatureMap (incorporating the Western Australian Museum's FaunaBase and the DBCA Threatened and Priority Fauna Database), BirdLife Australia's Birddata (Atlas) Database (BA), the EPBC Protected Matters Search Tool and the Bamford Consulting Ecologists (BCE) Database. Information from the above sources was supplemented with species expected in the area based on general patterns of distribution. Sources of information used for these general patterns were:

- Frogs: Tyler et al. (2000) and Anstis (2013);
- Reptiles: Storr et al. (1983, 1990, 1999 and 2002) and Wilson and Swan (2013);
- Birds: Blakers et al. (1984); Johnstone and Storr (1998, 2004), Barrett et al. (2003) and Menkhorst et al. (2017);
- Mammals: Menkhorst & Knight (2004); Churchill (2008); and Van Dyck and Strahan (2008).

Sources of information used for the desktop assessment:

- Atlas of Living Australia (ALA 2019) Records provided by collecting institutions, individual collectors and community groups 29° 40' 10"S, 115° 10' 41"E – plus 20 km buffer.
- NatureMap (DBCA 2019) Records in the WAM and DPaW databases. Includes historical data and records on Threatened and Priority species in WA. 29° 40' 10"S, 115° 10' 41"E – plus 20 km buffer.
- BirdLife Australia Birddata (Atlas Database) Records of bird observations in Australia, 1998-2018. 29° 40' 10"S, 115° 10' 41"E – plus 20 km buffer.
- EPBC Protected Matters Records on matters of national environmental significance protected under the EPBC Act. 29° 40' 10"S, 115° 10' 41"E – plus 20 km buffer.

Previous fauna surveys

BCE has conducted multiple fauna surveys at Arrowsmith and nearby areas. These surveys have included monitoring, targeted fauna assessments and a level 2 fauna assessment. Other surveys conducted by BCE further afield will be used as background information only to inform potential species lists compiled during desktop studies. There have also been studies by other consultants in the region, particularly for the Eneabba mineral sands mine. Species records from these studies are contained in the Naturemap database which was consulted as part of the desktop study. In addition, BCE maintains a detailed database and annotated species lists that were available for reference as part of the desktop study. Some of the BCE records pre-date Naturemap. Previous reports consulted for background information include Harris et al. (2008), Metcalf and Bamford (2008), Bamford (2009), Bamford (2012), Everard and Bamford (2014), Bamford et al. (2015) and Bamford and Chuk (2015-17). Some of these studies were undertaken within 1km of the project area; others within about 10km.

Nomenclature and taxonomy

As per the recommendations of EPA (2004), the nomenclature and taxonomic order presented in this report are based on the Western Australian Museum's (WAM) Checklist of the Fauna of Western Australia 2016. The authorities used for each vertebrate group were: amphibians (Doughty et al. 2016a), reptiles (Doughty et al. 2016b), birds (Johnstone and Darnell 2016), and mammals (Travouillon 2016). In some cases, more widely-recognised names and naming conventions will be followed, particularly for birds where there are national and international naming conventions in place (e.g. the BirdLife Australia working list of names for Australian Birds). English names of species where available are used throughout the text; Latin species names are presented with corresponding English names in tables in the appendices.

Interpretation of species lists

Species lists generated from the review of sources of information are generous as they include records drawn from a large region and possibly from environments not represented in the survey area. Therefore, some species that were returned by one or more of the data searches will be excluded because their ecology, or the environment within the survey area, meant that it is highly unlikely that these species will be present. Such species can include, for example, seabirds that might occur as extremely rare vagrants at a terrestrial, inland site, but for which the site is of no importance.

Species returned from the databases and not excluded on the basis of ecology or environment are therefore considered potentially present or expected to be present in the survey area at least occasionally, whether

or not they were recorded during field surveys, and whether or not the survey area is likely to be important for them. This list of expected species is therefore subject to interpretation by assigning each a predicted status in the survey area.

The status categories used are:

- **Resident:** species with a population permanently present in the survey area;
- **Migrant or regular visitor:** species that occur within the survey area regularly in at least moderate numbers, such as part of annual cycle;
- **Irregular Visitor:** species that occur within the survey area irregularly such as nomadic and irruptive species. The length of time between visitations could be decades but when the species is present, it uses the survey area in at least moderate numbers and for some time;
- **Vagrant:** species that occur within the survey area unpredictably, in small numbers and/or for very brief periods. Therefore, the survey area is unlikely to be of importance for the species; and
- **Locally extinct:** species that would still be present but has not been recently recorded in the local area and therefore is almost certainly no longer present in the survey area.

These status categories make it possible to distinguish between vagrant species, which may be recorded at any time but for which the site is not important in a conservation sense, and species which use the site in other ways but for which the site is important at least occasionally. This is particularly useful for birds that may naturally be migratory or nomadic, and for some mammals that can also be mobile or irruptive, and further recognises that even the most detailed field survey can fail to record species which will be present at times, or may be previously confirmed as present. The status categories are assigned conservatively. For example, a lizard known from the general area is assumed to be a resident unless there is very good evidence that the site will not support it, and even then it may be classed as a vagrant rather than assumed to be absent if the site might support dispersing individuals.

Field Investigation Methodology and Personnel

The survey area was visited on 18 November 2018 by Dr Mike Bamford (BSc Hons. Ph.D. (Biol.)), Dr Wes Bancroft (BSc Hons. Ph.D. (Zool.)), Sarah Smith (Bsc. (Biol.) and Peter Smith (Dip. Ag. Sc.). Mike Bamford and Katherine Chuk - B. Sc. (Zool.) Hons. prepared a report.

During the site inspection as much as possible of the site was visited, habitat observations were made in order to develop descriptions of Vegetation and Substrate Associations (VSAs), and opportunistic fauna observations were recorded when relevant to the survey. Access to the site was good due to the rail alignment from Eneabba to Geraldton passing along the western side.

Survey Limitations

The EPA Guidance Statement 56 (EPA 2004, now EPA 2016) outlines a number of limitations that may arise during surveying. These survey limitations are discussed in the context of the BCE investigation of the survey area in Table 36.

Potential Survey Limitation	BCE Comment
Level of survey.	Level 1 (desktop study and site inspection). Survey intensity was deemed adequate due to the scale of the project and the amount of data available in the region.
Competency/experience of the consultant(s) carrying out the survey.	The ecologists have had extensive experience in conducting fauna surveys and have conducted several fauna studies within the immediate region.
Scope. (What faunal groups were sampled and were some sampling methods not able to be employed because of constraints?)	The survey focussed on vertebrate fauna and fauna values.
Proportion of fauna identified, recorded and/or collected.	All vertebrate fauna observed were identified. Extensive desktop information allowed for a robust predicted species list to be developed.

Potential Survey Limitation	BCE Comment
Sources of information e.g. previously available information (whether historic or recent) as distinct from new data.	Abundant information from databases and previous studies.
The proportion of the task achieved and further work which might be needed.	The survey was completed and the report provides fauna values for the project area.
Timing/weather/season/cycle.	Timing is not of great importance for level 1 investigations.
Disturbances (e.g. fire, flood, accidental human intervention etc.) that affected results of survey.	None
Intensity. (In retrospect, was the intensity adequate?)	All major VSAs were visited and significant species habitat and traces were identified.
Completeness (e.g. was relevant area fully surveyed).	Site was fully surveyed to the level appropriate for a level 1 assessment and for the proposed impact. Fauna database searches covered a 20 km radius beyond the survey area boundary. Detailed field investigations covered the VSAs present.
Resources (e.g. degree of expertise available in animal identification to taxon level).	Field personnel have extensive experience with fauna and habitat in the region.
Remoteness and/or access problems.	There were no remoteness/access problems encountered.
Availability of contextual (e.g. biogeographic) information on the region.	Regional information was available and was consulted.

Table 36: Survey Limitations

Fauna values within the survey area can be summarised as follows:

Fauna assemblage. Moderately rich but incomplete with some species locally extinct. Assemblage is typical of the Lesueur Sandplains subregion. Notable for a rich reptile assemblage and high proportion of non-resident birds, many of which are nectarivorous and exploit seasonal abundance of nectar and pollen from the species-rich flora.

Species of conservation significance. Few species of high conservation significance are present or expected, but the Carnaby's Black-Cockatoo is important, with known roost sites nearby and the species very likely to be a regular foraging visitor to the project area. The locally significant Rufous Fieldwren and Rainbow Bee-eater are almost certainly present, with the bee-eater a breeding visitor. The Western Ground Parrot may be locally extinct but because of its very high conservation significance (with the only known wild population estimated as <150 birds; A. Burbidge pers. comm.), the slight possibility of the species being extant in the general area is important.

Vegetation and Substrate Associations (VSAs). The survey area supports few but distinct VSAs, all of which are mostly intact. All are very extensive regionally.

Patterns of biodiversity. Within the survey area all VSAs, aside from a small disturbed area in the north-west, are intact and likely to support a high level of species richness. VSA3 may support some aquatic and wetland-associated species not found in VSAs 1 and 2 due to the seasonal presence of water. VSAs 1 and 2 are likely to support a high diversity of terrestrial species, with VSA1 notably important for conservation significant species such as Carnaby's Black-Cockatoo.

Key ecological processes. The main processes which may affect the fauna assemblage are likely to be local hydrology, the fire regime and the presence of feral predators.

Conclusion and recommendation

Because of the fairly continuous and undisturbed habitat surrounding the survey area, potential impacts are mostly considered to be minor or negligible. Potential impacts of greatest concern to fauna include:

- Loss of habitat

- mortality during clearing
- habitat fragmentation (drainage line)
- roadkill due to increased traffic
- impacts of feral species
- hydrological change
- altered fire regimes
- light

Recommendations to manage potential impacts include:

- Referral to the Department of Energy and the Environment under the EPBC Act for impact on >1ha of moderate to high forging value vegetation for Carnaby's Black-Cockatoo.
- Undertake baseline surveys (bird censusing and systematic sampling of small, terrestrial vertebrates) to provide data for the assessment of the effectiveness of post-mining rehabilitation. Rehabilitation is assumed as a standard part of the mining process.
- Conduct aural surveys for the Western Ground Parrot to see if the species persists in the broader area. In the unlikely event that it is confirmed to be present, even within 5-10km, discussions will need to be held with DBCA regarding management actions for this species.
- Conduct survey for Mallee fowl mounds before clearing.
- During clearing operations, investigate options for fauna rescue to reduce direct mortality.
- Clearing is likely to increase feral species activity (particularly Fox, Cat and Goat). Waste management to reduce increase in feral species and control of pre-existing feral species (particularly Fox and Cat) would provide further benefit. Survey lines and access tracks should be rehabilitated as soon as they are no longer needed as these re utilised by feral fauna.
- Minimising clearing where possible and progressively rehabilitate where practical after mining.
- Minimise impact on the drainage line, and manage ground water if the project may impact groundwater levels.
- Minimise disturbance. Night time operations and lighting are of particular concern and lighting should be directed away from bushland areas.
- Fire management measures should be implemented to prevent extensive fires affecting the project area or surrounding landscapes. Ideally this would protect infrastructure and contribute to a regional approach to fire management.

11.2 Groundwater

Water is required for processing at Arrowsmith Central with groundwater resources being considered the most likely and reliable source. The water demand is approximately 500 ML/yr at the Arrowsmith Central site. In order to meet these water requirements, there will be need for a groundwater licence from the Department of Water and Environmental Regulation (**DWER**).

This document provides a scoping level of hydrogeological assessment that reviews the regional hydrogeology, development constraints, potential borefield layout and design considerations, and the likely approval process within the DWER.

11.2.1 Potential development of groundwater

The most viable option for developing a groundwater supply would be the construction of bores into the Yarragadee aquifer. The production bores would need to be constructed to a minimum depth of 200 m; however, about 300 m is recommended with screens in the lower 60 m. A single bore for each operation should be sufficient and capable of providing 5000 kL/day. At Arrowsmith Central, the suggested bore design should place the screen interval in Unit A of the Yarragadee Formation and have a groundwater salinity of around 1 000 mg/L. An advantage of screening the bores deeper below Unit D or Unit B is that the siltstone and shale beds should impede the upward propagation of water level drawdown resulting from the abstraction. This would minimise the local decline of the watertable and reduce the impact on any groundwater dependent ecosystems.

11.2.2 Hydrogeology

The Project is situated upon the Swan Coastal Plain, which is up to about 30 km wide comprising several geomorphic units parallel to the coast. Specifically, the Project is located upon the Eneabba Plain, which is made up of shoreline, lagoonal and dune deposits possibly reworked from late Tertiary alluvial fans.

The area lies within the northern end of the Perth Basin, containing a succession of Quaternary to Permian age deposits up to a total of 12,000 m thick, but thinning to around 1,000 m over the Beagle Ridge southwest of the tenements. A detailed description of the geology and hydrogeology in the northern Perth Basin is given by 'Northern Perth Basin: Geology, hydrogeology and groundwater resources' (Department of Water, 2017).

Two aquifers are present beneath the tenements, one within the relatively thin Superficial Formations, which is underlain by a major regional aquifer within the Yarragadee Formation.

Period	Epoch	Stratigraphy	Max Thickness (m)	Lithology
Quaternary	Holocene	Alluvium, estuarine and swamp deposits	5	Clay, sand and peat
		Safety Bay Sand	100	Sand
	Pleistocene	Bassendean Sand	40	Sand, minor silt and clay
		Tamala Limestone	150	Calcareous arenite, limestone, sand and clay
		Guildford Clay	30	Clay, sandy clay and clayey sand
Neogene	Pliocene	Ascot Formation	31	Sand, clay and limestone
		Yoganup Formation	21	Sand

Table 37: Stratigraphy of the Superficial Formations in the Arrowsmith Project area.

11.2.3 Superficial geology and aquifer

The Swan Coastal Plain is underlain by a sequence of Quaternary and Pliocene sedimentary deposits summarised by Table 37, which unconformably overlie Mesozoic deposits upon a gentle, westward sloping erosional surface (Figure 37).




Figure 37: Physiography

The Superficial Formations form an unconfined aquifer referred to as the Superficial aquifer. The Project area is underlain by a relatively thin cover of sand belonging to the Bassendean Sand upon a thicker section of predominantly clayey sand forming the Guildford Clay, which are approximately coincident with the Eneabba Plain. Calcarenite limestone of the Tamala Limestone is located west of the project areas beneath the Spearwood Dunes, and frequently contain karstic cavities.




Figure 38: Geological east-west section through the Superficial Formations (after Nidagal, 199)

Detailed geological logs from Leeman Shallow (LS) monitoring bores are available near the Project area (Nidagal, 1991a, b; Kern, 1994). A summary of the Superficial Formation units intersected by these bores near the Project area is given in Table 38.

Monitoring Bore	Location from project area	Superficial Formations	Bassendean Sand	Guildford Clay	Tamala Limestone
LS27	southwest	30			30
LS28	southeast	33	5	28	
LS31	north	24	10	14	

Table 38: Superficial Formation units intersected in Leeman Shallow monitoring bores

The water table within the Superficial aquifer, shown by Figure 39, falls from around 50 to 60 m AHD about the eastern margin of the coastal plain to sea-level at the coast. About the inland margin of the coastal plain, the water table is typically within the Mesozoic formation (Yarragadee Formation) underlying the Superficial Formations, so that the Superficial aquifer is unsaturated.

Groundwater is recharged mainly by the infiltration of rainfall, but there is also a component of recharge by upward leakage from underlying aquifers, mostly about the central portion of the coastal plain, and by the infiltration from streams and rivers flowing out onto the coastal plain, including the Arrowsmith River that discharges over the coastal plain. Groundwater flows down the hydraulic gradient toward the coast, where most of the groundwater is discharged to the ocean. A component of groundwater is lost via evaporation from lakes and evapotranspiration.

The saturated thickness of the Superficial aquifer is shown by the interpretive isopach in Figure 40. The inland margin of the Superficial aquifer is unsaturated. At Arrowsmith Central, the saturated thickness is mostly 10 to 15 m, with a saturated profile in the nearby monitoring bores of 11.2 m, 26.1 m and 19 m at LS27, LS28 and LS31 respectively. To the south of the Project area, the Superficial aquifer has a saturated thickness ranging from less than 10 m to about 20 m, becoming unsaturated east of the project area. And the nearby monitoring bores contain 26.3 m and 12.3 m of saturated Superficial aquifer in LS19 and LS20 respectively, while it is unsaturated in LS24.

Groundwater salinity within the Superficial aquifer is generally fresh at less than 1 000 mg/L about its eastern margin, increasing toward the coast where it becomes saline. Groundwater salinity distribution within the Superficial aquifer is shown by Figure 41. Beneath the Arrowsmith Central project area, the groundwater salinity is approximately 1 000 mg/L to 1 700 mg/L.

For personal use only

For personal use only




Figure 39: Watertable across the coastal plain

For personal use only




Figure 40: Interpretive isopach of the Superficial aquifer

For personal use only




Figure 41: Groundwater salinity distribution within the Superficial aquifer

Transmissivity of the Superficial aquifer typically increases toward the coast, mostly because of more permeable strata present toward the coast. Tamala Limestone forms the most permeable portion of the aquifer due to the presence of karst features, from which relatively large bore yields can be obtained, such as around 1,000 to 2,000 kL/day from bores of the Jurien Bay town water supply borefield south of Arrowsmith. Hydraulic conductivity will be highly variable depending on the development of karst features below the watertable but is mostly between 50 and 1 000 m/day (Department of Water, 2017).

Bassendean Sand within the eastern portion of the Superficial Formations is largely unsaturated, with the aquifer mostly comprising the Guildford Clay. As the Guildford Clay lithology is principally a clayey sand, it is anticipated to have a relatively low permeability, possibly in the range of 0.4 to 1 m/day, similar to that reported for comparable lithologies of the Guildford Clay in the Perth area (Davidson, 1995).

11.2.4 Yarragadee geology and aquifer

Beneath the Superficial Formations, both tenements are mostly underlain by the Yarragadee Formation (shown by Figure 42), which is Middle to Late Jurassic in age. Numerous deep wells have been drilled as part of petroleum exploration and development in the Arrowsmith area, which has facilitated geological mapping.

The Yarragadee Formation is a major, regionally extensive formation within the Perth Basin that can exceed 3 600 m thick. It consists of predominantly weakly to moderately cemented sandstone, with interbedded siltstone, shale and claystone (Department of Water, 2017).

Several sub-units are identified within the Yarragadee Formation based on palynological ages and the lithological portions of sand compared with finer-grained sand, silt and clay, and are informally referred to as units A, B, C and D in ascending order. Units A and C are predominantly sand, while unit B contains approximately 50% siltstone and shale, and Unit D can comprise more than 80% fine-grained sediments. The Yarragadee Formation is conformably underlain by the Cadda Formation, comprising sandstone, siltstone and claystone.

Petroleum exploration wells North Yordanogo 1 (Barrack Energy, 1990) is drilled to the north of Arrowsmith Central and South Yordanogo 1 (Arrow Petroleum, 1991) is in the central part, while Beekeeper 1 is located just to the south of Arrowsmith Central. Figure 43 shows the Yarragadee Formation sub-divisions present within North Yordanogo 1 and Beekeeper 1, together with the downhole groundwater salinity derived from regional mapping.

Arrowsmith Central is situated upon a down-faulted block just east of the Mountain Bridge Fault. The Superficial Formations are underlain by the Yarragadee Formation which extends to between about 1,000 m and 1,200 m depth. North Yordanogo 1 drilled through the Yarragadee Formation intersecting 1,055 m of the formation (below about 30 m of Superficial Formations), including Unit D extending to 94 m depth. Lithology of Unit D is not logged within the well, although monitoring bore LS31 located to the north intersected coarse-grained sand with a large component of interbedded grey-black siltstone, black clay and shale over the comparable interval.

For personal use only




Figure 42: Mesozoic geology in the Arrowsmith area




Figure 43: Geological profile: sub-division units (A-D) and interpretive groundwater salinity (Through the Yarragadee Formation within North Yardanogo 1 and Beekeeper 1)

Unit C is the sandiest portion in the Yarragadee Formation with only minor interbedded siltstone and shale is present over about 94 to 486 m depth. Downhole gamma-ray logging shows around 50% of clayey strata through Unit B over 486 m to 733 m depth. Unit A was intersected over 733 m to 1085 m depth where the profile is dominantly sand with approximately 20% clayey intervals. Exploratory petroleum well South Yardanogo 1 located in the central portion of Arrowsmith Central intersected 1,020 m of the Yarragadee Formation (below about 40 m of Superficial Formations). The base of Unit C is at about 373 m depth, while Unit D appears to be absent.

Extending south from the Project area, located south of the Abrolhos Transfer Fault, there is a thinner interval of the Yarragadee Formation present, which is projected to thicken beneath that area from around 400 m in the western portion to 800 m in the east. Only Units A and B of the Yarragadee Formation are present. Unit B extends to about 250 m deep around the eastern portion of the area but pinches out toward the western margin where only the lower-most Unit A is present.

Beekeeper 1 (Australian Aquitaine Petroleum, 1982) drilled just south of the area intersected the Yarragadee Formation to 477 m depth. Unit B extends to 113 m depth in the well, and while the lithology over this unit was not logged the equivalent section in the adjacent monitoring bore LS20 (Nidagal, 1991a) comprises dominantly coarse-grained sandstone with abundant intervals of fine-grained sandstone, siltstone and shale. The underlying Unit A extends to 470 m depth, with a gamma-ray log showing that it is dominantly sandstone with some finer-grained intervals making no more than about 20% of the unit.

The Yarragadee Formation contains the Yarragadee aquifer which is the largest regional aquifer within the northern and central Perth Basin, forming a thick, permeable aquifer. Hydraulic properties are dependent on the portions of sand versus silt and clay, and the degree of cementation. Overall, the transmissivity of Unit C and A would be greater, however, good sand intervals within Units D and B can also be of high permeability. Siltstone and shale layers within Units D and B can form local aquitards.

Evaluation of many pumping tests have found average and median values for hydraulic conductivity of 12 m/day and 5.6 m/day respectively (Department of Water, 2017), although generally lower values are associated with Units D and B. Bore yields are generally large, with pumping rates up to 6000 kL/day obtained from production bores at Eneabba (Johnson and Commander, 2006).

Groundwater within the Yarragadee aquifer is recharged by downward rainfall infiltration over the dissected plateau region inland of the coastal plain referred to as the Arrowsmith Region. From the Arrowsmith Region groundwater flow is westward, discharging about the western margin of the Yarragadee Formation approximately coincident with the central portion of the coastal plain by upward leakage into the Superficial aquifer.

There is no direct measure of groundwater salinity from deeper portions of the Yarragadee aquifer in the Arrowsmith project area, but the salinity has been recorded from the upper portion of the aquifer in nearby Leeman Shallow monitoring bores. The salinity in deeper sections will be estimated from regional mapping.

At Arrowsmith Central, LS31B (94 to 100 m) obtained groundwater from the upper portion of Yarragadee aquifer with a salinity of 860 mg/L (Nidagal, 1994). Regional groundwater salinity mapping suggests that the salinity rises to 1 500 mg/L by around 300 m depth, and 3 000 mg/L toward the base of the Yarragadee aquifer.

LS20A (97 to 100 m), located south-southwest of the Project area, yielded groundwater with a salinity from the upper portion of the Yarragadee aquifer of 520 mg/L (Nidagal, 1991a), and at LS24A (96 – 99 m) northeast of the area the salinity was 600 mg/L. Groundwater of salinity less than 1 000 mg/L is projected to extend to about 150 m depth beneath Arrowsmith Central, remaining below 1 500 mg/L to the base of the aquifer.

11.2.5 Development constraints

The most significant constraint to groundwater abstraction in the Arrowsmith Project area is the potential impact on groundwater dependent ecosystems due to a decline in water levels, particularly in areas of shallow watertable including wetlands and damplands. Figure 44 shows the depth of watertable below the land surface over the coastal plain in the Arrowsmith tenements area.

Areas of shallow watertable are found about (east, north and west) and within Arrowsmith Central, where a series of wetlands are present along the eastern margin that may have some dependency on groundwater within the Bassendean Sand. Another group of wetlands/damplands is located west of the area where the watertable is within the Tamala Limestone.

Potential wetlands or groundwater dependent ecosystems are present within several kilometres south of the Project area. However, this area does not appear to be associated with a shallow watertable within the Superficial aquifer, where the watertable is projected to be at least 10 m depth. These wetlands may represent areas of perched groundwater developed upon clay in the Guildford Clay. At LS20, several metres of clay (6.9 to 9.0m) is present within the Guildford Clay (Nidagal, 1991a) which could potentially support a local overlying perched groundwater system. A significant wetland situated from about 3 km south of the project area has a white lake floor, possibly due to salt deposits, which is characteristic of perched groundwater discharging upon a claypan.

The Arrowsmith River will not be impacted by groundwater abstraction from either project area as the river bed is well above the potentiometric head of the Yarragadee aquifer and watertable in the Superficial aquifer, and there is no groundwater discharge to the river.

Over the Arrowsmith Region plateau area further east, there may potentially be some seepage to the river from perched groundwater higher within the Yarragadee Formation, most likely associated with Unit D, but this would not be influenced by groundwater abstraction from the Arrowsmith tenements area.

For personal use only




Figure 44: Depth to the water table over the coastal plain in the Arrowsmith area

11.3 Social factors

11.3.1 Population Centres

The nearest population centres are Dongara and Eneabba, which are equidistant from the Project via Brand Highway at 30 km. The nearest farmhouse is more than 5 km from the Project area.

The Company will source labour requirements from these two population centres.

11.3.2 Land Ownership and Use

The entire project is located on vacant, unallocated Crown Land.

The Company has a Mining Lease application (MLA70/1389) which is predominately within granted Exploration License E70/5027 and encroaching on E70/5109. The Mining Lease application and Exploration Licenses are held by Ventnor Mining Pty Ltd a 100% owned subsidiary of VRX.

The Project area is predominately native vegetation but is criss-crossed with cleared tracks previously used over the last 40 years for oil and gas exploration. The Company has been able to use these tracks to access areas for exploration and sampling.

11.3.3 Socio-economic Context

The project can provide significant benefits to the State through very long-term employment and Royalties and locally provide employment and contract opportunities.

The Project will also use the under-utilised rail system and potentially significantly increase exports through the Geraldton Port.

11.3.4 Potential Development

Once the Project has reached an expected production rate and quality of final product the Company can consider further downstream processing of silica sand in to glass products.

Any further processing will have to consider the logistics of transporting both raw material and final products and the economic imperative of supplying a potential domestic and international market.

12 Project Implementation

12.1 Staged Construction

The Project will have two stages of construction. Initially the Project will require the construction of the processing facility and the remote feeder station. Mining will initially include an excavation and trucking component to remove up to 2 million tonnes of sand to establish a level route corridor for the ultimate conveyor system.

Implementation of the Project in 2 stages will minimise upfront capital costs and enter the market in a more sustainable and less disruptive Manner.

This staged approach will support the planned ramp up of production as the plant will initially operate for up to 5 years at 1 million tonnes per year as the project allows for silica sand products to be introduced to the glass making and foundry industries in Asia before maximising production at 2 million tonnes per year.

12.2 Implementation Plan

The Company will complete detailed mining and processing scheduling before commencing construction of the processing plant. Fortunately, the scheduling detail is made significantly simpler due to the consistency of the ore source which will also reflect in the consistent quality of the final products.

The Implementation plan for the Project will depend on:

- Final approvals for mining
- Final offtake contract for at least 1 million tonnes per year
- Definitive Feasibility Study
- Financing of construction and working capital
- Construction
- Commencement of mining and processing

12.3 Contracting Strategy

The Company will own, operate and maintain the feeder station, processing operations and manage the project operations.

The Company will however contract the supply of mining and power supply equipment.

12.4 Early Engineering

The Company has undertaken preliminary engineering within 10% capital cost estimates and power requirements for the processing plant (CDE Global) and the feeder and trommel stations, pumping and conveyor system (ProjX).

The processing plant is designed for 300 tonnes per hour throughput (2 million tonnes per year) and will produce up to 3 separate silica sand products.




Figure 45: Processing Plant General Arrangement

The feeder station will take ore feed from a front end loader, with a conveyor to transport feed to a trommel which will screen feed to 3 mm before pumping to the processing plant.




Figure 46: Feeder and Trommel Arrangement

12.5 Detailed Engineering

The Company will undertake detailed engineering to confirm final designs before construction. Detailed engineering will commence following a final Board decision and will complete the critical path associated with the timely construction of the project.

For personal use only

13 Operational Readiness

VRX will develop a comprehensive risk-based program to ensure VRX has the requisite capability and systems to operate the Arrowsmith Central project successfully from day one.

This approach will commence with a thorough enterprise-wide risk assessment and identification of the standards, controls and systems which will be required to mitigate these risks through the life of the operation. The outcome is an intellectual architecture comprising of well thought, thorough and effective operating systems, which will be designed to ensure operational readiness and logical prioritisation of the project's many moving parts.

The process will be detailed and involve a higher level of operational systems design than is typically undertaken by single asset sponsors for new projects of this scale. This is done primarily due to the high bar of performance that VRX has set for the project and the strong business imperative to have the asset predominantly run and operated by persons living locally. In addition, VRX recognizes that the bulk silica sand mining industry is an emerging industry in WA and thus has fewer established practices and less depth of expertise than is typical in other sectors of the mining industry.

The key aims of this approach are:

- To rigorously and effectively manage the project execution and the project start up and ramp-up to full capacity, thereby avoiding operational start-up dip.
- To align the Company with ISO 9000 quality compliance through effective controls and management of those controls governing product quality.
- To control the scope of roles within the Company and to manage the amount of discretion that people have in their roles so that they are positioned to focus on the project outcomes.
- To facilitate role clarity and enabling effective decision making, successful team work, and accountability.
- To achieve the Company's vision of being "a globally significant silica sand producer, who is recognised for our great quality of products produced safely and ethically".
- To achieve the Company's planned localisation targets and strategy, which will provide sustainable business opportunities and jobs for locals, and a sense of ownership of the asset within the district.
- To minimise the dependence on expensive contracting resources.
- To drive safety, productivity and product quality through an in-built and inherent business improvement mindset.
- To enable the most efficient management of the asset in a global market, with all the inherent challenges involved in managing markets and cultures.

13.1 Company Values

A set of company values has been firmly established within VRX that will underpin the operational strategy of the Company.

Safety: All of us have an equal right to go home safely.

Team Work: We achieve superior results by working together.

Accountability: We are accountable to our family, our community and our colleagues – do them proud, give it your best.

Respect: We are a diverse organisation who respect each other.

Stakeholders: Our stakeholders measure our success – our customers, our investors and our community all have expectations of us.

13.2 Operational Strategy

VRX is staffed by experienced mining and mineral industry veterans. Our experienced team has a clear opportunity to provide a fresh approach to operations of a Western Australian Silica Sand mining and

processing facility, and a global marketing function, with best operating and management practice supported by an Australian (Perth) head office governance team.

The Arrowsmith Central mine and processing facility will be operated by a predominantly local workforce and an experienced leadership team. This strategy will create a high level of government and local community support.

To ensure the Project is run safely and will reliably produce an on-specification product at nameplate capacity and cost from day one, a robust suite of management systems and operating standards will be developed jointly by an early recruited leadership team and the Perth head office, and will be implemented during commissioning.

Capable local operational staff will be recruited with sufficient lead time to be fully trained in the operation of mine and plant with emphasis on the key controls and expectations by which their performance will be measured.

There will be early recruitment of key management and technical roles for the express purpose of developing and implementing the management systems, and then training the operating staff in the lead up to operations.

The design of the organisation structure and operational systems will be fit for purpose striking the right balance between the required level of governance and operating efficiency which will ensure sustained performance of safe, efficient, on specification operational delivery through the life of the project.

13.3 Risk Based Approach

An operational readiness will be developed using a strong risk-based approach. The lesson from other projects is that where there is a failure to fully understand and prepare for operational risks early, projects are exposed to significant value loss arising from production shortfall, out of specification product, and cost increases, collectively referred to as “start-up dip”. In addition, there is often a high level of safety and environment incidents.

Project risk workshops identify the following key project risks:

- failure to achieve project financing
- failure to achieve project permitting and land compensation arrangements
- project cost overrun or delay resulting in significant dilution of value for existing shareholders
- excessive working capital requirements for the project and possible loss of market niche for VRX’s high value silica sand products, due to:
 - inadequate orebody knowledge or unexpected complexity
 - inadequate operational preparedness and capability resulting in out of specification product
 - product logistics delays
 - sales and marketing issues - production issues
- loss of government or community support for the project
- health, safety and environmental (HSE) risks.

These risks will be captured in a detailed risk register. The approach will be to prepare mitigation strategies accordingly.

Risk controls will be identified for all risks, comprising:

- mitigation actions to be completed prior to commencement of operations
- operational standards and management systems which will govern operations and mitigate risks through the life of the project.

Risk mitigation actions include:

- Specific studies to ensure full anticipation of technical, quality, reliability and environmental issues.

- Engagement of specialist consultants to advise on critical technical, marketing and government and community aspects of the project.
- Design reviews to ensure engineering controls are included in plant design.
- Specific obligations to include in third-party contracts that will be critical to safety, environment, production and product quality.
- Definition of infrastructure upgrades and government co-commitments.
- Establishment of project control for construction management.
- Planned and targeted early recruitment and training.

On-going control of risk through the life of the operation will be through effective implementation of standards and management systems.

In particular, the controls for HSE risks will be documented in a set of HSE standards and systems which collectively define the Health, Safety and Environment Management System (HSEMS) for the project. The HSEMS, consists of a set of Health and Safety standards, Environment standards, and systems which are critical to effective HSE management. This will provide a comprehensive risk management framework for the project.

13.4 Development of Operational Readiness Plan

Risk mitigation actions will be prioritised and sequenced into a comprehensive work plan for operational readiness. The work plan will also include completion of the design of standards and systems in a prioritised way and implementing these as required for the project construction phase and for the operations phase of the project.

The operational readiness project plan will have clear links to the financing, permitting, and construction project plans.

13.5 Implementation of Operational Readiness Plan

The operational readiness plan will be implemented by an early recruited operations team, supported by expert consultants where required, and with a Project Management Office (PMO) function to track and report on status throughout. The recruitment schedule is aligned with the operational readiness plan to ensure timely implementation of key roles to complete the work plan tasks. The clear remit of early recruited roles will be to build the organisational systems and to have their teams fully operationally-ready at start of operation.

A readiness methodology will be used to support key aspects of the implementation including coaching and training on standards and systems design, access to a comprehensive library of checklists and requirements from equivalent operations design, and executive leadership advice where required.

There is a close relationship between the operational readiness plan and the human resources strategy for the project. In particular, the design of the standards and systems will provide clear role clarity for all operations positions. The training and development of personnel recruited into leadership roles will include training in standards and systems design methodology and in the style of leadership required of VRX managers at all levels to ensure that the management systems are effectively utilised.

14 Human Resources

Where possible the Company will source employees from the local communities of Eneabba and Dongara.

The skills required to operate this type of mining equipment and processing are well represented within the Western Australian mining industry personnel.

The Company will operate and maintain the feeder and processing equipment but contract the power generating equipment and mining operations equipment and relevant personnel.

Where possible the Company will preferentially offer opportunities to local Indigenous operators.

For personal use only

15 Operating Cost Estimate

Operating costs have been determined from either first principles or contract budget submissions and estimates and estimated on 1 million tonnes per year throughput, with expected unit cost savings if throughput is increased as anticipated to potentially 2 million tonnes per year.

Operating costs are divided amongst the follow categories of expenditure:

- administration
- mining
- processing
- product handling, and
- royalties and marketing.

15.1 Administration

Administration costs are estimated on adequate site management with a project manager and deputy, two vehicles, site services including offices and ablutions, lease rents and rates and site insurances.

Total costs estimated at an average A\$0.46 per tonne processed.

15.2 Mining

Section 6 sets out the unique and flexible mining and rehabilitation method proposed for the Project to maximise production and the recovery of rehabilitated mined areas.

For the first 3 years the equipment list will be 1 dozer with a scythe ripper, interchangeable front mounted mulcher or push blade, 4 front end loaders (**FEL**), one with a modified bucket to be used in the rehabilitation process for sod recovery and replacement, one to be used in excavation from a working face to 2 x 6 wheel drive 20 tonne articulated trucks and 1 FEL to load from a stockpile to a feeder trommel.

This fleet will operate for 12 hours per day at a rate of up to 1 million tonnes per year until an adequate level route is established with a continuous 15 m high and 1.5 km long operating face and a caterpillar type feeder conveyor is installed. This will take up to 3 years and excavate 3 million tonnes of material. This will eliminate the requirement for the 2 trucks and 1 FEL.

The reduced fleet can increase operating times to 24 hours per day to increase the throughput to 2 million tonnes per year.

A water cart may be required during the hotter months if any dust is generated.

Production and cost estimates are based on budget wet hire contract rates and estimated operating times for each piece of equipment as required. Labour, fuel and maintenance costs are included in the contract rates.

Total costs estimated at an average A\$4.27 per tonne processed.

15.3 Processing

Figure 47 illustrates the proposed processing circuit for the Project.




Figure 47: Sand Processing Circuit

Processing barrier limits include the initial production feeder that transfers to the rotating drum trommel screen which in turn will screen organic material from the ore feed and add water to a slurry feed of 30% by weight.

Costs include the power and water required to pump the slurry to the processing plant and the plant operations. These costs are based on engineering power and water estimated requirements and industry standard unit costs. Further engineering estimates are used for the maintenance requirements for all the processing equipment but generally based on 5% of the initial capital cost per year.

Costs also include labour costs of processing and maintenance personnel.

Overall this type of processing is very similar to the mineral sands wet concentrators with well-established maintenance schedules and routines in Western Australia.

Total costs estimated at an average A\$5.69 per tonne processed.

15.4 Product Handling

15.4.1 Estimated Costs

Product handling costs include the loading of rail cars, rail transportation to the Geraldton Port and handling costs for ship loading. Sales prices are based on FOB Incoterms on the basis of a loaded ship (see Section 15.4.2 for further information).

Estimated costs are based on multiple submitted contract rates for rail and port operations.

Total costs estimated at A\$15.94 per tonne processed.

15.4.2 Incoterms

International commercial trading terms are referred to as "Incoterms" and relate to the point at which ownership changes hands. They inform the parties what to do with respect to carriage of the goods from buyer to seller. They also explain the division of costs and risks between the parties.

Typical terms are:

FOB - Free On Board

This term means that the seller delivers when the goods pass the ship's rail at the named port of shipment. This means the buyer has to bear all costs and risks to the goods from that point. The seller must clear the goods for export. This term can only be used for sea transport.

CFR - Cost and Freight

This term means the seller delivers when the goods pass the ship's rail in the port of shipment. The seller must pay the costs and freight necessary to bring the goods to the named port of destination, but the risk of loss or damage, as well as any additional costs due to events occurring after the time of delivery, are transferred from seller to buyer. The seller must clear goods for export. This term can only be used for sea transport.

CIF - Cost, Insurance, Freight

The seller delivers when the goods pass the ship's rail in the port of shipment. The seller must pay the cost and freight necessary to bring goods to named port of destination. Risk of loss and damage is the same as CFR. The seller also has to procure marine insurance against the buyer's risk of loss/damage during the carriage. The seller must clear the goods for export. This term can only be used for sea transport.

CIP - Carriage and Insurance Paid

This term means that the seller delivers the goods to the carrier nominated by them but the seller must in addition pay the cost of carriage necessary to bring the goods to the named destination. The buyer bears all costs occurring after the goods have been so delivered. The seller must clear the goods for export. The seller also has to procure insurance against the buyer's risk of loss or damage to the goods during the carriage. This term may be used irrespective of the mode of transport (including multimodal).

15.5 Royalties and Marketing

Estimated royalties and based on the existing rate for the State Royalty (which is reviewed every 5 years), an allowance for an expected negotiated Native Title party royalty based on production tonnes and a further industry standard agent's fee for marketing and sales of exported products.

Total costs estimated at A\$1.29 per tonne processed.

15.6 Total Operating Costs

Total net direct cash cost (C1) per tonne processed is estimated as follows:

Administration (site management)	\$0.48
Mining (inc excavation and rehab)	\$4.27
Processing (inc power, water and maintenance)	\$5.69
Product Handling (inc loading, rail and port)	\$15.94
Royalties and Marketing	\$1.29
Total Cash Costs of Production	\$27.67

* Australian dollars

16 Capital Cost Estimate

CDE Global has provided VRX with a cost estimate for a 2 million tonne per annum (Mtpa) processing plant which, due to its modular nature, is a detailed proposal and accurate to $\pm 15\%$ in pricing. Table 39 sets out a summary of this cost estimate.

Processing Plant Costs $\pm 15\%$

	CDE Quote GBP	\$AUD
Mechanical Equipment, lighting, wiring, pipework	£6,800,000	\$12,716,000
WHIM Module (optional)	£700,000	\$1,309,000
Installation & commissioning Labour	£1,100,000	\$2,057,000
Crane Hire and EWP's	£400,000	\$748,000
Freight (C.I.F Fremantle) (65 containers)	£420,000	\$785,400
Contingency (5% of mech.)	£340,000	\$635,800
Total	£9,760,000	\$18,251,200

Table 39: Summary of quote details for processing plant (exchange rate of 1GBP = 1.87AUD)

Further testwork is underway to finalise the requirements for the magnetic separation component. This is not anticipated to materially affect the costs.

The Company has commissioned a cost estimate for the feeder, trommel and pump station from a local engineering company ProjX.

Feeder, Conveyor, Trommel Pump Station Costs $\pm 20\%$	ProjX Estimate	Contingency 20%	TOTALS \$AUD
Feed bin, conveyor and feed bin over overland conveyor inc components and power supply.	\$656,681	\$131,336	\$788,017
Ancillary equipment, dams, bore water supply and power supply.	\$2,055,737	\$411,147	\$2,466,884
	\$2,712,418	\$542,484	\$3,254,901

Table 40: Summary of quote details for feeder, trommel and pump station

The Project metrics have depreciated all of the capital cost at 15% per year.

17 Marketing

Globally, silica sand is in a growth phase due to increasing demand from the construction sector, with both volume and value having increased worldwide. Sales of silica sand experienced a compound annual growth rate of approximately 8.7% in value terms from 2009 to 2016, with a market value of US\$6.3 billion. This was due to its applications across a range of industries, including glass making as well as foundry casting, water filtration, chemicals and metals, along with the hydraulic fracturing process.

Accelerations in construction spending and manufacturing output worldwide are expected to drive growth in important silica sand-consuming industries, including the glass, foundry and building products sectors. Significant growth is projected for the hydraulic fracturing market as horizontal drilling for shale oil and gas resources expands, largely in North America.

The Asia-Pacific region is expected to remain the largest regional consumer of industrial sand through 2025, supported by the dominant Chinese market. The country's container glass industry will drive further silica sand sales, supported by rising production of glass bottles, particularly in the alcoholic beverage sector including wine and beer.

In India, foundry activity has shown strong growth, driven by the production of sand moulds to manufacture metal castings. Indonesia will also register strong growth in silica sand sales through 2022, supported by rapid advances in the output of glass products and metal castings, combined with increased hydraulic fracturing activity.

Outside of the Asia-Pacific region, demand for silica sand in North America is forecast to rise at a faster annual pace than any other regional market. The US and Canada will lead regional growth, driven by expansion in the countries' respective hydraulic fracturing segments. Strength in US oilfield activity will boost demand for sand proppants, as will increases in the number of fracturing stages per well.

Consumption of silica sand in Western Europe is projected to see more modest annual gains through 2020, although such growth will mark a rebound from the declines registered during 2008 to 2015. Recoveries in building construction and manufacturing activity, including a turnaround in flat glass output, will stimulate renewed demand for industrial sand in the region. (Source: Ceramic Industry Website – Reference A)

17.1 Silica Sand Markets

High-grade silica sand is a key raw material in the industrial development of the world, especially in the glass, metal casting, and ceramics industries. High-grade silica sand contains a high portion of silica (over 99% SiO₂) and is used for applications other than construction aggregates. Unlike construction sands, which are used for their physical properties alone, high-grade silica sands are valued for a combination of chemical and physical properties. Global consumption of industrial silica sand is expected to climb 3.2% per year through 2022. Asia Pacific growth is higher than global growth and is expected to be around 5-6% per year. Ongoing economic and infrastructure development in the Asia/Pacific region will drive growth, as will hydraulic fracturing activity in North America. Frac sand will be used increasingly in Asia Pacific in future years but unlikely to match the use in North America where 100 million tonnes are used annually.

17.1.1 Glassmaking

Silica sand is the primary component of all types of standard and specialty glass. It provides the essential SiO₂ component of glass formulation; its chemical purity is the primary determinant of colour, clarity and strength in glass. Industrial sand is used to produce flat glass for building and automotive use, container glass for foods and beverages, and tableware. In its pulverised form, ground silica is required in the production of fibreglass insulation and for reinforcing glass fibres. Specialty glass applications include test tubes and other scientific tools, incandescent and fluorescent lamps.

Over the past 20 years, growth in glass demand has exceeded GDP growth and continues to grow at circa 5% per annum.

The Asia Pacific region has dominated the glassmaking industry for some time and Australia is uniquely positioned to supply this increasing demand.

The Company continues to monitor the various markets for silica sand for glass making and the foundry industry via market specialists and contacts within the industry.

17.1.2 Specialty Markets

Metallurgical Uses

In metal production, silica sand operates as a flux to lower the melting point and viscosity of slag to make them more reactive and efficient. Lump silica is used either alone or in conjunction with lime to achieve the desired base/acid ratio required for purification of final metals. These base metals can be further refined and modified with other ingredients to achieve specific properties such as greater strength, corrosion resistance or electrical conductivity. Ferroalloys are essential in specialty steel production. Industrial sand is used by the steel and foundry industries for de-oxidation and grain refinement.

Chemical Production

Silicon-based chemicals are found in thousands of everyday applications ranging from food processing to soap and dye production. In this case, SiO_2 is reduced to silicon metal by coke in an arc furnace, to produce the Si precursor of other chemical processes. Industrial sand is the main component in chemicals such as sodium silicate, precipitated silica, silicon tetrachloride and silicon gels. These chemicals are used in products such as household and industrial cleaners, in the manufacture of fibre optics and to remove impurities from cooking oil and brewed beverages.

Paint and Coatings

Paint formulators select micron-sized industrial sands to improve the appearance and durability of architectural and industrial paint and coatings. High purity silica produces critical performance properties such as brightness and reflectance and colour consistency. In architectural paints, silica fillers improve tint retention, durability, and resistance to dirt, mildew, cracking and weathering. Low oil absorption allows increased pigment loading for improved finish colour. In marine and maintenance coatings, the durability of silica imparts excellent abrasion and corrosion resistance.

Ceramics

Ground silica is an essential component of the glaze and body formulations of all types of ceramic products, including tableware, sanitary ware and floor and wall tile. In the ceramic body, silica is the skeletal structure onto which clays and flux components attach. The SiO_2 contribution is used to modify thermal expansion, regulate drying, contain shrinkage and improve structural integrity and appearance. Silica products are also used as the primary aggregate to provide high temperature resistance to acidic attack in industrial furnaces.

Filtration and Water Production

Industrial sand is used to filter water to become drinkable. It is also necessary in the processing of wastewater and the production of clean water from wells. Uniform grain shapes and grain size distributions produce efficient filtration bed operations (including multimedia) for the removal of contaminants from wastewater to provide potable water. As silica is chemically inert, it will not degrade or react when it comes in contact with acids, contaminants, volatile organics or solvents. Silica is used as packing material in deep-water wells to increase yield from the aquifer by expanding the permeable zone around the well screen and by preventing the infiltration of fine particles from the formation.

Fibreglass including optical fibres

Washed, correctly sized and dry sorted, the silica sand from the Projects can potentially be targeted for high-grade applications in the glass industry. The main export destination countries for these types of products are China, Japan, Taiwan and Korea.

Suppliers need to work with the customers and or distributors in each key market to provide the required tonnages of suitably specified high grade sand delivered in container loads, or bulker bags and that the sand would be delivered from the site to a port facility. Final delivery is often in pneumatic tanker or bulker bags. Some large producers have on-site grinding facilities using flint pebbles as media.

17.1.3 Container Glass

The introduction and use of lightweight containers is critically dependent upon the glass forming technologies available for their manufacture. For many years, 'blow-blow' technology was the dominant glass bottle forming process. However, more recently 'narrow neck press and blow' (NNPB) has become the dominant technology for the production of lightweight bottles. Superior dimensional control and consistency available from NNPB allows lighter bottles to be produced without compromising fitness for purpose or market appeal. The current NNPB process inevitably has limitations on the minimum bottle weight which can be achieved, this also being critically dependent on bottle design and volume.

17.2 Market Risk

A key challenge for industrial minerals projects is not meeting market specifications. The silica sand market has specifications for parameters such as purity (e.g. SiO₂ content) in addition to tight specifications for trace elements such as Fe and Ti and Cr in the glass industry.

Failure to meet specifications may result in selling the products at discounted rates, or indeed not finding markets at all.

Other risks for silica sand may include particle size distribution and physical strength (crush resistance) as in the case of proppants for the oil industry.

Industrial minerals are generally considered to be bulk commodities and are therefore susceptible to distance to market and transport costs; therefore, logistics may pose a risk to supplying markets.

17.3 Glassmaking Silica Sand Pricing

Chemical Composition (%)

Product	SiO ₂	Al ₂ O ₃	Fe ₂ O ₃	TiO ₂	CaO	MgO	K ₂ O	May 2019 Price FOB (US\$/metric tonne)
F80	99.95	0.02	0.008	0.030	0.005	0.001	0.004	US\$35-46 per dmt (subject to quality, contract terms and quantity) (A\$50-66 per dmt FOB)
F80C	99.95	0.02	0.005	0.030	0.005	0.001	0.004	
F150	99.8	0.07	0.015	0.035	0.020	0.001	0.004	
F200	99.9	0.06	0.02	0.030	0.010	0.001	0.020	
F350	99.5	0.30	0.050	0.030	0.010	0.002	0.050	
F400	99.6	0.25	0.040	0.030	0.005	0.001	0.050	
F500	99.7	0.20	0.050	0.035	0.010	0.002	0.030	

Table 41: Glassmaking Silica Sand Pricing

Particle Size


Sieve Opening / μm retained

Product	850	600	425	300	212	150	106	75	53
F80		0.5%	49%	50%	0.5%				
F80C	9.0%	90.0%	1.0%						
F150				0.5%	88%	11%	0.5%		
F200		0.5%	30%	40%	21%	8%	0.5%		
F350		0.5%	40%	39%	16%	1%			
F400		0.5%	44%	39%	16%	0.5%			
F500		0.5%	40%	42%	17%	0.5%			

Table 42: Glassmaking Silica Sand Particle Sizes

17.4 Glassmaking Silica Sand Demand

The Asia Pacific region has dominated the glassmaking industry for some time and Australia is uniquely positioned to supply this increasing demand.



Asian Silica Sand Markets

Use	Spec	Market in Asia	Growth in Asia
Float (Plate) Glass	99.5% SiO ₂	60 - 65Mt	5% - 6%
Container Glass	99.5% SiO ₂	70 - 75Mt	5% - 6%
Cover Glass (Solar Panels)	99.5% SiO ₂ & Low Fe	5 - 6Mt	+30%
Smart Glass (Ultra Clear)	99.5% SiO ₂ & Low Fe	1 - 2Mt	5% - 6%
Specialist Glass (Thin Screen)	99.7% SiO ₂	500 - 600 kt	+10%

Table 43: Asian Silica Sand Markets

Source: Stratum Resources

- Increase in Automobile Production
- Rebound in Building Construction Activity
- Rising Demand for Energy Efficient Windows
- Strong Demand for Fabricated Flat Glass Products
- Use of Glass in Solar Thermal Panels & Photovoltaic Modules
- Expanding Applications of Glass in Healthcare & Electronics Sectors
- Demand for Glass Products with Solar Control & Impact Resistance Features

Year / Country	2017a	2018a	2019e	2020f	2021f	2022f	2023f	2024f	2025f
China	0.89	1.9	2.4	2.8	3.4	3.6	4.2	4.4	5.6
Japan	1.16	1.18	1.2	1.3	1.3	1.4	1.4	1.5	1.5
South Korea	1.05	0.94	1.2	1.3	1.4	1.5	1.6	1.6	1.7
Taiwan	1.42	1.47	1.5	1.5	1.6	1.6	1.7	1.7	1.7
Philippines	0.35	0.49	0.51	0.53	0.6	0.6	0.7	0.7	0.8
Thailand	0.19	0.15	0.17	0.2	0.3	0.3	0.4	0.4	0.5
Subtotal (rounded)	5.6	6.13	6.9	7.6	8.6	9	10	10.3	11.8

Table 44: Silica sand estimated demand in selected Asian countries Mt to 2025

Source: ITC Trade map, Stratum estimates. A-actual, e-estimate, f-forecast

Product requirements will be based on SiO₂ content, other impurities and particle size distribution. There are many and varied requirements generally dependent on the final product.

17.5 Foundry Silica Sand Pricing

Chemical Composition (%)

Product	SiO ₂	Al ₂ O ₃	Fe ₂ O ₃	TiO ₂	CaO	MgO	K ₂ O	May 2018 Price FOB (US\$/metric tonne)
F20	99.7	0.20	0.05	0.035	0.010	0.002	0.03	US\$38-46 per dmt (subject to quality, contract terms and quantity) (A\$50-66 per dmt FOB)
F20 - B	99.9	0.02	0.008	0.03	0.005	0.001	0.004	
F40	99.7	0.20	0.05	0.035	0.010	0.002	0.03	
F20 - B	99.6	0.25	0.04	0.030	0.005	0.001	0.05	
F50	99.6	0.25	0.04	0.030	0.005	0.001	0.05	

Table 45: Foundry Silica Sand Pricing

Particle Size**Sieve Opening/Mesh retained**

Product	10	20	30	40	50	70	100	140	200	AFS No
F20	0.1%	3%	87%	8%	1%	0.1%				21
F20 - B		9.0%	90.0%	1.0%						20
F40		0%	21%	36%	24%	13%	5%	1%	0%	36
F20 - B	6%	22%	30%	38%	3%	0.3%	0.1%	0%		22
F50		0%	0.3%	32%	28%	17%	14%	8%	1%	49

Table 46: Foundry Sand Particle Sizes

17.6 Foundry Silica Sand Demand

Metal Casting / Foundry: Industrial sand is an essential part of the ferrous and non-ferrous foundry industry. Metal parts ranging from engine blocks to sink faucets are cast in a sand and clay mould to produce the external shape, and a resin bonded core that creates the desired internal shape. Silica's high fusion point (1,760°C) and low rate of thermal expansion produce stable cores and moulds compatible with all pouring temperatures and alloy systems. Its chemical purity also helps prevent interaction with catalysts or curing rate of chemical binders. Following the casting process, core sand can be thermally or mechanically recycled to produce new cores or moulds. Chromite, zircon and olivine sand all compete with silica but usually in small quantities and mainly as a thin covering on top of the silica for actual molten metal contact.

It is becoming increasingly difficult to source appropriate sand in Asia suitable for the foundry industry and VRX Silica is ideally placed to supply this market from its Arrowsmith Central Silica Sand Project.

18 Financial

Based on the capital and operating cost estimates a financial model was developed for the purpose of evaluating the economics of the Project.

18.1 Key Assumptions

The financial analysis for the Project has been undertaken based on the following key assumptions:

Currency	Australian dollars <i>Sales contracts in Asia for silica sand are invariably based \$US and a A\$0.70 exchange rate has been applied</i>
Project life	25 years Total Probable Ore Reserve alone supports a 13-14 year project. Mining will occur solely from the Probable Ore Reserve during this period. There is a reasonable expectation that with further close spaced drilling the existing Inferred Mineral Resource would convert to Indicated Mineral Resource and subsequently Probable Ore Reserve. This will increase the mine life to well in excess of this time period, however the model is conservatively restricted to 25 years. See Section 5.4 for further information.
Depreciation	15% rate on capital
Corporate tax rate	27% on taxable profit
Production	Steady state of production from Probable Ore Reserves over life of mine, with the first 5 years at 1 Mt per year and thereafter at 2 Mt per year <i>The Company has currently expressions of interest and letters of intent to purchase 1 Mt per year of Arrowsmith Central products and expects further interest once these products are made available to the market</i>
Shares on Issue	404,318,617
NPV estimation discount rates	Standard financial modelling conducted at both 10% and 20% discount rates. <i>The 20% rate is generally above standard reporting rates but demonstrates that the Project is still financially robust at this higher rate</i>
Capital cost	Based on estimates $\pm 15\%$ from engineering companies with extensive experience in sand separation
Operating costs	A\$27.67 C1 costs, including royalties <i>Based on first principles and current rates for equipment</i>
Sales revenue	US\$35-46 per dry metric tonne dependent on product type, product quality, contract terms and quantity <i>Revenue is constant based on current prices and ignores any projected growth in prices</i>
Maximum debt	A\$20 million
Borrowing rates	12%
Accounts receivable	30 days
Accounts payable	30 days
Plant maintenance	5% of capital cost per year
Environmental bond	A\$500,000 <i>May be substituted by the WA Department of Mines, Industry Regulation and Safety's "Mining Rehabilitation Fund"</i>
Capex contingency	20%
Recoveries	CF400 (Glass 400 ppm Fe ₂ O ₃) 17% C20 (Foundry ASF 20) 34% C50 (Foundry ASF 50) 17% TiO ₂ Concentrate 9% <i>Recoveries are based on CDE testwork at $\pm 5\%$</i>

18.2 Project Metrics

The production target incorporates the maiden Probable Ore Reserve of 18.7 Mt @ 99.6% SiO₂ that sits within the Mining Lease application area (see Section 5.3) as well as a portion of the Inferred Mineral Resource of 29.4 Mt @ 96.2% SiO₂ (see Section 5.2).

The maiden Probable Ore Reserve is estimated from the Indicated Mineral Resource only. This constitutes approximately 48% of the estimated total production target (in terms of processed tonnes of silica sand) over the 25 year mine life for the Project BFS. It provides sufficient tonnage for the first 13-14 years of mining operations. Mining from the area of the Probable Ore Reserve only supports a 13-14 year mine life and the Company intends to mine solely from the Probable Ore Reserve during that period. Section 5.4 sets out details of the proposed mine plan.

Summary results from the financial model outputs are set out in Table 47. The first column shows outputs from the Probable Ore Reserve only and the second column shows outputs when aggregated with the Inferred Mineral Resource. Arrowsmith Central is a viable project whether or not the Inferred Mineral Resource area is included in the analysis.

	Maiden Probable Ore Reserve Only	Maiden Probable Ore Reserve and Inferred Mineral Resource
Post Tax, ungeared NPV ₁₀	\$103,800,000	\$147,600,000
Post Tax, ungeared NPV ₂₀	\$47,800,000	\$56,100,000
Post Tax, ungeared IRR	60%	60%
Payback period (yrs) (post tax) (ramp up rate)	2.8	2.8
Exchange Rate US\$/A\$	\$0.70	\$0.70
Life of Mine (yrs) (BFS Study)	13-14	25
EBIT	\$335,000,000	\$737,000,000
Total Sales (no escalation)	\$1,022,000,000	\$2,167,000,000
Cashflow after finance and tax	\$243,000,000	\$539,000,000
Capex (2 Mtpa)	\$25,880,000	\$25,880,000
Capex contingency (inc)	20%	20%
Life of Mine C1 costs, FOB Geraldton (inc Royalties)	\$28.21	\$27.67
Tonnes Processed (Mt) (BFS Study)	24	51
Production Target (Mt)	19	39.6
Probable Ore Reserves (Mt)	99.6% SiO ₂ 19	99.6% SiO ₂ 19
Ore Reserve life (yrs)	9	9
JORC Resources (Mt)	77	77

Table 47: Project Metrics

Notes:

- 1: Steady state of production over life of mine. Life of mine based on the maiden Probable Ore Reserve in first column and the Inferred Mineral Resource (see Section 5.4) and maiden Probable Ore Reserve in the second column. Throughput of 1Mtpa increasing to 2Mtpa in year 6 (see Section 15.2). Assumes 77% recovery rate from tonnes processed (see Table 24).

2. There is a low level of geological confidence associated with inferred mineral resources and there is no certainty that further exploration work will result in the determination of indicated mineral resources or that the production target itself will be realised.
3. The Probable Ore Reserve and the Inferred Mineral Resource underpinning the above production targets have been prepared by a Competent Person in accordance with the requirements of the JORC Code 2012.
4. Refer to Section 18.1 for underlying assumptions.
5. A life of mine production profile is set out in Section 18.3.
6. A sensitivity analysis is set out in Section 18.4.
7. All figures are presented in Australian dollars, unadjusted for inflation
8. Rounding errors may occur.

18.3 Production Profile

The maiden Probable Ore Reserve constitutes approximately 48% of the estimated total production target (in terms of processed tonnes of silica sand) over the 25 year mine life for the Project BFS. It provides sufficient tonnage for the first 13-14 years of mining operations. The Company intends to mine solely from the Probable Ore Reserve during that period (see Figure 48).




Figure 48: Production Expenditure and Revenue (first 13-14 years of mine life)

Taking into account the Indicated Mineral Resource (see Section 5.4) the Company expects the mine life to increase to at least 25 years (see Figure 49).




Figure 49: Production Expenditure and Revenue (mine life of 25 years)

18.4 Sensitivity Analysis




Figure 50: Sensitivity Analysis

19 Resources and Reserves JORC Tables

19.1 JORC Code 2012 Edition Table 1

Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	Commentary
<i>Sampling techniques</i>	<p>Aircore drilling samples are 1m down hole intervals with sand collected from a cyclone mounted rotary cone splitter, ~2-3kg (representing 50% of the drilled sand) was collected. Two sub-samples, A and B, of ~200g were taken from the drill samples. The remainder was retained for metallurgical testwork.</p> <p>Auger drilling samples are 1m down hole intervals with sand collected from a plastic tub which received the full sample, ~8kg, from the hole. The sand was homogenised prior to sub sampling, two sub-samples, A and B, of ~200g were taken from the drill samples. A bulk sample of ~5kg was retained for each 1m interval for metallurgical testwork.</p> <p>The "A" sample was submitted to the Intertek Laboratory in Maddington, Perth for drying, splitting (if required), pulverisation in a zircon bowl and a specialised silica sand 4 Acid digest and ICP analysis.</p> <p>All auger samples were weighed to determine if down hole collapse was occurring, if the samples weights increased significantly the hole was terminated to avoid up hole contamination.</p> <p>The targeted mineralisation is unconsolidated silica sand dunes, the sampling techniques are "industry standard".</p> <p>Due to the visual nature of the material, geological logging of the drill material is the primary method of identifying mineralisation.</p>
<i>Drilling techniques</i>	<p>Vertical NQ sized aircore drilling was completed by a Contract Drilling Company using a Landcruiser mounted Mantis 82 drill rig.</p> <p>A 100mm diameter hand screw auger was used to drill until hole collapse.</p>
<i>Drill sample recovery</i>	<p>Aircore</p> <p>Visual assessment and logging of sample recovery and sample quality.</p> <p>Reaming of hole and clearance of drill string after every 3m drill rod.</p> <p>Sample splitter and cyclone cleaned regularly to prevent sample contamination.</p> <p>No relationship is evident between sample recovery and grade.</p> <p>Hand Auger</p> <p>All material recovered from the hole is collected in a plastic drum and weighed, the weights are used to determine when the hole is collapsing, and drilling is terminated.</p> <p>No relationship is evident between sample recovery and grade.</p>
<i>Logging</i>	<p>Geological logging of drill samples is done by the field geologist with samples retained in chip trays for later interpretation.</p> <p>Logging is captured in an excel spreadsheet, validated and uploaded into an Access database.</p>
<i>Subsampling techniques and sample preparation</i>	<p>Aircore drill samples are rotary split 50:50 into a calico bag resulting in 2-3kg of dry sample, 2 x 200g sub-samples, A and B, are taken from the drill sample. The A sample is submitted to the laboratory and the B sample is retained for repeat analysis and QA/QC purposes. The bulk sample is retained for later metallurgical testwork.</p> <p>Auger drill material, ~8kg, is collected in a plastic tub and homogenised, 2 x 200g sub-samples, A and B, are taken from the drill material. The A sample is submitted to the laboratory and the B sample is retained for repeat analysis and QAQC purposes. A 5kg bulk sample is retained for later metallurgical testwork.</p> <p>The sample size is considered appropriate for the material sampled.</p> <p>The 200g samples are submitted to the Intertek Laboratory in Maddington, Intertek use a zircon bowl pulveriser to reduce the particle size to -75µm.</p>

Criteria	Commentary
<i>Quality of analytical data and laboratory tests</i>	<p>Samples were submitted for analysis to the Intertek Laboratory in Maddington in Perth WA. The assay methods used by Intertek are as follows: multi-elements are determined by a specialised four-acid digest including Hydrofluoric, Nitric, Perchloric and Hydrochloric acids in Teflon tubes. Analysed by Inductively Coupled Plasma Mass Spectrometry, silica is reported by difference.</p> <p>The assay results have also undergone internal laboratory QAQC, which includes the analysis of standards, blanks, and repeat measurements.</p> <p>The Company has been validating a high-purity silica standard that was created for the Company by OREAS Pty Ltd. This was required as there is no commercial standard available for high purity silica sand. The standard was "round robin" assayed at several laboratory's in Perth prior to the commencement of drilling.</p> <p>The standard was then included in the drill sample submissions to Intertek, in sequence, on a ratio of 1:20. Field duplicate samples were submitted in a ratio of 1:20 and in addition to this Intertek routinely duplicated analysis from the pulverised samples in a ratio of 1:25. The number of QAQC samples therefore represents ~14% of the total assays.</p> <p>A full analysis of all the quality control data has been undertaken. This analysis validates the drill assay dataset and conforms with the guidelines for reporting under the JORC 2012 code.</p>
<i>Verification of sampling and analyses</i>	<p>Significant intersections validated against geological logging.</p> <p>Seven pairs of twin holes were drilled at Arrowsmith Central, with each twin pair collared within 0.5m. Overall the results are considered to be a reasonable result, which reflect the geological variability of the silica sand at Arrowsmith Central.</p>
<i>Location of data points</i>	<p>Auger drill hole locations were measured by hand-held GPS with the expected relative accuracy; GDA94 MGA Zone 51 grid coordinate system is used. Aircore drill holes have been surveyed by RM Surveys using base stations on GOLA SSM DON53, situated in the north east corner of Arrowsmith Central, with the expected relative accuracy compared to the control of 0.05m E, N and RL. Due to RL issues with the SRTM topographical surface the drill collar RL's were transformed to the SRTM surface.</p>
<i>Data spacing and distribution</i>	<p>Initial auger holes were spaced 400-1,000m apart along existing tracks. The aircore drilling in the indicated resource was spaced 400m on either 200m or 400m spaced lines. In the Inferred area holes were spaces 400m to 800m apart, on line spaces 400m to 800m apart. No sample compositing (down hole) has been done.</p>
<i>Orientation of data in relation to geological structure</i>	<p>Sampling is being done on aeolian sand dunes the drill orientation is therefore considered appropriate.</p>
<i>Sample security</i>	<p>All samples are selected onsite under the supervision of VRX Silica Geological staff.</p> <p>Samples are delivered to the Intertek laboratory in Maddington. Intertek receipt received samples against the sample dispatch documents and issued a reconciliation report for every sample batch.</p>
<i>Audits or reviews</i>	<p>There has been no audit or review of sampling techniques and data yet.</p>

19.2 JORC Code 2012 Edition Table 2

Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	Commentary
<i>Mineral tenement and land tenure status</i>	All drilling was done on Tenement E70/4987 which is 100% held by Ventnor Mining Pty Ltd a wholly owned subsidiary of VRX Silica Limited. The tenement was granted on 06/04/2018, and all drilling was conducted on Vacant Crown land.
<i>Exploration done by other parties</i>	Minor exploration for mineral sands has been completed by various Companies. No exploration for silica sand has been done.
<i>Geology</i>	Silica sand mineralisation at Arrowsmith Central occurs within the coastal regions of the Perth Basin, and the targeted silica sand deposits are the aeolian sand dunes that overlie the Pleistocene limestones and paleo-coastline.
<i>Drillhole information</i>	Not relevant. Exploration results are not being reported. Mineral Resources are being disclosed (see Section 3). Sample and drillhole coordinates are provided in previous market announcements.
<i>Data aggregation methods</i>	Not relevant. Exploration results are not being reported. Mineral Resources are being disclosed (see Section 3).
<i>Relationship between mineralisation widths and intercept lengths</i>	Not relevant. Exploration results are not being reported. Mineral Resources are being disclosed (see Section 3).
<i>Diagrams</i>	Refer to figures within the main body of this report.
<i>Balanced reporting</i>	Not relevant. Exploration results are not being reported. Mineral Resources are being disclosed (see Section 3).
<i>Other substantive exploration data</i>	Geological observations are consistent with aeolian dune mineralisation. Four, certified, dry <i>in situ</i> bulk density measurements were completed by Construction Sciences Pty Ltd using a nuclear densometer. Groundwater was intersected in only a few holes that were drilled deeper deliberately to ascertain the position of the water table. The water table is typically below 15m depth The mineralisation is unconsolidated sand. There are no known deleterious substances at this time.
<i>Further work</i>	This report is included as part of a Bankable Feasibility Study and Maiden Ore Reserve which demonstrates that the Project is robust and achievable. The Project will now be progressed through the Government approval process, financing and into construction and the commencement of Operations.

19.3 JORC Code 2012 Edition Table 3

Estimation and Reporting of Mineral Resources

(Criteria listed in the preceding section also apply to this section.)

Criteria	Commentary
<i>Database integrity</i>	<p>Data used in the MRE is sourced from a Microsoft Access database. Relevant tables from the Microsoft Access database are exported to Microsoft Excel format and converted to csv format for import into Datamine Studio 3 software.</p> <p>Validation of the data imported comprises checks for overlapping intervals, missing survey data, missing analytical data, missing lithological data, and missing collars.</p>
<i>Site visits</i>	<p>A site visit by Grant Louw of CSA Global took place on 3 July 2019.</p> <p>Geology – Mr Louw noted that the Arrowsmith tenements are primarily underlain by unconsolidated white / yellow silica sand, covered by low scrub and very few trees. Topographic relief is low.</p> <p>Drill collars – Mr Louw recorded and verified several marked drill sites using hand-held GPS.</p> <p>Project location – several points such as road intersections were located and plotted in Google Earth™ to verify the tenement location.</p> <p>The CP has visited the VRX sample storage on 17 October 2018 and addressed the following:</p> <p>Sample storage – originals, field duplicates, pulps, standards and chip trays are housed appropriately. Some chip trays were photographed by the CP as a check against Company photographs and geology logs</p>
<i>Geological interpretation</i>	<p>Silica sand mineralisation at Arrowsmith Central occurs within the coastal regions of the Perth Basin, and the targeted silica sand deposits are the aeolian sands that overlie the Pleistocene limestones and paleo-coastline.</p> <p>Within the project area, data obtained from the Department of Agriculture soil mapping shows there are pale deep sands predominating (logged by VRX Silica as white sands) and lesser yellow sands, with some clayey sand, swampy areas and occasional ironstone ridges.</p> <p>The geological modelling was completed based on this soil mapping data in conjunction with the drill logging data. The Mineral Resource is estimated above a 3-d wireframe basal surface for the silica sand. The basal surface is nominally limited to the drill hole depth extents, or in the deeper AC holes. based on the geological and chemical analysis results limiting the upper silica sand layer. The modelled extents are further limited to within the VRX Silica nominated Arrowsmith Central target area, and based on the geologically logged drill data and with reference to the publicly available soil mapping data.</p> <p>The surface humus layer is typically about 300 mm thick. In consultation with VRX Silica, CSA Global decided that the upper 500 mm (overburden) is likely to be reserved for rehabilitation purposes. This overburden surface forms the upper boundary of the estimated Mineral Resource and is depleted from the reported Mineral Resources. The railway reserve with a width of 40 m is also depleted from the Mineral Resources.</p> <p>The modelled silica sand layer is modelled as a single unit due to it being readily amenable to beneficiation as demonstrated by the composite sample testing completed to date. At this stage of resource development it is also not practical to attempt a separation of the various silica sand sub-types. The reported Mineral Resources are constrained to within the part of the project which has a nominal minimum 400 m by 400 m drilling pattern coverage.</p> <p>Assumptions have been made on the horizontal extents of the mineralisation based on the soil mapping data and the spacing and extents of the drilling information. A nominal maximum horizontal extrapolation limit of 400 m past known drill data points has been applied with the material additionally constrained within the VRX Silica nominated target area and by the reporting area limit. Approximately 25% of the modelled mineralisation zones can be considered to be extrapolated.</p> <p>Alternative interpretations based on the currently available data are considered unlikely to have a significant influence on the global MRE.</p>

Criteria	Commentary
	Continuity of geology and grade can be identified and traced between drillholes by visual and geochemical characteristics. Confidence in the grade and geological continuity is reflected in the Mineral Resource classification.
<i>Dimensions</i>	<p>The modelled and classified extents of the modelled silica sand material within the target area are roughly 5.5 km north to south, and on average roughly 3.5 km west to east.</p> <p>The modelled silica sand is roughly horizontal, with low relief. The currently modelled thickness of the sands is on average about 2.5 m, ranging up to roughly 6 m.</p>
<i>Estimation and modelling techniques</i>	<p>Ordinary kriging (OK) was the selected interpolation method, with Inverse distance weighting to the power of two (IDS) used as a check estimate.</p> <p>Grade estimation was carried out at the parent cell scale, with sub-blocks assigned parent block grades for the full extent of modelled silica sand layer.</p> <p>Statistical analysis on the 1 m downhole composited drillhole data to check grade population distributions using histograms, probability plots and summary statistics and the co-efficient of variation, was completed on the modelled silica sand for the estimated grade variables. The checks showed there were some outlier grades in the interpreted sand layer that required top-cutting. Top cuts were applied to Al₂O₃ (7.5%), Fe₂O₃ (2.4%) and LOI (3%)</p> <p>In addition to SiO₂, the grade variables Al₂O₃, Fe₂O₃, K₂O, LOI, and TiO₂ are estimated into the model.</p> <p>A volume block model was constructed in Datamine constrained by the topography, overburden layer, silica sand layer, material depletion zone and target area limiting wireframes.</p> <p>Analysis of the drill spacing shows that the nominal average drill spacing is between 300 m by 300 m up to 400 m by 400 m for the reported area of the modelled silica sand layer.</p> <p>Spatial (variogram) analysis was completed on SiO₂ from the 1 m drill composite samples. The resultant double spherical model variogram parameters were applied to the OK estimate as the primary grade estimation technique. The modelled nugget is 20% with a preferred strike direction of 065° for the major axis having been modelled with a range to the first structure (47%) of 460 m and to the second structure (27%) at 660 m. The semi major axis is modelled towards 335° with ranges of 300 m and 500 m. The minor axis is modelled vertically down with ranges of 2.2 m and 2.5 m.</p> <p>Based primarily on the broader sample spacing a parent block size of 200 m(E) x 200 m(N) x 2 m(RL) or nominally half that average drill spacing, was selected for the model. Sub-cells down to 12.5 m(E) x 12.5 m(N) x 0.25 m(RL) were used to honour the geometric shapes of the modelled mineralisation.</p> <p>The search ellipse orientations were defined as being horizontal based on the overall geometry of the mineralisation and with reference to the variogram modelling study. The search ellipse was doubled for the second search volume and then increased ten-fold for the third search volume to ensure all blocks found sufficient samples to be estimated. The search ellipse dimensions were 660 m (X) x 500 m (Y) x 10 m (RL).</p> <p>A minimum of 15 and a maximum of 24 samples, were used to estimate each parent block. The maximum and minimum were reduced for the second search volume to 12 and 20 samples and in the third search volume to 8 and 16 samples respectively. A maximum number of four samples per drillhole were allowed. Cell discretisation was 3 (E) x 3 (N) x 4 (RL) and no octant-based searching was utilised.</p> <p>Model validation was carried out visually, graphically, and statistically to ensure that the block model grade reasonably represents the drillhole data. Cross sections, long sections and plan views were initially examined visually to ensure that the model grades honour the local composite drillhole grade trends. These visual checks confirm the model reflects the trends of grades in the drillholes.</p> <p>Statistical comparison of the mean drillhole grades with the block model grade shows reasonably similar mean grades. The IDS check estimate shows similar grades to the OK model, adding confidence that the grade estimate has performed well. The model grades and drill grades were then plotted on histograms and probability plots to compare the grade population distributions. This showed reasonably similar distributions with the expected smoothing effect from the estimation taken into account.</p>

Criteria	Commentary
	<p>Swath or trend plots were generated to compare drillhole and block model grades with SiO₂ and the other grade variables' grades compared at 200 m E, 400 m N and 2 m RL intervals. The trend plots demonstrate reasonable spatial correlation between the model estimate and drillhole grades after consideration of drill coverage, volume variance effects and expected smoothing.</p> <p>No reconciliation data is available as no mining has taken place.</p>
Moisture	<p>Tonnages have been estimated on a dry, <i>in situ</i>, basis.</p> <p>The sampled sand material was generally reasonably dry, with data collected from the density testing of four intervals showing an average moisture content of 3.3%.</p>
Cut-off parameters	<p>No cut-off parameters have been applied, as the modelled silica sand appears to be readily amenable to beneficiation to a suitable product specification through relatively simple metallurgical processes as demonstrated by the reported metallurgical testing results.</p>
Mining factors or assumptions	<p>It has been assumed that these deposits will be amenable to open cut mining methods and are economic to exploit to the depths currently modelled.</p> <p>No assumptions regarding minimum mining widths and dilution have been made.</p> <p>No mining has yet taken place.</p>
Metallurgical factors or assumptions	<p>2018 tests: a composite auger sand sample from Arrowsmith Central was tested in Ireland during 2018. The sample was screened at 4mm to remove oversize particles. The remaining material was then subjected to an attrition process followed by spiral and magnetic separation methods. Attrition testing was carried out with a retention period of 5 minutes, with the sample washed after attritioning to remove any liberated fine particles. Spiral testing was then carried out with approximately 80kg of attritioned material, after which the samples then underwent wet magnetic separation to explore the possibility of reducing the magnetic mineral content.</p> <p>Chemical analysis showed a general decrease in the Al₂O₃. Processing, attritioning and washing the material removed the largest fraction of Al₂O₃. The spiral separation process produced samples where the largest fraction of Al₂O₃ was found in the heavy mineral fraction. Magnetic separation resulted in the largest fraction of Al₂O₃ being in the magnetic fraction. The results for Fe₂O₃ follow the same general trend as for Al₂O₃.</p> <p>The percentage fraction of SiO₂ in the samples increased during the test process. Attritioning and washing the material removed fines and silt, which increased the SiO₂ content. The spirals test produced samples where the largest fraction of SiO₂ was found in the light fraction. Magnetic separation indicated that the largest fraction of SiO₂ was in the middling fraction.</p> <p>2019 tests: raw material remaining from 2018 was removed from storage and was screened at 1 mm to remove oversize material and organics. The sand was then wet screened through a 0.212 mm sieve and PSD test run which showed that the +0.212 mm material contains a minor amount of fines (0.07% passing the 0.212 mm sieve) and in contrast the minus 0.212 mm sample contains a large amount of fines with 17.44% passing the 0.053 mm sieve. Chemical analysis showed that the -0.212 mm fraction contains more Al₂O₃ and Fe₂O₃ than the +0.212 mm fraction, due to higher clay fraction in the finer sample.</p> <p>The 0.212-1 mm fraction was then attritioned for 5 minutes and washed over a 0.063 mm sieve, highlighting that the attrition and washing process removed fine particles, and reduced Al₂O₃, Fe₂O₃ and TiO₂ contents. The 0.212 mm material was then processed in a spirals test unit and three fractions were produced, namely heavy, middling and light. Particle size distribution analysis showed that the heavies contain the highest amount of fines and that the lights contain the lowest amount of fines, probably because fine-grained dense minerals containing Fe and Ti are concentrated with the heavy fraction. This observation was borne out by chemical analysis which showed that Al₂O₃, Fe₂O₃ and TiO₂ are highest in the heavy fraction. These elements are lowest in the middling and light fractions, and lower than the feed material. Magnetic separation results in an increase in SiO₂ and a decrease in Al₂O₃, Fe₂O₃ and TiO₂ in the non-magnetic fraction compared with the feed material.</p> <p>The composite sample tested by CDE in 2019 indicates that a product with AFS ~50 should be achievable and that some coarser AFS ~20 product may also be possible. Most foundry sands fall into the range of ~0.1mm to 0.5mm and they are produced to meet specific size distributions which are commonly described by a number known as the 'AFS number'. The</p>

Criteria	Commentary
	<p>higher the AFS number, the finer the sand. Other foundry sand specifications include roundness and sphericity, clay content (generally <0.5%), moisture and SiO₂ content, which should be attainable with suitably processed Arrowsmith Central silica sand.</p> <p>CSA Global is of the opinion that process testwork on the composite drill sample indicates that the Arrowsmith Central deposit should be suitable for the eventual production of silica sand for glass, ceramics and foundry markets. In addition, project location and logistics support the classification of the Arrowsmith Central deposit as an Indicated and Inferred industrial mineral Mineral Resource in terms of Clause 49 of the JORC Code.</p>
<i>Environmental factors or assumptions</i>	<p>No assumptions regarding waste and process residue disposal options have been made. It is assumed that such disposal will not present a significant hurdle to exploitation of the deposit and that any disposal and potential environmental impacts would be correctly managed as required under the regulatory permitting conditions.</p> <p>VRX has indicated that initial botanical studies are underway, and in the modelling the top 500 mm is reserved for rehabilitation purposes and is depleted from the model and is not reported.</p>
<i>Bulk density</i>	<p>Four, certified, dry <i>in situ</i> bulk density measurements were completed by Construction Sciences Pty Ltd using a nuclear densometer. The results from the four measurements are corrected based on the measured moisture factor. The mean dry <i>in situ</i> density result of 1.63 t/m³ is used for all modelled material reported in the MRE.</p>
<i>Classification</i>	<p>Classification of the MRE was carried out accounting for the level of geological understanding of the deposit, quality of samples, density data and drillhole spacing.</p> <p>The MRE has been classified in accordance with the JORC Code (2012 Edition) using a qualitative approach. All factors that have been considered have been adequately communicated in Section 1 and Section 3 of this Table.</p> <p>Overall the mineralisation trends are reasonably consistent over the drill sections.</p> <p>The MRE appropriately reflects the view of the Competent Person.</p>
<i>Audits or reviews</i>	<p>Internal audits were completed by CSA Global, which verified the technical inputs, methodology, parameters, and results of the estimate.</p> <p>No external audits have been undertaken.</p>
<i>Discussion of relative accuracy/confidence</i>	<p>The relative accuracy of the MRE is reflected in the reporting of the Mineral Resource as per the guidelines of the JORC Code (2012).</p> <p>The Mineral Resource statement relates to global estimates of <i>in situ</i> tonnes and grade.</p>

19.4 JORC Code 2012 Edition Table 4

Estimation and Reporting of Ore Resources

(Criteria listed in the preceding section also apply to this section.)

Criteria	Commentary
<i>Mineral Resource estimate for conversion to Ore Reserves</i>	<p>The Mineral Resource Estimate (MRE) used as a basis for conversion to the Ore Reserve was provided by CSA Global Pty Ltd, with Grant Louw and Andrew Scogings as the Competent Persons on the Estimation and David Reid, a full time employee of VRX Silica as the Competent Person on the Exploration Results and data collection. The Arrowsmith Central Updated MRE used in this conversion is dated 15 August 2019.</p> <p>The Mineral Resources as reported inclusive of the Ore Reserves.</p>
<i>Site visits</i>	<p>The Competent Person, David Reid, is a full-time employee of VRX Silica and has made numerous site visits to Arrowsmith Central.</p> <p>The following observations are applicable to this Conversion;</p> <p>The mining area is located between Eneabba and Dongara in Western Australia, ~270km north of Perth. The area is access via the Brand Highway via an unsealed road. There are numerous existing tracks that also allow for alternative access.</p> <p>The population density is low, 147 persons in Eneabba, and 1,380 persons in Dongara. There are a small number of farming properties in the local area.</p> <p>The mining area is located on vacant crown land, VRX Silica has 100% ownership of the underlying mining tenure.</p> <p>The topographical is low plains covered in covered by low Kwongan Heath.</p> <p>The proposed mining operation will excavate the sand from the surface to the base of the defined silica sand, ~2.5 metres depth. The margins of the Indicated Resource and the sides of the railway reserved, plus an adequate buffer zone will be graded at 1:20 gradient.</p> <p>No ground water was intersected in the mining area drilling and rainfall is expected to drain into the surrounding sand with little or no runoff that could defect the mining operation.</p> <p>The sand to be mined is unconsolidated and will not require blasting. All mining can be carried out by a wheeled front-end loader.</p> <p>There are no power lines or water lines in the mining area. There are gas pipelines to the east of the mining area, however these will not be impacted during mining.</p>
<i>Study status</i>	<p>VRX Silica has finalised a Bankable Feasibility Study (BFS) for the Arrowsmith Central Project. This Ore Reserve conversion is an integral part of the BFS and is therefore reported in conjunction here. The BFS has been completed to a +/-15% accuracy and demonstrates the project is robust and achievable.</p>
<i>Cut-off parameters</i>	<p>Only Indicated resources have been considered for conversion to Ore Reserves.</p> <p>The MRE defines one types of sand which has been demonstrated can be beneficiated to a saleable product via non-chemical means in a traditional sand processing plant. The MRE did not apply any cut-of grades during estimation as it simply modelled single type of sand, there is therefore no waste in the MRE.</p> <p>The MRE differentiated the top 500mm as “topsoil” and excluded it from the estimation as it was assumed it would be retained for rehabilitation purposes.</p>
<i>Mining factors or assumptions</i>	<p>The mining method chosen for Arrowsmith Central is a rubber wheeled front-end loader feeding into a 3mm trommel screen to remove organics. The undersize sand is slurried and pumped to a sand processing plant which is located proximal to the Eneabba to Geraldton railway line. After processing the silica sand is then loaded into railway trucks for bulk export from the Geraldton Port.</p> <p>The front-end loader was chosen due to the flexible nature of the machine combined with a high load rate and low material handling cost.</p>

Criteria	Commentary
	<p>Mining of the sand will extract to the base of the Indicated resource / Probable reserve. This level is ~2.5-3.0m below the current surface, on the periphery the ground will slope upwards at a 5% gradient.</p> <p>Mining will not excavate a hole and therefore there are no geotechnical requirements. Active mining faces will not exceed 3m, therefore face stability issues are not perceived to be an issue during mining.</p> <p>Pre-production drilling is unlikely to be required due to the low in-situ variation of the bulk sand resource, the aircore drilling used in the MRE is considered to be sufficient.</p> <p>100% of the material in the mining area is considered to be sand that can be beneficiated to a saleable silica sand project. The top 500mm has been excluded from the MRE as it will be reserved for rehabilitation purposes. As there is no waste material, the recovery factor is considered to be 100% and ore loss therefore is considered to be 0%.</p> <p>Inferred Resources have not been included in the Ore Reserve Estimation. The BFS includes an assumption of mining a portion of Inferred Resource (52% of mined tonnage).</p> <ul style="list-style-type: none"> • This ore is contiguous with the Indicated Resource and has been categorised as lower confidence based on wide spaced drilling. Drilling of the Indicated Resource is typically 200m to 400m x 400m drill spacing, whereas the Inferred Resource is drilled on a 800m x 800m spacing. • There is sufficient drilling to assume geological and metallurgical continuity of the sand deposit. • There is negligible difference between the modelled sand in each category and it is believed an additional 500m of drilling would be required to upgrade the inferred resource category. The cost of this work is estimated to be in the order \$100,000 (at current rates). It has not been completed purely for capital preservation reasons. • The Competent Person is confident the Inferred Resource will be converted prior to it being required in the mine plan. <p>Infrastructure required will be office blocks, mining contractor workshop and associated facilities.</p>
<p><i>Metallurgical factors or assumptions</i></p>	<p>VRX Silica has completed a rigorous and extensive metallurgical testwork program. Bulk composite sample for Arrowsmith Central were tested at the Nagrom Laboratory in Kelmscott, Perth and the CDE Global Laboratory in Cookstown, Northern Ireland. The testwork flowchart followed attritioning, spiral tests, magnetic separation and sizing and assay determination to determine a catalogue of saleable products that could be produced from the Arrowsmith Central sand mineral resource. A full summary of the testwork is covered in Section 3 of this Table.</p> <p>The results of the testwork were used by CDE Global to complete an Engineering design and costing for a 300tph and 600tph wet processing silica sand plant for Arrowsmith Central. CDE Global is a world leader wet processing plant design and construction with over 1,300 projects delivered over the last 25 years. The silica sand plant utilises commonplace equipment and the process is well proven</p> <p>The sand will be processed through a traditional wet processing plant. A slurried sand will be delivered from the mine via a pipeline to the Plant which will be located proximal to the Eneabba to Geraldton railway line. The process flow in the plant will be;</p> <ul style="list-style-type: none"> • Sand slurry to a constant density tank, • Attrition Bank #1, deslime • Attrition Bank #2, deslime • Spiral gravity separation • Magnetic separation • Sizing screens to customer specifications <p>The bulk testwork has allowed for generation of a catalogue of products that can be produced from the Arrowsmith Central mineral resource. Three high value export products can be produced for 2 different potential markets, the glass making market and the foundry market, with a third product to be sold into the local heavy mineral industry. The export products have been denoted as Arrowsmith-CF400 for the glass market and Arrowsmith-C20 and Arrowsmith-C50 both for the foundry market. The local market material is high in heavy minerals such as Rutile and Ilmenite and could be sold to local mineral sand miners.</p>

Criteria	Commentary															
	<p>The testwork has determined the mass balance of the various particle sizes during processing and a recovery of each product can be estimated. The following recoveries are used in the conversion of mineral resources to ore reserves;</p> <table border="1"> <thead> <tr> <th>Product</th> <th>Market</th> <th>Recovery</th> </tr> </thead> <tbody> <tr> <td>Arrowsmith – C20</td> <td>Foundry</td> <td>34%</td> </tr> <tr> <td>Arrowsmith – C50 / CF400</td> <td>Foundry/Glass</td> <td>34%</td> </tr> <tr> <td>TiO₂ Concentrate</td> <td>Mineral Sands</td> <td>9%</td> </tr> <tr> <td></td> <td>Total</td> <td>77%</td> </tr> </tbody> </table> <p>The Ore Reserve conversion is declared as a plant recovered tonnage and is represented by the chemical and physical compositions of the final products that are produced for export, or for the local market.</p> <p>An independent Technical Summary Report by CSA Global on the Metallurgical Testwork to satisfy Clause 49 of the JORC 2012 code is included as an appendix to this report.</p>	Product	Market	Recovery	Arrowsmith – C20	Foundry	34%	Arrowsmith – C50 / CF400	Foundry/Glass	34%	TiO ₂ Concentrate	Mineral Sands	9%		Total	77%
Product	Market	Recovery														
Arrowsmith – C20	Foundry	34%														
Arrowsmith – C50 / CF400	Foundry/Glass	34%														
TiO ₂ Concentrate	Mineral Sands	9%														
	Total	77%														
<i>Environmental</i>	<p>Environmental Characteristics of the Area</p> <p>The development is located:</p> <ul style="list-style-type: none"> • East of the BeeKeepers Nature Reserve; • Approximately 20 km inland of the coast; • South of the Arrowsmith River (Registered Aboriginal Heritage Site); and • Outside of World Heritage Areas, National Heritage Places, Ramsar Wetlands, Conservation Reserves or Commonwealth Marine Reserves. <p>The Ore Reserve is located within an area of deep sands, leached of nutrients.</p> <p>The vegetation is coastal scrub heath (known as Kwongan heath).</p> <p>The topography is low relief typical of a broad flooding plain.</p> <p>Assessment Process</p> <ul style="list-style-type: none"> • Referral submission to DotEE; • Submission of Section 38 referral to WA EPA; • Seek an Accredited EPBC Act Assessment under the WA EP Act via an Environmental Review Document with public comment; • May required studies • Submission of Environmental Review Document <p>Mitigation Strategies</p> <ul style="list-style-type: none"> • Proposed Action lies within a large Development Envelope, allowing for the flexibility to target areas of lower significance to MNES • Disturbance will be kept to a minimum, up to 30 ha per year and 10 at any one time • Progressive rehabilitation using topsoil re-location to ensure topsoil and plants are translocated to previously mined areas • Conduct further surveys to identify Matters of National Environmental Significance • Use findings to steer the project and avoid MNES where possible <p>There are no mine tailings storage requirements</p> <p>There are no waste dumps</p> <p>Processing requires no chemicals.</p>															
<i>Infrastructure</i>	<p>The project is located within a development envelope bounded by Brand Highway to the east and the Eneabba/Geraldton rail line on the western side of the tenements.</p> <p>Product will be loaded on rail for transportation to Geraldton Port</p> <p>The project will require its own installed power and water infrastructure</p> <p>Labour will be sourced from the nearest towns (35kms) Dongara and Eneabba</p> <p>There will be no accommodation installed at the mine site.</p>															
<i>Costs</i>	Operating costs															

For personal use only

Criteria	Commentary
	<p>Costs were determined from first principles and are estimated to include all costs to mine, process, transport and load product on to ships, including;</p> <ul style="list-style-type: none"> • Mulching • Topsoil cut • Topsoil re-location • Excavation • Plant Feed • Operating the trommel and pumping station • Processing • QA/QC • Power and Water • Administration • Product Handling • Train Feed and Transport • Port Storage • Ship Loading <p>Product Quality</p> <ul style="list-style-type: none"> • Multiple products will be differentiated during processing subject to required particle size distribution by screening • Recovery of products has been independently assessed by CDE Global, a world leading silica sand testing laboratory <p>Commodity Prices</p> <ul style="list-style-type: none"> • Commodity prices for VRX silica sand products have been determined by independent industry source Stratum Resources • The industry standard is that sales contracts are in US dollars • The exchange rate to convert to Australian dollars will be the prevailing at the time of payment • Subject to final quality produced the prices for the commodity will range from US\$38 to US\$58 per dry metric tonne Free on Board • There are no shipping cost estimates with all contracts to be based on FOB rates <p>QA/QC</p> <ul style="list-style-type: none"> • The company will undertake constant surveillance of product quality during production • An independent laboratory will be used to verify the product during loading on behalf of the buyer <p>Royalties</p> <ul style="list-style-type: none"> • The prevailing rate of Royalty due to the State is used in VRX economic assessments • The Royalty rate is per dry metric tonne (\$1.17) and reviewed every 5 years with the next review due 2020 • There are no other private Royalties.
<i>Revenue factors</i>	<p>Revenue</p> <p>Revenue will be based on a negotiated per shipment basis per dry metric tonne FOB with payment by demand on an accredited bank Letter of Credit</p> <p>There are no other treatment, smelting or refining charges.</p>
<i>Market assessment</i>	<p>The Company has commissioned an independent assessment of the current market prices for proposed products by industry leader Stratum Resources</p> <p>The assessment includes projections for future demand and supply of Silica Sand</p> <p>The assessment concludes that there is a future tightening of supply suitable glassmaking silica sand with a commensurate increase in price</p> <p>Sales volumes have been estimated as a result of received Letters of Intent to purchase products</p>
<i>Economic</i>	<p>The Company economic analysis has calculated an 8%,10% and 12% discounted ungeared post tax NPV</p> <p>The Company assessment has not escalated future product prices nor any inflation to operating costs</p>

For personal use only

Criteria	Commentary																																																		
	<p>The analysis has used a US\$/A\$ exchange rate of \$0.74</p> <p>Total probable Ore Reserve supports a 13-14 year project but there is a reasonable expectation that with further close spaced drilling the existing Inferred Resources would convert to Indicated Resources and Probable Reserves in excess of this time period, however the model is conservatively restricted to 25 years</p> <p>Tax rate used is 27% of profit</p> <p>Capital requirements are based on independent estimates</p> <p>Capital borrowings are based on a 12% borrowing rate</p> <p>Capital expenditure contingency is 20% of capital estimates</p> <p>Plant spares are estimated at 5% of capital value</p> <p>The economic analysis is most sensitive to the exchange rate</p> <div style="border: 1px solid black; padding: 10px; margin-top: 10px;"> <p style="text-align: center;">NPV's @ 10% post tax</p> <table border="1" style="display: none;"> <caption>Estimated data from NPV's @ 10% post tax graph</caption> <thead> <tr> <th>% Variation</th> <th>Operating costs (Real \$ AUS 000's)</th> <th>Capital (Real \$ AUS 000's)</th> <th>Sand price (Real \$ AUS 000's)</th> <th>Recovery (Real \$ AUS 000's)</th> </tr> </thead> <tbody> <tr> <td>-20.0%</td> <td>High</td> <td>Constant</td> <td>Low</td> <td>Low</td> </tr> <tr> <td>-10.0%</td> <td>Medium-High</td> <td>Constant</td> <td>Low-Mid</td> <td>Low</td> </tr> <tr> <td>-5.0%</td> <td>Medium</td> <td>Constant</td> <td>Mid</td> <td>Low-Mid</td> </tr> <tr> <td>-2.5%</td> <td>Medium-Low</td> <td>Constant</td> <td>Mid-High</td> <td>Mid</td> </tr> <tr> <td>0.0%</td> <td>Medium</td> <td>Constant</td> <td>Mid</td> <td>Mid</td> </tr> <tr> <td>2.5%</td> <td>Medium-Low</td> <td>Constant</td> <td>Mid-High</td> <td>Mid-High</td> </tr> <tr> <td>5.0%</td> <td>Medium</td> <td>Constant</td> <td>High</td> <td>High</td> </tr> <tr> <td>10.0%</td> <td>Low-Medium</td> <td>Constant</td> <td>High-Mid</td> <td>High</td> </tr> <tr> <td>20.0%</td> <td>Low</td> <td>Constant</td> <td>Very High</td> <td>High</td> </tr> </tbody> </table> </div>	% Variation	Operating costs (Real \$ AUS 000's)	Capital (Real \$ AUS 000's)	Sand price (Real \$ AUS 000's)	Recovery (Real \$ AUS 000's)	-20.0%	High	Constant	Low	Low	-10.0%	Medium-High	Constant	Low-Mid	Low	-5.0%	Medium	Constant	Mid	Low-Mid	-2.5%	Medium-Low	Constant	Mid-High	Mid	0.0%	Medium	Constant	Mid	Mid	2.5%	Medium-Low	Constant	Mid-High	Mid-High	5.0%	Medium	Constant	High	High	10.0%	Low-Medium	Constant	High-Mid	High	20.0%	Low	Constant	Very High	High
% Variation	Operating costs (Real \$ AUS 000's)	Capital (Real \$ AUS 000's)	Sand price (Real \$ AUS 000's)	Recovery (Real \$ AUS 000's)																																															
-20.0%	High	Constant	Low	Low																																															
-10.0%	Medium-High	Constant	Low-Mid	Low																																															
-5.0%	Medium	Constant	Mid	Low-Mid																																															
-2.5%	Medium-Low	Constant	Mid-High	Mid																																															
0.0%	Medium	Constant	Mid	Mid																																															
2.5%	Medium-Low	Constant	Mid-High	Mid-High																																															
5.0%	Medium	Constant	High	High																																															
10.0%	Low-Medium	Constant	High-Mid	High																																															
20.0%	Low	Constant	Very High	High																																															
<i>Social</i>	<p>VRX made an application for a mining lease, M70/1392, on 13/02/2019. The application lies within the Southern Yamatji native title claim boundaries (WC2017/002), which replaced a pre-combination claim (WC2004/002) by the Amangu People. The Company is currently in negotiations with the claimant group with respect to the mining lease application M70/1392. There is no reason to believe that an agreement will not be reached between the parties allowing for the mining lease to be granted.</p> <p>The Project is wholly on vacant crown land.</p>																																																		
<i>Other</i>	<p>There are no known obvious or naturally occurring risks that have been identified which could affect the project and no reason why the Company cannot gain all approvals to mine the project from the relevant Regulatory Bodies, both State and Federal.</p> <p>The Company has received expressions of interest from 20 manufacturers across the Asia Pacific Region for various silica sand products in its published catalogue, including specific requests for Arrowsmith North products.</p> <p>The Company has made an application for a mining lease, M70/1392, on 13/02/2019 and there is no known reason why this lease will not be granted.</p> <p>A number of Letters of Intent to purchase the Projects proposed products have been received from potential customers.</p>																																																		
<i>Classification</i>	<p>Probable reserves are converted from Indicated resource materials. Because of the nature of the deposit (consistency, homogeneity, low variability) this is considered reasonable.</p>																																																		

Criteria	Commentary
	100% of the ore reserves are Probable.
<i>Audits or reviews</i>	The Ore Reserve estimate has been reviewed internally by VRX. No external reviews or audits have been undertaken on the Ore Reserve estimate.
<i>Discussion of relative accuracy/confidence</i>	The Mineral Resource, and hence the associated Ore Reserve, relate to global estimates. To date there has been no commercial production, therefore no reconciliation can be made. A BFS is being finalised and the results of that study are available to the Competent Person. The BFS has been completed to a high level of detail and therefore the Competent Person can be confident the project is robust and produce positive economic benefit to the Company once in production. Sensitivity analysis made during the BFS process has indicated that the economics are most sensitive to the USD/AUD exchange rate. It is believed that the revenue model is sufficiently conservative to ensure a positive economic return.

19.5 JORC Compliance Statement

The information in this document that relates to Exploration Targets, Exploration Results, Mineral Resources, Ore Reserves and Production Targets have been extracted from the report(s) and announcements listed below.

Arrowsmith Central Silica Sand Mineral Resource Estimate Update Ref: R313.2019: CSA Global Mining Industry Consultants (August 2019)

Arrowsmith Central Reserve assessment: David Reid, Geologist (September 2019)

Arrowsmith Central Silica Sand Mineral Resource Estimate, Metallurgy/Processing: CSA Global Mining Industry Consultants (August 2019)

CDE Testing Report Revision 2: CDE Global (February 2019)

Desktop Assessment of Potential Flora, Vegetation and Fauna Values at the Arrowsmith Project Area: Mattiske Consulting (March 2017)

Hydrogeological Feasibility Assessments Arrowsmith Projects: HydroConcept Consultants (January 2019)

Silica Sand Markets: Stratum Resources (July 2019)