

Drilling expands the Colorado V discoveries in Ecuador, next three holes all returning significant intersections

Highlights

- Next drill holes on the CV-A and CV-B soil anomalies in Colorado V, Ecuador, significantly expand the scale of the mineralisation with results including (refer Table 1):
 - 564.1 m at 0.4 g/t AuEq²
 278.0 m at 0.6 g/t AuEq²
 146.5 m at 0.7 g/t AuEq²
 005)
- 0.2 g/t Au, 2.3 g/t Ag, 0.1 % Cu, 44.1 ppm Mo from 8.1m including; 0.3 g/t Au, 3.2 g/t Ag, 0.1% Cu, 68.2 ppm Mo from 8.1m including;
- 0.4 g/t Au, 3.2 g/t Ag, 0.1 Cu, 101 ppm Mo from 8.1m (CVDD-22-
- 509.9 m at 0.4 g/t AuEq²
 242.5 m at 0.6 g/t AuEq²
 156.9m at 0.7 g/t AuEq²
 75.8 m at 0.8 g/t AuEq²
- 0.2 g/t Au, 1.4 g/t Ag, 0.1% Cu, 31.3 ppm Mo from 2.5m including;
- 0.4 g/t Au, 1.8 g/t Ag, 0.1% Cu, 44.8 ppm Mo from 2.5m Including 0.4 g/t Au, 1.8 g/t Ag, 0.1% Cu, 54.7 ppm Mo from 2.5m including
- 0.6 g/t Au, 2.0 g/t Ag, 0.1% Cu,59.1 ppm Mo (CVDD-22-003)
- Mineralisation extended at CV-A 400 metres southwest and outside the boundaries of the CV-A soil anomaly confirming the mineralisation has a true width of over 600 metres
- CVDD-22-004, the second hole on the CV-B soil anomaly, extends the mineralisation at CV-B some
 200 metres to the north of the CVDD-22-002 discovery hole with mineralisation remaining open
- Confirms two Au-Cu-Ag-Mo discoveries of significant scale. Both Au-soil anomalies are 1 kilometre long and 500 metres wide and lie within a structural corridor over a 3 kilometre strike distance.
- CEL has drilled five of fifteen regionally significant Au-soil anomalies with over 500 metres of mineralisation intersected at all anomalies, confirming the potential for a major bulk gold system.

Commenting on the results, CEL Managing Director, Mr Kris Knauer, said

"These next three holes from Colorado V confirm that we have made two significant discoveries at Colorado V. The intersections significantly extend the mineralisation in the discovery holes at the CV-A and CV-B anomalies both of which are just a few kilometres on strike from the 22-million ounce Cangrejos Gold Project¹. The anomalies have the same geology and surface footprint as Cangrejos and drilling is showing us they have similar mineralisation.

We have drilled five of fifteen regional gold-soil anomalies and all five have returned significant mineralisation. The results continue to crystalise our strategy that our high-grade resource of 1.1 million ounces at 5.6 g/t gold equivalent in Argentina, which is continuing to grow, will fund a large bulk gold discovery in Ecuador."

¹ Source: Lumina Gold (TSX: LUM) July 2020 43-101 Technical Report

Challenger Exploration Limited ACN 123 591 382 ASX: CEL **Issued Capital** 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director






Figure 1 - Regional Au-soil anomalies and drilling results at El Guayabo and Colorado V

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director



Challenger Exploration (ASX: CEL) ("CEL" the "**Company**") is pleased to announce results from the next three drill holes CVDD-22-003 to CVDD-22-005 in the Colorado V concession in El Oro Province, Ecuador, where the Company is farming in to earn an initial 50% interest.

They follow CVDD-22-001 and CVDD-22-002, both of which intersected significant mineralisation, and confirm Au-Cu-Ag-Mo discoveries in the first two regional gold in soil anomalies in Colorado V to be drilled by the Company. Additionally, the results extend the mineralisation outside the boundary of the CV-A soil anomaly and confirm the CV-A mineralisation has a true width of at least 600 metres.

The new discoveries have significant scale with both the CV-A and CV-B Au-soil anomalies 1 kilometre long and 500 metres wide. The Colorado V concession adjoins CEL's 100% owned El Guayabo concession to the south and the Cangrejos concession to the north which hosts the 22-million ounce Cangrejos Gold Project¹.

¹ Source: Lumina Gold (TSX: LUM) July 2020 43-101 Technical Report

CVDD-22-003: CV-A anomaly

CVDD-22-003 was the Company's second drill hole targeting the CV-A soil anomaly at Colorado V. The hole was drilled as a follow up to CVDD-22-001 which intersected 528.7m at 0.5 g/t AuEq from surface to the end of the hole including 397.1m at 0.6 g/t AuEq from surface. CVDD-22-003 was drilled from the same pad as CVDD-22-001 in the opposite direction outwards from the CV-A soil anomaly to test the entire 500 metre width.

As can be seen from Figure 2 (Plan view) CVDD-22-003 drilled outside the projected CV-A soil anomaly at approximately 200 metres down hole. This makes the intercept of **509.9m at 0.4 g/t AuEq (0.2 g/t gold, 1.4 g/t silver, 0.1 % copper, 31.3 ppm molybdenum)** from surface until the end of the hole more impressive as it confirms that the mineralisation extends significantly beyond the boundary of the CV-A soil anomaly.

The hole intersected a higher-grade zone of 242.5 metres at 0.6 g/t AuEq (0.4 g/t gold, 1.8 g/t silver, 0.1% copper, 44.8 ppm molybdenum) including 156.9 metres at 0.7 g/t AuEq (0.4 g/t gold, 1.8 g/t silver, 0.1% copper, 54.7 ppm molybdenum) and 75.8 metres at 0.8 g/t AuEq (0.6 g/t gold, 1.8g/t silver, 0.1% copper, 59.1 ppm molybdenum), all from surface. This higher-grade zone correlates with the area below the CV-A soil anomaly, which is an extension of mineralisation intersected in CVDD-22-001 (397.1m at 0.6 g/t AuEq from surface), confirming mineralisation at the CV-A anomaly begins at surface and has higher-grades at surface.

The intersection confirms that the CV-A soil anomaly which is a gold, silver, and copper soil anomaly some 1 kilometre long and 500 metres wide is mineralised across its entire 500 metre width and beyond. The mineralisation is consistent and pervasive throughout the hole and appears to have similar paragenetic relationships to mineralisation intersected in the discovery holes 3 kilometres to the south at El Guayabo, as well as Lumina Gold's Cangrejos Project 6 kilometres to the northeast.




Figure 2 - Plan View - CV-A and CV-B anomalies with the company's drilled, currently and proposed drilling

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1

1205 Hay Street West Perth WA 6005 Directors

Mr Kris Knauer, MD and CEO Mr Scott Funston, Finance Director Mr Fletcher Quinn, Chairman Mr Sergio Rotondo, Exec. Director Contact






Figure 3 - Cross Section showing CVDD-22-001 and CVDD-22-003 at the CV-A anomaly

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director



CVDD-22-005: CV-A anomaly

CVDD-22-005 was the Company's third drill hole targeting the CV-A soil anomaly. It was drilled from the same pad at CVDD-22-001 and CVDD-22-003 at an azimuth of 030, perpendicular to holes CVDD-22-001 and 003, to test mapped stockwork veining at surface in the north of the CV-A anomaly (Figure 2). The hole intersected **564.1 metres at 0.4 g/t AuEq (0.2 g/t gold, 2.3 g/t silver, 0.1% copper, 44.0 ppm molybdenum)** from 8.1m. This included a higher-grade near surface zone of **278.0 metres at 0.6 g/t AuEq (0.3 g/t gold, 3.2 g/t silver, 0.1% copper, 68.2 ppm molybdenum)** from 8.1m including **146.5 meters at 0.7 g/t AuEq (0.4 g/t gold, 3.2 g/t silver, 0.1% copper, 101.0 ppm molybdenum)** also from 8.1m.

The results extend the mineralisation intersected in CVDD-22-001 and CVDD-22-003 some 300 metres to the northern extent of the CV-A soil anomaly. They confirm a continuous zone of mineralisation from surface which is 600 metres wide extending over 400 metres of strike that remains open at depth and to the south along the 600 additional metres of strike of the CV-A soil anomaly. This 600 metres strike extent to the south-west has been tested by drill holes CVDD-22-007 and CVDD-22-010 (both assays pending).




Figure 4 - CV-A and CV-B interpreted Geology

Challenger Exploration Limited ACN 123 591 382 ASX: CEL **Issued Capital** 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director






Figure 5 - Cross Section showing CVDD-22-005, CV-A anomaly

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director



CVDD-22-004: CV-B anomaly

CVDD-22-004 was drilled 250 metres north of CVDD-22-002 in a lower tenor portion of the CV-B soil anomaly. CV-B is the second 1 kilometre long and 500 metres wide gold, silver and copper soil anomaly to be drilled in Colorado V (Figure 1 and 2).

CVDD-22-004 intersected 456.0 metres at 0.25 g/t AuEq (0.1 g/t gold, 0.9 g/t Ag, 0.1% Cu 10.9 ppm molybdenum) from 203.0m. This included higher-grade zones of 205.4 metres at 0.3 g/t AuEq (0.2 g/t gold, 1.0 g/t Ag, 0.1% Cu 11.1 ppm molybdenum) from 443.9 including 56.1 metres at 0.4 g/t AuEq (0.2 g/t gold, 1.1 g/t Ag, 0.1% Cu 8.3 ppm molybdenum) from 448.4m plus 9.0 metres at 0.7 g/t AuEq (0.6 g/t gold, 0.9 g/t Ag, 0.05% Cu 6.7 ppm molybdenum) from 593.0m.

CVDD-22-004 extends the mineralisation in the CV-B anomaly 250 metres north of the CVDD-22-002 discovery hole which intersected 570.9 metres at 0.4 g/t AuEq including 306.7 metres at 0.5 g/t AuEq from surface. Mineralisation at CV-B remains open to the north over 750 metres strike extent, at depth, and has a true width of approximately 500 metres.

Next steps

The company has completed drill holes CVDD-22-006 to CVDD-22-010 (assays pending) targeting the CV-A and CV-B anomalies at Colorado V. The next five drill holes have targeted CV-D (one hole completed with assays pending, one hole pending), CV-E (one hole in progress), CV-G (one hole in progress), and CV-H (one hole pending) anomalies.

Three additional drill holes are planned to test the GY-E and GY-D anomalies as both drill rigs move back into the El Guayabo concession. The rigs will then complete a Phase-2 drill program of 25,000-30,000 metres at GY-A and GY-B which encompasses the main discovery zone at the 100% owned El Guayabo concession. This program has been designed to generate a maiden Resource Estimate in accordance with the JORC 2012 Code at the GY-A anomaly.






Figure 6 - Cross Section showing CVDD-22-004 and historical drilling at the CV-B anomaly

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director



Drill Hole	From	То	Interval	Au	Ag	Cu	Мо	AuEq	Comments	Gram
(#)	(m)	(m)	(m)	(g/t)	(g/t)	(%)	(ppm)	(g/t)		Metres
CVDD-22-003	2.5	eoh	509.90	0.24	1.41	0.07	31.30	0.4	0.1 g/t AuEq cut off	203.96
incl.	2.5	246.5	244.00	0.36	1.76	0.09	44.80	0.6	0.5 g/t AuEq cut off	146.4
incl.	2.5	159.4	156.90	0.44	1.76	0.10	54.70	0.7	1.0 g/t AuEq cut off	109.83
incl.	2.5	75.8	73.30	0.55	1.81	0.11	59.10	0.8	1.0 g/t AuEq cut off	58.64
incl.	66.3	75.8	9.50	0.85	1.40	0.13	146.00	1.2	1.0 g/t AuEq cut off	11.4
CVDD-22-004	203	eoh	456.20	0.13	0.91	0.05	10.90	0.25	0.1 g/t AuEq cut off	114.05
incl.	443.9	649.3	205.40	0.19	1.00	0.06	11.10	0.3	0.5 g/t AuEq cut off	61.62
incl.	448.4	504.5	56.10	0.23	1.13	0.07	8.30	0.4	1.0 g/t AuEq cut off	22.44
incl.	593	602	9.00	0.58	0.87	0.04	6.70	0.7	1.0 g/t AuEq cut off	6.3
CVDD-22-005	8.1	572.2	564.10	0.21	2.30	0.09	44.10	0.4	0.1 g/t AuEq cut off	225.64
incl.	8.1	286.1	278.00	0.30	3.21	0.11	68.20	0.6	0.5 g/t AuEq cut off	166.8
incl.	25.8	154.5	128.70	0.39	3.36	0.11	112.10	0.7	1.0 g/t AuEq cut off	90.09

Table 1 - Significant Intersections reported this release

See below for information regarding AuEq's reported under the JORC Code.

² Gold Equivalent (AuEq) values - Requirements under the JORC Code

- Assumed commodity prices for the calculation of AuEq is Au US\$1780 Oz, Ag US\$22 Oz, Cu US\$9,650 /t, Mo US\$40,500 /t,
- Metallurgical recovery factors for gold, silver, copper, and molybdenum are assumed to be equal. No metallurgical factors have been applied in calculating the Au Eq.
- The formula used: AuEq (g/t) = Au (g/t) + [Ag (g/t) x (22/1780)] + [Cu (%) x (9650/100*31.1/1780)] + [Mo (%) x (40500/100*31.1/1780)].
- CEL confirms that it is the Company's opinion that all the elements included in the metal equivalents calculation have reasonable potential to be recovered and sold.

Ends

This ASX announcement was approved and authorised by the Board.

For further information contact:

Kris Knauer
Managing Director
+61 411 885 979
kris.knauer@challengerex.com

Chief Financial Officer +61 413 867 600 scott.funston@challengerex.com

Scott Funston

Media Enquiries Jane Morgan + 61 405 555 618

.com jm@janemorganmanagement.com.au

Previous announcements referred to in this release include:

13 Jan 2022- First drill hole in Ecuador confirms the discovery of a major gold-copper system with a 748 metre Intersection 23 Feb 2022 - Ongoing drilling at the El Guayabo Project in Ecuador confirms the discovery of a major Au-Cu-Ag mineralised system

9 Mar 2022 - Significant high-grade intersection at Challenger's 100% owned El Guayabo gold-copper Project in Ecuador **22 April 2022** - Drilling confirms significant scale over multiple zones at CEL's 100% owned El Guayabo Au-Cu Project in Ecuador

6 June 2022 - Two New Copper Gold Discoveries at Colorado V Ecuador

Challenger Exploration Limited ACN 123 591 382 ASX: CEL **Issued Capital** 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director



About Challenger Exploration

Challenger Exploration Limited's (ASX: CEL) aspiration is to become a globally significant gold producer. The Company is developing two complementary gold/copper projects in South America. The strategy for the 100% owned Hualilan Gold project is for it to provide a high-grade low capex operation in the near term. This underpins CEL with a low risk, high margin source of cashflow while it prepares for a much larger bulk gold operation at both Hualilan and El Guayabo in Ecuador.

The Company is well funded with cash at bank of \$19.6 million (March 31st) and it is nearing completion of an initial 204,000 metre drill program at its Flagship Hualilan Gold project.

- 1. Hualilan Gold Project, located in San Juan Province Argentina, is a near term development opportunity. It has extensive historical drilling with over 150 drill-holes and has an Interim JORC 2012 Compliant resource of 2,133,065 ounces which remains open in most directions. This resource contains a Skarn component 6.3 Mt at 5.6 g/t AuEq for 1.1 Moz AuEq and an intrusion/sediment-hosted component of 41.5Mt at 0.8 g/t AuEq for 1.0 Moz AuEq. The resource was based on 126,000 metres of CEL's 204,000 metre drill program. The project was locked up in a dispute for the past 15 years and as a consequence had seen no modern exploration until CEL acquired the project in 2019. In the past 2 years CEL has completed over 500 drill holes for more than 185,000 metres of drilling. Results have included 6.1m @ 34.6 g/t Au, 21.9 g/t Ag, 2.9% Zn, 6.7m @ 14.3 g/t Au, 140 g/t Ag, 7.3% Zn and 10.3m @ 10.4 g/t Au, 28 g/t Ag, 4.6% Zn. This drilling intersected high-grade gold over 3.5 kilometres of strike and extended the known mineralisation along strike and at depth in multiple locations. Recent drilling has demonstrated this high-grade skarn mineralisation is underlain by a significant intrusion-hosted gold system with intercepts including 209.0m at 1.0 g/t Au, 1.4 g/t Ag, 0.1% Zn and 110.5m at 2.5 g/t Au, 7.4 g/t Au, 0.90% Zn in intrusives. CEL's current program which is fully funded will take metres drilled by CEL to 204,000 metres, and include metallurgical test work of key ore types, and an initial JORC Compliant Resource and PFS.
- 2. El Guayabo Gold/Copper Project covers 35 sq kms in southern Ecuador and was last drilled by Newmont Mining in 1995 and 1997 targeting gold in hydrothermal breccias. Historical drilling has demonstrated potential to host significant gold and associated copper and silver mineralisation. Historical drilling has returned a number of intersections including 156m @ 2.6 g/t Au, 9.7 g/t Ag, 0.2% Cu and 112m @ 0.6 % Cu, 0.7 g/t Au, 14.7 g/t Ag which have never been followed up. This has been confirmed with results including 257.8m at 1.4 g/t AuEq inc 53.7m at 5.3 g/t AuEq and 309.8m at 0.7 g/t AuEq inc 202.1m at 0.8 g/t AuEq in CEL's first 8 drill holes. The Project has multiple targets including breccia hosted mineralisation, an extensive flat lying late-stage vein system and an underlying porphyry system target neither of which has been drill tested. CEL's first results confirm the discovery of large-scale gold system with over 250 metres of bulk gold mineralisation encountered in drill hole ZK-02 which contains a significant high-grade core of 134m at 1.0 g/t gold and 4.1 g/t silver including 63m at 1.6 g/t gold and 5.1 g/t silver.



JOR	JORC 2012 Mineral Resource Estimate for the Hualilan Gold Project							
Domain	Category	Mt	Au g/t	Ag g/t	Zn %	Pb %	AuEq g/t	AuEq (mozs)
US\$1800 optimised shell	Indicated	18.7	1.1	5.4	0.41	0.07	1.3	0.80
> 0.25ppm AuEq	Inferred	25.0	1.0	5.6	0.39	0.06	1.2	1.00
Below US\$1800 shell >1.0ppm AuEq	Inferred	4.0	1.9	11.5	1.04	0.07	2.6	0.33
Total		47.7	1.1	6.0	0.45	0.06	1.4	2.13

Mineralisation Style	Mt (0.25 g/t AuEq cut-off)	Au (g/t)	Ag (g/t)	Zn (%)	Pb (%)	Au Eq (g.t)
Skarn (limestone hosted)	6.3	4.4	19.4	2.0	0.2	5.6
intrusion/sediment hosted	41.4	0.6	4.0	0.2	0.04	0.8
Mineralisation Style	Contained Metal	Au (Moz)	Ag (Moz)	Zn (kt)	Pb (kt)	Au Eq (koz)
Skarn (limestone hosted)		0.9	3.9	123	11	1.13
intrusion/sediment hosted		0.8	5.3	95	19	1.00
Total Contained metal		1.7	9.2	218	29	2.13

Table 2 Interim MRE reported as Skarn and Intrusion/sediment hosted components of mineralisation

COMPETENT PERSON STATEMENT - EXPLORATION RESULTS AND MINERAL RESOURCES

The information in this report that relates to sampling techniques and data, exploration results and geological interpretation and Mineral Resources has been compiled Dr Stuart Munroe, BSc (Hons), PhD (Structural Geology), GDip (AppFin&Inv) who is a full-time employee of the Company. Dr Munroe is a Member of the AusIMM. Dr Munroe has over 20 years' experience in the mining and metals industry and qualifies as a Competent Person as defined in the JORC Code (2012).

Dr Munroe has sufficient experience of relevance to the styles of mineralisation and the types of deposits under consideration, and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results and Mineral Resources. Dr Munroe consents to the inclusion in this report of the matters based on information in the form and context in which it appears. The Australian Securities Exchange has not reviewed and does not accept responsibility for the accuracy or adequacy of this release.

JORC Code, 2012 Edition – Table 1 report template

Section 1 Sampling Techniques and Data -El Guayabo Project

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	 Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	El Guayabo: CEL Drilling: CEL have drilled HQ diamond core which is sampled by cutting the core longitudinal into two halves. One half is retained for future reference and the other half is sent for sampling. Sampling is done according to the geology. Sample lengths range from 0.5 to 2.5 metres. The average sample length is 1.5m. Samples are prepared at SGS Laboratories in Guayaquil for 30g fire assay and 4-acid digest ICPMS and then assayed in SGS Lima. The sample size is considered representative for the geology and style of mineralisation intersected. All the core All collected material is sampled for assay. Historic Drilling: Newmont Mining Corp (NYSE: NEM) ("Newmont") and Odin Mining and Exploration Ltd (TSX: ODN) ("Odin") core drilled the property between February 1995 and November 1996 across two drilling campaigns. The sampling techniques were reviewed as part of a 43-101 Technical report on Cangrejos Property which also included the early results of the El Joven joint venture between Odin and Newmont, under which the work on the El Guayabo project was undertaken. This report is dated 27 May 2004 and found the sampling techniques and intervals to be appropriate with adequate QA/QC and custody procedures, core recoveries generally 100%, and appropriate duplicates and blanks use for determining assay precision and accuracy. Duplicates were prepared by the Laboratory (Bonder Cleg) which used internal standards. Newmont also inserted its own standards at 25 sample intervals as a control on analytical quality Diamond drilling produced core that was sawed in half with one half sent to the laboratory for assaying per industry standards and the remaining core retained on site. Cu assays above 2% were not re-assayed using a technique calibrated to higher value Cu results hence the maximum reported assay for copper is 2%. All core samples were analysed using a standard fire assay with atomic absorption finish on a 30 g charge (30 g FAA). Because of concerns about possible reproducibility problems in the

Challenger Exploration Limited ACN 123 591 382 ASX: CEL **Issued Capital** 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary
		totaling 1,094.29m were collected. Sampling was done for Au analysis by fire assay of a 30g charge and 43 element 4-acid digest with ICP_AES determination.
		 Field mapping (creek traverse) by CEL includes collection of rock chip samples for assay for Au by fire assay (50g) with AAS determination and gravimetric determination for values > 10 g/t Au and assay for 48 elements by 4-acid digest with ICP-MS determination. Rock chip samples are taken so as to be as representative as possible of the exposure being mapped.
)		Colorado V:
		 Soil sampling: A database of 4,495 soil analyses has been provided by Goldking Mining Company S.A. (GK) has been fully evaluated. No information has been provided on the method of sample collection or assay technique. The soil analyses include replicate samples and second split analyses. Pulps have been securely retained by Goldking Mining Company and have been made available to CEL for check assaying. Check assaying is planned, including collection of field duplicates. Rock chip sampling during regional mapping has been done on selected exposures. Sampling involves taking 2-3 kg of rock using a hammer from surface exposures that is representative of the exposure.
		• Selected intervals of drill core have been cut longitudinally and half core were submitted for gold determination at GK's on-site laboratory prior to CEL's involvement with the Project.
		• Re-sampling of the core by CEL involves taking ¼ core (where the core has previously been sampled) or ½ core (where the core has not previously been sampled). The core is cut longitudinally and sample intervals of 1 – 3 meters have been collected for analysis. ZKO-1 and ZK1-3 have been analysed for gold by fire assay (30g) with ICP determination and other elements by 4 acid digest with ICP-AES finish (36 elements) at SGS del Peru S.A.C. SAZKO-1, SAZKO-2, SAZK2-1, ZKO-2, ZKO-5, ZK1-5, ZK1-6, ZK2-1, ZK3-1, ZK3-4, ZK13-1 and ZK18-1 have been analysed for of gold by fire assay (30g) with ICP determination and other elements by 4 acid digest with combined ICP-AES and ICP-MS finish (50 elements) at SGS del Peru S.A.C. Samples from other holes have been analysed for gold by fire assay (30g) with ICP determination and overlimit (>10 g/t Au) by fire assay with gravimetric determination and other elements by 4-acid digest with ICP-MS (48 elements) at ALS Laboratories in Peru.
		 Underground development has been mapped and channel sampled. Channel samples have been taken by cutting a horizontal channel of approximately 5 cm width and 4 cm depth into the walls at a nominal height of 1m above the ground. The channel cuts were made with an angle grinder mounted with a diamond blade. Samples were extracted from the channel with a hammer and chisel to obtain a representative sample with a similar weight per metre as would be obtained from a drill core sample. Analysis of the samples has been done by ALS Laboratories in Peru using the same preparation and analysis as has been used for drill core samples.
Drilling techniques	 Drill type (eg core, reverse circulation, open- hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple 	El Guayabo: CEL Drilling: Diamond core drilling collecting HQ core (standard tube). The core is not oriented.


Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary
	or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	 Historic Drilling: Diamond core drilling HQ size from surface and reducing to NQ size as necessary. The historical records do not indicate if the core was oriented Colorado V: Diamond drilling was done using a rig owned by GK. Core size collected includes HQ, NQ and NQ3. There is no indication that oriented core was recovered.
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	El Guayabo: CEL Drilling: Core run lengths recovered are recorded against the drillers depth markers to determine core recovery. Core sample recovery is high using standard HQ and NQ drilling No relationship between sample recovery and grade has been observed. Historic Drilling: In a majority of cases core recovery was 100%. In the historical drill logs where core recoveries were less than 100% the percentage core recovery was noted. No documentation on the methods to maximise sample recovery was reported in historical reports however inspection of the available core and historical drilling logs indicate that core recoveries were generally 100% with the exception of the top few metres of each drill hole. No material bias has presently been recognised in core. Observation of the core from various drill holes indicate that the rock is generally fairly solid even where it has been subjected to intense, pervasive hydrothermal alteration and core recoveries are generally 100%. Consequently, it is expected that the samples obtained were not unduly biased by significant core losses either during the drilling or cutting processes
		 Colorado V: Core from Goldking has been re-boxed prior to sampling where boxes have deteriorated, otherwise the original boxes have been retained. Core lengths have been measured and compared to the depth tags that are kept in
		 the boxes from the drilling and recovered lengths have been recorded with the logging. Where re-boxing of the core is required, core has been placed in the new boxes, row-by row with care taken to ensure all of the core has been transferred. No relationship has been observed between core recovery and sample assay values.

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary	y				
Logging	 ging Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	whe • Peer • 1009	re appropriator review of con of all core in gress of curren w:	e. All core loggere logging is dor not	ed has been phot ne to check that t vant intersection	drill core has been logge tographed after logging a the logging is representa s are logged plorado V drill core re-lo	and before sa tive.
	GY-01	249.2	Complete	Complete	Partial	25	
		GY-02	272.9	Complete	Complete	Partial	88
		GY-03	295.99	Pending	Complete	Pending	
		GY-04	172.21	Pending	Complete	Pending	
		GY-05	258.27	Partial	Complete	Partial	56
		GY-06	101.94	Pending	Complete	Pending	
		GY-07	127.0	Pending	Complete	Pending	
		GY-08	312.32	Pending	Complete	Pending	
		GY-09	166.25	Pending	Complete	Pending	
		GY-10	194.47	missing core	missing core	missing core	
		GY-11	241.57	Complete	Complete	Partial	84
		GY-12	255.7	Partial	Complete	Pending	
		GY-13	340.86	missing core	missing core	missing core	
		GY-14	309.14	missing core	missing core	missing core	
		GY-15	251.07	missing core	missing core	missing core	
		GY-16	195.73	missing core	missing core	missing core	
		GY-17	280.04	Complete	Complete	Partial	36
		GY-18	160.35	Pending	Complete	Pending	
		GY-19	175.42	Pending	Complete	Pending	
		Logged (m)	1,043.71	Re-logged		Samples Submitted	289
		Total (m)	4,185.01	Odin Drilled			

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director



CEL El Guayabo Drill Hole Processing Completed during current Drill Camp #1 2021-2022

CLE LI Guayabo Dii			· ·	10 Drill Camp #1 2021 2	
	Depth	Logging	Core		Total
Hole_ID	(m)	Status	Photograph	Sampling Status	Samples
GYDD-21-001	800.5	Complete	Complete	Complete	581
GYDD-21-002	291.7	Complete	Complete	Complete	204
GYDD-21-002A	650.6	Complete	Complete	Complete	282
GYDD-21-003	723.2	Complete	Complete	Complete	545
GYDD-21-004	696.1	Complete	Complete	Complete	513
GYDD-21-005	632.1	Complete	Complete	Complete	445
GYDD-21-006	365.3	Complete	Complete	Complete	258
GYDD-21-007	651.8	Complete	Complete	Complete	407
GYDD-21-008	283.7	Complete	Complete	Complete	214

Challenger Exploration Limited ACN 123 591 382 ASX: CEL

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights **Australian Registered Office** Level 1 1205 Hay Street

West Perth WA 6005

Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary					
		GYDD-21-009	692.7	Complete	Complete	Complete	517
		GYDD-21-010	888.6	Complete	Complete	Complete	620
		GYDD-21-011	314.5	Complete	Complete	Complete	227
		GYDD-21-012	797.7	Complete	Complete	Complete	588
		GYDD-21-013	517.5	Complete	Complete	Complete	388
		GYDD-22-014	783.6	Complete	Complete	Complete	546
		GYDD-22-015	368.3	Complete	Complete	Complete	265
		GYDD-22-016	469.8	Complete	Complete	Complete	314
		Logged (m)	9927.23			Samples Submitted	6915
		Total (m)	9927.23				
							_

Colorado V:

- Core has been logged for lithology, alteration, mineralisation and structure. Where possible, logging is quantitative.
- Colorado V core re-logging and re-sampling is summarized below:

Historic Colorado V Drilling

Hole_ID	Depth (m)	Logging Status	Core Photograph	Sampling Status	Total Samples
ZK0-1	413.6	Complete	Complete	Samples Submitted	281
ZK0-2	581.6	Complete	Complete	Samples Submitted	388
ZK0-3	463.0	Complete	Complete	Samples Submitted	330
ZK0-4	458.0	Complete	Complete	Samples Submitted	350
ZK0-5	624.0	Complete	Complete	Samples Submitted	482
ZK1-1	514.6	Complete	Complete	Samples Submitted	288
ZK1-2	403.1	Complete	Complete	Not Re-Sampled	
ZK1-3	425.0	Complete	Complete	Samples Submitted	279
ZK1-4	379.5	Complete	Complete	Samples Submitted	267
ZK1-5	419.5	Complete	Complete	Samples Submitted	266
ZK1-6	607.5	Complete	Complete	Samples Submitted	406
ZK1-7	453.18	Complete	Complete	Samples Submitted	370

Challenger Exploration LimitedACN 123 591 382
ASX: **CEL**

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office

Level 1 1205 Hay Street West Perth WA 6005 Directors

Mr Kris Knauer, MD and CEO Mr Scott Funston, Finance Director Mr Fletcher Quinn, Chairman Mr Sergio Rotondo, Exec. Director Contact

Criteria	JORC Code explanation	Commenta	ry				
		ZK1-8	556.0	Complete	Complete	Not Re-Sampled	
		ZK1-9	220.0	Complete	Complete	Samples Submitted	140
		ZK2-1	395.5	Complete	Complete	Samples Submitted	320
		ZK3-1	372.48	Complete	Complete	Samples Submitted	250
		ZK3-1A	295.52	Pending	Pending	Pending	
		ZK3-2	364.80	Complete	Complete	Samples Submitted	235
		ZK3-4	322.96	Complete	Complete	Samples Submitted	156
		ZK4-1	434.0	Complete	Complete	Not Re-sampled	
		ZK4-2	390.5	Complete	Complete	Not Re-sampled	
		ZK4-3	650.66	Complete	Complete	Not Re-sampled	
		ZK4-4	285.0	Complete	Complete	Not Re-sampled	
		ZK5-1	321.90	Complete	Complete	Not Re-sampled	
		ZK5-2	321.0	Complete	Complete	Not Re-sampled	
		ZK5-3	446.5	Complete	Complete	Not Re-sampled	
		ZK5-4	508.0	Complete	Complete	Not Re-sampled	
		ZK5-5	532.0	Complete	Complete	Samples Submitted	378
		ZK6-1	552.6	Complete	Complete	Not Re-sampled	
		ZK6-2	531	Complete	Complete	Not Re-sampled	
		ZK10-1	454.0	Complete	Complete	Samples Submitted	229
		ZK10-2	318.82	Complete	Complete	Samples Submitted	206
		ZK10-3	331.52	Complete	Complete	Samples Submitted	220
		ZK11-1	237.50	Complete	Complete	Not Re-sampled	
		ZK12-1	531.50	Complete	Complete	Not Re-sampled	
		ZK12-2	510.6	Complete	Complete	Not Re-sampled	
		ZK13-1	394.0	Complete	Complete	Samples Submitted	246
		ZK13-2	194.0	Complete	Complete	Not Re-sampled	
		ZK16-1	324.0	Complete	Complete	Samples Submitted	212
		ZK16-2	385.83	Complete	Complete	Samples Submitted	223
		ZK18-1	410.5	Complete	Complete	Samples Submitted	286

Mr Kris Knauer, MD and CEO

Mr Fletcher Quinn, Chairman Mr Sergio Rotondo, Exec. Director

Mr Scott Funston, Finance Director

T: +61 8 6380 9235

E: admin@challengerex.com

www.challengerex.com

1,027.7m shares

16m perf rights

120m perf shares

Level 1

1205 Hay Street

West Perth WA 6005

ACN 123 591 382

ASX: CEL

Criteria	JORC Code explanation	Commentary	1				
		ZK19-1	548.60	Complete	Complete	Not Re-sampled	
		ZK100-1	415.0	Complete	Complete	Not Re-sampled	
		ZK103-1	524.21	Complete	Complete	Not Re-sampled	
		ZK105-1	404.57	Complete	Complete	Not Re-sampled	
		ZK205-1	347.0	Complete	Complete	Samples Submitted	211
		SAZK0-1A	569.1	Complete	Complete	Samples Submitted	396
		SAZK0-2A	407.5	Complete	Complete	Samples Submitted	260
		SAZK2-1	430.89	Complete	Complete	Samples Submitted	195
		SAZK2-2	354.47	Complete	Complete	Not Re-Sampled	
		CK2-1	121.64	missing core	missing core	missing core	
		CK2-2	171.85	missing core	missing core	missing core	
		CK2-3	116.4	missing core	missing core	missing core	
		CK2-4	146.12	missing core	missing core	missing core	
		CK2-5	357.56	Complete	Complete	Complete	
		CK2-6	392.56	Complete	Complete	Complete	
		CK3-1	185.09	missing core	missing core	missing core	
		CK3-2	21.75	missing core	missing core	missing core	
		CK3-3	138.02	missing core	missing core	missing core	
		CK5-1	273.56	Complete	Complete	Not Re-Sampled	
		CK5-2	273.11	Complete	Complete	Not Re-Sampled	
		CK13-1	227.1	Complete	Complete	Not Re-Sampled	
		CK13-2	231.16	Complete	Complete	Not Re-Sampled	
		CK13-3	197.06	Complete	Complete	Not Re-Sampled	
		CK13-4	176.57	Complete	Complete	Not Re-Sampled	
		CK13-5	184.70	Complete	Complete	Not Re-Sampled	
		CK21-1	143.47	Complete	Complete	Not Re-Sampled	
		Logged (m)	25,315.07	Re-logged		Samples Submitted	7,894
		Total (m)	24,414.20	Core Shack			

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights **Australian Registered Office** Level 1

Level 1 1205 Hay Street West Perth WA 6005 Directors

Mr Kris Knauer, MD and CEO Mr Scott Funston, Finance Director Mr Fletcher Quinn, Chairman Mr Sergio Rotondo, Exec. Director Contact

Criteria	JORC Code explanation	Commentary					
		Total (m) 2	6,528.26	Drilled			
		CEL Colorado V D	rill Hole Pro Depth (m)	cessing Comple Logging Status	eted during currer Core Photograph	it Drill Camp #1 202 Sampling Status	22 Total Samples
		CVDD-22-001	533.20	Complete	Complete	Complete	398
		CVDD-22-002	575.00	Complete	Complete	Complete	412
		CVDD-22-003	512.40	Complete	Complete	Complete	384
		CVDD-22-004	658.95	Complete	Complete	Complete	478
		CVDD-22-005	607.15	Complete	Complete	Complete	456
		CVDD-22-006	600.70	Complete	Complete	Complete	427
		CVDD-22-007	808.00	Complete	Complete	Complete	602
		CVDD-22-008	535.70	Complete	Complete	Complete	306
		CVDD-22-009	890.80	Complete	Complete	Complete	668
		CVDD-22-010	890.20	Complete	Complete	Complete	645
		CVDD-22-011	672.50	Complete	Complete	Complete	481
		CVDD-22-012	756.70	Complete	Complete	Complete	556
		CVDD-22-013	752.45	Complete	Complete	Complete	467
		Logged (m) Total (m)	8793.75 8793.75			Samples Submitted	6280
Sub-sampling techniques and sample preparation	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise 	El Guayabo: CEL: • For sam and the saw to • The local represe • The san Historic:	opling, all co other retain orepare two ation of the ntative sam ople prepara	ned for future % core duplica cut is marked ple. ation technique	reference. Where ates. on the core by the	ngitudinally into tw duplicate samples geologist that logg r the material being	are taken, ¼ conged the core to e

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary
	representivity of samples. - Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	 All drilling was core drilling as such this is not relevant Sample preparation was appropriate and of good quality. Each 1-3 m sample of half core was dried, crushed to a nominal – 10 mesh (ca 2mm), then 250 g of chips were split out and pulverized. A sub-sample of the pulp was then sent for analysis for gold by standard fire assay on a 30 g charge with an atomic absorption finish with a nominal 5 ppb Au detection limit. Measures taken to ensure that the sampling is representative of the in-situ material collected is not outlined in the historical documentation however a program of re-assaying was undertaken by Odin which demonstrated the repeatability of original assay results The use of a 1-3 m sample length is appropriate for deposits of finely disseminated mineralisation where long mineralised intersections are to be expected. CEL ½ core sampling was done by cutting the core with a diamond saw. Standards (CRM) and blanks were inserted into the batched sent for preparation and analysis. No duplicate samples were taken and ½ core was retained for future reference. The sample size is appropriate for the style of mineralisation observed. CEL rock chip samples of 2-3 kg are crushed to a nominal 2mm and a 500 g sub-sample is pulverized. The rock chips are collected from surface expose in creeks. Sampling is done so as to represent the material being mapped. The sample size is appropriate for the grain size of the material being sampled. Colorado V: No information is available on the method/s that have been used to collect the soil samples. Selected intervals of drill core have been cut longitudinally using a diamond saw and ½ core has been sampled. Sample intervals range from 0.1m to 4.5m with an average length of 1.35m. The size of the samples is appropriate for the mineralisation observed in the core. Re-sampling of the core involves cutting of ½ core
		sampled. $\frac{1}{2}$ or $\frac{1}{2}$ core over intervals of 1-3 metres provides an adequate sample size for the material being sampled.
Quality of assay data and laboratory tests	 The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. 	 El Guayabo: CEL: All drill core collected by CEL has been crushed to a nominal 2mm size. A 500 g sub-sample has been pulverized to 85% passing 75 micron at the SGS Laboratory in Guayaquil. Sub-samples of the pulps have been analyzed by SGS for Au by Fire Assay (30g) with AAS determination and gravimetric determination where overlimit. Sub-samples of the pulps are also assayed for a multi element suite by 4-acid digest with ICPMS determination (including Cu, Mo, Ag, Zn, Pb, S and Fe). All assay techniques are partial assays of the total sample. Samples submitted by CEL include standards (CRM), blanks and duplicate samples to provide some control (QAQC) on the accuracy and precision of the analyses. 5 different CRM pulp samples have been submitted with the core samples. All 5 are certified for Au, 1 is certified.

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights

Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005


Directors Mr Kris Knauer, MD and CEO Mr Scott Funston, Finance Director Mr Fletcher Quinn, Chairman Mr Sergio Rotondo, Exec. Director

Contact T: +61 8 6380 9235 E: admin@challengerex.com

www.challengerex.com

Criteria	JORC Code explanation	Commentary
	- Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	 for Ag, 4 are certified for Cu, 1 is certified for Fe and 2 are certified for Mo. For Au, of 219 CRM pulp analyses, 212 are within +/- 2 SD (97%) For Ag, of 51 CRM pulp analyses, all are within +/- 2 SD (100%) For Cu, of 188 CRM pulp analyses, 180 are within +/- 2 SD (96%) For Mo, of 80 CRM pulp analyses, 78 are within +/- 2 SD (97%) For Fe, of 56 CRM pulp analyses, 54 are within +/- 2 SD (93%) 118 samples of pulp that are known to have a blank Au value have been included with the samples submitted. 16 samples returned Au values of >5 ppb (up to 11 ppb) indicating only mild instrument calibration or contamination during fire assay. 137 % core duplicate samples have been submitted. The duplicate analyses for Au, Ag, Cu, Pb, Zn, As and Mo have been analysed. The duplicate sample analyses follow very closely the original analyses providing assurance that the sample size and technique is appropriate.

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director



www.challengerex.com

Criteria	JORC Code explanation	Commentary
		 Given the above, it is considered acceptable levels of accuracy and precision have been established CEL ¼ and ½ core samples were prepared for assay at SGS Del Ecuador S.A. in Quito, Ecuador with analysis completed by in Lima at SGS del in Peru S.A.C and by ALS Laboratories in Quito with analysis completed by ALS in Vancouver, Canada. Samples were crushed and a 500g sub-sample was pulverized to 85% passing 75 μm. The technique provides for a near total analysis of the economic elements of interest. CEL rock chip samples were prepared for assay at ALS Laboratories (Quito) with analysis being completed at ALS Laboratories (Peru). The fire assay and 4-acid digest provide for near-total analysis of the economic elements of interest. No standards or blanks were submitted with the rock chip samples. Colorado V: No information is available on the methods used to analyse the historic soil or drill core samples. Assay results are not provided in this report. Soil samples have been analysed by GK for Au, Cu, Ag, Zn, Pb, As, Mn, Ni, Cr, Mo, Sn, V, Ti, Co, B, Ba, Sb, Bi and Hg. Pulps have been securely retained and check assaying is planned. Drill core was partially assayed for gold only with assays undertaken by Goldking's on site laboratory CEL samples of drill core re-sampled by CEL. Blanks and CRM (standards) were added to the batches to check sample preparation and analysis. 3 separate CRM's were included in the batches sent for analysis. All three have certified Au values. The results of the analysis of the CRM is shown below. With a few exceptions, the CRM has returned results within +/- 2 SD of the certified reference value. There is no bias in the results returned from either SGS or ALS laboratories. CRM3 analyses by fire assay at SGS did not include overlimit (>10 g/t).
		SGS - CRM1 - Au (ppm) - mean +/- 25D ALS - CRM1 - Au (ppm) - mean +/- 25D 130 120 120 120 120 120 120 120 120 120 12

1,027.7m shares 120m perf shares 16m perf rights **Australian Registered Office** Level 1 1205 Hay Street

West Perth WA 6005

Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

No duplicate samples have been submitted.

Contact T: +61 8 6380 9235 E: admin@challengerex.com

Two different blanks have been included randomly within the sample batches. A CRM blank with a value of

JORC Code explanation Criteria Commentary <0.01 ppm (10 ppb) Au was used initially. More recent batches have used a blank gravel material which has no certified reference value. The results are shown below. The first 4 gravel blanks show elevated Au values which is believed to be due to contamination of the blank prior to submission and not due to laboratory contamination. With one exception, the blanks have returned values below 10 ppb. SGS - CRM Blank - Au (ppb) SGS - Gravel Blank - Au (ppb) ALS - Gravel Blank - Au (ppm) 0.008 Verification of The verification of significant intersections by El Guayabo: sampling and **CEL Drilling:** either independent or alternative company assaying Samples from significant intersections have not been checked by a second laboratory. No holes have been personnel. twinned. The use of twinned holes. Documentation of primary data, data entry Data from logging and assaying is compiled into a database at the Project and is backed up in a secure location. procedures, data verification, data storage CEL GIS personnel and company geologists check and verify the data. No adjustments are made to any of the (physical and electronic) protocols. assay data. Historic: Discuss any adjustment to assay data. All intersections with results greater than 0.5 g/t were re-assayed using the "blaster" technique - a screen type fire analysis based on a pulverised sample with a mass of about 5 kg. Additionally, Odin re-assayed the many of the higher-grade sections with re-assay results demonstrating repeatability of the original results. Neither Newmont nor Odin attempted to verify intercepts with twinned holes Data was sourced from scanned copies of original drill logs and in some cases original paper copies of assay sheets are available. This data is currently stored in a drop box data base with the originals held on site. No adjustments to assay data were made. CEL assay data has not been independently verified or audited. Data is stored electronically in MS Excel and PDF format from the Laboratory and entered into a Project database for analysis. There has been no adjustment of the data. Colorado V:

Challenger Exploration Limited ACN 123 591 382 ASX: CEL **Issued Capital** 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary
		 There is no information available on the verification of sample and assay results. No assay data is provided in this report. Soil replicate samples and second split assay results have been provided but not fully analysed at this stage. Of the 4,495 soil samples in the GK database, 166 are replicate samples and 140 are second split re-analyses. 37 samples have no coordinates in the database. The remaining 4,152 have analyses for all 19 elements indicated above. Significant intersections have been internally checked against the assay data received. The data received has been archived electronically and a database of all drill information is being developed. There is no adjustment of the assay data.
Location of data points	 Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	 El Guayabo: CEL Drilling: Drill hole collars are surveyed after the drilling using a DGPS. The co-ordinate system used is PSAD 1956, UTM zone 17S. Down-hole surveys are performed at regular intervals down hole (nominally 50 metres or as required by the geologist) during the drilling of the hole to ensure the hole is on track to intersect planned targets. Down hole surveys are done using a magnetic compass and inclinometer tool fixed to the end of the wire line. Down hole surveys are recorded by the drillers and sent to the geologist and GIS team for checking and entry into the drill hole database.
		 Newmont undertook survey to located drill holes in accordance with best practice at the time. No formal check surveying has been undertaken to verify drill collar locations at this stage Coordinate System: PSAD 1956 UTM Zone 17S Projection: Transverse Mercator Datum: Provisional S American 1956 Quality of topographic control appears to be+ - 1 meter which is sufficient for the exploration activities undertaken. Rock chip samples have been located using topographic maps with the assistance of hand-held GPS. Colorado V: Coordinate System: PSAD 1956 UTM Zone 17S Projection: Transverse Mercator Datum: Provisional S American 1956 No information is available on the collar and down-hole survey techniques used on the Colorado V concession.
Data spacing and distribution	- Data spacing for reporting of Exploration Results.	 No information is available on the collar and down-note survey techniques used on the colorado v concession. Rock chip sample locations are determined by using a handheld GPS unit which is appropriate for the scale of the mapping program being undertaken. Drilling is exploration based and a grid was not considered appropriate at that time. A JORC compliant Mineral Resource has not been estimated

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary
	 Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	Sample compositing was not used
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	 A sampling bias is not evident. Drill pads are located in the best possible location to ensure there is no bias introduced, subject to the topography and existing infrastructure. The steep terrain and thick vegetation often dictates where is it possible to place a drill collar.
Sample security	y - The measures taken to ensure sample security.	El Guayabo: CEL Samples: All CEL samples are held in a secure compound from the time they are revied from the drillers to the time they are loaded onto a courier truck to be taken to the laboratory. The logging and sampling is done in a fenced and gated compound that has day and night security. Samples are sealed in bags and then packed in secure polyweave bags for transport Historic: Newmont sent all its field samples to the Bondar Clegg sample preparation facility in Quito for preparation. From there, approximately 100 grams of pulp for each sample was air freighted to the Bondar Clegg laboratory (now absorbed by ALS-Chemex) in Vancouver, for analysis. There is no record of any special steps to monitor the security of the samples during transport either between the field and Quito, or between Quito and Vancouver. However, Newmont did insert its own standards at 25 sample intervals as a control on analytical quality. CEL samples are kept in a secure location and prepared samples are transported with appropriate paperwork, securely by registered couriers. Details of the sample security and chain of custody are kept at the Project office for future audits. Colorado V: GK analysed samples in an on-site laboratory. It is understood that the samples have remained on site at all times.
		 CEL have collected samples at the core shed at El Guayabo and secured the samples in polyweave sacks for

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary
		transport by courier to SGS Laboratories in Quito for preparation. SGS in Quito courier the prepared sample pulps to SGS in Peru for analysis. Photographs and documentation are retained to demonstrate the chain of custody of the samples at all stages.
Audits or reviews	 The results of any audits or reviews of sampling techniques and data. 	El Guayabo: CEL drilling: There has been no audit or review of the sampling techniques and data Historic: The sampling techniques were reviewed as part of a 43-101 Technical report on Cangrejos Property which also included the early results of the El Joven joint venture between Odin and Newmont, under which the work on the El Guayabo project was undertaken. This report is dated 27 May 2004 and found the sampling techniques and intervals to be appropriate with adequate QA/QC and custody procedures, core recoveries generally 100%, and appropriate duplicates and blanks use for determining assay precision and accuracy. There have been no audits of reviews of CEL data for the El Guayabo. Colorado V: No audits or reviews of sampling techniques and data is known. Goldking did twin two earlier holes with results still being compiled.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	 The El Guayabo (Code. 225) mining concession is located within El Oro Province. The concession is held by Torata Mining Resources S.A (TMR S.A) and was granted in compliance with the Mining Act ("MA") in on April 27, 2010. There are no overriding royalties on the project other than normal Ecuadorian government royalties. The property has no historical sites, wilderness or national park issues. The mining title grants the owner an exclusive right to perform mining activities, including, exploration, exploitation and processing of minerals over the area covered by the prior title for a period of 25 years, renewable for a further 25 years. Under its option agreement, the owner has been granted a negative pledge (which is broadly equivalent to a fixed and floating charge) over the concession. In addition, a duly notarized Irrevocable Promise to Transfer executed by TMR S.A in favor of AEP has been lodged with the Ecuador Mines Department. The Colorado V mining concession (Code No. 3363.1) located in Bellamaria, Santa Rosa, El Oro, Ecuador was granted in compliance with the Mining Act ("MA") in on July 17, 2001. It is adjacent to El Guayabo concession to the north. The concession is held by Goldking Mining Company S.A. There are no overriding royalties on the project other than

Challenger Exploration Limited ACN 123 591 382 ASX: CEL Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary
		normal Ecuadorian government royalties.
		 The concession has no historical sites, wilderness or national park issues. The El Guayabo 2 (Code. 300964) mining concession is located Torata parish, Santa Rosa canton, El Oro province, Ecuador. The concession is held by T Mr. Segundo Ángel Marín Gómez and Mrs. Hermida Adelina Freire Jaramillo and was granted in compliance with the Mining Act ("MA") on 29April 29, 2010. There are no overriding royalties on the project other than normal Ecuadorian government royalties. The property has no historical sites, wilderness, or national park issues.
Exploration done by other parties	- Acknowledgment and appraisal of exploration by other parties.	 Fil Guayabo: Previous exploration on the project has been undertaken by Newmont and Odin from 1994 to 1997. This included surface pit and rock chip geochemistry, followed by the drilling of 33 drill holes for a total of 7605.52 meters) to evaluate the larger geochemical anomalies. The collection of all exploration data by Newmont and Odin was of a high standard and had appropriate sampling techniques and intervals, adequate QA/QC and custody procedures, and appropriate duplicates and blanks used for determining assay precision and accuracy. The geological interpretation of this data, including core logging and follow up geology was designed and directed by in-country inexperienced geologists. It appears to have been focused almost exclusively for gold targeting surface gold anomalies or the depth extensions of higher-grade gold zones being exploited by the artisanal miners. The geologic logs for all drill holes did not record details that would have been typical, industry standards for porphyry copper exploration at that time. Several holes which ended in economic mineralisation have never been followed up. In short, important details which would have allowed the type of target to be better explored were missed which in turn presents an opportunity to the current owner. Colorado V: All exploration known has been completed by GK. Drilling has been done from 2016 to 2019. 56 drill holes, totaling 21,471.83m have been completed by GK. Exploration work undertaken by the previous owner was limited to field mapping and sampling including assaying of a
		small number of samples for gold, silver, copper, lead and zinc. The report is only available in Spanish and assays were conducted in a local laboratory in Ecuador with the majority of this work undertaken in 2017.
Geology	 Deposit type, geological setting and style of mineralisation. 	 It is believed that the El Guayabo, El Guayabo 2, and Colorado V concessions contain a "Low Sulfide" porphyry gold copper system and intrusive-related gold. The host rocks for the intrusive complex is metamorphic basement and Oligocene – Mid-Miocene volcanic rocks. This suggests the intrusions are of a similar age to the host volcanic sequence, which also suggests an evolving basement magmatic system. Intrusions are described in the core logs as quartz diorite and dacite. Mineralisation has been recognized in: Steeply plunging breccia bodies and in the metamorphic host rock adjacent to the breccia (up to 200 m in diameter)

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

riteria JORC Code explanation	Cor	nmentary								
		- (Quartz vein	s and ve	inlets					
			•			vrrhotite	e in the in	trusions and	I in the meta	morphic host
rill hole - A summary of all information material to the	F	I Guayabo								
formation understanding of the exploration results		DRILLHOLE	EAST	NORT		VATION			FINAL	DRILLED
including a tabulation of the following		CODE	(X)	(N)	(m	n.a.s.l)	(°)	(°)	DEPTHP	BY
		DDHGY 01	628928.09	9605517		39.01	360	-90.0	249.20	Odin
information for all Material drill holes:		DDHGY02 DDHGY03	629171.15 629041.84	9606025 9606312		983.16 063.37	360.0 305.0	-90.0 -60.0	272.90 295.94	Odin Odin
 easting and northing of the drill hole coll 		DDHGY 03 DDHGY 04	629171.68	9606025		983.2	125.0	-60.0	172.21	Odin
 elevation or RL (Reduced Level – elevation) 		DDHGY 05	628509.21	9606405		989.87	145.0	-60.0	258.27	Odin
above sea level in metres) of the drill hole	2	DDHGY 06	629170.56	9606025		983.11	305.0	-60.0	101.94	Odin
collar		DDHGY 07	629170.81	9606025		983.16	305.0	-75.0	127.00	Odin
 dip and azimuth of the hole 	-	DDHGY08 DDHGY09	628508.95 629171.22	9606405 9606025		989.86 983.22	145.0 45.0	-75.0 -75.0	312.32 166.25	Odin Odin
 down hole length and interception depth 		DDHGY 10	629170.77	9606025		983.12	225.0	-75.0	194.47	Odin
o hole length.		DDHGY11	628507.97	9606405		989.83	160.0	-60.0	241.57	Odin
 If the exclusion of this information is justified 		DDHGY12	629087.18	9606035		996.98	125.0	-60.0	255.7	Odin
on the basis that the information is not		DDHGY13	629242.46			97.292	320.0 320.0	-65.0 -75.0	340.86 309.14	Odin Odin
Material and this exclusion does not detract		DDHGY14 DDHGY15	629242.27 629194.67	9605975 9605912		97.285 77.001	320.0	-75.0	251.07	Odin
		DDHGY 16	629285.92	9606044		36.920	320.0	-60.0	195.73	Odin
from the understanding of the report, the		DDHGY 17	629122.31	9606058		21.053	125.0	-82.0	280.04	Odin
Competent Person should clearly explain why		DDHGY 18	628993.10	9606035		77.215	140.0	-60.0	160.35	Odin
this is the case.			629087.23			97.332	45.0	-53.0	175.41	Odin
D	RILLHOLE		NORT		EVATIC		MUTH	DIP	FINAL	DRILLED
_	CODE	(X)	(N)		m.a.s.l)		(°)	(°)	DEP THP	BY
<u> </u>	JDH01 JDH02	627185.78 627260.37			933.47 921.56		80.0 80.0	-60.0 -45.0		Newmont
_	JDH02 JDH03	627191.6			952.82		80.0	-45.0 -45.0		Newmont Newmont
	JDH03	627429.8			933.80		80.0	-45.0 -45.0		Newmont
	JDH05	627755.97			1066.24		80.0	-45.0		Newmont
<u> </u>	JDH06	628356.3			911.58		50.0	-45.0		Newmont
	JDH07	628356.3			911.58		50.0	-75.0		Newmont
	JDH08	628356.37			911.58		50.0	-60.0	352.74	Newmont
	JDH09	628507.0°			990.18		50.0	-45.0		Newmont
	JDH10	628897.96			985.60		70.0	-45.0		Newmont
	JDH11	628878.64			1081.96		70.0	-45.0		Newmont
	JDH12	629684.6			993.45		50.0	-60.0		Newmont
<u> </u>	JDH13	629122.6			1020.98		25.0	-60.0		Newmont
L	JDH14	628897.1	9605562	2.11	852.59	٤	0.0	-45.0	239.32	Newmont
CF	FL Fl Guava	bo Drill Hol	e Informati	on.						
	-				n (m)	Ele	evation	Azimuth	Dip	final dent
н	ole ID	East	(m)	Nort	n (m)	Ele	evation	Azimuth	Dip	final deptl

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street

West Perth WA 6005

Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Com	nmentary						
							(°)	(°)	
		GYDD-21-002	628893.56	9606473.6	51 1074	.98	330	-60	800.5 CEL
		GYDD-21-002	629648.12	9606889.4	1 913.0	03 3	330	-60	291.7 CEL
		GYDD-21-002	2A 629648.91	9606888.0	00 913.	71 3	330	-60	650.6 CEL
		GYDD-21-003	628613.31	9606603.6	66 1031	61 1	149	-60	723.2 CEL
		GYDD-21-004	628612.169	9606605.6			330	-60	696.1 CEL
		GYDD-21-005	628433.90	9606380.3	962.	07 3	329	-60	632.1 CEL
		GYDD-21-006	628435.80	9606380.4	16 962.	58 1	100	-60	365.3 CEL
		GYDD-21-007	628087.05	9606555.2	24 840.0	093 1	150	-60	651.8 CEL
		GYDD-21-008	628435.62	9606377.7	4 962.	24 1	150	-60	283.7 CEL
		GYDD-21-009		9606035.4			100	-60	692.7 CEL
		GYDD-21-010		9606552.7			180	-60	888.6 CEL
		GYDD-21-01:	L 628987.88	9606169.6			330	-60	314.5 CEL
		GYDD-21-012		9605438.7			129	-60	797.7 CEL
		GYDD-21-013		9605725.5			190	-60	517.5 CEL
		GYDD-22-014		9605761.5			100	-60	783.6 CEL
		GYDD-22-015		9606377.1			150	-72	368.3 CEL
		GYDD-22-016	628267.60	9606450.3	872.	25 1	150	-62	469.8 CEL
		Historic Color Hole ID	ado V Drill Hole I East (m)	nformation: North (m)	Elevatio n	Azimuth (°)	Dip (°)	final depth	Driller
		ZK0-1	626378.705	9608992.99	204.452	221	-60	413.60	Shandong Zhaojin
		ZK0-2	626378.705	9608992.99	204.452	221	-82	581.60	Shandong Zhaojin
		ZK0-3	626475.236	9609095.444	197.421	221	-75	463.00	Shandong Zhaojin
		ZK0-4	626476.119	9609098.075	197.225	221	-90	458.00	Shandong Zhaojin
		ZK0-5	626475.372	9609100.909	197.17	300	-70	624.00	Shandong Zhaojin
		ZK1-1	626310.629	9608865.923	226.385	61	-70	514.60	Shandong Zhaojin
		ZK1-2	626313.901	9608867.727	226.494	150	-70	403.10	Shandong Zhaojin
		ZK1-3	626382.401	9608894.404	229.272	61	-70	425.00	Shandong Zhaojin
		ZK1-4	626502.206	9608982.539	227.333	61	-70	379.50	Shandong Zhaojin
		ZK1-5	626497.992	9608979.449	227.241	241	-70	419.50	Shandong Zhaojin
		ZK1-6	626500.813	9608979.367	227.315	180	-70	607.50	Shandong Zhaojin
		ZK1-7	626498.548	9608979.541	227.28	241	-82	453.18	Shandong Zhaojin
		ZK1-8	626501.094	9608980.929	227.208	61	-85	556.00	Shandong Zhaojin
		ZK1-9	626416.4	9609040.6	202.416	203	-23	220.00	Lee Mining
		ZK2-1	626329.859	9609005.863	213.226	221	-90	395.50	Shandong Zhaojin

1,027.7m shares 120m perf shares 16m perf rights **Australian Registered Office** Level 1 1205 Hay Street

West Perth WA 6005

Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Contact T: +61 8 6380 9235 E: admin@challengerex.com

www.challengerex.com

riteria	JORC Code explanation	Cor	nmentary						
		ZK3-1	628295.833	9608947.769	309.987	279	-38	372.48	
		ZK3-1-A	626416.4	9609040.6	202.416	179	-29	295.52	Lee Mining
		ZK3-2	628295.833	9608947.769	309.987	205	-30	364.80	
		ZK3-4	628295.833	9608947.769	309.987	170	-30	322.96	
		ZK4-1	626281.066	9609038.75	224.176	221	-90	434.00	Shandong Zhaojin
		ZK4-2	626281.066	9609038.75	224.176	221	-70	390.50	Shandong Zhaojin
		ZK4-3	626386.498	9609186.951	225.517	221	-70	650.66	Shandong Zhaojin
		ZK4-4	626287.7817	9609031.298	215	215	-05	285.00	
		ZK5-1	626377.846	9608790.388	273.43	221	-78	321.90	Shandong Zhaojin
		ZK5-2	626377.539	9608793.769	273.542	41	-78	319.00	Shandong Zhaojin
		ZK5-3	626383.556	9608800.999	273.622	330	-70	446.50	Shandong Zhaojin
		ZK5-4	626383.556	9608800.999	273.622	330	-78	508.00	Shandong Zhaojin
		ZK5-5	626432.795	9608847.735	242.572	61	-70	532.00	Shandong Zhaojin
		ZK6-1	626230.28	9609020.202	260.652	221	-70	552.60	Shandong Zhaojin
		ZK6-2	626165.623	9608991.594	271.928	221	-70	531.00	Shandong Zhaojin
		ZK10-1	626700.8538	9609675.002	126.617	221	-53	454.00	Lee Mining
		ZK10-2	626744.7	9609711	110.817	310	-30	318.82	
		ZK10-3	626744.7	9609711	110.817	310	-60	331.52	
		ZK11-1	626446.263	9608705.238	290.028	221	-78	237.50	Shandong Zhaojin
		ZK12-1	626088.326	9609034.197	314.552	221	-70	531.50	Shandong Zhaojin
		ZK12-2	626019.538	9608961.409	294.649	221	-70	510.60	Shandong Zhaojin
		ZK13-1	627763.877	9609906.484	197.899	180	-70	394.00	Shandong Zhaojin
		ZK13-2	627757.925	9609713.788	234.34	0	-70	194.00	Shandong Zhaojin
		ZK16-1	626432.95	9609539.705	207.288	153	-45	330.00	
		ZK16-2	626432.95	9609539.705	207.288	183	-45	394.00	
		ZK18-1	627123.327	9609846.268	142.465	180	-70	410.50	Shandong Zhaojin
		ZK19-1	626753.271	9608802.634	386.627	221	-70	548.60	Shandong Zhaojin
		ZK100-1	626170.882	9608923.778	251.177	131	-70	415.00	Shandong Zhaojin
		ZK103-1	628203.1453	9607944.85	535.324	215	-53	524.21	Lee Mining
		ZK105-1	628172.5923	9607826.055	541.244	183	-54	404.57	Lee Mining
		ZK205-1	626257.123	9608795.904	243.297	160	-70	347.00	Shandong Zhaojin
		SAZKO-1A	627477.062	9609865.618	217.992	180	-70	569.10	Shandong Zhaojin
		SAZKO-2A	627468.807	9609805.054	213.63	180	-70	407.50	Shandong Zhaojin
		SAZK2-1	627330.0126	9609556.466	201.145	76	-05	430.89	Lee Mining
		SAZK2-2	627330.0126	9609556.466	201.145	62	-05	354.47	Lee Mining
		CK2-1	626328.573	9609000.856	216.798	221	-45	121.64	Shandong Zhaojin
		CK2-2	626328.573	9609000.856	216.798	251	-45	171.85	Shandong Zhaojin
		CK2-3	626328.573	9609000.856	216.798	191	-45	116.40	Shandong Zhaojin

1,027.7m shares 120m perf shares 16m perf rights **Australian Registered Office** Level 1 1205 Hay Street

West Perth WA 6005

Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Contact T: +61 8 6380 9235 E: admin@challengerex.com

www.challengerex.com

Criteria	JORC Code explanation	Com	mentary								
		CK2-4	626328.573	9609000.856	216.798	221	-70 146.12	Sh	nandong Zhaojin		
		CK2-5	626254.4315	9608931.693	190.593				Lee Mining		
		CK2-6	626298.1066	9608961.819	203.231	332	-18 392.56		Lee Mining		
		CK3-1	626359.641	9608859.373	205.96	20	-15 185.09	Sh	nandong Zhaojin		
		CK3-2	626359.641	9608859.373	205.96	163	00 21.75	Sh	nandong Zhaojin		
		CK3-3	626359.641	9608859.373	205.96	50	-15 138.02	Sh	nandong Zhaojin		
		CK5-1	626460.1233	9608906.592	202.124	194	-74 273.56		Lee Mining		
		CK5-2	626457.0999	96089.8.4999	202.126	251	-69 273.11		Lee Mining		
		CK13-1	626610.0642	9608838.445	202.556	41	-05 227.10		Lee Mining		
		CK13-2	626610.0642	9608838.445	202.556	41	-40 231.16		Lee Mining		
		CK13-3	626605.2307	9608833.471	202.556	221	-59 197.06		Lee Mining		
		CK13-4	626604.0848	9608836.544	203.013	209	-45 176.57				
		CK13-5	626607.5245	9608832.296	203.013	136 -45	-45 184.70				
		CK21-1	626693.536	9608691.062	204.927	41	00 143.47				
		CEL Colorado V	/ Drill Hole Infor	mation:							
		Hole ID	East (m)	North (m)	Elevation	Azimuth (°) 300	Dip (°)	final depth	Driller		
		CVDD-22-001	626891.522	9609246.373	199.393		-60	533.20	CEL		
		CVDD-22-002	627198.352	9609719.449	198.970	120	-60	575.00	CEL		
		CVDD-22-003	626894.633	9609244.452	199.514	120	-60	512.40	CEL		
		CVDD-22-004	627209.772	9609873.677	203.018	120	-60	658.95	CEL		
		CVDD-22-005	626893.119	9609246.715	199.383	030	-65	607.15	CEL		
		CVDD-22-006	627698.461	9609900.275	180.879	300	-60	600.70	CEL		
		CVDD-22-007	626419.745	9609344.874	264.563	120	-60	808.00	CEL		
		CVDD-22-008	627444.177	9610249.652	191.069	120	-60	535.70	CEL		
		CVDD-22-009	626664.672	9609635.445	179.594	120	-60	890.80	CEL		
		CVDD-22-010	626436.552	9609542.08	244.110	120	-60	890.20	CEL		
		CVDD-22-011	628295.444	9610306.768	156.815	300	-60	672.50	CEL		
		CVDD-22-012	627329.632	9607382.048	524.050	320	-60	756.70	CEL		
		CVDD-22-013	626906.497	9609603.539	174.956	120	-60	752.45	CEL		
Data	- In reporting Exploration Results, we	eighting • N	o grade cutting h	as been used to d	lerive the weig	hted average	grades repor	ed.			
aggregation	averaging techniques, maximum an	nd/or • M	linimum cut of gr	ade of 0.2 g/t Au	Equivalent (Au	Eq) was used	for determin	ng intercepts.			
methods minimum grade truncations (eg cutting of high • Aggregate intercepts have been reported with higher grade inclusions to demonstrate the impact of aggregation. A											

- minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.
- Where aggregate intercepts incorporate short
- Aggregate intercepts have been reported with higher grade inclusions to demonstrate the impact of aggregation. A bottom cut of 0.5 g/t Au Equivalent has been used to determine the higher-grade inclusions. Given the generally consistent nature of the mineralisation the impact of the aggregation of high-grade results and longer lengths of lowgrade results does not have a large impact. For example, in the intercept of 156m @ 2.6 g.t Au in hole GGY-02:

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights

Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005

Directors Mr Kris Knauer, MD and CEO Mr Scott Funston, Finance Director Mr Fletcher Quinn, Chairman Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary
	 lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	 over half of the intercept comprises gold grades in excess of 1 g/t Au only 20% of the intercept includes grades between 0.2 and 0.5 g/t Au over one third includes gold grades in excess of 2 g/t Au. Au Eq assumes a gold price of USD 1,780/oz, a silver price of USD 22 /oz, a copper price of USD 9,650 /t, and a Molybdenum price of US\$40,500 Metallurgical recovery factors for gold, silver, copper, and Molybdenum are assumed to be equal. No metallurgical factors have been applied in calculating the AuEq at this early stage of the Project, hence the formula for calculating the Au Eq is: Au (g/t) + (Ag (g/t) x 22/1780) + (1.68604 x Cu (%) + (7.07612 x Mo (%)). CEL confirms that it is the company's opinion that all the elements included in the metal equivalents calculation have a reasonable potential to be recovered and sold Significant historic intersections from El Guayabo drilling are shown below:

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary											
		Drillhole	Mineralised Inte Total			Total	Gold	Ag	Ag Cu		Au Equiv Azimuth		TD
		(#)		From	To	(m)	(g/t)	(g/t)	(%)	(g/t)	(deg)	(deg)	(m)
		JDH-001	from	183	190.6	7.6 m @	0.3 g/t Au	+	not assayed	n/a	280	-60	236.9
		JDH-002		7.6	152.9		0.4 g/t Au	-	not assayed	n/a	280	-45	257.5
			and	199	243		0.4 g/t Au		not assayed	n/a			
		JDH-003	from	35.95	71.6		0.5 g/t Au	_	not assayed	n/a	280	-45	261
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	and	120.4			0.4 g/t Au		not assayed	n/a			
			inc	146.81	224.08	77.3 m @	0.5 g/t Au	+	not assayed	n/a			
		JDH-004	from	3.96	21.95	18.0 m @	0.4 g/t Au	+	not assayed	n/a	280	-45	219
			and	79.74			0.4 g/t Au		not assayed	n/a			
			and	150.9	203.7	52.8 m @	0.7 g/t Au	٠	not assayed	n/a			
		JDH-005	from	5.2	81.4	76.2 m @	0.4 g/t Au	+	not assayed	n/a	280	-45	210.4
			and	169.7	208.5	38.8 m @	0.2 g/t Au	+	not assayed	n/a			
		JDH-006	from	17.99	89.6	71.6 m @	0.2 g/t Au	+ 2.0 c	/t Ag + 0.10 % Cu	0.42	150	-45	302.7
			and	164.8	281		-		/t Ag + 0.40 % Cu				
			inc	227.8	281.09	53.3 m @	1.2 g/t Au	+ 13.2 g	/t Ag + 0.62 % Cu	2.39			
		JDH-007	from	39.7	84.45	44.8 m @	0.3 g/t Au	+ 1.4 g	/t Ag + 0.04 % Cu	0.38	150	-75	105.8
		JDH-008	from	104.7	136.7	32.0 m @	0.1 g/t Au	+ 3.6 c	/t Ag + 0.13 % Cu	0.41	150	-60	352.7
							_		/t Ag + 0.21 % Cu				
			and	291.76	316.15	24.4 m @	0.5 g/t Au -	9.2 g	/t Ag + 0.34 % Cu	1.13			
		JDH-009	from	10.3	122.03	111.7 m @	0.7 g/t Au	+ 14.6 g	/t Ag + 0.58 % Cu	1.85	150	-45	256.7
			inc	34.6	91.54	56.9 m @	0.2 g/t Au	+ 19.1 g	/t Ag + 0.82 % Cu	1.80			
			and	201.4	205.4	4.0 m @	11.4 g/t Au	9.7 g	ı/t Ag + 0.01 % Cu	11.54			
			and	255.1	eoh	1.5 m @	0.7 g/t Au	+ 1.5 g	/t Ag + 0.02 % Cu	0.75			
		JDH-10	from	1.5	50.9	49.4 m @	0.5 g/t Au	+ 2.5 g	/t Ag + 0.09 % Cu	0.68	270	-45	221.6
			and	90.54	119	28.5 m @	0.2 g/t Au	+ 3.0 g	/t Ag + 0.10 % Cu	0.40			
			and	140	203	81.6 m @	0.4 g/t Au	+ 1.3 g	/t Ag + 0.07 % Cu	0.53			
		JDH-011	from	100.7	218	117.3 m @	0.4 g/t Au	+ 4.6 g	/t Ag + 0.10 % Cu	0.62	270	-45	218.0
		JDH-012	from	12.2	53.96	41.8 m @	0.6 g/t Au	+ 6.5 g	/t Ag + 0.02 % Cu	0.67	150	-60	124.1
		JDH-013	from	53.35	69.6	16.3 m @	0.5 g/t Au	+ 1.2 c	/t Ag + 0.01 % Cu	0.48	150	-60	239.3
			and	89.9	154.9		_		/t Ag + 0.06 % Cu				
			inc	114.32	142.76	28.4 m @	2.8 g/t Au	+ 4.9 g	/t Ag + 0.10 % Cu	3.03			
		JDH-014	from	26.96	75.69	48.7 m @	0.4 g/t Au	+ 5.2 c	/t Ag + 0.10 % Cu	0.63	90	-60	239.4
			and	85.84	116.32		_		/t Ag + 0.1 % Cu				
		_	and	128.52	175.3	46.8 m @	0.5 g/t Au	+ 3.3 g	/t Ag + 0.08 % Cu	0.63			
			and	179.35	217.98	38.6 m @	0.1 g/t Au	2.5 g	/t Ag + 0.08 % Cu	0.26			

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commenta	nry							
		Significant int	ersections from historic a	nd re-ass	ayed drill (core from El	Guayabo di	ill holes:		
		5 :11. 1			·	-	•			
		Drill hole		F	T -	Total	Au	Ag	Cu	Au Eq
		(#)	historial interest	From	To	(m)	(g/t)	(g/t)	(%)	(g/t)
		GGY-001	historical intercept	139	249.2	110.2m	0.4	1.1	0.06	0.5
			(re-assayed section)	141	177	36.0m	0.54	2.30	0.08	0.7
			(original assays)			36.0m	0.56	1.51	0.08	0.7
			(re-assayed section)	205	236	31.0m	0.19	0.89	0.03	0.3
		007.003	(original assays)			31.0m	0.21	0.13	0.03	0.3
		GGY-002	historical intercept	9.7	166	156.3m	2.6	9.7	0.16	3.0
			(re-assayed section)	40	102	62.0m	5.22	21.33	0.25	5.9
			(original assays)			62.0m	4.83	19.96	0.23	5.5
			historical intercept	114	166	52.0m	1.3	3.3	0.18	1.6
			(re-assayed section)	114	171	57.0m	1.20	3.44	0.18	1.5
			(original assays)			57.0m	1.24	3.53	0.17	1.6
		GGY-005	historical intercept	12	162	150.0m	0.4	11.0	0.30	1.0
			(re-assayed section)	10	60	50.0m	0.45	19.23	0.33	1.2
			(original assays)			50.0m	0.51	21.74	0.44	1.5
			(re-assayed section)	64	98	34.0m	0.10	5.25	0.16	0.4
			(original assays)			34.0m	0.84	6.22	0.16	1.2
			(re-assayed section)	132	162	30.0m	0.10	6.35	0.33	0.7
			(original assays)			30.0m	0.07	6.18	0.31	0.7
		GGY-011	historical intercept	14	229	215.0m	0.2	9.6	0.36	0.9
			(re-assayed section)	14	126	112.0m	0.17	10.89	0.30	0.8
			(original assays)		,	112.0m	0.18	11.73	0.36	0.9
			(re-assayed section)	166	206	40.0m	0.09	5.08	0.22	0.5
			(original assays)	,		40.0m	0.09	4.90	0.22	0.5
			(re-assayed section)	218	231	13.0m	0.22	8.52	0.41	1.0
			(original assays)	,	•	13.0m	0.34	19.48	0.96	2.2
		GGY-017	historical intercept	69	184	115.0m	0.5	2.1	0.03	0.5
			(re-assayed section)	94	129	35.0m	0.45	2.76	0.04	0.6
			(original assays)	,	•	35.0m	0.30	4.01	0.03	0.4
			(re-assayed section)	206	258	52.0m	0.37	2.00	0.06	0.5
			(original assays)	•	,	52.0m	0.26	1.42	0.06	0.4

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

riteria	JORC Code explanation	Commenta	ary							
		JDH-006	historical intercept	17.99	89.6	71.6m	0.2	2.0	0.10	0.4
			(re-assayed section)	10.3	81.3	71.0m	0.18	1.38	0.03	0.2
			(original assays)	′	′	71.0m	0.20	1.59	0.07	0.3
			historical intercept	164.8	281	116.2m	0.6	8.9	0.40	1.4
			(re-assayed section)	150.6	281.1	130.5m	0.26	7.21	0.26	0.8
			(original assays)	′	′	130.5m	0.42	8.02	0.36	1.1
		JDH-009	historical intercept	10.3	122	111.7m	0.7	14.6	0.58	1.8
			(re-assayed section)	6.7	107.8	101.1m	0.21	13.80	0.36	1.0
			(original assays)	•	1	101.1m	0.22	15.08	0.59	1.4
		JDH-10	historical intercept	1.5	50.9	49.4m	0.5	2.5	0.09	0.
			(re-assayed section)	15.2	50.9	35.7m	0.44	2.88	0.10	0.
			(original assays)	•	1	35.7m	0.41	2.96	0.10	0.
			historical intercept	140	203	81.6m	0.4	1.3	0.07	0.
			(re-assayed section)	150.5	203.4	52.9m	0.36	1.34	0.07	0.
			(original assays)	•	1	52.9m	0.39	1.24	0.06	0.
		JDH-012	historical intercept	12.2	53.96	41.8m	0.6	6.5	0.02	0.
			(re-assayed section)	18.3	54	35.7m	0.68	7.62	0.02	0.
			(original assays)	•	1	35.7m	0.69	7.36	0.02	0.
		JDH-013	historical intercept	89.9	154.9	65.0m	1.4	2.8	0.06	1.
			(re-assayed section)	112.3	155	42.7m	2.11	2.84	0.05	2.
			(original assays)	′	′	42.7m	2.00	3.70	0.08	2.
		JDH-014	historical intercept	26.96	75.69	48.7m	0.4	5.2	0.10	0.
			(re-assayed section)	27	61.5	34.5m	0.64	5.99	0.13	0.
			(original assays)	′	′	34.5m	0.52	6.25	0.13	0.8
			historical intercept	128.52	175.3	46.8m	0.46	3.3	0.08	0.0
			(re-assayed section)	140.7	167.2	26.5m	0.26	2.24	0.07	0.4
			(original assays)	•	•	26.5m	0.65	2.91	0.08	0.8

Colorado V:

A cut-off grade of 0.1 g/t Au was used to report the assays of re-samples core and channel samples from underground development with up to 10 metres of internal dilution below cut-off allowable for the reporting of significant intercepts, consistent with a large low-grade mineralized system. Intersections that use a different cut-off are indicated.

Challenger Exploration Limited ACN 123 591 382 ASX: CEL Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commenta	ry							
		Significant int	ersections fro	m Colorad	o V drill hole	e results fr	om re-sa	ampling of av	ailable core	:
		Hole_id	From	To	Interval	Au (g/t)	Ag	Cu (ppm)	Mo	Note
			(m)	(m)	(m)		(g/t)		(ppm)	
		ZK0-1	9.4	37.5	28.1	0.4	1.0			
		and	66.5	89.5	23.0	0.9	4.7			
		and	105.7	129.7	24.0	0.3	1.0			
		and	167.5	214.0	46.5	0.4	7.1			
		ZK1-3	46.0	103.7	57.7	0.5	1.9			
		inc	56.0	85.7	29.7	0.8	3.1			
		from	127.0	163.0	36.0	0.5	3.5			
		and	290.5	421.0	130.5	0.5	3.1			
		inc	302.5	380.5	78.0	0.7	3.5			
		ZK1-5	211.4	355.0	145.6	1.5	1.7			
		inc	253.0	340.0	87.0	2.1	1.9			
		ZK0-2	13.3	108.2	94.9	0.3	1.7			
		inc	75.7	108.2	32.5	0.4	2.6			
		and	172.7	193.1	20.4	0.3	2.1			
		and	225.0	376.4	151.4	0.9	3.8			
		inc	227.0	361.0	134.0	1.0	4.1			
		inc	227.0	290.0	63.0	1.6	5.1			
		ZK3-4	26	38	12	0.3	1.5	513	5	
		and	50	114	64	0.2	1.5	549	5	
		inc	86	88	2	1.5	1.4	458	3	1 g/t Au cut off
		and	180	250	70	0.2	1.6	777	3	
		ZK3-1	49.5	112.5	63	0.1	1.7	654	5	4 - 1 1 1 2 2 2 2 2 2
		inc	94.5	96 174	1.5	1.5	1.4	3126	7	1 g/t Au cut off
		and inc	94.5	174	79.5	0.1	2	662	4	1 0/+ 1
		inc	171	172.5	1.5	1.4	2.6	771	7	1 g/t Au cut off
		SAZK0-1	31.2	90.8	59.6	0.2	1.4	392	3	
		and	131.5	179.5	48	0.1	4.3	824	6	
		and and	229.8 319	292.8 490.8	63 171.8	0.2 0.2	1 1.5	325 616	8 12	
		inc	352	490.8 446.5	94.5	0.2	2.4	996	12 15	1 g/t Au cut off
		SAK2-1	66.5	275	208.5	0.3	1.5	626	5	I g/ (Au cut off
		SAR2-1 inc	122	275 185	208.5	0.3	2.1	626 825	3	1 g/t Au cut off
		inc	122	192	03	0.0	2.1	823	3	I g/ i Au cui off

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commenta	У							
		and	225.5	227	1.5	1.6	1.4	638	2	1 g/t Au cut off
		and	288.5	330.5	42	0.2	2	454	1	
		inc	288.5	291.5	3	1.3	5.6	1136	1	1 g/t Au cut off
		SAZKO-2	0	80.7	80.7	0.4	1.9	478	3	
		inc	30.7	51.2	20.5	1	2.5	460	5	1 g/t Au cut off
		and	136	148	12	0.6	0.4	61	14	
		inc	137.5	140.5	3	1.4	0.3	10	4	1 g/t Au cut off
		and	200.5	403.8	203.3	0.3	1.3	588	15	Hole ends in mineralisation
		inc	293.5	399.3	105.8	0.5	1.3	635	16	
		inc	214	215.5	1.5	1.8	2.1	681	12	1 g/t Au cut off
		inc	344.5	399.3	54.8	0.7	1.5	767	12	
		inc	361.8	366.3	4.5	5.5	0.8	502	61	1 g/t Au cut off
		and	397.8	399.3	1.5	1.3	2.3	770	2	1 g/t Au cut off
		ZK1-13	46.2	73.2	27	0.1	0.8	306	1	
		and	140	141.5	1.5	1.9	0.7	236	1	1 g/t Au cut off
		and	161	196	35	0.1	1.4	391	2	
		ZK0-5	6.1	19.8	13.7	0.2	1.3	313	10	
			46.3	130.1	83.8	0.5	1.2	356	7	
		inc	67	118	51	0.7	1.4	409	5	0.5 g/t Au cut off
		inc	75.7	76.8	1.1	1.2	1.4	483	2	1 g/t Au cut off
		and	80.7	81.7	1	1.8	2.2	549	4	1 g/t Au cut off
		and	93.7	94.7	1	13.9	3.4	354	7	1 g/t Au cut off
		and	146.5	296.5	150	0.2	1	310	3	
		and	370	371.5	1.5	0.9	5.2	1812	3	
		and	414.3	415.8	1.5	1.2	0.3	127	1	
		and	560.5	562	1.5	2.3	0.6	189	2	
		and	596	598.2	2.2	1.7	2.1	391	4	
		and	607	608.5	1.5	2	0.8	190	2	
		ZK18-1	NSI							
		ZK0-4	3.70	458.00	454.30*	0.20	1.3	0.04	5.9	
		inc	42.60	154.25	111.65	0.39	1.9	0.05	7.6	0.5 g/t AuEq cut off
		inc	69.70	97.20	27.50	0.66	1.7	0.05	8.6	1.0 g/t AuEq cut off
		ZK10-1	25.02	151.00	125.98	0.16	1.1	0.06	17.9	0.1 g/t AuEq cut off
		and	309.00	326.00	17.00	0.16	0.91	0.07	6.1	0.1 g/t AuEq cut off

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Contact T: +61 8 6380 9235 E: admin@challengerex.com

	Criteria	JORC Code explanation	Commenta	ary									
			and	354.02	45	51.00	96.98*	0.17	1.2	0.06	15.8		
			inc	435.02	45	51.00	15.98*	0.32	1.8	0.07	2.6		
			ZK16-2	19.00	26	57.31	248.31	0.33	2.7	0.07	2.6	0.1 g/t AuEq	cut off
			inc	140.00	25	54.00	114.00	0.53	2.9	0.09	3.3	0.5 g/t AuEq	cut off
			inc	224.00	25	54.00	30.00	0.85	3.6	0.12	3.4	1.0 g/t AuEq	cut off
)			* Mineralisat	ion to end o	f hole	!							
			Significant in	tersections	from C	Colorado V d	channel sa	ımple resu	Its from	undergro	und expo	sure:	
			Channel_id	Fro	m	Interval	AuEq	Au	Ag	Cu	Mo	Comment	
					n)	(m)	(g/t)	(g/t)	(g/t)	(%)	(ppm)		
			Main Adit		.0	264.0	0.42	0.30	2.1	0.05	9.4	0.1 g/t AuEq cut of	
			inc	0	.0	150.0	0.60	0.46	2.4	0.07	9.8	0.5 g/t AuEq cut of	
			inc		.0	112.0	0.71	0.55	2.7	0.08	9.3	1 g/t AuEq cut of	
			and	276	.0	32.0	0.29	0.21	1.4	0.04	5.1	0.1 g/t AuEq cut o	off
			Main Adit	20	.0	39.1	0.30	0.28	2.3	0.03	4.5	0.1 g/t AuEq cut of	off
			(west drive)										
			and	74		56.0	0.69	0.64	1.8	0.01		0.5 g/t AuEq cut of	
			inc	84	.0	46.0	0.81	0.76	2.1	0.01	3.0	1.0 g/t AuEq cut of	off
			Significant ir	ntersections	from	Fl Guavabo	drilling co	ompleted b	ov CFI :				
			Drill						.,				
			Hole	From	To	Interval	Gold	Ag	Cu	Мо	AuEq	Comments	Total intercept
			(#)	(m)	(m)	(m)	(g/t)	(g/t)	(%)	(ppm)	(g/t)		(gram metres)
			GYDD-	46.0						40.0		0.1 g/t cut-off	
			21-001		800.5 548.0	784.3 380.5	0.2 0.3	1.6 2.0	0.1 0.1	12.0 18.4	0.4 0.5	1.0 g/t cut-off	282.4 178.8
			inc inc		548.0	188.5	0.3	2.4	0.1	29.5	0.6	1.0 g/t cut-off	115.0
			inc		431.0		0.5	6.9	0.2	104.4	1.0	1.0 g/t cut-off	26.6
			inc		424.0		0.8	3.0	0.2	138.9	1.1	1.0 g/t cut-off	22.9
			and	468.5	498.5	30.0	0.8	2.6	0.2	24.8	1.1	1.0 g/t cut-off	31.8
			GYDD- 21-002	85	131.5	46.5	0.32	3.99	0.04	5.72	0.4	0.1 g/t cut-off	20.0
			incl.	112	114.3	2.3	1.33	33.17	0.12	5.1	2.0	1.0 g/t cut-off	4.5
			incl.		131.5		2.05	7.36	0.01	1.29	2.2	1.0 g/t cut-off	3.8
			and	279.45	306.5	27.05	1.49	0.82	0.02	2.21	1.5	0.1 g/t cut-off	41.4
			incl.	305	306.5	1.5	19.16	1.89	0.03	3.21	19.2	10.0 g/t cut- off	28.8

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights **Australian Registered Office** Level 1 1205 Hay Street

West Perth WA 6005

Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commen	tary									
		and	378.5	392	13.5	0.44	0.21	0.01	1.45	0.5	0.1 g/t cut-off	6.2
		and	447.9	448.8	0.9	0.74	4.85	0.06	1.92	0.9	0.1 g/t cut-off	0.8
		and	499.8	557.8	58	0.14	0.3	0.01	1.53	0.2	0.1 g/t cut-off	9.3
		incl.	547.8	554.8	7	0.39	0.21	0.01	1.74	0.4	0.5 g/t cut-off	2.9
		incl.	554.1	554.8	0.7	1.06	0.2	0.01	1.08	1.1	1.0 g/t cut-off	0.8
		GYDD-									0.1 g/t cut-off	
		21-003	71.85	191.06	119.2	0.4	0.8	0.0	2.2	0.5	0.1 g/t cut-011	53.9
		inc	76.35	153.56	77.2	0.5	0.5	0.0	1.1	0.6	1.0 g/t cut-off	45.6
		inc	76.35	102.56	26.2	1.1	0.9	0.0	1.7	1.1	1.0 g/t cut-off	29.3
		inc	101.80	102.56	0.8	20.6	4.9	0.0	0.6	20.7	10.0 g/t cut	15.7
		and	356.50	371.50	15.0	0.3	0.4	0.0	5.0	0.4	0.1 g/t cut-off	5.3
		inc	361.00	362.50	1.5	1.0	0.5	0.0	3.9	1.1	1.0 g/t cut-off	1.6
		and	575.80	597.20	21.4	0.1	2.6	0.1	57.7	0.3	0.1 g/t cut-off	6.7
		and	662.20	723.15	61.0	0.1	0.9	0.0	24.5	0.2	0.1 g/t cut-off	12.3
		GYDD-									0.4 = /4 = = ff	
		21-004	37.10	375.75	338.7	0.2	1.0	0.0	6.5	0.3	0.1 g/t cut-off	84.7
		inc	223.46	375.75	152.3	0.2	1.3	0.0	7.3	0.3	0.1 g/t cut-off	50.0
		inc	348.75	375.75	27.0	0.5	1.8	0.0	7.3	0.6	1.0 g/t cut-off	16.9
		and	613.50	646.50	33.0	0.2	0.6	0.1	18.7	0.3	0.1 g/t cut-off	8.6
		inc	639.00	646.50	7.5	0.5	0.5	0.0	10.7	0.5	1.0 g/t cut-off	4.1
		GYDD-										
		21-005	16.10	597.75	581.7	0.3	0.9	0.0	2.5	0.3	0.1 g/t cut-off	194.3
		inc	389.80	478.15	88.4	0.6	1.8	0.1	1.5	0.8	1.0 g/t cut-off	66.7
		inc	476.50	478.15	1.7	25.1	1.8	0.0	4.0	25.2	10.0 g/t cut	41.5
		and	567.34	597.75	30.4	1.4	0.9	0.0	5.1	1.5	1.0 g/t cut-off	45.6
		inc	592.59	597.75	5.2	7.1	2.0	0.0	3.9	7.2	1.0 g/t cut-off	36.9
		inc	596.15	597.15	1.0	22.0	3.9	0.0	10.9	22.2	10 g/t cut-off	22.2
		GYDD-										
		21-006	3.30	313.10	309.8	0.2	6.3	0.2	3.0	0.7	0.1 g/t cut-off	207.1
		inc	17.40	276.50	259.1	0.2	7.3	0.2	3.3	8.0	0.1 g/t cut-off based on	195.9
		inc	74.40	276.50	202.1	0.3	6.5	0.3	3.6	0.8	lithology	165.7
		inc	74.40	107.40	33.0	0.3	15.5	0.5	3.7	1.3	1.0 g/t cut-off	43.4
		and	231.90	285.50	53.6	0.7	8.8	0.4	1.1	1.5	1.0 g/t cut-off	81.7
		GYDD- 21-007	85.30	94.00	8.7	0.4	3.6	0.1	4.6	0.6	1.0 g/t cut-off	5.5
		and	149.50	509.60	360.1	0.1	0.9	0.1	9.6	0.3	0.2 g/t cut off	95.1
		inc	253.50	265.50	12.0	0.4	2.0	0.1	10.3	0.5	1.0 g/t cut-off	6.1
		and	309.50	316.70	7.2	0.4	2.6	0.1	16.6	0.8	0.5 g/t cut-off	5.7
		and	450.20	493.20	43.0	0.4	1.0	0.2	21.3	0.6	0.5 g/t cut-off	24.1
		anu	430.20	+33.20	43.0	0.4	1.0	0.1	۷1.5	0.0	0.3 g/ t tut-011	24.1

1,027.7m shares 120m perf shares 16m perf rights **Australian Registered Office** Level 1 1205 Hay Street

West Perth WA 6005


Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Contact T: +61 8 6380 9235 E: admin@challengerex.com

Criteria	JORC Code explanation	Comment	ary									
		and	628.77	651.80	23.0	0.1	0.7	0.4	5.5	0.2	0.2 g/t cut-off	4.6
		inc	649.25	651.80	2.6	0.6	2.4	0.1	2.1	0.8	EOH	1.9
		GYDD- 21-008	5.30	263.10	257.8	0.8	7.9	0.3	1.5	1.4	0.1 g/t cut-off	361.0
		inc	184.10	263.10	79.0	2.4	17.5	0.7	1.6	3.8	1.0 g/t cut-off	298.6
		inc	209.40	263.10	53.7	3.5	23.9	0.9	1.7	5.3	5.0 g/t cut-off	285.7
		inc	248.80	255.60	6.8	16.9	50.1	1.9	1.6	20.6	10 g/t cut-off	104.2
		GYDD- 21-009	0.00	692.70	692.7	0.2	2.0	0.1	7.7	0.3	ЕОН	191.9
		inc	220.50	441.00	220.5	0.3	4.3	0.1	8.7	0.6	0.5 g/t cut-off	128.3
		inc	282.80	303.50	20.7	0.3	16.5	0.3	5.5	1.0	0.5 g/t cut-off	20.5
		inc	359.00	439.50	80.5	0.5	1.3	0.2	5.8	0.9	1.0 g/t cut-off	68.8
		inc	359.00	371.00	12.0	1.4	3.1	0.2	6.3	1.7	1.0 g/t cut-off	20.1
		and	398.00	439.50	41.5	0.5	7.2	0.2	5.7	1.0	1.0 g/t cut-off	41.0
		inc	421.20	439.50	18.3	0.9	14.4	0.5	5.3	1.8	1.0 g/t cut-off	33.4
		GYDD- 21-010	70.20	880.10	809.9	0.2	1.1	0.1	11.9	0.3	0.2 g/t cut-off	227.6
		inc	124.10	536.30	412.1	0.2	1.2	0.1	14.0	0.4	0.2 g/t cut-off	153.7
		inc	318.70	536.30	217.6	0.3	1.6	0.1	19.9	0.5	0.5 g/t cut-off	102.9
		inc	319.70	358.40	38.7	0.5	1.8	0.1	8.4	0.7	1.0 g/t cut-off	28.6
		and	468.10	536.30	68.2	0.4	2.2	0.1	31.8	0.7	1.0 g/t cut-off	45.4
		and	581.60	880.10	298.5	0.1	1.0	0.0	10.3	0.2	0.2 g/t cut-off	61.8
		inc	650.00	660.50	10.5	0.5	3.3	0.1	16.9	0.7	1.0 g/t cut-off	6.9
		GYDD- 21-011	3.00	310.90	307.9	0.5	2.4	0.0	13.6	0.6	0.2 g/t cut-off	191.5
		inc	13.00	21.00	8.0	0.7	12.4	0.1	2.0	0.9	0.5 g/t cut-off	7.3
		and	156.05	258.90	102.9	1.1	2.7	0.0	19.1	1.2	0.5 g/t cut-off	122.7
		inc	156.05	213.05	57.0	1.7	3.6	0.0	9.0	1.8	1.0 g/t cut-off	104.3
		GYDD- 21-012	2.00	226.84	224.8	0.3	2.4	0.0	2.7	0.4	0.2 g/t cut-off	83.6
		inc	2.00	44.50	42.5	0.6	2.3	0.0	1.9	0.7	1.0 g/t cut-off	31.1
		inc	2.00	6.50	4.5	1.8	8.0	0.0	1.8	1.9	1.0 g/t cut-off	8.4
		and	31.00	38.50	7.5	0.9	6.5	0.0	1.8	1.1	1.0 g/t cut-off	8.1
		and	339.94	365.60	25.7	0.1	2.2	0.0	2.3	0.2	0.2 g/t cut-off	4.6
		and	464.20	491.90	27.7	0.1	2.6	0.0	2.6	0.2	0.2 g/t cut-off	6.4
		and	669.60	741.60	72.0	0.3	8.0	0.0	3.2	0.3	0.2 g/t cut-off	23.1
		inc	677.10	732.60	55.5	0.3	0.7	0.0	3.6	0.4	1.0 g/t cut-off	20.4
		GYDD- 21-013	33.60	164.50	130.9	0.2	4.2	0.1	5.7	0.4	0.2 g/t cut-off	51.4

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Contact T: +61 8 6380 9235 E: admin@challengerex.com



Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Contact T: +61 8 6380 9235 E: admin@challengerex.com

Criteria	JORC Code explanation	Commen	tary									
											1.0 g/t AuEq	
		and	387.10	396.20	9.10	0.75	6.91	0.14	8.93	1.08	cut off 1.0 g/t AuEq	9.8
		incl.	490.20	504.20	14.00	0.77	1.29	0.03	24.72	0.85	cut off	11.9
		CVDD- 22-003	2.5	eoh	509.90	0.24	1.41	0.07	31.30	0.4	0.1 g/t AuEq cut off	203.96
		incl.	2.5	246.5	244.00	0.36	1.76	0.09	44.80	0.6	0.5 g/t AuEq cut off	146.4
		incl.	2.5	159.4	156.90	0.44	1.76	0.10	54.70	0.7	1.0 g/t AuEq cut off	109.83
		incl.	2.5	75.8	73.30	0.55	1.81	0.11	59.10	8.0	1.0 g/t AuEq cut off	58.64
		incl.	66.3	75.8	9.50	0.85	1.40	0.13	146.00	1.2	1.0 g/t AuEq cut off	11.4
		CVDD- 22-004	203	eoh	456.20	0.13	0.91	0.05	10.90	0.25	0.1 g/t AuEq cut off	114.05
		incl.	443.9	649.3	205.40	0.19	1.00	0.06	11.10	0.3	0.5 g/t AuEq cut off	61.62
		incl.	448.4	504.5	56.10	0.23	1.13	0.07	8.30	0.4	1.0 g/t AuEq cut off	22.44
		incl.	593	602	9.00	0.58	0.87	0.04	6.70	0.7	1.0 g/t AuEq cut off	6.3
		CVDD- 22-005	8.1	572.2	564.10	0.21	2.30	0.09	44.10	0.4	0.1 g/t AuEq cut off	225.64
		incl.	8.1	286.1	278.00	0.30	3.21	0.11	68.20	0.6	0.5 g/t AuEq cut off	166.8
		incl.	25.8	154.5	128.70	0.39	3.36	0.11	112.10	0.7	1.0 g/t AuEq cut off	90.09

Guayabo and Colorado V Camp 1, Phase #1 Driling Intercepts:

A cut-off grade of 0.1 g/t Au was used to report the assays of core samples with up to 10 metres of internal dilution below cut-off allowable for the reporting of significant intercepts, consistent with a large low-grade mineralized system. Intersections that use a different cut-off are indicated (eg. 0.2g/t Au Eq, 0.5g/t AuEq, 1.0g/t AuEq, 10.0g/t AuEq).


Relationship between mineralisation widths and intercept

- These relationships are particularly important in the reporting of Exploration Results.

 If the geometry of the
- The geometry of the breccia hosted mineralisation appears to be predominantly vertical pipes while the geometry of the intrusive hosted mineralisation is sub-vertical..
- The preliminary interpretation is that the breccia hosted mineralisation occurs in near vertical breccia pipes. Thus, intersections in steeply inclined holes may not be representative of the true width of this breccia hosted mineralisation. The relationship between the drilling orientation and some of the key mineralised structures and possible reporting bias in terms of true width is illustrated in the figure below.

Challenger Exploration Limited ACN 123 591 382 ASX: CEL Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Contact T: +61 8 6380 9235 E: admin@challengerex.com



Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

	Criteria	JORC Code explanation	Commentary
		representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	
\mathcal{D}	Other substantive exploration data	- Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	El Guayabo: Quantec Geophysical services conducted a SPARTAN Broadband Magnetotelluric and TITAN IP/EMAP surveys completed February 3rd to April 1st, 2019 over the El Guayabo property by Quantec Geoscience Ltd. on behalf of AAR Resources. The survey covered 16 square kilometersa with data collected on 300m 3D spacing on a gride oriented at 10 degerees and 100 degerees. The grid was moved 10 degrees so the survey could be orineted perpendicu;lar to the main geological srtuctures. The survey involved a total of 205 Magnetotelluric (MT) sites and 2 test TITAN IP/EMAP profiles were surveyed The final survey results to which will be delivered will consist of: Inversion 2D products DC resistivity model; IP chargeability model using the DC resistivity model as a reference; MT(EMAP) resistivity model; Joint MT+DC resistivity model; Inversion 3D products Inversion 3D products Toross-sections and Elevation Plan maps of the 3D MT models;
			DCIP INVERSION PROCEDURES DCIP is an electrical method that uses the injection of current and the measurement of voltage difference along with its rate of decay to determine subsurface resistivity and chargeability respectively. Depth of investigation is mainly controlled by the array geometry but may also be limited by the received signal (dependent on transmitted current) and ground resistivity. Chargeability is particularly susceptible to data with a low signal-to-noise ratio. The differences in penetration depth between DC resistivity and chargeability are a function of relative property contrasts and relative signal-to-noise levels between the two measurements. A detailed introduction to DCIP is given in Telford, et al. (1976). The primary tool for evaluating data is through the inversion of the data in two or three dimensions. An inversion model depends not only on the data collected, but also on the associated data errors in the reading and the "model norm". Inversion models are not unique and may contain "artefacts" from the inversion process. The inversion model may not accurately reflect all the information apparent in the actual data. Inversion models must be reviewed in context with the observed data, model fit, and with an understanding of the model norm used. The DC and IP inversions use the same mesh. The horizontal mesh is set as 2 cells between electrodes. The vertical mesh is

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 Directors
Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

along the profiles, and then increases logarithmically with depth. The inversions were generally run for a maximuliterations. The DC data is inverted using an unconstrained 2D inversion with a homogenous half-space of average data as starting model. For IP inversions, the apparent chargeability is computed by carrying out two DC reformed models with conductivity distributions $\sigma(xi,zj)$ and $(1-\eta)\sigma(xi,zj)$ (Oldenburg and Li, 1994), where specifies the location in a 2D mesh. The conductivity distributions used in IP inversions can be the inverted DC model as paced of uniform conductivity. Two IP inversions are then calculated from the same data set and parameter different reference models. The first inversion of the IP data uses the previously calculated DC model as the remodel and is labelled the IP deref model. This model is included to test the validity of chargeability anomalies limit the possibility of inversion artefacts in the IP model due to the use of the DC model as a reference. The result second IP inversion are presented on the digital archived attached to this report. MAGNETOTELLURIC INVERSIONS The Magnetotelluric (MT) method is a natural source EM method that measures the variation of both the electric magnetic (II) field on the surface of the earth to determine the distribution at depth of the resistivity of the unrocks. A complete review of the method is presented in Vozoff (1972) and Orange (1989).	Criteria	JORC Code explanation	Commentary
The Magnetotelluric (MT) method is a natural source EM method that measures the variation of both the electric magnetic (H) field on the surface of the earth to determine the distribution at depth of the resistivity of the un rocks. A complete review of the method is presented in Vozoff (1972) and Orange (1989).			designed with a cell thickness starting from 20 m for the first hundred metres to accommodate the topographic variation along the profiles, and then increases logarithmically with depth. The inversions were generally run for a maximum of 50 iterations. The DC data is inverted using an unconstrained 2D inversion with a homogenous half-space of average input data as starting model. For IP inversions, the apparent chargeability \Box is computed by carrying out two DC resistivity forward models with conductivity distributions $\sigma(xi,zj)$ and $(1-\eta)\sigma(xi,zj)$ (Oldenburg and Li, 1994), where (xi,zj) specifies the location in a 2D mesh. The conductivity distributions used in IP inversions can be the inverted DC model or a half space of uniform conductivity. Two IP inversions are then calculated from the same data set and parameters using different reference models. The first inversion of the IP data uses the previously calculated DC model as the reference model and is labelled the IP dcref model. The second IP inversion uses a homogeneous half-space resistivity model as the reference model and is labelled IP hsref model. This model is included to test the validity of chargeability anomalies, and to limit the possibility of inversion artefacts in the IP model due to the use of the DC model as a reference. The results of this second IP inversion are presented on the digital archived attached to this report.
tensor is generally represented by an apparent resistivity (a parameter proportional to the modulus of Z) and (argument of Z). The variation of those parameters with frequency relates the variations of the resistivity with de high frequencies sampling the sub-surface and the low frequencies the deeper part of the earth. However, the a resistivity and the phase have an opposite behaviour. An increase of the phase indicates a more conductive zone host rocks and is associated with a decrease in apparent resistivity. The objective of the inversion of MT data is to a distribution of the resistivity of the surface that explains the variations of the MT parameters, i.e. the response model that fits the observed data. The solution however is not unique and different inversions must be perfectly different programs, different conditions) to test and compare solutions for artefacts versus a target anomaly. An additional parameter acquired during MT survey is the Tipper. Tipper parameters Tzx and Tzy (complex nor represent the transfer function between the vertical magnetic field and the horizontal X (Tzx), and Y (Tzy) magner respectively (as the impedance Z represent the transfer function between the electric and magnetic fields). This tipper capped is the surface of the resistivity. Consequently, the tipper can be used to esting geological strike direction. Another important use of the tipper is to display its components as vectors, named in vectors. The induction vectors (defined by the real components of Tzx and Tzy) plotted following the Parkins Reverse-Angle convention will point to conductive zones. The tipper is then a good mapping tool to delineat conductive zones. The depth of investigation is determined primarily by the frequency content of the measurement. Depth estimate			The Magnetotelluric (MT) method is a natural source EM method that measures the variation of both the electric (E) and magnetic (H) field on the surface of the earth to determine the distribution at depth of the resistivity of the underlying rocks. A complete review of the method is presented in Vozoff (1972) and Orange (1989). The measured MT impedance Z, defined by the ratio between the E and H fields, is a tensor of complex numbers. This tensor is generally represented by an apparent resistivity (a parameter proportional to the modulus of Z) and a phase (argument of Z). The variation of those parameters with frequency relates the variations of the resistivity with depth, the high frequencies sampling the sub-surface and the low frequencies the deeper part of the earth. However, the apparent resistivity and the phase have an opposite behaviour. An increase of the phase indicates a more conductive zone than the host rocks and is associated with a decrease in apparent resistivity. The objective of the inversion of MT data is to compute a distribution of the resistivity of the surface that explains the variations of the MT parameters, i.e. the response of the model that fits the observed data. The solution however is not unique and different inversions must be performed (different programs, different conditions) to test and compare solutions for artefacts versus a target anomaly. An additional parameter acquired during MT survey is the Tipper. Tipper parameters Tzx and Tzy (complex numbers) represent the transfer function between the vertical magnetic field and the horizontal X (Tzx), and Y (Tzy) magnetic fields respectively (as the impedance Z represent the transfer function between the electric and magnetic fields). This tipper is a 'local' effect, mainly defined by the lateral contrast of the resistivity. Consequently, the tipper can be used to estimate the geological strike direction. Another important use of the tipper is to display its components as vectors, named induction vectors. The induction vectors

Directors

Mr Kris Knauer, MD and CEO

Mr Fletcher Quinn, Chairman Mr Sergio Rotondo, Exec. Director

Mr Scott Funston, Finance Director

Contact

T: +61 8 6380 9235

E: admin@challengerex.com

www.challengerex.com

Issued Capital

16m perf rights

1,027.7m shares

120m perf shares

Australian Registered Office

Level 1

1205 Hay Street

West Perth WA 6005

Challenger Exploration Limited

ACN 123 591 382

ASX: CEL

Criteria	JORC Code explanation	Commentary
		models are not unique, may contain artefacts of the inversion process and may not therefore accurately reflect all the information apparent in the actual data. Inversion models need to be reviewed in context with the observed data, mode fit. The user must understand the model norm used and evaluate whether the model is geologically plausible. For this project, 2D inversions were performed on the TITAN/EMAP profiles data. For each profile, we assume the strike direction is perpendicular to the profile for all sites: the TM mode is then defined by the inline E-field (and cross line H-field); no TE mode (crossline E-field) were used in the 2D inversions. The 2D inversions were performed using the TM-mode resistivity and phase data interpolated at 6 frequencies per decade assuming 10% and 5% error for the resistivity and phase respectively, which is equivalent to 5% error on the impedance component Z. No static shift of the data has been applied on the data. The 3D inversion was carried out using the CGG RLM-3D inversion code. The 3D inversions of the MT data were completed over an area of approximately 5km x 3.5km. All MT sites from this current survey were used for the 3D inversion. The 3D inversion was completed using a sub sample of the MT data with a maximum of 24 frequencies at each site covering the measured data from 10 kHz to 0.01 Hz with a nominal 4 frequencies per decade. At each site, the complete MT complex impedance tensors (2xx, 2xy, 2xy, and 2yy) were used as input data with an associated error set to 5% on each parameter. The measured tipper data (Tzx, Tzy) were also used as input data with an associated error set to 5% on each parameter. A homogenous half space with resistivity of 100 Ohm-m was used as the starting model for this 3D MT inversion. A uniform mesh with 75 m x 75 m cell size was used in horizontal directions in the resistivity model. The vertical mesh was defined to cover the first 4 km. Padding cells were analysed to measure the resistivity (Rho (Ohm*m) and chargeability propertic
		Colorado V: Exploration Target: An Exploration Target for two mineralized zones on the Colorado V mining concession has been made using surface gold in soil anomalies, drill hole geological and assay information and panel sampling from an adit at one of the targets.
		Exploration Target Anomaly A Unit Low estimate High Estimate
		Surface area (100 ppb Au in soil envelope): m ² 250000 250000
		Depth m 400 400
		Bulk Density kg/m³ 2600 2750
		Tonnage Mt 260 275
		Grade Au g/t 0.4 0.7
		Grade Ag g/t 1.5 2.5
		tonnage above cut-off % 70% 90%

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary				
		Contained Au	Moz	2.3	5.6	
		Contained Ag	Moz	8.8	19.9	
		Exploration Target Anomaly B	Unit	Low estimate	High Estimate	
		Surface area (100 ppb Au in soil envelope):	m²	175000	175000	
		Depth	m	400	400	
		Bulk Density	kg/m³	2600	2750	
		Tonnage	Mt	182	193	
		Grade Au	g/t	0.4	0.7	
		Grade Ag	g/t	1.5	2.5	
		% Tonnage above cut-off	%	70%	90%	
		Contained Au	Moz	1.6	3.9	
		Contained Ag	Moz	6.1	13.9	
		Total of Target A & B	Unit	Low estimate	High Estimate	
		Tonnage	Mt	442	468	
		Contained Au	Moz	4.0	9.5	
		Contained Ag	Moz	14.9	33.8	
		exploration to estimate a Mineral Resource and that it Mineral Resource. The following is an explanation of the inputs used in fo Surface Area: The surface area of the target has vertically to the surface. The surface projection of gold-in-soil anomaly contour. This area has been Depth: A depth of 400 metres from surface has lunderground bulk tonnage mining project would controlled by steeply plunging / dipping intrusion from surface. Bulk Density: The bulk density is based on geology bulk densities for these rock types are in the range of Gold and Silver grades: The gold and silver grades.	rmulating the E been estimated of the intersect used to estimate been used as an be expected to as and breccia w gical observatio ge used.	exploration Target. If by projecting drill ions in the drill hole ate the horizontal entertion estimate of the dependent of the dependent of the mine which is expected to the solutions of the rocks that a sestimated from the	hole gold significant es coincides with the xtent of the minerali: epth that an open pit ralization at Colorado o extend to at least 40 t host the mineralizat	intersections 100 ppb Au zation. and o V is 00m depth tion. Typical
		 sample grades and deviations from mean from d Proportion of tonnage above cut-off grade: Thes continuity down-hole assuming that not all of the grade. 	e values are est	imates based on di	rill hole intersection g	

Issued Capital 1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director

Criteria	JORC Code explanation	Commentary
Further work	 The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	 Drill test priority targets identified through exploration reported previously on both the EL Guayabo and Colorado V targets, centered on surface soil and rock chip sampling, underground channel sampling and previously completed drilling which has been relogged and resampled. Interpretation of magnetic survey data following calibration with drilling. Undertake additional IP and/or EM surveys subject to a review of the appropriateness of the techniques and calibration with drill hole data.

1,027.7m shares 120m perf shares 16m perf rights Australian Registered Office Level 1 1205 Hay Street West Perth WA 6005 **Directors**Mr Kris Knauer, MD and CEO
Mr Scott Funston, Finance Director
Mr Fletcher Quinn, Chairman
Mr Sergio Rotondo, Exec. Director