

10 August 2022

The Manager Market Announcements Office **ASX Limited** PO Box H224 Australia Square SYDNEY NSW 2001

Dear Sir/Madam

EXCEPTIONAL MANNA DRILLING RESULTS

Please find attached information relating to more exciting infill and extensional drilling results from a 20,000m program of reverse circulation drilling currently being undertaken by Global Lithium Resources Limited (GL1), at the Manna Lithium Project within Breaker Resources NL's 1.7Moz# Lake Roe Gold Project.

A maiden Inferred JORC Mineral Resource of 9.9Mt @ 1.14% Li₂O and 49 Ta₂O₅ ppm[^] was previously announced on 17 February 2022. The 5km x 1.5km pegmatite system at Manna is open in all directions. A Mineral Resource update for the Manna Lithium Project is expected following the drilling program and metallurgical test work in Q4 2022.

Breaker retains a 20% free-carried interest in the Manna Lithium Project with Global Lithium carrying all costs and expenditure to completion of a positive bankable feasibility study (BFS). Breaker is also entitled to milestone payments of up to \$20 million.

On behalf of the Board of Directors,

Tom Sanders

Managing Director

For further information on Breaker Resources NL please visit the Company's website at www.breakerresources.com.au, or contact:

Investors/Shareholders

Tom Sanders

+61 8 9226 3666

Email: <u>breaker@breakerresources.com.au</u>

Telephone: (08) 9226 3666

ASX: BRB; ACN: 145 011 178




About Breaker Resources NL

Breaker Resources NL (ASX: BRB) is unlocking the potential of a new 1.7Moz greenfields gold district in the Kalgoorlie region of Western Australia, the world's top-ranked mining jurisdiction.

The operational strategy is to develop a large open pit and underground gold mine while concurrently drilling to keep expanding the rapidly growing Resource. Major shareholders include the Electrum Gold Fund (10%), Paulson and Co (10%) and Franklin Templeton (6%).

The key attributes of the Lake Roe Project are its scale and high-grade mining optionality. Gold at the main deposit starts 5m from surface and occurs over a 150m-wide zone in a 3km-long single pit configuration, part of a 9km-long gold system. High-grade lodes discovered in the last year have confirmed that open pit mining will transition to underground mining. Open pit PFS studies to date indicate no barriers to development.

Free-carried lithium interests situated within the Lake Roe project have the potential to fund a large part of the capital expenditure expected for a standalone development.



The Ularring Project, situated in the emerging SW Yilgarn mineral province, hosts a known gold-copper system and untested nickel and PGE potential in a large, previously undrilled mafic-ultramafic belt. BRB's initial drilling is expected to start in Q3 2022.

^ The information in this report that relates to the Lake Roe Mineral Resource is based on information announced to the ASX on 20 December 2021. The information in this report that relates to the Manna Mineral Resource is based on information announced to the ASX on 17 February 2022. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements and, in the case of estimates of Mineral Resources, all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement

ASX Announcement

10 August 2022



EXCEPTIONAL MANNA DRILLING RESULTS INCLUDE 24m @ 1.03% Li₂O

SIGNIFICANT EXTENSION TO RESOURCE ALONG STRIKE AND DOWN DIP

Key Highlights

- RC drilling assay results returned from Manna include the largest single interval to date
 - MRC0048 returned individual intercepts of:
 - **24m @ 1.03% Li₂O** from 159m
 - Including
 - 11m @ 1.37% Li₂O from 164m
 - 6m @ 1.27% Li₂O from 177m
- Significant lithium intervals returned 220m North of existing resource outline include:
 - MRC0043 returned individual intercepts of:
 - 7m @ 1.60% Li₂O from 39m
 - **3m** @ **1.86%** Li₂O from 53m
 - 1m @ 2.25% Li₂O from 90m
 - MRC0044 returned individual intercepts of:
 - 9m @ 1.32% Li₂O from 101m
 - 10m @ 1.45% Li₂O from 174m
 - MRC0046 returned individual intercepts of:
 - 7m @ 1.41% Li₂O from 163m
 - 4m @ 1.54% Li₂O from 213m
 - 6m @ 1.57% Li₂O from 232m
- Updated Manna Mineral Resource Estimate anticipated Q4 2022

Growing multi-asset West Australian lithium company Global Lithium Resources Limited (ASX: GL1, "Global Lithium" or "the Company") is pleased to announce that the Reverse Circulation (RC) drilling program at the Manna Lithium Project has returned the largest single intercept of a Lithium Bearing Pegmatite in the project's history. In addition to this notable achievement, further significant lithium assay results were returned which extend the northern strike by 220m from the existing assay results.

Ongoing ground mapping of the north/eastern extension target area at Manna has identified large outcropping pegmatites 1,000m along strike from the current resource outline.

The RC drilling program is currently focused to drill out this extended area so that results can be included in the updated Mineral Resource Estimate (MRE), which the Company plans to release in Q4 2022.

An additional Program of Works (**POW**) has been submitted to the Mines Department to cover off the expanded exploration program.

The Manna Lithium Project hosts a maiden **Inferred Mineral Resource of 9.9Mt** @ **1.14% Li₂O** (100% basis)¹. The Company anticipates releasing the update MRE following the completion of the drilling program as well as additional metallurgical test work in Q4 2022.

Global Lithium General Manager - Exploration, Stuart Peterson commented,

"The Manna project is continuing to impress with these exceptional results. The north/eastern extension of the deposit is proving to be very encouraging, and the RC drilling program has been targeted to drill this new area in time for inclusion in our updated MRE in Q4.

The diamond drilling program performed by Mt Magnet drilling has started night shift this week and is on target to finish the program in about 6 weeks. The core is currently being processed onsite and shipped to Perth ready for assay. The diamond drilling program has been designed to test the extension of the LCT pegmatites at depth as well as providing representative core for the upcoming metallurgical test work and feasibility studies."



¹ Refer ASX release dated 17 February 2022.




Figure 1. Large outcropping pegmatite 1,000m along strike from the current resource outline






Figure 2. Plan view showing Manna extended resource drilling program and cross section location.






Figure 3. Section showing the largest lithium intercept for the project to date at hole MRC0048






Figure 4. Cross section of the lithium bearing pegmatites situated 220m along strike from existing assay results

Approved by the board of Global Lithium Resources Limited.

For more information:

Ron Mitchell

Managing Director

info@globallithium.com.au

+61 8 6103 7488

Victoria Humphries

Media & Investor Relations

victoria@nwrcommunications.com.au

+61 (0) 431 151 676



About Global Lithium

Global Lithium Resources Limited (ASX:GL1, Global Lithium) is a diversified West Australian focused mining exploration company with multiple assets in key lithium branded jurisdictions with a primary focus on the 100%-owned Marble Bar Lithium Project (MBLP) in the Pilbara region and the 80%-interest in the Manna Lithium Project in the Goldfields, Western Australia.

Global Lithium has now defined a total Inferred Mineral Resource of 18.4Mt @ 1.06% Li2O at its MBLP and Manna Lithium projects, confirming Global Lithium as a new lithium player in Western Australia, on which it will progress exploration during 2022.

Global Lithium's major shareholders include Suzhou TA&A Ultra Clean Technology Co. Limited (Suzhou TA&A), a controlling shareholder of Yibin Tianyi Lithium, a joint venture between Suzhou TA&A (SZSE: 300390) (75%) and CATL (SZSE: 300750) (25%), the world's largest EV battery producer, and ASX listed Mineral Resources Limited (ASX: MIN).

Directors

Warrick Hazeldine
Ron Mitchell
Dr Dianmin Chen
Greg Lilleyman
Hayley Lawrance
Non-Executive Chair
Managing Director
Non-Executive Director
Non-Executive Director

Global Lithium - Mineral Resources

Project (equity)	Category	Tonnes (mt)	Li₂O%	Ta ₂ O ₅ ppm	
Marble Bar (100%)	Inferred	10.5	1.0	53	
Manna (80%)	Inferred	7.9	1.14	49	
Combined Total		18.4	1.06	51	

Competent Persons Statement:

Exploration Results

The information in this announcement that relates to Exploration Results for the Manna Lithium Project complies with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code) and is based on, and fairly represents, information and supporting documentation prepared by Mr Stuart Peterson, a full-time employee of Global Lithium Resources Limited. Mr Peterson is a member of the Australasian Institute of Mining and Metallurgy (MAusIMM). He has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the JORC Code. Mr Peterson considers that the information in the market announcement is an accurate representation of the available data and studies for the mining project. Mr Peterson consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.



Mineral Resources

Information on historical exploration results and Mineral Resources for the Manna Lithium Project presented in this announcement, together with JORC Table 1 information, is contained in an ASX announcement released on the 17 February 2022.

Information on historical exploration results and Mineral Resources with respect to the MBLP presented in this Announcement, together with JORC Table 1 information, is contained in the Independent Geologists Report within the Company's Prospectus dated 22 March 2021, which was released as an announcement on 4 May 2021.

The Company confirms that it is not aware of any new information or data that materially affects the information in the relevant market announcements, and that the form and context in which the Competent Persons findings are presented have not been materially modified from the original announcements.

Where the Company refers to Mineral Resources in this announcement (referencing previous releases made to the ASX), it confirms that it is not aware of any new information or data that materially affects the information included in that announcement and all material assumptions and technical parameters underpinning the Mineral Resource estimate in that announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Persons findings are presented have not materially changed from the original announcement.

	Hole ID	Easting (MGA50)	Northing (M	GA50)	RL	Dip	Azi	muth	Total
					(m)	(degrees)	(de	grees)	Depth (m)
		6504060.06	455070.0	-	42.4.50	60.00	2.2	2.74	466.00
	MRC0033	6584362.86	455273.2		424.50	-60.20		2.71	166.00
	MRC0034	6584297.90	455321.2		424.66	-60.42		1.28	184.00
	MRC0043	6584935.49	456043.4		420.00	-60.14		7.48	178.00
	MRC0044	6584871.86	456093.5		420.00	-60.78		3.56	226.00
CIU	MRC0046	6584836.59	456115.6		420.00	-60.23		1.21	268.00
	MRC0048	6584230.95	455373.2	.2	423.66	-59.63	32	1.16	262.00
	Holo ID	Nouthing	Facting	Гион	T.	Thick	cness	Li₂O	To O
	Hole_ID	Northing	Easting	Fron (m)	n To (m		n)	(%)	Ta₂O₅ (ppm)
	MRC0033	6584362.86	455273.25	0.00			00	0.456	7.123
	MRC0033	6584362.86	455273.25	14.0			00	0.409	12.037
	MRC0033	6584362.86	455273.25	25.0	27.0	00 2.	00	0.557	12.577
	MRC0033	6584362.86	455273.25	45.0	47.0	00 2.	00	1.200	49.394
	MRC0033	6584362.86	455273.25	50.0	51.0	00 1.	00	0.638	41.273
QL	MRC0033	6584362.86	455273.25	68.0	69.0	00 1.	00	0.531	21.125
	MRC0033	6584362.86	455273.25	106.0	0 107.	00 1.	00	0.429	20.637
	MRC0034	6584297.90	455321.23	22.0	23.0	00 1.	00	0.411	8.548
	MRC0034	6584297.90	455321.23	36.0	40.0	00 4.	00	0.447	24.453
	MRC0034	6584297.90	455321.23	46.0	59.0	00 13	.00	0.864	29.344
	MRC0034	6584297.90	455321.23	65.0	70.0	00 5.	00	1.273	47.696
	MRC0034	6584297.90	455321.23	75.0	77.0	00 2.	00	1.063	55.133
	MRC0034	6584297.90	455321.23	93.0	100.	00 7.	00	0.434	18.561
П	MRC0034	6584297.90	455321.23	113.0	0 114.	00 1.	00	0.485	17.095
	MRC0034	658/1207 00	A55321 23	126.0	n 13n	00 4	00	0 992	/11 //27

Hole_ID	Northing	Easting	From (m)	To (m)	Thickness (m)	Li₂O (%)	Ta₂O₅ (ppm)
MRC0033	6584362.86	455273.25	0.00	3.00	3.00	0.456	7.123
MRC0033	6584362.86	455273.25	14.00	21.00	7.00	0.409	12.037
MRC0033	6584362.86	455273.25	25.00	27.00	2.00	0.557	12.577
MRC0033	6584362.86	455273.25	45.00	47.00	2.00	1.200	49.394
MRC0033	6584362.86	455273.25	50.00	51.00	1.00	0.638	41.273
MRC0033	6584362.86	455273.25	68.00	69.00	1.00	0.531	21.125
MRC0033	6584362.86	455273.25	106.00	107.00	1.00	0.429	20.637
MRC0034	6584297.90	455321.23	22.00	23.00	1.00	0.411	8.548
MRC0034	6584297.90	455321.23	36.00	40.00	4.00	0.447	24.453
MRC0034	6584297.90	455321.23	46.00	59.00	13.00	0.864	29.344
MRC0034	6584297.90	455321.23	65.00	70.00	5.00	1.273	47.696
MRC0034	6584297.90	455321.23	75.00	77.00	2.00	1.063	55.133
MRC0034	6584297.90	455321.23	93.00	100.00	7.00	0.434	18.561
MRC0034	6584297.90	455321.23	113.00	114.00	1.00	0.485	17.095
MRC0034	6584297.90	455321.23	126.00	130.00	4.00	0.992	41.487
MRC0034	6584297.90	455321.23	134.00	136.00	2.00	0.428	35.595
MRC0043	6584935.49	456043.40	39.00	46.00	7.00	1.597	124.674
MRC0043	6584935.49	456043.40	53.00	56.00	3.00	1.859	61.828
MRC0043	6584935.49	456043.40	61.00	63.00	2.00	0.864	122.293



Hole_ID	Northing	Easting	From	То	Thickness	Li ₂ O	Ta₂O₅
			(m)	(m)	(m)	(%)	(ppm)
MRC0043	6584935.49	456043.40	90.00	92.00	2.00	1.471	24.911
MRC0044	6584871.86	456093.56	101.00	118.00	17.00	0.933	55.955
MRC0044	6584871.86	456093.56	129.00	130.00	1.00	0.872	29.673
MRC0044	6584871.86	456093.56	170.00	185.00	15.00	1.211	35.664
MRC0046	6584836.59	456115.60	102.00	103.00	1.00	0.426	63.375
MRC0046	6584836.59	456115.60	163.00	172.00	9.00	1.200	56.238
MRC0046	6584836.59	456115.60	196.00	200.00	4.00	0.896	46.982
MRC0046	6584836.59	456115.60	213.00	217.00	4.00	1.538	29.398
MRC0046	6584836.59	456115.60	231.00	238.00	7.00	1.415	54.339
MRC0048	6584230.95	455373.22	97.00	98.00	1.00	0.490	21.247
MRC0048	6584230.95	455373.22	151.00	152.00	1.00	0.966	8.792
MRC0048	6584230.95	455373.22	159.00	183.00	24.00	1.030	41.935
MRC0048	6584230.95	455373.22	193.00	195.00	2.00	0.621	52.629
MRC0048	6584230.95	455373.22	202.00	203.00	1.00	0.913	42.983
MRC0048	6584230.95	455373.22	206.00	209.00	3.00	0.857	29.266
MRC0048	6584230.95	455373.22	214.00	217.00	3.00	1.030	47.989
MRC0048	6584230.95	455373.22	225.00	226.00	1.00	0.450	4.396
MRC0048	6584230.95	455373.22	238.00	239.00	1.00	0.457	47.257
MRC0048	6584230.95	455373.22	247.00	248.00	1.00	0.433	26.986
MRC0048	6584230.95	455373.22	253.00	254.00	1.00	0.772	54.339

Table 1: Significant intercepts calculated using a 0.4% Li₂O cut-off grade, minimum 1m thickness and widths including up to 2m internal dilution.

JORC Code, 2012 Edition – Table 1 Report

Section 1 Sampling Techniques and Data (Criteria in this section apply to all succeeding sections)

Criteria	JORC Code explanation
Sampling techniques	 Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to
	- Indiado rotoronos to incasaros takon to

- Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.
- Aspects of the determination of mineralisation that are Material to the

Commentary

- Reverse circulation (RC) drilling was used as the primary drilling type.
- RC cuttings were continuously sampled at 1 m intervals through all pegmatite intercepts including at least 2 m of host rocks above and below each intercept.
- Drill samples were logged for recovery, moisture, lithology (+ %), mineralogy (+ %), weathering, grainsize.
- RC samples were collected from the drill rig cyclone using a cone splitter in numbered calico bags, which were then placed in sealed polyweave bags, and then into sealed bulka-bags for transport to the assay laboratory in Perth.
- Drill samples were crushed and riffle split to 2 to



Criteria

JORC Code explanation

Commentary

Public Report.

• In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.

- 2.5 kg for pulverising to 80% passing 75 microns. Prepared samples were fused with sodium peroxide and digested in dilute hydrochloric acid. The resultant solution was analysed using ICP by Jinning Testing and Inspection Laboratory in Perth.
- The assay technique is considered to be robust as the method used offers total dissolution of the sample and is useful for mineral matrices that may resist acid digestions.
- Rock Chip samples of 1-2kg were collected by Resource Potentials staff and submitted for analysis utilising the same assay techniques as RC drill samples. Rock chips are random, subject to bias and often unrepresentative for the typical widths required for economic consideration. They are by nature difficult to duplicate with any acceptable form of precision or accuracy.

Drilling techniques

- Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, facesampling bit or other type, whether core is oriented and if so, by what method, etc).
- RC drilling was undertaken by Profile Drilling using 4.5-inch (140 mm) rods using a 5.5-inch (150 mm) diameter face sampling hammer.
- All RC drill holes were angled at approximately -60 degrees, drilled to 320 degrees (west) unless otherwise noted in the drilling statistics presented in Table 1.

Drill sample recovery

- Method of recording and assessing core and chip sample recoveries and results assessed.
- Measures taken to maximise sample recovery and ensure representative nature of the samples.
- Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.
- Sample chip recovery for RC drilling was visually estimated. Sample chip recovery is very good through the interpreted mineralised zones and is estimated to be greater than 80%.
- RC drilling utilised an on-board compressor and auxiliary booster to keep samples dry and maximise recoveries.
- No relationship between grade and recovery has been identified.

Logging

- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.
- Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.
- The total length and percentage of the relevant intersections logged.
- Geological logs exist for all drill holes with lithological codes via an established reference legend.
- Logging and sampling has been carried out to industry standards support a Mineral Resource estimate.
- Drill holes have been geologically logged in their entirety. Where logging was detailed, the subjective indications of spodumene content were estimated and recorded.
- All drill holes were logged in full, from start to finish of the hole.



Criteria **JORC Code explanation** Commentary Sub-Dry RC samples were collected at 1 m intervals If core, whether cut or sawn and whether quarter, half or all core taken. and cone split from the rig cyclone on-site to sampling If non-core, whether riffled, tube produce a subsample less than 5 kg. techniques sampled, rotary split, etc and whether Sample preparation is according to industry and standards, including oven drying, coarse crush, sampled wet or dry. sample For all sample types, the nature, quality and pulverisation to 80% passing 75 microns. and appropriateness of the sample preparation Field duplicate samples, field standards, preparation technique. laboratory standards and laboratory repeats were Quality control procedures adopted for used to monitor quality of analyses. all sub-sampling stages to maximise Sample sizes are considered to be appropriate representivity of samples. and correctly represent the style and type of Measures taken to ensure that the mineralisation. sampling is representative of the in-situ Rock chip samples were taken whole to the material collected, including for instance laboratory, crushed and riffled to obtain a subresults for field duplicate/second-half fraction and assayed using the same lab and sampling. method as the RC samples. The sample size Whether sample sizes are appropriate to was considered appropriate for reconnaissance the grain size of the material being sampling for lithium mineralisation. sampled. Quality of The nature, quality and appropriateness The assay technique is considered to be robust of the assaying and laboratory as the method used offers total dissolution of the assay data procedures used and whether the sample and is useful for mineral matrices that and may resist acid digestions. technique is considered partial or total. laboratory For geophysical tools, spectrometers, Multielement analysis was carried out on all tests handheld XRF instruments, etc. the samples for the following elements: Al, Be, Ca, parameters used in determining the Cs, Fe, Ga, K, Li and Li2O, Mg, Mn, Mo, Nb, P, analysis including instrument make and Rb, S, Si, Sn, Ta, Ti and V. model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. Verification The verification of significant The 2022 RC drilling campaign was supervised intersections by either independent or by Global Lithium staff. of alternative company personnel. The Li assays from previous programs show a sampling The use of twinned holes. correlation with marked the mineralised and Documentation of primary data, data pegmatite intersections via elevated downhole assaving entry procedures, data verification, data grades. storage (physical and electronic) There were no twin holes drilled during the RC protocols. program in 2022. Drill logs exist for all holes as electronic files and Discuss any adjustment to assay data. hardcopy. Logging was completed on paper logs at time of drilling and electronically sent to Perth daily for data-entry to digital logs.



All digital logs are exported to an external Database Administrator, validated and loaded to

No adjustments made to primary assay data.

a database and validated prior to use.

Criteria **JORC Code explanation** Commentary Location of Accuracy and quality of surveys used to Prior to drilling, collar coordinates are situated using handheld GPS (considered accurate to locate drill holes (collar and down-hole data points surveys), trenches, mine workings and within 4 m). other locations used in Mineral Resource DGPS collar surveying is planned to be completed post program to improve accuracy, and them will be draped onto a high-resolution Specification of the grid system used. Quality and adequacy of topographic digital elevation model. Grid used is MGA94 datum and Zone 50 SUTM control. ("MGA") projection. All RC holes have been surveyed with an Axis Champ north seeking gyro to determine hole deviation. Data Data spacing for reporting of Exploration Exploration drilling has been drilled on a grid Results. pattern to systematically cover the strike length in spacing a reportable manner. Previous drill lines also Whether the data spacing and and distribution is sufficient to establish the used a grid pattern. distribution degree of geological and grade Drill spacing varies between a 160m by 80m grid in selected areas. Exploration holes targeting continuity appropriate for the Mineral Resource and Ore Reserve estimation specific geochemical, outcrops or structural procedure(s) and classifications applied. targets are not on a uniform grid spacing. Whether sample compositing has been Historic Breaker resources drilling undertaken applied. was widely spaced across separate lines targeting outcrop and geochemical anomalies. No soil sampling was completed. No sample compositing was applied. The rock chip data are not appropriate for use in estimating a Mineral Resource and are not intended for such use. Orientation Drilling has been angled to achieve the most Whether the orientation of sampling achieves unbiased sampling of possible representative (near perpendicular) intersections of data in structures and the extent to which this is through mineralisation (i.e. angled holes for relation to known, considering the deposit type. moderately dipping pegmatite bodies). geological If the relationship between the drilling The identified target lithium bearing pegmatite structure orientation and the orientation of kev dykes are generally steeply dipping (70° to 85°) mineralised structures is considered to Southeast in nature. The true width of have introduced a sampling bias, this pegmatites is generally considered 80% to 90% should be assessed and reported if of the intercept width, with minimal opportunity material. for sample bias. No Rock chips were collected during the 2022 drilling program Sample The measures taken to ensure sample The drill samples were collected from the drilling security. rig by experienced personnel, stored securely security and transported to the laboratory by a registered courier and handed over by signature. Audits or The results of any audits or reviews of No audits have been undertaken to date. sampling techniques and data. reviews



Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary				
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.	 The drilling samples are located on tenement E28/2522, which is held 100% by Breaker Resources NL. Global Lithium Limited acquired an 80% interest in the Manna Lithium Project from Breaker Resources on 30 December 2021. 				
		There are no material interests or issues associated with the tenement.				
	The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	The tenement is in good standing and no known impediments exist.				
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	 No previous exploration or identification of lithium mineralisation is recorded in the area or historica exploration observed. 				
Geology	Deposit type, geological setting and style of mineralisation.	The pegmatites are LCT type lithium bearing pegmatites.				
Drillhole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes: • easting and northing of the drillhole collar • elevation or RL (elevation above sea level in metres) of the drillhole collar • dip and azimuth of the hole • down hole length and interception depth • hole length.	Diagrams and tables in the announcement show the location of and distribution of drillholes in relation to the exploration results and the existing Minera Resource.				
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.	 Exploration results are reported with a cut-off grade of 0.4% Li with an internal dilution of 2m maximum. Intercepts are length weighted averaged. No maximum cuts have been made 				
Relationship between mineralisation widths and intercept lengths	If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	The drill holes are interpreted to be approximately perpendicular to the strike of mineralisation. Drilling is not always perpendicular to the dip of mineralisation and true widths are less than downhole widths. Estimates of true widths will only be possible when all results are received, and final geological interpretations have been completed				
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	A cross sections and plan view have been included in the announcement.				
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	 All significant results are provided in this report. The report is considered balanced and provided in context 				



		Commentary				
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	 Where relevant, this information has been included or referred to elsewhere in this Table. Drilling is currently very wide spaced and further details will be reported in future releases when data is available 				
Further work	The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).	Additional drilling is plan for extension and infill of the existing Mineral Resource.				

