

HIGH GRADE GOLD INTERSECTIONS AT STUREC – RESOURCE UPDATE IMMINENT

- * **132m @ 1.51g/t Au and 16.2 g/t Ag ***
- ** **9m @ 7.29g/t Au and 13.1g/t Ag ****
- *** **20m @ 2.06g/t Au and 10.4g/t Ag *****

Highlights

- ★ The Company expects to receive an independent update to the Mineral Resource Estimate for the Sturec Gold Project shortly which will feed immediately into the Pre-Feasibility Study
- ★ New assay results indicate the overall mineralised zone in UGA-46 has greatly improved from **113.0m @ 1.16g/t Au and 17.4g/t Ag** from 0m (0.25g/t Au cut-off, downhole thickness; refer to MTC announcement dated 8 November 2022) to:
 - **132m @ 1.51g/t Au and 16.2g/t Ag** from 0m (0.25g/t Au cut-off, downhole thickness)
- ★ The 113-126m zone in UGA-46 has now been determined to be included in a wider, higher grade zone of **33m @ 2.29g/t Au & 9.3g/t Ag** from 99m (0.4g/t Au cut-off, downhole thickness), including:
 - **9m @ 7.29g/t Au & 13.3g/t Ag** from 123m (0.5g/t Au cut-off, downhole thickness); incl.
 - **1m @ 43.6g/t Au & 61.4g/t Ag** from 127m (no Au cut-off, downhole thickness)

Cautionary Note: These intersections are not a true thickness as the drill holes were drilled at a shallow angle to the mineralised zone due to the location of the underground drill site relative to the target zone. Modelling suggests the true thickness of mineralisation in this area is approximately 110-90m at the top and ~40-30m at the bottom of the drill hole: see Figures 1 and 2).

- ★ UGA-47 intersected thick, continuous mineralized zone of **18.0m @ 1.57g/t Au and 6.1g/t Ag** from 38m (0.2g/t Au cut-off, downhole thickness) including:
 - **4m @ 6.27g/t Au & 23.6g/t Ag** from 38m (0.5g/t Au cut-off, downhole thickness);
- ★ UGA-48 intersected thick, continuous mineralized zone of **32.0m @ 1.49g/t Au and 7.8g/t Ag** from 10m (0.25g/t Au cut-off, downhole thickness) including:
 - **20m @ 2.06g/t Au & 10.4g/t Ag** from 22m (1g/t Au cut-off, downhole thickness); incl.
 - **4m @ 3.76g/t Au & 29.2g/t Ag** from 31m (2g/t Au cut-off, downhole thickness)
- ★ The first two surface drill holes (SSD-01 and SSD-02) to test the depth extent of some of the highest grade areas of the Sturec Mineral Resource are complete and the third surface drill hole (SSD-03) is underway

Commenting on the results, Executive Director of MetalsTech, Mr Gino D'Anna stated:

“Drilling at Sturec continues to deliver significant gold intersections. We are days away from receiving an independent update to the Mineral Resource Estimate and look forward to transitioning to a significant gold development story and progressing pre-feasibility study works.”

** This announcement is authorised by the executive board on behalf of the Company **



MetalsTech Limited (ASX: MTC) (the **Company** or **MTC**) is pleased to announce the updated assay results for UGA-46, which were completed from Drill Chamber III, together with further assay results from from Drill Chamber IV as part of the Phase IV diamond drilling program at the Company's 100% owned Sturec Gold Mine, located in Slovakia (**Sturec**). The Company is currently drilling from Drill Chamber IV, with the assay results from UGA-47, UGA-48, UGA-53, UGA-54, UGA-55, UGA-56, UGA-57, UGA-58 and UGA-59 being received. The company is awaiting results from UGA-60, UGA-61 and UGA-62 and is currently drilling UGA-63.

The drilling from Drill Chamber III was designed mainly to increase the confidence of the southern extent of the existing Sturec Mineral Resource, as well as potentially extend the mineralisation within the existing Sturec Mineral Resource at depth. The drilling from Drill Chamber IV was designed mainly to potentially extend the mineralisation within the existing Sturec Mineral Resource to the south, especially down dip/plunge.

Table 1: Drill holes from Drill Chamber III and IV

Hole ID	Easting JTSK	Northing JTSK	Elevation (m)	Azimuth (°)	Dip (°)	Depth (m)
UGA-46	-435,851	-1,230,123	657	165	-70	179.3
UGA-47	-435,851	-1,230,312	656	270	-85	179.6
UGA-48	-435,851	-1,230,312	656	270	-75	153.7
UGA-49	-435,851	-1,230,312	656	270	-60	100.5
UGA-50	-435,851	-1,230,312	656	270	-45	115.0
UGA-51	-435,851	-1,230,312	656	270	-30	82.4
UGA-52	-435,851	-1,230,312	656	230	-70	152.8
UGA-53	-435,851	-1,230,312	656	230	-60	116.0
UGA-54	-435,851	-1,230,312	656	230	-77	187.2
UGA-55	-435,851	-1,230,312	656	326	-65	139.3
UGA-56	-435,851	-1,230,312	656	10	-67	316.7
UGA-57	-435,851	-1,230,312	656	210	-25	113.5
UGA-58	-435,851	-1,230,312	656	234	-35	93.9
UGA-59	-435,851	-1,230,312	656	194	-65	255.1
UGA-60	-435,851	-1,230,312	656	358	-55	245.9
UGA-61	-435,851	-1,230,312	656	324	-75	185.7
UGA-62	-435,851	-1,230,312	656	214.5	-65	170.7

UGA-46

UGA-46 was stopped at a depth of 179.3m and was planned as an infill drill hole into the existing Sturec Mineral Resource that would also test the lower boundary of the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021). This was the final hole drilled from Drill Chamber III. The details for drill holes from Drill Chamber III are set out in Table 1. See Figure 1 and 2 for the relative position of UGA-46 compared to the existing Sturec Mineral Resource respectively (refer to MTC announcement dated 21 June 2021).

UGA-46 intersected approximately 132m (*not true thickness) of variably argillic altered and brecciated andesite host rock containing varying amounts of quartz filled vein / stockwork / breccia, variably rich in fine to very fine grained sulphides (mainly pyrite/marcasite) from approximately 0m to 132m down hole.

** This announcement is authorised by the executive board on behalf of the Company **

For personal use only



Assay results from UGA-46 are interpreted to show a relatively continuous mineralised zone from 0m to 132m @ 1.51g/t Au & 16.2g/t Ag using a 0.25g/t Au cut-off. A summary of the significant intersections from UGA-46 are shown in Table 2 below.

UGA-47

UGA-47 is the first hole from Drill Chamber IV and was stopped at a depth of 179.6m. This hole was planned as the steepest hole within a fence of holes including UGA-47 through to UGA-51 that were all oriented perpendicular to the mineralised zones (azimuth: ~270°: Figure 3). The details for drill holes from Drill Chamber IV are set out in Table 1. See Figure 1 and 3 for the relative position of UGA-47 compared to the existing Sturec Mineral Resource respectively (refer to MTC announcement dated 21 June 2021).

UGA-47 intersected approximately 18m @ 1.57g/t Au from 38m downhole using a 0.25g/t Au cut-off, including 4m @ 6.27g/t Au using a 0.5g/t Au cut-off; and 42m @ 0.6g/t Au from 93m using a 0.25g/t Au cut-off, including 5m @ 2.98g/t Au using a 0.5g/t Au cut-off. A summary of the significant intersections from UGA-47 are shown in Table 2 below. The upper mineralised zone intersected in UGA-47 is not well represented by the existing mineral resource model (Figure 3) and therefore the assay results from this drill hole could have a significant impact on the grade of an updated mineral resource in this area.

UGA-48

UGA-48 is the second hole from Drill Chamber IV and was stopped at a depth of 153.7m. This hole was planned as the second steepest hole within a fence of holes including UGA-47 through to UGA-51 that were all oriented perpendicular to the mineralised zones (azimuth: ~270°: Figure 3). See Figure 1 and 3 for the relative position of UGA-48 compared to the existing Sturec Mineral Resource respectively (refer to MTC announcement dated 21 June 2021).

UGA-48 intersected approximately 32m @ 1.49g/t Au from 10m downhole using a 0.25g/t Au cut-off, including 20m @ 2.06g/t Au using a 1g/t Au cut-off; and 67m @ 0.7g/t Au from 73m using a 0.25g/t Au cut-off, including 8m @ 1.3g/t Au using a 0.5g/t Au cut-off. A summary of the significant intersections from UGA-48 are shown in Table 2 below. Similar to UGA-47, the upper mineralised zone in UGA-48 is not well represented by the existing mineral resource model (Figure 3) and therefore the assay results from this drill hole could have a significant impact on the grade of an updated mineral resource in this area.

UGA-49 to UGA-52

Assay results for UGA-49 to UGA-51 were announced previously on the 24/11/2022, while assay results for UGA-52 were announced previously on the 8/11/2022.

UGA-53

UGA-53 was positioned as an infill/extension drill hole on the lower margin of the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021); and above UGA-52. The drill hole details are set out in Table 1. See Figure 1 and 4 for the relative position of UGA-53 compared to UGA-52; and the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021).

** This announcement is authorised by the executive board on behalf of the Company **



UGA-53 intersected approximately 37m (*not true thickness) of variably argillic altered and brecciated andesite host rock containing varying amounts of quartz filled vein / stockwork / breccia, variably rich in fine to very fine grained sulphides (mainly pyrite/marcasite) from approximately 68m to 105m down hole.

Assay results from UGA-53 are interpreted to show a relatively continuous mineralised zone from 68m to 105m for 37m @ 0.76g/t Au using a 0.25g/t Au cut-off. A summary of the significant intersections from UGA-53 are shown in Table 2. As with UGA-52, when the mineralised intersection in UGA-53 is compared to the modelled mineralisation as shown in Figure 4, it appears that the mineralisation is further west than is currently modelled. This mainly due to where the cross-section was drawn relative to the current Sturec Mineral Resource Estimation and the drill hole trace. Any inconsistency in the position of mineralisation from the new drilling results will be addressed in the next iteration of the Sturec Mineral Resource Estimation.

UGA-54

UGA-54 was positioned as an extension drill hole below the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021); and below UGA-52. The drill hole details are set out in Table 1. See Figure 1 and 4 for the relative position of UGA-54 compared to UGA-52 and UGA-53; and the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021).

UGA-54 intersected approximately 60m (*not true thickness) of variably argillic altered and brecciated andesite host rock containing varying amounts of quartz filled vein / stockwork / breccia, variably rich in fine to very fine grained sulphides (mainly pyrite/marcasite) from approximately 81m to 141m down hole.

Assay results from UGA-54 are interpreted to show a relatively continuous mineralised zone from 81m to 141m for 60m @ 0.56g/t Au using a 0.25g/t Au cut-off. A summary of the significant intersections from UGA-54 are shown in Table 2.

UGA-55

UGA-55 was positioned as an infill/extension drill hole along the lower margin of the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021); and below UGA-17. The drill hole details are set out in Table 1. See Figure 1 for the relative position of UGA-55 compared to the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021).

Assay results from UGA-55 are interpreted to show a relatively continuous mineralised zone from 72m to 123m for 51m @ 1.14g/t Au using a 0.25g/t Au cut-off, including 11m @ 2.55g/t Au from 93m. A summary of the significant intersections from UGA-55 are shown in Table 2.

UGA-56

UGA-56 was positioned as an infill/extension drill hole that was planned to test the hangingwall mineralisation along the eastern margin of the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021). The drill hole details are set out in Table 1. See Figure 1 for the relative position of UGA-56 compared to the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021).

** This announcement is authorised by the executive board on behalf of the Company **



Assay results from UGA-56 were relatively poor with the best mineralised zone from 160m to 165m for 5m @ 1.18g/t Au using a 0.25g/t Au cut-off. A summary of the significant intersections from UGA-56 are shown in Table 2.

UGA-57

UGA-57 was planned to test for shallow mineralisation directly along strike of the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021). The drill hole details are set out in Table 1. See Figure 1 and 5 for the relative position of UGA-57 compared to UGA-58 and UGA-59; and the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021).

Assay results from UGA-57 are interpreted to show two relatively continuous mineralised zones from 34m to 41m for 7m @ 0.78g/t Au using a 0.25g/t Au cut-off; and from 59m to 93m for 34m @ 0.54g/t Au using a 0.25g/t Au cut-off. A summary of the significant intersections from UGA-57 are shown in Table 2.

UGA-58

UGA-58 was planned to test for shallow mineralisation directly along strike of the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021). The drill hole details are set out in Table 1. See Figure 1 and 5 for the relative position of UGA-58 compared to UGA-57 and UGA-59; and the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021).

Assay results from UGA-58 are interpreted to show a relatively continuous mineralised zone from 24m to 69m for 45m @ 0.41g/t Au using a 0.25g/t Au cut-off, including 3m @ 2.4g/t Au using a 1g/t Au cut-off. A summary of the significant intersections from UGA-58 are shown in Table 2.

UGA-59

UGA-59 was planned to test for deeper mineralisation directly along strike and down plunge of the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021). The drill hole details are set out in Table 1. See Figure 1 and 5 for the relative position of UGA-59 compared to UGA-57 and UGA-58; and the existing Sturec Mineral Resource (refer to MTC announcement dated 21 June 2021).

Assay results from UGA-59 are interpreted to show two relatively continuous mineralised zones from 115m to 128m for 13m @ 0.83g/t Au using a 0.25g/t Au cut-off; and from 163m to 187m for 24m @ 1.02g/t Au using a 0.25g/t Au cut-off; including 7m @ 3g/t Au from 164m. A summary of the significant intersections from UGA-59 are shown in Table 2. The higher grade results from UGA-59 in relation to UGA-57 and UGA-58 indicates that the best mineralisation continues down plunge to the south, rather than a shallow depths.

Also, when the mineralised intersections in UGA-59 are compared to the modelled mineralisation as shown in Figure 5, it appears that the mineralisation dips steeper or is situated further west than is currently modelled. This mainly due to where the cross-section was drawn relative to the current Sturec Mineral Resource Estimation and the drill hole trace. Any inconsistency in the position of mineralisation from the new drilling results will be addressed in the next iteration of the Sturec Mineral Resource Estimation.

** This announcement is authorised by the executive board on behalf of the Company **



Table 2: Summary of Assay Results

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-46	132.00	@	1.51	16.2	0.00	132.00	0.25g/t Au cut-off and max. 4m continuous internal dilution
	including						
	51.00	@	2.16	29.6	19.00	70.00	0.5g/t Au cut-off and max. 4m continuous internal dilution
	including						
	11.00	@	3.33	90.1	19.00	30.00	1g/t Au cut-off and 3m internal dilution
	and						
	6.00	@	4.34	19.2	49.00	55.00	1g/t Au cut-off and 2m continuous internal dilution
	including						
	3.00	@	7.37	35.2	49.00	52.00	2g/t Au cut-off and no internal dilution
	including						
	11.00	@	2.63	11.6	59.00	70.00	1g/t Au cut-off and 3m internal dilution
	including						
	3.00	@	5.84	14.3	65.00	68.00	2g/t Au cut-off and no internal dilution
	including						
	33.00	@	2.28	9.3	99.00	132.00	0.4g/t Au cut-off and 3m continuous internal dilution
including							
9.00	@	7.29	13.3	123.00	132.00	0.5g/t Au cut-off and 3m internal dilution	
including							
1.00	@	43.6	61.4	127.00	128.00		

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m)	To (m)	Cut-off
UGA-47	18.00	@	1.57	6.1	38.00	56.00	0.2g/t Au cut-off and max. 4m continuous internal dilution
	including						
	4.00	@	6.27	23.6	38.00	42.00	0.5g/t Au cut-off and no internal dilution
	including						
	42.00	@	0.59	1.9	93.00	135.00	0.2g/t Au cut-off and max. 4m continuous internal dilution
including							
5.00	@	2.98	4.2	112.00	117.00	0.5g/t Au cut-off and 2m internal dilution	

** This announcement is authorised by the executive board on behalf of the Company **

For personal use only



Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
UGA-48	32.00	@	1.49	7.8	10.00	42.00	0.25g/t Au cut-off and max. 3m continuous internal dilution	
	including							
	20.00	@	2.06	10.4	22.00	42.00	1g/t Au cut-off and max. 3m continuous internal dilution	
	including							
	4.00	@	3.76	29.2	31.00	35.00	2g/t Au cut-off and no internal dilution	
	67.00	@	0.69	4.5	73.00	140.00	0.2g/t Au cut-off and max. 4m continuous internal dilution	
	including							
	2.00	@	4.21	11.5	75.00	77.00	1g/t Au cut-off and no internal dilution	
	and							
	3.00	@	1.83	8.6	89.00	92.00	0.5g/t Au cut-off and no internal dilution	
	and							
	8.00	@	1.29	10.1	106.00	114.00	0.5g/t Au cut-off and 1m internal dilution	
	including							
3.00	@	2.28	10.5	106.00	109.00	1g/t Au cut-off and 1m internal dilution		
3.00	@	1.42	9.1	121.00	124.00	1g/t Au cut-off and no internal dilution		
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
UGA-53	37.00	@	0.76	8.6	68.00	105.00	0.25g/t Au cut-off and 8m internal dilution	
	including							
	26.00	@	0.97	10.4	68.00	94.00	0.3g/t Au cut-off and 1m internal dilution	
	including							
4.00	@	1.91	20.1	88.00	92.00	1g/t Au cut-off and 1m internal dilution		
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
UGA-54	60.00	@	0.56	2.9	81.00	141.00	0.25g/t Au cut-off and max. 4m continuous internal dilution	
	including							
	3.00	@	1.70	3.9	89.00	92.00	0.5g/t Au cut-off and no internal dilution	
	and							
	3.00	@	0.98	1.8	97.00	100.00	0.5g/t Au cut-off and 1m internal dilution	
	and							
6.00	@	1.74	6.9	113.00	119.00	0.5g/t Au cut-off and 1m internal dilution		

** This announcement is authorised by the executive board on behalf of the Company **

For personal use only



Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-55	51.00	@	1.14	6.6	72.00	123.00	0.25g/t Au cut-off and max. 2m continuous internal dilution
	including						
	42.00	@	1.31	7.3	72.00	114.00	0.5g/t Au cut-off and max. 3m continuous internal dilution
	including						
	25.00	@	1.73	9.4	79.00	104.00	1g/t Au cut-off and max. 6m continuous internal dilution
	including						
	11.00	@	2.55	13.7	93.00	104.00	2g/t Au cut-off and max. 4m continuous internal dilution

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-56	6.00	@	0.54	2.0	2.00	8.00	0.25g/t Au cut-off and 2m internal dilution
	4.00	@	0.34	2.1	50.00	54.00	0.25g/t Au cut-off and 1m internal dilution
	1.00	@	2.07	5.2	74.00	75.00	N/A
	3.00	@	0.81	3.0	105.00	108.00	0.25g/t Au cut-off and no internal dilution
	8.00	@	0.35	1.4	117.00	125.00	0.25g/t Au cut-off and 4m internal dilution
	5.00	@	1.18	2.1	160.00	165.00	0.3g/t Au cut-off and no internal dilution
	8.00	@	0.40	1.4	283.00	291.00	0.25g/t Au cut-off and no internal dilution

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-57	7.00	@	0.78	6.4	34.00	41.00	0.25g/t Au cut-off and 1m internal dilution
	including						
	2.00	@	2.02	14.9	39.00	41.00	1g/t Au cut-off and no internal dilution
	34.00	@	0.54	3.4	59.00	93.00	0.25g/t Au cut-off and 2m internal dilution
	including						
	2.00	@	1.17	2.6	78.00	80.00	1g/t Au cut-off and no internal dilution

** This announcement is authorised by the executive board on behalf of the Company **

For personal use only



Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-58	45.00	@	0.41	3.8	24.00	69.00	0.25g/t Au cut-off and max. 4m continuous internal dilution
	including						
	3.00	@	2.41	6.0	25.00	28.00	1g/t Au cut-off and no internal dilution

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-59	13.00	@	0.83	2.6	115.00	128.00	0.25g/t Au cut-off and 2m internal dilution
	including						
	2.00	@	2.99	7.8	125.00	127.00	0.5g/t Au cut-off and no internal dilution
	including						
	24.00	@	1.02	4.7	163.00	187.00	0.25g/t Au cut-off and 5m internal dilution
	including						
	7.00	@	3.04	13.0	164.00	171.00	0.5g/t Au cut-off and no internal dilution
	including						
5.00	@	4.02	17.3	165.00	170.00	1g/t Au cut-off and 2m internal dilution	

** This announcement is authorised by the executive board on behalf of the Company **

For personal use only




Figure 1: Long-section showing the traces of holes from the current Phase 2 drill program from Drill Chamber II, III and IV, as well as the previous Phase 1 drill program from Drill Chamber I; shown relative to the existing 2021 Sturec Mineral Resource Optimised Open Pit Shell displayed as a 3D point cloud. This view is looking west.




Figure 2: Cross-section through the existing Sturec Mineral Resource from Drill Chamber III. The path of UGA-46, is partly out of the page. This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section needs to be considered.

** This announcement is authorised by the executive board on behalf of the Company **




Figure 3: Cross-section through the existing Sturec Mineral Resource from Drill Chamber IV. This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section needs to be considered.

** This announcement is authorised by the executive board on behalf of the Company **




Figure 4: Cross-section through the existing Sturec Mineral Resource from Drill Chamber IV. The path of UGA-52, UGA-53 and UGA-54 are out of the page (Azimuth ~230°). This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section need to be considered.

** This announcement is authorised by the executive board on behalf of the Company **




Figure 5: Cross-section through the existing Sturec Mineral Resource from Drill Chamber IV. This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section need to be considered. The path of UGA-57, UGA-58 and especially UGA-59 are out of the page.

ENDS

For further information, contact:

Gino D'Anna
Director
M +61 400 408 878
gino@metalstech.net

Nathan Ryan
Investor Relations
M +61 420 582 887
nathan.ryan@nwrcommunications.com.au

** This announcement is authorised by the executive board on behalf of the Company **



Caution Regarding Forward-Looking Information

This document contains forward-looking statements concerning MetalsTech. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of, the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes.

Forward looking statements in this document are based on the company's beliefs, opinions and estimates of MetalsTech as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

Competent Persons Statement

The information in this announcement that relates to Exploration Results is based on information compiled by Dr Quinton Hills Ph.D., M.Sc., B.Sc. Dr Hills is the technical advisor of MetalsTech Limited and is a member of the Australasian Institute of Mining and Metallurgy (No. 991225). Dr Hills has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Hills consents to the inclusion in the report of the matters based on their information in the form and context in which it appears.

The information in the report to which this statement is attached that relates to Mineral Resources for the Sturec Gold Deposit is based on information compiled by Mr Chris Grove, who is a Member of The Australasian Institute of Mining and Metallurgy (No. 310106). Mr Grove is a full-time employee of Measured Group Pty Ltd and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Grove consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

** This announcement is authorised by the executive board on behalf of the Company **

For personal use only



Background: Sturec Gold Mine

The Sturec Gold Mine is located in central Slovakia between the town of Kremnica and the village of Lučky, 17km west of central Slovakia's largest city, Banská Bystrica, and 150km northeast of the capital, Bratislava.

Sturec is a low sulphidation epithermal system and contains a total Mineral Resource of 38.5Mt @ 1.23 g/t Au and 8.8 g/t Ag (1.30g/t AuEq¹), containing 1.522Moz of gold and 10.93Moz of silver (1.611Moz of gold equivalent) using a 0.26g/t Au cut-off within an optimised open pit shell; as well as 148kt @ 3.55 g/t Au and 12.6 g/t Ag (3.64g/t AuEq¹), containing 17koz of gold and 60koz of silver (18koz of gold equivalent) outside the optimised open pit shell on an underground mining basis; reported in accordance with JORC (2012).

Mineral Resource Estimate – Sturec Gold Project

Updated Sturec Mineral Resource Estimate							
Resource Estimate above 0.26 g/t Au cut-off and within an optimised open pit shell							
Resource Category	Tonnes (kt)	Au (g/t)	Ag (g/t)	AuEq (g/t) ¹	Au (koz)	Ag (koz)	AuEq (koz)
Measured	15,340	1.43	12.04	1.53	704	5,940	752
Indicated	18,438	1.20	6.74	1.25	709	3,995	742
Measured + Indicated	33,778	1.30	9.15	1.38	1413	9,935	1494
Inferred	4,717	0.72	6.56	0.77	109	995	117
TOTAL	38,495	1.23	8.83	1.30	1,522	10,930	1,611
Resource Estimate above 2 g/t Au cut-off: outside optimised open pit shell							
Resource Category	Tonnes (kt)	Au (g/t)	Ag (g/t)	AuEq (g/t) ¹	Au (koz)	Ag (koz)	AuEq (koz)
Measured	30	2.90	21.18	3.08	3	21	3
Indicated	114	3.75	10.5	3.81	14	38	14
Measured + Indicated	144	3.57	12.74	3.66	17	59	17
Inferred	4	2.73	8.0	2.80	0	1	1
TOTAL	148	3.55	12.62	3.64	17	60	18

¹ AuEq g/t = ((Au g/t grade*Met. Rec.*Au price/g) + (Ag g/t grade*Met. Rec.*Ag price/g)) / (Met. Rec.*Au price/g)

Long term Forecast Gold and Silver Price (source: Bank of America): \$1,785 USD/oz and \$27 USD/oz respectively.

Gold And silver recovery from the 2014 Thiosulphate Metallurgical test work: 90.5% and 48.9% respectively.

It is the Company's opinion that both gold and silver have a reasonable potential to be recovered and sold from the Sturec ore using Thiosulphate Leaching/Electrowinning as per the recoveries indicated.

APPENDIX A: JORC CODE, 2012 EDITION – TABLE 1

Section 1 - Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code Explanation	Details
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Routine samples over prospective mineralised intervals from diamond drill core as determined by an experienced geologist are 1m long drill core, cut in half along the axis of the drill core; or quarter core for duplicates (routine ½ core sample sawn into two ¼ core samples). Entire sample sent to ALS laboratory in Romania for preparation and fire assay analysis, while the four-acid digest with ICPAES is completed at the ALS laboratory in Ireland. 90% of sample to be crushed to <2mm. Sample is then dried and riffle split to produce a 1kg split. 1kg split then pulverised to 85% passing <75µm to produce a 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc. If coarse-grained gold (Visible Gold or VG) is encountered then Au is also analysed by screen fire assay. The remaining sample from the 90% of the original routine sample that was crushed to <2mm and dried is then riffle split again to produce another 1kg split. This 1kg split is then dry screened to a nominal 106 micron. Duplicate 50g fire assays with AAS finish are then performed on the undersize, and fire assay with gravimetric finish is done on the entire oversize fraction. Then the total gold content is calculated and reported, using the individual assays and weight of the fractions.
Drilling techniques	<ul style="list-style-type: none"> Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> The current program is utilising diamond drilling from multiple underground locations within the Andrej Adit. None of the diamond core is being oriented. UGA-46, UGA-47, UGA-48, UGA-53, UGA-54, UGA-55, UGA-56, UGA-57, UGA-58 and UGA-59 were drilled with NQ (47.6mm core diameter).
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Core recovery is measured as the length of core recovered versus the depth of the drill hole. In detail, the length of each 'run' of core recovered (between 0-6m) is measured and its length compared to the length the drillers measured from the drill rod advance. The core recovery for all drill holes so far is excellent, on average greater than 90%. Historic drill records indicate that core recovery at the Sturec Project was consistently good, where historic mining voids have not been encountered. No relationship between sample recovery and grade has been interpreted in assay results received so far as recovery is excellent.

Criteria	JORC Code Explanation	Details
Logging	<ul style="list-style-type: none"> • Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> • The core was geologically and geotechnically logged to a level to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Core is logged both qualitatively and quantitatively. • All logging data is digitally captured via excel spreadsheets, which are then validated when they are imported into a resource modelling software package. • Core photography is completed for all drill holes. • The entire length of drill core is logged.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> • Routine samples over prospective mineralised intervals from diamond drill core as determined by an experienced geologist are sawn into 1m half drill core, cut in half along the axis of the drill core; or quarter core for duplicates. • Same side of drill core sampled to ensure no selective sampling bias. • The other half of the core is retained for geological reference and potential further sampling, such as metallurgical test work. • Entire sample sent to ALS laboratory in Romania for preparation and fire assay analysis, while the four-acid digest with ICPAES is completed at the ALS laboratory in Ireland. • 90% of sample crushed to <2mm. Sample then dried and riffle split. 1kg split then pulverised to 85% passing <75µm to produce a 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, As, Cu, Co, Pb, Zn, etc. • The remainder of the material is retained as a coarse split for metallurgical test work. • Remaining pulps are retained for analyses such as second laboratory check assays. • Duplicate samples (routine 1m ½ core sample sawn in half to produce two ¼ core samples) taken every 30 samples or at least one per hole if less than 30 samples taken. • A Certified Reference Material (CRM or 'Standard') is inserted into the routine sample sequence approximately every 30 samples or at least one per hole if less than 30 samples taken. • A blank (material with no concentrations of economic elements under consideration) is inserted into the routine sample sequence approximately every 30 samples or at least one per hole if less than 30 samples taken. • Sample prep techniques utilised are considered appropriate for Carpathian epithermal-style gold mineralisation. • Samples sizes are considered appropriate for the grain-size of the material being sampled.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether 	<ul style="list-style-type: none"> • Analysis completed by using 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc. • If coarse-grained gold (visible gold) is encountered then Au will also be analysed by screen fire assay. The remaining sample from the 90% of the original routine sample that was crushed to <2mm and dried is then riffle split again to produce another 1kg split. This 1kg split is then dry screened to a nominal 106 micron. Duplicate 50g fire assays with AAS finish are then performed on the undersize, and fire assay with gravimetric finish is done on the

Criteria	JORC Code Explanation	Details
	<p><i>acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></p>	<p>entire oversize fraction. Then the total gold content is calculated and reported, using the individual assays and weight of the fractions.</p> <ul style="list-style-type: none"> Analysis techniques utilised are commonly used for Carpathian epithermal-style gold mineralisation and are considered appropriate. Laboratory Routine QC protocol for Au-AA26: 1 lab Blank, 2 lab CRM, 3 client duplicates, 1 PREP Duplicate per batch (up to 77 samples). Laboratory Routine QC protocol for ME-ICP61: 1 lab Blank, 2 lab CRM, 2 client duplicates, 1 PREP Duplicate per batch (up to 77 samples). Internal laboratory checks, as well as internal and external check assays such as repeats and check assays enable assessment of precision. Contamination between samples is checked for by the use of blank samples (laboratory and company inserted). Assessment of accuracy will be carried out by the analysis of the assay results of the CRMs. QAQC results are reviewed on a batch-by-batch basis. Any deviations from acceptable precision or indications of bias are acted upon prior to announcing any results with repeat and check assays.
<p>Verification of sampling</p>	<ul style="list-style-type: none"> <i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> On receipt of assay results from the laboratory, the results are verified by the Exploration Manager and/or by responsible geologists who compare the results with the geological logging and remaining drill core (or core photography if site access is not possible). No twins have been completed yet. All primary data (logging, sample intervals and assay results) is digitally captured via excel spreadsheets, which are then validated when they are imported into a resource modelling software package. Data is stored in secure company owned Dropbox that has a 180 day file recovery and version history function. There has been no adjustment to assay data.
<p>Location of data points</p>	<ul style="list-style-type: none"> <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> <i>Specification of the grid system used.</i> <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> Locations of diamond drill hole collars, channel samples and mine workings are recorded using the Slovak National Datum: S-JTSK/Krovak Datum. As the location of the current drill hole is within the Andrej Adit, which has been surveyed, its location is accurately known. High-resolution topography over the project was acquired using LiDAR.
<p>Data spacing and distribution</p>	<ul style="list-style-type: none"> <i>Data spacing for reporting of Exploration Results.</i> <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> <i>Whether sample compositing has been applied.</i> 	<ul style="list-style-type: none"> Data spacing is highly variable across the prospect. UGA-46 was drilled from Drill Chamber III and is an infill hole, positioned within the current Sturec Mineral Resource Estimate. UGA-47, UGA-48, UGA-53, UGA-54, UGA-55, UGA-56, UGA-57, UGA58 and UGA-59 were drilled from Drill Chamber IV (southernmost drill site) and are infill/extension holes, positioned to intersect near the bottom of the current Sturec Mineral Resource Estimate in order to understand if it can be increased at depth. As these drill holes are either within or close to the Updated 2021 Sturec Mineral Resource Estimate, it is interpreted that the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for Mineral Resource and Ore Reserve estimation. No samples have been composited.

Criteria	JORC Code Explanation	Details
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Due to only four sites within the Andrej Adit being suitable for drilling currently, the drill holes fan out and are therefore drilled at various angles to the strike of the exploration target and the adjoining mineral resource. Most drill holes are drilled to some extent down the dip and along strike of the mineralised zone due to the position of the four Drill Chambers. Therefore, the mineralised intersections are not a true thickness. From Drill Chamber IV, the true thickness of the mineralisation is approximately 90-100m at the top of the drill hole and 30-40m at the bottom of the drill hole (see Figure 3, 4 and 5 in the body of the announcement). The mineralisation is funnel shaped with the thicker zone higher and the thinner zone lower. This ore body geometry is common for many low-sulphidation epithermal gold-silver deposits.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Samples were securely stored in company facilities prior to being completely sealed and couriered to the ALS laboratory in Romania.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> The sampling techniques and assay data were last reviewed during the completion of the Updated 2021 Sturec Mineral Resource Estimate (refer to MTC announcement dated 21 June 2021). The sampling techniques were interpreted to be appropriate and the assay data was deemed to be of sufficient accuracy and precision to be used for Mineral Resource and Ore Reserve estimation.

Section 2 - Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

Criteria	JORC Code Explanation	Details																		
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> Sturec Gold Project consists of the Kremnica Mining Area (9.47 km²) owned by Slovakian limited liability company Ortac s.r.o., which is a wholly-owned subsidiary of Ortac UK (a private limited company registered in England and Wales). Kremnica Mining Licence details: <table border="1"> <tr> <td>Name:</td> <td>Mining Area Kremnica, Au-Ag</td> </tr> <tr> <td>Mining area No:</td> <td>MHD-D.P.- 12</td> </tr> <tr> <td>Date of Issuance:</td> <td>21 January 1961</td> </tr> <tr> <td>Amendments:</td> <td>No. 14-2754/2016</td> </tr> <tr> <td>Date of Issuance:</td> <td>14 September 2016</td> </tr> <tr> <td>Metals</td> <td>Gold and Silver</td> </tr> <tr> <td>Duration:</td> <td>Indefinite</td> </tr> </table> <p>ORTAC, s.r.o. Mining Licence details</p> <table border="1"> <tr> <td>Holder of the ML:</td> <td>Ortac, s.r.o.</td> </tr> <tr> <td>Name:</td> <td>Ortac, s.r.o., company Id. No. 36 861 537</td> </tr> </table>	Name:	Mining Area Kremnica, Au-Ag	Mining area No:	MHD-D.P.- 12	Date of Issuance:	21 January 1961	Amendments:	No. 14-2754/2016	Date of Issuance:	14 September 2016	Metals	Gold and Silver	Duration:	Indefinite	Holder of the ML:	Ortac, s.r.o.	Name:	Ortac, s.r.o., company Id. No. 36 861 537
Name:	Mining Area Kremnica, Au-Ag																			
Mining area No:	MHD-D.P.- 12																			
Date of Issuance:	21 January 1961																			
Amendments:	No. 14-2754/2016																			
Date of Issuance:	14 September 2016																			
Metals	Gold and Silver																			
Duration:	Indefinite																			
Holder of the ML:	Ortac, s.r.o.																			
Name:	Ortac, s.r.o., company Id. No. 36 861 537																			

Criteria	JORC Code Explanation	Details										
		<table border="1" data-bbox="779 180 1948 483"> <tr> <td data-bbox="779 180 1106 207">Mining License No:</td> <td data-bbox="1106 180 1948 207">Decision on approval of Mining License transfer to Ortac s.r.o. No: 1037-1539/2009</td> </tr> <tr> <td data-bbox="779 207 1106 234">Date of Issuance:</td> <td data-bbox="1106 207 1948 234">27. May 2009 , valid from 6. June 2009</td> </tr> <tr> <td data-bbox="779 234 1106 261">Note:</td> <td data-bbox="1106 234 1948 261">Transfer from Kremnica Gold Mining s.r.o. (former) to Ortac, s.r.o.</td> </tr> <tr> <td data-bbox="779 261 1106 451">Subject:</td> <td data-bbox="1106 261 1948 451"> <ul style="list-style-type: none"> • Opening, preparation and exploitation of exclusive mineral resource • Installation, conservation and decommissioning of mining work • Processing and refinement of mineral resources • Installation and operation of unloading areas and dumps • Opening the mining works to the public for museum purposes and related safety maintenance works • Blasting </td> </tr> <tr> <td data-bbox="779 451 1106 483">Duration:</td> <td data-bbox="1106 451 1948 483">Indefinite</td> </tr> </table> <ul style="list-style-type: none"> • The Kremnica Mining Licence is located in central Slovakia between the town of Kremnica and the village of Lučky, 17km west of central Slovakia's largest city, Banska Bystrica, and 150km northeast of the capital, Bratislava. • Metals Tech owns 100% of the Sturec Gold Project by completing the acquisition of Ortac UK on 14 February 2020. • As a part of the acquisition, MetalsTech Limited has granted Arc Minerals Limited a royalty equal to A\$2 per ounce of resource that is delineated at the project above an open cut JORC (2012) Indicated and Measured Resources that exceeds 1.5million ounces at a grade greater than 2.5g/t AuEq after 2 years from the date of execution of the Terms Sheet but before the date that is 5 years after the date of execution of the Terms Sheet capped at 7 million ounces. • In 2013, Arc Minerals (named Ortac Resources Limited at this time) submitted a small-scale underground mining application, which was awarded by the Central Mining Bureau in 2014. Trial underground mining commenced in June 2014 and a 40t bulk sample was extracted from Sturec for metallurgical test work. • In 2016, the Regional Court in Banská Bystrica ruled against the Central Mining Bureau concerning the underground mining permit issued to Arc Minerals Limited in 2014 and revoked the decision to issue the mining permit. • In May 2017, the Central Mining Bureau issued Ortac SK with an amended underground mining permit that allowed for small-scale mining activities to recommence. • In July 2017, Ortac SK (Arc Minerals Limited) re-commenced the trial underground mining activities at Sturec, fulfilling the condition required by Slovak regulations to preserve its right to exploit the ore deposit in the Kremnica Mining Licence Area for a minimum period of at least three years. 500t of ore was extracted and used for metallurgical test work relating to alternative processing technologies to the conventional cyanide leaching. • Since 2017 (before selling the project to MetalsTech), Arc Minerals Limited has continued working with the local community and stakeholders to facilitate the development of the project. • In October 2019, the Central Mining Bureau issued Ortac SK with an underground mining permit that allowed for small-scale mining activities to recommence: Decision No. 827-2373 / 2019. This decision was appealed soon after being received. • In February 2020, the appeals against Decision No. 827-2373 / 2019 were rejected by the State Mining Administration and the underground mining authorisation was upheld. • In April 2020, MetalsTech Limited re-commenced the underground mining activities at Sturec, in order to fulfill the condition required by Slovak regulations to preserve its right to exploit the ore deposit in the Kremnica Mining Licence Area for a minimum period of at least three years. • Although Ortac s.r.o. is officially registered as the holder of the Kremnica Mining Area, the validity of the allocation of the Kremnica Mining Area has been repeatedly disputed. Arguments challenging the validity of the allocation of 	Mining License No:	Decision on approval of Mining License transfer to Ortac s.r.o. No: 1037-1539/2009	Date of Issuance:	27. May 2009 , valid from 6. June 2009	Note:	Transfer from Kremnica Gold Mining s.r.o. (former) to Ortac, s.r.o.	Subject:	<ul style="list-style-type: none"> • Opening, preparation and exploitation of exclusive mineral resource • Installation, conservation and decommissioning of mining work • Processing and refinement of mineral resources • Installation and operation of unloading areas and dumps • Opening the mining works to the public for museum purposes and related safety maintenance works • Blasting 	Duration:	Indefinite
Mining License No:	Decision on approval of Mining License transfer to Ortac s.r.o. No: 1037-1539/2009											
Date of Issuance:	27. May 2009 , valid from 6. June 2009											
Note:	Transfer from Kremnica Gold Mining s.r.o. (former) to Ortac, s.r.o.											
Subject:	<ul style="list-style-type: none"> • Opening, preparation and exploitation of exclusive mineral resource • Installation, conservation and decommissioning of mining work • Processing and refinement of mineral resources • Installation and operation of unloading areas and dumps • Opening the mining works to the public for museum purposes and related safety maintenance works • Blasting 											
Duration:	Indefinite											

Criteria	JORC Code Explanation	Details
		<p>the Kremnica Mining Area have been raised by third parties in licensing proceedings in respect of particular mining activities within the Kremnica Mining Area. So far, the merits of such arguments have not been assessed by the court, as the respective court decisions were issued on procedural grounds in the past. Despite the existence of reasonable legal arguments defending the validity of the allocation of the Kremnica Mining Territory, it cannot be ruled out that the challenges to its validity will eventually prevail before the court. Even if the validity of the allocation of the Kremnica Mining Area is successfully defended in principle, there is a risk that Ortac SK's entitlement to the Kremnica Mining Area could be held to be limited to underground operations only.</p> <ul style="list-style-type: none"> • There are no environmental protected areas in the vicinity of the project resource area, except a protected lime tree situated close to the Leopold Shaft, adjacent to the monument commemorating the visit by Emperor Joseph II to Kremnica. Permission can be obtained to fell the tree if necessary, from the Provincial Environmental Office in Banska Bystrica. • It appears that a significant part of the Kremnica Mining Area is covered by a heritage conservation area. This is not surprising given the extensive mining history throughout this area. The previous owners Arc Minerals Ltd used this fact to their advantage by establishing the Andrej Kremnica Mining Museum, whose two main attractions are the Ludavika Shaft Building and the Andrej Adit, which was established in 1982 by the State to access the main quartz vein mineralisation. As a result, various requirements under the applicable regulations in the area of heritage protection must be complied with. Further investigation needs to be completed to understand the effect this Heritage Protection will have on any proposed mining activities. • There is one registered environmental burden located in the Kremnica Mining Area with registration number SK/EZ/ZH/2129. This environmental burden relates to the processing facilities including the historic waste dumps that are situated immediately next to the Andrej Kremnica Mining Museum/office. It is categorized "only" as a potential (probable) environmental burden as no significant contamination/acid rock drainage (ARD) effects have been reported concerning these historic mining remnants. • There is risk concerning the further development of the Sturec Gold Project due to the historic social and environmental opposition to the development of a mining operation in this area. The opposition is believed to be the result of two main factors: previous development plans utilised cyanide ore processing; and previous development plans involved digging a large open pit in relatively proximity to the township of Kremnica. <ul style="list-style-type: none"> ○ To minimise the first risk, MetalsTech is investigating alternative gold processing methods. ○ To minimise the second risk, MetalsTech intends to put in place a comprehensive project stakeholder engagement programme to attempt to understand and mitigate the concerns about the development of a mining operation on the Sturec Gold Project. Also, the full suite of benefits to the country and local communities that will arise from the Sturec Gold Project (such as job creation, training, capital investment, revenue generation, procurement of goods and services locally, and community development initiatives) need to be properly communicated to project stakeholders, so that that they can use this to motivate/ justify the project in project-approval processes.
<p>Exploration done by other parties</p>	<p>• <i>Acknowledgment and appraisal of exploration by other parties.</i></p>	<ul style="list-style-type: none"> • Many exploration companies have previously explored the Sturec Gold Project and the surrounding areas. The details of the exploration history are outlined below: <ul style="list-style-type: none"> ○ The Slovak Geological Survey carried out extensive exploration in the Sturec area from 1981 to 1987, including extensive adit and cross-cut development within the Sturec zone. ○ Rudne Bane operated the open-pit mine at Sturec from 1987 to 1992 and produced 50,028t of ore averaging 1.54g/t Au. During this time, Rudne Bane conducted underground sampling of the larger mineralised portions of the Sturec deposit (40 channels for 3,149 individual samples) and 12 underground fan drill holes (for

Criteria	JORC Code Explanation	Details
		<p>425.3m) into the northern-most known limits of the deposit. A total of 266 sample intervals were assayed for gold and silver.</p> <ul style="list-style-type: none"> ○ Kremnica Banská Spolocnost (KBS), an investment company composed of former mine managers, obtained the title to the Kremnica Mining Lease (MHD-D.P. 12) from the Slovak government on 1 April 1995. In 1995, Argosy Mining Corporation (Argosy) of Vancouver formed a 100% owned Slovak Subsidiary, Argosy Slovakia s.r.o., which entered into a joint venture with KBS on 6 October 1995. Argosy Slovakia purchased KBS's share of the joint venture on 24 April 1997 to control 100% of the mining licence through its subsidiary, Kremnica Gold a.s. Argosy completed a core drilling programme in 1996 and a combined core and reverse-circulation (RC) drilling programme in 1997. This core/RC program totalled 79 holes for 12,306m; 9,382.4m of which was into the Sturec Deposit area. ○ In July 2003, Tournigan Gold Corporation (Tournigan) acquired the rights to the Sturec Project by purchasing Kremnica Gold a.s. from Argosy. Tournigan then completed 104 diamond core and RC drill holes for ~14,000m over the period 2004 to 2008. The majority of these holes were into the Sturec Deposit, but adjacent areas were also explored. In the summer and autumn of 2005, Tournigan executed a 36-hole program of RC drilling as infill of Argosy's and Tournigan's earlier core drilling programs into the Sturec Deposit. Tournigan also drilled five additional holes as twins of Argosy's previous core holes. This drilling resulted in the deposit being drilled off on approximate 50-metre centres (earlier drilling had been on approximately 100 x 50 metre centres). The RC program results confirmed the geology and ore outlines that were previously established by core drilling (e.g., rock types and alteration, location of zones of oxidation, location of ore-bearing veins and stockworks, hanging walls, footwalls, thicknesses, strikes, dips, and grades). The holes and assay results were displayed on cross-sections and recorded on logs. Samples were collected at 1-meter intervals under the immediate supervision of a geologist, sealed in plastic bags, and submitted for analysis and check analyses according to the required formal protocols. The holes were logged on site by the drill geologists and again in the laboratory where qualitative samples were taken and inventoried as geological reference samples. The bulk rejects from these RC samples are stored at the operational offices at the Andrej Mining Museum. Tournigan also completed nine bench channel surveys incorporating a total of 317 sample intervals. In 2004, Tournigan also conducted an 11-hole diamond drilling programme north of Sturec at the Wolf prospect. ○ Ortac Resources (now Arc Mineral Limited) acquired the project in 2009. Since 2009 till MetalsTech acquired the project from them in February 2020, Ortac drilled 13 core holes for 2,771.7m within the Sturec Deposit area. They also completed 4 drill core holes at the Vratislav Prospect, immediately to the north of the Sturec Mineral Resource area and 3 drill core holes at the Wolf Prospect, immediately north of the Vratislav Prospect.
Geology	<ul style="list-style-type: none"> • <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> • The Sturec Gold Project is located in the Central Slovakia Volcanic Area in the Kremnica Mountains of the Western Carpathians. The Central Slovakia Volcanic Field hosts several Ag–Au epithermal vein-type deposits including Banská Štiavnica, Kremnica, Hodruša-Hámre, and Nová Bana, which were important sources of precious and base metals in the past. The area is characterised by Tertiary pyroxene-amphibole andesite flows and tuffs of the Zlata Studna Formation. The andesites are underlain by Mesozoic limestone. Deep-seated structures and faults within the pre-Tertiary basement interpreted to be extensional Horst and Graben in style, focussed sub-volcanic intrusions of gabbrodiorite, diorite, diorite porphyry, and minor quartz-diorite porphyry at depth and associated mesothermal mineralising events, which were then overprinted by the epithermal precious metal mineralisation. In the Kremnica area, the structure is controlled by a 6-7km long, N-S trending horst, known as the Kremnica Horst Structure, which is interpreted to be the result of the sub-volcanic intrusions of gabbrodiorite, diorite, diorite porphyry, and minor quartz-diorite porphyry at depth causing this zone to be uplifted relative to the two graben structures to either side.

Criteria	JORC Code Explanation	Details																																																																																																																														
		<ul style="list-style-type: none"> The Sturec Gold Project mineralisation is classified as a low-sulphidation epithermal Ag-Au deposit type and is interpreted to have formed from low-salinity fluids composed of a mixture of meteoric and magmatic waters at temperatures mostly between ~270 to 190°C. The mineralisation is hosted by quartz-dolomite veins also containing adularia, sericite, illite and chalcedony that cut through Neogene propylitised (low pressure/low to medium temperature hydrothermal alteration) andesites of the Kremnica stratovolcano. The hydrothermal alteration from the veins outwards consists of silicification and potassic-metasomatism (adularia), propylitization and argillisation. Vein styles include large banded to massive quartz veins, smaller quartz veins and sheeted veins, quartz stockwork veining and silicified hydrothermal breccias. 																																																																																																																														
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Drill collar details: <table border="1" data-bbox="909 509 1872 1244"> <thead> <tr> <th>Hole ID</th> <th>Easting JTSK</th> <th>Northing JTSK</th> <th>Elevation (m)</th> <th>Azimuth (°)</th> <th>Dip (°)</th> <th>Depth (m)</th> </tr> </thead> <tbody> <tr><td>UGA-46</td><td>-435,851</td><td>-1,230,123</td><td>657</td><td>165</td><td>-70</td><td>179.3</td></tr> <tr><td>UGA-47</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>270</td><td>-85</td><td>179.6</td></tr> <tr><td>UGA-48</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>270</td><td>-75</td><td>153.7</td></tr> <tr><td>UGA-49</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>270</td><td>-60</td><td>100.5</td></tr> <tr><td>UGA-50</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>270</td><td>-45</td><td>115.0</td></tr> <tr><td>UGA-51</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>270</td><td>-30</td><td>82.4</td></tr> <tr><td>UGA-52</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>230</td><td>-70</td><td>152.8</td></tr> <tr><td>UGA-53</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>230</td><td>-60</td><td>116.0</td></tr> <tr><td>UGA-54</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>230</td><td>-77</td><td>187.2</td></tr> <tr><td>UGA-55</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>326</td><td>-65</td><td>139.3</td></tr> <tr><td>UGA-56</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>10</td><td>-67</td><td>316.7</td></tr> <tr><td>UGA-57</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>210</td><td>-25</td><td>113.5</td></tr> <tr><td>UGA-58</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>234</td><td>-35</td><td>93.9</td></tr> <tr><td>UGA-59</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>194</td><td>-65</td><td>255.1</td></tr> <tr><td>UGA-60</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>358</td><td>-55</td><td>245.9</td></tr> <tr><td>UGA-61</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>324</td><td>-75</td><td>185.7</td></tr> <tr><td>UGA-62</td><td>-435,851</td><td>-1,230,312</td><td>656</td><td>214.5</td><td>-65</td><td>170.7</td></tr> </tbody> </table> 	Hole ID	Easting JTSK	Northing JTSK	Elevation (m)	Azimuth (°)	Dip (°)	Depth (m)	UGA-46	-435,851	-1,230,123	657	165	-70	179.3	UGA-47	-435,851	-1,230,312	656	270	-85	179.6	UGA-48	-435,851	-1,230,312	656	270	-75	153.7	UGA-49	-435,851	-1,230,312	656	270	-60	100.5	UGA-50	-435,851	-1,230,312	656	270	-45	115.0	UGA-51	-435,851	-1,230,312	656	270	-30	82.4	UGA-52	-435,851	-1,230,312	656	230	-70	152.8	UGA-53	-435,851	-1,230,312	656	230	-60	116.0	UGA-54	-435,851	-1,230,312	656	230	-77	187.2	UGA-55	-435,851	-1,230,312	656	326	-65	139.3	UGA-56	-435,851	-1,230,312	656	10	-67	316.7	UGA-57	-435,851	-1,230,312	656	210	-25	113.5	UGA-58	-435,851	-1,230,312	656	234	-35	93.9	UGA-59	-435,851	-1,230,312	656	194	-65	255.1	UGA-60	-435,851	-1,230,312	656	358	-55	245.9	UGA-61	-435,851	-1,230,312	656	324	-75	185.7	UGA-62	-435,851	-1,230,312	656	214.5	-65	170.7
Hole ID	Easting JTSK	Northing JTSK	Elevation (m)	Azimuth (°)	Dip (°)	Depth (m)																																																																																																																										
UGA-46	-435,851	-1,230,123	657	165	-70	179.3																																																																																																																										
UGA-47	-435,851	-1,230,312	656	270	-85	179.6																																																																																																																										
UGA-48	-435,851	-1,230,312	656	270	-75	153.7																																																																																																																										
UGA-49	-435,851	-1,230,312	656	270	-60	100.5																																																																																																																										
UGA-50	-435,851	-1,230,312	656	270	-45	115.0																																																																																																																										
UGA-51	-435,851	-1,230,312	656	270	-30	82.4																																																																																																																										
UGA-52	-435,851	-1,230,312	656	230	-70	152.8																																																																																																																										
UGA-53	-435,851	-1,230,312	656	230	-60	116.0																																																																																																																										
UGA-54	-435,851	-1,230,312	656	230	-77	187.2																																																																																																																										
UGA-55	-435,851	-1,230,312	656	326	-65	139.3																																																																																																																										
UGA-56	-435,851	-1,230,312	656	10	-67	316.7																																																																																																																										
UGA-57	-435,851	-1,230,312	656	210	-25	113.5																																																																																																																										
UGA-58	-435,851	-1,230,312	656	234	-35	93.9																																																																																																																										
UGA-59	-435,851	-1,230,312	656	194	-65	255.1																																																																																																																										
UGA-60	-435,851	-1,230,312	656	358	-55	245.9																																																																																																																										
UGA-61	-435,851	-1,230,312	656	324	-75	185.7																																																																																																																										
UGA-62	-435,851	-1,230,312	656	214.5	-65	170.7																																																																																																																										

Criteria	JORC Code Explanation	Details																																																																																																																																																				
		<ul style="list-style-type: none"> Summary table of latest significant drill hole intersections: 																																																																																																																																																				
		<table border="1"> <thead> <tr> <th>Hole</th> <th>Width (m) (Down hole depth)</th> <th></th> <th>Au g/t</th> <th>Ag g/t</th> <th>From (m) (Down hole depth)</th> <th>To (m) (Down hole depth)</th> <th>Cut-off</th> </tr> </thead> <tbody> <tr> <td rowspan="15">UGA-46</td> <td>132.00</td> <td>@</td> <td>1.51</td> <td>16.2</td> <td>0.00</td> <td>132.00</td> <td>0.25g/t Au cut-off and max. 4m continuous internal dilution</td> </tr> <tr> <td colspan="7">including</td> </tr> <tr> <td>51.00</td> <td>@</td> <td>2.16</td> <td>29.6</td> <td>19.00</td> <td>70.00</td> <td>0.5g/t Au cut-off and max. 4m continuous internal dilution</td> </tr> <tr> <td colspan="7">including</td> </tr> <tr> <td>11.00</td> <td>@</td> <td>3.33</td> <td>90.1</td> <td>19.00</td> <td>30.00</td> <td>1g/t Au cut-off and 3m internal dilution</td> </tr> <tr> <td colspan="7">and</td> </tr> <tr> <td>6.00</td> <td>@</td> <td>4.34</td> <td>19.2</td> <td>49.00</td> <td>55.00</td> <td>1g/t Au cut-off and 2m continuous internal dilution</td> </tr> <tr> <td colspan="7">including</td> </tr> <tr> <td>3.00</td> <td>@</td> <td>7.37</td> <td>35.2</td> <td>49.00</td> <td>52.00</td> <td>2g/t Au cut-off and no internal dilution</td> </tr> <tr> <td colspan="7">including</td> </tr> <tr> <td>11.00</td> <td>@</td> <td>2.63</td> <td>11.6</td> <td>59.00</td> <td>70.00</td> <td>1g/t Au cut-off and 3m internal dilution</td> </tr> <tr> <td colspan="7">including</td> </tr> <tr> <td>3.00</td> <td>@</td> <td>5.84</td> <td>14.3</td> <td>65.00</td> <td>68.00</td> <td>2g/t Au cut-off and no internal dilution</td> </tr> <tr> <td colspan="7">including</td> </tr> <tr> <td>33.00</td> <td>@</td> <td>2.28</td> <td>9.3</td> <td>99.00</td> <td>132.00</td> <td>0.4g/t Au cut-off and 3m continuous internal dilution</td> </tr> <tr> <td colspan="7">including</td> </tr> <tr> <td>9.00</td> <td>@</td> <td>7.29</td> <td>13.3</td> <td>123.00</td> <td>132.00</td> <td>0.5g/t Au cut-off and 3m internal dilution</td> </tr> <tr> <td colspan="7">including</td> </tr> <tr> <td>1.00</td> <td>@</td> <td>43.6</td> <td>61.4</td> <td>127.00</td> <td>128.00</td> <td></td> </tr> </tbody> </table>	Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	UGA-46	132.00	@	1.51	16.2	0.00	132.00	0.25g/t Au cut-off and max. 4m continuous internal dilution	including							51.00	@	2.16	29.6	19.00	70.00	0.5g/t Au cut-off and max. 4m continuous internal dilution	including							11.00	@	3.33	90.1	19.00	30.00	1g/t Au cut-off and 3m internal dilution	and							6.00	@	4.34	19.2	49.00	55.00	1g/t Au cut-off and 2m continuous internal dilution	including							3.00	@	7.37	35.2	49.00	52.00	2g/t Au cut-off and no internal dilution	including							11.00	@	2.63	11.6	59.00	70.00	1g/t Au cut-off and 3m internal dilution	including							3.00	@	5.84	14.3	65.00	68.00	2g/t Au cut-off and no internal dilution	including							33.00	@	2.28	9.3	99.00	132.00	0.4g/t Au cut-off and 3m continuous internal dilution	including							9.00	@	7.29	13.3	123.00	132.00	0.5g/t Au cut-off and 3m internal dilution	including							1.00	@	43.6	61.4	127.00	128.00							
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off																																																																																																																																															
UGA-46	132.00	@	1.51	16.2	0.00	132.00	0.25g/t Au cut-off and max. 4m continuous internal dilution																																																																																																																																															
	including																																																																																																																																																					
	51.00	@	2.16	29.6	19.00	70.00	0.5g/t Au cut-off and max. 4m continuous internal dilution																																																																																																																																															
	including																																																																																																																																																					
	11.00	@	3.33	90.1	19.00	30.00	1g/t Au cut-off and 3m internal dilution																																																																																																																																															
	and																																																																																																																																																					
	6.00	@	4.34	19.2	49.00	55.00	1g/t Au cut-off and 2m continuous internal dilution																																																																																																																																															
	including																																																																																																																																																					
	3.00	@	7.37	35.2	49.00	52.00	2g/t Au cut-off and no internal dilution																																																																																																																																															
	including																																																																																																																																																					
	11.00	@	2.63	11.6	59.00	70.00	1g/t Au cut-off and 3m internal dilution																																																																																																																																															
	including																																																																																																																																																					
	3.00	@	5.84	14.3	65.00	68.00	2g/t Au cut-off and no internal dilution																																																																																																																																															
	including																																																																																																																																																					
	33.00	@	2.28	9.3	99.00	132.00	0.4g/t Au cut-off and 3m continuous internal dilution																																																																																																																																															
including																																																																																																																																																						
9.00	@	7.29	13.3	123.00	132.00	0.5g/t Au cut-off and 3m internal dilution																																																																																																																																																
including																																																																																																																																																						
1.00	@	43.6	61.4	127.00	128.00																																																																																																																																																	
		<table border="1"> <thead> <tr> <th>Hole</th> <th>Width (m) (Down hole depth)</th> <th></th> <th>Au g/t</th> <th>Ag g/t</th> <th>From (m) (Down hole depth)</th> <th>To (m) (Down hole depth)</th> <th>Cut-off</th> </tr> </thead> <tbody> <tr> <td>UGA-47</td> <td>18.00</td> <td>@</td> <td>1.57</td> <td>6.1</td> <td>38.00</td> <td>56.00</td> <td>0.2g/t Au cut-off and max. 4m continuous internal dilution</td> </tr> </tbody> </table>	Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	UGA-47	18.00	@	1.57	6.1	38.00	56.00	0.2g/t Au cut-off and max. 4m continuous internal dilution																																																																																																																																				
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off																																																																																																																																															
UGA-47	18.00	@	1.57	6.1	38.00	56.00	0.2g/t Au cut-off and max. 4m continuous internal dilution																																																																																																																																															

Criteria	JORC Code Explanation	Details						
		including						
		4.00	@	6.27	23.6	38.00	42.00	0.5g/t Au cut-off and no internal dilution
		including						
		42.00	@	0.59	1.9	93.00	135.00	0.2g/t Au cut-off and max. 4m continuous internal dilution
		including						
		5.00	@	2.98	4.2	112.00	117.00	0.5g/t Au cut-off and 2m internal dilution
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
UGA-48	32.00	@	1.49	7.8	10.00	42.00	0.25g/t Au cut-off and max. 3m continuous internal dilution	
	including							
	20.00	@	2.06	10.4	22.00	42.00	1g/t Au cut-off and max. 3m continuous internal dilution	
	including							
	4.00	@	3.76	29.2	31.00	35.00	2g/t Au cut-off and no internal dilution	
	including							
	67.00	@	0.69	4.5	73.00	140.00	0.2g/t Au cut-off and max. 4m continuous internal dilution	
	including							
	2.00	@	4.21	11.5	75.00	77.00	1g/t Au cut-off and no internal dilution	
	and							
	3.00	@	1.83	8.6	89.00	92.00	0.5g/t Au cut-off and no internal dilution	
	and							
	8.00	@	1.29	10.1	106.00	114.00	0.5g/t Au cut-off and 1m internal dilution	
including								
3.00	@	2.28	10.5	106.00	109.00	1g/t Au cut-off and 1m internal dilution		
including								
3.00	@	1.42	9.1	121.00	124.00	1g/t Au cut-off and no internal dilution		

Criteria	JORC Code Explanation	Details						
		Hole	Width (m) (Down hole depth)	Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-53	37.00	@ 0.76	8.6	68.00	105.00	0.25g/t Au cut-off and 8m internal dilution
			including					
			26.00	@ 0.97	10.4	68.00	94.00	0.3g/t Au cut-off and 1m internal dilution
			including					
		4.00	@ 1.91	20.1	88.00	92.00	1g/t Au cut-off and 1m internal dilution	
		Hole	Width (m) (Down hole depth)	Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-54	60.00	@ 0.56	2.9	81.00	141.00	0.25g/t Au cut-off and max. 4m continuous internal dilution
			including					
			3.00	@ 1.70	3.9	89.00	92.00	0.5g/t Au cut-off and no internal dilution
			and					
			3.00	@ 0.98	1.8	97.00	100.00	0.5g/t Au cut-off and 1m internal dilution
			and					
		6.00	@ 1.74	6.9	113.00	119.00	0.5g/t Au cut-off and 1m internal dilution	
		Hole	Width (m) (Down hole depth)	Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-55	51.00	@ 1.14	6.6	72.00	123.00	0.25g/t Au cut-off and max. 2m continuous internal dilution
			including					
			42.00	@ 1.31	7.3	72.00	114.00	0.5g/t Au cut-off and max. 3m continuous internal dilution
		including						

Criteria	JORC Code Explanation	Details						
		25.00	@	1.73	9.4	79.00	104.00	1g/t Au cut-off and max. 6m continuous internal dilution
		including						
		11.00	@	2.55	13.7	93.00	104.00	2g/t Au cut-off and max. 4m continuous internal dilution
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
UGA-56	6.00	@	0.54	2.0	2.00	8.00	0.25g/t Au cut-off and 2m internal dilution	
	including							
	4.00	@	0.34	2.1	50.00	54.00	0.25g/t Au cut-off and 1m internal dilution	
	including							
	1.00	@	2.07	5.2	74.00	75.00	N/A	
	including							
	3.00	@	0.81	3.0	105.00	108.00	0.25g/t Au cut-off and no internal dilution	
	including							
	8.00	@	0.35	1.4	117.00	125.00	0.25g/t Au cut-off and 4m internal dilution	
including								
5.00	@	1.18	2.1	160.00	165.00	0.3g/t Au cut-off and no internal dilution		
including								
8.00	@	0.40	1.4	283.00	291.00	0.25g/t Au cut-off and no internal dilution		
including								
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
UGA-57	7.00	@	0.78	6.4	34.00	41.00	0.25g/t Au cut-off and 1m internal dilution	
	including							
	2.00	@	2.02	14.9	39.00	41.00	1g/t Au cut-off and no internal dilution	

Criteria	JORC Code Explanation	Details							
		34.00	@	0.54	3.4	59.00	93.00	0.25g/t Au cut-off and 2m internal dilution	
		including							
		2.00	@	1.17	2.6	78.00	80.00	1g/t Au cut-off and no internal dilution	
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-58	45.00	@	0.41	3.8	24.00	69.00	0.25g/t Au cut-off and max. 4m continuous internal dilution
			including						
			3.00	@	2.41	6.0	25.00	28.00	1g/t Au cut-off and no internal dilution
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-59	13.00	@	0.83	2.6	115.00	128.00	0.25g/t Au cut-off and 2m internal dilution
			including						
			2.00	@	2.99	7.8	125.00	127.00	0.5g/t Au cut-off and no internal dilution
including									
24.00	@		1.02	4.7	163.00	187.00	0.25g/t Au cut-off and 5m internal dilution		
including									
7.00	@		3.04	13.0	164.00	171.00	0.5g/t Au cut-off and no internal dilution		
including									
5.00	@	4.02	17.3	165.00	170.00	1g/t Au cut-off and 2m internal dilution			

Criteria	JORC Code Explanation	Details																																																																																																			
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> All cut-off grades are reported. No top cut has been applied. The lower gold grade, larger intervals have been selected using a gold cut-off grade similar to the cut-off grade utilised for the Sturec Gold Project JORC 2012 Mineral Resource. While the higher gold grade, shorter intervals have been selected utilising incrementally increasing gold cut-off grades in order to visualise the mineralisation at a range of higher gold cut-off grades. These higher gold grade, shorter intervals are then utilised in order to support feasibility studies into the underground mining. Weighted means for each interval are calculated by: First multiply each of the widths of the individual sample intervals within the significant intersection by the assay result (Au g/t or Ag g/t) of each individual sample. Then sum all these values and divide by the overall width (m) of the significant intersection. Internal dilution was allowed as long as the aggregate weighted mean grade from the footwall or hangingwall side of the mineralised interval to the end of the dilution zone does not fall below the cut-off grade. Example of weighted mean calculation and treatment of internal dilution: <table border="1" style="margin: 10px auto;"> <thead> <tr> <th>Hole</th> <th>From (m)</th> <th>To (m)</th> <th>Interval (m)</th> <th>Sample Nr</th> <th>Au g/t (Au-AA26)</th> <th>Au g/t* interval</th> <th>Ag g/t (ME-ICP61)</th> <th>Ag g/t* interval</th> </tr> </thead> <tbody> <tr> <td>UGA-01</td> <td>234</td> <td>235</td> <td>1</td> <td>M294307</td> <td>4.23</td> <td>4.23</td> <td>44</td> <td>44</td> </tr> <tr> <td>UGA-01</td> <td>235</td> <td>236</td> <td>1</td> <td>M294308</td> <td>0.34</td> <td>0.34</td> <td>4.4</td> <td>4.4</td> </tr> <tr> <td>UGA-01</td> <td>236</td> <td>237</td> <td>1</td> <td>M294309</td> <td>0.5</td> <td>0.5</td> <td>5</td> <td>5</td> </tr> <tr> <td>UGA-01</td> <td>237</td> <td>238</td> <td>1</td> <td>M294310</td> <td>0.65</td> <td>0.65</td> <td>3.9</td> <td>3.9</td> </tr> <tr> <td>UGA-01</td> <td>238</td> <td>239</td> <td>1</td> <td>M294312</td> <td>0.27</td> <td>0.27</td> <td>4.2</td> <td>4.2</td> </tr> <tr> <td>UGA-01</td> <td>239</td> <td>240</td> <td>1</td> <td>M294313</td> <td>0.2</td> <td>0.2</td> <td>3.3</td> <td>3.3</td> </tr> <tr> <td>UGA-01</td> <td>240</td> <td>241</td> <td>1</td> <td>M294314</td> <td>0.8</td> <td>0.8</td> <td>7</td> <td>7</td> </tr> <tr> <td>UGA-01</td> <td>241</td> <td>242</td> <td>1</td> <td>M294315</td> <td>0.44</td> <td>0.44</td> <td>2.6</td> <td>2.6</td> </tr> <tr> <td>UGA-01</td> <td>242</td> <td>243</td> <td>1</td> <td>M294316</td> <td>0.5</td> <td>0.5</td> <td>1.9</td> <td>1.9</td> </tr> <tr> <td>UGA-01</td> <td>243</td> <td>244</td> <td>1</td> <td>M294317</td> <td>6.76</td> <td>6.76</td> <td>20.5</td> <td>20.5</td> </tr> </tbody> </table> <p style="margin-left: 20px;">10 metres @ 1.47 g/t Au 9.68 g/t Ag from using a 0.3g/t Au cut-off with max. 2m of continuous internal dilution 234m</p>	Hole	From (m)	To (m)	Interval (m)	Sample Nr	Au g/t (Au-AA26)	Au g/t* interval	Ag g/t (ME-ICP61)	Ag g/t* interval	UGA-01	234	235	1	M294307	4.23	4.23	44	44	UGA-01	235	236	1	M294308	0.34	0.34	4.4	4.4	UGA-01	236	237	1	M294309	0.5	0.5	5	5	UGA-01	237	238	1	M294310	0.65	0.65	3.9	3.9	UGA-01	238	239	1	M294312	0.27	0.27	4.2	4.2	UGA-01	239	240	1	M294313	0.2	0.2	3.3	3.3	UGA-01	240	241	1	M294314	0.8	0.8	7	7	UGA-01	241	242	1	M294315	0.44	0.44	2.6	2.6	UGA-01	242	243	1	M294316	0.5	0.5	1.9	1.9	UGA-01	243	244	1	M294317	6.76	6.76	20.5	20.5
Hole	From (m)	To (m)	Interval (m)	Sample Nr	Au g/t (Au-AA26)	Au g/t* interval	Ag g/t (ME-ICP61)	Ag g/t* interval																																																																																													
UGA-01	234	235	1	M294307	4.23	4.23	44	44																																																																																													
UGA-01	235	236	1	M294308	0.34	0.34	4.4	4.4																																																																																													
UGA-01	236	237	1	M294309	0.5	0.5	5	5																																																																																													
UGA-01	237	238	1	M294310	0.65	0.65	3.9	3.9																																																																																													
UGA-01	238	239	1	M294312	0.27	0.27	4.2	4.2																																																																																													
UGA-01	239	240	1	M294313	0.2	0.2	3.3	3.3																																																																																													
UGA-01	240	241	1	M294314	0.8	0.8	7	7																																																																																													
UGA-01	241	242	1	M294315	0.44	0.44	2.6	2.6																																																																																													
UGA-01	242	243	1	M294316	0.5	0.5	1.9	1.9																																																																																													
UGA-01	243	244	1	M294317	6.76	6.76	20.5	20.5																																																																																													
Relationship between mineralisation widths and intercept length	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is 	<ul style="list-style-type: none"> No metal equivalents have been quoted. Generally, the drilling from the Andrej Adit is at an angle to the strike of the mineralisation and therefore, the true thickness could be a small proportion of the intersection thickness. As the mineralisation zone strikes approximately north-south, the closer the hole azimuth is to north or south, the smaller the true thickness will be compared of the intersection thickness. 																																																																																																			

Criteria	JORC Code Explanation	Details
	<p><i>known, its nature should be reported.</i></p> <ul style="list-style-type: none"> <i>If it is not known and only the downhole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i> 	<ul style="list-style-type: none"> UGA-46 was drilled from Drill Chamber III. The true thickness of the mineralisation in this area is approximately 90-100m at the top of the drill hole and 30-20m at the bottom of the drill hole (see Figure 2 in the body of the announcement). The mineralisation is funnel shaped with the thicker zone higher and the thinner zone lower. This ore body geometry is common for many low-sulphidation epithermal gold-silver deposits. UGA-47, UGA-48, UGA-53, UGA-54, UGA-55, UGA-56, UGA-57, UGA58 and UGA-59 were drilled from Drill Chamber IV. The true thickness of the mineralisation in this area is approximately 90-100m at the top of the drill hole and 30-20m at the bottom of the drill hole (see Figure 3,4 and 5 in the body of the announcement). The mineralisation is funnel shaped with the thicker zone higher and the thinner zone lower. This ore body geometry is common for many low-sulphidation epithermal gold-silver deposits.
Diagrams	<ul style="list-style-type: none"> <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> 	<ul style="list-style-type: none"> All relevant diagrams are reported in the body of this announcement.
Balanced reporting	<ul style="list-style-type: none"> <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> 	<ul style="list-style-type: none"> All exploration results have been reported.
Other substantive exploration data	<ul style="list-style-type: none"> <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> Several metallurgical test work programs have been completed at independent laboratories confirming that the Sturec ore is amenable to industry-standard cyanide leaching processing for gold and silver. However, the use of cyanide for ore processing was banned in Slovakia in 2014. In response to the cyanide ban, several metallurgical test work programs assessing alternative processing methodologies have been completed on the ore from Sturec. The three most promising are: <ul style="list-style-type: none"> Thiosulphate Leaching gold and silver extraction technology was investigated by the previous owners of the project (Arc Minerals Limited) between 2011-2014. The Thiosulphate Leaching test work results reported so far indicate that this alternate mineral processing methodology is generally applicable to the Sturec gold-silver ores. The most encouraging results came from the latest, Thiosulphate Leaching study completed in 2014 by CMC Chimie. In this study, Ammonium Thiosulphate leaching of the Sturec ore (10 batches of approximately 800kg each) produced a pregnant liquor that had a content of 3-8g/t Au and 10-25g/t Ag, which was then subjected to electrowinning and filtering/drying, producing a copper/gold/silver cement with an overall recovery of 90.5% for gold and 48.9% for silver. The resultant dry cement was approximately 1% gold-silver and about 50% copper. These results were used to justify the conclusion that Thiosulphate Leaching could be used as an alternative processing method to conventional cyanidation and that it was also more economically viable. These results are interpreted to indicate that a further, more detailed metallurgical test work investigation is warranted into this alternative processing method in order to underpin further economic analysis (scoping Study or PFS) of the Sturec Gold Project in light of Slovakia's ban on cyanidation mineral processing. In 2016-2017, Arc Minerals also investigated the Cycladex Process as another alternative to cyanidation. In this process a bromide-based solubilizing agent (lixiviant) leaches the ore creating potassium gold bromide (tetrabromoaurate: KAuBr₄). Then cyclodextrin, a commercially available corn-starch derivative, is added to

Criteria	JORC Code Explanation	Details
		<p>the resultant pregnant liquor, which results in the spontaneous precipitation of crystals containing the gold. The gold is then released from the crystalline precipitate at high temperature using a furnace to yield solid gold metal. The Cycladex Process test work results reported indicate that this alternate mineral processing methodology is also generally applicable to the Sturec gold-silver ores and potentially cheaper than conventional cyanidation. These results are interpreted to indicate that further investigation is warranted into this alternative processing method and that a PFS-level metallurgical test work-study needs to be completed to underpin a revaluation of the 2013 PFS completed by SRK in light of Slovakia's ban on cyanidation mineral processing.</p> <ul style="list-style-type: none"> ○ As an alternative to onsite leaching, producing a gravity/floatation concentrate on site that could then be then further processed elsewhere (Austria/Belgium) has also been investigated. Gravity concentrate and floatation test work completed on 11 composite samples of Sturec ore found that gold recovery ranged from 64.1 to 93.9% and silver recovery ranged from 45.1 to 83.9%. This processing methodology is currently being used at Slovakia's only operating gold mine, which is of a very similar mineralisation style to Sturec; and so, there is a reasonable possibility it could also be used at Sturec. The main deterrents to this option are the cost of transporting this concentrate (obviously depending on the distance of the further processing facility) and the lower recovery of gold and silver (especially in fine ores). Further work needs to be done to better constrain the metallurgical recovery of this processing methodology across the entire orebody, as well as understand the economic factors involved before an assessment of its suitability can be fully determined. Gravity/floatation concentrate metallurgical testwork on a sample from UGA-14 completed by the Company (ASX:MTC announcement dated 1/10/2021) produced a gravity/floatation concentrate grading 31g/t gold and 80g/t silver, with a corresponding gold and silver recovery of 91.0% and 88.4% respectively • Groundwater and geotechnical investigations were completed in 2013. The groundwater monitoring results and geotechnical data were found to be adequate to interpret reasonable open pit slope angles for the various host rock types for the purposes of an open pit optimisation that was used as justification for a 'reasonable prospects of economic extraction' interpretation. • Concerning the groundwater, it has been interpreted that the most likely current situation is that the water table around the open pit area was drawn down due the dewatering through the 'Heritage Adits'; with the Main Heritage Adit being situated some 300m below and transporting the groundwater 15km away to where it eventually reaches the surface. It was interpreted that the dewatering had occurred to the level with or below the maximum depth of the proposed pit (~300m). However, the possibility that the dewatering was not as efficient as interpreted has also considered and it has been recommended that up to 6 permanent monitoring wells be installed on the western and eastern sides of the pit to the full depth of the proposed pit. The primary purpose of these wells is to determine if there is any spatial and temporal variation in groundwater levels around the pit. • Geotechnical investigations found that the stability of the open pit was significantly controlled by the degree of argillic alteration of the predominantly andesite rock mass found at Sturec (host rock of the quartz veining). The modelling suggested that the pit slope needed to be as low as 43° in the highly argillic altered/clay rock type but that a 50° pit slope was adequate in the other rock types. • The groundwater and geotechnical investigation results have been used to model a recommended open pit design that achieved an adequate Factor of Safety (FoS) of greater than 2.0.
<p>Further work</p>	<ul style="list-style-type: none"> • <i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling</i> 	<ul style="list-style-type: none"> • There is good potential for the delineation of further gold mineralisation within the Sturec Gold Project area through future exploration. Mineralisation is open to the north (towards the Vratislav Prospect) and south, as well as at depth. A surface drill program has been started to test the extent of the mineralisation directly below some of the highest grade areas of the Sturec Mineral Resource as defined by drill holes: UGA-03, STOR3.11 and STOR 3.10. • Prospects such as Wolf, Vratislav, Katerina, Vollie Henne and South Ridge are interpreted to be extension areas to the Mineral Resource area at Sturec. Significant gold-silver bearing quartz vein mineralisation has been identified and variably explored/mined at each of these prospects.

personal use only

Criteria	JORC Code Explanation	Details
	<i>areas, provided this information is not commercially sensitive.</i>	

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-46	0.00	1.00	1.00	M301121	0.4	11	1.16	56	90	0.6	<2	0.05	<0.5	1	63	18	0.8	<10	0.96	<10
UGA-46	1.00	3.00	2.00	M301122	0.3	13.2	3.32	280	300	0.6	<2	0.04	<0.5	9	55	30	2.05	<10	3.2	<10
UGA-46	3.00	4.00	1.00	M301123	0.4	3.3	5.2	186	300	0.9	<2	0.04	<0.5	16	60	27	3.95	10	2.53	10
UGA-46	4.00	6.00	2.00	M301124	0.06	2.9	5.43	143	400	0.6	<2	0.03	<0.5	15	52	25	4.17	10	3.84	10
UGA-46	6.00	8.00	2.00	M301125	1.69	24.5	4.41	219	490	0.7	<2	0.05	<0.5	12	55	29	4.19	10	4.24	<10
UGA-46	8.00	10.00	2.00	M301126	0.25	7.3	6.11	1025	280	1	2	0.06	<0.5	26	54	31	5.55	10	4.18	10
UGA-46	10.00	12.00	2.00	M301127	0.28	4.3	6.33	4090	120	1	2	0.25	<0.5	55	55	31	8.91	10	4.51	10
UGA-46	12.00	13.00	1.00	M301128	0.28	4.6	6.53	1085	130	1.1	2	0.09	<0.5	20	59	33	5.11	10	3.46	10
UGA-46	13.00	14.00	1.00	M301129	0.27	4	5.68	437	350	0.8	2	0.13	<0.5	13	56	19	3.93	10	3.88	10
UGA-46	14.00	15.00	1.00	M301131	0.26	6.4	6.13	607	400	1	<2	0.13	<0.5	14	54	22	4.48	10	4.39	10
UGA-46	15.00	17.00	2.00	M301132	0.61	5.3	6.55	504	790	1	<2	0.06	<0.5	7	58	13	1.96	10	4.18	10
UGA-46	17.00	18.00	1.00	M301133	0.32	5.6	5.74	1400	240	1	<2	0.2	<0.5	19	49	35	5.64	10	4.05	10
UGA-46	18.00	19.00	1.00	M301134	0.2	38.6	4.47	287	480	0.8	<2	0.17	<0.5	13	47	39	3.65	10	3.85	10
UGA-46	19.00	20.00	1.00	M301135	5.13	>100	5.03	620	170	0.9	<2	0.17	0.9	18	44	176	4.78	10	3.65	10
UGA-46	20.00	21.00	1.00	M301136	0.99	33.8	4.05	1570	260	0.7	2	0.31	<0.5	12	43	30	4.99	<10	4.02	10
UGA-46	21.00	22.00	1.00	M301137	2.98	56.3	2.83	2640	80	0.8	2	0.74	<0.5	9	42	39	7.98	<10	1.91	<10
UGA-46	22.00	23.00	1.00	M301139	2.55	79.8	1.49	3970	100	0.5	<2	0.56	<0.5	5	40	46	8.36	<10	0.84	<10
UGA-46	23.00	24.00	1.00	M301140	2.02	75.9	2.67	3680	100	0.5	<2	0.14	<0.5	8	50	45	7.43	<10	2.84	<10
UGA-46	24.00	25.00	1.00	M301141	4.15	47.6	0.95	1965	120	0.5	<2	0.08	<0.5	2	61	25	4.09	<10	0.75	<10
UGA-46	25.00	26.00	1.00	M301142	1.68	82.3	2.97	3360	140	0.6	<2	0.26	<0.5	10	45	43	6.84	<10	3.02	<10
UGA-46	26.00	27.00	1.00	M301143	1.95	38.7	2.18	2140	180	0.6	3	0.32	<0.5	7	49	25	6.56	<10	2.06	<10
UGA-46	27.00	28.00	1.00	M301145	2.16	47.2	2.85	2950	110	0.5	2	0.4	<0.5	13	44	29	6.99	<10	3.02	<10
UGA-46	28.00	29.00	1.00	M301146	5.56	82.9	3.07	2270	90	0.7	<2	0.6	<0.5	12	49	58	6.75	10	2.29	<10
UGA-46	29.00	30.00	11.00	M301147	7.49	59.2	0.52	1220	30	0.5	<2	0.22	<0.5	1	63	30	3.29	<10	0.25	<10
UGA-46	30.00	31.00	1.00	M301148	1.31	52.7	2.53	2520	130	0.6	2	1.73	<0.5	8	41	28	8.78	<10	2.53	<10
UGA-46	31.00	32.00	1.00	M301149	0.85	24.4	3.27	1105	220	0.5	<2	0.79	0.7	9	39	23	6.07	<10	3.76	10
UGA-46	32.00	33.00	1.00	M301151	0.72	7.5	3.75	757	240	0.5	<2	0.42	<0.5	11	42	19	4.67	10	4.16	20
UGA-46	33.00	34.00	1.00	M301152	1.8	15.3	2.39	706	260	0.6	<2	0.46	<0.5	7	45	19	3.98	<10	1.99	10
UGA-46	34.00	35.00	1.00	M301153	0.48	3.8	2.94	615	400	0.6	<2	0.65	<0.5	9	40	14	3.38	10	2.72	10
UGA-46	35.00	36.00	1.00	M301154	0.83	6.2	2.56	707	380	0.6	<2	0.26	0.6	9	45	12	3.16	<10	2.35	10
UGA-46	36.00	37.00	1.00	M301155	2.09	9.8	2.54	844	380	0.6	<2	0.34	0.7	8	43	15	3.55	<10	2.43	10
UGA-46	37.00	38.00	1.00	M301156	1.54	7.9	2.25	89	230	0.6	<2	0.82	0.5	4	40	12	2.3	10	1.31	10
UGA-46	38.00	39.00	1.00	M301157	0.22	7.9	5.35	304	550	0.9	<2	0.5	0.5	14	43	23	3.29	10	4.08	20
UGA-46	39.00	40.00	1.00	M301158	2.94	25.1	3.2	646	250	1.1	<2	0.57	0.5	9	47	20	4.51	10	1.94	10
UGA-46	40.00	41.00	1.00	M301159	0.48	23.5	4.53	201	560	0.7	<2	0.59	0.8	12	39	34	3.26	<10	4.3	20
UGA-46	41.00	42.00	1.00	M301160	0.71	7.6	4.81	543	350	0.6	<2	0.54	0.7	14	41	20	4.76	10	4.69	20
UGA-46	42.00	43.00	1.00	M301161	0.08	5	3.63	144	400	0.6	<2	0.41	0.6	9	41	17	3.11	10	3.05	20
UGA-46	43.00	44.00	1.00	M301162	0.62	15.9	2.08	1125	30	0.8	<2	1.22	0.5	7	32	17	4.75	10	0.1	10
UGA-46	44.00	45.00	1.00	M301163	0.31	4.4	4.3	445	230	1	<2	0.42	<0.5	13	39	18	3.95	10	3.12	20
UGA-46	45.00	46.00	1.00	M301164	1.54	26.6	5.29	203	550	0.8	<2	0.4	0.6	11	33	22	2.87	10	3.94	20
UGA-46	46.00	47.00	1.00	M301165	0.87	15.2	5.16	319	550	0.9	2	0.49	0.7	12	31	29	3.37	10	4.49	20
UGA-46	47.00	48.00	1.00	M301166	0.14	4.8	5.22	106	330	0.7	<2	0.66	0.6	12	35	22	4.32	10	4.51	20
UGA-46	48.00	49.00	1.00	M301167	0.35	6.2	3.74	481	420	0.7	<2	0.45	0.6	10	38	16	3.09	<10	3.51	20
UGA-46	49.00	50.00	1.00	M301169	10.4	47.4	2.41	741	160	0.7	<2	0.67	0.7	6	48	38	3.41	<10	1.66	10

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-46	0.00	1.00	1.00	M301121	0.03	72	5	0.02	2	50	2	0.11	158	2	28	<20	0.05	10	<10	11
UGA-46	1.00	3.00	2.00	M301122	0.03	76	5	0.03	7	150	2	1.64	115	7	59	<20	0.17	10	<10	30
UGA-46	3.00	4.00	1.00	M301123	0.04	79	5	0.02	11	220	9	3.88	68	13	55	<20	0.28	10	<10	58
UGA-46	4.00	6.00	2.00	M301124	0.1	69	4	0.03	10	200	10	4.26	59	14	81	<20	0.28	10	<10	78
UGA-46	6.00	8.00	2.00	M301125	0.11	99	9	0.04	7	210	11	3.98	91	11	77	<20	0.23	10	<10	63
UGA-46	8.00	10.00	2.00	M301126	0.24	67	4	0.06	21	330	11	5.83	167	17	127	<20	0.32	50	<10	126
UGA-46	10.00	12.00	2.00	M301127	0.18	70	4	0.07	58	1230	12	10	748	17	91	<20	0.32	220	<10	116
UGA-46	12.00	13.00	1.00	M301128	0.22	65	5	0.07	12	570	13	5.49	81	17	112	<20	0.34	20	<10	93
UGA-46	13.00	14.00	1.00	M301129	0.13	78	4	0.08	11	530	9	3.82	58	15	117	<20	0.29	20	<10	60
UGA-46	14.00	15.00	1.00	M301131	0.25	74	4	0.07	9	510	10	4.47	75	16	109	<20	0.32	10	<10	80
UGA-46	15.00	17.00	2.00	M301132	0.18	87	4	0.06	4	590	5	1.4	77	16	120	<20	0.34	10	<10	96
UGA-46	17.00	18.00	1.00	M301133	0.18	75	4	0.05	13	950	14	5.7	92	14	106	<20	0.3	20	<10	86
UGA-46	18.00	19.00	1.00	M301134	0.06	90	5	0.07	9	750	13	3.45	119	11	87	<20	0.24	20	<10	66
UGA-46	19.00	20.00	1.00	M301135	0.11	81	5	0.06	11	770	25	4.82	287	12	78	<20	0.27	30	<10	77
UGA-46	20.00	21.00	1.00	M301136	0.07	86	8	0.06	9	1270	15	5.05	211	10	75	<20	0.23	30	<10	55
UGA-46	21.00	22.00	1.00	M301137	0.05	136	15	0.03	8	3250	19	8.36	441	7	40	<20	0.14	70	<10	46
UGA-46	22.00	23.00	1.00	M301139	0.08	118	19	0.02	3	2020	19	8.97	529	4	36	<20	0.07	110	<10	26
UGA-46	23.00	24.00	1.00	M301140	0.04	103	13	0.04	8	480	13	7.91	392	6	45	<20	0.14	70	<10	36
UGA-46	24.00	25.00	1.00	M301141	0.03	88	19	0.02	3	180	11	4.02	409	2	24	<20	0.04	40	<10	12
UGA-46	25.00	26.00	1.00	M301142	0.04	92	27	0.04	9	1120	16	7.4	356	7	64	<20	0.16	40	<10	46
UGA-46	26.00	27.00	1.00	M301143	0.11	258	33	0.03	7	810	6	6.45	258	5	58	<20	0.11	30	<10	34
UGA-46	27.00	28.00	1.00	M301145	0.04	85	11	0.03	8	1730	7	7.67	352	6	54	<20	0.15	60	<10	34
UGA-46	28.00	29.00	1.00	M301146	0.09	91	9	0.02	9	2690	21	7.31	309	8	46	<20	0.15	40	<10	51
UGA-46	29.00	30.00	11.00	M301147	0.07	123	8	0.01	3	260	13	3.04	278	1	21	<20	0.01	30	<10	5
UGA-46	30.00	31.00	1.00	M301148	0.06	140	11	0.03	7	7550	9	9.21	313	8	62	<20	0.11	50	<10	43
UGA-46	31.00	32.00	1.00	M301149	0.05	348	8	0.03	3	3350	11	6.27	132	8	44	<20	0.15	10	<10	40
UGA-46	32.00	33.00	1.00	M301151	0.11	137	5	0.05	7	1170	7	4.73	152	8	62	<20	0.2	40	<10	40
UGA-46	33.00	34.00	1.00	M301152	0.14	109	6	0.03	6	1760	6	3.94	157	4	49	<20	0.12	20	<10	42
UGA-46	34.00	35.00	1.00	M301153	0.45	184	4	0.03	9	680	5	3.2	155	6	67	<20	0.14	30	<10	47
UGA-46	35.00	36.00	1.00	M301154	0.05	109	5	0.03	6	880	5	2.91	154	4	46	<20	0.12	30	<10	31
UGA-46	36.00	37.00	1.00	M301155	0.05	103	5	0.03	5	1410	5	3.22	173	5	43	<20	0.12	30	<10	42
UGA-46	37.00	38.00	1.00	M301156	0.78	373	4	0.02	3	440	3	1.47	63	4	63	<20	0.08	<10	<10	54
UGA-46	38.00	39.00	1.00	M301157	0.55	259	4	0.07	7	980	7	2.77	74	14	91	<20	0.28	10	<10	84
UGA-46	39.00	40.00	1.00	M301158	0.12	251	5	0.02	6	2000	7	3.92	130	8	37	<20	0.15	10	<10	73
UGA-46	40.00	41.00	1.00	M301159	0.21	299	3	0.05	5	840	8	2.93	70	11	75	<20	0.25	10	<10	79
UGA-46	41.00	42.00	1.00	M301160	0.2	275	3	0.06	7	930	6	4.73	65	12	83	<20	0.26	20	<10	65
UGA-46	42.00	43.00	1.00	M301161	0.12	296	3	0.03	6	1040	5	2.79	45	8	50	<20	0.2	<10	<10	64
UGA-46	43.00	44.00	1.00	M301162	0.31	691	5	0.01	3	3300	8	3.92	124	5	48	<20	0.09	10	<10	57
UGA-46	44.00	45.00	1.00	M301163	0.16	199	4	0.03	7	1400	10	3.66	63	11	49	<20	0.23	10	<10	78
UGA-46	45.00	46.00	1.00	M301164	0.16	167	2	0.06	4	950	12	2.72	53	11	75	<20	0.26	10	<10	66
UGA-46	46.00	47.00	1.00	M301165	0.32	307	3	0.08	4	1000	12	2.94	60	12	96	<20	0.27	10	<10	93
UGA-46	47.00	48.00	1.00	M301166	0.46	204	2	0.09	7	900	8	4.45	34	14	113	<20	0.28	<10	<10	64
UGA-46	48.00	49.00	1.00	M301167	0.07	143	3	0.05	5	1700	4	2.77	72	7	77	<20	0.19	10	<10	55
UGA-46	49.00	50.00	1.00	M301169	0.05	152	6	0.02	4	2600	7	3.12	131	5	52	<20	0.11	10	<10	35

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	
UGA-46	50.00	51.00	1.00	M301170	6.23	42.2	3.7	175	430	0.7	3	0.48	0.7	7	39	33	3.11	<10	3.61	10	
UGA-46	51.00	52.00	1.00	M301171	5.48	16	2.36	79	230	0.6	<2	0.36	0.6	5	51	22	2.03	<10	1.99	10	
UGA-46	52.00	53.00	1.00	M301172	0.12	1.6	1.68	149	130	0.6	<2	0.34	0.6	3	44	7	1.79	<10	1.3	10	
UGA-46	53.00	54.00	1.00	M301174	0.1	1.1	3.07	107	280	0.6	2	0.72	0.6	6	36	12	2.7	<10	2.47	10	
UGA-46	54.00	55.00	1.00	M301175	3.73	7	3.29	63	370	0.6	<2	1.46	0.6	6	38	12	2.18	10	2.73	10	
UGA-46	55.00	56.00	1.00	M301176	0.17	1.5	3.32	100	370	0.6	<2	0.82	0.6	6	31	11	2.23	<10	2.85	10	
UGA-46	56.00	57.00	1.00	M301177	0.17	1.8	2.73	506	270	0.6	2	0.32	0.5	6	56	11	3.21	<10	2.06	10	
UGA-46	57.00	58.00	1.00	M301178	0.07	1.8	2.46	112	320	0.7	<2	0.61	0.6	5	41	13	2.37	<10	1.88	10	
UGA-46	58.00	59.00	1.00	M301179	0.06	1.1	3.23	98	380	0.6	<2	1.13	0.6	7	39	13	2.69	<10	2.8	10	
UGA-46	59.00	60.00	1.00	M301181	4.6	6	3.61	64	440	0.6	<2	0.77	0.6	8	36	19	2.79	<10	3.5	10	
UGA-46	60.00	61.00	1.00	M301182	0.15	4.7	2.72	195	170	0.7	<2	0.34	0.5	9	38	19	4.86	10	1.81	10	
UGA-46	61.00	62.00	1.00	M301183	0.21	5.2	4.38	406	300	0.8	<2	0.58	0.5	11	44	18	4.69	10	3.87	20	
UGA-46	62.00	63.00	1.00	M301184	1.14	25.6	1.64	1115	10	0.7	<2	1.34	0.7	2	55	18	6.55	<10	0.05	10	
UGA-46	63.00	64.00	1.00	M301185	2.03	22.1	1.65	420	10	0.7	3	0.64	<0.5	6	62	36	4.84	<10	0.08	10	
UGA-46	64.00	65.00	1.00	M301186	0.55	10.8	1.35	449	10	0.9	<2	1.44	<0.5	4	69	14	3.83	<10	0.08	10	
UGA-46	65.00	66.00	1.00	M301187	3.76	22.4	0.6	170	10	0.5	<2	1.28	<0.5	2	79	9	1.96	<10	0.05	10	
UGA-46	66.00	67.00	1.00	M301189	9.58	16	1.46	151	60	0.7	<2	0.95	<0.5	4	82	12	1.94	<10	0.39	10	
UGA-46	67.00	68.00	1.00	M301191	4.19	4.5	2.18	172	120	0.7	<2	1.18	<0.5	7	54	12	2.77	<10	0.92	10	
UGA-46	68.00	69.00	1.00	M301192	1.33	4.5	2.46	156	90	0.6	<2	3.54	<0.5	9	35	20	4.46	10	0.61	10	
UGA-46	69.00	70.00	1.00	M301193	1.43	5.8	2.83	351	70	1.6	<2	2.21	<0.5	9	42	16	4.1	<10	0.97	10	
UGA-46	70.00	71.00	1.00	M301194	0.17	2.5	3.64	389	450	0.8	<2	0.49	<0.5	10	44	18	3.95	<10	3.81	10	
UGA-46	71.00	72.00	1.00	M301195	0.14	5.3	4.52	169	480	1	<2	0.35	<0.5	13	37	20	4.62	10	3.08	20	
UGA-46	72.00	73.00	1.00	M301196	0.06	2.8	4.75	190	390	0.8	<2	0.21	<0.5	15	35	25	5.31	10	4.21	20	
UGA-46	73.00	74.00	1.00	M301197	0.16	6.6	5.15	337	530	0.9	<2	0.2	<0.5	16	37	30	4.76	10	5.13	20	
UGA-46	74.00	76.00	1.00	M301198	0.61	7	6.04	228	480	0.8	<2	0.53	<0.5	18	40	27	4.18	10	5.57	20	
UGA-46	76.00	77.00	1.00	M301199	0.11	4.6	6.56	228	630	0.9	<2	0.28	<0.5	18	40	29	4.8	10	5.35	30	
UGA-46	77.00	78.00	1.00	M301200	0.09	3.6	6.03	216	720	0.6	2	0.21	<0.5	17	42	25	3.69	10	5.45	20	
UGA-46	78.00	79.00	1.00	M301201	0.18	3.9	5.52	190	780	0.8	<2	0.22	<0.5	16	44	25	3.18	10	5.65	20	
UGA-46	79.00	80.00	1.00	M301202	0.12	2.8	5.82	115	650	1.1	<2	0.82	<0.5	16	40	28	3.48	10	5.14	20	
UGA-46	80.00	81.00	1.00	M301203	0.26	2.2	6.2	244	550	1.1	<2	0.64	<0.5	21	39	26	4.87	10	5.09	30	
UGA-46	81.00	82.00	1.00	M301204	0.24	5.2	5.87	264	530	0.9	<2	0.28	<0.5	21	44	30	4.74	10	5.26	20	
UGA-46	82.00	83.00	1.00	M301205	0.48	34.1	5.71	219	570	1	<2	0.25	<0.5	18	44	31	3.32	10	4.93	20	
UGA-46	83.00	84.00	1.00	M301207	0.19	3.9	6.21	181	590	1.3	<2	0.27	<0.5	17	45	34	3.6	10	6.01	20	
UGA-46	84.00	85.00	1.00	M301208	0.13	3.5	5.65	114	620	0.9	<2	0.28	<0.5	18	44	26	4.11	10	5.26	20	
UGA-46	85.00	86.00	1.00	M301209	0.26	4.5	5.35	72	730	0.8	<2	1.06	<0.5	15	38	23	3.48	10	5.38	20	
UGA-46	86.00	87.00	1.00	M301210	0.32	9.9	5.35	86	650	0.8	<2	0.62	<0.5	14	39	23	3.66	10	5.33	20	
UGA-46	87.00	88.00	1.00	M301211	0.1	2.9	4.92	90	580	0.8	<2	1.25	<0.5	13	31	21	3.79	10	4.64	20	
UGA-46	88.00	89.00	1.00	M301212	0.09	2.8	4.94	66	580	0.7	<2	1	<0.5	13	36	22	3.89	10	4.97	20	
UGA-46	89.00	90.00	1.00	M301213	0.1	2.6	7.12	187	640	1.3	<2	0.51	<0.5	19	43	33	4.42	10	4.98	30	
UGA-46	90.00	91.00	1.00	M301214	0.15	2	7.54	233	800	1.4	<2	0.39	<0.5	21	45	48	4.74	20	5.27	30	
UGA-46	91.00	92.00	1.00	M301215	0.25	4.2	6.73	251	790	1.3	<2	0.38	<0.5	18	43	32	4.17	10	5.09	30	
UGA-46	92.00	93.00	1.00	M301216	0.36	2.7	6.97	124	870	1.4	2	0.52	<0.5	19	43	37	4.34	10	5.12	30	
UGA-46	93.00	94.00	1.00	M301217	0.38	2.1	7.17	112	770	1.2	<2	0.39	<0.5	19	44	33	4.58	10	5.36	30	
UGA-46	94.00	95.00	1.00	M301218	0.1	1.3	7.04	129	650	1.2	<2	0.6	<0.5	19	49	34	5.1	10	4.45	30	

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-46	50.00	51.00	1.00	M301170	0.1	165	4	0.05	4	1470	11	2.91	94	6	98	<20	0.17	<10	<10	46
UGA-46	51.00	52.00	1.00	M301171	0.14	147	4	0.03	4	700	3	1.57	63	4	79	<20	0.1	<10	<10	36
UGA-46	52.00	53.00	1.00	M301172	0.12	137	4	0.02	1	810	<2	1.27	57	3	77	<20	0.07	<10	<10	27
UGA-46	53.00	54.00	1.00	M301174	0.35	234	4	0.03	2	1000	2	2.29	45	7	76	<20	0.15	<10	<10	53
UGA-46	54.00	55.00	1.00	M301175	0.97	218	3	0.04	2	860	5	1.74	58	8	95	<20	0.16	10	<10	56
UGA-46	55.00	56.00	1.00	M301176	0.54	208	3	0.04	4	680	6	1.87	49	7	75	<20	0.16	<10	<10	57
UGA-46	56.00	57.00	1.00	M301177	0.08	271	6	0.03	4	1190	5	2.84	71	5	45	<20	0.13	10	<10	46
UGA-46	57.00	58.00	1.00	M301178	0.23	141	3	0.03	3	830	3	2	53	5	56	<20	0.11	<10	<10	44
UGA-46	58.00	59.00	1.00	M301179	0.48	158	12	0.03	3	960	5	2.47	41	7	71	<20	0.16	<10	<10	58
UGA-46	59.00	60.00	1.00	M301181	0.36	167	27	0.04	4	560	8	2.51	41	9	65	<20	0.17	<10	<10	77
UGA-46	60.00	61.00	1.00	M301182	0.23	486	49	0.02	5	780	10	4.41	53	8	58	<20	0.16	<10	<10	97
UGA-46	61.00	62.00	1.00	M301183	0.08	322	7	0.05	9	2420	11	4.57	68	7	61	<20	0.22	10	<10	62
UGA-46	62.00	63.00	1.00	M301184	0.12	499	13	0.01	1	5390	5	6.18	188	3	35	<20	0.06	20	<10	34
UGA-46	63.00	64.00	1.00	M301185	0.13	560	20	0.01	6	2590	11	4.44	128	3	28	<20	0.07	<10	<10	40
UGA-46	64.00	65.00	1.00	M301186	0.18	622	43	0.01	5	5530	6	3.21	105	4	45	<20	0.06	<10	<10	38
UGA-46	65.00	66.00	1.00	M301187	0.14	418	36	0.01	3	5170	4	1.04	102	3	36	<20	0.02	<10	<10	23
UGA-46	66.00	67.00	1.00	M301189	0.1	265	10	0.02	5	3420	5	1.42	96	3	44	<20	0.07	<10	<10	25
UGA-46	67.00	68.00	1.00	M301191	0.47	413	7	0.02	5	1750	4	2.23	78	5	47	<20	0.11	<10	<10	41
UGA-46	68.00	69.00	1.00	M301192	1.73	1015	9	0.01	7	3350	7	3.35	61	7	81	<20	0.13	<10	<10	83
UGA-46	69.00	70.00	1.00	M301193	0.18	656	8	0.02	6	9510	6	3.19	110	6	57	<20	0.13	<10	<10	63
UGA-46	70.00	71.00	1.00	M301194	0.04	85	8	0.03	8	2140	6	4.04	70	5	44	<20	0.18	10	<10	41
UGA-46	71.00	72.00	1.00	M301195	0.28	660	5	0.04	10	1550	6	3.67	41	11	37	<20	0.23	<10	<10	95
UGA-46	72.00	73.00	1.00	M301196	0.15	472	3	0.05	10	840	6	5.23	30	10	46	<20	0.26	<10	<10	81
UGA-46	73.00	74.00	1.00	M301197	0.15	195	3	0.07	11	950	6	4.87	39	12	61	<20	0.27	10	<10	101
UGA-46	74.00	76.00	1.00	M301198	0.46	249	3	0.07	14	1120	6	4.31	26	16	89	<20	0.33	10	<10	99
UGA-46	76.00	77.00	1.00	M301199	0.28	730	5	0.06	12	1080	7	4.46	25	19	85	<20	0.36	<10	<10	143
UGA-46	77.00	78.00	1.00	M301200	0.07	136	4	0.06	12	950	6	3.92	28	16	95	<20	0.32	10	<10	105
UGA-46	78.00	79.00	1.00	M301201	0.16	140	8	0.07	11	940	6	3.18	36	15	90	<20	0.3	10	<10	104
UGA-46	79.00	80.00	1.00	M301202	1.64	480	3	0.05	11	1000	3	2.19	27	17	94	<20	0.31	<10	<10	128
UGA-46	80.00	81.00	1.00	M301203	1.93	644	4	0.04	13	1200	6	3.25	27	18	95	<20	0.34	<10	<10	129
UGA-46	81.00	82.00	1.00	M301204	0.24	232	5	0.05	14	1170	8	5.09	41	16	108	<20	0.32	10	<10	111
UGA-46	82.00	83.00	1.00	M301205	0.29	228	4	0.05	10	1030	6	3.32	48	16	100	<20	0.32	10	<10	119
UGA-46	83.00	84.00	1.00	M301207	0.27	68	5	0.05	11	1200	6	3.38	108	17	128	<20	0.34	10	<10	126
UGA-46	84.00	85.00	1.00	M301208	0.41	275	5	0.05	12	970	8	4.19	38	15	101	<20	0.31	<10	<10	111
UGA-46	85.00	86.00	1.00	M301209	1.52	338	4	0.05	9	930	5	3.19	28	15	129	<20	0.28	10	<10	107
UGA-46	86.00	87.00	1.00	M301210	1.1	178	3	0.05	10	850	5	3.64	30	15	119	<20	0.28	<10	<10	100
UGA-46	87.00	88.00	1.00	M301211	2.33	323	5	0.04	9	840	9	3.56	26	13	115	<20	0.26	<10	<10	100
UGA-46	88.00	89.00	1.00	M301212	1.8	318	5	0.04	9	780	8	3.86	20	14	119	<20	0.26	<10	<10	92
UGA-46	89.00	90.00	1.00	M301213	3.31	393	3	0.04	14	1020	10	3.27	21	19	86	<20	0.37	<10	<10	145
UGA-46	90.00	91.00	1.00	M301214	3.38	431	2	0.04	14	1180	8	2.75	16	22	97	<20	0.41	<10	<10	161
UGA-46	91.00	92.00	1.00	M301215	2.68	347	4	0.04	13	990	8	3.02	16	19	114	<20	0.37	<10	<10	142
UGA-46	92.00	93.00	1.00	M301216	2.79	411	4	0.04	13	1070	9	2.8	17	20	114	<20	0.37	<10	<10	141
UGA-46	93.00	94.00	1.00	M301217	2.35	427	4	0.05	12	1090	8	2.68	17	20	123	<20	0.38	<10	<10	156
UGA-46	94.00	95.00	1.00	M301218	2.57	673	2	0.07	13	1090	10	1.87	27	20	89	<20	0.37	10	<10	153

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-46	95.00	96.00	1.00	M301219	0.02	<0.5	7.65	68	680	1.3	<2	0.81	<0.5	21	46	36	5.19	20	4.67	30
UGA-46	96.00	97.00	1.00	M301220	0.05	<0.5	8.06	39	700	1.4	<2	0.76	<0.5	21	48	39	4.95	20	5.18	30
UGA-46	97.00	98.00	1.00	M301221	0.12	1.1	7.55	206	680	1.5	<2	0.7	0.8	17	41	40	4.7	20	4.54	30
UGA-46	98.00	99.00	1.00	M301222	0.37	9.8	6.58	340	480	1.4	4	0.76	0.6	16	37	38	4.57	10	4.26	30
UGA-46	99.00	100.00	1.00	M301223	2	69.3	6.17	447	470	1.4	<2	0.84	0.7	14	39	41	4.39	10	3.74	30
UGA-46	100.00	101.00	1.00	M301225	0.47	19	6.57	713	440	1.5	2	0.34	0.6	16	40	26	4.69	10	3.61	30
UGA-46	101.00	102.00	1.00	M301227	0.28	4	6.88	458	370	1.5	2	0.76	0.7	18	39	45	4.61	10	3.82	30
UGA-46	102.00	103.00	1.00	M301228	0.43	4.6	6.77	463	210	1.4	<2	1.05	0.7	16	38	76	4.87	10	3.74	20
UGA-46	103.00	104.00	1.00	M301229	0.45	2.6	6.68	276	570	1.3	2	0.74	0.6	16	37	58	5.16	10	4.28	30
UGA-46	104.00	105.00	1.00	M301231	1.32	1.6	7.35	168	420	1.4	<2	0.3	<0.5	20	45	31	4.09	20	4.26	30
UGA-46	105.00	106.00	1.00	M301232	0.17	1.8	7.26	164	570	1.5	<2	0.31	<0.5	19	48	33	3.95	20	4	30
UGA-46	106.00	107.00	1.00	M301233	0.49	6	6.69	383	520	1.4	<2	0.29	0.5	19	39	68	4.1	10	4.03	30
UGA-46	107.00	108.00	1.00	M301234	0.4	9.7	6.44	732	470	1.7	4	0.36	<0.5	18	38	33	4.59	10	4.05	30
UGA-46	108.00	109.00	1.00	M301235	0.27	3.1	6.11	353	450	1.8	<2	0.27	0.6	17	38	27	3.79	10	3.68	20
UGA-46	109.00	110.00	1.00	M301236	0.19	2.2	6.86	214	590	1.9	<2	0.29	0.6	16	40	25	3.87	10	4.25	30
UGA-46	110.00	111.00	1.00	M301237	0.14	2.3	6.99	192	560	1.6	2	0.29	0.6	19	39	35	4.95	10	3.75	30
UGA-46	111.00	112.00	1.00	M301238	0.41	2.7	6.98	279	510	1.5	<2	0.31	0.6	17	41	29	4.54	10	3.97	30
UGA-46	112.00	113.00	1.00	M301239	0.27	2.8	6.46	292	460	1.5	2	0.36	0.5	16	41	24	4.99	10	3.57	20
UGA-46	113.00	114.00	1.00	M302163	0.17	2.5	6.72	345	350	1.6	<2	1.25	<0.5	18	42	31	4.56	10	4.33	30
UGA-46	114.00	115.00	1.00	M302164	0.2	2.7	6.62	285	300	1.5	<2	1.21	<0.5	17	41	28	4.83	10	4.62	30
UGA-46	115.00	116.00	1.00	M302165	0.3	7	6.4	397	180	1.5	4	1	<0.5	16	40	23	4.65	10	4.25	20
UGA-46	116.00	117.00	1.00	M302166	0.21	3.8	6.25	315	260	1.4	<2	1.2	<0.5	17	45	21	4.59	10	4.84	30
UGA-46	117.00	118.00	1.00	M302167	0.41	21.4	6.15	265	320	1.4	2	1.1	<0.5	16	43	23	4.61	10	4.84	30
UGA-46	118.00	119.00	1.00	M302168	0.53	5.4	6.02	254	220	1.3	3	0.98	<0.5	15	41	25	3.94	10	4.11	20
UGA-46	119.00	120.00	1.00	M302169	0.26	2.3	6.29	282	410	1.6	2	1.12	<0.5	16	33	23	4.18	10	4.02	30
UGA-46	120.00	121.00	1.00	M302171	0.12	2.4	7.16	237	340	1.9	3	0.45	<0.5	18	38	28	3.83	10	4.39	30
UGA-46	121.00	122.00	1.00	M302172	0.13	2.8	6.52	136	590	1.7	3	0.72	<0.5	15	35	24	4.66	10	4.23	30
UGA-46	122.00	123.00	1.00	M302173	0.17	3.2	6.69	205	180	2	4	1.2	<0.5	18	35	24	5.04	10	4.43	30
UGA-46	123.00	124.00	1.00	M302175	9.04	31	6.33	220	490	1.9	2	0.79	<0.5	16	37	37	4.24	10	4.61	30
UGA-46	124.00	125.00	1.00	M302176	0.21	2.7	6.49	334	490	2	2	0.5	<0.5	19	38	26	4.74	10	4.4	30
UGA-46	125.00	126.00	1.00	M302177	2.02	8.4	6.63	208	570	2	<2	1.63	<0.5	14	35	35	3.96	10	4	30
UGA-46	126.00	127.00	1.00	M301240	0.8	4.6	6.64	175	470	1.8	<2	1.01	0.7	15	31	26	4	10	4.23	30
UGA-46	127.00	128.00	1.00	M301241	43.6	61.4	3.78	385	250	1	<2	1.33	0.7	8	30	81	3.91	10	2.23	20
UGA-46	128.00	129.00	1.00	M301243	2.46	4.1	6.49	233	370	1.6	3	1.39	0.7	14	29	24	4.23	10	4.23	30
UGA-46	129.00	130.00	1.00	M301244	0.25	2.9	6.67	184	590	1.7	<2	1.55	0.7	16	33	23	4.26	10	4.19	30
UGA-46	130.00	131.00	1.00	M301245	0.35	2.1	6.71	173	510	1.7	<2	1.74	0.5	16	34	27	4.77	10	4	30
UGA-46	131.00	132.00	1.00	M302178	6.9	2.9	6.81	160	340	1.7	<2	1.49	<0.5	16	34	30	4.1	10	4.45	30
UGA-46	132.00	133.00	1.00	M302180	0.24	1.6	6.83	189	260	1.7	<2	1.47	<0.5	17	33	27	4.55	10	4.43	30
UGA-46	133.00	134.00	1.00	M302181	0.08	1.3	6.97	87	300	1.7	3	2.56	0.5	17	32	33	4.54	20	4.32	30
UGA-46	134.00	135.00	1.00	M302182	0.23	4.4	6.73	246	320	1.6	<2	2.27	<0.5	17	32	38	4.48	10	4.29	30
UGA-46	135.00	136.00	1.00	M302183	0.1	1.9	7	199	330	1.8	<2	2.63	<0.5	17	34	31	4.77	10	4.46	30
UGA-46	136.00	137.00	1.00	M302184	0.12	1.8	6.68	195	340	1.7	4	2.54	<0.5	18	33	26	5.17	10	4.3	30
UGA-46	137.00	138.00	1.00	M302185	0.07	1.4	6.64	113	780	1.7	3	3.1	<0.5	18	33	23	5.14	10	4.3	30
UGA-46	138.00	139.00	1.00	M302186	0.05	1.3	7.22	63	570	1.9	5	2.69	<0.5	17	33	22	4.89	10	4.73	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-46	95.00	96.00	1.00	M301219	3.36	987	1	0.06	14	1130	7	0.59	14	21	108	<20	0.4	<10	<10	165
UGA-46	96.00	97.00	1.00	M301220	3.33	818	2	0.05	14	1150	5	0.77	7	23	108	<20	0.41	<10	<10	170
UGA-46	97.00	98.00	1.00	M301221	2.81	538	2	0.07	9	1090	14	1.91	17	21	90	<20	0.38	10	<10	152
UGA-46	98.00	99.00	1.00	M301222	2.89	340	2	0.04	8	930	13	3.06	22	18	92	<20	0.34	<10	<10	130
UGA-46	99.00	100.00	1.00	M301223	1.96	360	4	0.04	8	960	18	2.94	62	17	91	<20	0.32	10	<10	125
UGA-46	100.00	101.00	1.00	M301225	0.78	506	19	0.05	9	1290	17	3.48	89	18	89	<20	0.35	10	<10	134
UGA-46	101.00	102.00	1.00	M301227	1.22	668	6	0.05	10	1610	12	2.98	52	20	84	<20	0.36	<10	<10	138
UGA-46	102.00	103.00	1.00	M301228	1.92	383	5	0.06	8	1290	12	3.51	56	19	121	<20	0.37	<10	<10	145
UGA-46	103.00	104.00	1.00	M301229	2.35	564	3	0.06	9	1040	12	2.82	29	20	114	<20	0.35	<10	<10	142
UGA-46	104.00	105.00	1.00	M301231	0.9	496	2	0.08	10	1150	9	2.94	23	20	125	<20	0.4	10	<10	143
UGA-46	105.00	106.00	1.00	M301232	0.5	980	3	0.06	10	1130	8	2.46	30	21	125	<20	0.4	10	<10	152
UGA-46	106.00	107.00	1.00	M301233	0.39	465	5	0.06	8	1120	14	3.31	59	18	128	<20	0.35	10	<10	128
UGA-46	107.00	108.00	1.00	M301234	0.45	638	10	0.05	8	1340	15	3.6	88	17	126	<20	0.33	10	<10	129
UGA-46	108.00	109.00	1.00	M301235	0.46	518	5	0.04	8	940	9	3.06	43	17	79	<20	0.32	<10	<10	127
UGA-46	109.00	110.00	1.00	M301236	0.53	545	5	0.06	9	1000	8	2.85	38	19	109	<20	0.36	<10	<10	136
UGA-46	110.00	111.00	1.00	M301237	0.77	1090	3	0.04	11	1020	12	2.76	32	20	80	<20	0.36	<10	<10	143
UGA-46	111.00	112.00	1.00	M301238	0.74	871	6	0.04	9	1170	12	2.93	35	20	75	<20	0.36	<10	<10	136
UGA-46	112.00	113.00	1.00	M301239	1.13	746	4	0.04	9	1090	13	3.59	33	18	80	<20	0.33	<10	<10	125
UGA-46	113.00	114.00	1.00	M302163	2.36	444	3	0.02	11	1140	9	3.1	34	20	107	<20	0.37	<10	<10	144
UGA-46	114.00	115.00	1.00	M302164	2.68	438	5	0.03	10	1160	11	3.45	33	20	119	<20	0.38	<10	<10	143
UGA-46	115.00	116.00	1.00	M302165	2.19	328	4	0.03	11	1110	11	3.82	35	19	109	<20	0.36	10	<10	136
UGA-46	116.00	117.00	1.00	M302166	1.99	288	5	0.03	9	1480	10	4.18	33	18	123	<20	0.36	10	<10	132
UGA-46	117.00	118.00	1.00	M302167	2.18	302	7	0.02	8	1190	14	3.98	33	18	126	<20	0.35	10	<10	136
UGA-46	118.00	119.00	1.00	M302168	1.34	226	5	0.05	10	1120	10	3.46	37	17	137	<20	0.35	10	<10	128
UGA-46	119.00	120.00	1.00	M302169	2.56	395	3	0.02	10	1030	8	3.04	29	18	97	<20	0.36	10	<10	134
UGA-46	120.00	121.00	1.00	M302171	1.54	220	2	0.06	11	1130	12	3.26	25	19	127	<20	0.4	10	<10	140
UGA-46	121.00	122.00	1.00	M302172	3.55	551	3	<0.01	11	1080	10	2.93	25	19	125	<20	0.38	<10	<10	139
UGA-46	122.00	123.00	1.00	M302173	2.04	392	3	0.04	11	1150	11	4.35	28	20	231	<20	0.4	10	<10	145
UGA-46	123.00	124.00	1.00	M302175	1.19	403	4	0.02	10	1190	14	3.64	46	19	272	<20	0.38	10	<10	139
UGA-46	124.00	125.00	1.00	M302176	0.84	565	4	0.02	11	1160	12	3.78	35	19	120	<20	0.39	10	<10	144
UGA-46	125.00	126.00	1.00	M302177	1.9	397	3	<0.01	8	1140	8	2.72	42	18	98	<20	0.37	<10	<10	135
UGA-46	126.00	127.00	1.00	M301240	1.34	331	7	0.04	7	1100	14	3.21	35	17	156	<20	0.35	<10	<10	131
UGA-46	127.00	128.00	1.00	M301241	1.16	278	6	0.03	2	670	36	3.22	102	9	113	<20	0.19	<10	<10	77
UGA-46	128.00	129.00	1.00	M301243	1.88	357	5	0.04	6	1100	11	3.1	35	17	92	<20	0.34	<10	<10	128
UGA-46	129.00	130.00	1.00	M301244	1.75	359	3	0.05	7	1120	10	2.99	27	18	99	<20	0.35	<10	<10	135
UGA-46	130.00	131.00	1.00	M301245	2.22	481	4	0.04	5	1150	11	2.97	29	18	88	<20	0.35	<10	<10	132
UGA-46	131.00	132.00	1.00	M302178	1.61	353	3	0.02	9	1280	12	3.13	37	18	84	<20	0.39	<10	10	149
UGA-46	132.00	133.00	1.00	M302180	1.58	379	3	0.02	10	1210	13	3.73	34	20	85	<20	0.4	10	<10	147
UGA-46	133.00	134.00	1.00	M302181	2.37	696	2	0.01	12	1200	11	2.92	23	20	103	<20	0.41	10	<10	149
UGA-46	134.00	135.00	1.00	M302182	1.97	542	3	0.01	9	1150	10	3.24	28	19	90	<20	0.39	10	<10	145
UGA-46	135.00	136.00	1.00	M302183	2.06	688	2	0.02	10	1170	9	3.24	23	19	118	<20	0.39	<10	<10	149
UGA-46	136.00	137.00	1.00	M302184	1.94	823	3	0.02	9	1130	8	3.18	19	19	112	<20	0.38	10	<10	145
UGA-46	137.00	138.00	1.00	M302185	2.12	1005	2	<0.01	8	1100	8	2.7	20	19	129	<20	0.37	<10	<10	142
UGA-46	138.00	139.00	1.00	M302186	1.79	990	2	<0.01	9	1240	11	2.76	22	20	112	<20	0.41	<10	<10	154

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-46	139.00	140.00	1.00	M302187	0.07	1.9	7.08	154	410	1.9	4	0.62	<0.5	21	33	25	5.42	20	4.49	30
UGA-46	140.00	141.00	1.00	M302188	0.13	1.9	7.6	215	250	2.2	3	0.43	<0.5	20	34	23	6.03	20	4.18	30
UGA-46	141.00	142.00	1.00	M302189	0.1	1.7	6.88	208	30	2.1	<2	0.39	<0.5	17	30	25	4.7	10	3.1	30
UGA-46	162.00	163.00	1.00	M301246	0.04	1	7.24	169	80	2.3	2	2.01	0.8	15	49	37	4.62	10	3.06	30
UGA-46	163.00	164.00	1.00	M301247	2.01	4.1	5.73	473	40	2.3	<2	0.54	0.5	14	43	35	3.41	10	2.36	20
UGA-46	164.00	165.00	1.00	M301248	0.17	0.6	6.57	243	50	2.6	3	0.37	0.5	15	45	33	4.39	10	2.67	30
UGA-46	165.00	166.00	1.00	M301249	0.16	0.9	6.58	254	50	2.5	<2	0.35	<0.5	15	41	32	4.32	10	2.66	30
UGA-46	166.00	167.00	1.00	M301252	0.08	0.7	5.91	126	30	2.2	<2	0.32	<0.5	16	44	30	4.61	10	2.4	20
UGA-46	167.00	168.00	1.00	M301253	0.06	0.5	5.34	146	30	2.1	<2	0.29	0.5	16	51	25	4.95	10	2.22	20
UGA-46	168.00	169.00	1.00	M301254	0.08	0.6	5.15	168	40	2.1	<2	0.3	0.6	15	49	25	4.6	10	2.17	20
UGA-46	169.00	170.00	1.00	M301255	0.05	<0.5	6.19	200	40	2.5	<2	0.38	0.6	17	48	29	6.23	10	2.63	20
UGA-46	170.00	172.00	2.00	M301256	0.03	<0.5	6.92	131	50	2.2	3	0.37	0.6	17	47	35	4.57	10	2.83	30
UGA-46	172.00	173.00	1.00	M301257	0.04	<0.5	6.13	176	60	2.1	<2	0.32	<0.5	20	52	33	3.98	10	2.47	20
UGA-47	17.00	18.00	1.00	M301258	0.1	1.3	7.06	149	590	1.1	<2	1.19	<0.5	16	66	42	4.45	10	4.32	30
UGA-47	18.00	19.00	1.00	M301259	0.16	2	6.97	273	370	1	<2	1.07	<0.5	18	63	39	5.32	10	4.19	30
UGA-47	19.00	20.00	1.00	M301260	0.34	4.6	7.12	484	270	1.1	2	0.8	<0.5	18	64	45	5.77	10	4.02	30
UGA-47	20.00	21.00	1.00	M301261	0.08	<0.5	8.13	164	580	1.2	<2	0.36	<0.5	21	74	43	6.02	20	4.76	30
UGA-47	21.00	22.00	1.00	M301262	0.07	0.8	8.04	196	520	1.3	<2	0.46	<0.5	19	73	34	5.8	20	4.21	30
UGA-47	22.00	23.00	1.00	M301263	0.2	3.5	6.01	663	340	1	<2	1.32	<0.5	15	61	26	5.21	10	4.41	20
UGA-47	23.00	24.00	1.00	M301264	0.04	0.5	7.51	111	570	1	<2	0.71	<0.5	19	70	34	4.46	10	3.96	20
UGA-47	24.00	25.00	1.00	M301265	0.05	1.3	7.55	92	540	1	2	0.95	<0.5	19	66	34	5.23	10	4.26	30
UGA-47	25.00	26.00	1.00	M301266	0.05	1.2	7.3	132	580	1.1	<2	0.44	<0.5	22	66	32	4.76	10	4.2	20
UGA-47	26.00	27.00	1.00	M301267	0.08	1.5	8.01	144	410	1.5	3	0.39	<0.5	23	74	44	3.72	10	3.63	30
UGA-47	27.00	28.00	1.00	M301268	0.24	3.1	6.69	272	350	1.4	<2	0.59	<0.5	19	66	29	4.1	10	4.03	20
UGA-47	28.00	29.00	1.00	M301269	0.14	1.6	6.84	104	580	1.4	<2	0.35	<0.5	19	65	34	4.16	10	4.16	20
UGA-47	29.00	30.00	1.00	M301271	0.05	1.4	7.28	105	630	1.1	<2	0.69	<0.5	19	66	38	5.13	10	4.44	30
UGA-47	30.00	31.00	1.00	M301272	0.04	1.3	7.26	101	690	1	<2	0.98	<0.5	19	67	31	4.89	10	4.59	30
UGA-47	31.00	32.00	1.00	M301273	0.05	1.5	7.69	104	540	0.9	<2	0.69	<0.5	18	70	44	4.9	10	4.13	30
UGA-47	32.00	33.00	1.00	M301274	0.12	1.3	7.55	108	600	1	2	0.84	<0.5	17	71	49	4.44	10	4.22	30
UGA-47	33.00	34.00	1.00	M301275	0.13	3.4	6.87	196	210	1.2	<2	0.61	<0.5	19	63	53	4.55	20	4.72	30
UGA-47	34.00	35.00	1.00	M301276	0.17	5.2	6.27	293	240	1.2	<2	0.87	<0.5	20	61	40	5.42	20	3.81	20
UGA-47	35.00	36.00	1.00	M301278	0.17	2.7	7.72	252	510	1.2	<2	0.58	<0.5	20	70	38	4.88	10	4.47	30
UGA-47	36.00	37.00	1.00	M301279	0.09	1.8	6.68	117	640	1.2	<2	0.72	<0.5	22	65	33	4.68	10	4.03	30
UGA-47	37.00	38.00	1.00	M301280	0.08	1.8	6.6	133	340	1.2	<2	0.85	<0.5	17	63	41	5.38	10	4.1	30
UGA-47	38.00	39.00	1.00	M301281	3.31	3.2	7.22	284	330	1.2	<2	0.74	0.6	20	66	33	5.17	20	4.93	30
UGA-47	39.00	40.00	1.00	M301282	0.61	3.2	6.82	242	520	1	<2	0.59	0.5	23	67	38	5.69	10	4.44	30
UGA-47	40.00	41.00	1.00	M301283	0.97	6.9	6.36	177	390	1	<2	0.44	0.6	19	66	34	4.81	10	5.05	20
UGA-47	41.00	42.00	1.00	M301284	20.2	81.2	5.54	444	510	0.9	<2	0.91	0.9	14	65	65	5.15	10	4.13	20
UGA-47	42.00	43.00	1.00	M301286	0.22	1.3	6.88	132	560	1.1	<2	0.71	0.6	20	72	27	4.51	10	4.29	20
UGA-47	43.00	44.00	1.00	M301287	0.04	<0.5	7.28	137	500	1	<2	0.48	0.6	20	73	33	4.76	20	5.23	30
UGA-47	44.00	45.00	1.00	M301288	0.04	<0.5	6.48	151	500	0.9	<2	0.77	0.6	20	80	35	4.89	10	4.41	20
UGA-47	45.00	46.00	1.00	M301289	0.06	0.8	7.73	120	480	1.1	<2	0.59	0.7	20	75	41	4.85	20	5.53	30
UGA-47	46.00	47.00	1.00	M301290	0.09	0.8	7.17	96	330	0.9	<2	0.42	0.7	20	73	34	4.76	10	5.2	30
UGA-47	47.00	48.00	1.00	M301291	0.27	1.2	6.32	72	390	0.9	<2	0.58	0.6	17	73	30	4.39	10	4.47	20

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-46	139.00	140.00	1.00	M302187	0.92	1140	4	0.01	12	1340	14	4.13	22	20	89	<20	0.42	10	<10	153
UGA-46	140.00	141.00	1.00	M302188	1	1755	3	0.01	11	1390	11	4.49	24	21	67	<20	0.44	<10	<10	163
UGA-46	141.00	142.00	1.00	M302189	0.85	1250	3	0.01	10	1270	11	3.52	28	19	44	<20	0.4	10	<10	149
UGA-46	162.00	163.00	1.00	M301246	1.29	1485	3	0.02	9	1120	13	3.03	20	20	37	<20	0.37	<10	<10	140
UGA-46	163.00	164.00	1.00	M301247	0.54	647	6	0.01	11	1100	9	2.81	50	15	21	<20	0.29	<10	<10	112
UGA-46	164.00	165.00	1.00	M301248	0.76	1815	4	0.01	12	1100	8	2.16	39	18	21	<20	0.34	<10	<10	134
UGA-46	165.00	166.00	1.00	M301249	0.63	1225	7	0.01	12	1110	12	2.76	44	17	19	<20	0.33	<10	<10	128
UGA-46	166.00	167.00	1.00	M301252	0.59	967	5	0.01	13	1110	10	3.39	40	17	71	<20	0.3	<10	<10	127
UGA-46	167.00	168.00	1.00	M301253	0.57	975	7	0.01	13	940	7	3.65	38	14	51	<20	0.26	<10	<10	107
UGA-46	168.00	169.00	1.00	M301254	0.5	713	6	0.01	12	980	10	3.87	44	15	31	<20	0.26	<10	<10	111
UGA-46	169.00	170.00	1.00	M301255	0.6	1960	4	0.01	16	1130	14	4.29	34	20	16	<20	0.31	<10	<10	135
UGA-46	170.00	172.00	2.00	M301256	0.62	1780	3	0.01	12	1170	8	2.34	36	22	14	<20	0.36	<10	<10	139
UGA-46	172.00	173.00	1.00	M301257	0.47	736	4	0.01	17	1050	9	3.11	28	16	14	<20	0.33	<10	<10	125
UGA-47	17.00	18.00	1.00	M301258	1.19	550	2	0.05	11	1020	12	2.7	15	21	142	<20	0.37	10	<10	139
UGA-47	18.00	19.00	1.00	M301259	1.16	490	3	0.05	12	1160	11	3.63	20	21	136	<20	0.37	10	<10	143
UGA-47	19.00	20.00	1.00	M301260	1.87	540	5	0.05	14	1370	13	3.82	50	21	134	<20	0.37	10	<10	154
UGA-47	20.00	21.00	1.00	M301261	2.67	714	2	0.05	17	1210	14	2.17	17	24	112	<20	0.42	10	<10	170
UGA-47	21.00	22.00	1.00	M301262	2.85	744	3	0.05	16	1100	11	1.87	15	24	105	<20	0.42	10	<10	163
UGA-47	22.00	23.00	1.00	M301263	1.25	357	8	0.04	10	1500	13	4.19	57	18	93	<20	0.32	10	<10	125
UGA-47	23.00	24.00	1.00	M301264	1.88	478	2	0.05	14	1390	10	2.3	9	21	123	<20	0.4	10	<10	145
UGA-47	24.00	25.00	1.00	M301265	2.57	697	2	0.05	13	1320	13	2.53	14	23	144	<20	0.39	<10	<10	144
UGA-47	25.00	26.00	1.00	M301266	1.62	680	3	0.05	17	1340	12	2.7	14	21	107	<20	0.39	10	<10	143
UGA-47	26.00	27.00	1.00	M301267	0.89	415	3	0.06	21	1520	9	2.39	20	22	120	<20	0.43	10	<10	158
UGA-47	27.00	28.00	1.00	M301268	0.57	667	7	0.04	13	2330	11	2.89	30	20	84	<20	0.35	10	<10	139
UGA-47	28.00	29.00	1.00	M301269	0.94	479	3	0.05	15	1180	11	2.61	12	20	101	<20	0.36	10	<10	143
UGA-47	29.00	30.00	1.00	M301271	1.81	619	3	0.05	14	1190	13	2.52	17	21	117	<20	0.38	<10	<10	143
UGA-47	30.00	31.00	1.00	M301272	1.87	548	2	0.05	13	1230	13	2.52	9	21	102	<20	0.38	<10	<10	145
UGA-47	31.00	32.00	1.00	M301273	1.88	483	3	0.05	15	1240	12	2.91	6	22	114	<20	0.4	10	<10	155
UGA-47	32.00	33.00	1.00	M301274	2.01	553	3	0.05	12	1230	8	2.24	12	22	121	<20	0.4	10	<10	154
UGA-47	33.00	34.00	1.00	M301275	1.51	333	5	0.03	13	1140	14	3.14	19	21	58	<20	0.37	10	<10	168
UGA-47	34.00	35.00	1.00	M301276	1.8	361	5	0.02	12	1310	16	4.06	35	18	60	<20	0.32	<10	<10	145
UGA-47	35.00	36.00	1.00	M301278	1.65	393	5	0.05	12	1170	10	3.13	23	22	100	<20	0.4	10	<10	149
UGA-47	36.00	37.00	1.00	M301279	1.46	387	3	0.04	13	1020	13	3.26	17	19	95	<20	0.35	<10	<10	143
UGA-47	37.00	38.00	1.00	M301280	1.79	425	3	0.03	14	1040	10	3.94	21	20	71	<20	0.35	10	<10	146
UGA-47	38.00	39.00	1.00	M301281	1.64	445	3	0.04	18	1280	13	3.87	43	21	88	<20	0.38	10	<10	153
UGA-47	39.00	40.00	1.00	M301282	1.71	443	4	0.05	18	1400	15	4.55	34	20	110	<20	0.37	10	<10	139
UGA-47	40.00	41.00	1.00	M301283	1.54	346	8	0.05	16	930	15	3.91	33	18	98	<20	0.34	10	<10	127
UGA-47	41.00	42.00	1.00	M301284	1.25	387	79	0.04	16	920	36	4.54	97	16	127	<20	0.28	10	<10	104
UGA-47	42.00	43.00	1.00	M301286	1.58	417	2	0.05	15	1090	9	3.64	13	20	121	<20	0.38	10	<10	142
UGA-47	43.00	44.00	1.00	M301287	2.06	509	2	0.05	16	1130	11	3.04	17	22	101	<20	0.4	10	<10	135
UGA-47	44.00	45.00	1.00	M301288	1.77	658	2	0.04	21	1340	12	3.33	20	19	85	<20	0.38	10	<10	140
UGA-47	45.00	46.00	1.00	M301289	2.07	575	2	0.05	20	1170	11	2.89	19	22	92	<20	0.42	10	<10	152
UGA-47	46.00	47.00	1.00	M301290	2.3	598	3	0.05	20	1130	11	2.14	23	21	85	<20	0.38	10	<10	142
UGA-47	47.00	48.00	1.00	M301291	1.86	524	3	0.04	14	980	9	1.78	24	19	74	<20	0.34	<10	<10	139

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-47	48.00	49.00	1.00	M301292	0.2	1.8	6.82	108	590	0.9	<2	0.35	0.6	20	70	29	4.89	10	4.93	20
UGA-47	49.00	50.00	1.00	M301293	0.09	1.1	7.02	93	350	0.9	<2	0.47	0.6	18	77	31	4.98	20	4.62	30
UGA-47	50.00	51.00	1.00	M301294	0.29	1.6	7.21	213	510	1.1	<2	0.41	0.7	20	71	40	4.52	10	4.9	30
UGA-47	51.00	52.00	1.00	M302246	0.09	1.5	7.68	162	570	1.1	<2	0.57	<0.5	18	68	29	5.34	20	4.46	20
UGA-47	52.00	53.00	1.00	M302247	0.4	1.1	7.4	136	520	1	<2	0.45	<0.5	18	66	25	5.14	10	4.9	20
UGA-47	53.00	54.00	1.00	M302248	0.07	0.9	7.17	61	530	1	<2	0.37	<0.5	17	67	24	4.45	10	4.31	20
UGA-47	54.00	55.00	1.00	M302249	0.21	1.8	6.58	107	500	0.8	<2	0.44	0.5	16	61	24	4.4	10	4.7	20
UGA-47	55.00	56.00	1.00	M301295	1.16	1.6	6.57	117	560	0.9	<2	0.63	0.6	19	66	31	4.75	10	4.68	30
UGA-47	56.00	57.00	1.00	M301296	0.04	1.4	7.18	68	590	1	<2	0.61	0.6	20	71	37	5.27	10	4.6	30
UGA-47	57.00	58.00	1.00	M301297	0.13	1.5	7.1	72	430	0.9	<2	0.56	0.5	20	71	39	4.51	10	4.69	20
UGA-47	58.00	59.00	1.00	M301298	0.07	1.1	6.98	108	470	1	<2	0.88	0.6	19	74	30	4.79	20	4.74	30
UGA-47	59.00	60.00	1.00	M301299	0.09	1.4	6.42	87	240	1	<2	0.88	0.6	20	68	32	5.63	10	3.92	20
UGA-47	60.00	61.00	1.00	M301301	0.04	1	6.5	43	290	1.4	<2	1.86	0.6	21	72	40	5.36	10	4.27	20
UGA-47	61.00	62.00	1.00	M301302	0.09	1.5	6.78	62	550	1.4	<2	0.4	0.5	20	71	42	4.13	10	4.37	20
UGA-47	69.00	70.00	1.00	M301303	0.05	0.7	8.42	28	420	1.3	<2	0.36	0.6	22	85	46	5.94	20	4.83	30
UGA-47	70.00	71.00	1.00	M301304	0.03	0.9	6.69	31	560	0.9	<2	1.19	0.5	18	72	37	4.64	10	4.62	20
UGA-47	71.00	72.00	1.00	M301305	0.08	1.3	7.35	58	540	0.9	<2	0.38	0.6	18	78	39	4.7	20	5.3	30
UGA-47	75.00	76.00	1.00	M301306	0.05	1.1	7.34	69	640	1.1	<2	0.55	0.6	20	85	50	4.87	20	4.64	30
UGA-47	76.00	77.00	1.00	M301307	0.82	12	5.44	397	600	1	<2	0.92	0.7	17	75	65	4.44	10	3.75	20
UGA-47	77.00	78.00	1.00	M301309	0.41	3	6.71	167	790	1.1	<2	0.59	0.6	21	78	28	4.9	10	4.5	20
UGA-47	78.00	79.00	1.00	M302190	0.07	1.4	6.65	76	540	1	4	0.41	<0.5	21	75	24	4.92	10	4.33	30
UGA-47	79.00	80.00	1.00	M302191	0.48	2.1	6.01	73	550	1	2	0.7	<0.5	18	60	23	4.22	10	4.09	20
UGA-47	80.00	81.00	1.00	M302192	0.15	1.2	6.54	84	670	1	3	0.61	<0.5	16	35	16	4.25	10	4.67	30
UGA-47	81.00	82.00	1.00	M302193	0.34	1.5	6.22	80	460	0.9	3	0.8	<0.5	15	30	14	4.35	10	4.33	20
UGA-47	82.00	83.00	1.00	M302194	0.03	1.1	6.78	40	540	1.2	<2	1.35	<0.5	16	35	17	4.3	10	4.3	30
UGA-47	83.00	84.00	1.00	M302195	0.04	1.2	6.77	34	500	1.1	<2	0.84	<0.5	20	34	18	4.26	10	4.2	30
UGA-47	84.00	85.00	1.00	M302196	0.14	1.5	7.37	40	350	1.5	2	0.32	<0.5	17	32	21	4.65	10	4.05	40
UGA-47	85.00	86.00	1.00	M302197	0.05	1.2	7.42	33	550	1.4	3	0.33	<0.5	15	33	24	3.31	20	4.78	40
UGA-47	86.00	87.00	1.00	M302198	0.03	0.8	7.68	81	660	1.5	3	0.59	<0.5	16	31	19	4.54	20	4.82	40
UGA-47	87.00	88.00	1.00	M302201	0.16	1.2	6.98	307	790	1.3	2	1.21	<0.5	14	31	19	4.37	10	4.78	30
UGA-47	88.00	89.00	1.00	M302202	0.65	3.5	7.11	237	860	1.4	<2	0.71	0.5	17	35	29	4.55	20	4.6	30
UGA-47	89.00	90.00	1.00	M302204	0.06	1.2	6.99	98	660	1.3	3	0.91	0.5	17	39	29	4.84	10	4.65	30
UGA-47	90.00	91.00	1.00	M302205	0.06	1.4	6.61	67	620	1.1	2	0.99	<0.5	19	38	27	4.83	10	4.53	30
UGA-47	91.00	92.00	1.00	M302206	0.05	1.5	6.95	73	560	1.1	3	0.48	<0.5	18	38	24	4.66	10	4.82	30
UGA-47	92.00	93.00	1.00	M302207	0.08	1.5	6.83	59	460	1	<2	0.43	<0.5	17	35	27	4.46	10	4.7	30
UGA-47	93.00	94.00	1.00	M302208	0.31	1.8	6.56	79	540	1	<2	0.41	<0.5	19	37	26	4.75	10	4.62	30
UGA-47	94.00	95.00	1.00	M302209	0.43	2.2	6.42	143	510	1.1	5	0.47	<0.5	18	39	29	4.8	10	4.03	30
UGA-47	95.00	96.00	1.00	M302210	0.12	1.5	6.49	67	530	1	4	0.43	<0.5	17	39	24	4.66	10	4.12	30
UGA-47	96.00	97.00	1.00	M301310	0.16	1.5	7.11	114	660	1.3	<2	0.4	0.5	19	41	31	5.16	20	4.33	30
UGA-47	97.00	98.00	1.00	M301311	1.6	4.8	6.04	218	670	1.1	<2	0.42	0.5	14	43	33	4.61	10	3.3	20
UGA-47	98.00	99.00	1.00	M301313	0.47	1.8	6.63	238	730	1.3	2	0.37	0.7	18	41	35	4.45	10	4.05	20
UGA-47	99.00	100.00	1.00	M302211	0.08	2	7.17	88	290	1.2	<2	0.69	0.5	20	40	39	5.21	10	5.33	30
UGA-47	100.00	101.00	1.00	M302212	0.13	1.7	7.21	48	450	1.3	4	0.56	<0.5	18	38	43	4.56	10	4.75	30
UGA-47	101.00	102.00	1.00	M302213	0.09	1.8	6.75	80	560	1.3	<2	0.57	<0.5	18	37	29	4.95	10	4.28	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-47	48.00	49.00	1.00	M301292	1.88	504	3	0.04	16	1160	11	2.37	20	20	82	<20	0.37	10	<10	150
UGA-47	49.00	50.00	1.00	M301293	2.22	611	3	0.04	18	1100	9	1.72	19	21	73	<20	0.38	<10	<10	149
UGA-47	50.00	51.00	1.00	M301294	1.94	457	2	0.04	15	1100	10	2.11	16	21	96	<20	0.38	10	<10	142
UGA-47	51.00	52.00	1.00	M302246	2.41	595	2	0.01	13	1210	8	2.35	16	24	98	<20	0.4	10	<10	151
UGA-47	52.00	53.00	1.00	M302247	2.18	500	3	0.01	12	1210	8	2.33	23	23	66	<20	0.39	10	<10	146
UGA-47	53.00	54.00	1.00	M302248	1.92	423	3	0.01	14	1140	9	1.97	20	21	70	<20	0.38	10	<10	143
UGA-47	54.00	55.00	1.00	M302249	1.82	412	2	0.01	13	1170	7	2.15	24	20	70	<20	0.35	10	<10	135
UGA-47	55.00	56.00	1.00	M301295	2.1	595	2	0.04	17	1220	12	2.06	15	19	93	<20	0.35	<10	<10	132
UGA-47	56.00	57.00	1.00	M301296	2.27	558	2	0.04	15	1260	12	2.28	13	22	77	<20	0.38	10	<10	143
UGA-47	57.00	58.00	1.00	M301297	1.83	431	3	0.04	16	1270	10	2.26	17	21	67	<20	0.37	<10	<10	145
UGA-47	58.00	59.00	1.00	M301298	1.89	470	4	0.04	18	1190	11	2.05	23	21	81	<20	0.37	10	<10	141
UGA-47	59.00	60.00	1.00	M301299	2.21	634	6	0.03	17	1090	9	1.84	21	20	60	<20	0.34	<10	<10	136
UGA-47	60.00	61.00	1.00	M301301	2.17	1215	3	0.05	14	1030	7	1.38	20	19	121	<20	0.34	10	<10	130
UGA-47	61.00	62.00	1.00	M301302	1.22	555	4	0.06	14	1350	11	1.76	19	20	63	<20	0.37	<10	<10	141
UGA-47	69.00	70.00	1.00	M301303	3.72	847	2	0.04	22	1210	8	0.72	11	25	81	<20	0.44	10	<10	170
UGA-47	70.00	71.00	1.00	M301304	2.72	659	4	0.04	14	1100	9	1.52	16	20	108	<20	0.35	<10	<10	138
UGA-47	71.00	72.00	1.00	M301305	2.7	540	5	0.05	16	1230	13	1.63	18	22	115	<20	0.39	10	<10	153
UGA-47	75.00	76.00	1.00	M301306	3.06	601	3	0.05	17	1170	10	1.71	14	23	100	<20	0.39	<10	<10	158
UGA-47	76.00	77.00	1.00	M301307	1.86	375	5	0.04	15	1570	18	3.01	38	18	80	<20	0.3	10	<10	116
UGA-47	77.00	78.00	1.00	M301309	2.46	402	3	0.06	19	1120	12	2.77	18	21	91	<20	0.37	10	<10	158
UGA-47	78.00	79.00	1.00	M302190	2.53	423	2	0.02	18	1050	9	2.52	17	22	61	<20	0.38	10	<10	174
UGA-47	79.00	80.00	1.00	M302191	2.03	348	3	0.01	14	1240	10	2.52	21	19	59	<20	0.34	10	<10	143
UGA-47	80.00	81.00	1.00	M302192	1.94	413	3	0.02	11	1250	10	2.29	14	18	86	<20	0.36	10	<10	150
UGA-47	81.00	82.00	1.00	M302193	1.37	428	3	0.02	9	1280	10	2.51	22	18	86	<20	0.37	10	<10	154
UGA-47	82.00	83.00	1.00	M302194	1.69	512	2	0.01	8	1130	8	1.94	23	19	89	<20	0.38	10	<10	154
UGA-47	83.00	84.00	1.00	M302195	1.07	438	2	0.01	10	1070	10	2.77	20	18	72	<20	0.38	<10	<10	139
UGA-47	84.00	85.00	1.00	M302196	0.63	850	4	0.02	10	1120	10	2.63	26	19	53	<20	0.4	<10	<10	146
UGA-47	85.00	86.00	1.00	M302197	0.82	409	5	0.02	9	1080	10	1.66	28	17	65	<20	0.38	10	10	137
UGA-47	86.00	87.00	1.00	M302198	1.67	513	3	0.02	10	1090	12	1.4	12	18	84	<20	0.37	10	<10	139
UGA-47	87.00	88.00	1.00	M302201	2.18	498	3	<0.01	9	990	11	1.66	15	16	90	<20	0.34	<10	<10	128
UGA-47	88.00	89.00	1.00	M302202	2.69	439	4	<0.01	11	1300	9	2.23	15	20	73	<20	0.39	10	<10	156
UGA-47	89.00	90.00	1.00	M302204	2.67	689	2	0.02	10	1080	8	2.36	13	21	86	<20	0.4	<10	<10	158
UGA-47	90.00	91.00	1.00	M302205	2.32	630	1	0.02	12	1040	7	2.83	8	20	78	<20	0.38	<10	<10	148
UGA-47	91.00	92.00	1.00	M302206	2.25	410	2	0.02	9	1100	8	2.61	6	20	69	<20	0.4	10	<10	154
UGA-47	92.00	93.00	1.00	M302207	2.15	442	2	0.03	10	1040	7	2.35	12	19	64	<20	0.38	<10	<10	144
UGA-47	93.00	94.00	1.00	M302208	2.03	349	4	0.02	11	1030	9	2.94	12	19	66	<20	0.37	10	<10	138
UGA-47	94.00	95.00	1.00	M302209	2.38	374	6	0.01	11	1290	6	2.51	20	19	64	<20	0.37	<10	<10	141
UGA-47	95.00	96.00	1.00	M302210	2.51	413	4	0.01	13	1290	7	2.12	15	19	71	<20	0.38	<10	<10	142
UGA-47	96.00	97.00	1.00	M301310	2.4	415	3	0.04	10	1200	10	3	15	20	64	<20	0.38	<10	<10	148
UGA-47	97.00	98.00	1.00	M301311	2.71	430	5	0.03	13	1080	10	2.04	26	17	63	<20	0.32	<10	<10	125
UGA-47	98.00	99.00	1.00	M301313	2.26	306	4	0.04	12	1110	12	2.75	14	18	63	<20	0.36	10	<10	142
UGA-47	99.00	100.00	1.00	M302211	1.76	316	5	0.04	13	1220	11	4.46	13	22	93	<20	0.43	<10	<10	164
UGA-47	100.00	101.00	1.00	M302212	2.75	415	3	0.02	10	1140	7	2.49	16	21	74	<20	0.41	10	<10	152
UGA-47	101.00	102.00	1.00	M302213	2.67	453	5	0.01	12	1060	7	2.71	11	21	64	<20	0.39	10	<10	151

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-47	102.00	103.00	1.00	M302214	0.11	1.6	6.94	129	310	1.2	2	0.43	<0.5	20	37	31	4.8	10	4.69	30
UGA-47	103.00	104.00	1.00	M302215	0.31	1.4	6.89	174	420	1.4	3	0.53	<0.5	17	36	36	4.61	10	4.4	30
UGA-47	104.00	105.00	1.00	M302216	0.24	2.7	6.64	106	340	1.2	5	0.53	0.5	20	36	35	5.38	10	4.66	30
UGA-47	105.00	106.00	1.00	M302217	0.27	1.5	7.52	127	570	1.5	<2	0.53	<0.5	19	39	50	5	20	4.36	30
UGA-47	106.00	107.00	1.00	M302218	0.05	1.1	7.83	93	560	1.4	<2	0.55	<0.5	20	40	29	5.21	20	4.94	30
UGA-47	107.00	108.00	1.00	M301314	0.08	1.7	7.58	161	680	1.3	<2	0.81	0.7	18	40	30	4.16	10	5.22	30
UGA-47	108.00	109.00	1.00	M301315	0.34	1.9	6.78	295	710	1.4	<2	0.66	0.6	17	40	43	4.18	20	3.98	20
UGA-47	109.00	110.00	1.00	M301316	0.09	1.1	7.55	158	800	1.3	<2	0.5	0.5	18	40	40	4.49	10	5.04	30
UGA-47	110.00	111.00	1.00	M301317	0.07	0.7	7.7	63	740	1.3	<2	0.6	0.7	18	41	35	4.86	10	5.45	30
UGA-47	111.00	112.00	1.00	M301318	0.07	0.9	7.61	193	820	1.6	<2	0.84	0.6	19	43	34	4.54	10	5.13	30
UGA-47	112.00	113.00	1.00	M301319	0.5	2.4	7.17	766	330	1.8	<2	0.34	0.5	20	42	49	3.83	10	2.87	30
UGA-47	113.00	114.00	1.00	M301320	0.65	5.4	7.55	505	770	1.4	<2	1.15	0.6	20	41	41	5.58	20	5.18	30
UGA-47	114.00	115.00	1.00	M301321	0.07	0.5	7.5	133	600	1.3	<2	1.44	0.7	19	40	38	5.1	20	4.09	30
UGA-47	115.00	116.00	1.00	M301322	0.03	<0.5	7.56	61	640	1.3	<2	3.02	0.8	20	39	34	4.75	10	2.84	30
UGA-47	116.00	117.00	1.00	M301323	13.65	12.6	7.13	552	730	1.1	<2	1.27	0.7	18	39	44	5.67	20	4.07	30
UGA-47	117.00	118.00	1.00	M301324	0.17	1.1	7.26	165	740	1.2	<2	0.63	0.5	18	40	35	4.69	20	4.68	30
UGA-47	118.00	119.00	1.00	M301325	0.21	1.3	6.2	245	640	1.2	<2	0.49	0.6	15	37	32	4.61	10	3.89	20
UGA-47	119.00	120.00	1.00	M302219	0.19	1.8	6.51	156	450	1.3	2	0.67	<0.5	16	33	33	4.14	20	4.13	30
UGA-47	120.00	121.00	1.00	M302220	0.2	1.9	6.87	152	540	1.4	3	0.61	<0.5	16	37	31	4.28	20	3.84	30
UGA-47	121.00	122.00	1.00	M302221	0.23	1.6	6.73	190	540	1.4	2	0.8	<0.5	16	39	32	4.01	10	3.92	30
UGA-47	122.00	123.00	1.00	M302222	0.09	1.5	6.79	133	480	1.4	6	1.29	<0.5	16	40	33	4.24	10	4.06	30
UGA-47	123.00	124.00	1.00	M302223	0.24	2.4	6.47	322	300	1.4	3	0.97	<0.5	18	39	30	4.49	10	3.92	30
UGA-47	124.00	125.00	1.00	M302224	0.03	1.2	7.8	91	520	1.5	<2	0.45	<0.5	19	49	46	4.48	20	4.06	30
UGA-47	125.00	126.00	1.00	M301326	1.11	1.1	7.87	196	610	1.5	<2	0.83	0.7	21	49	36	4.62	20	4.59	30
UGA-47	126.00	127.00	1.00	M301327	0.16	3.3	7.63	210	630	1.4	2	1.29	0.5	19	49	54	4.4	10	4.29	30
UGA-47	127.00	128.00	1.00	M301328	0.02	<0.5	7.91	84	650	1.7	<2	1.31	0.6	18	49	35	4.61	20	4.81	30
UGA-47	128.00	129.00	1.00	M301329	0.26	1.3	6.84	205	710	1.6	<2	0.33	0.5	20	44	33	4.36	10	4.66	30
UGA-47	129.00	130.00	1.00	M301331	0.53	1.2	7.65	161	680	2	<2	1.46	0.6	19	50	54	4.58	10	4.61	30
UGA-47	130.00	131.00	1.00	M301332	0.01	<0.5	7.91	31	700	1.3	<2	3.41	0.7	19	49	36	4.62	20	3.44	30
UGA-47	137.00	138.00	1.00	M302234	0.15	1	7.6	62	360	1.9	<2	0.95	<0.5	16	39	30	4.34	20	3.59	30
UGA-47	138.00	139.00	1.00	M302235	0.24	1.2	7.75	99	380	1.9	<2	0.37	<0.5	18	35	27	5.55	20	3.65	30
UGA-47	139.00	140.00	1.00	M302236	0.33	1	7.39	176	340	1.9	<2	0.34	<0.5	15	32	29	4.84	20	3.41	30
UGA-47	140.00	141.00	1.00	M302237	0.09	0.9	7.12	93	510	1.8	<2	1.98	<0.5	18	33	21	4.69	10	3.91	30
UGA-47	141.00	142.00	1.00	M302238	0.02	<0.5	7.51	22	500	1.6	3	3.42	<0.5	16	33	26	4.84	10	4.22	30
UGA-47	142.00	143.00	1.00	M302239	0.04	<0.5	7.3	35	440	1.5	3	3.66	0.5	17	34	26	5.02	20	3.81	30
UGA-47	143.00	144.00	1.00	M302240	0.07	1.1	7.76	37	620	1.4	<2	2.87	<0.5	17	32	24	4.57	20	4.17	30
UGA-47	144.00	145.00	1.00	M301333	0.09	1.1	7.21	71	670	1.4	<2	2.92	0.5	16	33	28	4.74	20	3.99	30
UGA-47	145.00	146.00	1.00	M301334	0.78	2.9	7.57	134	700	1.4	<2	2.85	0.6	17	36	48	4.25	10	4.1	30
UGA-47	146.00	147.00	1.00	M301336	0.04	0.8	6.88	30	580	1.4	<2	3.3	0.7	17	35	35	4.3	10	3.62	30
UGA-47	147.00	148.00	1.00	M302241	0.06	1.5	7.39	34	430	1.4	<2	2.35	0.5	17	31	31	4.7	10	3.8	30
UGA-47	148.00	149.00	1.00	M302242	0.02	<0.5	6.96	8	310	1.3	<2	4.23	<0.5	15	29	27	4.2	10	3.08	30
UGA-47	149.00	150.00	1.00	M302243	0.01	<0.5	7.33	9	380	1.3	<2	4.19	<0.5	16	31	20	4.49	20	3.26	30
UGA-47	150.00	151.00	1.00	M302244	0.02	<0.5	7.78	7	550	1.4	<2	4.27	0.5	17	32	20	4.74	20	3.52	30
UGA-47	151.00	152.00	1.00	M302245	0.02	<0.5	7.62	19	510	1.4	<2	4.2	<0.5	17	31	21	4.7	10	3.72	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-47	102.00	103.00	1.00	M302214	2.29	300	4	0.03	12	1060	10	3.26	14	20	65	<20	0.4	10	<10	150
UGA-47	103.00	104.00	1.00	M302215	2.13	293	3	0.01	9	1110	9	3.22	19	20	65	<20	0.39	10	<10	145
UGA-47	104.00	105.00	1.00	M302216	2.19	378	7	0.02	11	1490	16	3.57	21	19	78	<20	0.38	<10	<10	143
UGA-47	105.00	106.00	1.00	M302217	3.21	444	2	0.01	11	1150	10	1.73	19	21	81	<20	0.42	10	<10	163
UGA-47	106.00	107.00	1.00	M302218	2.68	402	4	0.02	10	1250	11	2.12	13	22	76	<20	0.43	10	<10	169
UGA-47	107.00	108.00	1.00	M301314	1.98	364	4	0.04	11	1070	28	2.59	14	21	86	<20	0.39	10	<10	153
UGA-47	108.00	109.00	1.00	M301315	1.57	255	8	0.03	13	960	16	3.07	17	18	67	<20	0.36	<10	<10	138
UGA-47	109.00	110.00	1.00	M301316	2.18	293	2	0.04	14	1150	12	2.33	15	20	79	<20	0.39	10	<10	157
UGA-47	110.00	111.00	1.00	M301317	2.63	402	1	0.05	12	1100	12	1.53	20	21	82	<20	0.4	10	<10	158
UGA-47	111.00	112.00	1.00	M301318	2.1	460	2	0.05	12	1140	12	1.55	23	21	83	<20	0.4	<10	<10	160
UGA-47	112.00	113.00	1.00	M301319	0.47	453	2	0.03	12	1190	11	2.88	53	19	41	<20	0.39	<10	<10	152
UGA-47	113.00	114.00	1.00	M301320	1.79	541	3	0.1	12	1230	16	2.71	26	20	90	<20	0.39	<10	<10	159
UGA-47	114.00	115.00	1.00	M301321	3.14	746	2	0.11	9	1120	12	0.82	13	20	100	<20	0.39	<10	<10	156
UGA-47	115.00	116.00	1.00	M301322	2.86	814	2	0.61	12	1110	13	0.54	7	20	239	<20	0.4	<10	<10	157
UGA-47	116.00	117.00	1.00	M301323	2.77	542	4	0.11	11	1080	21	2.58	26	19	97	<20	0.37	<10	<10	148
UGA-47	117.00	118.00	1.00	M301324	2.29	300	2	0.06	9	1080	9	2.06	18	20	70	<20	0.39	10	<10	141
UGA-47	118.00	119.00	1.00	M301325	1.93	256	3	0.03	12	1000	11	2.65	26	17	57	<20	0.32	<10	<10	111
UGA-47	119.00	120.00	1.00	M302219	1.77	216	7	0.01	10	1340	10	2.54	26	19	54	<20	0.37	<10	<10	137
UGA-47	120.00	121.00	1.00	M302220	1.82	224	3	<0.01	12	1050	9	2.41	23	19	49	<20	0.39	<10	<10	146
UGA-47	121.00	122.00	1.00	M302221	1.54	197	3	<0.01	12	1100	9	2.72	22	20	53	<20	0.39	10	<10	143
UGA-47	122.00	123.00	1.00	M302222	1.91	254	2	<0.01	9	1030	7	2.62	15	20	62	<20	0.38	<10	<10	145
UGA-47	123.00	124.00	1.00	M302223	1.59	237	4	0.01	12	1010	13	3.3	19	19	56	<20	0.37	<10	<10	139
UGA-47	124.00	125.00	1.00	M302224	2.79	383	3	0.01	12	1200	8	0.95	20	23	57	<20	0.44	<10	<10	174
UGA-47	125.00	126.00	1.00	M301326	2.5	441	2	0.04	13	1140	12	1.61	14	22	68	<20	0.41	10	<10	158
UGA-47	126.00	127.00	1.00	M301327	2.45	525	2	0.04	11	1090	13	0.97	16	21	82	<20	0.4	<10	<10	153
UGA-47	127.00	128.00	1.00	M301328	1.73	610	2	0.05	11	1140	12	0.79	22	22	83	<20	0.4	10	<10	160
UGA-47	128.00	129.00	1.00	M301329	0.53	768	3	0.06	12	1050	10	2.72	33	18	66	<20	0.36	10	<10	146
UGA-47	129.00	130.00	1.00	M301331	0.89	1015	2	0.22	11	1140	14	1.67	26	21	122	<20	0.4	10	<10	163
UGA-47	130.00	131.00	1.00	M301332	2.32	797	2	0.52	13	1120	12	0.76	10	22	239	<20	0.41	<10	<10	157
UGA-47	137.00	138.00	1.00	M302234	1.42	529	2	0.01	8	1190	6	1.87	31	21	42	<20	0.4	<10	<10	149
UGA-47	138.00	139.00	1.00	M302235	1.5	660	2	0.01	9	1160	9	2.55	26	21	34	<20	0.41	<10	<10	155
UGA-47	139.00	140.00	1.00	M302236	1.15	727	4	0.01	9	1150	13	2.5	38	20	38	<20	0.4	<10	<10	144
UGA-47	140.00	141.00	1.00	M302237	1.56	861	2	0.01	9	1060	53	2.7	30	20	66	<20	0.38	10	<10	141
UGA-47	141.00	142.00	1.00	M302238	2.15	840	1	0.01	9	1120	13	3.46	18	21	94	<20	0.4	10	<10	148
UGA-47	142.00	143.00	1.00	M302239	2.37	924	1	<0.01	9	1160	10	3.37	14	21	87	<20	0.4	10	<10	153
UGA-47	143.00	144.00	1.00	M302240	2.1	754	2	<0.01	10	1260	11	2.74	12	21	89	<20	0.41	10	<10	152
UGA-47	144.00	145.00	1.00	M301333	2.5	779	3	0.03	12	1130	10	2.08	7	18	95	<20	0.37	<10	<10	134
UGA-47	145.00	146.00	1.00	M301334	1.96	628	7	0.03	12	1270	13	2.22	11	19	94	<20	0.39	<10	<10	140
UGA-47	146.00	147.00	1.00	M301336	2.09	645	3	0.02	13	1100	10	2.39	5	18	94	<20	0.37	10	<10	134
UGA-47	147.00	148.00	1.00	M302241	1.76	623	5	0.01	8	1160	10	2.87	12	20	73	<20	0.39	10	<10	136
UGA-47	148.00	149.00	1.00	M302242	2.4	923	1	<0.01	8	1100	8	2.05	13	19	82	<20	0.36	10	<10	130
UGA-47	149.00	150.00	1.00	M302243	2.36	944	1	<0.01	7	1190	10	2.35	10	20	95	<20	0.39	<10	<10	141
UGA-47	150.00	151.00	1.00	M302244	2.44	983	1	<0.01	7	1290	39	2.48	11	21	97	<20	0.41	10	<10	151
UGA-47	151.00	152.00	1.00	M302245	2.34	913	2	<0.01	7	1230	10	2.5	15	20	99	<20	0.4	<10	<10	144

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-47	152.00	153.00	1.00	M301337	0.3	1.1	7.33	74	790	1.7	<2	3.21	0.7	17	34	30	4.49	10	3.7	30
UGA-47	153.00	154.00	1.00	M301338	0.53	2.5	6.44	176	210	1.8	<2	1.11	0.5	15	37	32	4.45	10	2.61	30
UGA-47	154.00	155.00	1.00	M301340	0.07	0.9	7.42	64	700	1.7	<2	2.62	0.8	18	33	30	4.63	20	3.48	30
UGA-47	175.00	176.00	1.00	M301341	0.06	0.5	7.19	88	700	1.3	<2	3.46	0.5	17	49	30	4.61	20	3.98	30
UGA-47	176.00	177.00	1.00	M301342	0.05	<0.5	7.59	103	620	1.6	<2	2.95	0.6	20	52	40	5.01	20	3.78	30
UGA-47	177.00	178.00	1.00	M301343	0.03	<0.5	8.32	99	450	1.8	<2	2.13	0.6	22	62	41	4.88	20	2.5	30
UGA-47	178.00	179.00	1.00	M301344	<0.01	<0.5	7.68	20	630	1.3	<2	4.73	0.7	20	60	40	4.83	20	2.35	30
UGA-48	0.00	1.00	1.00	M302250	0.16	1.5	7.05	304	320	1.2	<2	0.48	<0.5	18	57	26	4.84	10	4.16	20
UGA-48	1.00	2.00	1.00	M302251	0.1	0.9	7.68	265	300	1.3	<2	0.39	<0.5	19	67	29	4.84	10	3.9	30
UGA-48	2.00	3.00	1.00	M302252	0.06	<0.5	7.95	258	450	1.4	2	0.52	<0.5	19	64	31	4.73	20	4.35	30
UGA-48	3.00	4.00	1.00	M302253	0.14	0.7	7.64	248	340	1.2	<2	0.59	0.5	18	62	37	5.2	10	4.55	30
UGA-48	4.00	5.00	1.00	M302254	0.12	1.8	6.62	245	290	1.2	<2	0.75	<0.5	15	57	28	4.74	10	3.82	20
UGA-48	5.00	6.00	1.00	M302255	0.11	2	6.85	223	380	1.1	<2	0.47	<0.5	17	60	27	4.09	10	4.14	30
UGA-48	6.00	7.00	1.00	M302256	0.12	2.4	7.37	279	450	1.2	<2	0.84	<0.5	17	64	30	4.89	10	4.09	30
UGA-48	7.00	8.00	1.00	M302257	0.12	1.9	7.02	225	550	1.1	<2	0.93	<0.5	16	58	27	4.5	10	4.35	30
UGA-48	8.00	9.00	1.00	M302258	0.1	1.9	6.87	213	510	1	<2	0.94	<0.5	16	57	27	4.62	10	4.86	30
UGA-48	9.00	10.00	1.00	M302259	0.17	2.3	7.42	310	500	1.2	<2	0.41	<0.5	18	65	32	4.87	20	4.53	30
UGA-48	10.00	11.00	1.00	M302261	1.01	3.5	6.96	264	340	1.2	<2	0.49	0.5	17	59	40	4.92	10	4.37	20
UGA-48	11.00	12.00	1.00	M302263	0.15	2	6.06	176	540	1.2	<2	1.19	0.5	16	56	26	4.69	10	4.02	20
UGA-48	12.00	13.00	1.00	M302264	0.15	3.1	6	227	250	1.3	<2	1.58	0.6	20	60	27	5.61	10	3.87	20
UGA-48	13.00	14.00	1.00	M302265	0.13	2.4	5.98	197	130	1.4	<2	0.95	0.5	19	56	28	5.43	10	4.17	20
UGA-48	14.00	15.00	1.00	M302266	2.3	6.8	5.97	242	460	1.1	<2	0.35	0.5	16	60	31	3.78	10	4.38	20
UGA-48	15.00	17.00	2.00	M302267	0.49	6.2	5.6	432	380	1.4	<2	0.32	0.5	15	60	54	3.73	10	3.41	20
UGA-48	17.00	18.00	1.00	M301345	0.51	2.6	4.93	239	390	1.1	<2	0.52	0.5	14	62	29	3.07	10	3.89	20
UGA-48	18.00	19.00	1.00	M301346	0.28	2.3	5.62	215	820	1.1	<2	0.29	<0.5	17	57	27	4.03	10	4.65	20
UGA-48	19.00	20.00	1.00	M301347	0.26	2.5	5.93	259	730	1.1	<2	0.48	<0.5	19	56	25	5.05	10	4.59	20
UGA-48	20.00	21.00	1.00	M301348	0.8	3.2	6.69	194	710	1.1	<2	0.33	0.5	17	65	35	3.72	10	5.05	20
UGA-48	21.00	22.00	1.00	M301349	0.14	1.8	7.13	132	720	1.1	<2	0.53	0.6	18	67	44	4.76	10	4.94	20
UGA-48	22.00	23.00	1.00	M301351	6.06	8.3	6.16	116	700	0.9	<2	0.61	0.8	16	59	44	3.76	10	4.51	20
UGA-48	23.00	24.00	1.00	M301352	0.77	3.3	6.3	122	740	0.9	<2	0.58	0.5	17	59	39	3.58	10	4.71	20
UGA-48	24.00	25.00	1.00	M301353	0.29	2.6	6.75	104	540	1	<2	0.55	0.5	18	58	31	4.02	10	4.92	20
UGA-48	25.00	26.00	1.00	M301354	3.48	23.7	7.16	110	470	1	<2	0.42	0.5	17	62	49	4.03	10	5.47	20
UGA-48	26.00	27.00	1.00	M301355	0.42	3.5	7.27	157	440	1	<2	0.61	0.6	18	65	33	4.54	20	5.27	20
UGA-48	27.00	28.00	1.00	M301356	2.91	7.3	6.81	217	260	0.9	<2	0.44	0.6	17	60	37	3.68	10	5.07	20
UGA-48	28.00	29.00	1.00	M301357	0.17	2.6	7.11	128	430	1	<2	0.42	0.6	18	66	33	3.9	10	5.33	20
UGA-48	29.00	30.00	1.00	M301358	0.5	2.9	5.89	141	360	1.1	<2	0.35	<0.5	16	57	30	3.49	10	4.3	20
UGA-48	30.00	31.00	1.00	M301359	0.12	2	6.73	134	390	1.3	<2	0.3	0.5	18	61	30	3.84	10	5.04	20
UGA-48	31.00	32.00	1.00	M301360	2.23	26.5	6.27	1385	440	1.2	<2	0.34	0.6	17	55	61	5.78	10	4.74	20
UGA-48	32.00	33.00	1.00	M301361	3.91	48.6	5.41	1665	260	1.1	<2	0.55	0.7	15	56	111	6	10	4.51	20
UGA-48	33.00	34.00	1.00	M301362	5.05	24.2	6.42	722	360	1.3	<2	0.36	0.6	18	56	57	5.4	20	4.35	20
UGA-48	34.00	35.00	1.00	M301363	3.84	17.3	7.04	686	480	1.1	<2	0.55	0.8	20	61	58	5.85	10	4.64	20
UGA-48	35.00	36.00	1.00	M301364	0.44	6.1	7.11	373	460	1.2	2	0.67	0.6	18	60	40	5.12	20	4.55	20
UGA-48	36.00	37.00	1.00	M301365	0.84	3.1	7.07	102	680	1.1	<2	0.6	0.5	17	64	39	4.29	10	4.5	30
UGA-48	37.00	38.00	1.00	M301366	0.08	2.4	7.06	74	580	1.1	<2	1.36	0.5	18	63	36	4.64	10	4.61	20

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-47	152.00	153.00	1.00	M301337	1.94	812	2	0.03	12	1190	12	2.4	14	19	90	<20	0.38	<10	<10	142
UGA-47	153.00	154.00	1.00	M301338	1.09	796	8	0.02	10	1200	12	2.4	37	17	45	<20	0.34	<10	<10	128
UGA-47	154.00	155.00	1.00	M301340	1.93	864	2	0.02	11	1210	12	2.65	17	19	77	<20	0.39	<10	<10	140
UGA-47	175.00	176.00	1.00	M301341	1.86	779	2	0.1	15	1040	10	2.66	9	19	109	<20	0.37	<10	<10	137
UGA-47	176.00	177.00	1.00	M301342	1.56	1155	1	0.12	15	1100	12	2.11	10	21	107	<20	0.39	10	<10	145
UGA-47	177.00	178.00	1.00	M301343	1.25	1225	2	0.25	18	1240	12	1.6	16	22	125	<20	0.43	<10	<10	159
UGA-47	178.00	179.00	1.00	M301344	2.41	784	2	1.23	17	1110	10	0.31	<5	21	390	<20	0.41	<10	<10	152
UGA-48	0.00	1.00	1.00	M302250	0.92	570	4	0.02	13	1060	11	3.89	37	21	75	<20	0.38	10	<10	141
UGA-48	1.00	2.00	1.00	M302251	0.91	406	3	0.02	12	1110	11	4.06	17	23	57	<20	0.42	10	<10	154
UGA-48	2.00	3.00	1.00	M302252	1.24	689	2	<0.01	13	1160	13	3.06	17	24	58	<20	0.43	10	<10	160
UGA-48	3.00	4.00	1.00	M302253	1.1	727	3	0.02	14	1170	13	3.63	18	23	72	<20	0.41	10	<10	161
UGA-48	4.00	5.00	1.00	M302254	0.96	704	4	0.02	12	1120	12	3.64	23	20	68	<20	0.36	<10	<10	141
UGA-48	5.00	6.00	1.00	M302255	0.79	535	3	0.01	10	1050	12	3.04	23	21	90	<20	0.38	10	<10	144
UGA-48	6.00	7.00	1.00	M302256	1.18	672	2	0.01	13	1090	12	3.23	23	23	79	<20	0.41	10	<10	154
UGA-48	7.00	8.00	1.00	M302257	1.08	571	5	0.01	12	1170	10	3.01	23	22	86	<20	0.38	<10	<10	141
UGA-48	8.00	9.00	1.00	M302258	0.99	601	3	0.02	12	1020	8	2.98	29	21	107	<20	0.36	10	<10	130
UGA-48	9.00	10.00	1.00	M302259	0.85	564	2	0.02	12	1160	6	2.92	41	23	106	<20	0.4	10	<10	148
UGA-48	10.00	11.00	1.00	M302261	0.79	581	4	0.03	12	1080	12	3.22	34	21	76	<20	0.37	10	<10	142
UGA-48	11.00	12.00	1.00	M302263	0.92	777	2	0.03	15	890	11	2.87	18	18	72	<20	0.32	<10	<10	132
UGA-48	12.00	13.00	1.00	M302264	1.01	1395	2	0.03	16	890	11	2.93	23	18	60	<20	0.31	10	<10	125
UGA-48	13.00	14.00	1.00	M302265	0.72	1740	2	0.03	16	1270	10	2.65	24	18	48	<20	0.31	10	<10	121
UGA-48	14.00	15.00	1.00	M302266	0.34	587	4	0.04	12	1310	11	2.84	34	17	80	<20	0.31	10	<10	130
UGA-48	15.00	17.00	2.00	M302267	0.27	342	11	0.03	13	1230	12	3.31	73	15	65	<20	0.3	10	<10	119
UGA-48	17.00	18.00	1.00	M301345	0.22	246	6	0.03	11	2100	9	2.91	47	14	66	<20	0.26	10	<10	102
UGA-48	18.00	19.00	1.00	M301346	0.38	452	3	0.04	14	1010	11	3.34	28	17	108	<20	0.3	10	<10	120
UGA-48	19.00	20.00	1.00	M301347	0.8	1035	2	0.04	15	950	10	2.77	24	18	112	<20	0.32	10	<10	119
UGA-48	20.00	21.00	1.00	M301348	0.71	380	5	0.05	15	1050	11	2.21	23	19	119	<20	0.36	10	<10	135
UGA-48	21.00	22.00	1.00	M301349	1.21	532	2	0.05	14	1090	10	2.51	16	22	131	<20	0.38	10	<10	143
UGA-48	22.00	23.00	1.00	M301351	1.12	428	3	0.09	12	910	13	2.32	24	18	121	<20	0.33	<10	<10	120
UGA-48	23.00	24.00	1.00	M301352	1.06	364	2	0.09	10	930	9	2.12	18	18	115	<20	0.33	<10	<10	122
UGA-48	24.00	25.00	1.00	M301353	1.33	440	2	0.04	11	950	11	2.19	10	19	101	<20	0.35	10	<10	133
UGA-48	25.00	26.00	1.00	M301354	1.28	352	3	0.04	14	1060	10	2.34	26	20	93	<20	0.37	10	<10	161
UGA-48	26.00	27.00	1.00	M301355	1.38	376	2	0.04	16	1010	14	2.82	17	21	78	<20	0.38	10	<10	167
UGA-48	27.00	28.00	1.00	M301356	0.89	239	7	0.04	13	960	12	2.73	24	19	54	<20	0.35	10	<10	143
UGA-48	28.00	29.00	1.00	M301357	0.98	403	5	0.04	14	1160	10	2.55	20	20	76	<20	0.37	10	<10	139
UGA-48	29.00	30.00	1.00	M301358	0.88	385	6	0.04	12	1280	10	2.18	29	17	78	<20	0.31	10	<10	117
UGA-48	30.00	31.00	1.00	M301359	0.95	540	4	0.04	15	1090	8	2.3	18	19	77	<20	0.35	10	<10	131
UGA-48	31.00	32.00	1.00	M301360	0.65	706	35	0.04	15	1210	17	4.7	207	18	90	<20	0.32	30	<10	134
UGA-48	32.00	33.00	1.00	M301361	0.53	264	98	0.04	16	1380	23	5.83	276	15	98	<20	0.28	50	<10	128
UGA-48	33.00	34.00	1.00	M301362	1.35	552	29	0.04	14	1280	16	3.75	113	18	71	<20	0.33	20	<10	144
UGA-48	34.00	35.00	1.00	M301363	2	508	21	0.04	17	1180	16	3.77	105	20	86	<20	0.36	20	<10	142
UGA-48	35.00	36.00	1.00	M301364	2	469	10	0.05	16	1060	11	2.7	56	20	89	<20	0.36	10	<10	145
UGA-48	36.00	37.00	1.00	M301365	1.94	448	2	0.04	16	1100	10	1.9	17	20	100	<20	0.36	10	<10	142
UGA-48	37.00	38.00	1.00	M301366	1.81	522	4	0.05	14	1160	10	2.58	14	20	119	<20	0.36	10	<10	135

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	
UGA-48	38.00	39.00	1.00	M301367	1.71	2.7	6.83	122	410	1	<2	0.62	0.6	23	65	42	4.66	10	4.38	20	
UGA-48	39.00	40.00	1.00	M301368	0.68	3.1	6.92	148	470	1.1	<2	1.16	0.6	22	65	34	4.99	10	4.41	20	
UGA-48	40.00	41.00	1.00	M301369	0.1	1.6	6.92	94	310	1	<2	0.9	0.5	22	64	32	5.21	10	4.64	30	
UGA-48	41.00	42.00	1.00	M301371	7.5	15.2	6.78	160	440	1.2	<2	0.94	1	20	63	40	4.86	10	4.77	30	
UGA-48	42.00	43.00	1.00	M301373	0.18	2	6.83	163	390	1.2	<2	0.85	0.5	20	62	28	6.41	10	4.96	30	
UGA-48	43.00	44.00	1.00	M301374	0.07	1.7	7.24	74	230	1.1	<2	0.59	0.6	20	66	28	4.06	10	4.81	30	
UGA-48	44.00	45.00	1.00	M302268	0.12	2.5	6.78	143	170	1.1	<2	1.21	0.5	19	67	32	5.08	10	4.14	20	
UGA-48	45.00	46.00	1.00	M302269	0.42	2.2	6.59	250	390	1.1	<2	0.64	0.7	18	66	29	5.47	10	4.11	30	
UGA-48	46.00	47.00	1.00	M302271	0.14	2.3	7.8	254	260	1.2	<2	0.65	0.6	21	72	28	6.5	20	4.24	30	
UGA-48	47.00	48.00	1.00	M302272	0.08	1.3	7.4	177	260	1	<2	0.58	0.6	21	71	30	5.45	20	4	30	
UGA-48	48.00	49.00	1.00	M302273	0.07	1.4	7.22	76	630	0.9	3	0.5	0.5	20	73	33	4.4	10	4.64	30	
UGA-48	49.00	50.00	1.00	M302274	0.07	1.5	7.45	242	530	1	<2	0.48	0.7	19	68	36	5.97	20	4.29	30	
UGA-48	50.00	51.00	1.00	M302275	0.06	1.1	7.77	122	640	1	<2	0.44	0.6	20	72	36	5.64	20	4.71	30	
UGA-48	51.00	52.00	1.00	M302276	0.04	1.5	7.8	123	710	1.1	<2	0.51	0.6	22	72	39	5.67	10	4.81	30	
UGA-48	52.00	53.00	1.00	M302277	0.01	1	8.46	47	540	1.1	<2	0.58	0.8	23	81	41	5.21	20	5.03	30	
UGA-48	53.00	54.00	1.00	M302278	0.05	1.4	7.92	94	600	1	<2	0.4	0.6	21	75	35	5.06	20	4.92	30	
UGA-48	54.00	55.00	1.00	M302279	0.06	1.2	7.64	94	640	1.1	<2	0.49	0.5	20	73	35	4.93	20	4.28	30	
UGA-48	55.00	56.00	1.00	M302280	0.15	1.9	7.66	256	650	1.3	<2	0.44	0.6	20	72	36	4.56	20	4.77	30	
UGA-48	56.00	57.00	1.00	M302282	0.17	1.8	7.21	193	630	1.2	<2	0.45	0.6	21	71	38	4.85	10	4.48	30	
UGA-48	57.00	58.00	1.00	M302283	0.05	1.2	8.12	74	600	1.1	<2	0.58	0.7	22	75	37	5	20	4.78	30	
UGA-48	58.00	59.00	1.00	M302284	0.05	0.9	7.6	59	400	1.1	<2	0.59	0.5	20	74	38	4.71	20	4.22	30	
UGA-48	59.00	60.00	1.00	M302285	0.05	1.1	7.8	48	490	1.1	2	0.46	0.6	20	80	34	4.78	10	4.86	30	
UGA-48	60.00	61.00	1.00	M302286	0.06	1.5	7.39	64	510	1.1	<2	0.44	0.6	20	73	34	4.76	20	4.42	30	
UGA-48	61.00	62.00	1.00	M302287	0.27	1	7.43	39	470	1.1	<2	0.71	0.5	20	75	34	4.52	20	4.28	30	
UGA-48	62.00	63.00	1.00	M302289	0.03	0.9	7.28	42	540	1.1	<2	1.28	0.6	18	71	42	4.53	20	4.37	30	
UGA-48	63.00	64.00	1.00	M302290	0.19	1	7.01	50	690	1.2	<2	0.91	0.6	17	73	32	3.99	20	4.39	30	
UGA-48	64.00	65.00	1.00	M302291	0.09	1.5	7.43	63	510	1.6	<2	0.48	0.5	20	77	35	4.09	20	4.04	30	
UGA-48	65.00	66.00	1.00	M302292	0.24	2.3	7.5	60	380	1.7	<2	0.52	0.6	20	78	66	4.93	20	4.17	30	
UGA-48	66.00	67.00	1.00	M302293	0.21	1.7	7.31	45	490	1.4	<2	0.42	0.5	19	77	33	4.53	10	4.31	30	
UGA-48	67.00	68.00	1.00	M302294	0.08	1.5	7.52	48	580	1.2	<2	0.48	0.6	19	77	39	4.47	20	4.36	30	
UGA-48	68.00	69.00	1.00	M302295	0.02	1.3	7.67	40	480	1.1	<2	0.99	0.6	20	79	43	5.59	20	4.33	30	
UGA-48	69.00	70.00	1.00	M302296	0.1	1.5	7.68	59	480	1	<2	0.39	0.6	22	81	37	5.1	20	4.51	20	
UGA-48	70.00	71.00	1.00	M302297	0.1	1.4	7.07	45	490	1	<2	0.45	0.6	19	78	38	4.85	20	4.19	30	
UGA-48	71.00	72.00	1.00	M302298	0.07	1.3	7.11	45	750	1	<2	0.95	0.7	19	82	38	4.75	20	4.36	20	
UGA-48	72.00	73.00	1.00	M302299	0.16	1.9	6.68	142	540	1	<2	0.39	0.5	19	80	30	4.75	20	3.89	20	
UGA-48	73.00	74.00	1.00	M301375	0.28	1.4	7.65	78	680	1.2	<2	0.47	0.5	17	66	32	5.31	20	4.92	30	
UGA-48	74.00	75.00	1.00	M301376	0.18	2.3	7.03	227	810	1.1	<2	0.57	0.6	19	60	32	4.57	20	5.01	30	
UGA-48	75.00	76.00	1.00	M301377	1.33	13.8	5.5	489	730	0.9	<2	0.54	0.6	14	33	45	4.28	10	4.09	20	
UGA-48	76.00	77.00	1.00	M301379	7.09	9.1	7.11	417	530	1	<2	0.48	0.6	17	34	36	5.07	10	4.77	20	
UGA-48	77.00	78.00	1.00	M301380	0.36	2.5	6.88	214	820	1.1	<2	0.47	0.5	17	30	15	4.31	10	4.83	30	
UGA-48	78.00	79.00	1.00	M301381	0.11	2.1	6.96	185	760	1.2	<2	0.56	0.6	18	34	22	4.74	10	5.03	30	
UGA-48	79.00	80.00	1.00	M301382	0.08	1.5	7.06	122	640	1.1	<2	0.64	0.6	17	36	18	4.87	10	4.87	30	
UGA-48	80.00	81.00	1.00	M301383	0.15	1.5	6.93	114	630	1.2	<2	0.69	0.5	16	37	20	4.4	10	4.88	30	
UGA-48	81.00	82.00	1.00	M301384	0.09	1	7.15	138	660	1.5	<2	0.43	0.5	16	34	19	4.04	10	4.92	30	

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-48	38.00	39.00	1.00	M301367	0.87	354	5	0.05	15	1150	12	3.72	20	20	111	<20	0.37	10	<10	133
UGA-48	39.00	40.00	1.00	M301368	1.09	487	5	0.05	22	1160	13	4.03	24	20	116	<20	0.36	10	<10	137
UGA-48	40.00	41.00	1.00	M301369	0.93	316	5	0.05	16	1030	11	4.58	20	20	106	<20	0.36	10	<10	142
UGA-48	41.00	42.00	1.00	M301371	1.14	338	23	0.06	16	1080	16	3.87	33	20	106	<20	0.35	10	<10	136
UGA-48	42.00	43.00	1.00	M301373	1.66	480	3	0.05	18	1200	14	4.83	19	21	85	<20	0.35	10	<10	138
UGA-48	43.00	44.00	1.00	M301374	1.66	364	4	0.04	15	1410	10	2.75	13	20	65	<20	0.37	10	<10	139
UGA-48	44.00	45.00	1.00	M302268	2.6	658	2	0.03	16	2370	10	2.36	18	20	66	<20	0.35	<10	<10	139
UGA-48	45.00	46.00	1.00	M302269	2.38	614	4	0.03	16	1290	12	2.47	25	20	72	<20	0.33	<10	<10	138
UGA-48	46.00	47.00	1.00	M302271	2.6	694	4	0.03	17	1820	12	3.28	16	23	50	<20	0.4	10	<10	159
UGA-48	47.00	48.00	1.00	M302272	2.32	576	2	0.03	14	1680	12	2.31	12	21	46	<20	0.37	<10	<10	142
UGA-48	48.00	49.00	1.00	M302273	2.04	397	10	0.04	15	1440	10	1.86	18	21	60	<20	0.37	<10	<10	147
UGA-48	49.00	50.00	1.00	M302274	2.63	618	2	0.03	16	1280	10	2.66	14	22	52	<20	0.37	<10	<10	145
UGA-48	50.00	51.00	1.00	M302275	2.56	630	2	0.04	15	1170	10	2.07	10	22	58	<20	0.39	<10	<10	149
UGA-48	51.00	52.00	1.00	M302276	2.66	583	1	0.04	18	1230	12	2.31	13	23	59	<20	0.4	<10	<10	149
UGA-48	52.00	53.00	1.00	M302277	2.85	575	1	0.04	18	1400	11	1.61	15	25	66	<20	0.43	10	<10	169
UGA-48	53.00	54.00	1.00	M302278	2.53	508	2	0.05	20	1270	10	1.95	10	23	76	<20	0.4	<10	<10	156
UGA-48	54.00	55.00	1.00	M302279	2.65	550	2	0.04	16	1200	11	1.86	6	22	109	<20	0.39	<10	<10	153
UGA-48	55.00	56.00	1.00	M302280	2.35	411	2	0.04	18	1170	13	2.39	15	22	107	<20	0.4	10	<10	156
UGA-48	56.00	57.00	1.00	M302282	2.37	462	3	0.05	16	1080	13	2.35	12	22	108	<20	0.37	<10	<10	143
UGA-48	57.00	58.00	1.00	M302283	2.5	474	5	0.04	19	1240	11	2.04	15	24	94	<20	0.4	<10	<10	161
UGA-48	58.00	59.00	1.00	M302284	2.22	414	4	0.03	16	1160	12	1.95	17	22	53	<20	0.39	<10	<10	159
UGA-48	59.00	60.00	1.00	M302285	2.52	500	3	0.04	19	1230	10	1.61	16	23	59	<20	0.41	10	<10	150
UGA-48	60.00	61.00	1.00	M302286	2.52	460	3	0.04	17	1150	10	1.68	17	22	56	<20	0.39	<10	<10	150
UGA-48	61.00	62.00	1.00	M302287	2.28	463	4	0.04	15	1150	10	1.3	19	21	65	<20	0.38	<10	<10	154
UGA-48	62.00	63.00	1.00	M302289	2.07	541	3	0.04	14	1010	10	1.39	17	21	84	<20	0.37	10	<10	142
UGA-48	63.00	64.00	1.00	M302290	1.54	460	2	0.05	16	1120	12	1.5	17	20	88	<20	0.37	<10	<10	148
UGA-48	64.00	65.00	1.00	M302291	0.8	861	3	0.04	13	1230	9	1.44	18	22	62	<20	0.38	10	<10	154
UGA-48	65.00	66.00	1.00	M302292	0.96	1200	3	0.03	15	1610	11	1.39	16	21	51	<20	0.38	<10	<10	154
UGA-48	66.00	67.00	1.00	M302293	1.92	608	2	0.04	16	1250	9	1.44	16	22	58	<20	0.38	<10	<10	154
UGA-48	67.00	68.00	1.00	M302294	2.09	443	3	0.04	15	1400	12	1.64	16	22	56	<20	0.39	<10	<10	161
UGA-48	68.00	69.00	1.00	M302295	2.74	713	2	0.04	17	1260	11	1.47	13	23	75	<20	0.39	<10	<10	159
UGA-48	69.00	70.00	1.00	M302296	2.69	554	3	0.05	18	1250	10	1.48	13	22	74	<20	0.4	<10	<10	165
UGA-48	70.00	71.00	1.00	M302297	2.65	520	3	0.04	16	1250	13	1.53	19	22	72	<20	0.37	<10	<10	160
UGA-48	71.00	72.00	1.00	M302298	2.91	521	2	0.05	18	1040	12	1.48	14	23	83	<20	0.39	<10	<10	154
UGA-48	72.00	73.00	1.00	M302299	2.38	409	5	0.05	15	1120	75	2.22	20	22	70	<20	0.36	<10	<10	160
UGA-48	73.00	74.00	1.00	M301375	3.09	612	2	0.05	14	1040	9	1.83	9	22	81	<20	0.4	10	<10	164
UGA-48	74.00	75.00	1.00	M301376	2.19	388	2	0.05	15	1020	13	2.4	17	21	93	<20	0.39	<10	<10	159
UGA-48	75.00	76.00	1.00	M301377	1.47	256	4	0.06	8	1280	21	2.93	41	15	78	<20	0.31	<10	<10	120
UGA-48	76.00	77.00	1.00	M301379	2	292	2	0.1	9	1140	20	3.51	18	19	107	<20	0.39	10	<10	148
UGA-48	77.00	78.00	1.00	M301380	1.95	289	2	0.06	10	1020	12	2.99	12	17	92	<20	0.36	10	<10	135
UGA-48	78.00	79.00	1.00	M301381	1.56	277	2	0.07	11	1100	13	3.8	14	17	84	<20	0.36	10	<10	132
UGA-48	79.00	80.00	1.00	M301382	1.66	366	3	0.06	10	1090	11	3.64	14	18	93	<20	0.37	10	<10	136
UGA-48	80.00	81.00	1.00	M301383	1.56	317	3	0.06	10	1030	11	2.99	18	17	82	<20	0.36	10	<10	130
UGA-48	81.00	82.00	1.00	M301384	1.18	345	3	0.06	12	1030	9	2.77	18	16	81	<20	0.35	<10	<10	128

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-48	82.00	83.00	1.00	M301385	0.23	1.8	6.47	186	600	1.6	<2	0.3	0.5	15	32	20	4.41	10	4.16	30
UGA-48	83.00	84.00	1.00	M301386	0.1	1.6	6.59	152	370	1.5	<2	0.74	0.5	15	30	17	4.34	20	4	30
UGA-48	84.00	85.00	1.00	M301387	0.14	1.5	6.24	205	780	1.2	<2	0.7	0.5	14	32	21	4.3	10	4.14	30
UGA-48	85.00	86.00	1.00	M301388	0.11	1.6	7.01	160	480	1.2	<2	0.76	0.5	18	39	23	4.91	10	4.44	30
UGA-48	86.00	87.00	1.00	M301389	0.2	2.6	6.71	197	670	1.1	<2	1.24	0.6	19	40	24	5.12	10	4.15	30
UGA-48	87.00	88.00	1.00	M301390	0.29	2.3	7.25	375	670	1.2	<2	0.57	<0.5	17	42	28	5.17	20	4.32	30
UGA-48	88.00	89.00	1.00	M301391	0.06	0.9	7.57	118	830	1.2	<2	0.94	0.6	17	44	27	5.1	20	4.43	30
UGA-48	89.00	90.00	1.00	M301392	3.28	21.7	6.14	333	440	1.1	<2	1.21	0.6	16	39	37	4.56	10	4.22	30
UGA-48	90.00	91.00	1.00	M301394	1.56	2.1	6.54	185	820	1.5	<2	0.94	0.5	16	39	26	4.66	10	3.87	30
UGA-48	91.00	92.00	1.00	M301395	0.65	2	6.6	171	450	1.7	<2	0.38	<0.5	17	45	25	5.47	10	3.39	30
UGA-48	92.00	93.00	1.00	M301396	0.25	2	7.01	186	640	1.5	<2	0.35	<0.5	19	42	26	4.85	10	4.33	30
UGA-48	93.00	94.00	1.00	M301397	0.22	3	6.75	164	670	1.1	<2	1.02	0.6	17	41	27	4.7	10	4.59	30
UGA-48	94.00	95.00	1.00	M301398	0.14	2.5	7.29	111	670	1	<2	1.2	0.6	16	41	29	5.05	20	4.12	30
UGA-48	95.00	96.00	1.00	M301399	0.08	1.4	7.19	145	740	1.1	<2	0.86	0.6	18	40	34	5.16	20	4.34	30
UGA-48	96.00	97.00	1.00	M301401	0.3	3.2	7.32	283	680	1.3	<2	1.02	0.6	17	40	39	4.51	20	4.01	30
UGA-48	97.00	98.00	1.00	M301402	0.16	2.8	7.24	305	760	1.3	<2	0.96	0.6	18	40	35	4.53	20	4.04	30
UGA-48	98.00	99.00	1.00	M301403	0.69	6.1	6.57	257	560	1.2	<2	0.69	0.6	19	41	35	4.69	10	3.94	20
UGA-48	99.00	100.00	1.00	M301404	0.78	3.1	6.7	419	540	1.4	<2	0.73	0.5	16	35	27	4.88	10	4.03	30
UGA-48	100.00	101.00	1.00	M301405	0.24	2.8	7.18	257	620	1.7	<2	0.33	0.5	17	40	30	4.38	10	4.33	30
UGA-48	101.00	102.00	1.00	M301406	0.4	3.6	6.83	234	680	1.5	<2	0.39	0.5	17	39	35	4.9	10	4.23	20
UGA-48	102.00	103.00	1.00	M301407	0.29	5.7	6.62	316	460	1.2	<2	0.56	0.5	18	35	38	5.53	10	3.96	30
UGA-48	103.00	104.00	1.00	M301408	0.28	4.6	6.92	445	340	1.1	<2	0.52	0.6	20	40	42	5.82	10	4.13	20
UGA-48	104.00	105.00	1.00	M301409	0.16	2.6	7.91	326	980	1.3	<2	0.66	0.5	20	45	44	5.39	20	4.83	30
UGA-48	105.00	106.00	1.00	M301410	0.32	2.4	7.55	230	920	1.4	<2	0.42	<0.5	19	42	41	4.77	20	3.88	30
UGA-48	106.00	107.00	1.00	M301411	5.16	6.4	6.8	436	900	1.4	<2	0.61	0.5	16	41	42	4.81	10	4.84	30
UGA-48	107.00	108.00	1.00	M301412	0.2	4.2	6.9	282	770	1.5	<2	0.77	0.5	17	38	36	3.94	10	4.03	30
UGA-48	108.00	109.00	1.00	M301413	1.49	20.8	5.38	393	350	1.2	<2	0.75	0.5	13	33	57	4.78	10	3.94	20
UGA-48	109.00	110.00	1.00	M301415	0.49	9.6	3.66	185	280	0.9	<2	0.91	<0.5	8	26	21	3.82	10	1.78	10
UGA-48	110.00	111.00	1.00	M301416	0.32	6	3.92	171	340	0.9	<2	0.87	<0.5	10	27	23	3.23	10	2.46	20
UGA-48	111.00	112.00	1.00	M301417	0.49	14.4	3.69	242	480	0.7	<2	0.77	<0.5	8	31	23	3.4	10	2.87	20
UGA-48	112.00	113.00	1.00	M301418	0.53	8.8	3.7	208	570	0.7	<2	0.91	<0.5	9	34	22	4.07	10	3.21	20
UGA-48	113.00	114.00	1.00	M301419	1.66	10.2	5.59	322	360	1.1	<2	1.04	<0.5	14	53	52	4.41	10	3.98	20
UGA-48	114.00	115.00	1.00	M301421	0.79	5.6	5.53	207	480	1.1	<2	0.86	0.5	13	50	30	4.14	10	3.86	20
UGA-48	115.00	116.00	1.00	M301422	0.98	5.1	3.94	279	400	1.2	<2	0.24	<0.5	16	47	25	4.93	10	2.49	10
UGA-48	116.00	117.00	1.00	M301423	0.69	5.4	5.04	323	470	1.3	<2	0.27	<0.5	14	51	20	4.91	10	2.99	20
UGA-48	117.00	118.00	1.00	M301424	0.62	5.5	7.95	657	1110	1.4	<2	0.67	0.5	24	65	59	4.78	10	4.54	30
UGA-48	118.00	119.00	1.00	M301425	0.32	3	6.59	596	820	1.1	<2	1.13	<0.5	16	51	39	4.29	10	4.58	30
UGA-48	119.00	120.00	1.00	M301426	0.22	3.5	5.73	201	660	1.2	<2	0.57	0.6	15	52	29	4.35	10	3.86	20
UGA-48	120.00	121.00	1.00	M301427	0.63	5.1	4.78	232	500	1.1	<2	0.26	<0.5	15	44	37	3.87	10	4	20
UGA-48	121.00	122.00	1.00	M301428	1.8	9	3.09	408	270	0.9	<2	0.68	<0.5	10	51	32	4.6	10	1.66	10
UGA-48	122.00	123.00	1.00	M301429	1.25	12.5	2.04	567	90	0.7	<2	0.87	<0.5	8	42	40	4.46	10	0.6	10
UGA-48	123.00	124.00	1.00	M301431	1.2	5.8	1.48	314	30	0.7	<2	0.46	<0.5	5	38	98	2.79	<10	0.43	10
UGA-48	124.00	125.00	1.00	M301432	0.57	4.3	2.99	317	170	1	<2	0.53	<0.5	9	43	37	3.2	10	1.45	10
UGA-48	125.00	126.00	1.00	M301433	0.39	1.8	2.67	198	50	1	<2	0.39	<0.5	7	40	13	2.66	10	1.11	10

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-48	82.00	83.00	1.00	M301385	0.98	389	4	0.04	10	980	13	3.32	24	15	55	<20	0.3	10	<10	119
UGA-48	83.00	84.00	1.00	M301386	1.86	354	3	0.03	12	970	12	2.97	21	15	50	<20	0.31	<10	<10	114
UGA-48	84.00	85.00	1.00	M301387	1.7	363	4	0.04	9	1030	10	2.5	15	15	74	<20	0.31	<10	<10	115
UGA-48	85.00	86.00	1.00	M301388	1.72	397	3	0.06	11	1070	11	3.04	12	19	87	<20	0.37	<10	<10	147
UGA-48	86.00	87.00	1.00	M301389	1.94	548	5	0.06	13	980	13	3.59	11	19	106	<20	0.36	<10	<10	142
UGA-48	87.00	88.00	1.00	M301390	2.06	470	12	0.06	10	1240	12	2.52	24	20	93	<20	0.38	<10	<10	147
UGA-48	88.00	89.00	1.00	M301391	2.06	516	4	0.05	12	1280	9	2.27	13	21	90	<20	0.41	<10	<10	159
UGA-48	89.00	90.00	1.00	M301392	1.11	340	13	0.06	13	1840	14	3.52	37	17	99	<20	0.32	10	<10	129
UGA-48	90.00	91.00	1.00	M301394	1.18	554	5	0.04	9	1150	9	2.31	26	18	77	<20	0.35	<10	<10	134
UGA-48	91.00	92.00	1.00	M301395	0.72	1630	6	0.03	10	1190	9	2.13	30	19	64	<20	0.35	<10	<10	142
UGA-48	92.00	93.00	1.00	M301396	0.82	691	4	0.05	12	1180	12	2.88	28	20	70	<20	0.38	10	<10	145
UGA-48	93.00	94.00	1.00	M301397	1.27	372	19	0.05	11	1620	10	3.16	24	19	91	<20	0.36	10	<10	138
UGA-48	94.00	95.00	1.00	M301398	2.19	516	3	0.05	11	1130	10	2.61	14	21	86	<20	0.39	10	<10	153
UGA-48	95.00	96.00	1.00	M301399	2.23	460	4	0.06	13	1340	11	2.69	10	20	94	<20	0.39	10	<10	143
UGA-48	96.00	97.00	1.00	M301401	2	366	2	0.09	8	1220	10	2.73	14	20	85	<20	0.4	<10	<10	152
UGA-48	97.00	98.00	1.00	M301402	1.92	356	2	0.1	11	1260	9	2.92	17	20	86	<20	0.4	<10	<10	150
UGA-48	98.00	99.00	1.00	M301403	1.6	310	4	0.03	11	1150	14	3.06	27	18	68	<20	0.34	<10	<10	133
UGA-48	99.00	100.00	1.00	M301404	2.16	386	3	0.03	11	1240	11	2.6	30	18	58	<20	0.34	10	<10	131
UGA-48	100.00	101.00	1.00	M301405	1.2	356	4	0.05	11	1130	13	2.94	33	19	78	<20	0.37	10	<10	140
UGA-48	101.00	102.00	1.00	M301406	2.03	506	5	0.03	13	1220	13	2.47	31	18	63	<20	0.37	10	<10	146
UGA-48	102.00	103.00	1.00	M301407	2	416	2	0.04	11	1040	14	3.57	22	18	73	<20	0.34	<10	<10	136
UGA-48	103.00	104.00	1.00	M301408	1.22	268	4	0.07	13	1110	16	5.23	24	19	86	<20	0.37	10	<10	154
UGA-48	104.00	105.00	1.00	M301409	1.88	392	3	0.08	11	1160	14	3.45	17	21	103	<20	0.41	10	<10	167
UGA-48	105.00	106.00	1.00	M301410	1.21	405	3	0.07	11	1180	13	2.48	26	20	119	<20	0.39	10	<10	158
UGA-48	106.00	107.00	1.00	M301411	1.52	318	6	0.04	10	1110	15	3.51	28	18	92	<20	0.35	10	<10	121
UGA-48	107.00	108.00	1.00	M301412	2.59	326	3	0.03	10	1070	12	2.56	27	18	79	<20	0.36	10	<10	126
UGA-48	108.00	109.00	1.00	M301413	1.53	239	6	0.03	8	1250	24	4.18	46	14	72	<20	0.26	10	<10	105
UGA-48	109.00	110.00	1.00	M301415	1.68	262	5	0.02	7	1340	13	2.98	27	9	52	<20	0.17	<10	<10	75
UGA-48	110.00	111.00	1.00	M301416	1.1	157	4	0.02	8	980	12	3.1	27	10	64	<20	0.21	<10	<10	76
UGA-48	111.00	112.00	1.00	M301417	0.98	127	5	0.03	7	1200	12	3.36	30	9	79	<20	0.19	10	<10	69
UGA-48	112.00	113.00	1.00	M301418	0.9	235	4	0.04	9	990	11	3.3	25	10	87	<20	0.19	<10	<10	69
UGA-48	113.00	114.00	1.00	M301419	1.38	223	4	0.08	13	1740	15	3.66	35	16	95	<20	0.28	<10	<10	104
UGA-48	114.00	115.00	1.00	M301421	0.81	238	3	0.1	11	900	14	3.47	28	14	92	<20	0.27	10	<10	96
UGA-48	115.00	116.00	1.00	M301422	0.29	314	9	0.05	16	830	13	4.6	53	10	60	<20	0.2	10	<10	74
UGA-48	116.00	117.00	1.00	M301423	0.32	711	4	0.05	13	930	13	3.92	50	13	65	<20	0.24	10	<10	83
UGA-48	117.00	118.00	1.00	M301424	0.82	862	3	0.13	20	1170	14	3.3	33	21	99	<20	0.4	10	<10	147
UGA-48	118.00	119.00	1.00	M301425	1.68	396	2	0.09	16	930	12	2.76	30	18	96	<20	0.32	10	<10	126
UGA-48	119.00	120.00	1.00	M301426	0.85	297	2	0.09	12	940	8	3.45	285	16	88	<20	0.28	10	<10	95
UGA-48	120.00	121.00	1.00	M301427	0.39	375	2	0.05	14	830	9	3.36	38	12	63	<20	0.23	10	<10	84
UGA-48	121.00	122.00	1.00	M301428	0.73	348	4	0.02	10	1400	11	3.67	66	8	44	<20	0.15	10	<10	60
UGA-48	122.00	123.00	1.00	M301429	0.91	438	5	0.01	9	1570	11	3.44	85	5	43	<20	0.1	<10	<10	41
UGA-48	123.00	124.00	1.00	M301431	0.33	315	5	0.01	8	1510	10	2.03	72	3	37	<20	0.06	<10	<10	30
UGA-48	124.00	125.00	1.00	M301432	0.4	350	6	0.02	8	1470	10	2.52	58	7	41	<20	0.14	<10	<10	58
UGA-48	125.00	126.00	1.00	M301433	0.53	294	6	0.01	5	730	9	2.1	38	6	26	<20	0.12	<10	<10	52

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-48	126.00	127.00	1.00	M301434	0.47	3.8	4.09	394	260	1.3	<2	0.35	<0.5	12	44	20	4.22	10	2.46	10
UGA-48	127.00	128.00	1.00	M301435	0.56	1.9	3.63	171	40	1.2	<2	0.41	<0.5	10	46	19	3	10	1.65	20
UGA-48	128.00	129.00	1.00	M301436	0.34	1.9	4.24	178	410	1	<2	0.5	<0.5	11	54	26	3.55	10	3.14	20
UGA-48	129.00	130.00	1.00	M301437	0.38	2.7	3.59	268	330	1	<2	0.41	<0.5	10	51	20	3.4	10	2.46	10
UGA-48	130.00	131.00	1.00	M301438	0.43	2.7	3.36	218	190	1.1	<2	0.29	<0.5	9	47	19	3.1	10	1.81	10
UGA-48	131.00	132.00	1.00	M301439	0.19	2.4	4.65	192	60	1.3	<2	0.27	<0.5	13	51	12	3.62	10	1.9	20
UGA-48	132.00	133.00	1.00	M301441	0.25	2.7	4.19	259	50	1.3	<2	0.25	<0.5	12	49	12	4.72	10	1.68	20
UGA-48	133.00	134.00	1.00	M301442	0.3	2.4	3.33	212	40	1.1	<2	0.22	<0.5	9	41	11	3.59	10	1.21	10
UGA-48	134.00	135.00	1.00	M301443	0.28	1.9	3.42	193	70	1	<2	0.19	<0.5	10	42	8	3.57	10	1.31	10
UGA-48	135.00	136.00	1.00	M301444	1.07	2.2	3.04	149	50	1.2	<2	0.19	<0.5	7	39	8	2.59	10	1.2	10
UGA-48	136.00	137.00	1.00	M301445	0.33	0.8	2.21	102	40	1	<2	0.11	<0.5	5	36	7	1.86	<10	0.83	10
UGA-48	137.00	138.00	1.00	M301446	1.04	2.8	3.22	221	30	1.2	<2	0.26	<0.5	9	48	11	3.29	10	1.32	10
UGA-48	138.00	139.00	1.00	M301447	0.28	3.2	3.34	275	40	1.2	<2	0.36	<0.5	10	46	10	3.79	10	1.39	10
UGA-48	139.00	140.00	1.00	M301448	0.21	2.2	3.54	194	70	1.2	<2	0.41	<0.5	9	46	9	3.11	10	1.49	10
UGA-48	140.00	141.00	1.00	M301449	0.16	1.4	3.34	153	30	1.3	<2	0.21	<0.5	9	44	8	4.05	10	1.29	10
UGA-48	141.00	142.00	1.00	M301451	0.11	0.9	2.5	114	50	1	<2	0.16	<0.5	7	39	8	2.16	10	0.94	10
UGA-48	142.00	143.00	1.00	M301453	0.1	1.4	6.73	154	160	2.5	<2	0.35	0.5	22	32	22	3.72	10	2.91	20
UGA-48	143.00	144.00	1.00	M301454	0.05	0.6	3.99	85	90	1.5	<2	5.24	<0.5	10	16	20	3.17	10	1.7	10
UGA-48	144.00	145.00	1.00	M301455	0.07	0.6	6.04	38	150	1.7	<2	3.07	<0.5	11	23	20	3.45	10	2.55	20
UGA-53	25.00	26.00	1.00	M301761	0.07	1.1	6.69	175	330	1.2	<2	0.43	<0.5	20	59	32	5.11	10	3.51	20
UGA-53	26.00	27.00	1.00	M301762	0.08	1.3	6.67	186	260	1.3	<2	0.41	<0.5	20	63	30	4.46	10	3.61	20
UGA-53	27.00	28.00	1.00	M301763	0.13	1.8	6.12	280	220	1.4	<2	0.59	<0.5	20	55	29	6.74	10	3.35	20
UGA-53	28.00	30.00	2.00	M301764	0.15	2	6.58	301	350	1.5	<2	0.43	<0.5	20	62	29	3.89	10	3.46	20
UGA-53	30.00	32.00	2.00	M301765	0.25	3.2	6.02	383	300	1.3	<2	0.37	<0.5	20	67	31	5.79	10	3.57	20
UGA-53	32.00	33.00	1.00	M301767	0.16	1.5	7.01	233	560	1.4	<2	0.36	<0.5	21	66	34	4.4	10	3.62	20
UGA-53	33.00	34.00	1.00	M301768	0.06	0.9	6.56	119	470	1.4	<2	0.46	<0.5	26	65	26	6.78	10	3.84	30
UGA-53	34.00	35.00	1.00	M301769	0.09	1.5	6.48	155	430	1.2	<2	0.43	<0.5	27	61	32	6.23	10	3.79	20
UGA-53	35.00	36.00	1.00	M301770	0.06	1.5	6.8	110	420	1.1	<2	0.69	<0.5	23	64	33	5.26	10	3.92	20
UGA-53	36.00	37.00	1.00	M301771	0.05	0.8	7.36	74	410	1.2	<2	1.71	<0.5	20	66	35	4.93	10	3.77	30
UGA-53	37.00	38.00	1.00	M301772	0.05	0.8	6.96	74	350	1.1	<2	1.32	<0.5	18	67	33	4.29	10	3.83	30
UGA-53	38.00	39.00	1.00	M301773	0.07	1.1	6.95	117	410	1.2	<2	1.22	<0.5	20	61	39	4.75	10	3.88	30
UGA-53	39.00	40.00	1.00	M301774	0.13	1.7	7.1	93	370	1.3	<2	1.45	<0.5	24	62	52	4.5	10	3.88	30
UGA-53	40.00	41.00	1.00	M301775	0.09	1.3	6.88	54	380	1.5	<2	1.22	<0.5	24	64	57	6.2	10	3.7	20
UGA-53	41.00	42.00	1.00	M301776	0.03	1	6.81	22	400	1.3	<2	1.15	<0.5	27	63	41	6.09	10	3.86	30
UGA-53	42.00	43.00	1.00	M301777	0.16	1	6.63	51	550	1	<2	1.28	<0.5	18	63	31	4.22	10	3.68	20
UGA-53	43.00	44.00	1.00	M301778	0.17	0.9	6.68	76	540	1.1	<2	0.88	<0.5	19	63	35	4.25	10	4.11	20
UGA-53	44.00	45.00	1.00	M301779	1.29	1.7	6.55	74	380	1.1	<2	0.92	<0.5	20	65	36	4.16	10	3.82	30
UGA-53	45.00	46.00	1.00	M301781	0.09	1	5.88	59	370	1	<2	2.38	<0.5	19	55	28	5.13	10	3.73	20
UGA-53	46.00	47.00	1.00	M301782	0.17	1.3	6.91	71	460	1	<2	0.78	<0.5	19	67	29	4.24	10	3.62	20
UGA-53	47.00	48.00	1.00	M301784	0.09	1.4	6.49	86	380	1.1	<2	1.57	<0.5	19	68	24	4.8	10	3.7	20
UGA-53	48.00	49.00	1.00	M301785	0.08	1.5	6.64	91	470	1.2	<2	1.36	<0.5	19	65	30	4.97	10	3.88	30
UGA-53	49.00	50.00	1.00	M301786	0.06	1.1	7.13	94	650	1.5	<2	1.47	<0.5	21	70	38	5.14	20	3.71	30
UGA-53	50.00	51.00	1.00	M301787	0.06	1	6.78	96	510	1.5	<2	0.92	<0.5	23	67	34	5.66	10	3.84	30
UGA-53	51.00	52.00	1.00	M301788	0.2	1.6	6.26	190	180	1.8	<2	0.52	<0.5	19	69	24	4.69	10	3.18	10

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-48	126.00	127.00	1.00	M301434	0.67	446	8	0.02	11	1300	13	3.57	63	10	58	<20	0.19	10	<10	76
UGA-48	127.00	128.00	1.00	M301435	0.49	169	7	0.01	9	1370	12	2.86	38	9	26	<20	0.17	<10	<10	64
UGA-48	128.00	129.00	1.00	M301436	0.45	260	6	0.03	9	1120	20	3.24	42	11	65	<20	0.2	<10	<10	54
UGA-48	129.00	130.00	1.00	M301437	0.34	247	7	0.02	8	1460	13	3.1	55	9	52	<20	0.18	<10	<10	58
UGA-48	130.00	131.00	1.00	M301438	0.35	270	8	0.02	8	1050	10	2.67	53	8	35	<20	0.16	<10	<10	54
UGA-48	131.00	132.00	1.00	M301439	0.48	263	4	0.01	14	920	7	3.36	37	13	16	<20	0.25	<10	<10	90
UGA-48	132.00	133.00	1.00	M301441	0.48	492	5	0.01	12	880	10	4.19	41	12	15	<20	0.22	<10	<10	80
UGA-48	133.00	134.00	1.00	M301442	0.4	534	4	0.01	9	730	7	2.78	39	9	18	<20	0.17	<10	<10	65
UGA-48	134.00	135.00	1.00	M301443	0.45	588	3	0.01	9	620	4	2.66	33	10	18	<20	0.18	<10	<10	69
UGA-48	135.00	136.00	1.00	M301444	0.38	401	7	0.01	6	640	4	1.78	38	7	43	<20	0.13	<10	<10	57
UGA-48	136.00	137.00	1.00	M301445	0.23	200	6	0.01	5	360	4	1.4	37	5	63	<20	0.09	<10	<10	39
UGA-48	137.00	138.00	1.00	M301446	0.38	384	8	0.01	9	880	7	2.57	43	9	25	<20	0.16	<10	<10	66
UGA-48	138.00	139.00	1.00	M301447	0.42	393	10	0.01	9	1080	6	2.95	49	9	19	<20	0.17	<10	<10	70
UGA-48	139.00	140.00	1.00	M301448	0.42	196	9	0.01	8	970	6	2.78	42	9	20	<20	0.18	<10	<10	73
UGA-48	140.00	141.00	1.00	M301449	0.42	773	7	0.01	11	610	7	2.58	36	9	15	<20	0.17	<10	<10	67
UGA-48	141.00	142.00	1.00	M301451	0.25	176	5	0.01	6	530	6	1.68	45	7	13	<20	0.13	<10	<10	51
UGA-48	142.00	143.00	1.00	M301453	0.62	130	5	0.02	12	690	21	3.76	36	20	17	<20	0.39	<10	<10	131
UGA-48	143.00	144.00	1.00	M301454	2.51	1580	4	0.01	7	460	12	1.8	34	11	48	<20	0.22	<10	<10	71
UGA-48	144.00	145.00	1.00	M301455	1.44	1075	2	0.02	5	640	10	1.55	20	16	32	<20	0.33	<10	<10	106
UGA-53	25.00	26.00	1.00	M301761	0.58	1185	2	0.03	12	1370	8	2.93	23	19	52	<20	0.35	10	<10	129
UGA-53	26.00	27.00	1.00	M301762	0.46	895	3	0.03	14	1470	10	3.14	31	19	55	<20	0.35	10	<10	138
UGA-53	27.00	28.00	1.00	M301763	0.63	1415	3	0.03	14	2110	11	4.58	31	18	75	<20	0.32	10	<10	125
UGA-53	28.00	30.00	2.00	M301764	0.4	330	4	0.03	14	1670	10	3.53	31	17	76	<20	0.34	10	<10	127
UGA-53	30.00	32.00	2.00	M301765	0.75	934	5	0.03	15	1040	12	3.53	45	18	77	<20	0.31	<10	<10	125
UGA-53	32.00	33.00	1.00	M301767	0.87	443	3	0.04	16	1180	9	2.62	21	21	105	<20	0.37	10	<10	148
UGA-53	33.00	34.00	1.00	M301768	1.08	1620	4	0.03	18	1270	10	2.5	22	20	74	<20	0.34	<10	<10	131
UGA-53	34.00	35.00	1.00	M301769	0.97	1370	4	0.03	16	1250	9	2.77	25	19	67	<20	0.34	<10	<10	133
UGA-53	35.00	36.00	1.00	M301770	1.22	723	3	0.03	16	1160	12	2.49	19	21	58	<20	0.36	10	<10	138
UGA-53	36.00	37.00	1.00	M301771	1.58	547	3	0.03	14	1160	9	2.47	17	21	76	<20	0.39	<10	<10	148
UGA-53	37.00	38.00	1.00	M301772	1.34	420	3	0.03	13	1180	7	2.23	18	21	69	<20	0.36	10	<10	141
UGA-53	38.00	39.00	1.00	M301773	1.34	398	3	0.03	14	1150	9	2.92	17	20	76	<20	0.36	10	<10	137
UGA-53	39.00	40.00	1.00	M301774	1.28	442	4	0.03	13	1110	10	3.03	14	20	98	<20	0.36	10	<10	137
UGA-53	40.00	41.00	1.00	M301775	1.82	1255	3	0.03	17	1090	10	2.19	16	20	86	<20	0.36	10	<10	140
UGA-53	41.00	42.00	1.00	M301776	1.5	1765	2	0.03	15	1040	10	1.78	12	20	87	<20	0.35	<10	<10	135
UGA-53	42.00	43.00	1.00	M301777	1.47	538	2	0.04	13	1020	8	2	20	20	120	<20	0.34	<10	<10	135
UGA-53	43.00	44.00	1.00	M301778	1.24	395	2	0.04	13	1030	11	2.46	20	19	86	<20	0.35	10	<10	139
UGA-53	44.00	45.00	1.00	M301779	1.3	324	3	0.05	13	990	9	3.02	25	18	94	<20	0.34	10	<10	127
UGA-53	45.00	46.00	1.00	M301781	1.82	600	2	0.04	13	870	10	3.21	20	18	145	<20	0.31	<10	<10	126
UGA-53	46.00	47.00	1.00	M301782	1.32	373	4	0.05	14	1230	9	3.07	22	20	100	<20	0.37	10	<10	138
UGA-53	47.00	48.00	1.00	M301784	1.8	488	4	0.04	13	1150	11	2.8	24	19	99	<20	0.34	<10	<10	142
UGA-53	48.00	49.00	1.00	M301785	1.72	570	4	0.04	14	1330	10	2.66	20	20	96	<20	0.35	<10	<10	141
UGA-53	49.00	50.00	1.00	M301786	1.9	719	3	0.04	13	1160	14	2.19	16	21	104	<20	0.37	<10	<10	140
UGA-53	50.00	51.00	1.00	M301787	1.66	1060	1	0.03	15	1020	8	2.11	16	20	84	<20	0.36	<10	<10	137
UGA-53	51.00	52.00	1.00	M301788	0.98	969	4	0.03	16	1530	10	2	34	20	44	<20	0.33	10	<10	140

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-53	52.00	53.00	1.00	M301789	0.13	1.2	7.7	138	220	2.1	3	0.82	<0.5	18	79	31	3.54	20	4.13	20
UGA-53	53.00	54.00	1.00	M301790	0.06	1.9	7.4	81	510	1.6	<2	0.39	<0.5	18	77	37	3.29	20	4.02	10
UGA-53	54.00	55.00	1.00	M301791	0.08	2.6	6.7	90	430	1.7	2	0.51	0.7	25	67	36	7.95	10	3.88	20
UGA-53	55.00	56.00	1.00	M301792	0.1	2.1	7.43	67	520	1.4	2	0.39	<0.5	19	73	34	4.12	20	4.5	20
UGA-53	56.00	57.00	1.00	M301793	0.07	1.8	6.71	77	500	1.4	<2	0.38	<0.5	17	68	30	4.18	10	3.94	20
UGA-53	57.00	58.00	1.00	M301794	0.14	1.6	8.3	116	620	1.9	<2	0.39	<0.5	20	78	37	4.21	20	4.53	20
UGA-53	58.00	59.00	1.00	M301795	0.19	2	7.24	183	400	1.8	2	0.52	<0.5	19	71	41	4.51	20	3.96	20
UGA-53	59.00	60.00	1.00	M301796	0.18	2.1	6.91	205	410	1.7	3	1.36	<0.5	22	63	35	6.22	20	3.97	20
UGA-53	60.00	61.00	1.00	M301797	0.2	2.1	7.29	195	400	2.1	2	0.47	<0.5	22	72	42	8.31	20	4.43	20
UGA-53	61.00	62.00	1.00	M301798	0.13	1.6	7.74	127	440	2	2	0.48	<0.5	20	75	36	6.02	20	4.31	20
UGA-53	62.00	63.00	1.00	M301799	0.08	1.7	6.74	86	380	1.6	2	0.41	<0.5	18	67	32	5	20	4.09	20
UGA-53	63.00	64.00	1.00	M301800	0.21	2.1	6.69	171	340	1.5	4	0.36	<0.5	19	68	33	2.68	10	3.51	20
UGA-53	64.00	65.00	1.00	M301801	0.09	1.7	6.86	115	300	1.8	2	0.39	<0.5	18	67	32	3.75	10	3.81	20
UGA-53	65.00	66.00	1.00	M301803	0.14	2	6.97	200	410	1.6	3	0.35	<0.5	19	69	36	3.55	20	4.08	20
UGA-53	66.00	67.00	1.00	M301804	0.13	2.1	7.35	130	410	2	<2	0.51	<0.5	20	71	40	7.54	20	3.86	20
UGA-53	67.00	68.00	1.00	M301805	0.18	2.2	7.25	199	490	1.6	2	0.38	<0.5	18	71	38	4.88	20	4.02	20
UGA-53	68.00	69.00	1.00	M301806	0.33	3.1	7.36	278	450	1.7	2	0.39	<0.5	20	71	34	5.65	20	4.16	20
UGA-53	69.00	70.00	1.00	M301807	0.44	2.8	6.64	324	300	1.7	<2	0.41	<0.5	18	63	33	5.16	10	2.99	10
UGA-53	70.00	71.00	1.00	M301808	0.49	2.8	6.71	612	40	2.2	<2	0.67	<0.5	18	67	38	3.93	20	1.22	10
UGA-53	71.00	72.00	1.00	M301809	0.34	3.9	7.35	416	310	2	2	0.71	<0.5	20	70	55	4.47	20	3.23	20
UGA-53	72.00	73.00	1.00	M301811	1.93	17.6	4.33	1610	200	1.5	<2	0.67	<0.5	12	66	39	4.97	10	2.66	10
UGA-53	73.00	74.00	1.00	M301812	0.6	10	3.79	446	270	0.9	<2	0.95	<0.5	11	48	21	4.32	10	2.98	<10
UGA-53	74.00	75.00	1.00	M301813	0.32	3.1	4.66	231	200	0.8	<2	0.53	<0.5	11	44	20	4.37	10	3.76	10
UGA-53	75.00	76.00	1.00	M301815	0.89	6.3	4.29	610	220	1.1	<2	0.66	<0.5	11	52	18	4.33	10	4.03	<10
UGA-53	76.00	77.00	1.00	M301816	1.23	11	5.22	628	140	1.2	2	0.63	<0.5	14	47	28	5.77	10	4.58	10
UGA-53	77.00	78.00	1.00	M301817	1.71	9	5.56	364	140	0.9	2	0.75	<0.5	15	44	24	4.06	10	4.89	10
UGA-53	78.00	79.00	1.00	M301818	0.16	3	5.23	166	170	1	<2	0.36	<0.5	17	48	24	5.13	10	4.39	10
UGA-53	79.00	80.00	1.00	M301819	0.75	7	6.11	810	130	1.1	2	0.93	<0.5	18	56	32	4.54	10	4.68	10
UGA-53	80.00	81.00	1.00	M301820	0.92	7.3	4.89	1660	70	0.9	2	1.28	<0.5	17	55	27	6.32	10	4.54	10
UGA-53	81.00	82.00	1.00	M301822	1.93	34.2	5.54	1595	100	1.3	<2	1.12	<0.5	15	61	67	5.98	10	4.4	10
UGA-53	82.00	83.00	1.00	M301823	0.77	9	6.77	968	130	1.5	3	0.58	<0.5	19	53	40	5.6	10	4.18	20
UGA-53	83.00	84.00	1.00	M301824	0.99	13.3	6.87	1235	160	1.5	2	0.67	<0.5	19	60	49	5.69	10	4.38	20
UGA-53	84.00	85.00	1.00	M301825	0.95	13.8	6.45	1100	130	1.2	3	1.6	<0.5	19	54	49	6.03	10	4.57	10
UGA-53	85.00	86.00	1.00	M301826	0.63	7.6	6.45	1105	190	1.2	2	1.01	<0.5	18	52	39	7.19	10	4.67	10
UGA-53	86.00	87.00	1.00	M301827	0.69	6.4	6.73	983	160	1.1	2	1.73	<0.5	16	47	38	5.46	10	4.69	10
UGA-53	87.00	88.00	1.00	M301828	0.69	8.3	6.42	1150	170	1.1	2	1.31	<0.5	16	53	42	4.81	10	4.45	20
UGA-53	88.00	89.00	1.00	M301829	2.28	34.2	4.07	2070	60	0.8	<2	1.59	<0.5	10	43	65	7.34	10	2.78	<10
UGA-53	89.00	90.00	1.00	M301831	1.11	30.9	4.75	1790	100	0.9	<2	1.52	<0.5	12	51	47	6.92	10	3.78	10
UGA-53	90.00	91.00	1.00	M301832	0.36	8.5	4.52	1015	80	1	<2	1.76	<0.5	14	51	31	6.83	10	3.37	10
UGA-53	91.00	92.00	1.00	M301833	3.89	6.8	7.14	1035	100	1.5	2	0.96	<0.5	21	57	35	5.56	10	4.33	20
UGA-53	92.00	93.00	1.00	M301834	0.57	6.1	5.25	572	210	1.1	<2	1.4	<0.5	16	53	29	4.63	10	3.88	10
UGA-53	93.00	94.00	1.00	M301835	0.26	4.6	5.27	252	260	0.8	2	2.27	<0.5	13	49	23	3.73	10	4.27	10
UGA-53	94.00	95.00	1.00	M301836	0.21	5	5.23	293	210	1	<2	1.42	<0.5	14	53	27	4.63	10	4.52	10
UGA-53	95.00	96.00	1.00	M301837	0.14	5.2	5.12	221	370	0.9	2	1.91	<0.5	12	44	19	3.3	10	4.25	10

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-53	52.00	53.00	1.00	M301789	0.85	791	2	0.03	16	2910	6	1.12	33	20	60	<20	0.39	10	<10	145
UGA-53	53.00	54.00	1.00	M301790	0.76	434	3	0.04	14	1300	8	1.8	20	21	91	<20	0.38	10	<10	152
UGA-53	54.00	55.00	1.00	M301791	1.34	1715	4	0.03	22	1210	11	2.94	20	20	82	<20	0.34	<10	<10	146
UGA-53	55.00	56.00	1.00	M301792	1.3	592	3	0.04	14	1170	9	1.82	22	21	85	<20	0.39	10	<10	145
UGA-53	56.00	57.00	1.00	M301793	1.36	516	3	0.04	14	1010	9	1.78	20	19	95	<20	0.35	<10	<10	134
UGA-53	57.00	58.00	1.00	M301794	1.22	531	2	0.04	16	1200	10	2.03	19	24	141	<20	0.43	10	<10	164
UGA-53	58.00	59.00	1.00	M301795	0.81	647	2	0.04	16	1590	10	2.64	26	21	118	<20	0.38	10	<10	153
UGA-53	59.00	60.00	1.00	M301796	1.52	974	1	0.03	17	1180	12	3.17	25	20	111	<20	0.36	<10	<10	135
UGA-53	60.00	61.00	1.00	M301797	1.18	1965	2	0.04	18	1000	13	3.55	22	22	95	<20	0.38	10	<10	146
UGA-53	61.00	62.00	1.00	M301798	0.94	1495	3	0.04	15	1260	8	2.21	23	24	87	<20	0.4	<10	<10	165
UGA-53	62.00	63.00	1.00	M301799	0.62	1270	2	0.03	12	1210	9	2.38	24	20	74	<20	0.35	<10	<10	128
UGA-53	63.00	64.00	1.00	M301800	0.32	148	4	0.03	15	1330	9	2.3	32	19	62	<20	0.35	<10	<10	133
UGA-53	64.00	65.00	1.00	M301801	0.56	656	3	0.03	13	1240	10	2.07	28	20	59	<20	0.36	<10	<10	141
UGA-53	65.00	66.00	1.00	M301803	0.46	369	3	0.04	13	1180	11	2.65	29	19	88	<20	0.36	<10	<10	138
UGA-53	66.00	67.00	1.00	M301804	0.96	1890	2	0.04	13	1060	9	2.03	25	21	88	<20	0.38	<10	<10	148
UGA-53	67.00	68.00	1.00	M301805	0.62	888	1	0.05	15	1100	8	2.5	25	22	101	<20	0.38	10	<10	154
UGA-53	68.00	69.00	1.00	M301806	0.62	1165	4	0.04	18	1180	11	3.05	30	20	106	<20	0.38	10	<10	149
UGA-53	69.00	70.00	1.00	M301807	0.58	1620	3	0.03	17	1170	14	2.85	37	20	60	<20	0.34	<10	<10	134
UGA-53	70.00	71.00	1.00	M301808	0.31	263	6	0.01	16	2610	7	3.28	95	19	23	<20	0.35	10	<10	143
UGA-53	71.00	72.00	1.00	M301809	0.47	1530	3	0.03	19	2600	9	2.63	53	21	61	<20	0.38	10	<10	175
UGA-53	72.00	73.00	1.00	M301811	0.31	377	6	0.03	12	2600	13	4.1	153	12	74	<20	0.21	20	<10	94
UGA-53	73.00	74.00	1.00	M301812	0.35	768	5	0.03	9	3770	8	3.3	63	11	76	<20	0.18	10	<10	66
UGA-53	74.00	75.00	1.00	M301813	0.15	571	4	0.05	9	2060	6	3.57	33	12	92	<20	0.24	10	<10	54
UGA-53	75.00	76.00	1.00	M301815	0.1	92	7	0.05	9	2650	8	3.77	75	10	80	<20	0.21	10	<10	56
UGA-53	76.00	77.00	1.00	M301816	0.41	505	5	0.07	10	2450	10	4.66	81	13	78	<20	0.26	10	<10	73
UGA-53	77.00	78.00	1.00	M301817	0.14	161	5	0.08	10	3030	9	4.07	46	14	111	<20	0.28	10	<10	86
UGA-53	78.00	79.00	1.00	M301818	0.51	757	3	0.06	14	1350	8	4.45	23	15	95	<20	0.27	<10	<10	95
UGA-53	79.00	80.00	1.00	M301819	0.13	119	2	0.09	16	3780	9	4.53	68	15	82	<20	0.3	20	<10	104
UGA-53	80.00	81.00	1.00	M301820	0.13	82	6	0.11	15	5120	12	6.59	106	12	100	<20	0.25	30	<10	76
UGA-53	81.00	82.00	1.00	M301822	0.2	104	9	0.13	12	4390	14	6.08	144	14	99	<20	0.29	20	<10	95
UGA-53	82.00	83.00	1.00	M301823	0.51	653	5	0.17	14	2100	11	4.87	64	18	100	<20	0.34	10	<10	126
UGA-53	83.00	84.00	1.00	M301824	0.61	253	3	0.18	14	2480	14	4.8	68	19	109	<20	0.35	10	<10	137
UGA-53	84.00	85.00	1.00	M301825	1.99	572	5	0.15	13	2140	12	4.91	64	18	101	<20	0.33	10	<10	131
UGA-53	85.00	86.00	1.00	M301826	1.84	289	14	0.14	15	1430	10	7.05	52	18	95	<20	0.33	10	<10	126
UGA-53	86.00	87.00	1.00	M301827	2.67	398	2	0.15	14	1040	9	4.81	41	18	119	<20	0.34	10	<10	136
UGA-53	87.00	88.00	1.00	M301828	2.49	311	3	0.13	14	1300	7	3.9	54	18	102	<20	0.33	10	<10	126
UGA-53	88.00	89.00	1.00	M301829	2.05	322	71	0.07	9	2160	8	6.91	173	11	74	<20	0.2	20	<10	87
UGA-53	89.00	90.00	1.00	M301831	2	370	23	0.09	12	2300	9	6.22	137	13	88	<20	0.23	20	<10	95
UGA-53	90.00	91.00	1.00	M301832	2.1	459	318	0.05	13	780	9	5.98	48	12	98	<20	0.22	10	<10	97
UGA-53	91.00	92.00	1.00	M301833	0.93	484	5	0.06	16	2000	13	4.92	56	20	110	<20	0.37	20	<10	136
UGA-53	92.00	93.00	1.00	M301834	0.71	605	6	0.04	14	4480	9	3.37	61	15	88	<20	0.26	10	<10	88
UGA-53	93.00	94.00	1.00	M301835	1.94	369	4	0.04	11	2140	9	2.59	27	14	107	<20	0.26	<10	<10	97
UGA-53	94.00	95.00	1.00	M301836	2.33	386	6	0.04	13	1720	9	3.21	27	15	80	<20	0.26	<10	<10	90
UGA-53	95.00	96.00	1.00	M301837	2.38	300	3	0.04	9	2910	7	2.23	34	13	97	<20	0.24	10	<10	75

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-53	96.00	97.00	1.00	M301838	0.18	3.8	6.2	225	260	1	2	1.27	<0.5	16	50	23	3.77	10	4.57	10
UGA-53	97.00	98.00	1.00	M301839	0.28	4.4	4.75	358	300	0.8	<2	0.92	<0.5	11	54	22	3.68	10	4.76	10
UGA-53	98.00	99.00	1.00	M301841	0.18	4.2	5.17	264	720	0.9	2	0.96	<0.5	13	48	23	3.8	10	3.78	20
UGA-53	99.00	100.00	1.00	M301842	0.18	2.6	5.48	181	450	1	3	1.01	<0.5	13	47	22	3.09	10	4.39	10
UGA-53	100.00	101.00	1.00	M301843	0.63	9.4	4.66	717	200	0.8	<2	2.06	<0.5	12	47	26	4.55	10	3.7	10
UGA-53	101.00	102.00	1.00	M301844	0.37	5.3	4.23	571	290	0.7	2	1.94	<0.5	11	46	18	3.71	10	3.15	<10
UGA-53	102.00	103.00	1.00	M301845	0.09	4.1	5.48	96	170	1.1	2	2.51	<0.5	15	61	22	4.61	10	2.72	10
UGA-53	103.00	104.00	1.00	M301846	0.06	2.2	6.25	57	130	1.4	<2	2.84	<0.5	18	70	16	5.29	10	2.45	10
UGA-53	104.00	105.00	1.00	M301847	0.66	2.7	3.67	78	160	0.8	<2	1.39	<0.5	11	50	16	3.33	10	1	<10
UGA-53	105.00	106.00	1.00	M301848	0.04	0.8	6.61	57	440	1.4	2	2.73	<0.5	12	25	31	3.65	20	2.53	10
UGA-53	106.00	107.00	1.00	M301849	0.02	<0.5	8.03	45	280	1.5	2	3.12	<0.5	16	22	22	4.47	20	3.06	10
UGA-53	107.00	108.00	1.00	M301850	0.02	<0.5	7.17	44	250	1.3	<2	3.68	<0.5	15	21	67	4.25	20	2.77	20
UGA-54	14.00	16.00	2.00	M301851	0.1	1.6	6.37	180	80	1.4	<2	0.62	<0.5	18	56	29	3.87	10	1.86	20
UGA-54	16.00	17.00	1.00	M301852	1.54	2.2	6.21	149	360	0.7	2	0.36	<0.5	15	58	33	4.04	10	4.06	20
UGA-54	17.00	18.00	1.00	M301853	0.07	<0.5	8.82	52	340	1.2	3	0.49	<0.5	16	78	37	4.85	20	4.99	30
UGA-54	18.00	19.00	1.00	M301854	0.16	0.5	6.52	89	470	<0.5	<2	1.2	<0.5	19	62	30	5.01	10	4.61	20
UGA-54	19.00	20.00	1.00	M301856	0.08	1.2	7.15	87	480	<0.5	2	1.56	<0.5	16	61	27	4.64	10	4.75	20
UGA-54	20.00	21.00	1.00	M301857	0.13	1.2	6.55	127	660	<0.5	<2	1.24	<0.5	15	53	32	5.49	10	4.43	20
UGA-54	21.00	22.00	1.00	M301858	0.57	1.3	4.65	242	740	<0.5	2	1.75	<0.5	11	51	31	3.51	10	3.61	20
UGA-54	22.00	23.00	1.00	M301861	0.06	<0.5	7.94	102	470	0.5	<2	0.37	<0.5	20	67	31	5.06	10	5.03	30
UGA-54	23.00	24.00	1.00	M301862	0.14	0.7	6.81	132	350	<0.5	<2	0.5	<0.5	16	57	25	4.06	10	4.49	20
UGA-54	24.00	25.00	1.00	M301863	0.07	<0.5	7.07	119	400	<0.5	<2	0.66	<0.5	17	59	30	4.3	10	4.7	30
UGA-54	32.00	33.00	1.00	M301864	0.06	0.7	7.29	102	450	0.7	5	0.45	<0.5	19	64	29	3.94	10	5.33	20
UGA-54	33.00	34.00	1.00	M301865	0.1	1.6	6.95	146	510	0.7	5	0.36	<0.5	18	59	27	4.32	10	4.48	20
UGA-54	34.00	35.00	1.00	M301866	0.4	0.9	7.29	119	660	<0.5	2	0.61	<0.5	17	60	32	4.38	10	5.32	20
UGA-54	35.00	37.00	2.00	M301867	0.04	<0.5	7.46	98	520	<0.5	<2	0.84	<0.5	18	61	31	4.62	10	5	20
UGA-54	37.00	38.00	1.00	M301868	0.07	2.8	5.62	128	300	<0.5	<2	1.62	<0.5	15	52	23	5.07	10	3.44	20
UGA-54	38.00	39.00	1.00	M301869	0.06	1.3	7.04	104	540	0.5	<2	0.48	<0.5	17	59	28	4.12	10	4.54	20
UGA-54	39.00	40.00	1.00	M301870	0.06	<0.5	6.85	101	580	0.5	<2	1.72	<0.5	17	56	27	4.62	10	4.16	20
UGA-54	40.00	41.00	1.00	M301871	1.03	1.6	6.74	86	500	0.7	<2	1.38	<0.5	17	59	34	4.79	10	3.93	20
UGA-54	41.00	42.00	1.00	M301872	0.06	0.6	7.9	61	200	0.8	4	1.02	<0.5	19	71	59	4.12	10	3.65	30
UGA-54	42.00	43.00	1.00	M301873	0.07	1.8	7.44	109	280	0.9	2	1.22	<0.5	19	66	68	4.59	10	4.16	30
UGA-54	43.00	44.00	1.00	M301874	0.04	2.6	6.49	120	260	0.9	3	2.66	<0.5	20	58	41	5.53	10	3.27	30
UGA-54	44.00	45.00	1.00	M301875	0.06	1.9	6.82	100	450	0.7	2	1.84	<0.5	16	61	31	4.84	10	4	20
UGA-54	45.00	46.00	1.00	M301877	0.07	2.3	7.13	89	390	0.7	2	1.02	<0.5	18	66	23	5.11	10	3.9	30
UGA-54	46.00	47.00	1.00	M301878	0.06	2	6.77	80	420	<0.5	2	0.66	<0.5	19	64	28	4.31	10	4.32	30
UGA-54	47.00	48.00	1.00	M301879	1.18	2.8	6.92	121	330	0.5	<2	0.71	<0.5	22	65	30	5.43	10	4.17	30
UGA-54	48.00	49.00	1.00	M301881	0.06	1.9	7.2	116	340	1.1	<2	0.67	0.9	23	72	31	4.61	10	4.67	30
UGA-54	55.00	56.00	1.00	M301882	0.03	1.5	7.16	46	670	1	2	0.55	0.8	17	70	32	4.6	10	4.1	20
UGA-54	56.00	57.00	1.00	M301883	0.06	1.6	6.56	74	410	0.9	<2	0.67	0.9	17	68	27	4.44	10	3.64	20
UGA-54	57.00	58.00	1.00	M301885	0.08	1.7	7.4	118	450	1.1	<2	0.48	0.9	20	71	31	5.26	10	3.77	30
UGA-54	58.00	59.00	1.00	M301886	0.3	1.9	7.09	302	980	1	<2	0.45	1.1	18	67	32	4.62	10	4.35	20
UGA-54	59.00	60.00	1.00	M301887	0.08	1.2	7.39	139	550	1	<2	0.48	0.9	20	73	26	4.52	20	4.54	20
UGA-54	60.00	61.00	1.00	M301888	0.07	1.7	7.11	98	890	1	2	0.4	0.9	20	69	29	4.88	10	4.2	20

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-53	96.00	97.00	1.00	M301838	2.76	301	4	0.05	12	1870	10	2.77	24	17	114	<20	0.31	<10	<10	97
UGA-53	97.00	98.00	1.00	M301839	1.66	215	6	0.05	10	1580	8	2.91	40	12	102	<20	0.23	<10	<10	54
UGA-53	98.00	99.00	1.00	M301841	2.31	292	3	0.07	8	990	10	2.78	23	14	93	<20	0.26	10	<10	93
UGA-53	99.00	100.00	1.00	M301842	2.43	272	1	0.04	9	920	7	2.07	20	15	105	<20	0.27	10	<10	99
UGA-53	100.00	101.00	1.00	M301843	1.48	275	7	0.05	9	1960	18	3.82	69	13	118	<20	0.23	10	<10	79
UGA-53	101.00	102.00	1.00	M301844	1.06	244	5	0.04	10	1180	10	3.21	49	11	110	<20	0.21	<10	<10	74
UGA-53	102.00	103.00	1.00	M301845	1.5	262	3	0.02	14	930	11	4.21	23	17	114	<20	0.29	<10	<10	111
UGA-53	103.00	104.00	1.00	M301846	1.79	368	4	0.01	18	1060	13	4.48	23	19	61	<20	0.33	<10	<10	130
UGA-53	104.00	105.00	1.00	M301847	0.82	254	6	0.01	10	1050	9	2.9	32	10	44	<20	0.19	<10	<10	71
UGA-53	105.00	106.00	1.00	M301848	1.68	557	1	0.02	6	780	11	1.38	15	16	56	<20	0.35	<10	<10	112
UGA-53	106.00	107.00	1.00	M301849	1.74	683	1	0.03	6	800	15	2.45	5	19	58	<20	0.45	<10	<10	135
UGA-53	107.00	108.00	1.00	M301850	1.87	857	1	0.02	5	720	15	2.12	5	17	68	<20	0.42	<10	<10	116
UGA-54	14.00	16.00	2.00	M301851	0.4	635	3	0.01	11	2320	10	3.11	43	19	14	<20	0.35	<10	<10	125
UGA-54	16.00	17.00	1.00	M301852	0.41	572	2	0.03	9	1240	10	2.99	25	18	46	<20	0.33	10	<10	116
UGA-54	17.00	18.00	1.00	M301853	0.96	1200	1	0.03	11	1220	9	0.71	8	27	76	<20	0.46	10	<10	190
UGA-54	18.00	19.00	1.00	M301854	1.04	652	2	0.04	12	910	9	2.83	14	19	80	<20	0.34	10	<10	124
UGA-54	19.00	20.00	1.00	M301856	1.38	565	2	0.04	10	960	11	2.46	14	21	83	<20	0.37	<10	<10	133
UGA-54	20.00	21.00	1.00	M301857	1.47	539	2	0.03	11	970	11	2.98	13	20	95	<20	0.34	<10	<10	135
UGA-54	21.00	22.00	1.00	M301858	0.97	316	3	0.04	6	1310	6	2.73	35	14	112	<20	0.25	<10	<10	87
UGA-54	22.00	23.00	1.00	M301861	1.99	463	3	0.04	16	1100	10	2.56	12	23	88	<20	0.41	<10	<10	166
UGA-54	23.00	24.00	1.00	M301862	1.18	319	8	0.03	13	1000	8	2.47	26	20	59	<20	0.35	<10	<10	145
UGA-54	24.00	25.00	1.00	M301863	1.48	386	3	0.04	11	1120	10	2.34	26	21	75	<20	0.37	<10	<10	138
UGA-54	32.00	33.00	1.00	M301864	0.86	616	3	0.04	13	1660	7	2.34	20	21	77	<20	0.38	10	<10	149
UGA-54	33.00	34.00	1.00	M301865	1.12	484	3	0.04	13	1340	12	2.82	17	20	83	<20	0.37	10	<10	139
UGA-54	34.00	35.00	1.00	M301866	2.09	526	4	0.05	12	1080	11	2.09	16	21	116	<20	0.38	<10	<10	144
UGA-54	35.00	37.00	2.00	M301867	2.13	476	2	0.04	12	1220	10	2.11	9	22	77	<20	0.38	<10	<10	151
UGA-54	37.00	38.00	1.00	M301868	2.1	619	3	0.02	10	960	12	2.95	19	17	67	<20	0.28	<10	<10	136
UGA-54	38.00	39.00	1.00	M301869	1.68	351	3	0.03	12	1200	9	2.26	15	20	62	<20	0.37	<10	<10	156
UGA-54	39.00	40.00	1.00	M301870	2.08	504	1	0.03	8	950	11	2.32	9	20	93	<20	0.35	<10	<10	141
UGA-54	40.00	41.00	1.00	M301871	1.92	520	4	0.03	12	940	11	2.57	12	20	71	<20	0.34	<10	<10	143
UGA-54	41.00	42.00	1.00	M301872	1.4	685	4	0.02	12	1150	7	1.82	12	22	48	<20	0.42	10	<10	155
UGA-54	42.00	43.00	1.00	M301873	1.23	639	5	0.03	14	1050	11	3.1	20	22	47	<20	0.39	<10	<10	143
UGA-54	43.00	44.00	1.00	M301874	1.86	500	5	0.02	14	1010	15	4.6	21	20	77	<20	0.34	<10	<10	137
UGA-54	44.00	45.00	1.00	M301875	1.8	618	3	0.03	12	1070	11	3.65	20	21	72	<20	0.35	<10	<10	143
UGA-54	45.00	46.00	1.00	M301877	1.58	333	2	0.03	14	1060	8	4.42	16	22	49	<20	0.38	<10	<10	144
UGA-54	46.00	47.00	1.00	M301878	1.29	253	3	0.03	16	910	10	3.85	16	21	47	<20	0.37	<10	<10	128
UGA-54	47.00	48.00	1.00	M301879	1.17	291	7	0.05	16	1010	12	4.77	19	22	79	<20	0.37	10	<10	142
UGA-54	48.00	49.00	1.00	M301881	1.52	381	4	0.04	18	1120	12	3.32	15	21	58	<20	0.39	<10	<10	146
UGA-54	55.00	56.00	1.00	M301882	2.21	442	2	0.03	18	1140	10	1.88	5	21	44	<20	0.38	<10	<10	152
UGA-54	56.00	57.00	1.00	M301883	1.98	461	3	0.03	16	1170	11	2	9	19	49	<20	0.35	<10	<10	141
UGA-54	57.00	58.00	1.00	M301885	2.4	625	2	0.04	18	1140	15	1.91	10	21	59	<20	0.39	<10	<10	150
UGA-54	58.00	59.00	1.00	M301886	2.38	543	1	0.05	16	980	10	1.94	15	21	131	<20	0.37	<10	<10	142
UGA-54	59.00	60.00	1.00	M301887	2.5	552	3	0.04	17	1110	12	1.53	16	22	106	<20	0.39	<10	<10	147
UGA-54	60.00	61.00	1.00	M301888	2.4	515	4	0.04	18	1120	10	2.02	12	21	69	<20	0.38	<10	<10	141

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	
UGA-54	61.00	62.00	1.00	M301889	0.06	1.6	7.39	75	600	1	<2	0.56	0.9	20	74	33	4.57	20	4.3	30	
UGA-54	62.00	63.00	1.00	M301890	0.05	1.5	7.21	65	410	1	<2	0.56	1.1	19	69	48	4.96	20	4.08	20	
UGA-54	63.00	64.00	1.00	M301891	0.12	1.6	6.16	75	560	0.9	<2	0.61	0.8	17	68	33	4.41	10	3.74	20	
UGA-54	69.00	70.00	1.00	M301892	0.01	0.8	7.84	25	630	1.1	2	0.51	1	19	79	39	5.16	20	4.69	30	
UGA-54	70.00	71.00	1.00	M301893	0.15	1.6	6.64	111	550	1	<2	0.91	1	19	68	42	5.81	10	3.77	20	
UGA-54	71.00	72.00	1.00	M301894	0.04	1.3	7.41	43	500	1	<2	0.37	0.8	20	76	46	4.75	20	4.59	20	
UGA-54	72.00	73.00	1.00	M301895	0.17	1.6	6.96	59	670	0.9	<2	0.3	0.8	17	73	33	4.6	10	4.57	20	
UGA-54	73.00	74.00	1.00	M301896	0.11	1.4	6.03	68	680	0.8	<2	0.61	0.9	16	68	38	4.4	10	3.95	20	
UGA-54	74.00	75.00	1.00	M301897	0.19	2.2	6.45	60	370	0.8	2	0.32	1	18	71	38	4.72	10	4.21	20	
UGA-54	75.00	76.00	1.00	M301898	0.19	1.9	6.94	81	720	0.8	2	0.35	0.8	19	74	40	4.7	10	4.74	20	
UGA-54	79.00	80.00	1.00	M301899	0.25	2.2	6.5	149	340	1	<2	0.38	1	19	69	39	4.63	10	3.64	20	
UGA-54	80.00	81.00	1.00	M301901	0.14	1.9	7.29	188	800	1.2	2	0.49	0.8	19	76	41	4.22	20	4.49	30	
UGA-54	81.00	82.00	1.00	M301903	1.83	6	7.06	299	890	1	<2	0.61	0.9	19	65	77	4.72	10	4.84	20	
UGA-54	82.00	83.00	1.00	M301904	0.17	2.4	7.1	255	630	1.1	<2	0.48	0.9	18	33	18	4.61	10	4.57	20	
UGA-54	83.00	84.00	1.00	M301905	0.21	2.4	7.23	397	470	1.3	<2	0.59	0.9	18	33	19	4.86	10	4.25	30	
UGA-54	84.00	85.00	1.00	M301906	0.4	2.8	6.9	362	960	1.3	<2	0.37	0.9	17	40	20	3.79	10	4.33	30	
UGA-54	85.00	86.00	1.00	M301907	0.18	1.5	6.43	249	710	1.4	<2	0.87	0.8	14	27	19	3.79	10	4.35	30	
UGA-54	86.00	87.00	1.00	M301908	0.32	1.5	7.38	117	560	1.4	<2	0.61	0.7	15	32	37	3.67	20	4.25	30	
UGA-54	87.00	88.00	1.00	M301909	0.37	1.5	6.86	110	580	1.2	<2	0.59	0.8	13	33	21	4.05	10	4.13	30	
UGA-54	88.00	89.00	1.00	M301910	0.42	2.2	6.83	239	740	1.1	<2	0.49	1	17	36	24	4.3	10	4.28	30	
UGA-54	89.00	90.00	1.00	M301911	1.94	4.3	6.76	233	610	1.1	3	0.58	0.8	17	37	36	4.59	20	4.02	20	
UGA-54	90.00	91.00	1.00	M301912	0.8	2.3	6.82	253	710	1	<2	0.4	0.9	18	40	28	4.72	10	4.34	30	
UGA-54	91.00	92.00	1.00	M301914	2.36	5.1	6.9	485	670	1.1	<2	0.5	0.9	17	40	25	4.78	10	4.32	30	
UGA-54	92.00	93.00	1.00	M301915	0.47	2.4	7.79	167	700	1.3	<2	0.61	0.8	17	43	33	4.55	20	4.78	30	
UGA-54	93.00	94.00	1.00	M301916	0.39	4	7.38	163	710	1.2	<2	0.47	<0.5	19	36	32	4.9	20	4.34	20	
UGA-54	94.00	95.00	1.00	M301917	0.18	1.6	7.42	103	450	1.2	<2	0.58	<0.5	19	36	31	5.17	10	4.18	20	
UGA-54	95.00	96.00	1.00	M301918	0.14	2.3	7.49	44	500	1.1	<2	0.68	<0.5	21	36	34	4.82	20	4.43	20	
UGA-54	96.00	97.00	1.00	M301919	0.09	1.6	7.49	57	440	1.2	<2	0.59	<0.5	20	40	36	4.86	20	4.35	20	
UGA-54	97.00	98.00	1.00	M301920	1.3	2.4	7.25	93	420	1.1	<2	0.75	<0.5	21	42	33	4.46	10	4.42	20	
UGA-54	98.00	99.00	1.00	M301921	0.97	1.6	7.84	72	520	1.5	<2	0.95	<0.5	21	40	36	4.84	20	4.42	20	
UGA-54	99.00	100.00	1.00	M301922	0.66	1.3	6.89	71	380	1.2	<2	1.13	<0.5	17	35	34	4.42	10	3.45	10	
UGA-54	100.00	101.00	1.00	M301923	0.02	0.6	8.06	29	320	1.2	<2	0.6	<0.5	19	39	33	4.69	20	4.33	20	
UGA-54	101.00	102.00	1.00	M301924	0.12	1.1	7.42	86	690	1.1	<2	0.47	<0.5	22	37	36	4.89	20	4.58	20	
UGA-54	102.00	103.00	1.00	M301925	0.21	1.4	6.94	144	680	1.1	<2	0.45	<0.5	20	40	38	4.43	20	4.56	10	
UGA-54	103.00	104.00	1.00	M301926	0.09	1.2	8.14	196	870	1.3	<2	0.53	<0.5	20	39	31	4.64	20	4.93	20	
UGA-54	104.00	105.00	1.00	M301927	0.43	2.1	7.6	194	850	1.3	<2	0.41	<0.5	17	37	31	4.53	20	4.83	20	
UGA-54	105.00	106.00	1.00	M301928	0.17	1.9	7.57	154	930	1.2	<2	0.42	<0.5	18	36	29	4.64	20	4.86	20	
UGA-54	106.00	107.00	1.00	M301929	0.28	3.5	7.12	385	580	1.3	<2	0.51	<0.5	16	34	27	4.25	10	5.03	20	
UGA-54	107.00	108.00	1.00	M301931	0.21	2.7	6.54	275	600	1.3	<2	0.78	<0.5	15	32	35	3.96	10	4.39	20	
UGA-54	108.00	109.00	1.00	M301932	0.12	2.5	6.58	147	510	1.1	<2	0.63	<0.5	16	40	33	4.32	10	4.3	20	
UGA-54	109.00	110.00	1.00	M301933	0.23	1.8	6.59	120	380	1.1	<2	0.72	<0.5	17	39	28	4.15	10	4.32	20	
UGA-54	110.00	111.00	1.00	M301935	0.25	2.1	7.15	220	460	1.2	<2	0.58	<0.5	17	37	29	5.2	10	4.61	20	
UGA-54	111.00	112.00	1.00	M301936	0.13	2.3	7.06	184	380	1.3	<2	0.46	<0.5	19	36	32	4.85	10	4.55	20	
UGA-54	112.00	113.00	1.00	M301937	0.06	1.1	7.79	96	720	1.3	<2	0.45	<0.5	17	37	36	4.11	20	4.87	20	

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-54	61.00	62.00	1.00	M301889	2.38	465	6	0.03	17	1420	9	1.64	18	22	61	<20	0.39	<10	<10	157
UGA-54	62.00	63.00	1.00	M301890	2.35	486	5	0.03	19	1340	12	1.93	19	21	51	<20	0.38	<10	<10	167
UGA-54	63.00	64.00	1.00	M301891	2.04	530	4	0.03	15	1110	10	1.74	16	18	53	<20	0.33	10	<10	135
UGA-54	69.00	70.00	1.00	M301892	2.59	767	2	0.04	18	1250	10	0.98	10	23	87	<20	0.41	<10	<10	144
UGA-54	70.00	71.00	1.00	M301893	2.57	813	3	0.03	17	1160	14	1.8	17	20	84	<20	0.35	<10	<10	154
UGA-54	71.00	72.00	1.00	M301894	2.61	493	2	0.05	18	1350	13	1.46	14	21	83	<20	0.38	<10	<10	155
UGA-54	72.00	73.00	1.00	M301895	2.41	514	5	0.05	15	1070	15	1.56	16	20	77	<20	0.37	<10	<10	141
UGA-54	73.00	74.00	1.00	M301896	2.28	478	5	0.04	16	930	12	1.56	23	18	88	<20	0.32	<10	<10	133
UGA-54	74.00	75.00	1.00	M301897	2.62	619	6	0.04	16	1260	10	1.42	22	19	75	<20	0.35	<10	<10	149
UGA-54	75.00	76.00	1.00	M301898	2.41	549	5	0.05	16	1320	12	1.76	16	20	103	<20	0.37	10	<10	154
UGA-54	79.00	80.00	1.00	M301899	2.74	493	4	0.04	16	1070	13	1.9	13	19	59	<20	0.36	<10	<10	160
UGA-54	80.00	81.00	1.00	M301901	2.71	494	3	0.06	18	1110	12	1.64	16	20	100	<20	0.38	<10	<10	158
UGA-54	81.00	82.00	1.00	M301903	2.09	390	3	0.07	15	1150	16	3.23	23	21	112	<20	0.38	<10	<10	166
UGA-54	82.00	83.00	1.00	M301904	2.21	356	2	0.06	10	1070	12	3	16	19	89	<20	0.38	<10	<10	141
UGA-54	83.00	84.00	1.00	M301905	1.72	328	2	0.08	12	1080	15	3.77	19	18	99	<20	0.39	10	<10	147
UGA-54	84.00	85.00	1.00	M301906	1.02	316	5	0.09	11	1080	14	2.77	25	17	93	<20	0.36	<10	<10	132
UGA-54	85.00	86.00	1.00	M301907	2.21	397	4	0.04	9	890	12	1.94	21	14	76	<20	0.29	<10	<10	104
UGA-54	86.00	87.00	1.00	M301908	2.19	389	4	0.04	12	1060	13	1.46	23	16	76	<20	0.35	<10	<10	140
UGA-54	87.00	88.00	1.00	M301909	2.05	376	5	0.05	10	1030	13	1.74	22	16	78	<20	0.34	<10	<10	130
UGA-54	88.00	89.00	1.00	M301910	1.84	349	4	0.05	11	1080	11	2.26	24	18	83	<20	0.36	<10	<10	138
UGA-54	89.00	90.00	1.00	M301911	2.1	377	8	0.05	12	1080	17	2.4	22	18	79	<20	0.36	<10	<10	135
UGA-54	90.00	91.00	1.00	M301912	2.01	388	11	0.06	12	1180	15	2.47	18	19	83	<20	0.37	<10	<10	142
UGA-54	91.00	92.00	1.00	M301914	2.24	430	4	0.06	12	1090	12	2.63	17	19	80	<20	0.38	<10	<10	150
UGA-54	92.00	93.00	1.00	M301915	2.63	439	3	0.06	13	1160	13	2.22	13	21	91	<20	0.41	10	<10	164
UGA-54	93.00	94.00	1.00	M301916	2.66	417	5	0.04	12	1060	12	2.23	21	19	72	<20	0.37	<10	<10	139
UGA-54	94.00	95.00	1.00	M301917	3.01	510	6	0.04	12	1070	10	1.99	19	20	63	<20	0.37	<10	<10	144
UGA-54	95.00	96.00	1.00	M301918	2.38	469	5	0.04	15	1160	12	2.46	20	20	65	<20	0.38	<10	<10	142
UGA-54	96.00	97.00	1.00	M301919	2.39	450	6	0.04	14	1190	12	2.26	27	20	66	<20	0.38	<10	<10	146
UGA-54	97.00	98.00	1.00	M301920	0.94	323	14	0.05	15	1080	14	3.58	6220	19	80	<20	0.37	10	<10	135
UGA-54	98.00	99.00	1.00	M301921	1.68	447	6	0.04	14	1120	10	2.66	41	21	73	<20	0.4	<10	<10	149
UGA-54	99.00	100.00	1.00	M301922	2.27	569	3	0.03	12	1050	10	1.95	32	19	66	<20	0.35	<10	<10	130
UGA-54	100.00	101.00	1.00	M301923	2.9	481	3	0.04	12	1120	10	1.56	22	21	55	<20	0.41	<10	<10	153
UGA-54	101.00	102.00	1.00	M301924	2.28	383	5	0.05	14	1210	11	2.61	19	20	69	<20	0.38	<10	<10	145
UGA-54	102.00	103.00	1.00	M301925	1.85	279	5	0.07	14	980	11	2.86	26	19	84	<20	0.36	<10	<10	137
UGA-54	103.00	104.00	1.00	M301926	2.87	411	2	0.06	12	1120	11	2.45	16	21	81	<20	0.41	<10	<10	152
UGA-54	104.00	105.00	1.00	M301927	2.79	334	4	0.07	13	1060	9	2.35	15	21	80	<20	0.38	<10	<10	143
UGA-54	105.00	106.00	1.00	M301928	3.09	379	3	0.05	12	1090	9	2.19	17	20	70	<20	0.38	10	<10	141
UGA-54	106.00	107.00	1.00	M301929	2.1	242	4	0.04	10	1030	11	3.17	23	19	67	<20	0.36	<10	<10	136
UGA-54	107.00	108.00	1.00	M301931	2.13	277	4	0.03	10	980	12	2.78	24	17	89	<20	0.33	<10	<10	122
UGA-54	108.00	109.00	1.00	M301932	1.94	284	4	0.03	11	950	12	3.19	25	17	67	<20	0.33	<10	<10	126
UGA-54	109.00	110.00	1.00	M301933	1.65	232	5	0.03	11	1010	10	3.39	33	17	67	<20	0.33	<10	<10	126
UGA-54	110.00	111.00	1.00	M301935	2.07	277	5	0.04	11	1140	11	3.97	27	18	64	<20	0.35	<10	<10	138
UGA-54	111.00	112.00	1.00	M301936	1.65	219	3	0.04	12	920	14	3.84	17	18	67	<20	0.36	10	<10	138
UGA-54	112.00	113.00	1.00	M301937	1.58	193	3	0.05	13	1150	11	3.07	21	20	81	<20	0.39	10	<10	156

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-54	113.00	114.00	1.00	M301938	4.84	21.4	7.86	239	530	1.4	<2	0.46	<0.5	18	39	42	5.01	20	4.95	20
UGA-54	114.00	115.00	1.00	M301939	0.72	6.6	5.67	376	370	1.1	<2	0.8	<0.5	15	43	28	4.63	10	3.86	10
UGA-54	115.00	116.00	1.00	M301941	0.92	3.3	7.28	407	400	1.3	<2	0.67	<0.5	17	36	37	4.54	20	4.71	20
UGA-54	116.00	117.00	1.00	M301942	0.79	2.7	6.78	340	590	1.4	<2	0.94	<0.5	17	34	34	4.5	10	4.69	20
UGA-54	117.00	118.00	1.00	M301943	0.39	2.3	7.47	369	620	1.6	<2	0.36	<0.5	19	36	36	5.53	20	4.81	20
UGA-54	118.00	119.00	1.00	M301944	2.8	5.2	7.27	194	160	1.8	<2	0.31	<0.5	16	37	38	4.21	20	2.37	20
UGA-54	119.00	120.00	1.00	M301945	0.36	2.7	6.17	339	500	1.3	<2	0.31	<0.5	18	33	31	4.93	10	4.44	10
UGA-54	120.00	121.00	1.00	M301946	0.2	3	6.37	182	460	1.5	<2	0.39	<0.5	16	35	28	4.99	10	4.14	10
UGA-54	121.00	122.00	1.00	M301947	0.2	3.2	6.22	212	490	1.6	<2	0.36	<0.5	17	32	27	4.6	10	4.29	10
UGA-54	122.00	123.00	1.00	M301948	0.85	3.1	5.01	227	400	1.3	<2	0.42	<0.5	14	27	25	4.88	10	3.05	10
UGA-54	123.00	124.00	1.00	M301949	0.17	2.4	5.83	215	630	1.4	<2	0.87	<0.5	14	29	21	4	10	3.52	10
UGA-54	124.00	125.00	1.00	M301950	0.14	2.1	5.78	184	510	1.1	<2	0.82	<0.5	14	29	22	4.67	10	3.32	10
UGA-54	125.00	126.00	1.00	M301951	0.26	2.7	5.88	256	480	1.2	<2	0.78	<0.5	14	30	23	4.14	10	3.29	10
UGA-54	126.00	127.00	1.00	M301952	0.2	2.3	5.92	198	550	1.3	<2	1.16	<0.5	13	32	23	3.26	10	3.87	20
UGA-54	127.00	128.00	1.00	M301953	0.13	2.4	4.61	126	430	1	<2	0.96	<0.5	10	29	20	3.44	10	3.16	20
UGA-54	128.00	129.00	1.00	M301954	0.13	1.5	4.11	126	280	1.1	<2	0.67	<0.5	9	26	15	3.14	10	2.21	20
UGA-54	129.00	130.00	1.00	M301955	0.26	1.7	4.01	121	340	1	2	0.46	<0.5	6	26	12	1.92	10	2.51	20
UGA-54	130.00	131.00	1.00	M301956	0.21	1.8	5.48	155	320	1.2	<2	0.67	<0.5	12	34	21	3.65	10	3.91	20
UGA-54	131.00	132.00	1.00	M301957	0.11	2.1	5.88	100	520	1.1	<2	0.63	<0.5	12	37	22	3.06	10	4.18	30
UGA-54	132.00	133.00	1.00	M301958	0.11	2.4	5.51	155	200	1.1	<2	1.66	<0.5	13	34	32	4.84	10	3.16	20
UGA-54	133.00	134.00	1.00	M301959	0.35	3.7	5.16	308	110	1	<2	0.87	<0.5	16	35	22	7.2	10	3.55	20
UGA-54	134.00	135.00	1.00	M301960	0.28	3.1	6.5	201	260	1.2	<2	1.05	<0.5	16	40	30	5.05	10	4.33	30
UGA-54	135.00	136.00	1.00	M301961	0.81	3.5	4.49	389	90	0.9	<2	0.93	<0.5	17	35	19	6.46	10	2.73	20
UGA-54	136.00	137.00	1.00	M301963	0.34	3.8	7.22	141	500	1.5	<2	0.84	<0.5	17	44	30	3.38	20	4.09	30
UGA-54	137.00	138.00	1.00	M301964	0.28	2.9	6.57	172	420	1.6	<2	0.84	<0.5	18	38	25	3.9	10	3.86	30
UGA-54	138.00	139.00	1.00	M301965	0.4	2.9	7.21	141	430	1.6	<2	1.32	<0.5	19	41	24	3.58	20	4.03	30
UGA-54	139.00	140.00	1.00	M301966	1.02	3.9	7.14	188	530	1.6	<2	0.8	<0.5	19	36	26	3.43	20	4.32	30
UGA-54	140.00	141.00	1.00	M301967	0.65	3	6.43	205	340	1.4	<2	0.75	<0.5	18	33	25	4.05	10	4.16	30
UGA-54	141.00	142.00	1.00	M301969	0.08	2.6	7.29	102	260	1.4	<2	1.34	<0.5	17	33	29	3.78	10	4.38	40
UGA-54	142.00	143.00	1.00	M301971	0.12	2.4	6.59	126	320	1.3	<2	0.99	<0.5	17	32	24	4.45	10	3.98	40
UGA-54	143.00	144.00	1.00	M301972	0.07	2.4	7.05	70	500	1.5	<2	0.81	<0.5	19	35	21	3.7	10	4.3	30
UGA-54	144.00	145.00	1.00	M301973	0.12	3	6.73	126	350	1.4	<2	1.03	<0.5	21	32	26	4.48	10	4.38	30
UGA-54	145.00	146.00	1.00	M301974	0.1	2.6	7.01	75	270	1.5	<2	1.06	<0.5	19	32	24	4.41	10	4.13	30
UGA-54	146.00	147.00	1.00	M301975	0.26	2.3	7.36	182	320	1.6	<2	0.76	<0.5	18	32	31	4.45	10	3.81	30
UGA-54	147.00	148.00	1.00	M301976	0.18	2	7.19	163	320	1.5	<2	0.99	<0.5	19	32	26	4.83	10	3.38	30
UGA-54	148.00	149.00	1.00	M301977	0.1	1.9	6.93	185	260	1.4	2	0.84	<0.5	20	31	21	5.77	10	3.67	30
UGA-54	149.00	150.00	1.00	M301978	0.05	1.3	7.56	68	630	1.6	<2	1.94	<0.5	17	33	22	4.67	20	3.17	40
UGA-54	150.00	151.00	1.00	M301979	0.11	1.2	7.33	109	420	2	<2	2.34	<0.5	19	31	24	4.91	20	3.04	30
UGA-54	151.00	152.00	1.00	M301980	0.09	1.3	7.08	95	480	1.9	<2	2.75	<0.5	19	31	24	4.9	20	2.89	40
UGA-54	152.00	153.00	1.00	M301981	0.05	1.1	7.15	51	370	1.7	<2	2.53	<0.5	19	30	27	4.64	20	2.74	30
UGA-54	153.00	154.00	1.00	M301982	0.04	0.7	7.29	44	410	1.7	2	2.97	<0.5	19	31	33	4.6	10	2.89	30
UGA-54	154.00	155.00	1.00	M301983	0.08	0.8	6.76	177	210	1.6	2	1.64	<0.5	19	31	23	5.68	10	2.79	30
UGA-54	155.00	156.00	1.00	M301984	0.07	1.2	7.01	142	150	1.6	<2	3.1	<0.5	15	30	24	5.12	10	2.89	30
UGA-54	156.00	157.00	1.00	M301985	0.05	2.8	5.26	86	100	1.4	<2	1.71	<0.5	13	38	31	6.28	10	2.35	20

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-54	113.00	114.00	1.00	M301938	1.88	251	3	0.05	12	1100	22	3.75	28	20	70	<20	0.39	<10	<10	153
UGA-54	114.00	115.00	1.00	M301939	1.44	241	4	0.04	10	1100	12	3.93	54	15	65	<20	0.28	<10	<10	113
UGA-54	115.00	116.00	1.00	M301941	1.51	176	4	0.06	11	1180	12	3.84	42	19	71	<20	0.37	<10	<10	143
UGA-54	116.00	117.00	1.00	M301942	1.34	266	4	0.07	11	1130	12	3.33	40	18	76	<20	0.34	10	<10	133
UGA-54	117.00	118.00	1.00	M301943	0.64	655	3	0.08	12	1170	13	3.97	42	20	62	<20	0.38	<10	<10	148
UGA-54	118.00	119.00	1.00	M301944	0.58	968	57	0.02	10	1050	10	2.45	68	19	29	<20	0.37	<10	<10	141
UGA-54	119.00	120.00	1.00	M301945	0.46	353	4	0.07	10	980	12	4.25	49	15	54	<20	0.32	<10	<10	118
UGA-54	120.00	121.00	1.00	M301946	0.86	523	3	0.03	10	960	11	3.54	44	17	53	<20	0.32	<10	<10	130
UGA-54	121.00	122.00	1.00	M301947	0.67	359	5	0.03	11	1040	14	3.87	49	16	56	<20	0.32	10	<10	117
UGA-54	122.00	123.00	1.00	M301948	1.09	649	3	0.02	8	740	12	3.07	41	14	55	<20	0.25	<10	<10	91
UGA-54	123.00	124.00	1.00	M301949	1.66	263	6	0.02	9	1110	12	3.09	39	16	59	<20	0.3	<10	<10	114
UGA-54	124.00	125.00	1.00	M301950	2.75	334	2	0.02	8	800	10	2.84	28	16	57	<20	0.29	<10	<10	112
UGA-54	125.00	126.00	1.00	M301951	2.63	290	2	0.02	9	820	9	2.52	22	16	58	<20	0.3	10	<10	114
UGA-54	126.00	127.00	1.00	M301952	1.51	184	3	0.03	4	870	11	2.82	23	17	75	<20	0.31	10	<10	117
UGA-54	127.00	128.00	1.00	M301953	1.32	186	4	0.03	4	720	7	3	27	13	58	<20	0.25	<10	<10	92
UGA-54	128.00	129.00	1.00	M301954	1.26	172	4	0.02	6	610	7	2.79	27	11	43	<20	0.22	<10	<10	84
UGA-54	129.00	130.00	1.00	M301955	0.79	88	4	0.02	3	780	7	1.77	21	11	36	<20	0.21	<10	<10	85
UGA-54	130.00	131.00	1.00	M301956	0.97	128	4	0.03	7	960	9	3.63	22	16	54	<20	0.29	<10	<10	112
UGA-54	131.00	132.00	1.00	M301957	0.79	93	7	0.03	8	1110	10	3.15	19	17	54	<20	0.32	<10	<10	124
UGA-54	132.00	133.00	1.00	M301958	1.79	228	4	0.02	6	840	10	4.56	21	16	72	<20	0.29	<10	<10	119
UGA-54	133.00	134.00	1.00	M301959	1.04	123	5	0.03	9	1460	16	7.5	20	15	59	<20	0.27	<10	<10	112
UGA-54	134.00	135.00	1.00	M301960	2.38	282	3	0.04	11	990	12	4.24	20	19	68	<20	0.34	<10	<10	136
UGA-54	135.00	136.00	1.00	M301961	1.66	240	5	0.02	9	970	17	5.8	26	13	57	<20	0.23	<10	<10	93
UGA-54	136.00	137.00	1.00	M301963	1.56	174	4	0.04	8	1190	8	3.15	21	20	64	<20	0.4	<10	<10	154
UGA-54	137.00	138.00	1.00	M301964	1.63	172	3	0.02	9	1040	11	3.75	15	19	52	<20	0.35	<10	<10	132
UGA-54	138.00	139.00	1.00	M301965	2.07	284	2	0.02	8	1090	10	3.23	15	21	71	<20	0.38	<10	<10	146
UGA-54	139.00	140.00	1.00	M301966	1.53	146	3	0.03	9	1150	13	3.28	14	20	119	<20	0.39	<10	<10	147
UGA-54	140.00	141.00	1.00	M301967	1.19	179	4	0.04	10	1060	15	4.03	15	18	122	<20	0.34	<10	<10	145
UGA-54	141.00	142.00	1.00	M301969	1.67	237	3	0.03	8	1170	11	3.68	19	19	79	<20	0.39	<10	<10	164
UGA-54	142.00	143.00	1.00	M301971	2.02	261	2	0.03	10	1070	12	4.28	15	18	114	<20	0.36	<10	<10	137
UGA-54	143.00	144.00	1.00	M301972	1.71	235	3	0.04	8	1200	13	3.4	11	20	81	<20	0.39	<10	<10	153
UGA-54	144.00	145.00	1.00	M301973	1.81	272	4	0.04	11	1170	14	4.02	16	20	91	<20	0.38	10	<10	149
UGA-54	145.00	146.00	1.00	M301974	2.1	357	4	0.03	9	1190	11	3.91	15	19	71	<20	0.39	10	<10	147
UGA-54	146.00	147.00	1.00	M301975	1.86	282	3	0.03	10	1330	12	3.68	16	20	62	<20	0.39	<10	<10	146
UGA-54	147.00	148.00	1.00	M301976	2.33	360	3	0.02	9	1220	14	3.52	15	20	59	<20	0.4	<10	<10	146
UGA-54	148.00	149.00	1.00	M301977	2.69	475	2	0.03	12	1160	13	4.18	15	19	67	<20	0.37	<10	<10	143
UGA-54	149.00	150.00	1.00	M301978	3.02	691	2	0.02	8	1200	8	2.72	12	21	69	<20	0.41	<10	<10	153
UGA-54	150.00	151.00	1.00	M301979	2.48	874	2	0.02	7	1230	14	3.17	12	20	82	<20	0.4	<10	<10	147
UGA-54	151.00	152.00	1.00	M301980	2.54	1185	3	0.02	8	1160	11	3.29	16	19	86	<20	0.38	<10	<10	144
UGA-54	152.00	153.00	1.00	M301981	2.24	795	2	0.02	9	1150	10	3.42	11	19	80	<20	0.39	<10	<10	142
UGA-54	153.00	154.00	1.00	M301982	2.21	839	2	0.02	10	1170	11	3.6	15	20	87	<20	0.4	<10	<10	145
UGA-54	154.00	155.00	1.00	M301983	1.23	236	3	0.01	12	1080	12	5.75	17	18	54	<20	0.36	<10	<10	138
UGA-54	155.00	156.00	1.00	M301984	2.01	616	3	0.01	8	1130	13	4.95	21	19	79	<20	0.37	<10	<10	146
UGA-54	156.00	157.00	1.00	M301985	1.28	281	4	0.01	8	860	15	6.47	25	15	49	<20	0.28	<10	<10	112

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-54	157.00	158.00	1.00	M301986	0.06	1.8	5.98	110	80	1.5	<2	1.36	<0.5	17	51	23	6.44	10	2.45	20
UGA-54	158.00	159.00	1.00	M301987	0.04	1.7	7.44	104	180	1.8	2	1.53	<0.5	18	54	29	3.92	10	2.9	30
UGA-54	159.00	160.00	1.00	M301988	0.08	2.2	8.11	135	220	1.3	2	1.45	<0.5	22	50	38	5.43	10	3.04	30
UGA-54	160.00	161.00	1.00	M301989	0.04	2.1	7.87	89	150	1.5	3	2.27	<0.5	19	48	31	4.65	10	2.78	30
UGA-54	161.00	162.00	1.00	M301990	0.05	2.3	5.53	69	40	1.1	2	0.27	<0.5	14	41	18	5.1	10	2.44	20
UGA-54	162.00	163.00	1.00	M301992	0.04	1	3.45	73	30	0.6	<2	0.2	<0.5	10	35	13	3.41	10	1.48	10
UGA-54	163.00	164.00	1.00	M301993	0.07	0.8	3.19	108	40	0.8	<2	0.15	<0.5	7	27	10	2.52	<10	1.39	10
UGA-54	164.00	165.00	1.00	M301995	0.06	0.9	3.3	94	40	0.9	<2	0.18	<0.5	7	27	10	3.29	10	1.42	10
UGA-54	165.00	166.00	1.00	M301996	0.05	0.8	3.79	93	40	0.7	<2	0.54	<0.5	10	35	12	2.84	10	1.65	10
UGA-54	166.00	167.00	1.00	M301997	0.06	0.7	4.31	87	40	0.7	<2	2.33	<0.5	9	38	15	3.36	10	1.92	20
UGA-54	167.00	168.00	1.00	M301998	0.14	0.6	4.22	129	40	0.6	<2	0.96	<0.5	10	30	16	3.26	10	1.82	10
UGA-54	168.00	169.00	1.00	M301999	0.41	1.7	3.77	210	40	0.6	<2	0.72	<0.5	8	38	15	2.97	10	1.61	10
UGA-54	169.00	170.00	1.00	M302001	0.24	1.5	5.27	278	60	1.3	<2	0.23	<0.5	13	64	17	3.02	10	2.3	20
UGA-54	170.00	171.00	1.00	M302002	0.28	1.6	5.33	320	90	1.2	<2	0.25	<0.5	13	68	24	2.89	10	2.29	20
UGA-54	171.00	172.00	1.00	M302003	0.24	1.4	4.36	290	70	1	<2	0.21	<0.5	11	52	15	3.3	10	1.88	10
UGA-54	172.00	173.00	1.00	M302004	0.13	1.2	5.83	201	180	1.1	<2	1.74	<0.5	15	65	21	3.78	10	2.52	20
UGA-54	173.00	174.00	1.00	M302005	0.23	0.7	5.73	315	120	0.7	<2	4.48	<0.5	15	62	22	5.24	10	2.47	20
UGA-54	174.00	175.00	1.00	M302006	0.25	0.5	5.97	328	110	0.8	<2	3.61	<0.5	15	64	25	4.46	10	2.51	30
UGA-54	175.00	176.00	1.00	M302007	0.24	<0.5	4.73	244	100	0.5	<2	3.41	<0.5	11	46	14	3.89	10	2.01	20
UGA-54	185.00	186.00	1.00	M302008	0.08	<0.5	8.77	66	400	0.9	2	2.24	<0.5	8	<1	41	3.37	20	3.64	20
UGA-54	186.00	187.20	1.20	M302009	0.13	1.3	7.74	67	270	0.9	3	2.98	<0.5	7	1	42	3.49	10	3.16	10
UGA-55	0.00	2.00	2.00	M302011	0.1	1.3	6.95	282	440	1.1	<2	0.43	<0.5	19	64	33	4.63	10	4.85	30
UGA-55	2.00	3.00	1.00	M302012	0.12	1.3	6.92	279	750	1.1	<2	0.37	<0.5	18	62	45	4.22	10	4.31	30
UGA-55	3.00	4.00	1.00	M302013	0.27	3.3	5.35	292	540	0.9	<2	0.68	<0.5	19	67	32	5.42	10	3.85	20
UGA-55	4.00	5.00	1.00	M302015	0.2	2.9	5.78	271	330	1	<2	0.69	<0.5	16	56	29	4.6	10	4.33	20
UGA-55	5.00	6.00	1.00	M302016	0.09	1	7.18	250	340	1.3	2	0.64	<0.5	17	75	38	4.7	20	5.08	20
UGA-55	6.00	7.00	1.00	M302017	0.11	1.6	6.26	191	740	1	<2	0.49	<0.5	18	58	28	4.68	10	4.54	20
UGA-55	7.00	8.00	1.00	M302018	0.09	1.8	6.47	188	820	1	<2	2.09	<0.5	17	57	29	5.34	10	4.93	30
UGA-55	8.00	9.00	1.00	M302019	1.12	3.2	6.15	200	610	0.8	<2	0.63	<0.5	18	59	30	4.55	10	4.83	20
UGA-55	9.00	10.00	1.00	M302021	0.08	1.1	6.45	181	920	1	<2	0.54	<0.5	15	56	30	4.04	10	4.34	20
UGA-55	10.00	11.00	1.00	M302022	0.08	0.8	6.83	223	530	1	<2	0.93	<0.5	17	57	47	4.57	20	4.87	20
UGA-55	11.00	12.00	1.00	M302023	0.17	1.8	6.81	223	460	1	<2	0.61	<0.5	17	62	32	4.2	10	4.93	20
UGA-55	12.00	13.00	1.00	M302024	0.12	1.6	7.27	140	440	1.2	<2	1.3	<0.5	20	64	36	4.5	20	4.81	30
UGA-55	13.00	14.00	1.00	M302025	0.42	2.4	6.82	255	320	1.2	<2	0.34	<0.5	18	61	29	4.4	10	4.82	30
UGA-55	14.00	15.00	1.00	M302026	0.13	1.6	6.41	188	560	1.4	<2	0.38	<0.5	20	56	37	5.84	10	3.66	20
UGA-55	15.00	16.00	1.00	M302027	0.4	1.4	6.49	179	200	1.6	<2	0.33	<0.5	17	59	38	4.1	10	2.29	20
UGA-55	16.00	17.00	1.00	M302028	0.11	2.5	5.92	268	150	1.7	<2	0.43	<0.5	17	52	38	3.94	10	2.84	20
UGA-55	17.00	18.00	1.00	M302030	0.14	1.6	5.87	196	420	1.2	<2	0.31	<0.5	17	54	32	4.5	10	4.01	20
UGA-55	18.00	19.00	1.00	M302031	0.27	2.1	5.88	153	280	1.3	<2	0.3	<0.5	16	51	29	3.86	10	4.01	20
UGA-55	19.00	20.00	1.00	M302032	0.19	1	6.26	118	330	1.3	<2	0.28	<0.5	16	59	28	4.81	10	4.33	20
UGA-55	20.00	21.00	1.00	M302033	0.09	1.4	6.64	105	420	1.4	<2	0.33	<0.5	17	60	58	4.82	10	4.89	20
UGA-55	21.00	22.00	1.00	M302034	0.24	1.6	6.59	78	420	1.3	2	1.6	<0.5	20	59	38	5.52	10	4.88	20
UGA-55	22.00	23.00	1.00	M302035	0.22	2	6.27	80	580	1	<2	0.69	<0.5	18	58	34	3.86	10	4.9	20
UGA-55	23.00	24.00	1.00	M302036	0.28	3.7	6.23	223	500	0.9	<2	0.51	<0.5	18	56	31	4.59	10	4.62	20

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-54	157.00	158.00	1.00	M301986	1.08	267	4	0.01	14	900	13	6.68	19	17	44	<20	0.31	<10	<10	124
UGA-54	158.00	159.00	1.00	M301987	1.13	307	2	0.02	13	1120	10	3.82	23	21	45	<20	0.39	<10	<10	152
UGA-54	159.00	160.00	1.00	M301988	1.11	287	2	0.01	13	1140	12	5.76	30	22	39	<20	0.43	<10	<10	159
UGA-54	160.00	161.00	1.00	M301989	1.48	608	2	0.01	10	1090	12	4.68	32	22	39	<20	0.39	<10	<10	150
UGA-54	161.00	162.00	1.00	M301990	0.6	91	4	0.01	9	810	13	5.29	29	15	16	<20	0.29	<10	<10	122
UGA-54	162.00	163.00	1.00	M301992	0.36	74	3	0.01	7	630	5	3.39	34	10	12	<20	0.19	<10	<10	73
UGA-54	163.00	164.00	1.00	M301993	0.37	145	3	0.01	6	450	6	2.39	32	8	20	<20	0.15	<10	<10	72
UGA-54	164.00	165.00	1.00	M301995	0.43	988	3	0.01	5	450	6	2.21	28	9	20	<20	0.15	<10	<10	74
UGA-54	165.00	166.00	1.00	M301996	0.53	250	2	0.01	6	560	8	2.87	31	10	16	<20	0.2	<10	<10	81
UGA-54	166.00	167.00	1.00	M301997	1.45	946	2	0.01	6	660	6	3.14	22	12	32	<20	0.22	<10	<10	87
UGA-54	167.00	168.00	1.00	M301998	0.66	527	3	0.01	6	640	5	3.14	38	11	16	<20	0.21	<10	<10	87
UGA-54	168.00	169.00	1.00	M301999	0.55	372	38	0.01	6	580	11	2.99	53	11	16	<20	0.19	<10	<10	77
UGA-54	169.00	170.00	1.00	M302001	0.48	43	8	0.01	11	650	8	3.27	66	15	18	<20	0.28	<10	<10	106
UGA-54	170.00	171.00	1.00	M302002	0.44	44	8	0.02	11	720	8	3.19	2780	14	17	<20	0.29	<10	<10	107
UGA-54	171.00	172.00	1.00	M302003	0.41	51	6	0.01	10	550	7	3.45	84	12	15	<20	0.22	<10	<10	96
UGA-54	172.00	173.00	1.00	M302004	1.06	886	3	0.01	11	900	15	3.49	51	17	23	<20	0.3	<10	<10	125
UGA-54	173.00	174.00	1.00	M302005	2.13	1840	2	0.01	13	940	10	4.2	27	17	33	<20	0.3	<10	<10	136
UGA-54	174.00	175.00	1.00	M302006	1.72	1250	3	0.01	13	1020	9	3.64	24	17	35	<20	0.31	<10	<10	129
UGA-54	175.00	176.00	1.00	M302007	1.6	1190	2	0.01	9	760	9	3.06	19	14	32	<20	0.24	<10	<10	98
UGA-54	185.00	186.00	1.00	M302008	0.88	629	3	0.15	<1	860	13	2.11	11	14	43	<20	0.46	<10	<10	115
UGA-54	186.00	187.20	1.20	M302009	1.08	915	11	0.14	<1	780	24	2.22	13	12	51	<20	0.42	<10	<10	109
UGA-55	0.00	2.00	2.00	M302011	0.95	571	4	0.05	12	970	13	3.39	15	20	62	<20	0.38	<10	10	136
UGA-55	2.00	3.00	1.00	M302012	0.96	561	4	0.06	13	1010	12	2.85	24	20	69	<20	0.38	10	<10	147
UGA-55	3.00	4.00	1.00	M302013	0.87	632	10	0.05	18	1060	14	3.84	30	16	68	<20	0.29	<10	<10	119
UGA-55	4.00	5.00	1.00	M302015	0.9	556	8	0.05	11	1000	13	3.22	24	17	60	<20	0.31	10	<10	119
UGA-55	5.00	6.00	1.00	M302016	1	1130	3	0.05	13	1170	9	1.79	33	21	89	<20	0.42	10	<10	178
UGA-55	6.00	7.00	1.00	M302017	1.12	718	4	0.06	16	940	14	2.39	18	19	87	<20	0.34	<10	<10	131
UGA-55	7.00	8.00	1.00	M302018	1.96	983	4	0.07	9	1030	12	2.43	14	19	116	<20	0.34	<10	10	136
UGA-55	8.00	9.00	1.00	M302019	0.81	564	4	0.06	12	950	10	3.24	20	18	95	<20	0.33	10	<10	121
UGA-55	9.00	10.00	1.00	M302021	0.89	482	2	0.07	11	970	11	2.53	18	19	78	<20	0.35	<10	10	133
UGA-55	10.00	11.00	1.00	M302022	1	586	2	0.06	11	1180	11	2.85	21	20	86	<20	0.36	10	<10	129
UGA-55	11.00	12.00	1.00	M302023	0.75	467	4	0.06	12	1090	12	2.61	28	20	76	<20	0.37	10	<10	136
UGA-55	12.00	13.00	1.00	M302024	1.06	698	4	0.06	14	1010	11	2.09	21	21	81	<20	0.38	10	<10	138
UGA-55	13.00	14.00	1.00	M302025	0.56	596	8	0.05	13	1050	9	2.68	25	20	55	<20	0.37	<10	<10	142
UGA-55	14.00	15.00	1.00	M302026	0.56	1215	4	0.05	16	1160	11	3.49	17	19	45	<20	0.35	<10	<10	146
UGA-55	15.00	16.00	1.00	M302027	0.45	782	2	0.02	12	1120	8	2.77	36	19	27	<20	0.36	<10	10	135
UGA-55	16.00	17.00	1.00	M302028	0.4	734	3	0.03	12	1600	10	2.99	58	17	28	<20	0.32	10	<10	121
UGA-55	17.00	18.00	1.00	M302030	0.49	532	4	0.05	14	1100	12	3.35	30	17	41	<20	0.32	<10	<10	122
UGA-55	18.00	19.00	1.00	M302031	0.59	533	3	0.04	13	1050	8	2.47	23	17	36	<20	0.32	<10	<10	120
UGA-55	19.00	20.00	1.00	M302032	0.87	788	3	0.04	11	770	8	2.24	15	19	41	<20	0.34	<10	<10	125
UGA-55	20.00	21.00	1.00	M302033	0.85	706	2	0.05	14	1010	9	2.52	18	20	54	<20	0.36	10	10	135
UGA-55	21.00	22.00	1.00	M302034	1.7	1220	2	0.05	17	860	9	1.96	12	20	84	<20	0.36	10	<10	132
UGA-55	22.00	23.00	1.00	M302035	0.99	598	3	0.06	13	830	9	1.91	14	18	78	<20	0.34	10	<10	126
UGA-55	23.00	24.00	1.00	M302036	1.04	451	3	0.06	15	1070	10	3.05	31	18	90	<20	0.34	10	<10	130

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-55	24.00	25.00	1.00	M302037	0.23	2.3	7.27	243	290	1	<2	0.44	<0.5	20	69	36	5.13	20	5.37	20
UGA-55	25.00	26.00	1.00	M302038	0.11	1.4	6.87	154	430	0.9	<2	0.97	<0.5	20	60	33	4.42	10	5.12	20
UGA-55	26.00	27.00	1.00	M302039	0.11	1.3	6.6	103	510	0.8	<2	0.61	<0.5	19	64	28	3.91	10	5.15	20
UGA-55	27.00	28.00	1.00	M302040	0.15	2.7	6.15	166	630	0.8	<2	1.2	<0.5	18	59	32	4.07	10	4.73	20
UGA-55	28.00	29.00	1.00	M302042	0.1	1.1	6.11	93	480	0.9	3	0.67	<0.5	16	55	25	4.51	10	4.47	20
UGA-55	29.00	30.00	1.00	M302043	0.21	2.1	6.44	254	590	1.1	<2	0.36	<0.5	19	59	31	4.13	10	4.45	20
UGA-55	30.00	31.00	1.00	M302044	0.35	3.6	5.41	204	570	1.2	<2	0.43	<0.5	14	59	31	4.25	10	4.29	20
UGA-55	31.00	32.00	1.00	M302045	0.06	2	6.7	112	420	1.5	2	1.41	<0.5	19	61	33	5.39	10	4.26	20
UGA-55	32.00	33.00	1.00	M302046	0.16	3.1	5.35	152	350	1	<2	4.37	<0.5	15	49	29	3.98	10	2.36	20
UGA-55	33.00	34.00	1.00	M302047	0.14	3.6	7.38	200	360	1.1	<2	3.15	<0.5	18	63	32	4.65	20	4.46	30
UGA-55	34.00	35.00	1.00	M302048	0.12	1.8	7.4	110	410	1.3	<2	0.61	<0.5	17	68	38	4.69	20	4.41	30
UGA-55	35.00	36.00	1.00	M302049	0.01	<0.5	7.54	45	510	1.6	<2	0.78	<0.5	17	74	41	3.99	20	4.57	20
UGA-55	36.00	37.00	1.00	M302051	0.05	1.8	6.82	75	530	1	<2	0.67	<0.5	20	65	35	4.83	10	4.7	20
UGA-55	37.00	38.00	1.00	M302052	0.05	1.4	6.85	125	440	1	<2	0.54	<0.5	21	65	36	4.73	20	4.62	20
UGA-55	38.00	39.00	1.00	M302053	0.08	2.5	7.02	123	340	1.1	<2	0.79	<0.5	20	66	34	5.13	20	4.89	20
UGA-55	39.00	40.00	1.00	M302054	0.08	1.1	6.59	77	510	0.9	<2	2.44	<0.5	18	60	32	4.89	10	5	20
UGA-55	40.00	41.00	1.00	M302056	0.06	1	6.45	73	290	0.9	<2	0.64	<0.5	19	62	26	4.18	10	4.41	20
UGA-55	41.00	42.00	1.00	M302057	0.11	1.4	6.64	211	690	1	<2	0.44	<0.5	20	62	28	4.59	10	4.73	20
UGA-55	42.00	43.00	1.00	M302058	0.06	0.7	7.1	90	520	1.1	<2	0.55	<0.5	20	66	32	4.43	20	4.76	20
UGA-55	43.00	44.00	1.00	M302059	0.06	0.9	6.69	99	430	1.1	<2	0.54	<0.5	20	60	34	5.02	20	4.52	20
UGA-55	44.00	45.00	1.00	M302060	0.06	0.9	6.73	145	290	1	<2	0.7	<0.5	20	60	28	5.9	20	4.31	30
UGA-55	45.00	46.00	1.00	M302061	0.03	0.8	7.36	126	640	1	<2	0.49	<0.5	20	67	34	4.9	20	4.91	30
UGA-55	46.00	47.00	1.00	M302062	0.04	0.7	7.09	81	500	1	<2	0.36	<0.5	21	70	37	4.38	20	4.7	20
UGA-55	47.00	48.00	1.00	M302063	0.07	0.8	7.25	156	810	1	<2	0.49	<0.5	20	66	43	5.2	20	4.93	20
UGA-55	48.00	49.00	1.00	M302064	0.16	2.4	6.92	210	730	1.1	<2	0.4	<0.5	21	63	39	4.94	20	4.72	20
UGA-55	49.00	50.00	1.00	M302065	0.35	4.2	6.62	320	460	1	<2	0.58	<0.5	21	58	39	4.89	10	4.89	20
UGA-55	50.00	51.00	1.00	M302066	0.08	1.5	6.67	229	440	0.9	<2	0.64	<0.5	19	60	37	6.61	20	4.5	20
UGA-55	51.00	52.00	1.00	M302067	0.13	1.6	7.17	309	390	1	<2	0.51	<0.5	19	62	40	6.05	20	4.43	30
UGA-55	52.00	53.00	1.00	M302068	0.2	3	6.99	111	680	1	<2	0.36	<0.5	20	67	34	4.55	20	4.75	30
UGA-55	53.00	54.00	1.00	M302069	0.09	0.9	7.22	105	380	1.1	<2	0.56	<0.5	21	73	37	4.78	20	4.65	20
UGA-55	54.00	55.00	1.00	M302070	0.04	1.1	6.78	123	450	1	<2	0.56	<0.5	18	60	29	4.48	10	4.39	20
UGA-55	55.00	56.00	1.00	M302071	0.04	1.3	7.34	161	400	1	<2	0.63	<0.5	21	68	39	5.06	20	5.06	20
UGA-55	56.00	57.00	1.00	M302072	0.3	1.6	6.59	136	610	0.9	<2	0.58	<0.5	19	65	38	4.44	20	4.85	20
UGA-55	57.00	58.00	1.00	M302073	0.1	0.8	6.59	96	520	0.9	<2	0.8	<0.5	18	67	36	4.2	20	4.74	20
UGA-55	58.00	59.00	1.00	M302074	0.11	1.4	7.2	120	670	1.1	<2	0.89	<0.5	21	74	40	4.54	10	4.58	30
UGA-55	59.00	60.00	1.00	M302075	0.06	1.2	6.74	122	460	1.5	<2	0.96	<0.5	20	65	37	4.28	20	3.86	20
UGA-55	60.00	61.00	1.00	M302076	0.29	1.9	6.48	131	480	1.5	<2	0.5	<0.5	20	62	42	3.59	10	4	20
UGA-55	61.00	62.00	1.00	M302077	0.16	1.4	6.32	92	560	1	<2	0.84	<0.5	18	63	33	4.11	10	4.95	20
UGA-55	62.00	63.00	1.00	M302078	0.05	1.2	6.3	105	560	0.9	<2	0.37	<0.5	19	64	34	4.3	10	4.57	20
UGA-55	63.00	64.00	1.00	M302079	0.09	1	7.27	92	450	1	<2	0.64	<0.5	20	73	37	4.73	20	5.81	20
UGA-55	64.00	65.00	1.00	M302081	0.05	1.5	6.34	121	650	0.9	<2	0.44	<0.5	20	66	37	4.02	10	4.9	20
UGA-55	65.00	66.00	1.00	M302082	0.02	1.1	6.68	76	510	1	<2	0.75	<0.5	18	70	33	4.28	10	4.46	20
UGA-55	66.00	67.00	1.00	M302083	0.09	1.3	5.71	131	340	0.9	<2	2.13	<0.5	17	62	30	4.63	10	3.85	20
UGA-55	67.00	68.00	1.00	M302086	0.1	1.6	6.43	95	540	0.9	<2	0.55	<0.5	20	69	43	4.23	10	4.84	20

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-55	24.00	25.00	1.00	M302037	2.28	541	3	0.07	20	1160	10	2.23	33	20	135	<20	0.41	10	10	161
UGA-55	25.00	26.00	1.00	M302038	1.44	477	2	0.06	13	1110	9	2.43	19	20	114	<20	0.37	<10	<10	135
UGA-55	26.00	27.00	1.00	M302039	1.24	367	5	0.07	11	1140	9	2.38	21	19	113	<20	0.36	10	<10	130
UGA-55	27.00	28.00	1.00	M302040	1.24	405	6	0.07	12	1250	11	2.59	31	18	106	<20	0.33	<10	<10	125
UGA-55	28.00	29.00	1.00	M302042	1.59	566	3	0.06	12	1000	10	2.2	20	18	95	<20	0.34	<10	<10	126
UGA-55	29.00	30.00	1.00	M302043	0.76	304	6	0.07	10	1030	9	3.27	36	19	96	<20	0.35	<10	<10	139
UGA-55	30.00	31.00	1.00	M302044	0.66	469	5	0.06	9	710	13	3.34	41	16	97	<20	0.29	<10	10	109
UGA-55	31.00	32.00	1.00	M302045	1.2	1370	3	0.05	13	1130	9	2.57	25	20	78	<20	0.35	10	10	133
UGA-55	32.00	33.00	1.00	M302046	2.3	1015	7	0.03	12	990	8	2.81	45	16	68	<20	0.29	<10	<10	112
UGA-55	33.00	34.00	1.00	M302047	2.06	560	5	0.05	11	1120	8	3.15	35	22	98	<20	0.39	<10	10	159
UGA-55	34.00	35.00	1.00	M302048	2.14	663	3	0.05	15	1210	9	1.48	20	21	73	<20	0.4	10	10	151
UGA-55	35.00	36.00	1.00	M302049	1.56	907	1	0.06	13	1100	7	0.65	13	21	102	<20	0.43	<10	<10	163
UGA-55	36.00	37.00	1.00	M302051	1.22	260	2	0.08	14	940	12	4.26	24	20	79	<20	0.37	10	10	129
UGA-55	37.00	38.00	1.00	M302052	1.2	229	1	0.05	16	1060	11	4.4	29	21	77	<20	0.38	10	<10	135
UGA-55	38.00	39.00	1.00	M302053	1.47	323	3	0.04	17	1370	14	4.37	27	22	71	<20	0.39	10	<10	154
UGA-55	39.00	40.00	1.00	M302054	2.06	667	2	0.04	14	1110	8	3.75	16	21	164	<20	0.36	10	<10	127
UGA-55	40.00	41.00	1.00	M302056	2.2	440	3	0.04	16	1220	9	2.23	19	20	88	<20	0.37	<10	<10	129
UGA-55	41.00	42.00	1.00	M302057	2.04	393	3	0.03	15	1190	12	2.69	17	21	72	<20	0.37	10	<10	139
UGA-55	42.00	43.00	1.00	M302058	2.17	440	4	0.03	18	1380	10	2.19	21	21	66	<20	0.4	<10	<10	146
UGA-55	43.00	44.00	1.00	M302059	1.96	421	4	0.03	16	1480	62	3.08	25	20	56	<20	0.38	10	<10	142
UGA-55	44.00	45.00	1.00	M302060	2.71	654	3	0.03	15	1280	10	2.8	23	21	58	<20	0.37	10	<10	140
UGA-55	45.00	46.00	1.00	M302061	2.36	472	2	0.03	17	1310	11	2.26	22	22	67	<20	0.4	<10	<10	152
UGA-55	46.00	47.00	1.00	M302062	2.28	408	2	0.03	18	1300	11	1.64	20	21	58	<20	0.39	10	<10	150
UGA-55	47.00	48.00	1.00	M302063	2.67	594	1	0.04	14	1150	9	2.07	9	22	94	<20	0.4	<10	<10	150
UGA-55	48.00	49.00	1.00	M302064	2.82	606	1	0.04	17	1090	11	1.8	10	22	100	<20	0.37	10	<10	142
UGA-55	49.00	50.00	1.00	M302065	2.28	401	5	0.04	15	2190	519	2.7	22	20	108	<20	0.37	10	<10	140
UGA-55	50.00	51.00	1.00	M302066	2.82	722	3	0.03	16	1310	11	3.32	19	22	78	<20	0.37	10	<10	147
UGA-55	51.00	52.00	1.00	M302067	2.68	642	3	0.03	15	1340	11	2.99	20	22	68	<20	0.38	<10	<10	152
UGA-55	52.00	53.00	1.00	M302068	2.39	406	3	0.04	17	1150	11	2.13	10	21	67	<20	0.37	<10	<10	141
UGA-55	53.00	54.00	1.00	M302069	2.74	450	3	0.04	17	1130	11	1.94	8	22	68	<20	0.4	10	<10	160
UGA-55	54.00	55.00	1.00	M302070	2.13	412	3	0.03	14	1120	9	2.27	11	20	71	<20	0.37	10	<10	138
UGA-55	55.00	56.00	1.00	M302071	2.54	564	3	0.04	17	1270	10	2.08	17	22	92	<20	0.4	10	<10	155
UGA-55	56.00	57.00	1.00	M302072	2.25	432	6	0.04	16	1550	86	1.85	16	20	92	<20	0.36	10	<10	142
UGA-55	57.00	58.00	1.00	M302073	2.22	435	3	0.04	16	1180	9	1.62	16	19	99	<20	0.37	10	<10	144
UGA-55	58.00	59.00	1.00	M302074	1.61	429	3	0.03	15	1150	12	2.18	14	22	68	<20	0.39	<10	<10	148
UGA-55	59.00	60.00	1.00	M302075	1	520	2	0.03	15	1270	444	1.85	19	20	56	<20	0.37	10	<10	142
UGA-55	60.00	61.00	1.00	M302076	0.68	623	5	0.03	13	1200	48	2	26	20	63	<20	0.36	<10	<10	138
UGA-55	61.00	62.00	1.00	M302077	1.86	519	3	0.04	16	1350	253	1.83	22	19	122	<20	0.35	10	<10	135
UGA-55	62.00	63.00	1.00	M302078	1.97	404	2	0.04	17	1140	10	1.79	17	19	104	<20	0.36	10	<10	141
UGA-55	63.00	64.00	1.00	M302079	2.62	505	2	0.05	17	1180	11	1.43	10	22	132	<20	0.4	10	<10	152
UGA-55	64.00	65.00	1.00	M302081	1.84	385	2	0.04	14	1060	16	1.97	12	19	86	<20	0.35	10	<10	134
UGA-55	65.00	66.00	1.00	M302082	2.44	445	2	0.03	14	970	52	1.43	7	20	88	<20	0.37	<10	<10	143
UGA-55	66.00	67.00	1.00	M302083	2.95	602	2	0.03	15	960	10	1.46	10	18	128	<20	0.31	<10	<10	124
UGA-55	67.00	68.00	1.00	M302086	2.23	421	1	0.04	17	1000	12	1.7	11	20	98	<20	0.36	10	<10	142

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	
UGA-55	68.00	69.00	1.00	M302087	0.11	1.3	8.04	41	440	1.2	<2	1.19	<0.5	22	80	43	4.84	20	5.08	10	
UGA-55	69.00	70.00	1.00	M302088	0.04	1.2	7.16	33	450	1.2	<2	2.09	<0.5	20	68	36	4.38	20	4.2	20	
UGA-55	70.00	71.00	1.00	M302089	0.08	1.4	6.49	38	340	1.1	<2	1.7	<0.5	19	61	37	4.22	20	3.92	20	
UGA-55	71.00	72.00	1.00	M302090	0.12	1.7	7.16	115	430	1.3	<2	1.41	<0.5	20	66	41	4.89	20	4.96	20	
UGA-55	72.00	73.00	1.00	M302091	1.68	6.9	6.14	443	620	1.3	<2	0.52	<0.5	19	69	44	3.84	10	4.67	20	
UGA-55	73.00	74.00	1.00	M302092	1.53	7.6	5.71	251	640	1	<2	1.06	<0.5	18	74	63	3.91	10	4.1	20	
UGA-55	74.00	75.00	1.00	M302093	0.14	2.1	6.48	158	710	1	2	0.56	<0.5	18	76	27	4.52	10	4.65	20	
UGA-55	75.00	76.00	1.00	M302094	0.19	1.4	6.71	75	550	1	<2	0.42	<0.5	18	81	28	4.66	10	4.8	20	
UGA-55	76.00	77.00	1.00	M302095	0.56	2.4	6.09	105	610	1	<2	0.57	<0.5	18	71	30	4.38	10	4.35	20	
UGA-55	77.00	78.00	1.00	M302096	0.88	4.6	6.26	85	720	1.1	<2	0.88	<0.5	16	32	28	4.31	10	4.91	20	
UGA-55	78.00	79.00	1.00	M302097	0.1	2.1	6.66	83	710	1.2	<2	0.58	<0.5	18	33	18	4.63	10	5.55	20	
UGA-55	79.00	80.00	1.00	M302098	6.78	26.3	6.07	152	410	1.2	<2	1.77	<0.5	14	30	23	4.9	10	4.39	20	
UGA-55	80.00	81.00	1.00	M302100	0.31	1.4	6.8	118	710	1.1	<2	1.04	<0.5	14	32	18	4.69	10	4.97	30	
UGA-55	81.00	82.00	1.00	M302101	0.71	4.8	6.48	164	880	1.2	<2	1.16	<0.5	15	30	27	4.05	10	4.96	30	
UGA-55	82.00	83.00	1.00	M302102	0.22	1.7	7.2	196	1020	1.3	<2	1.36	<0.5	12	31	18	3.38	10	5.02	30	
UGA-55	83.00	84.00	1.00	M302103	0.74	8.2	6.06	360	600	1.5	<2	0.92	<0.5	10	25	23	4.43	10	3.76	30	
UGA-55	84.00	85.00	1.00	M302104	1.48	4.8	6.03	167	80	1.8	3	0.45	<0.5	11	25	27	4.97	10	1.88	30	
UGA-55	85.00	86.00	1.00	M302105	1.78	0.9	7.14	115	550	1.4	<2	0.39	<0.5	13	31	21	3.54	10	4.58	30	
UGA-55	86.00	87.00	1.00	M302106	0.15	1.2	6.81	150	520	1.4	<2	1.46	<0.5	12	27	20	3.82	10	4.26	30	
UGA-55	87.00	88.00	1.00	M302107	0.26	2.5	5.83	203	540	1.3	<2	1.29	<0.5	12	28	23	3.93	10	3.94	20	
UGA-55	88.00	89.00	1.00	M302108	0.37	11.2	6.25	354	790	1.2	<2	1.22	<0.5	14	32	28	3.61	10	4.13	30	
UGA-55	89.00	90.00	1.00	M302111	0.58	4.4	5.98	394	750	1.2	<2	1.31	<0.5	14	32	24	3.62	10	4.55	20	
UGA-55	90.00	91.00	1.00	M302112	0.48	8.4	6.3	187	790	1.4	<2	0.54	<0.5	17	35	28	3.34	10	5.52	20	
UGA-55	91.00	92.00	1.00	M302113	0.24	3.4	6.12	288	430	1.4	<2	0.53	<0.5	18	34	22	4.4	10	5.19	20	
UGA-55	92.00	93.00	1.00	M302114	1.1	4.7	5.56	350	250	1	<2	0.59	<0.5	15	31	25	4.92	10	5.15	20	
UGA-55	93.00	94.00	1.00	M302115	2.69	52.1	6.38	93	990	1.1	<2	0.74	<0.5	14	34	62	2.85	10	6.5	20	
UGA-55	94.00	95.00	1.00	M302116	6.53	29.2	2.68	381	270	0.7	<2	1.2	<0.5	4	22	28	4.31	10	1.51	10	
UGA-55	95.00	96.00	1.00	M302117	2.37	7.7	1.8	287	80	0.6	<2	0.96	<0.5	2	18	15	3.17	10	0.32	10	
UGA-55	96.00	97.00	1.00	M302118	1.6	15	2.38	224	250	0.6	<2	0.98	<0.5	2	18	29	3.13	10	1.1	10	
UGA-55	97.00	98.00	1.00	M302119	1.82	15.1	3.07	192	400	0.6	<2	0.92	<0.5	7	24	32	3.36	10	2.17	10	
UGA-55	98.00	99.00	1.00	M302120	0.52	3.7	3.72	188	500	0.7	<2	0.62	<0.5	13	26	21	4.11	<10	2.93	20	
UGA-55	99.00	100.00	1.00	M302121	1.58	4.1	3.79	215	690	0.7	<2	0.9	<0.5	11	26	21	3.79	<10	2.87	10	
UGA-55	100.00	101.00	1.00	M302122	3.37	6.9	3.88	347	630	0.7	<2	0.54	<0.5	9	29	31	3.89	10	2.93	10	
UGA-55	101.00	102.00	1.00	M302124	3.4	7.9	4.71	445	680	0.9	<2	0.64	<0.5	11	36	28	4.13	10	3.18	20	
UGA-55	102.00	103.00	1.00	M302125	0.5	2.6	4.89	264	790	0.8	<2	0.58	<0.5	12	43	18	4	10	4.08	20	
UGA-55	103.00	104.00	1.00	M302126	3.64	6.7	5.04	332	900	0.8	<2	0.48	<0.5	12	44	26	3.84	10	4.03	20	
UGA-55	104.00	105.00	1.00	M302127	0.09	2.3	4.8	109	480	1	<2	0.6	<0.5	14	41	20	4.2	10	3.36	20	
UGA-55	105.00	106.00	1.00	M302128	0.67	2.3	3.64	77	80	1	<2	0.78	<0.5	10	36	17	3.81	10	1.57	10	
UGA-55	106.00	107.00	1.00	M302129	0.84	11.3	3.52	251	280	0.9	<2	0.67	<0.5	10	36	20	4.48	10	2	10	
UGA-55	107.00	108.00	1.00	M302131	0.88	3.2	3.4	203	380	0.7	<2	1.21	<0.5	11	34	13	3.77	10	2.45	10	
UGA-55	108.00	109.00	1.00	M302132	0.22	3.3	5.87	150	750	1.1	<2	0.8	<0.5	15	47	22	4.65	10	4.33	20	
UGA-55	109.00	110.00	1.00	M302133	0.13	3.7	6.19	142	500	1.3	2	1.1	<0.5	17	50	33	4.57	10	3.67	20	
UGA-55	110.00	111.00	1.00	M302134	1.02	6.4	5.59	294	360	1.2	<2	1.41	<0.5	16	47	28	5.77	10	4.02	20	
UGA-55	111.00	112.00	1.00	M302135	1.05	4.9	4.37	269	110	1.3	<2	0.4	<0.5	13	44	16	4.84	10	1.55	20	

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-55	68.00	69.00	1.00	M302087	3.3	673	1	0.05	19	1170	10	1.34	6	25	90	<20	0.44	10	<10	174
UGA-55	69.00	70.00	1.00	M302088	3.03	751	2	0.03	15	1050	7	1.72	<5	22	87	<20	0.39	<10	<10	152
UGA-55	70.00	71.00	1.00	M302089	2.5	532	4	0.03	15	960	10	2.34	5	20	87	<20	0.34	<10	<10	135
UGA-55	71.00	72.00	1.00	M302090	2.25	715	6	0.04	17	1090	12	2.61	11	22	112	<20	0.39	10	<10	152
UGA-55	72.00	73.00	1.00	M302091	0.88	341	2	0.05	16	1600	15	3.04	29	19	97	<20	0.33	<10	<10	139
UGA-55	73.00	74.00	1.00	M302092	1.66	378	2	0.04	14	970	15	2.42	28	19	91	<20	0.32	10	<10	133
UGA-55	74.00	75.00	1.00	M302093	2.6	457	2	0.05	16	1050	10	2.07	13	21	95	<20	0.36	<10	<10	158
UGA-55	75.00	76.00	1.00	M302094	2.83	465	2	0.05	16	1110	11	1.94	10	21	88	<20	0.37	<10	<10	171
UGA-55	76.00	77.00	1.00	M302095	2.69	490	3	0.05	15	1050	10	1.99	14	20	89	<20	0.34	10	<10	159
UGA-55	77.00	78.00	1.00	M302096	2.16	459	2	0.05	9	1010	12	2.45	14	18	112	<20	0.37	10	<10	154
UGA-55	78.00	79.00	1.00	M302097	1.52	546	2	0.06	10	1060	12	3.13	14	19	110	<20	0.38	10	<10	150
UGA-55	79.00	80.00	1.00	M302098	1.76	543	18	0.04	8	1610	18	3.66	24	15	85	<20	0.32	<10	<10	145
UGA-55	80.00	81.00	1.00	M302100	2.15	546	3	0.06	8	1190	10	2.32	15	17	117	<20	0.35	<10	<10	135
UGA-55	81.00	82.00	1.00	M302101	1.59	390	2	0.06	6	1170	12	2.41	18	16	123	<20	0.32	10	<10	118
UGA-55	82.00	83.00	1.00	M302102	1.46	321	4	0.05	6	1130	12	1.96	13	16	128	<20	0.34	10	<10	121
UGA-55	83.00	84.00	1.00	M302103	1.26	635	3	0.03	7	1310	17	2.44	27	13	71	<20	0.27	10	<10	105
UGA-55	84.00	85.00	1.00	M302104	0.87	1425	5	0.01	6	1460	12	2.15	38	14	25	<20	0.28	<10	<10	104
UGA-55	85.00	86.00	1.00	M302105	0.83	550	3	0.04	6	1030	12	1.48	16	15	102	<20	0.33	10	<10	124
UGA-55	86.00	87.00	1.00	M302106	1.83	402	3	0.03	5	970	10	1.8	19	15	89	<20	0.31	10	<10	109
UGA-55	87.00	88.00	1.00	M302107	1.7	308	4	0.03	7	970	12	2.34	26	15	73	<20	0.31	<10	<10	119
UGA-55	88.00	89.00	1.00	M302108	1.65	287	2	0.04	8	910	11	1.94	26	17	91	<20	0.33	<10	<10	129
UGA-55	89.00	90.00	1.00	M302111	1.51	243	3	0.07	7	1140	9	2.74	22	17	93	<20	0.32	<10	<10	125
UGA-55	90.00	91.00	1.00	M302112	0.91	467	4	0.06	12	1080	13	2.57	31	18	92	<20	0.35	10	<10	134
UGA-55	91.00	92.00	1.00	M302113	1.77	420	3	0.06	11	970	9	3.88	26	17	83	<20	0.34	10	<10	128
UGA-55	92.00	93.00	1.00	M302114	1.43	188	6	0.09	8	980	16	4.8	23	15	98	<20	0.3	10	<10	117
UGA-55	93.00	94.00	1.00	M302115	1.83	221	2	0.11	8	1060	12	2.31	25	18	114	<20	0.35	10	<10	135
UGA-55	94.00	95.00	1.00	M302116	2.65	292	3	0.03	4	620	17	3.67	61	6	71	<20	0.12	<10	<10	64
UGA-55	95.00	96.00	1.00	M302117	2.74	304	2	0.01	2	1220	12	2.44	68	4	44	<20	0.07	<10	<10	39
UGA-55	96.00	97.00	1.00	M302118	2.93	276	3	0.02	1	1190	13	2.54	41	5	54	<20	0.1	<10	<10	47
UGA-55	97.00	98.00	1.00	M302119	2.44	296	2	0.03	5	840	13	2.74	44	7	63	<20	0.15	<10	<10	55
UGA-55	98.00	99.00	1.00	M302120	2.89	272	2	0.06	8	760	11	3.36	23	9	65	<20	0.21	<10	<10	63
UGA-55	99.00	100.00	1.00	M302121	3.18	312	3	0.07	6	830	9	3.14	36	10	79	<20	0.21	<10	<10	66
UGA-55	100.00	101.00	1.00	M302122	2.8	293	3	0.07	6	730	10	2.86	36	10	75	<20	0.19	<10	<10	78
UGA-55	101.00	102.00	1.00	M302124	3.97	400	3	0.07	10	1040	10	2.74	29	12	77	<20	0.22	<10	<10	100
UGA-55	102.00	103.00	1.00	M302125	3.42	309	2	0.07	13	730	11	3.03	22	12	86	<20	0.23	10	<10	90
UGA-55	103.00	104.00	1.00	M302126	2.46	239	3	0.08	12	1050	16	3.14	21	14	90	<20	0.24	10	<10	92
UGA-55	104.00	105.00	1.00	M302127	2.07	189	1	0.05	10	750	10	3.92	16	14	56	<20	0.26	10	<10	101
UGA-55	105.00	106.00	1.00	M302128	2.24	270	2	0.01	9	790	9	3.31	25	11	39	<20	0.19	10	<10	81
UGA-55	106.00	107.00	1.00	M302129	2.22	254	3	0.03	11	900	14	3.82	33	10	72	<20	0.18	<10	<10	79
UGA-55	107.00	108.00	1.00	M302131	2.04	363	3	0.05	7	1110	8	3.09	41	9	110	<20	0.17	10	<10	78
UGA-55	108.00	109.00	1.00	M302132	1.92	250	3	0.11	11	1040	9	4.17	25	16	91	<20	0.3	<10	<10	120
UGA-55	109.00	110.00	1.00	M302133	2.09	310	3	0.11	14	1060	7	3.69	29	18	96	<20	0.32	<10	<10	135
UGA-55	110.00	111.00	1.00	M302134	1.13	561	2	0.09	14	1650	10	4.85	34	16	87	<20	0.29	10	<10	123
UGA-55	111.00	112.00	1.00	M302135	0.38	558	13	0.02	10	1610	12	4.05	1285	12	50	<20	0.22	10	<10	100

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-55	112.00	113.00	1.00	M302136	0.45	4.3	5.6	438	320	1.6	<2	0.32	<0.5	16	50	28	4.84	10	2.54	20
UGA-55	113.00	114.00	1.00	M302137	1.56	3.6	5.47	332	520	1.3	<2	0.37	<0.5	17	50	26	5.49	10	3.58	20
UGA-55	114.00	115.00	1.00	M302138	0.23	3.7	6.41	134	790	1.5	<2	0.89	<0.5	20	55	31	4.49	10	4.02	20
UGA-55	115.00	116.00	1.00	M302139	0.54	3.4	3.34	253	300	0.8	<2	1.98	<0.5	11	37	13	4.35	10	1.67	10
UGA-55	116.00	117.00	1.00	M302141	0.3	2.2	4.68	268	500	1	<2	2.12	<0.5	11	32	19	4.16	10	2.83	20
UGA-55	117.00	118.00	1.00	M302142	0.32	2.8	4.68	357	530	1.1	<2	0.9	<0.5	13	33	24	4.17	10	3.09	20
UGA-55	118.00	119.00	1.00	M302143	0.28	3.1	5.11	290	520	1	<2	0.73	<0.5	12	38	13	3.85	10	3.95	20
UGA-55	119.00	120.00	1.00	M302144	0.28	2.5	6.44	474	600	1.8	<2	0.68	<0.5	17	48	53	4.55	10	4.01	20
UGA-55	120.00	121.00	1.00	M302145	0.36	2.9	5.89	435	690	1	<2	0.6	<0.5	17	44	24	4.21	10	4.45	20
UGA-55	121.00	122.00	1.00	M302146	0.46	3.3	6.09	417	580	1.4	<2	1.12	<0.5	17	53	36	4.87	10	3.92	20
UGA-55	122.00	123.00	1.00	M302147	0.36	3.5	4.83	360	370	0.9	<2	1.57	<0.5	16	48	20	5.39	10	3.14	20
UGA-55	123.00	124.00	1.00	M302148	0.18	5.7	6.01	240	610	1.1	<2	2.16	<0.5	17	55	45	4.77	10	3.43	20
UGA-55	124.00	125.00	1.00	M302149	0.16	2.6	3.77	199	300	1.1	<2	2.47	<0.5	12	45	19	3.56	10	1.48	20
UGA-55	125.00	126.00	1.00	M302152	0.11	1.3	4.96	101	50	1.9	<2	0.88	<0.5	14	43	24	4.19	10	2.04	20
UGA-55	126.00	127.00	1.00	M302153	0.05	1.3	4.78	61	50	1.9	<2	0.89	<0.5	12	42	21	3.84	10	2.18	20
UGA-55	127.00	128.00	1.00	M302154	0.03	1.4	5.02	46	50	1.9	<2	1.71	<0.5	13	42	18	3.98	10	2.35	20
UGA-55	128.00	129.00	1.00	M302155	0.22	5.4	6.01	226	330	2	3	1	<0.5	16	48	26	4.23	10	2.64	20
UGA-55	129.00	130.00	1.00	M302156	0.12	2.5	5.59	149	110	1.7	3	0.51	<0.5	15	46	18	3.55	10	2.31	30
UGA-55	130.00	131.00	1.00	M302157	0.06	1.3	3.72	79	70	1.3	2	0.54	<0.5	10	25	11	2.94	10	1.73	20
UGA-55	131.00	132.00	1.00	M302158	0.08	1.1	6.08	40	200	1.8	3	3.16	<0.5	13	21	23	3.65	10	2.69	20
UGA-55	132.00	133.00	1.00	M302159	0.08	0.9	6.52	26	190	1.6	2	4.17	<0.5	13	20	19	4.13	10	2.89	20
UGA-55	133.00	134.00	1.00	M302161	0.14	1.3	7.01	54	290	1.7	<2	3.77	<0.5	18	26	25	4.73	20	3.07	20
UGA-55	134.00	135.00	1.00	M302162	0.08	0.6	6.82	20	260	1.4	3	3.95	<0.5	15	22	20	3.86	10	2.87	20
UGA-56	0.00	2.00	2.00	M302301	0.08	1	7.18	279	270	1.1	<2	0.48	<0.5	20	64	35	4.78	10	4.15	30
UGA-56	2.00	3.00	1.00	M302302	0.42	0.8	7.16	250	190	1.1	<2	0.74	<0.5	19	61	30	4.26	10	3.73	30
UGA-56	3.00	4.00	1.00	M302303	0.23	1.4	7	196	250	1.1	<2	0.47	<0.5	19	62	29	4.45	10	3.54	30
UGA-56	4.00	5.00	1.00	M302304	0.28	1.6	7.51	202	520	1.2	<2	0.39	<0.5	22	68	33	4.7	10	4.12	30
UGA-56	5.00	6.00	1.00	M302305	1.72	3.6	6.03	376	460	1.1	<2	0.32	<0.5	16	58	26	4.27	10	4.23	30
UGA-56	6.00	7.00	1.00	M302306	0.2	2.4	6.39	269	200	1	<2	1.16	<0.5	19	57	33	5.51	10	3.63	20
UGA-56	7.00	8.00	1.00	M302309	0.38	2.2	7.2	219	500	1.3	<2	2.43	<0.5	19	61	33	4.35	20	4.27	30
UGA-56	8.00	9.00	1.00	M302311	0.23	1.3	5.51	205	240	1.4	3	5.54	<0.5	15	43	27	4.29	10	2.45	20
UGA-56	9.00	10.00	1.00	M302312	0.08	2.1	5.77	153	40	1.7	5	5.22	<0.5	16	48	31	3.77	10	1.87	30
UGA-56	10.00	11.00	1.00	M302313	0.03	<0.5	8.13	103	340	2.1	<2	0.62	<0.5	20	76	34	4.93	20	3.87	30
UGA-56	11.00	12.00	1.00	M302314	0.12	2.4	6.87	205	290	1.2	2	0.51	<0.5	20	62	32	4.03	10	3.41	30
UGA-56	12.00	13.00	1.00	M302315	0.12	2.3	6.39	277	170	1	2	0.97	<0.5	19	55	35	4.86	10	3.34	20
UGA-56	13.00	14.00	1.00	M302316	0.15	1.8	6.3	245	290	1	<2	0.53	<0.5	18	56	27	4.39	10	3.28	20
UGA-56	14.00	15.00	1.00	M302317	0.13	0.9	6.81	209	450	1.2	3	0.62	<0.5	17	58	27	5.26	10	3.87	30
UGA-56	15.00	16.00	1.00	M302318	0.21	2	5.77	222	460	0.8	<2	1.22	<0.5	15	57	31	4.04	10	4.05	20
UGA-56	16.00	17.00	1.00	M302319	0.2	0.5	7.64	191	410	1	3	0.74	<0.5	20	66	35	4.5	10	4.59	30
UGA-56	17.00	18.00	1.00	M302320	0.08	0.7	6.74	208	330	0.8	3	0.73	<0.5	17	57	27	4.29	10	4.11	30
UGA-56	18.00	19.00	1.00	M302321	0.11	1	7.62	215	460	1	2	1	<0.5	21	64	33	5.39	10	4.32	30
UGA-56	19.00	20.00	1.00	M302322	0.11	0.8	7.74	215	400	1.1	2	0.43	<0.5	21	68	37	4.67	20	3.91	30
UGA-56	20.00	21.00	1.00	M302323	0.23	1.3	7.31	203	350	0.9	2	0.44	<0.5	19	61	34	4.46	10	4.21	30
UGA-56	21.00	22.00	1.00	M302324	0.07	0.9	7.44	160	550	0.9	<2	0.57	<0.5	21	62	35	4.69	20	4.04	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-55	112.00	113.00	1.00	M302136	0.41	701	13	0.06	14	1180	15	3.67	66	15	62	<20	0.3	<10	<10	119
UGA-55	113.00	114.00	1.00	M302137	0.4	1145	5	0.07	15	1320	9	3.37	42	15	53	<20	0.29	10	<10	117
UGA-55	114.00	115.00	1.00	M302138	1.06	635	1	0.12	15	1030	9	3.09	27	19	92	<20	0.33	10	<10	136
UGA-55	115.00	116.00	1.00	M302139	2.03	428	3	0.04	10	1980	10	2.88	42	9	76	<20	0.17	10	<10	70
UGA-55	116.00	117.00	1.00	M302141	2.28	542	2	0.08	9	1330	7	2.23	29	12	102	<20	0.25	10	<10	95
UGA-55	117.00	118.00	1.00	M302142	0.78	796	4	0.09	8	2380	13	2.19	36	12	70	<20	0.25	10	<10	93
UGA-55	118.00	119.00	1.00	M302143	0.34	824	4	0.09	10	3020	11	2.34	56	12	79	<20	0.26	10	<10	96
UGA-55	119.00	120.00	1.00	M302144	0.62	1360	3	0.13	12	2620	8	1.47	53	17	75	<20	0.34	10	<10	130
UGA-55	120.00	121.00	1.00	M302145	0.49	724	3	0.11	14	1890	11	2.46	45	15	91	<20	0.3	<10	<10	117
UGA-55	121.00	122.00	1.00	M302146	1.38	612	3	0.11	17	1450	11	3.02	30	18	83	<20	0.32	10	<10	127
UGA-55	122.00	123.00	1.00	M302147	1.6	448	4	0.07	17	1260	10	3.99	40	14	90	<20	0.26	<10	<10	105
UGA-55	123.00	124.00	1.00	M302148	1.99	509	3	0.07	14	1530	6	2.1	33	18	84	<20	0.32	<10	<10	132
UGA-55	124.00	125.00	1.00	M302149	1.59	728	6	0.03	13	1400	4	1.33	53	11	90	<20	0.21	<10	<10	85
UGA-55	125.00	126.00	1.00	M302152	0.85	477	4	0.01	10	1030	11	3.56	40	14	24	<20	0.26	<10	<10	94
UGA-55	126.00	127.00	1.00	M302153	0.78	273	4	0.01	9	1150	8	3.81	35	14	21	<20	0.26	10	<10	92
UGA-55	127.00	128.00	1.00	M302154	1.23	408	3	0.01	11	820	11	3.81	22	14	29	<20	0.27	10	<10	100
UGA-55	128.00	129.00	1.00	M302155	0.82	700	4	<0.01	12	1040	10	3.14	39	17	33	<20	0.33	10	<10	125
UGA-55	129.00	130.00	1.00	M302156	0.59	354	4	0.01	9	980	11	3.24	32	15	18	<20	0.31	10	<10	120
UGA-55	130.00	131.00	1.00	M302157	0.53	207	3	0.01	7	540	9	2.91	21	10	13	<20	0.2	<10	<10	77
UGA-55	131.00	132.00	1.00	M302158	1.63	1015	2	0.01	12	610	12	1.73	23	16	42	<20	0.34	<10	<10	110
UGA-55	132.00	133.00	1.00	M302159	1.97	1010	1	0.01	4	740	11	2.44	15	17	54	<20	0.38	<10	<10	115
UGA-55	133.00	134.00	1.00	M302161	1.88	1010	2	0.02	6	720	16	2.82	15	21	57	<20	0.39	<10	<10	141
UGA-55	134.00	135.00	1.00	M302162	1.94	1095	1	0.02	4	720	6	1.05	16	19	68	<20	0.38	<10	<10	127
UGA-56	0.00	2.00	2.00	M302301	0.96	469	3	0.04	14	1010	15	3.9	19	21	74	<20	0.37	10	<10	137
UGA-56	2.00	3.00	1.00	M302302	0.93	547	2	0.04	13	1020	14	3.26	20	21	81	<20	0.37	10	<10	138
UGA-56	3.00	4.00	1.00	M302303	1.02	580	3	0.04	11	970	13	3.08	14	21	76	<20	0.37	10	<10	142
UGA-56	4.00	5.00	1.00	M302304	1.05	593	4	0.04	14	1040	11	3.04	21	22	100	<20	0.39	10	<10	151
UGA-56	5.00	6.00	1.00	M302305	0.64	322	5	0.03	12	920	15	3.46	36	18	70	<20	0.32	10	<10	143
UGA-56	6.00	7.00	1.00	M302306	1	489	4	0.04	14	1130	13	4.6	29	19	90	<20	0.34	10	<10	138
UGA-56	7.00	8.00	1.00	M302309	1.38	1455	6	0.04	11	1040	10	2.83	24	21	125	<20	0.38	10	<10	142
UGA-56	8.00	9.00	1.00	M302311	2.68	1920	6	0.02	8	770	10	3.06	32	16	92	<20	0.3	10	<10	111
UGA-56	9.00	10.00	1.00	M302312	2.68	1870	7	0.01	8	760	11	2.85	38	16	68	<20	0.31	10	<10	119
UGA-56	10.00	11.00	1.00	M302313	0.97	1350	1	0.03	15	1250	11	1.22	11	25	84	<20	0.44	10	<10	169
UGA-56	11.00	12.00	1.00	M302314	0.55	370	2	0.04	14	990	14	3.43	23	20	103	<20	0.37	10	<10	137
UGA-56	12.00	13.00	1.00	M302315	0.87	334	2	0.05	12	950	11	4.3	37	19	117	<20	0.34	10	<10	123
UGA-56	13.00	14.00	1.00	M302316	0.77	336	3	0.05	15	990	14	3.43	24	19	116	<20	0.34	10	<10	127
UGA-56	14.00	15.00	1.00	M302317	1.4	575	2	0.04	15	1030	12	2.86	26	21	117	<20	0.36	10	<10	135
UGA-56	15.00	16.00	1.00	M302318	0.98	440	4	0.04	11	850	12	2.95	26	18	126	<20	0.31	10	<10	121
UGA-56	16.00	17.00	1.00	M302319	1.28	492	2	0.06	14	1120	11	2.33	19	23	152	<20	0.41	10	<10	143
UGA-56	17.00	18.00	1.00	M302320	1.05	406	2	0.05	13	940	11	2.78	23	21	142	<20	0.36	10	<10	133
UGA-56	18.00	19.00	1.00	M302321	1.59	651	2	0.07	17	1070	14	2.99	27	24	172	<20	0.41	10	<10	152
UGA-56	19.00	20.00	1.00	M302322	1.74	541	2	0.05	17	1090	11	2.27	27	23	120	<20	0.42	10	<10	159
UGA-56	20.00	21.00	1.00	M302323	1.34	469	4	0.06	14	1050	11	2.9	31	22	146	<20	0.39	10	<10	136
UGA-56	21.00	22.00	1.00	M302324	1.62	493	1	0.05	16	1100	13	2.62	26	22	135	<20	0.39	10	<10	149

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-56	22.00	23.00	1.00	M302325	0.09	0.6	7.59	112	390	0.9	<2	1.5	<0.5	22	65	39	5.28	20	4.09	30
UGA-56	23.00	24.00	1.00	M302326	0.16	1.1	6.8	148	470	1	2	0.59	<0.5	17	59	32	4.66	10	4.33	30
UGA-56	24.00	25.00	1.00	M302327	0.11	1.3	6.6	151	360	1.3	2	0.38	<0.5	21	58	42	4.51	10	3.87	20
UGA-56	25.00	26.00	1.00	M302328	0.35	1.8	6.6	150	440	1.3	2	0.3	<0.5	19	58	29	4.36	10	3.55	30
UGA-56	26.00	27.00	1.00	M302329	0.18	2.3	7.04	152	470	1.2	3	0.32	<0.5	21	62	29	4.65	10	3.85	30
UGA-56	27.00	28.00	1.00	M302331	0.89	8.3	6.18	132	450	1	3	0.47	<0.5	17	56	29	3.89	10	4.44	20
UGA-56	28.00	29.00	1.00	M302332	0.19	2.2	7.32	131	540	1.1	3	0.76	<0.5	21	65	35	4.04	20	4.8	30
UGA-56	29.00	30.00	1.00	M302334	0.08	1	7.16	120	460	0.9	3	0.38	<0.5	20	60	33	4.51	20	4.21	30
UGA-56	30.00	31.00	1.00	M302335	0.05	0.8	7.56	112	390	1.2	3	0.42	<0.5	22	65	37	4.7	20	4.84	30
UGA-56	31.00	32.00	1.00	M302336	0.09	0.5	7.99	88	410	1.2	3	0.67	<0.5	20	71	39	4.6	20	4.44	30
UGA-56	32.00	33.00	1.00	M302338	0.07	1.1	7.05	90	460	1.2	2	0.44	<0.5	19	60	39	4.17	10	3.64	30
UGA-56	33.00	34.00	1.00	M302339	0.05	<0.5	7.59	96	460	1	2	0.35	<0.5	22	64	39	4.69	20	4.19	30
UGA-56	34.00	35.00	1.00	M302340	0.06	0.7	7.49	143	270	1	3	0.45	<0.5	22	66	32	4.63	10	4.26	30
UGA-56	35.00	36.00	1.00	M302341	0.11	1.3	7.07	296	260	0.9	3	0.43	<0.5	22	63	32	5.2	10	4.09	30
UGA-56	36.00	37.00	1.00	M302342	0.07	0.7	7.02	131	370	0.9	4	0.32	<0.5	22	62	35	4.76	20	3.89	20
UGA-56	37.00	38.00	1.00	M302343	0.16	5	7.04	383	300	0.8	2	0.34	<0.5	20	65	42	5.38	20	3.8	30
UGA-56	38.00	39.00	1.00	M302344	0.06	0.7	6.61	146	220	0.9	3	0.55	<0.5	22	62	37	5.18	10	3.72	20
UGA-56	39.00	40.00	1.00	M302345	0.49	4.4	6.86	200	260	1	4	0.45	<0.5	22	64	29	4.73	10	4.21	30
UGA-56	40.00	41.00	1.00	M302346	0.22	1.9	7.05	148	280	1	3	0.59	<0.5	21	66	28	5.08	20	4.92	30
UGA-56	41.00	42.00	1.00	M302347	0.04	0.7	7.15	85	270	1	2	0.67	<0.5	21	66	30	5.18	10	4.65	30
UGA-56	42.00	43.00	1.00	M302348	0.05	<0.5	7.62	67	450	1.1	3	0.72	<0.5	21	69	35	4.71	20	4.9	30
UGA-56	43.00	44.00	1.00	M302349	0.09	1.2	7.28	80	400	1	2	0.51	<0.5	23	67	30	4.93	20	4.27	20
UGA-56	44.00	45.00	1.00	M302350	0.16	1.7	7.11	58	540	1	2	0.68	<0.5	20	67	30	4.37	10	4.91	30
UGA-56	45.00	46.00	1.00	M302351	0.07	1.2	7.09	30	310	1	5	2.38	<0.5	21	67	26	5.06	20	4.65	30
UGA-56	46.00	47.00	1.00	M302352	0.04	<0.5	6.09	25	500	1	4	2.29	<0.5	18	65	25	4.14	10	4	20
UGA-56	47.00	48.00	1.00	M302353	0.29	1.8	7.2	60	670	1	<2	0.75	<0.5	22	67	25	4.83	20	4.73	30
UGA-56	48.00	49.00	1.00	M302354	0.03	0.9	6.91	58	530	1.1	3	0.74	<0.5	19	67	24	4.92	10	4.72	30
UGA-56	49.00	50.00	1.00	M302355	0.05	1.6	7.19	122	520	1.1	2	0.49	<0.5	21	68	24	4.77	20	4.77	30
UGA-56	50.00	51.00	1.00	M302356	0.46	2.1	6.59	105	500	1	3	1	<0.5	19	66	25	4.46	10	4.41	20
UGA-56	51.00	52.00	1.00	M302357	0.33	2.2	5.98	247	420	0.9	2	0.9	<0.5	18	64	29	5.14	10	4.07	20
UGA-56	52.00	53.00	1.00	M302359	0.15	2.1	6.85	232	420	1.1	4	0.54	<0.5	18	64	25	4.86	10	4.44	30
UGA-56	53.00	54.00	1.00	M302360	0.41	2	7.11	166	430	1.7	<2	0.6	<0.5	21	70	35	4.48	20	4.82	30
UGA-56	54.00	55.00	1.00	M302361	0.07	1.4	7.23	175	520	1.4	<2	0.63	<0.5	19	70	24	4.86	10	4.9	30
UGA-56	55.00	56.00	1.00	M302362	0.05	1.2	7.24	103	510	1.2	<2	0.53	<0.5	20	68	26	4.83	10	4.73	30
UGA-56	56.00	57.00	1.00	M302363	0.05	0.8	7.72	53	510	1.1	4	0.82	<0.5	20	76	29	5.02	20	5.06	30
UGA-56	57.00	58.00	1.00	M302364	0.02	0.5	7.29	34	500	1.1	3	0.85	<0.5	20	67	46	4.54	10	5.11	30
UGA-56	58.00	59.00	1.00	M302365	0.07	1	6.48	98	770	0.9	4	1.28	<0.5	18	65	26	4.35	10	4.42	30
UGA-56	59.00	60.00	1.00	M302366	0.1	0.9	8.08	75	490	1.2	2	0.46	<0.5	21	72	34	4.84	20	5.74	30
UGA-56	60.00	61.00	1.00	M302367	0.1	1.8	7.14	57	590	0.9	2	0.38	<0.5	19	64	32	4.36	10	4.7	30
UGA-56	61.00	62.00	1.00	M302368	0.28	1.9	6.82	151	600	0.9	3	0.57	<0.5	19	62	29	4.83	10	5.29	30
UGA-56	62.00	63.00	1.00	M302369	0.08	1.3	6.99	86	470	1	2	0.4	<0.5	19	68	32	4.62	10	4.84	30
UGA-56	63.00	64.00	1.00	M302371	0.15	1.4	6.96	53	490	0.9	3	0.46	<0.5	21	67	38	4.5	20	4.86	30
UGA-56	64.00	65.00	1.00	M302372	0.15	1.3	7.13	81	670	0.9	6	0.74	<0.5	21	67	35	4.54	10	4.8	30
UGA-56	65.00	66.00	1.00	M302374	0.08	0.6	6.67	111	550	0.9	2	1.58	<0.5	20	60	33	4.82	10	4.93	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-56	22.00	23.00	1.00	M302325	1.96	779	2	0.07	17	1040	11	2.26	15	22	164	<20	0.4	10	<10	145
UGA-56	23.00	24.00	1.00	M302326	1.32	607	6	0.05	14	1010	11	2.22	26	21	123	<20	0.37	10	<10	144
UGA-56	24.00	25.00	1.00	M302327	1.52	676	5	0.05	13	1290	9	2.17	28	20	104	<20	0.35	10	<10	134
UGA-56	25.00	26.00	1.00	M302328	1.06	635	2	0.04	15	1020	8	2.55	22	20	98	<20	0.35	10	<10	134
UGA-56	26.00	27.00	1.00	M302329	1.46	612	3	0.05	16	1000	13	2.51	25	21	121	<20	0.37	10	<10	141
UGA-56	27.00	28.00	1.00	M302331	1.3	405	16	0.05	13	850	15	2.28	27	19	116	<20	0.32	10	<10	124
UGA-56	28.00	29.00	1.00	M302332	1.83	522	13	0.05	15	1010	14	1.92	24	22	133	<20	0.38	10	<10	141
UGA-56	29.00	30.00	1.00	M302334	1.76	428	2	0.05	16	1010	10	2.49	22	21	134	<20	0.38	10	<10	144
UGA-56	30.00	31.00	1.00	M302335	2.33	540	1	0.04	15	1100	11	2	24	23	89	<20	0.4	<10	<10	155
UGA-56	31.00	32.00	1.00	M302336	2.43	625	1	0.04	18	1080	9	1.54	14	24	100	<20	0.43	10	<10	154
UGA-56	32.00	33.00	1.00	M302338	1.7	446	2	0.04	15	980	11	2.38	10	21	109	<20	0.38	10	<10	141
UGA-56	33.00	34.00	1.00	M302339	2.15	481	1	0.05	17	1070	8	2.29	14	23	103	<20	0.41	10	<10	158
UGA-56	34.00	35.00	1.00	M302340	1.58	422	2	0.06	16	1160	9	3.13	23	22	124	<20	0.4	10	<10	149
UGA-56	35.00	36.00	1.00	M302341	1.84	481	4	0.07	16	1240	12	3.13	39	22	127	<20	0.38	10	<10	142
UGA-56	36.00	37.00	1.00	M302342	1.76	469	1	0.07	17	970	9	2.89	18	21	136	<20	0.38	10	<10	138
UGA-56	37.00	38.00	1.00	M302343	1.74	472	5	0.06	17	1040	14	4.14	42	21	124	<20	0.38	10	<10	144
UGA-56	38.00	39.00	1.00	M302344	1.6	419	2	0.05	17	940	14	4.43	19	21	108	<20	0.37	10	<10	128
UGA-56	39.00	40.00	1.00	M302345	1.4	278	3	0.06	17	1020	14	4.47	16	21	118	<20	0.37	10	<10	137
UGA-56	40.00	41.00	1.00	M302346	1.56	368	2	0.04	17	1060	11	4.41	18	21	106	<20	0.38	<10	<10	141
UGA-56	41.00	42.00	1.00	M302347	1.7	464	1	0.05	16	1020	8	4.39	12	22	103	<20	0.38	10	<10	137
UGA-56	42.00	43.00	1.00	M302348	2.21	570	2	0.05	15	1040	13	3.1	9	24	111	<20	0.41	<10	<10	150
UGA-56	43.00	44.00	1.00	M302349	1.71	474	1	0.05	17	1000	10	3.72	11	22	125	<20	0.4	10	<10	150
UGA-56	44.00	45.00	1.00	M302350	1.99	630	1	0.05	14	920	11	2.65	8	22	115	<20	0.38	10	<10	140
UGA-56	45.00	46.00	1.00	M302351	3.15	1105	<1	0.04	15	930	14	1.98	<5	22	150	<20	0.37	10	<10	145
UGA-56	46.00	47.00	1.00	M302352	2.53	985	2	0.03	11	850	10	1.68	5	18	125	<20	0.33	10	<10	129
UGA-56	47.00	48.00	1.00	M302353	2.11	611	1	0.03	17	930	12	2.23	7	22	76	<20	0.38	10	<10	144
UGA-56	48.00	49.00	1.00	M302354	2.39	628	2	0.03	15	970	9	2	9	21	65	<20	0.37	<10	<10	142
UGA-56	49.00	50.00	1.00	M302355	2.01	550	2	0.04	17	1050	12	2.32	12	21	74	<20	0.38	10	<10	144
UGA-56	50.00	51.00	1.00	M302356	2.08	588	2	0.04	15	1040	11	2.06	20	20	111	<20	0.35	10	<10	126
UGA-56	51.00	52.00	1.00	M302357	2.01	748	5	0.04	10	1880	12	2.54	29	18	131	<20	0.31	10	<10	121
UGA-56	52.00	53.00	1.00	M302359	1.62	642	5	0.05	14	1240	12	2.48	22	20	128	<20	0.35	10	<10	135
UGA-56	53.00	54.00	1.00	M302360	0.98	918	2	0.04	15	1710	12	1.97	24	21	87	<20	0.38	10	<10	137
UGA-56	54.00	55.00	1.00	M302361	1.74	652	3	0.04	15	1370	11	2.21	16	22	82	<20	0.38	10	<10	140
UGA-56	55.00	56.00	1.00	M302362	2.23	589	3	0.03	16	1100	11	2.02	9	22	74	<20	0.38	10	<10	143
UGA-56	56.00	57.00	1.00	M302363	2.56	669	1	0.04	16	1110	14	2.02	8	23	89	<20	0.41	10	<10	151
UGA-56	57.00	58.00	1.00	M302364	2.51	721	1	0.03	16	1020	11	1.53	7	22	82	<20	0.38	10	<10	138
UGA-56	58.00	59.00	1.00	M302365	2.24	692	1	0.03	14	1060	11	1.94	10	20	127	<20	0.35	10	<10	135
UGA-56	59.00	60.00	1.00	M302366	2.7	612	1	0.05	16	1190	10	1.71	11	24	149	<20	0.41	<10	<10	154
UGA-56	60.00	61.00	1.00	M302367	2.45	551	1	0.05	14	1060	10	1.86	8	21	147	<20	0.38	10	<10	132
UGA-56	61.00	62.00	1.00	M302368	2.67	607	3	0.05	16	1350	12	2.24	15	20	149	<20	0.36	10	<10	129
UGA-56	62.00	63.00	1.00	M302369	2.54	542	1	0.05	15	1020	14	1.94	9	22	105	<20	0.37	10	<10	146
UGA-56	63.00	64.00	1.00	M302371	2.36	492	2	0.04	18	1020	10	2.04	10	21	115	<20	0.37	10	<10	143
UGA-56	64.00	65.00	1.00	M302372	2.64	672	1	0.05	13	1030	9	1.97	12	22	138	<20	0.38	10	<10	140
UGA-56	65.00	66.00	1.00	M302374	3.01	972	2	0.04	15	920	13	2.24	7	21	167	<20	0.35	10	<10	136

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-56	66.00	67.00	1.00	M302375	0.28	0.7	7.34	37	420	1	6	0.81	<0.5	22	70	38	4.8	20	4.8	30
UGA-56	67.00	68.00	1.00	M302376	0.04	1.5	7.71	60	480	0.8	6	0.49	<0.5	23	72	41	5.15	10	4.79	30
UGA-56	68.00	69.00	1.00	M302377	0.06	1.6	7.85	171	500	0.8	4	0.41	<0.5	23	74	39	4.67	20	4.79	30
UGA-56	69.00	70.00	1.00	M302378	0.05	1.2	7.82	66	450	0.9	5	0.39	<0.5	21	74	39	4.95	20	4.53	30
UGA-56	70.00	71.00	1.00	M302379	0.1	1.2	7.21	65	480	0.9	2	0.42	<0.5	21	69	42	5.12	20	5.37	30
UGA-56	71.00	72.00	1.00	M302380	0.02	<0.5	8.11	29	340	1	2	0.34	<0.5	23	81	40	5.16	20	4.9	30
UGA-56	72.00	73.00	1.00	M302381	0.22	9.3	6.28	139	450	1	4	0.77	<0.5	19	65	51	4.42	10	4.21	30
UGA-56	73.00	74.00	1.00	M302382	0.14	2.3	6.87	172	560	1.1	<2	0.85	<0.5	21	71	54	5.04	20	4.56	30
UGA-56	74.00	75.00	1.00	M302383	2.07	5.2	5.25	171	490	1	<2	1.36	<0.5	17	69	51	4.14	10	3.19	20
UGA-56	75.00	76.00	1.00	M302384	0.18	1.1	6.13	98	450	1.1	4	2.49	<0.5	19	74	56	4.54	10	3.14	30
UGA-56	76.00	77.00	1.00	M302385	0.14	1.1	6.57	114	460	1.3	<2	1.35	<0.5	25	79	25	5.17	10	3.11	30
UGA-56	77.00	78.00	1.00	M302386	0.05	1.1	7.01	64	540	1.4	<2	1.16	<0.5	22	76	30	5.03	10	4.28	30
UGA-56	78.00	79.00	1.00	M302387	0.06	1.4	6.46	98	320	1.1	4	1.74	<0.5	19	45	33	5.12	10	4.43	30
UGA-56	79.00	80.00	1.00	M302388	0.47	6.7	6.87	103	330	1.3	3	1.11	<0.5	17	35	36	4.29	10	4.55	30
UGA-56	80.00	81.00	1.00	M302389	0.02	0.9	7.32	24	510	1.2	<2	1.57	<0.5	18	32	27	5	20	4.24	30
UGA-56	81.00	82.00	1.00	M302390	0.04	1.3	7.24	60	480	1.2	<2	0.78	<0.5	17	33	19	4.31	10	4.48	30
UGA-56	82.00	83.00	1.00	M302391	0.11	1.6	7.35	64	400	1.3	2	0.56	<0.5	17	30	20	4.33	10	4.4	30
UGA-56	83.00	84.00	1.00	M302392	0.07	1.1	6.79	55	530	1.2	2	0.66	<0.5	15	28	19	4.5	10	4.43	30
UGA-56	84.00	85.00	1.00	M302393	0.03	1.1	7.37	43	760	1.2	<2	0.54	<0.5	15	27	20	4.08	10	4.06	30
UGA-56	85.00	86.00	1.00	M302394	0.07	1	7.38	83	540	1.2	3	0.37	<0.5	16	28	20	4.44	10	5.15	40
UGA-56	86.00	87.00	1.00	M302395	0.08	1.1	6.97	153	360	1.2	2	0.54	<0.5	14	26	23	4.6	10	4.44	30
UGA-56	87.00	88.00	1.00	M302396	0.19	1.8	7.09	157	310	1.2	<2	0.42	<0.5	16	30	28	5.36	20	4.32	30
UGA-56	88.00	89.00	1.00	M302397	0.06	0.9	7.54	150	710	1.2	3	0.54	<0.5	14	32	28	4.32	10	5.03	40
UGA-56	89.00	90.00	1.00	M302398	0.17	1.5	7.29	147	420	1.1	4	0.42	<0.5	18	38	25	4.87	20	5.01	30
UGA-56	90.00	91.00	1.00	M302399	0.09	1.1	7.04	66	210	1	2	0.44	<0.5	19	39	26	5.06	10	4.21	30
UGA-56	91.00	92.00	1.00	M302402	0.07	1.6	6.99	53	330	1.1	3	0.41	<0.5	19	36	27	4.75	10	4.12	30
UGA-56	92.00	93.00	1.00	M302403	0.05	0.9	7.16	48	540	1.2	<2	0.86	<0.5	18	35	36	4.94	10	4.42	30
UGA-56	93.00	94.00	1.00	M302405	0.02	0.7	7.15	30	510	1.2	3	0.66	<0.5	16	34	27	4.6	20	4.49	30
UGA-56	94.00	95.00	1.00	M302406	0.03	0.8	7.12	37	620	1	3	0.58	<0.5	19	35	29	4.89	10	4.42	30
UGA-56	95.00	96.00	1.00	M302407	0.01	<0.5	7.66	13	600	1.1	2	2.89	<0.5	20	40	31	5.08	20	4.87	30
UGA-56	96.00	97.00	1.00	M302408	0.01	0.6	8.02	16	600	1.1	<2	2.36	<0.5	20	40	34	5.15	20	4.31	30
UGA-56	97.00	98.00	1.00	M302409	0.13	1.5	7.52	145	640	1.4	2	0.5	<0.5	19	39	31	4.79	20	4.39	30
UGA-56	98.00	99.00	1.00	M302410	0.04	1.2	7.54	47	350	1.1	<2	0.52	<0.5	20	38	38	4.99	20	4.39	30
UGA-56	99.00	100.00	1.00	M302411	0.05	0.7	7.85	41	530	1.3	<2	1.22	<0.5	20	42	30	5.09	20	4.66	30
UGA-56	100.00	101.00	1.00	M302412	0.17	1.3	7.16	220	370	1.3	<2	0.81	<0.5	19	36	28	5.22	10	4.45	30
UGA-56	101.00	102.00	1.00	M302413	0.09	1.2	7.45	46	390	1.1	2	0.63	<0.5	18	38	31	4.69	20	4.62	30
UGA-56	102.00	103.00	1.00	M302414	0.03	1.3	7.49	63	460	1.4	2	0.97	<0.5	19	37	36	5.13	20	4.65	30
UGA-56	103.00	104.00	1.00	M302415	0.05	1	7.44	64	440	1.5	5	1.13	<0.5	21	36	33	5.04	10	4.43	30
UGA-56	104.00	105.00	1.00	M302416	0.07	1.4	6.64	75	510	1.5	<2	0.52	<0.5	18	41	33	4.49	10	4.32	30
UGA-56	105.00	106.00	1.00	M302417	0.26	2.7	6.56	215	270	1.7	2	0.3	<0.5	17	38	31	4.17	10	4.77	30
UGA-56	106.00	107.00	1.00	M302418	1.71	4.2	6.15	306	180	1.5	3	0.73	<0.5	16	37	36	3.82	10	3.63	20
UGA-56	107.00	108.00	1.00	M302419	0.45	2	6.37	221	250	1.5	3	0.97	<0.5	14	38	29	3.74	10	4.12	20
UGA-56	108.00	109.00	1.00	M302421	0.16	1.6	5.58	125	440	1.2	2	1.54	<0.5	10	31	22	3.05	10	3.47	20
UGA-56	109.00	110.00	1.00	M302423	0.12	1.8	7.02	127	610	1.3	2	0.82	<0.5	19	36	34	4.23	10	3.97	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-56	66.00	67.00	1.00	M302375	3.42	849	<1	0.05	15	1030	12	1.14	10	22	143	<20	0.39	10	<10	143
UGA-56	67.00	68.00	1.00	M302376	2.93	731	1	0.06	17	1080	14	1.98	9	24	166	<20	0.41	10	<10	154
UGA-56	68.00	69.00	1.00	M302377	2.64	592	1	0.06	18	1310	13	2.05	9	23	175	<20	0.41	10	<10	154
UGA-56	69.00	70.00	1.00	M302378	2.88	666	1	0.06	16	1140	10	1.86	11	24	143	<20	0.41	10	<10	162
UGA-56	70.00	71.00	1.00	M302379	2.51	658	1	0.05	14	1070	9	2.2	9	22	120	<20	0.38	10	<10	150
UGA-56	71.00	72.00	1.00	M302380	3.37	739	1	0.05	18	1150	7	0.64	13	24	115	<20	0.43	10	<10	168
UGA-56	72.00	73.00	1.00	M302381	2.8	563	2	0.04	14	1290	10	1.9	27	19	131	<20	0.33	10	<10	125
UGA-56	73.00	74.00	1.00	M302382	2.59	580	1	0.04	16	1160	9	2.68	14	23	102	<20	0.38	<10	<10	150
UGA-56	74.00	75.00	1.00	M302383	1.67	448	4	0.03	14	1170	9	2.51	42	19	85	<20	0.31	<10	<10	130
UGA-56	75.00	76.00	1.00	M302384	2.16	614	2	0.03	13	1000	10	2.1	23	22	124	<20	0.36	10	<10	156
UGA-56	76.00	77.00	1.00	M302385	1.33	1030	2	0.03	16	1240	10	2.25	18	22	75	<20	0.37	<10	<10	156
UGA-56	77.00	78.00	1.00	M302386	1.28	730	2	0.04	16	1040	10	2.78	8	23	97	<20	0.39	<10	<10	151
UGA-56	78.00	79.00	1.00	M302387	1.85	880	4	0.04	12	1070	11	2.62	13	20	134	<20	0.37	10	<10	133
UGA-56	79.00	80.00	1.00	M302388	1.96	449	2	0.05	8	1030	10	2.8	12	20	107	<20	0.39	<10	<10	138
UGA-56	80.00	81.00	1.00	M302389	2.62	792	2	0.04	11	1100	13	2.96	<5	20	108	<20	0.39	<10	<10	143
UGA-56	81.00	82.00	1.00	M302390	1.9	517	2	0.05	9	1060	11	2.75	13	17	101	<20	0.36	10	<10	119
UGA-56	82.00	83.00	1.00	M302391	1.6	372	3	0.05	8	1050	15	3.17	10	17	110	<20	0.36	10	<10	118
UGA-56	83.00	84.00	1.00	M302392	1.9	516	4	0.04	8	980	14	2.95	9	16	98	<20	0.33	10	<10	105
UGA-56	84.00	85.00	1.00	M302393	1.94	451	3	0.04	8	1000	11	2.44	<5	16	101	<20	0.35	10	<10	112
UGA-56	85.00	86.00	1.00	M302394	1.78	369	5	0.04	7	1130	12	3.02	11	17	106	<20	0.36	10	<10	113
UGA-56	86.00	87.00	1.00	M302395	1.96	450	3	0.04	9	1060	13	3.03	10	16	113	<20	0.33	10	<10	109
UGA-56	87.00	88.00	1.00	M302396	2.13	545	3	0.04	8	1180	15	3.22	12	17	94	<20	0.34	<10	<10	113
UGA-56	88.00	89.00	1.00	M302397	2.26	501	2	0.04	9	1120	11	2.23	9	18	122	<20	0.38	10	<10	127
UGA-56	89.00	90.00	1.00	M302398	2.16	409	6	0.05	9	1330	11	2.92	12	21	109	<20	0.41	<10	<10	147
UGA-56	90.00	91.00	1.00	M302399	2.21	460	4	0.05	10	1130	11	3.22	14	21	94	<20	0.39	10	<10	144
UGA-56	91.00	92.00	1.00	M302402	1.9	377	5	0.05	7	1160	13	3.29	12	20	100	<20	0.39	10	<10	143
UGA-56	92.00	93.00	1.00	M302403	2.24	538	3	0.04	10	1140	10	2.83	10	20	93	<20	0.39	10	<10	139
UGA-56	93.00	94.00	1.00	M302405	2.63	529	3	0.04	7	1110	7	1.72	10	20	90	<20	0.39	<10	<10	141
UGA-56	94.00	95.00	1.00	M302406	2.32	532	3	0.04	10	1040	9	2.44	9	21	104	<20	0.39	<10	<10	140
UGA-56	95.00	96.00	1.00	M302407	3.3	1065	2	0.04	12	1080	10	2.27	<5	22	127	<20	0.42	10	<10	151
UGA-56	96.00	97.00	1.00	M302408	3.25	935	2	0.04	11	1140	11	2.39	<5	23	110	<20	0.44	<10	<10	159
UGA-56	97.00	98.00	1.00	M302409	2.84	424	2	0.04	9	1180	8	2.29	10	22	67	<20	0.41	10	<10	144
UGA-56	98.00	99.00	1.00	M302410	2.13	414	2	0.05	10	1160	9	3.27	5	22	84	<20	0.41	10	<10	150
UGA-56	99.00	100.00	1.00	M302411	3.06	748	2	0.04	9	1190	9	1.88	<5	23	90	<20	0.43	10	<10	156
UGA-56	100.00	101.00	1.00	M302412	2.55	463	4	0.04	9	1210	11	2.94	14	21	80	<20	0.39	10	<10	140
UGA-56	101.00	102.00	1.00	M302413	2.43	483	6	0.04	9	1220	8	2.03	13	22	67	<20	0.41	10	<10	148
UGA-56	102.00	103.00	1.00	M302414	1.83	433	4	0.03	9	1160	9	2.81	16	21	76	<20	0.4	10	<10	147
UGA-56	103.00	104.00	1.00	M302415	1.86	425	3	0.03	11	1090	10	3.12	21	21	86	<20	0.4	10	<10	144
UGA-56	104.00	105.00	1.00	M302416	1.3	569	7	0.03	10	1190	8	2.59	36	19	72	<20	0.36	<10	<10	132
UGA-56	105.00	106.00	1.00	M302417	0.55	351	6	0.06	9	1030	9	3.69	35	19	83	<20	0.36	10	<10	130
UGA-56	106.00	107.00	1.00	M302418	0.85	311	4	0.06	8	1500	9	3.37	32	17	89	<20	0.33	10	<10	119
UGA-56	107.00	108.00	1.00	M302419	1.99	356	4	0.04	7	980	9	2.76	23	19	88	<20	0.35	<10	<10	130
UGA-56	108.00	109.00	1.00	M302421	2.17	403	3	0.03	6	820	9	2.43	18	16	107	<20	0.31	<10	<10	109
UGA-56	109.00	110.00	1.00	M302423	2.83	396	3	0.03	7	1040	12	1.96	10	20	81	<20	0.38	<10	<10	139

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-56	110.00	111.00	1.00	M302424	0.04	0.6	7.16	38	580	1.3	2	1.34	<0.5	18	39	30	4.56	10	3.7	30
UGA-56	111.00	112.00	1.00	M302425	0.01	<0.5	7.5	12	660	1.4	3	3.04	<0.5	19	37	38	4.55	20	4.06	30
UGA-56	112.00	113.00	1.00	M302426	0.02	<0.5	7.6	102	620	1.3	<2	3.06	<0.5	19	38	37	4.72	20	3.79	30
UGA-56	113.00	114.00	1.00	M302427	0.01	<0.5	7.93	9	620	1.3	2	4.81	<0.5	21	39	39	5.18	20	2.05	30
UGA-56	114.00	115.00	1.00	M302428	0.05	<0.5	8.05	63	630	1.3	2	4.44	<0.5	21	39	39	5.13	20	2.39	30
UGA-56	115.00	116.00	1.00	M302429	0.04	0.5	8.23	74	660	1.3	2	4.39	<0.5	21	39	36	4.89	20	2.83	40
UGA-56	116.00	117.00	1.00	M302431	0.04	<0.5	7.78	48	640	1.5	<2	4.17	<0.5	19	39	43	4.95	10	2.53	30
UGA-56	117.00	118.00	1.00	M302432	0.74	1.1	7.07	107	120	2.3	<2	0.35	<0.5	17	40	52	4.05	20	2.05	30
UGA-56	118.00	119.00	1.00	M302433	0.14	1.4	6.24	177	80	2.1	3	0.31	<0.5	15	31	29	4.62	10	2.11	30
UGA-56	119.00	120.00	1.00	M302434	0.36	1.5	6.36	155	470	1.8	3	0.3	<0.5	16	37	29	4.24	10	4.04	30
UGA-56	120.00	121.00	1.00	M302435	0.16	1.5	7.6	136	490	1.9	2	0.72	<0.5	19	46	34	4.58	20	4.1	30
UGA-56	121.00	122.00	1.00	M302436	0.06	1.4	7.16	85	460	1.6	2	1.54	<0.5	19	43	34	4.02	10	3.57	30
UGA-56	122.00	123.00	1.00	M302437	0.19	1.6	7.13	203	500	1.3	2	0.88	<0.5	19	46	31	4.38	10	3.93	30
UGA-56	123.00	124.00	1.00	M302438	0.26	1.2	7.48	133	520	1.2	4	1.16	<0.5	20	46	35	4.95	20	4.04	30
UGA-56	124.00	125.00	1.00	M302439	0.88	1.7	7.04	103	610	1.2	<2	0.74	<0.5	18	43	32	4.84	20	4.48	30
UGA-56	125.00	126.00	1.00	M302441	0.02	<0.5	7.39	29	580	1.4	2	2.04	<0.5	19	44	33	4.95	20	4.05	30
UGA-56	126.00	127.00	1.00	M302442	0.04	<0.5	7.2	29	710	1.3	3	1.64	<0.5	19	44	34	4.53	20	4.98	30
UGA-56	127.00	128.00	1.00	M302444	0.09	0.7	7.78	47	690	1.2	2	0.87	<0.5	20	45	39	4.9	10	4.85	30
UGA-56	128.00	129.00	1.00	M302445	0.05	0.5	7.46	197	690	1.3	<2	1.84	<0.5	20	43	36	5.01	10	3.97	30
UGA-56	129.00	130.00	1.00	M302446	0.06	<0.5	7.86	11	640	1.3	2	4.84	<0.5	20	45	36	4.93	20	1.9	30
UGA-56	130.00	131.00	1.00	M302447	0.01	<0.5	7.92	35	640	1.7	4	3.91	<0.5	20	47	37	4.97	20	2.71	30
UGA-56	131.00	132.00	1.00	M302448	0.24	1.3	6.22	199	390	1.8	<2	0.47	<0.5	15	41	31	4.03	10	3.25	30
UGA-56	132.00	133.00	1.00	M302449	0.28	1.1	6.2	95	470	1.5	2	0.28	<0.5	15	39	28	4.64	10	3.01	30
UGA-56	133.00	134.00	1.00	M302451	0.13	0.7	6.6	59	430	1.4	2	1.24	<0.5	18	40	30	5.37	10	3.73	30
UGA-56	134.00	135.00	1.00	M302452	0.04	0.7	7.37	37	550	1.2	<2	0.92	<0.5	20	44	31	4.89	10	4.24	30
UGA-56	135.00	136.00	1.00	M302453	0.11	0.8	7.09	69	750	1.2	2	1.08	<0.5	19	43	31	4.88	10	4.14	30
UGA-56	136.00	137.00	1.00	M302454	0.02	<0.5	6.93	40	600	1.1	4	2.93	0.5	17	38	26	4.69	10	3.96	30
UGA-56	137.00	138.00	1.00	M302455	0.03	<0.5	6.99	34	570	1.1	5	1.42	<0.5	18	40	29	4.57	10	3.73	30
UGA-56	138.00	139.00	1.00	M302456	0.02	<0.5	7.53	24	490	1.2	3	1.31	<0.5	21	43	28	4.83	20	4.2	30
UGA-56	139.00	140.00	1.00	M302457	0.02	0.5	7.45	24	490	1.1	2	0.69	<0.5	19	42	29	4.41	20	3.8	30
UGA-56	140.00	141.00	1.00	M302458	0.03	0.7	7.97	32	480	1.1	4	1.09	<0.5	19	41	36	4.76	20	4.64	30
UGA-56	141.00	142.00	1.00	M302459	0.03	0.5	7.18	18	230	1	2	2.12	<0.5	20	35	32	4.56	10	3.96	30
UGA-56	142.00	143.00	1.00	M302460	0.02	<0.5	7.07	10	510	1.2	5	2.73	<0.5	18	32	21	4.79	10	4.17	30
UGA-56	143.00	144.00	1.00	M302461	0.01	<0.5	7.26	9	560	1.3	5	3.09	<0.5	17	33	26	4.81	10	4.28	30
UGA-56	144.00	145.00	1.00	M302462	0.03	<0.5	7.6	27	480	1.2	5	1.07	<0.5	22	36	27	4.75	20	4.23	30
UGA-56	145.00	146.00	1.00	M302463	0.05	<0.5	7.75	25	510	1.3	4	1.9	<0.5	21	34	23	4.79	20	3.95	30
UGA-56	146.00	147.00	1.00	M302464	0.01	<0.5	7.44	11	520	1.4	5	2.5	<0.5	18	32	26	4.33	10	3.97	30
UGA-56	147.00	148.00	1.00	M302465	0.07	<0.5	7.46	46	610	1.4	5	1.75	<0.5	20	32	31	4.69	20	4.03	30
UGA-56	148.00	149.00	1.00	M302466	0.02	<0.5	7.36	24	500	1.3	4	2.13	<0.5	20	30	30	4.87	10	3.83	40
UGA-56	149.00	150.00	1.00	M302467	0.01	<0.5	7.13	12	560	1.2	5	3.15	<0.5	17	29	21	4.76	10	3.88	30
UGA-56	150.00	151.00	1.00	M302468	0.03	<0.5	7.98	24	650	1.7	4	1.15	<0.5	19	37	22	4.54	20	3.98	40
UGA-56	151.00	152.00	1.00	M302469	0.06	<0.5	7.33	40	650	1.2	4	0.84	<0.5	18	36	21	4.4	10	4.01	30
UGA-56	152.00	153.00	1.00	M302471		<0.5	7.36	16	580	1.3	<2	3.66	0.7	17	34	36	4.77	20	4.11	40
UGA-56	153.00	154.00	1.00	M302472	1.05	0.7	7.25	52	540	1.2	5	1.66	<0.5	18	32	25	4.41	10	3.96	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-56	110.00	111.00	1.00	M302424	2.86	540	3	0.04	9	1020	10	1.4	<5	20	101	<20	0.38	10	<10	143
UGA-56	111.00	112.00	1.00	M302425	2.78	880	1	0.09	10	1070	8	0.56	<5	21	169	<20	0.4	10	<10	146
UGA-56	112.00	113.00	1.00	M302426	2.75	816	2	0.48	11	1090	9	0.65	<5	21	231	<20	0.41	<10	<10	150
UGA-56	113.00	114.00	1.00	M302427	2.35	937	2	1.36	9	1110	11	0.34	<5	22	451	<20	0.43	<10	<10	154
UGA-56	114.00	115.00	1.00	M302428	2.44	925	2	1.14	10	1140	11	0.2	<5	23	404	<20	0.44	<10	<10	158
UGA-56	115.00	116.00	1.00	M302429	2.59	920	2	1.1	12	1160	14	0.39	<5	23	397	<20	0.44	10	<10	158
UGA-56	116.00	117.00	1.00	M302431	2.02	1010	2	0.89	8	1100	12	0.22	11	22	349	<20	0.41	<10	<10	151
UGA-56	117.00	118.00	1.00	M302432	0.6	1060	6	0.03	9	970	11	1.56	1625	20	30	<20	0.38	10	<10	139
UGA-56	118.00	119.00	1.00	M302433	0.69	985	4	0.01	7	900	8	2.42	120	19	26	<20	0.34	<10	<10	123
UGA-56	119.00	120.00	1.00	M302434	0.71	574	3	0.03	8	920	10	2.54	39	18	53	<20	0.35	<10	<10	127
UGA-56	120.00	121.00	1.00	M302435	1.15	418	3	0.03	8	1170	9	2.43	20	22	58	<20	0.42	10	<10	152
UGA-56	121.00	122.00	1.00	M302436	1.42	340	2	0.03	10	1040	9	2.09	14	21	76	<20	0.38	10	<10	143
UGA-56	122.00	123.00	1.00	M302437	1.5	284	3	0.03	10	1080	10	2.44	13	21	60	<20	0.39	10	<10	145
UGA-56	123.00	124.00	1.00	M302438	2.59	443	2	0.03	12	1090	12	1.5	16	22	74	<20	0.4	10	<10	152
UGA-56	124.00	125.00	1.00	M302439	1.92	359	3	0.03	10	1030	9	2.48	8	21	76	<20	0.38	<10	<10	143
UGA-56	125.00	126.00	1.00	M302441	2.92	789	2	0.03	10	1070	10	1.63	7	22	100	<20	0.4	<10	<10	148
UGA-56	126.00	127.00	1.00	M302442	2.59	706	2	0.04	9	1030	12	1.68	<5	21	110	<20	0.39	10	<10	144
UGA-56	127.00	128.00	1.00	M302444	2.64	471	2	0.05	11	1130	8	1.72	<5	22	103	<20	0.42	<10	<10	160
UGA-56	128.00	129.00	1.00	M302445	2.52	592	2	0.28	12	1080	11	2.18	5	22	149	<20	0.41	10	<10	148
UGA-56	129.00	130.00	1.00	M302446	2.32	896	2	1.31	10	1110	12	0.41	<5	23	468	<20	0.42	<10	<10	153
UGA-56	130.00	131.00	1.00	M302447	2.15	1035	2	0.85	11	1150	11	0.21	8	23	368	<20	0.43	<10	<10	158
UGA-56	131.00	132.00	1.00	M302448	0.74	631	3	0.02	7	920	11	2.17	52	18	43	<20	0.34	10	<10	126
UGA-56	132.00	133.00	1.00	M302449	0.97	551	3	0.03	9	890	9	2.4	49	18	52	<20	0.34	10	<10	128
UGA-56	133.00	134.00	1.00	M302451	2.47	514	3	0.02	10	1020	12	2.22	14	19	62	<20	0.36	10	<10	137
UGA-56	134.00	135.00	1.00	M302452	1.96	404	3	0.03	11	1130	9	2.13	6	22	66	<20	0.4	10	<10	157
UGA-56	135.00	136.00	1.00	M302453	2.03	403	3	0.03	11	1080	9	2.16	9	21	78	<20	0.38	<10	<10	149
UGA-56	136.00	137.00	1.00	M302454	2.86	783	1	0.03	6	980	11	2	<5	20	96	<20	0.36	<10	<10	141
UGA-56	137.00	138.00	1.00	M302455	2.41	500	4	0.03	11	1040	13	2.14	8	20	75	<20	0.37	<10	<10	143
UGA-56	138.00	139.00	1.00	M302456	2.86	599	2	0.03	10	1120	11	1.93	<5	21	75	<20	0.4	10	<10	155
UGA-56	139.00	140.00	1.00	M302457	2.01	369	2	0.03	10	1110	12	2.35	9	21	72	<20	0.41	10	<10	156
UGA-56	140.00	141.00	1.00	M302458	2.03	402	3	0.04	9	1240	10	2.75	<5	23	82	<20	0.42	<10	<10	158
UGA-56	141.00	142.00	1.00	M302459	1.77	588	2	0.04	8	1050	15	3.23	5	20	117	<20	0.39	<10	<10	144
UGA-56	142.00	143.00	1.00	M302460	2.36	880	1	0.03	7	1080	11	2.54	<5	20	119	<20	0.38	10	<10	146
UGA-56	143.00	144.00	1.00	M302461	2.6	893	2	0.03	9	1130	11	2.35	<5	20	112	<20	0.39	10	<10	143
UGA-56	144.00	145.00	1.00	M302462	2.33	491	3	0.03	11	1210	11	2.4	7	21	71	<20	0.41	10	<10	153
UGA-56	145.00	146.00	1.00	M302463	2.53	592	3	0.03	8	1300	13	2.34	9	21	82	<20	0.41	<10	<10	154
UGA-56	146.00	147.00	1.00	M302464	2.53	697	2	0.03	7	1150	10	1.86	<5	20	90	<20	0.4	<10	<10	141
UGA-56	147.00	148.00	1.00	M302465	2.35	550	3	0.03	7	1160	15	2.36	9	20	83	<20	0.39	<10	<10	148
UGA-56	148.00	149.00	1.00	M302466	2.33	592	1	0.03	8	1140	13	2.53	6	20	81	<20	0.38	<10	<10	141
UGA-56	149.00	150.00	1.00	M302467	2.55	767	2	0.03	6	1090	12	2.57	<5	19	95	<20	0.37	10	<10	140
UGA-56	150.00	151.00	1.00	M302468	2.39	542	3	0.05	10	1330	15	1.37	9	21	97	<20	0.42	10	<10	157
UGA-56	151.00	152.00	1.00	M302469	2.21	438	3	0.04	8	1210	13	1.91	7	20	81	<20	0.39	10	<10	145
UGA-56	152.00	153.00	1.00	M302471	2.93	833	1	0.03	11	1200	17	2.38	8	20	110	<20	0.38	<10	<10	146
UGA-56	153.00	154.00	1.00	M302472	2.01	492	4	0.04	10	1250	13	2.72	10	20	93	<20	0.4	<10	<10	144

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-56	154.00	155.00	1.00	M302473	0.02	<0.5	7.63	15	600	1.2	4	3.35	<0.5	18	29	25	4.67	10	4.14	40
UGA-56	155.00	156.00	1.00	M302474	0.05	<0.5	7.53	43	530	1.3	6	2.27	<0.5	19	32	23	4.45	10	4.04	40
UGA-56	156.00	157.00	1.00	M302475	0.06	<0.5	7.01	61	500	1.3	3	1.33	<0.5	18	30	24	4.96	10	3.57	30
UGA-56	157.00	158.00	1.00	M302477	0.07	0.6	6.73	68	470	1.2	3	0.91	<0.5	18	31	27	4.44	10	3.57	30
UGA-56	158.00	159.00	1.00	M302478	0.08	0.8	6.89	78	470	1.3	4	1.4	<0.5	18	31	27	4.89	20	3.76	30
UGA-56	159.00	160.00	1.00	M302479	0.04	<0.5	7.86	47	590	1.3	2	1.24	<0.5	17	35	31	4.08	20	3.6	30
UGA-56	160.00	161.00	1.00	M302480		2.9	6.57	112	350	1.3	<2	0.87	<0.5	17	35	35	5.12	10	3.93	30
UGA-56	161.00	162.00	1.00	M302482	0.38	1.8	6.72	96	410	1.4	2	0.86	<0.5	17	38	30	4.44	10	3.9	30
UGA-56	162.00	163.00	1.00	M302483	0.82	1.4	5.52	235	200	1.4	3	0.84	<0.5	16	42	20	4.85	10	3	20
UGA-56	163.00	164.00	1.00	M302484	1.22	2.1	6.91	254	440	1.5	4	1.06	<0.5	18	46	22	4.24	10	2.93	30
UGA-56	164.00	165.00	1.00	M302485	0.32	1.4	6.97	134	340	1.5	4	0.79	<0.5	19	49	22	5.4	10	3.43	30
UGA-56	165.00	166.00	1.00	M302486	0.04	1.1	6.63	64	300	1.4	4	0.86	<0.5	18	47	24	5.01	10	3.81	30
UGA-56	166.00	167.00	1.00	M302487	0.21	1.4	7.29	104	420	1.4	4	1	<0.5	20	54	23	4.84	20	3.71	30
UGA-56	167.00	168.00	1.00	M302488	0.06	1.2	6.95	68	170	1.4	2	0.83	<0.5	20	51	20	5.27	10	3.4	20
UGA-56	168.00	169.00	1.00	M302489	0.12	0.8	6.03	63	280	1.2	2	2.1	<0.5	17	45	22	5.01	10	3.74	20
UGA-56	169.00	170.00	1.00	M302490	0.07	1.1	6.77	63	200	1.3	4	1.67	<0.5	18	46	24	4.98	10	3.63	30
UGA-56	170.00	171.00	1.00	M302491	0.03	<0.5	7.39	49	430	1.3	5	1.17	<0.5	20	51	26	4.7	20	3.58	30
UGA-56	171.00	172.00	1.00	M302492	0.06	0.6	7.45	48	460	1.3	6	1.06	<0.5	21	51	50	5.07	10	3.53	30
UGA-56	172.00	173.00	1.00	M302493	0.03	0.9	7.15	41	240	1.4	4	1.09	<0.5	21	48	98	5.11	10	3.37	30
UGA-56	173.00	174.00	1.00	M302494	0.02	0.7	6.82	22	230	1.3	6	3.53	<0.5	20	45	48	4.86	10	3.13	30
UGA-56	174.00	175.00	1.00	M302495	0.03	0.6	7.1	25	250	1.4	5	2.31	<0.5	20	49	40	5.04	10	3.32	30
UGA-56	175.00	176.00	1.00	M302496	0.02	<0.5	7.12	18	370	1.4	5	3.36	<0.5	20	47	52	4.44	20	2.98	30
UGA-56	176.00	177.00	1.00	M302497	0.02	1.3	7.32	26	140	1.5	4	2.57	<0.5	21	51	43	4.56	20	3.06	30
UGA-56	177.00	178.00	1.00	M302498	0.02	0.9	7.33	23	330	1.4	4	3.17	<0.5	20	50	29	4.28	10	3	30
UGA-56	178.00	179.00	1.00	M302499	0.02	0.7	7.61	24	390	1.4	6	3.12	<0.5	20	50	33	4.18	10	3.15	30
UGA-56	179.00	180.00	1.00	M302501	0.11	1.2	6.49	131	160	1.4	<2	1.52	<0.5	19	48	22	4.12	10	2.8	30
UGA-56	180.00	181.00	1.00	M302502	0.02	<0.5	6.63	26	400	1.3	<2	4.08	<0.5	20	55	21	4.54	10	2.91	30
UGA-56	181.00	182.00	1.00	M302503	0.02	<0.5	7.15	18	510	1.2	<2	3.46	<0.5	21	57	31	4.58	20	3.51	30
UGA-56	182.00	183.00	1.00	M302504	0.16	0.8	7.03	71	270	1.4	<2	1.99	<0.5	21	56	54	5.22	20	3.1	30
UGA-56	183.00	184.00	1.00	M302506	0.03	<0.5	6.87	17	380	1.3	<2	3.21	<0.5	19	48	37	4.39	20	2.74	30
UGA-56	184.00	185.00	1.00	M302507	0.02	<0.5	7.45	14	770	1.2	<2	2.9	<0.5	19	63	50	4.63	20	3.38	30
UGA-56	185.00	186.00	1.00	M302508	0.04	<0.5	7.52	101	580	1.3	<2	2.05	<0.5	19	68	38	4.57	20	3.76	30
UGA-56	186.00	187.00	1.00	M302509	0.01	<0.5	7.53	14	670	1.3	3	2.88	<0.5	19	63	40	4.34	20	3.35	30
UGA-56	187.00	188.00	1.00	M302510	0.04	<0.5	7.22	77	720	1.3	3	2.66	<0.5	21	67	39	4.84	10	3.61	30
UGA-56	188.00	189.00	1.00	M302511	0.07	<0.5	7.14	47	600	1.4	2	2.76	<0.5	19	70	40	4.75	20	3.61	30
UGA-56	189.00	190.00	1.00	M302513	0.01	<0.5	7.48	14	550	1.3	2	3.52	<0.5	20	73	41	4.41	20	3.75	30
UGA-56	190.00	191.00	1.00	M302514	<0.01	<0.5	7.75	10	730	1.1	<2	3.95	<0.5	19	71	41	4.52	20	3.9	30
UGA-56	191.00	192.00	1.00	M302515	0.02	<0.5	7.19	17	630	1.1	<2	3.99	<0.5	20	62	35	4.78	10	3.35	30
UGA-56	192.00	193.00	1.00	M302516	0.01	<0.5	7.88	42	560	1.5	3	2.78	<0.5	20	75	40	4.85	20	3.92	30
UGA-56	193.00	194.00	1.00	M302517	0.08	0.6	8.39	150	470	1.9	<2	0.51	<0.5	24	83	64	5.77	20	3.79	30
UGA-56	194.00	195.00	1.00	M302518	0.04	0.5	8.52	125	430	2.2	<2	1.47	<0.5	20	85	49	5.04	20	3.27	30
UGA-56	195.00	196.00	1.00	M302519	<0.01	<0.5	7.76	5	610	1.3	3	4.93	<0.5	21	61	40	5.02	20	2.33	30
UGA-56	196.00	197.00	1.00	M302520	0.02	<0.5	7.93	34	650	1.3	2	4.89	<0.5	20	54	37	4.82	20	2.79	30
UGA-56	197.00	198.00	1.00	M302521	<0.01	<0.5	8.19	<5	630	1.3	2	4.94	<0.5	21	53	38	5.19	20	2.52	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-56	154.00	155.00	1.00	M302473	3.06	858	2	0.03	8	1220	12	2.39	<5	20	108	<20	0.4	<10	<10	146
UGA-56	155.00	156.00	1.00	M302474	2.51	635	2	0.04	7	1180	12	2.73	6	19	98	<20	0.39	10	<10	143
UGA-56	156.00	157.00	1.00	M302475	2.69	574	6	0.03	9	1280	14	2.51	10	19	72	<20	0.37	10	<10	138
UGA-56	157.00	158.00	1.00	M302477	2.27	475	3	0.03	9	1130	14	2.63	10	17	69	<20	0.36	<10	<10	130
UGA-56	158.00	159.00	1.00	M302478	2.88	650	2	0.03	8	1150	9	2.77	7	18	83	<20	0.39	10	<10	144
UGA-56	159.00	160.00	1.00	M302479	2.54	462	3	0.03	9	1330	8	2.26	<5	20	110	<20	0.43	<10	<10	153
UGA-56	160.00	161.00	1.00	M302480	1.52	288	6	0.05	11	1630	14	4.19	18	18	96	<20	0.35	<10	<10	133
UGA-56	161.00	162.00	1.00	M302482	1.8	275	5	0.03	10	1040	13	3.6	17	19	89	<20	0.36	<10	<10	133
UGA-56	162.00	163.00	1.00	M302483	1.81	293	10	0.02	9	1330	14	3.95	21	17	90	<20	0.3	<10	<10	117
UGA-56	163.00	164.00	1.00	M302484	2.31	326	6	0.02	11	1490	12	2.96	22	20	68	<20	0.36	10	<10	139
UGA-56	164.00	165.00	1.00	M302485	2.66	361	5	0.02	15	1100	13	4.1	19	20	134	<20	0.37	10	<10	140
UGA-56	165.00	166.00	1.00	M302486	2.23	348	5	0.02	12	1020	13	3.94	14	20	104	<20	0.35	10	<10	133
UGA-56	166.00	167.00	1.00	M302487	2.72	420	5	0.02	13	1220	11	3.22	20	21	69	<20	0.38	10	<10	151
UGA-56	167.00	168.00	1.00	M302488	1.97	355	4	0.03	12	1020	13	4.5	10	20	68	<20	0.38	<10	<10	146
UGA-56	168.00	169.00	1.00	M302489	2.52	636	4	0.02	9	910	11	3.99	14	18	106	<20	0.32	<10	<10	122
UGA-56	169.00	170.00	1.00	M302490	2.54	698	3	0.02	12	950	13	3.78	13	20	79	<20	0.35	10	<10	136
UGA-56	170.00	171.00	1.00	M302491	2.47	444	3	0.02	12	1070	11	2.78	12	21	71	<20	0.38	<10	<10	156
UGA-56	171.00	172.00	1.00	M302492	2.72	544	3	0.02	16	1070	7	2.79	9	22	63	<20	0.39	<10	<10	150
UGA-56	172.00	173.00	1.00	M302493	2.03	354	2	0.02	16	1000	13	4.47	16	21	61	<20	0.38	<10	<10	132
UGA-56	173.00	174.00	1.00	M302494	2.86	736	2	0.01	13	920	13	4.33	7	19	93	<20	0.35	<10	<10	132
UGA-56	174.00	175.00	1.00	M302495	2.38	597	2	0.01	15	1020	11	4.45	8	20	94	<20	0.37	10	<10	138
UGA-56	175.00	176.00	1.00	M302496	2.86	883	1	0.01	14	1000	12	3.46	11	20	154	<20	0.37	<10	<10	140
UGA-56	176.00	177.00	1.00	M302497	2.06	619	3	0.01	13	980	12	4.01	12	21	162	<20	0.39	<10	<10	146
UGA-56	177.00	178.00	1.00	M302498	2.64	774	2	0.01	12	1020	11	3.34	8	21	166	<20	0.38	10	<10	145
UGA-56	178.00	179.00	1.00	M302499	2.75	766	2	0.01	11	1070	12	3.04	11	22	262	<20	0.4	<10	<10	150
UGA-56	179.00	180.00	1.00	M302501	1.85	372	7	0.01	11	1200	15	3.68	19	19	536	<20	0.34	<10	<10	130
UGA-56	180.00	181.00	1.00	M302502	3.07	1015	2	0.01	13	980	14	3.69	9	20	384	<20	0.36	<10	<10	138
UGA-56	181.00	182.00	1.00	M302503	2.95	853	3	0.02	13	1020	11	3.66	10	21	110	<20	0.39	<10	<10	150
UGA-56	182.00	183.00	1.00	M302504	3.12	642	4	0.02	14	1060	14	3.68	13	21	85	<20	0.37	<10	<10	148
UGA-56	183.00	184.00	1.00	M302506	3.62	875	2	0.01	12	960	12	2.32	11	19	74	<20	0.36	<10	<10	137
UGA-56	184.00	185.00	1.00	M302507	3.28	835	2	0.02	15	1080	9	2.1	7	22	86	<20	0.39	10	<10	153
UGA-56	185.00	186.00	1.00	M302508	3.11	707	2	0.02	16	1240	13	1.45	12	22	76	<20	0.4	10	<10	153
UGA-56	186.00	187.00	1.00	M302509	3.12	838	1	0.03	14	1080	12	1.4	8	22	100	<20	0.39	<10	<10	152
UGA-56	187.00	188.00	1.00	M302510	3.03	748	2	0.02	15	1070	13	1.95	12	22	88	<20	0.38	10	<10	152
UGA-56	188.00	189.00	1.00	M302511	2.88	807	1	0.02	17	1070	10	1.69	12	21	84	<20	0.39	10	<10	151
UGA-56	189.00	190.00	1.00	M302513	2.75	981	1	0.03	16	1080	10	0.98	16	23	99	<20	0.4	10	<10	153
UGA-56	190.00	191.00	1.00	M302514	2.6	990	1	0.04	12	1120	11	1.59	13	23	110	<20	0.41	<10	<10	162
UGA-56	191.00	192.00	1.00	M302515	2.39	950	2	0.04	13	1030	12	2.8	14	21	112	<20	0.38	10	<10	147
UGA-56	192.00	193.00	1.00	M302516	2.28	957	1	0.05	17	1150	10	0.9	12	24	102	<20	0.41	<10	<10	167
UGA-56	193.00	194.00	1.00	M302517	1.25	1805	1	0.06	19	1290	11	0.72	19	25	69	<20	0.45	<10	<10	171
UGA-56	194.00	195.00	1.00	M302518	0.94	1255	1	0.14	17	1260	16	0.82	20	25	102	<20	0.45	<10	<10	172
UGA-56	195.00	196.00	1.00	M302519	2.33	927	2	1.31	12	1100	13	0.02	7	22	386	<20	0.4	<10	<10	157
UGA-56	196.00	197.00	1.00	M302520	2.28	916	2	1.19	12	1090	13	0.16	7	21	353	<20	0.4	<10	<10	154
UGA-56	197.00	198.00	1.00	M302521	2.5	1065	2	1.38	13	1100	12	0.06	5	22	392	<20	0.42	<10	<10	157

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-56	198.00	199.00	1.00	M302522	<0.01	<0.5	8.05	25	620	1.4	<2	4.9	<0.5	20	49	38	4.99	20	2.79	30
UGA-56	199.00	201.00	2.00	M302523	0.13	0.6	8.03	268	590	1.9	3	2.28	<0.5	18	52	39	4.62	20	3.53	30
UGA-56	201.00	203.00	2.00	M302524	0.03	<0.5	8.83	138	560	2.8	<2	1.53	<0.5	21	58	41	4.38	20	3.8	40
UGA-56	203.00	205.00	2.00	M302525	0.01	<0.5	8.56	127	390	2.6	<2	0.83	<0.5	12	58	33	4.29	20	2.97	30
UGA-56	205.00	206.00	1.00	M302526	0.16	1.3	7.61	339	170	2.6	<2	1.31	<0.5	22	51	45	4.04	20	1.97	30
UGA-56	206.00	208.00	2.00	M302527	<0.01	<0.5	8.36	18	630	1.6	<2	5.08	<0.5	20	53	37	5.02	20	3.01	40
UGA-56	208.00	210.00	2.00	M302528	0.12	1.2	6.91	88	560	1.8	2	3.99	<0.5	20	57	37	4.55	10	2.88	30
UGA-56	210.00	212.00	2.00	M302529	0.02	2.7	7.04	40	460	1.5	<2	2.81	<0.5	19	66	43	4.39	20	3.09	30
UGA-56	212.00	214.00	2.00	M302531	0.03	1	7.15	30	230	1.5	2	3.87	<0.5	20	62	37	4.6	20	3.12	30
UGA-56	214.00	216.00	2.00	M302532	0.03	0.7	6.18	21	100	1.6	<2	4.7	<0.5	17	43	27	4.3	10	2.79	30
UGA-56	216.00	218.00	2.00	M302533	0.03	0.7	7.05	57	210	1.8	3	4.46	<0.5	19	44	36	4.66	10	3.15	30
UGA-56	218.00	220.00	2.00	M302534	0.02	<0.5	7.7	37	480	1.8	<2	3.29	<0.5	20	56	36	5.14	20	2.99	30
UGA-56	220.00	222.00	2.00	M302535	0.01	<0.5	7.42	31	630	1.8	<2	3.57	<0.5	19	56	39	4.43	20	3.65	30
UGA-56	222.00	223.00	2.00	M302536	0.01	<0.5	6.85	45	500	1.8	<2	3.34	<0.5	23	52	37	4.95	10	3.59	30
UGA-56	223.00	224.00	1.00	M302537	<0.01	<0.5	7.54	36	510	2.3	<2	4.8	<0.5	17	57	38	4.48	20	3.54	30
UGA-56	224.00	225.00	1.00	M302538	0.04	<0.5	6.95	65	470	2	<2	4.31	<0.5	16	52	38	4.43	20	3.11	30
UGA-56	225.00	227.00	2.00	M302540	0.03	<0.5	8.09	147	330	3.2	<2	1.18	<0.5	20	59	45	4.25	20	2.74	30
UGA-56	227.00	228.00	1.00	M302541	0.13	0.5	6	37	420	1.9	2	5.3	<0.5	16	39	95	4.42	10	2.11	30
UGA-56	228.00	230.00	2.00	M302543	0.02	<0.5	6.41	33	220	1.8	<2	4.49	<0.5	17	43	29	4.15	10	2.83	30
UGA-56	230.00	232.00	2.00	M302544	0.02	1	6.46	25	210	1.6	3	4.16	<0.5	18	44	32	4.15	10	2.89	30
UGA-56	232.00	234.00	2.00	M302545	0.03	<0.5	6.85	32	270	1.5	2	4.77	<0.5	18	44	31	4.48	20	3.06	30
UGA-56	234.00	236.00	2.00	M302546	0.02	<0.5	7.12	28	300	1.7	2	4.52	<0.5	19	49	33	4.27	20	3.06	30
UGA-56	236.00	238.00	2.00	M302547	0.04	0.6	6.64	60	320	1.8	<2	3.51	<0.5	17	45	30	4.12	20	2.91	30
UGA-56	238.00	240.00	2.00	M302548	0.01	<0.5	6.79	28	300	1.9	<2	4.85	<0.5	18	46	29	4.61	10	2.94	30
UGA-56	240.00	242.00	2.00	M302549	0.04	<0.5	6.45	35	180	1.7	<2	4.34	<0.5	15	45	27	4.37	10	2.82	30
UGA-56	242.00	244.00	2.00	M302551	0.04	<0.5	7.66	195	210	3.2	<2	0.92	<0.5	26	62	53	4.41	20	2.9	30
UGA-56	244.00	246.00	2.00	M302552	0.01	<0.5	8.36	159	270	2.9	<2	0.59	<0.5	18	66	45	3.69	20	2.33	30
UGA-56	246.00	248.00	2.00	M302553	0.05	<0.5	7.72	105	50	3.1	<2	1.46	<0.5	22	59	52	4.05	20	1.46	30
UGA-56	248.00	249.00	1.00	M302554	0.14	0.6	5.64	59	90	1.7	<2	4.87	<0.5	15	39	22	4.03	10	2.46	20
UGA-56	249.00	251.00	2.00	M302556	0.02	0.6	6.54	43	140	1.9	3	4.76	<0.5	17	47	28	4.24	10	2.95	30
UGA-56	251.00	253.00	2.00	M302557	0.02	<0.5	6.73	36	130	1.7	<2	4.78	<0.5	18	48	29	4.35	10	3.04	30
UGA-56	253.00	255.00	2.00	M302558	0.04	0.7	6.26	89	110	1.6	2	4.23	<0.5	17	46	32	3.93	10	2.78	30
UGA-56	255.00	256.00	1.00	M302559	0.1	0.6	5.4	206	100	1.6	<2	2.61	<0.5	14	41	23	3.62	10	2.38	20
UGA-56	256.00	258.00	2.00	M302560	0.01	<0.5	7.39	84	100	2.5	<2	2.6	<0.5	18	59	38	4.11	10	2.74	30
UGA-56	258.00	259.00	1.00	M302561	0.01	<0.5	6.32	48	420	2.1	<2	3.77	<0.5	20	55	36	4.65	10	2.6	30
UGA-56	259.00	260.00	1.00	M302562	0.01	<0.5	7	21	530	2.2	<2	4.11	<0.5	18	55	35	4.71	10	2.87	30
UGA-56	260.00	261.00	1.00	M302563	0.05	<0.5	6.2	184	170	2.6	<2	4.52	<0.5	21	42	32	5.5	10	2.27	30
UGA-56	261.00	262.00	1.00	M302564	0.02	<0.5	6.88	96	90	2.5	<2	3.95	<0.5	17	53	36	4.32	10	2.76	30
UGA-56	262.00	263.00	1.00	M302565	0.03	0.6	5.93	269	100	1.6	2	5.08	<0.5	16	51	19	4.29	10	2.61	30
UGA-56	263.00	264.00	1.00	M302566	0.03	0.5	5.93	84	110	1.6	<2	4.71	<0.5	17	51	25	3.97	10	2.66	30
UGA-56	264.00	265.00	1.00	M302567	0.04	<0.5	5.32	137	100	1.6	<2	4.53	<0.5	15	44	24	3.57	10	2.33	20
UGA-56	265.00	266.00	1.00	M302568	0.03	0.5	5.75	96	120	1.8	<2	3.98	<0.5	17	52	26	3.38	10	2.52	30
UGA-56	266.00	267.00	1.00	M302569	0.16	<0.5	2.17	154	50	1.3	<2	5.34	<0.5	8	21	7	3.99	10	0.92	10
UGA-56	267.00	268.00	1.00	M302571	0.39	1.1	1.38	238	40	1.2	<2	3.34	<0.5	5	23	6	3.05	<10	0.55	10

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-56	198.00	199.00	1.00	M302522	2.27	932	2	1.24	11	1100	14	0.05	9	21	376	<20	0.43	<10	<10	155
UGA-56	199.00	201.00	2.00	M302523	1.28	1200	3	0.27	11	1370	13	1.41	26	21	131	<20	0.41	10	<10	157
UGA-56	201.00	203.00	2.00	M302524	0.85	1250	1	0.17	13	1230	16	0.74	34	23	107	<20	0.45	10	<10	167
UGA-56	203.00	205.00	2.00	M302525	0.48	1400	1	0.09	8	1220	13	0.62	33	23	73	<20	0.44	<10	<10	164
UGA-56	205.00	206.00	1.00	M302526	0.75	1215	4	0.04	16	1060	14	1.23	48	19	57	<20	0.39	<10	<10	145
UGA-56	206.00	208.00	2.00	M302527	1.67	917	2	1.1	13	1120	17	0.3	13	22	390	<20	0.42	<10	<10	159
UGA-56	208.00	210.00	2.00	M302528	1.99	1140	2	0.02	12	1000	11	1.26	19	20	103	<20	0.35	<10	<10	134
UGA-56	210.00	212.00	2.00	M302529	1.69	652	3	0.01	16	1060	12	3.22	18	21	59	<20	0.37	<10	<10	139
UGA-56	212.00	214.00	2.00	M302531	2.23	910	2	0.01	14	1050	13	3.03	18	22	84	<20	0.38	<10	<10	144
UGA-56	214.00	216.00	2.00	M302532	2.45	1180	3	0.01	11	900	12	2.83	21	18	121	<20	0.32	<10	<10	129
UGA-56	216.00	218.00	2.00	M302533	2.42	1065	2	0.01	11	980	12	2.95	18	20	80	<20	0.37	<10	<10	140
UGA-56	218.00	220.00	2.00	M302534	2.45	912	2	0.01	14	1080	12	2	17	22	60	<20	0.4	<10	<10	160
UGA-56	220.00	222.00	2.00	M302535	2.14	925	2	0.02	9	1080	13	1.62	16	21	75	<20	0.4	<10	<10	157
UGA-56	222.00	223.00	2.00	M302536	1.66	1070	2	0.04	13	1000	13	2.18	16	20	80	<20	0.37	<10	<10	142
UGA-56	223.00	224.00	1.00	M302537	1.27	1120	1	0.19	10	1060	9	0.35	22	21	156	<20	0.4	<10	<10	152
UGA-56	224.00	225.00	1.00	M302538	1.12	1260	2	0.28	10	1040	12	0.21	21	20	166	<20	0.37	<10	<10	146
UGA-56	225.00	227.00	2.00	M302540	0.62	1450	2	0.05	12	1200	12	0.79	27	23	63	<20	0.43	<10	<10	164
UGA-56	227.00	228.00	1.00	M302541	2.28	1725	2	0.01	8	860	10	1.78	19	18	76	<20	0.32	10	10	124
UGA-56	228.00	230.00	2.00	M302543	2.24	1065	2	0.01	9	930	9	2.8	16	19	54	<20	0.33	10	<10	128
UGA-56	230.00	232.00	2.00	M302544	2.1	876	2	0.01	9	910	10	3.26	21	19	45	<20	0.34	<10	<10	128
UGA-56	232.00	234.00	2.00	M302545	2.26	1060	3	0.02	13	950	13	3.05	20	19	50	<20	0.35	10	<10	131
UGA-56	234.00	236.00	2.00	M302546	2.13	1200	2	0.02	12	980	11	2.15	14	19	57	<20	0.37	<10	<10	138
UGA-56	236.00	238.00	2.00	M302547	1.69	944	3	0.02	12	940	13	2.92	22	18	41	<20	0.34	<10	<10	130
UGA-56	238.00	240.00	2.00	M302548	2.28	1335	1	0.02	9	930	10	1.37	13	19	57	<20	0.35	<10	<10	131
UGA-56	240.00	242.00	2.00	M302549	2.07	1485	1	0.01	11	920	12	1.84	14	18	50	<20	0.34	<10	<10	130
UGA-56	242.00	244.00	2.00	M302551	0.67	2200	3	0.02	17	1110	14	1.01	37	22	41	<20	0.42	10	<10	163
UGA-56	244.00	246.00	2.00	M302552	0.37	1660	2	0.04	12	1220	12	0.65	34	23	58	<20	0.45	<10	<10	172
UGA-56	246.00	248.00	2.00	M302553	0.78	2370	2	0.01	14	1120	12	0.91	34	22	37	<20	0.41	<10	<10	157
UGA-56	248.00	249.00	1.00	M302554	2.35	1740	3	0.01	9	830	15	2.37	23	17	53	<20	0.29	<10	<10	107
UGA-56	249.00	251.00	2.00	M302556	2.36	1305	2	0.01	10	940	13	2.86	24	19	63	<20	0.35	<10	<10	128
UGA-56	251.00	253.00	2.00	M302557	2.42	1360	2	0.01	12	950	13	3.08	22	19	61	<20	0.35	<10	<10	135
UGA-56	253.00	255.00	2.00	M302558	2.25	1260	2	0.01	9	900	12	2.71	21	18	72	<20	0.33	10	<10	125
UGA-56	255.00	256.00	1.00	M302559	1.44	877	5	0.01	11	980	13	2.83	34	15	44	<20	0.28	<10	<10	113
UGA-56	256.00	258.00	2.00	M302560	1.48	1450	1	0.02	11	1080	11	1.24	23	20	53	<20	0.39	10	<10	150
UGA-56	258.00	259.00	1.00	M302561	1.63	1505	2	0.01	10	920	11	1.53	17	19	58	<20	0.34	10	<10	132
UGA-56	259.00	260.00	1.00	M302562	1.4	1660	1	0.18	11	990	8	0.65	19	20	121	<20	0.37	<10	<10	142
UGA-56	260.00	261.00	1.00	M302563	2.14	3020	2	0.01	13	880	12	1.56	33	20	56	<20	0.33	<10	<10	136
UGA-56	261.00	262.00	1.00	M302564	2.05	1555	2	0.01	11	1010	7	1.71	24	20	64	<20	0.37	10	<10	138
UGA-56	262.00	263.00	1.00	M302565	2.49	1205	2	0.01	12	880	11	2.94	19	18	77	<20	0.32	<10	<10	120
UGA-56	263.00	264.00	1.00	M302566	2.35	1180	2	0.01	11	890	12	2.74	27	17	56	<20	0.31	<10	<10	120
UGA-56	264.00	265.00	1.00	M302567	2.13	1885	4	0.01	11	900	9	2.23	40	16	38	<20	0.28	<10	<10	109
UGA-56	265.00	266.00	1.00	M302568	1.83	1880	2	0.01	10	940	9	2.06	40	17	30	<20	0.3	<10	<10	116
UGA-56	266.00	267.00	1.00	M302569	2.13	3850	10	0.01	3	320	10	1.32	61	9	30	<20	0.1	<10	<10	53
UGA-56	267.00	268.00	1.00	M302571	1.27	2250	36	0.01	3	170	38	1.57	95	5	24	<20	0.06	<10	<10	32

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-56	268.00	269.00	1.00	M302572	0.29	<0.5	1.76	138	80	1.2	<2	5.01	<0.5	5	9	2	3.29	<10	0.7	10
UGA-56	269.00	270.00	1.00	M302573	0.07	<0.5	1.24	47	60	0.9	2	10.7	<0.5	6	6	3	4.89	<10	0.48	10
UGA-56	270.00	271.00	1.00	M302574	0.17	0.5	2.44	123	110	1	2	6.12	<0.5	6	6	2	3.72	<10	1.01	10
UGA-56	271.00	272.00	1.00	M302575	0.09	<0.5	4.41	93	180	1.1	2	3.82	<0.5	7	6	5	2.71	10	1.83	10
UGA-56	272.00	273.00	1.00	M302576	0.07	0.5	5.01	91	210	1.2	<2	1.97	<0.5	8	9	10	2.57	10	2.12	10
UGA-56	273.00	274.00	1.00	M302577	0.13	1	6.48	147	240	1.3	4	2.02	<0.5	12	9	12	3.35	10	2.82	10
UGA-56	274.00	275.00	1.00	M302578	0.05	<0.5	5.57	65	190	1.2	2	4.76	<0.5	11	10	4	3.18	10	2.4	10
UGA-56	275.00	276.00	1.00	M302579	0.03	<0.5	5.46	82	130	1.3	2	5.69	<0.5	15	49	14	3.18	10	2.38	30
UGA-56	276.00	277.00	1.00	M302581	0.05	<0.5	6.06	107	130	1.4	3	5.48	<0.5	17	64	20	3.26	10	2.68	30
UGA-56	277.00	278.00	1.00	M302582	0.66	2.8	6.52	272	200	1.5	3	2.11	<0.5	15	27	11	3.89	20	2.85	10
UGA-56	278.00	279.00	1.00	M302583	0.12	1.4	5.33	99	190	1.2	2	4.41	<0.5	12	18	9	3.65	10	2.23	10
UGA-56	279.00	280.00	1.00	M302584	0.13	1.4	5.77	143	230	1.4	4	3.35	<0.5	14	14	5	3.87	10	2.38	10
UGA-56	280.00	281.00	1.00	M302585	0.14	3.3	4.93	97	200	1.4	5	5.04	<0.5	11	11	4	3.76	10	2.07	10
UGA-56	281.00	282.00	1.00	M302586	0.09	1.3	7.31	88	310	1.8	2	2.7	<0.5	12	8	5	3.94	20	3.1	20
UGA-56	282.00	283.00	1.00	M302587	0.06	0.5	7.21	104	300	1.6	<2	2.61	<0.5	11	9	15	3.3	20	3.09	10
UGA-56	283.00	284.00	1.00	M302588	0.6	1.2	5.29	211	240	1.2	4	3.41	<0.5	10	8	5	4.49	10	2.35	10
UGA-56	284.00	285.00	1.00	M302589	0.56	1.3	3.88	153	180	1.1	5	5.89	<0.5	9	7	3	4.32	10	1.68	10
UGA-56	285.00	286.00	1.00	M302590	0.26	1.3	4.89	209	230	1.3	4	4.1	<0.5	9	9	4	4.41	10	2.14	10
UGA-56	286.00	287.00	1.00	M302592	0.31	1.4	4.35	234	210	1.2	2	4.51	<0.5	9	11	3	4.82	10	1.9	10
UGA-56	287.00	288.00	1.00	M302593	0.28	1	3.63	209	170	1.3	<2	2.56	<0.5	6	9	3	4.22	10	1.57	10
UGA-56	288.00	289.00	1.00	M302594	0.3	0.9	3.7	215	150	1.2	<2	5.22	<0.5	9	8	3	4.44	10	1.61	10
UGA-56	289.00	290.00	1.00	M302595	0.41	2.3	3.1	285	120	1	3	5.67	<0.5	8	7	2	5.62	10	1.33	10
UGA-56	290.00	291.00	1.00	M302596	0.45	2.1	2.48	226	90	0.9	3	6.59	0.5	6	6	5	4.63	10	1.06	10
UGA-56	291.00	292.00	1.00	M302597	0.21	1.4	3.95	99	160	1.2	<2	3.22	<0.5	6	6	5	3.07	10	1.69	10
UGA-56	292.00	293.00	1.00	M302598	0.17	0.7	3.3	133	150	1.1	2	4.59	<0.5	6	6	2	3.47	10	1.43	10
UGA-56	293.00	294.00	1.00	M302599	0.14	0.6	3.53	89	160	1.2	<2	3.66	<0.5	6	7	2	3.05	10	1.53	10
UGA-56	294.00	295.00	1.00	M302601	0.13	0.5	2.98	90	120	1	2	2.86	<0.5	4	8	2	2.95	10	1.26	10
UGA-56	295.00	296.00	1.00	M302603	0.12	0.5	4.55	140	190	1.4	<2	1.51	<0.5	6	7	3	2.36	10	1.92	20
UGA-56	296.00	297.00	1.00	M302604	0.16	0.5	3.7	119	150	1.3	<2	4.11	<0.5	6	7	2	3.22	10	1.54	10
UGA-56	297.00	298.00	1.00	M302605	0.54	1.1	3.73	245	140	1.3	<2	2.13	<0.5	5	9	6	2.77	10	1.52	10
UGA-56	298.00	299.00	1.00	M302607	0.37	0.6	3.73	206	150	1.2	2	4.09	<0.5	5	8	4	3.59	10	1.55	10
UGA-56	299.00	300.00	1.00	M302608	0.1	0.8	5.3	97	210	1.5	3	2.07	<0.5	7	8	6	2.81	10	2.29	10
UGA-56	300.00	301.00	1.00	M302609	0.12	1.6	6.4	78	190	2	<2	1.64	<0.5	16	52	40	2.95	10	2.63	10
UGA-56	301.00	302.00	1.00	M302611	0.13	1.4	5.55	33	160	1.6	<2	1.9	<0.5	15	64	125	3	10	2.31	10
UGA-56	302.00	303.00	1.00	M302612	0.1	1.1	5.89	83	210	1.5	<2	1.01	<0.5	7	12	16	2.32	10	2.49	<10
UGA-56	303.00	304.00	1.00	M302613	0.07	1.1	6.37	73	240	1.4	<2	1.9	<0.5	8	7	9	2.73	10	2.64	<10
UGA-56	304.00	305.00	1.00	M302614	0.1	1.7	6.43	84	240	1.5	<2	1.86	<0.5	8	9	10	3.05	10	2.64	<10
UGA-56	305.00	306.00	1.00	M302615	0.04	1.6	7.49	59	320	1.8	<2	2.72	<0.5	9	5	18	2.98	20	3.03	10
UGA-56	306.00	308.00	2.00	M302616	0.04	2.4	7.7	86	370	2.4	<2	2.57	<0.5	9	4	27	3.26	20	3.16	10
UGA-56	308.00	310.00	2.00	M302617	0.1	2	8.2	98	410	2.2	<2	2.11	<0.5	11	4	24	3.23	20	3.31	10
UGA-56	310.00	311.00	1.00	M302618	0.06	0.9	7.54	81	290	1.7	<2	2.93	<0.5	8	4	29	3.05	10	3.15	<10
UGA-56	311.00	312.00	1.00	M302619	0.13	1	8.24	73	230	2.1	<2	1.9	<0.5	9	3	116	2.54	20	3.59	10
UGA-56	312.00	313.00	1.00	M302620	0.52	0.9	6.46	96	230	1.5	<2	3.42	<0.5	7	6	24	3.45	10	2.84	<10
UGA-56	313.00	314.00	1.00	M302621	0.19	0.9	5.46	68	210	1.3	<2	4.79	<0.5	6	7	14	3.83	10	2.41	<10

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-56	268.00	269.00	1.00	M302572	2.05	3230	10	0.03	1	150	11	1.17	70	5	39	<20	0.09	<10	<10	35
UGA-56	269.00	270.00	1.00	M302573	4.52	5780	5	0.02	<1	120	5	0.76	42	6	54	<20	0.07	<10	<10	30
UGA-56	270.00	271.00	1.00	M302574	2.43	3770	19	0.02	<1	250	10	1.57	37	7	39	<20	0.13	10	<10	43
UGA-56	271.00	272.00	1.00	M302575	1.68	1805	6	0.05	<1	450	10	1.45	18	8	42	<20	0.22	<10	<10	62
UGA-56	272.00	273.00	1.00	M302576	0.94	789	4	0.04	1	440	13	1.72	19	10	32	<20	0.26	10	<10	73
UGA-56	273.00	274.00	1.00	M302577	1.07	837	5	0.05	<1	560	14	2.87	22	14	31	<20	0.34	<10	<10	109
UGA-56	274.00	275.00	1.00	M302578	2.26	2180	3	0.03	<1	480	10	1.92	12	13	42	<20	0.29	<10	<10	102
UGA-56	275.00	276.00	1.00	M302579	2.47	2640	3	0.02	7	870	8	1.19	20	15	43	<20	0.28	<10	<10	106
UGA-56	276.00	277.00	1.00	M302581	2.29	1905	7	0.02	14	1000	11	1.1	17	17	41	<20	0.3	<10	<10	121
UGA-56	277.00	278.00	1.00	M302582	1.22	837	24	0.04	5	680	19	3.63	22	19	37	<20	0.37	<10	<10	167
UGA-56	278.00	279.00	1.00	M302583	2.09	2110	4	0.05	3	440	13	2.55	16	14	51	<20	0.3	<10	<10	146
UGA-56	279.00	280.00	1.00	M302584	1.66	1455	5	0.07	1	550	13	3.26	15	15	52	<20	0.31	<10	<10	99
UGA-56	280.00	281.00	1.00	M302585	2.46	2290	12	0.05	<1	480	14	2.69	19	11	55	<20	0.26	<10	<10	74
UGA-56	281.00	282.00	1.00	M302586	1.46	1225	2	0.07	1	570	6	3.52	9	14	48	<20	0.37	10	<10	91
UGA-56	282.00	283.00	1.00	M302587	1.22	1220	1	0.09	<1	750	7	2.39	17	14	54	<20	0.37	10	<10	94
UGA-56	283.00	284.00	1.00	M302588	1.58	2090	8	0.04	1	540	12	3.69	16	11	38	<20	0.28	10	<10	87
UGA-56	284.00	285.00	1.00	M302589	2.76	3020	6	0.03	<1	350	10	2.9	16	7	45	<20	0.2	<10	<10	60
UGA-56	285.00	286.00	1.00	M302590	1.96	1865	4	0.04	2	400	8	3.62	17	10	42	<20	0.25	<10	<10	71
UGA-56	286.00	287.00	1.00	M302592	2.01	2440	5	0.04	1	360	7	3.55	18	9	41	<20	0.22	<10	<10	67
UGA-56	287.00	288.00	1.00	M302593	1.09	1590	5	0.03	<1	250	9	3.41	28	7	27	<20	0.15	<10	<10	46
UGA-56	288.00	289.00	1.00	M302594	2.42	2330	6	0.02	1	310	8	3.26	19	8	41	<20	0.19	<10	<10	61
UGA-56	289.00	290.00	1.00	M302595	2.54	3230	38	0.02	<1	240	14	4.3	36	5	42	<20	0.13	<10	<10	51
UGA-56	290.00	291.00	1.00	M302596	2.94	3830	20	0.02	<1	190	19	3.08	34	4	47	<20	0.1	10	<10	49
UGA-56	291.00	292.00	1.00	M302597	1.47	1860	7	0.03	<1	380	8	2.27	15	7	30	<20	0.19	<10	<10	56
UGA-56	292.00	293.00	1.00	M302598	1.98	2370	7	0.02	<1	240	9	2	21	5	32	<20	0.13	<10	<10	37
UGA-56	293.00	294.00	1.00	M302599	1.58	2250	4	0.02	<1	250	5	1.96	19	5	28	<20	0.13	<10	<10	37
UGA-56	294.00	295.00	1.00	M302601	1.12	1740	3	0.03	<1	240	5	1.55	18	5	24	<20	0.12	<10	<10	34
UGA-56	295.00	296.00	1.00	M302603	0.71	931	5	0.05	2	470	10	1.63	27	6	27	<20	0.2	<10	<10	49
UGA-56	296.00	297.00	1.00	M302604	1.65	2680	4	0.05	<1	460	10	1.44	22	6	34	<20	0.16	<10	<10	41
UGA-56	297.00	298.00	1.00	M302605	0.92	1230	7	0.05	<1	460	11	1.9	33	6	28	<20	0.17	10	<10	41
UGA-56	298.00	299.00	1.00	M302607	1.71	2520	6	0.05	<1	450	9	2.05	23	6	33	<20	0.17	<10	<10	43
UGA-56	299.00	300.00	1.00	M302608	0.99	1070	8	0.04	<1	560	11	2.09	20	8	22	<20	0.24	<10	<10	57
UGA-56	300.00	301.00	1.00	M302609	0.76	716	7	0.07	12	1060	19	2.13	23	15	37	<20	0.32	<10	<10	109
UGA-56	301.00	302.00	1.00	M302611	0.81	1375	3	0.04	13	1140	10	1.07	20	16	29	<20	0.28	<10	<10	107
UGA-56	302.00	303.00	1.00	M302612	0.53	403	6	0.04	3	770	15	1.86	26	9	18	<20	0.28	<10	<10	67
UGA-56	303.00	304.00	1.00	M302613	0.81	760	6	0.08	1	990	13	1.86	24	9	27	<20	0.3	<10	<10	68
UGA-56	304.00	305.00	1.00	M302614	0.8	745	6	0.08	2	840	14	2.28	22	9	28	<20	0.3	<10	<10	74
UGA-56	305.00	306.00	1.00	M302615	1.09	829	5	0.11	2	830	18	1.79	21	11	40	<20	0.35	<10	<10	82
UGA-56	306.00	308.00	2.00	M302616	1.12	845	5	0.12	3	790	23	2.37	32	11	43	<20	0.37	<10	<10	82
UGA-56	308.00	310.00	2.00	M302617	1.01	763	6	0.14	<1	880	20	2.52	29	12	42	<20	0.39	<10	<10	96
UGA-56	310.00	311.00	1.00	M302618	1.21	1610	2	0.12	1	810	10	1.73	27	11	44	<20	0.36	10	<10	77
UGA-56	311.00	312.00	1.00	M302619	0.81	1035	1	0.08	3	880	10	1.31	47	12	35	<20	0.4	<10	<10	87
UGA-56	312.00	313.00	1.00	M302620	1.35	2050	3	0.06	3	670	12	1.86	30	10	32	<20	0.3	<10	10	72
UGA-56	313.00	314.00	1.00	M302621	1.81	2800	8	0.04	1	580	12	1.62	23	9	32	<20	0.26	<10	<10	63

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-56	314.00	315.00	1.00	M302622	0.1	0.9	6.92	58	260	1.4	<2	2.81	<0.5	7	6	29	3.17	10	2.99	<10
UGA-56	315.00	316.70	1.70	M302623	0.12	1	8.13	105	290	1.9	<2	2.58	<0.5	10	4	25	3.59	20	3.35	10
UGA-57	12.00	13.00	1.00	M302744	0.08	0.9	7.4	139	710	1.3	<2	0.48	<0.5	17	66	43	4.47	20	3.87	30
UGA-57	13.00	14.00	1.00	M302745	0.07	1.1	6.51	242	300	1.2	<2	0.45	<0.5	18	66	35	5.32	10	3.64	30
UGA-57	14.00	15.00	1.00	M302746	0.07	0.9	6.6	175	300	1.1	<2	0.58	<0.5	17	62	28	4.73	10	3.59	20
UGA-57	15.00	16.00	1.00	M302747	0.05	<0.5	7.13	175	710	1.2	<2	0.78	<0.5	17	62	28	5.08	20	3.97	30
UGA-57	16.00	17.00	1.00	M302748	0.12	1.8	6.87	251	600	1.2	<2	0.82	<0.5	15	62	24	3.53	10	3.91	30
UGA-57	17.00	18.00	1.00	M302749	0.48	3.5	6.8	232	440	1.1	<2	0.58	<0.5	16	61	33	4.05	10	4.71	30
UGA-57	18.00	19.00	1.00	M302751	0.29	4	6.68	305	430	1.1	<2	0.46	<0.5	16	61	32	4.25	10	4.65	30
UGA-57	19.00	20.00	1.00	M302752	0.07	1	6.72	108	380	1.2	<2	0.83	<0.5	14	61	31	5.1	10	3.68	30
UGA-57	32.00	33.00	1.00	M302753	0.16	2.1	6.87	311	690	1.2	2	0.47	<0.5	15	60	30	4.27	20	4.47	30
UGA-57	33.00	34.00	1.00	M302754	0.17	2.2	6.58	301	700	1.1	<2	0.45	<0.5	16	59	28	3.66	10	4.52	20
UGA-57	34.00	35.00	1.00	M302755	0.29	2.2	7.02	316	610	1.1	3	0.92	<0.5	20	59	30	4.71	10	4.79	30
UGA-57	35.00	36.00	1.00	M302756	0.4	3.6	6.57	306	620	1.1	2	0.68	<0.5	17	57	28	4.13	10	4.61	20
UGA-57	36.00	37.00	1.00	M302757	0.22	2.2	6.51	337	640	1.1	2	0.4	<0.5	18	57	25	4.15	10	4.6	20
UGA-57	37.00	38.00	1.00	M302758	0.25	1.7	6.75	415	640	1.2	<2	0.42	<0.5	17	57	26	5.05	20	4.22	20
UGA-57	38.00	39.00	1.00	M302759	0.28	5.3	6.53	534	730	1.2	<2	0.34	<0.5	16	59	41	4.36	10	4.81	20
UGA-57	39.00	40.00	1.00	M302760	1.73	9.3	5.74	446	650	1.2	<2	0.25	<0.5	14	57	35	2.9	10	4	20
UGA-57	40.00	41.00	1.00	M302761	2.3	20.5	3.43	963	270	0.9	<2	0.25	<0.5	10	45	23	3.47	10	1.68	<10
UGA-57	41.00	42.00	1.00	M302762	0.22	5.1	6.08	125	740	1.2	<2	0.32	<0.5	16	56	26	3.79	10	3.93	20
UGA-57	42.00	43.00	1.00	M302763	0.2	2.9	7.23	256	630	1.2	<2	0.83	<0.5	22	62	32	5.61	10	4.99	30
UGA-57	43.00	44.00	1.00	M302764	0.22	3.1	7.38	313	780	1.2	<2	1	<0.5	21	63	38	5.12	20	5.08	20
UGA-57	44.00	45.00	1.00	M302765	0.06	1.3	6.58	194	620	1.2	2	1	<0.5	16	57	30	5.64	10	4.08	20
UGA-57	45.00	46.00	1.00	M302766	0.25	4.3	5.66	235	590	0.9	<2	1.16	<0.5	16	52	26	4.44	10	4.43	20
UGA-57	46.00	47.00	1.00	M302767	0.08	2.9	6.1	200	550	1.2	<2	1.24	<0.5	17	56	27	4.94	10	4.21	20
UGA-57	47.00	48.00	1.00	M302768	0.06	2.6	6.64	165	670	1.2	<2	1.36	<0.5	16	62	27	5	10	5.01	30
UGA-57	48.00	49.00	1.00	M302769	0.08	3.2	5.97	230	700	1.2	<2	1.13	<0.5	15	52	23	4.15	10	4.09	20
UGA-57	49.00	50.00	1.00	M302771	0.04	1.8	7.14	190	600	1.4	<2	0.66	<0.5	20	68	34	3.82	10	4.71	30
UGA-57	50.00	51.00	1.00	M302772	0.05	2.1	6.95	281	480	1.6	2	0.3	<0.5	19	61	31	6.05	10	4.41	30
UGA-57	51.00	52.00	1.00	M302773	0.08	2.6	6.41	297	550	1.5	<2	0.27	<0.5	19	60	28	5.61	10	4.76	20
UGA-57	52.00	53.00	1.00	M302774	0.29	16	4.74	797	460	1	<2	0.44	<0.5	13	52	49	3.74	10	3.74	20
UGA-57	53.00	54.00	1.00	M302775	0.1	8.1	5.86	1790	550	1	<2	0.67	<0.5	16	58	25	4.94	10	4.72	20
UGA-57	54.00	55.00	1.00	M302776	0.2	9.4	1.84	5290	80	0.8	<2	0.69	<0.5	4	37	8	3.54	<10	0.58	10
UGA-57	55.00	56.00	1.00	M302777	0.15	6.1	3.4	2420	240	0.8	<2	0.41	<0.5	12	41	14	4.64	10	2.01	10
UGA-57	56.00	57.00	1.00	M302779	0.07	1.9	4.89	1435	630	0.8	<2	0.25	<0.5	12	42	19	3.61	10	4.41	20
UGA-57	57.00	58.00	1.00	M302780	0.21	4.9	6.42	2020	390	1.1	<2	0.34	<0.5	18	42	27	4.69	10	4.47	20
UGA-57	58.00	59.00	1.00	M302781	0.1	1.8	2.79	1295	150	0.8	<2	0.39	<0.5	13	40	13	4.9	<10	1.04	10
UGA-57	59.00	60.00	1.00	M302783	0.64	3.9	3.2	3240	150	1	<2	0.53	<0.5	13	42	16	5.69	<10	1.2	10
UGA-57	60.00	61.00	1.00	M302784	0.47	4.4	0.97	555	80	0.6	<2	0.2	<0.5	4	41	10	2.53	<10	0.58	<10
UGA-57	61.00	62.00	1.00	M302785	0.09	1.4	0.34	303	10	0.6	2	0.12	<0.5	<1	47	3	1.46	<10	0.03	<10
UGA-57	62.00	63.00	1.00	M302786	0.18	1.6	0.43	2350	10	0.5	<2	0.11	<0.5	3	46	5	2.8	<10	0.03	<10
UGA-57	63.00	64.00	1.00	M302787	1.01	6.1	0.61	8210	10	0.5	<2	0.53	<0.5	2	44	10	4.57	<10	0.03	<10
UGA-57	64.00	65.00	1.00	M302789	0.35	4.2	3.19	531	30	1.2	<2	0.39	<0.5	9	50	18	4.3	10	0.52	10
UGA-57	65.00	66.00	1.00	M302790	0.38	3.3	5.51	389	80	1.3	<2	0.26	<0.5	15	50	27	3.01	10	1.48	20

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-56	314.00	315.00	1.00	M302622	1.08	1555	3	0.07	2	700	11	1.39	18	10	29	<20	0.33	<10	<10	69
UGA-56	315.00	316.70	1.70	M302623	1.01	1160	1	0.13	5	810	15	2.22	27	12	39	<20	0.38	<10	<10	78
UGA-57	12.00	13.00	1.00	M302744	1.19	688	3	0.03	11	1010	15	2.44	10	23	59	<20	0.4	<10	<10	152
UGA-57	13.00	14.00	1.00	M302745	0.65	282	5	0.03	14	1270	15	5.16	13	20	62	<20	0.38	<10	<10	152
UGA-57	14.00	15.00	1.00	M302746	0.78	354	5	0.03	14	1140	14	4.22	19	20	60	<20	0.36	<10	<10	144
UGA-57	15.00	16.00	1.00	M302747	1.28	675	3	0.03	14	1030	11	3.31	10	21	84	<20	0.38	<10	<10	145
UGA-57	16.00	17.00	1.00	M302748	0.71	282	3	0.03	11	1010	13	3.18	13	20	64	<20	0.37	<10	<10	138
UGA-57	17.00	18.00	1.00	M302749	0.84	513	10	0.04	13	1000	10	3.09	30	21	93	<20	0.37	<10	<10	148
UGA-57	18.00	19.00	1.00	M302751	0.64	328	13	0.04	14	1120	13	3.88	34	20	99	<20	0.35	<10	<10	143
UGA-57	19.00	20.00	1.00	M302752	1.18	700	3	0.03	13	970	9	3.26	9	21	75	<20	0.37	<10	<10	142
UGA-57	32.00	33.00	1.00	M302753	1.09	562	5	0.03	13	1140	9	2.73	20	21	66	<20	0.36	10	<10	138
UGA-57	33.00	34.00	1.00	M302754	0.82	392	7	0.04	13	1110	10	2.76	18	19	108	<20	0.34	10	<10	127
UGA-57	34.00	35.00	1.00	M302755	1.36	715	4	0.04	14	1100	11	2.86	14	20	136	<20	0.35	10	<10	137
UGA-57	35.00	36.00	1.00	M302756	1.1	603	3	0.04	14	1120	11	2.56	25	19	184	<20	0.33	10	<10	124
UGA-57	36.00	37.00	1.00	M302757	1.02	539	3	0.04	13	1000	11	2.77	21	19	132	<20	0.34	<10	<10	124
UGA-57	37.00	38.00	1.00	M302758	1.3	837	2	0.03	13	960	11	2.76	18	20	73	<20	0.36	10	<10	132
UGA-57	38.00	39.00	1.00	M302759	0.83	565	2	0.04	14	980	12	3.49	35	19	75	<20	0.34	<10	<10	128
UGA-57	39.00	40.00	1.00	M302760	0.51	208	4	0.03	10	940	14	2.55	59	16	56	<20	0.3	10	<10	110
UGA-57	40.00	41.00	1.00	M302761	0.27	125	7	0.02	6	1010	14	3.25	165	8	41	<20	0.15	10	<10	72
UGA-57	41.00	42.00	1.00	M302762	1.08	675	2	0.03	12	1030	7	2.04	31	17	55	<20	0.32	<10	<10	118
UGA-57	42.00	43.00	1.00	M302763	1.65	942	2	0.04	17	1190	10	2.81	16	21	102	<20	0.37	10	<10	143
UGA-57	43.00	44.00	1.00	M302764	1.62	698	2	0.05	16	1100	11	3.47	11	22	115	<20	0.38	<10	<10	151
UGA-57	44.00	45.00	1.00	M302765	1.85	786	2	0.03	13	1020	8	3.69	13	20	84	<20	0.34	10	<10	132
UGA-57	45.00	46.00	1.00	M302766	1.16	486	3	0.04	13	1200	10	3.61	34	16	149	<20	0.29	<10	<10	105
UGA-57	46.00	47.00	1.00	M302767	1.3	487	3	0.04	14	1250	11	4.16	22	19	95	<20	0.32	<10	<10	132
UGA-57	47.00	48.00	1.00	M302768	1.73	600	3	0.04	12	1240	8	3.79	27	21	104	<20	0.35	10	<10	140
UGA-57	48.00	49.00	1.00	M302769	1.12	487	3	0.04	12	1290	10	3.55	26	18	97	<20	0.31	10	<10	123
UGA-57	49.00	50.00	1.00	M302771	0.86	395	2	0.03	17	1140	9	3.64	21	20	84	<20	0.39	10	<10	153
UGA-57	50.00	51.00	1.00	M302772	0.96	1240	2	0.04	16	960	8	4.05	23	21	93	<20	0.36	<10	<10	145
UGA-57	51.00	52.00	1.00	M302773	0.63	538	2	0.04	14	1020	9	5.24	24	19	107	<20	0.34	10	<10	137
UGA-57	52.00	53.00	1.00	M302774	0.24	74	7	0.03	10	2020	8	4.04	84	13	79	<20	0.24	10	<10	96
UGA-57	53.00	54.00	1.00	M302775	0.24	94	8	0.05	13	3090	10	5.03	58	16	131	<20	0.31	10	<10	113
UGA-57	54.00	55.00	1.00	M302776	0.11	204	27	0.01	6	2810	6	2.08	178	4	37	<20	0.07	10	<10	22
UGA-57	55.00	56.00	1.00	M302777	0.09	201	5	0.02	11	1750	8	3.67	163	7	49	<20	0.16	20	<10	45
UGA-57	56.00	57.00	1.00	M302779	0.1	87	7	0.05	10	1140	9	3.42	86	12	92	<20	0.25	10	<10	71
UGA-57	57.00	58.00	1.00	M302780	0.15	67	5	0.07	12	1690	12	4.31	89	15	108	<20	0.33	10	<10	109
UGA-57	58.00	59.00	1.00	M302781	0.05	134	4	0.01	11	1740	7	4.25	209	6	29	<20	0.14	20	<10	37
UGA-57	59.00	60.00	1.00	M302783	0.04	173	5	0.02	10	2390	8	4.41	185	7	36	<20	0.15	20	<10	47
UGA-57	60.00	61.00	1.00	M302784	0.08	177	4	0.01	6	650	5	1.54	237	2	22	<20	0.04	10	<10	12
UGA-57	61.00	62.00	1.00	M302785	0.06	173	4	0.01	4	240	4	0.43	240	1	14	<20	<0.01	10	<10	7
UGA-57	62.00	63.00	1.00	M302786	0.04	165	8	0.01	5	380	2	1.88	267	1	17	<20	0.01	30	<10	6
UGA-57	63.00	64.00	1.00	M302787	0.06	299	27	0.01	4	2210	6	2.97	303	1	17	<20	0.02	20	<10	12
UGA-57	64.00	65.00	1.00	M302789	0.12	242	5	0.01	10	1620	8	2.88	139	8	22	<20	0.16	10	<10	57
UGA-57	65.00	66.00	1.00	M302790	0.19	107	3	0.01	12	1070	11	2.88	88	14	24	<20	0.29	<10	<10	106

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-57	66.00	67.00	1.00	M302791	0.52	2.6	6.27	461	150	1.4	<2	0.47	<0.5	19	46	31	4.77	10	1.54	20
UGA-57	67.00	68.00	1.00	M302792	0.41	1.7	3.6	1955	200	0.9	<2	0.45	<0.5	20	41	19	5.91	10	1.54	10
UGA-57	68.00	69.00	1.00	M302793	0.39	3	3.8	734	200	0.9	<2	0.65	<0.5	11	46	23	4.01	10	1.7	10
UGA-57	69.00	70.00	1.00	M302794	0.59	7.2	2.7	812	200	0.9	<2	1.12	<0.5	9	39	25	3.83	10	1.42	10
UGA-57	70.00	71.00	1.00	M302795	0.43	1.5	2.8	359	140	0.9	<2	0.79	<0.5	6	48	15	2.34	10	1.12	10
UGA-57	71.00	72.00	1.00	M302796	0.44	3.1	6.42	428	560	1.2	<2	0.3	<0.5	17	46	30	2.93	10	3.96	20
UGA-57	72.00	73.00	1.00	M302797	0.7	2.4	5.98	342	590	1.1	<2	0.28	<0.5	15	41	27	2.92	10	3.61	20
UGA-57	73.00	74.00	1.00	M302798	0.48	2.4	6.39	475	620	1.2	<2	0.29	<0.5	18	41	30	3.45	10	3.97	20
UGA-57	74.00	75.00	1.00	M302799	0.56	2.5	6.53	555	550	1.3	<2	0.38	<0.5	17	49	28	3.57	10	4.09	30
UGA-57	75.00	76.00	1.00	M302801	0.59	2.2	6.18	256	630	1.2	<2	0.32	<0.5	16	44	24	2.92	10	4.15	20
UGA-57	76.00	77.00	1.00	M302802	0.87	2.7	6.92	468	640	1.4	<2	0.48	<0.5	18	49	35	3.25	10	4.47	30
UGA-57	77.00	78.00	1.00	M302803	0.92	4	7.31	859	450	1.3	<2	0.69	<0.5	20	50	39	3.4	20	3.76	30
UGA-57	78.00	79.00	1.00	M302804	1.24	2.9	4.67	360	170	1.1	<2	0.76	<0.5	12	47	19	2.56	10	1.45	20
UGA-57	79.00	80.00	1.00	M302805	1.09	2.2	1.06	1610	70	0.6	<2	0.53	<0.5	2	53	9	2.23	<10	0.42	10
UGA-57	80.00	81.00	1.00	M302807	0.69	7.5	4.47	1260	310	1	<2	0.41	<0.5	11	46	18	2.88	10	2.11	20
UGA-57	81.00	82.00	1.00	M302808	0.64	8	5.8	442	560	1.2	<2	0.38	<0.5	16	48	27	3.29	10	3.24	20
UGA-57	82.00	83.00	1.00	M302809	0.29	2	6.66	315	720	1.6	<2	0.35	<0.5	23	39	24	5.04	10	3.87	30
UGA-57	83.00	84.00	1.00	M302810	0.43	2.8	6.96	289	880	1.6	<2	0.44	<0.5	26	37	26	5.58	20	4.33	30
UGA-57	84.00	85.00	1.00	M302811	0.29	2.5	5.06	286	600	1.1	<2	0.25	<0.5	13	38	20	3.09	10	3.08	20
UGA-57	85.00	86.00	1.00	M302812	0.36	2.9	7.4	494	850	1.6	3	0.35	<0.5	21	45	33	4.24	10	4.69	30
UGA-57	86.00	87.00	1.00	M302813	0.36	3.3	6.78	425	760	1.5	3	0.52	<0.5	20	36	33	4.44	10	4.51	30
UGA-57	87.00	89.00	2.00	M302814	0.47	3.8	6.22	341	820	1.3	3	0.52	<0.5	17	32	23	4.44	10	3.98	30
UGA-57	89.00	90.00	1.00	M302815	0.65	3.8	5.97	662	700	1.4	3	0.66	<0.5	19	36	26	4.24	10	4.37	30
UGA-57	90.00	91.00	1.00	M302816	0.52	3.4	4.27	898	500	0.9	3	0.4	<0.5	12	37	19	4.06	<10	3.63	20
UGA-57	91.00	92.00	1.00	M302817	1.11	7.6	2.89	1485	210	0.8	3	0.71	<0.5	8	36	25	5.95	<10	1.2	10
UGA-57	92.00	93.00	1.00	M302818	0.25	3	4.63	267	50	1.5	4	0.43	<0.5	13	66	30	4	10	1.39	20
UGA-57	93.00	94.00	1.00	M302819	0.12	<0.5	6.45	203	120	1.6	3	3.75	<0.5	22	63	34	4.89	10	2.22	30
UGA-57	94.00	95.00	1.00	M302820	0.24	<0.5	6.67	347	290	1.3	4	5.37	<0.5	18	73	34	5.04	10	1.96	30
UGA-58	2.00	3.00	1.00	M302821	0.38	1.1	7.45	203	340	1.3	5	0.41	<0.5	17	66	28	4.83	10	4.23	30
UGA-58	3.00	4.00	1.00	M302822	0.32	2.5	7.39	142	330	1.3	4	0.46	<0.5	17	67	33	3.8	10	4.48	30
UGA-58	4.00	5.00	1.00	M302823	0.07	0.8	7.77	209	320	1.3	2	0.52	<0.5	19	70	42	5.84	20	4.72	30
UGA-58	5.00	6.00	1.00	M302824	0.05	0.7	7.8	203	380	1.4	<2	0.43	<0.5	19	68	32	5.03	20	4.05	30
UGA-58	6.00	7.00	1.00	M302825	0.07	0.9	7.92	239	720	1.3	<2	0.51	<0.5	18	69	60	4.51	10	4.97	20
UGA-58	7.00	8.00	1.00	M302826	0.05	0.6	8.37	136	410	1.3	3	0.63	<0.5	22	78	38	4.27	20	5.07	30
UGA-58	8.00	9.00	1.00	M302827	0.2	1.2	8.12	253	790	1.4	<2	0.75	<0.5	20	75	32	5.4	20	4.64	30
UGA-58	9.00	10.00	1.00	M302828	0.21	1.6	6.83	258	420	1.1	2	0.48	<0.5	18	66	28	5.04	10	4.48	30
UGA-58	10.00	11.00	1.00	M302829	0.09	1.5	7.47	137	330	1.3	<2	0.91	<0.5	15	70	32	4.2	10	4.33	30
UGA-58	11.00	12.00	1.00	M302831	0.05	<0.5	7.24	143	510	1.2	3	0.87	<0.5	19	67	36	5.35	10	4.34	30
UGA-58	12.00	13.00	1.00	M302832	0.06	<0.5	7.55	181	600	1.3	3	0.89	<0.5	19	68	31	5.42	10	4.96	30
UGA-58	13.00	14.00	1.00	M302833	0.06	<0.5	6.99	187	610	1.2	3	0.96	<0.5	15	63	39	5	10	4.56	30
UGA-58	14.00	15.00	1.00	M302834	0.06	1	7.95	216	320	1.3	2	0.46	<0.5	18	72	33	4.12	20	5.63	30
UGA-58	15.00	16.00	1.00	M302835	0.16	0.8	7.67	174	420	1.4	2	0.65	<0.5	22	69	47	5.5	20	5.39	30
UGA-58	16.00	17.00	1.00	M302836	0.05	0.5	7.17	153	290	1.4	2	0.74	<0.5	15	62	32	6.56	10	4.67	30
UGA-58	17.00	18.00	1.00	M302837	0.21	1.5	6.78	241	640	1.2	2	0.5	<0.5	16	64	25	4.08	10	5.37	20

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-57	66.00	67.00	1.00	M302791	0.11	75	2	0.01	13	2080	15	4.67	105	16	25	<20	0.32	10	<10	106
UGA-57	67.00	68.00	1.00	M302792	0.03	123	3	0.01	14	2000	8	5.87	239	7	35	<20	0.16	50	<10	51
UGA-57	68.00	69.00	1.00	M302793	0.03	141	6	0.02	10	2770	9	3.42	138	7	31	<20	0.17	10	<10	54
UGA-57	69.00	70.00	1.00	M302794	0.06	96	6	0.02	6	4790	9	3.25	140	6	38	<20	0.12	10	<10	70
UGA-57	70.00	71.00	1.00	M302795	0.09	156	5	0.02	8	3300	5	1.47	117	6	41	<20	0.13	10	<10	66
UGA-57	71.00	72.00	1.00	M302796	0.21	60	2	0.03	12	1300	10	2.92	57	14	79	<20	0.33	10	<10	121
UGA-57	72.00	73.00	1.00	M302797	0.28	72	2	0.04	12	1120	10	2.86	52	15	82	<20	0.31	10	<10	117
UGA-57	73.00	74.00	1.00	M302798	0.64	92	2	0.07	12	1170	9	3.33	49	15	84	<20	0.34	10	<10	123
UGA-57	74.00	75.00	1.00	M302799	0.29	88	4	0.09	14	1510	11	3.48	57	16	68	<20	0.34	10	<10	131
UGA-57	75.00	76.00	1.00	M302801	0.29	75	4	0.05	12	1280	8	2.91	58	15	91	<20	0.32	10	<10	119
UGA-57	76.00	77.00	1.00	M302802	0.26	84	4	0.08	12	2030	11	3.14	52	17	69	<20	0.36	10	<10	134
UGA-57	77.00	78.00	1.00	M302803	0.27	68	13	0.04	14	3000	11	3.44	65	17	65	<20	0.39	10	<10	150
UGA-57	78.00	79.00	1.00	M302804	0.15	103	12	0.02	10	3050	9	2.26	94	11	40	<20	0.24	10	<10	94
UGA-57	79.00	80.00	1.00	M302805	0.09	174	5	0.02	5	1840	4	1.54	162	3	30	<20	0.04	10	<10	20
UGA-57	80.00	81.00	1.00	M302807	0.13	88	4	0.02	9	1670	7	2.73	107	11	48	<20	0.23	10	<10	92
UGA-57	81.00	82.00	1.00	M302808	0.47	124	5	0.04	13	1520	9	2.83	88	14	67	<20	0.29	10	<10	116
UGA-57	82.00	83.00	1.00	M302809	1.98	985	3	0.05	17	1130	9	2.83	23	17	78	<20	0.34	10	<10	134
UGA-57	83.00	84.00	1.00	M302810	3.19	1315	1	0.05	19	1350	10	2.89	20	18	95	<20	0.35	10	<10	141
UGA-57	84.00	85.00	1.00	M302811	1.28	166	1	0.05	11	870	8	2.46	44	12	74	<20	0.26	<10	<10	105
UGA-57	85.00	86.00	1.00	M302812	2.34	245	1	0.08	18	1320	10	3.23	20	20	107	<20	0.39	10	<10	161
UGA-57	86.00	87.00	1.00	M302813	2.75	331	2	0.1	15	2100	9	3.05	23	18	94	<20	0.36	10	<10	144
UGA-57	87.00	89.00	2.00	M302814	3.01	330	1	0.1	17	2060	12	2.94	28	17	87	<20	0.32	10	<10	130
UGA-57	89.00	90.00	1.00	M302815	1.18	161	3	0.09	13	2730	10	3.56	47	15	89	<20	0.32	10	10	126
UGA-57	90.00	91.00	1.00	M302816	0.08	109	4	0.05	9	1720	8	3.83	92	10	77	<20	0.21	20	<10	81
UGA-57	91.00	92.00	1.00	M302817	0.09	114	4	0.02	9	3010	6	5.73	108	7	41	<20	0.13	30	<10	50
UGA-57	92.00	93.00	1.00	M302818	0.36	149	3	0.01	15	1690	8	3.47	75	13	22	<20	0.23	10	<10	94
UGA-57	93.00	94.00	1.00	M302819	1.94	1575	3	0.01	18	1030	15	2.94	10	20	55	<20	0.33	10	<10	136
UGA-57	94.00	95.00	1.00	M302820	3.02	1930	1	0.01	14	1060	13	1.89	8	19	82	<20	0.35	<10	<10	140
UGA-58	2.00	3.00	1.00	M302821	1.24	835	2	0.03	9	1070	11	2.56	14	23	60	<20	0.39	<10	<10	156
UGA-58	3.00	4.00	1.00	M302822	0.92	496	3	0.03	10	1090	13	2.53	20	22	65	<20	0.4	10	<10	155
UGA-58	4.00	5.00	1.00	M302823	1.58	1010	2	0.03	14	990	11	3.03	21	25	69	<20	0.42	10	<10	163
UGA-58	5.00	6.00	1.00	M302824	1.38	804	2	0.02	12	1070	14	2.85	6	24	48	<20	0.42	<10	<10	170
UGA-58	6.00	7.00	1.00	M302825	1.04	551	3	0.03	13	1050	13	3.22	16	24	74	<20	0.42	10	<10	172
UGA-58	7.00	8.00	1.00	M302826	1.29	647	3	0.03	14	1190	9	2.33	<5	26	68	<20	0.45	10	<10	190
UGA-58	8.00	9.00	1.00	M302827	1.46	821	3	0.03	13	1140	12	3.29	13	25	68	<20	0.44	10	<10	172
UGA-58	9.00	10.00	1.00	M302828	1.04	513	4	0.03	13	950	11	3.55	14	21	68	<20	0.38	10	<10	148
UGA-58	10.00	11.00	1.00	M302829	1.08	584	7	0.03	13	1160	11	2.93	16	23	74	<20	0.4	10	<10	163
UGA-58	11.00	12.00	1.00	M302831	1.23	508	3	0.03	16	1120	13	3.96	14	23	86	<20	0.37	10	<10	147
UGA-58	12.00	13.00	1.00	M302832	1.34	559	3	0.04	13	1270	14	3.79	18	23	106	<20	0.41	10	<10	156
UGA-58	13.00	14.00	1.00	M302833	1.2	503	2	0.04	10	1150	9	3.39	20	21	124	<20	0.36	10	<10	142
UGA-58	14.00	15.00	1.00	M302834	0.8	333	3	0.04	11	1250	11	3.18	25	24	67	<20	0.43	10	<10	164
UGA-58	15.00	16.00	1.00	M302835	1.36	728	3	0.04	15	1170	11	2.71	18	24	75	<20	0.41	10	<10	158
UGA-58	16.00	17.00	1.00	M302836	1.56	898	2	0.03	12	980	9	3.19	12	22	77	<20	0.37	10	<10	148
UGA-58	17.00	18.00	1.00	M302837	0.65	290	2	0.05	10	970	11	3.39	17	21	107	<20	0.36	10	<10	133

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-58	18.00	19.00	1.00	M302839	0.18	2	6.79	228	620	1.1	2	0.37	<0.5	17	64	31	4.03	10	5.43	30
UGA-58	19.00	20.00	1.00	M302840	0.13	1	7.09	353	710	1.2	<2	0.83	<0.5	17	62	31	4.34	10	4.53	20
UGA-58	20.00	21.00	1.00	M302841	0.25	1.9	7.54	432	590	1.3	2	2.06	<0.5	24	65	29	4.69	10	4.99	30
UGA-58	21.00	22.00	1.00	M302842	0.18	1.5	6.58	311	700	1.3	<2	0.38	<0.5	19	61	30	4.53	10	4.1	20
UGA-58	22.00	23.00	1.00	M302843	0.1	1.5	7.15	136	670	1.5	<2	0.39	<0.5	21	66	39	4.94	10	5.15	30
UGA-58	23.00	24.00	1.00	M302844	0.18	1.7	6.45	325	650	1.3	3	0.38	<0.5	20	59	21	5.54	10	4.43	20
UGA-58	24.00	25.00	1.00	M302845	0.31	2.2	6.65	318	680	1.6	<2	0.37	<0.5	19	60	30	4.31	10	4.17	20
UGA-58	25.00	26.00	1.00	M302846	2.95	9	3.2	487	380	0.9	2	0.48	<0.5	8	47	32	3.2	10	2.56	10
UGA-58	26.00	27.00	1.00	M302848	1.81	4.8	1.37	339	60	0.6	<2	0.34	<0.5	6	41	15	1.97	<10	0.7	10
UGA-58	27.00	28.00	1.00	M302849	2.46	4.1	4.56	3040	620	0.7	<2	0.28	<0.5	12	59	21	2.75	10	4.3	20
UGA-58	28.00	29.00	1.00	M302850	0.15	3.2	5.59	191	630	0.8	<2	0.36	<0.5	15	58	20	3.2	10	5.42	20
UGA-58	29.00	30.00	1.00	M302851	0.13	3.1	5.62	170	510	1	<2	0.58	<0.5	17	59	24	4.13	10	4.51	20
UGA-58	30.00	31.00	1.00	M302852	0.2	3	6.21	282	630	1.4	<2	0.36	<0.5	18	57	26	3.89	10	5.09	20
UGA-58	31.00	32.00	1.00	M302853	0.35	2.1	6.27	287	580	1	<2	0.33	<0.5	19	58	38	4.77	10	5.01	20
UGA-58	32.00	33.00	1.00	M302854	0.08	1.2	6.22	75	470	1.1	<2	0.48	<0.5	19	58	29	5.81	10	4.81	20
UGA-58	33.00	34.00	1.00	M302855	0.14	1.5	6.52	145	570	0.9	<2	0.47	<0.5	18	60	29	4.8	10	5.31	20
UGA-58	34.00	35.00	1.00	M302856	0.13	1.3	6.37	133	550	1	<2	0.56	<0.5	18	57	31	4.78	10	5.04	20
UGA-58	35.00	36.00	1.00	M302857	0.09	1.1	6.79	160	500	1.1	<2	0.55	<0.5	22	60	29	5.73	10	5.03	20
UGA-58	36.00	37.00	1.00	M302858	0.26	1	5.75	447	470	1.2	<2	0.67	<0.5	18	52	24	6.87	10	4.2	20
UGA-58	37.00	38.00	1.00	M302859	0.14	2	5.51	443	500	1.5	<2	0.6	<0.5	17	55	32	6.04	10	4.37	20
UGA-58	38.00	39.00	1.00	M302861	0.21	1.8	4.2	206	450	0.7	<2	0.32	<0.5	12	41	17	4.68	<10	3.51	10
UGA-58	39.00	40.00	1.00	M302862	0.38	25.8	2.7	1220	180	0.8	<2	1.36	<0.5	9	34	14	4.11	<10	1.28	10
UGA-58	40.00	41.00	1.00	M302864	0.07	1.4	3.66	3580	340	0.8	<2	0.82	<0.5	10	30	15	6.41	10	2.23	10
UGA-58	41.00	43.00	2.00	M302866	0.15	2.8	5.79	2080	280	2.5	<2	0.91	<0.5	15	34	25	7.83	10	3.47	20
UGA-58	43.00	45.00	2.00	M302867	0.11	2.2	5	2220	330	2.4	<2	1.46	<0.5	16	32	22	11	10	2.93	20
UGA-58	45.00	46.00	1.00	M302868	0.16	2.9	6.34	376	400	1.5	<2	0.33	<0.5	19	44	19	5.32	10	4.79	30
UGA-58	46.00	47.00	1.00	M302869	0.34	5.1	6.94	248	600	1.1	<2	0.28	<0.5	19	41	21	4.44	10	5.25	30
UGA-58	47.00	48.00	1.00	M302870	0.24	4.7	7.15	259	620	1.1	<2	0.3	<0.5	20	43	24	4.58	10	5.69	30
UGA-58	48.00	49.00	1.00	M302871	0.51	5.6	6.22	359	500	1	<2	0.32	<0.5	19	32	19	4.87	10	4.59	30
UGA-58	49.00	50.00	1.00	M302872	0.96	20.1	6.08	233	510	0.9	<2	0.28	<0.5	18	34	20	4.77	10	4.75	30
UGA-58	50.00	51.00	1.00	M302873	0.17	7.8	6.37	327	930	1	<2	0.34	<0.5	19	34	20	4.12	10	5.11	30
UGA-58	51.00	52.00	1.00	M302874	0.49	15	4.7	1385	440	0.9	<2	0.32	<0.5	14	36	19	5.39	10	4.26	20
UGA-58	52.00	53.00	1.00	M302875	0.81	4.7	3.46	672	520	0.7	<2	0.85	<0.5	9	36	14	3.75	10	3.01	20
UGA-58	53.00	54.00	1.00	M302877	0.27	2.5	6.72	269	630	1.1	<2	0.34	<0.5	17	40	33	4.88	10	4.76	30
UGA-58	54.00	55.00	1.00	M302878	0.21	1.8	6.62	242	560	1	<2	0.38	<0.5	19	39	32	5.6	10	5.15	30
UGA-58	55.00	56.00	1.00	M302879	0.29	2.1	6.29	248	560	1.1	<2	0.37	<0.5	17	38	26	4.7	10	4.68	30
UGA-58	56.00	57.00	1.00	M302880	0.61	5.6	5.12	326	600	0.9	<2	0.59	<0.5	12	42	25	4.13	10	3.41	20
UGA-58	57.00	58.00	1.00	M302881	0.27	1.9	6.18	367	500	1	<2	0.63	<0.5	16	37	20	4.57	10	4.44	30
UGA-58	58.00	59.00	1.00	M302882	0.3	2.1	6.72	480	700	1.1	<2	0.72	<0.5	18	36	23	4.92	10	4.74	30
UGA-58	59.00	60.00	1.00	M302884	0.3	1.6	6.84	248	770	1.1	3	0.89	<0.5	17	34	23	4.67	10	4.57	30
UGA-58	60.00	61.00	1.00	M302885	0.21	1.7	8.1	260	1020	1.1	2	0.46	<0.5	19	36	23	4.48	10	4.63	30
UGA-58	61.00	62.00	1.00	M302886	0.27	1.9	6.66	275	750	1.1	4	0.56	<0.5	17	35	22	4.49	10	4.63	30
UGA-58	62.00	63.00	1.00	M302887	0.22	1.2	7.07	236	810	1.1	3	0.44	<0.5	18	36	23	5.05	10	4.77	30
UGA-58	63.00	64.00	1.00	M302888	0.2	1.1	6.76	167	860	1.1	2	0.52	<0.5	16	36	17	4.58	10	4.73	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-58	18.00	19.00	1.00	M302839	0.54	174	4	0.05	13	1170	11	3.79	20	21	100	<20	0.37	10	<10	143
UGA-58	19.00	20.00	1.00	M302840	0.92	350	3	0.04	10	1390	10	3.57	26	21	107	<20	0.38	10	<10	134
UGA-58	20.00	21.00	1.00	M302841	1.3	397	7	0.04	13	1260	13	4.13	18	22	125	<20	0.4	10	<10	156
UGA-58	21.00	22.00	1.00	M302842	1.02	566	4	0.04	14	1180	9	2.83	17	21	89	<20	0.36	10	<10	137
UGA-58	22.00	23.00	1.00	M302843	1.3	956	2	0.04	13	1090	10	2.38	10	23	100	<20	0.38	<10	<10	150
UGA-58	23.00	24.00	1.00	M302844	0.89	798	4	0.04	15	1220	12	4.13	15	20	92	<20	0.34	10	<10	133
UGA-58	24.00	25.00	1.00	M302845	0.72	590	9	0.04	11	1290	11	3.46	22	20	79	<20	0.37	10	<10	136
UGA-58	25.00	26.00	1.00	M302846	0.24	90	77	0.02	9	1960	12	3.12	118	9	40	<20	0.16	20	<10	66
UGA-58	26.00	27.00	1.00	M302848	0.13	117	52	0.01	5	1140	6	1.54	135	4	21	<20	0.06	<10	<10	25
UGA-58	27.00	28.00	1.00	M302849	0.17	62	15	0.03	10	1090	7	2.63	102	12	78	<20	0.23	10	<10	72
UGA-58	28.00	29.00	1.00	M302850	0.19	63	14	0.04	15	1460	9	3.33	41	15	119	<20	0.29	10	<10	92
UGA-58	29.00	30.00	1.00	M302851	0.32	319	12	0.05	14	2330	11	3.94	37	16	148	<20	0.29	10	<10	98
UGA-58	30.00	31.00	1.00	M302852	0.92	694	4	0.04	17	1260	10	2.44	25	17	116	<20	0.32	10	<10	118
UGA-58	31.00	32.00	1.00	M302853	1.4	779	3	0.04	17	1120	10	2.78	20	18	127	<20	0.32	<10	<10	118
UGA-58	32.00	33.00	1.00	M302854	1.76	1160	2	0.04	15	1050	8	2.33	15	18	107	<20	0.32	10	<10	116
UGA-58	33.00	34.00	1.00	M302855	1.68	671	2	0.05	13	1110	10	2.21	20	19	118	<20	0.34	10	<10	127
UGA-58	34.00	35.00	1.00	M302856	1.59	811	2	0.04	13	1190	7	1.95	18	18	120	<20	0.33	<10	<10	118
UGA-58	35.00	36.00	1.00	M302857	1.54	1285	2	0.04	19	1100	10	2.38	19	19	124	<20	0.35	10	<10	130
UGA-58	36.00	37.00	1.00	M302858	1.74	1380	8	0.04	14	2380	10	3.31	29	18	114	<20	0.3	10	<10	123
UGA-58	37.00	38.00	1.00	M302859	0.58	466	3	0.03	12	2490	10	3.68	67	16	99	<20	0.28	10	<10	100
UGA-58	38.00	39.00	1.00	M302861	0.48	531	3	0.04	10	1280	8	3.59	34	10	85	<20	0.21	<10	<10	51
UGA-58	39.00	40.00	1.00	M302862	0.68	507	5	0.02	7	5540	7	2.53	95	7	56	<20	0.13	10	<10	26
UGA-58	40.00	41.00	1.00	M302864	0.8	2350	3	0.03	7	3110	5	3.29	78	9	65	<20	0.19	10	<10	43
UGA-58	41.00	43.00	2.00	M302866	0.12	114	2	0.04	13	4330	8	5	146	16	80	<20	0.29	10	<10	110
UGA-58	43.00	45.00	2.00	M302867	0.11	220	2	0.04	11	6550	7	4.25	170	14	64	<20	0.26	10	<10	87
UGA-58	45.00	46.00	1.00	M302868	0.18	70	3	0.08	11	1450	9	4.59	57	16	111	<20	0.33	10	<10	127
UGA-58	46.00	47.00	1.00	M302869	1.28	150	1	0.08	13	1120	8	3.9	25	19	100	<20	0.37	10	<10	133
UGA-58	47.00	48.00	1.00	M302870	2.19	205	1	0.09	14	1170	16	3.26	21	19	87	<20	0.38	10	<10	145
UGA-58	48.00	49.00	1.00	M302871	1.94	182	2	0.17	14	1190	11	3.66	33	16	113	<20	0.32	10	<10	110
UGA-58	49.00	50.00	1.00	M302872	1.75	326	2	0.17	13	1020	12	3.38	35	16	119	<20	0.33	10	<10	103
UGA-58	50.00	51.00	1.00	M302873	1.48	252	1	0.14	13	1040	12	2.99	31	16	129	<20	0.33	<10	<10	113
UGA-58	51.00	52.00	1.00	M302874	0.97	211	5	0.1	11	1180	9	4.68	80	12	83	<20	0.25	10	<10	77
UGA-58	52.00	53.00	1.00	M302875	1.4	250	5	0.08	8	1600	9	2.64	97	9	95	<20	0.17	<10	<10	68
UGA-58	53.00	54.00	1.00	M302877	2.61	375	3	0.11	12	1160	9	3.27	34	18	108	<20	0.36	10	<10	135
UGA-58	54.00	55.00	1.00	M302878	2.38	411	5	0.13	11	1220	9	4.02	20	18	108	<20	0.36	10	<10	135
UGA-58	55.00	56.00	1.00	M302879	2.34	239	7	0.08	10	1140	9	3.66	27	16	86	<20	0.32	<10	<10	120
UGA-58	56.00	57.00	1.00	M302880	2.78	269	9	0.09	10	1170	7	3.03	53	13	99	<20	0.26	10	<10	99
UGA-58	57.00	58.00	1.00	M302881	3.12	329	2	0.09	9	1090	8	3.43	32	17	122	<20	0.32	10	<10	120
UGA-58	58.00	59.00	1.00	M302882	3.73	415	2	0.06	8	1150	6	3.5	25	17	141	<20	0.35	10	<10	130
UGA-58	59.00	60.00	1.00	M302884	3.36	389	2	0.13	9	1240	11	3.35	21	18	129	<20	0.33	10	<10	125
UGA-58	60.00	61.00	1.00	M302885	2.95	383	2	0.21	10	1240	13	2.62	20	20	159	<20	0.38	10	<10	147
UGA-58	61.00	62.00	1.00	M302886	3.09	312	2	0.1	8	1340	10	3.49	30	17	120	<20	0.32	10	<10	122
UGA-58	62.00	63.00	1.00	M302887	3.41	333	1	0.09	10	1120	12	3.41	16	19	115	<20	0.35	10	<10	135
UGA-58	63.00	64.00	1.00	M302888	3.08	362	1	0.11	9	1090	13	3	16	18	110	<20	0.33	10	<10	124

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-58	64.00	65.00	1.00	M302889	0.21	1.3	6.84	179	860	1.1	3	0.58	<0.5	16	33	19	4.16	10	4.74	30
UGA-58	65.00	66.00	1.00	M302891	0.18	1.6	6.12	149	810	1.1	<2	0.6	<0.5	16	40	24	4.07	10	4.05	20
UGA-58	66.00	67.00	1.00	M302892	0.27	1.7	6.16	173	690	1.1	2	0.59	<0.5	17	47	18	4.28	10	4.04	20
UGA-58	67.00	68.00	1.00	M302893	0.28	1.9	6.86	224	760	1.1	3	0.66	<0.5	20	53	32	5.09	10	4.58	30
UGA-58	68.00	69.00	1.00	M302894	0.41	1.6	3.46	231	430	0.7	<2	0.46	<0.5	8	65	12	2.46	10	2.95	10
UGA-58	69.00	70.00	1.00	M302896	0.24	3.3	5.99	164	680	1.2	<2	0.6	<0.5	17	73	35	3.76	10	4.17	20
UGA-58	70.00	71.00	1.00	M302897	0.12	1.5	4.68	118	600	1	3	0.46	<0.5	12	79	19	3.62	10	3.64	20
UGA-58	71.00	72.00	1.00	M302899	0.23	3.4	5.86	203	680	1.1	<2	1.12	<0.5	16	75	26	4.57	10	4.21	20
UGA-58	72.00	73.00	1.00	M302901	0.33	3.2	3.34	128	330	0.7	4	1.73	<0.5	8	78	17	3.04	10	2.55	10
UGA-58	73.00	74.00	1.00	M302902	0.12	1.5	4.88	104	80	1.4	2	0.71	<0.5	15	55	25	3.15	10	1.82	20
UGA-58	74.00	75.00	1.00	M302903	0.01	<0.5	6.76	31	40	1.5	3	4.32	<0.5	17	58	36	4.43	10	2.62	30
UGA-58	75.00	76.00	1.00	M302904	0.03	<0.5	7.37	34	50	1.4	4	3.49	<0.5	19	65	34	4.58	10	2.79	30
UGA-59	6.00	7.00	1.00	M302905	0.07	0.5	8.36	283	440	1.4	<2	0.68	<0.5	20	68	36	5.04	20	4.35	30
UGA-59	7.00	8.00	1.00	M302906	0.06	<0.5	8.08	300	250	1.3	3	1.05	<0.5	21	67	37	5.85	20	4.45	30
UGA-59	8.00	9.00	1.00	M302907	0.05	<0.5	8.41	154	290	1.3	2	1.07	<0.5	18	69	31	4.47	20	5.05	30
UGA-59	9.00	10.00	1.00	M302908	0.11	0.9	7.69	201	310	1.1	<2	1.12	<0.5	20	63	23	4.94	10	5.17	30
UGA-59	10.00	11.00	1.00	M302909	0.13	0.9	8.27	197	330	1.2	2	0.6	<0.5	19	69	32	4.27	10	6.04	30
UGA-59	11.00	13.00	2.00	M302910	0.15	1.3	7.3	146	610	1.1	3	0.8	<0.5	17	58	30	4.1	10	4.41	30
UGA-59	13.00	15.00	2.00	M302911	0.11	0.9	8.06	98	350	1.4	4	0.69	<0.5	20	66	35	4.74	20	3.61	30
UGA-59	15.00	16.00	1.00	M302912	0.07	2.6	7.55	140	350	1.4	<2	0.48	<0.5	20	63	49	4.67	20	2.62	30
UGA-59	16.00	17.00	1.00	M302913	0.11	1.3	4.7	136	90	1	2	7.17	<0.5	11	33	22	4.25	10	1.62	20
UGA-59	17.00	18.00	1.00	M302914	0.17	2.9	5.42	118	130	1	4	4.74	<0.5	15	39	23	4.12	10	2.92	20
UGA-59	18.00	19.00	1.00	M302915	0.09	1.5	7.54	124	310	1.3	3	0.82	<0.5	15	65	27	4.84	10	3.41	30
UGA-59	19.00	20.00	1.00	M302916	0.1	0.5	8.34	128	760	1.4	2	1.38	<0.5	21	66	33	6.43	10	4.58	30
UGA-59	20.00	21.00	1.00	M302917	0.06	0.5	9.2	81	410	1.6	2	0.56	<0.5	24	80	37	5.67	20	5.27	30
UGA-59	21.00	22.00	1.00	M302918	0.13	1	6.78	155	330	1.1	2	0.99	<0.5	19	56	24	5.35	10	4.5	30
UGA-59	22.00	23.00	1.00	M302919	0.2	0.9	7	160	240	1.1	<2	0.7	<0.5	21	57	23	5.39	10	4.24	30
UGA-59	35.00	36.00	1.00	M302920	0.1	1.7	7.01	79	500	1.1	2	0.68	<0.5	19	60	29	4.74	10	4.61	30
UGA-59	36.00	37.00	1.00	M302921	0.06	2.1	7.61	71	360	1.1	2	1.06	<0.5	20	61	29	4.85	10	4.96	30
UGA-59	37.00	38.00	1.00	M302922	0.09	2.6	8.06	58	510	1.2	5	0.99	<0.5	20	65	41	5.02	20	5.63	30
UGA-59	38.00	39.00	1.00	M302923	0.35	3	7.09	91	530	1	3	1.07	<0.5	18	59	30	4.34	10	5.06	30
UGA-59	39.00	40.00	1.00	M302924	1.58	5.9	7.52	63	470	1.2	<2	0.84	<0.5	20	64	41	4.63	10	5.06	30
UGA-59	49.00	51.00	2.00	M302925	0.18	2.1	7.87	75	500	1.4	3	1.1	<0.5	20	66	39	4.5	10	3.74	30
UGA-59	51.00	53.00	2.00	M302926	0.04	1	8.67	30	420	1.4	2	1.88	<0.5	21	71	36	4.93	10	4.11	30
UGA-59	53.00	55.00	2.00	M302927	0.02	<0.5	7.27	7	250	1.2	3	3.83	<0.5	19	60	33	4.57	10	2.93	30
UGA-59	55.00	57.00	2.00	M302928	0.09	2.3	7.17	74	450	1	<2	0.85	<0.5	20	65	32	4.41	10	4.32	20
UGA-59	57.00	59.00	2.00	M302929	0.09	2.1	7.21	104	400	1	3	0.59	<0.5	20	67	31	4.29	10	4.78	30
UGA-59	59.00	61.00	2.00	M302931	0.06	2.1	7.52	87	450	0.9	4	0.57	<0.5	22	70	33	4.32	10	5.23	20
UGA-59	61.00	63.00	2.00	M302932	0.07	1.8	8.29	111	570	1.2	2	0.79	<0.5	22	76	32	5.07	20	5.5	30
UGA-59	63.00	65.00	2.00	M302933	0.06	1.7	8.56	78	450	1.1	2	0.67	<0.5	22	76	31	5.07	20	5.3	30
UGA-59	65.00	67.00	2.00	M302934	0.05	0.8	7.72	60	660	1	5	0.81	<0.5	20	70	27	4.89	10	4.72	30
UGA-59	67.00	69.00	2.00	M302935	0.05	0.8	8.41	55	520	1.1	3	0.54	<0.5	21	75	28	5.22	20	4.95	30
UGA-59	69.00	71.00	2.00	M302936	0.07	1.1	8.03	105	630	1	2	0.53	<0.5	23	72	29	4.92	20	5.18	30
UGA-59	71.00	72.00	1.00	M302937	0.36	3.2	7.34	379	970	1.1	2	0.39	<0.5	21	65	27	4.5	10	4.69	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-58	64.00	65.00	1.00	M302889	2.49	247	1	0.11	9	1090	10	3.2	18	17	111	<20	0.34	10	<10	114
UGA-58	65.00	66.00	1.00	M302891	2.66	245	2	0.13	10	1320	10	3.08	37	15	97	<20	0.32	<10	<10	109
UGA-58	66.00	67.00	1.00	M302892	3	305	3	0.08	10	1280	7	2.92	38	17	95	<20	0.32	<10	<10	121
UGA-58	67.00	68.00	1.00	M302893	3.24	414	6	0.09	16	1080	9	3.31	30	20	107	<20	0.33	10	<10	123
UGA-58	68.00	69.00	1.00	M302894	1.09	204	4	0.05	6	890	6	1.73	81	8	89	<20	0.16	<10	<10	50
UGA-58	69.00	70.00	1.00	M302896	2.78	487	4	0.06	16	1160	8	2.54	46	17	114	<20	0.31	10	<10	115
UGA-58	70.00	71.00	1.00	M302897	2.19	270	3	0.04	12	820	7	2.67	61	13	76	<20	0.23	10	<10	84
UGA-58	71.00	72.00	1.00	M302899	3.13	414	5	0.05	15	1550	10	3.3	50	18	99	<20	0.3	<10	<10	117
UGA-58	72.00	73.00	1.00	M302901	1.25	366	6	0.03	7	2630	7	2.1	92	9	104	<20	0.14	<10	<10	45
UGA-58	73.00	74.00	1.00	M302902	0.68	214	3	0.01	13	1050	12	3.23	49	14	33	<20	0.23	<10	<10	88
UGA-58	74.00	75.00	1.00	M302903	2.82	1275	2	0.01	13	980	15	4.52	13	19	86	<20	0.32	<10	<10	114
UGA-58	75.00	76.00	1.00	M302904	2.42	1030	2	0.01	14	1020	16	4.92	15	20	53	<20	0.35	10	<10	127
UGA-59	6.00	7.00	1.00	M302905	1.1	436	3	0.02	13	1060	13	4.22	20	25	52	<20	0.42	10	<10	167
UGA-59	7.00	8.00	1.00	M302906	1.08	448	4	0.03	16	1020	15	5.2	21	24	57	<20	0.4	10	<10	162
UGA-59	8.00	9.00	1.00	M302907	1.2	662	2	0.04	13	1110	10	2.56	19	24	77	<20	0.41	10	<10	151
UGA-59	9.00	10.00	1.00	M302908	0.95	439	4	0.04	14	1290	11	4.03	17	22	81	<20	0.36	10	<10	144
UGA-59	10.00	11.00	1.00	M302909	0.88	462	3	0.04	10	1200	7	2.74	26	24	80	<20	0.41	10	<10	155
UGA-59	11.00	13.00	2.00	M302910	0.85	381	3	0.03	12	1100	11	3.12	19	21	57	<20	0.35	10	<10	125
UGA-59	13.00	15.00	2.00	M302911	1.08	612	2	0.02	15	1360	10	2.87	13	23	33	<20	0.4	10	<10	147
UGA-59	15.00	16.00	1.00	M302912	0.81	535	2	0.01	16	1320	12	3.46	32	22	21	<20	0.37	<10	<10	143
UGA-59	16.00	17.00	1.00	M302913	3.73	1970	5	0.01	8	730	10	2.87	28	13	63	<20	0.23	10	<10	87
UGA-59	17.00	18.00	1.00	M302914	2.59	2170	5	0.02	5	820	10	2.73	18	16	88	<20	0.26	10	<10	101
UGA-59	18.00	19.00	1.00	M302915	1.03	624	3	0.02	13	1210	10	3.28	19	22	45	<20	0.38	10	<10	147
UGA-59	19.00	20.00	1.00	M302916	1.52	967	2	0.03	13	1210	12	3.49	12	24	78	<20	0.4	10	<10	154
UGA-59	20.00	21.00	1.00	M302917	1.02	883	2	0.04	14	1310	12	2.15	7	26	81	<20	0.45	10	<10	185
UGA-59	21.00	22.00	1.00	M302918	0.94	360	2	0.03	11	1050	15	4.44	17	20	60	<20	0.34	10	<10	138
UGA-59	22.00	23.00	1.00	M302919	0.9	368	3	0.03	12	1120	11	4.15	14	21	43	<20	0.34	10	<10	142
UGA-59	35.00	36.00	1.00	M302920	1.43	469	2	0.03	14	940	11	3.01	12	20	71	<20	0.34	10	<10	131
UGA-59	36.00	37.00	1.00	M302921	1.86	616	3	0.03	13	1060	13	2.73	6	22	81	<20	0.37	10	<10	142
UGA-59	37.00	38.00	1.00	M302922	2.12	666	2	0.05	16	1010	12	2.48	7	23	125	<20	0.38	10	<10	149
UGA-59	38.00	39.00	1.00	M302923	1.6	409	3	0.04	14	910	13	2.88	14	20	120	<20	0.34	10	<10	135
UGA-59	39.00	40.00	1.00	M302924	2.37	627	2	0.04	15	970	13	2.02	11	22	108	<20	0.35	10	<10	143
UGA-59	49.00	51.00	2.00	M302925	1.39	660	4	0.03	12	1090	11	2.18	16	23	55	<20	0.37	10	<10	153
UGA-59	51.00	53.00	2.00	M302926	1.92	696	2	0.03	12	1130	9	2.04	<5	25	59	<20	0.41	10	<10	168
UGA-59	53.00	55.00	2.00	M302927	2.61	828	1	0.02	12	940	9	2.2	<5	21	80	<20	0.35	10	<10	136
UGA-59	55.00	57.00	2.00	M302928	1.08	259	4	0.04	15	910	14	3.74	8	21	53	<20	0.35	10	<10	129
UGA-59	57.00	59.00	2.00	M302929	1.36	296	3	0.04	15	970	16	3.42	17	21	62	<20	0.36	10	<10	131
UGA-59	59.00	61.00	2.00	M302931	1.61	346	4	0.05	15	1090	13	3.07	17	22	68	<20	0.37	10	<10	135
UGA-59	61.00	63.00	2.00	M302932	1.88	405	3	0.05	15	1180	16	3.44	11	25	82	<20	0.42	10	<10	153
UGA-59	63.00	65.00	2.00	M302933	2.6	649	1	0.04	17	1160	9	2.27	10	25	100	<20	0.41	10	<10	157
UGA-59	65.00	67.00	2.00	M302934	2.51	614	1	0.04	13	1020	12	1.88	6	23	83	<20	0.37	<10	<10	142
UGA-59	67.00	69.00	2.00	M302935	2.9	583	2	0.04	13	1110	12	1.54	6	25	71	<20	0.4	10	<10	154
UGA-59	69.00	71.00	2.00	M302936	2.48	507	2	0.05	15	1090	12	1.82	8	24	121	<20	0.39	10	<10	149
UGA-59	71.00	72.00	1.00	M302937	2.09	330	2	0.05	14	1060	13	2.36	14	21	131	<20	0.36	10	<10	139

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-59	72.00	73.00	1.00	M302938	0.44	5.7	7.13	268	770	1.1	3	0.53	<0.5	20	62	26	4.46	10	4.44	20
UGA-59	73.00	74.00	1.00	M302940	0.03	1.4	7.99	57	470	1.1	3	0.48	<0.5	19	73	34	4.9	20	4.37	30
UGA-59	74.00	75.00	1.00	M302941	0.05	1.1	7.59	58	470	1.1	2	0.55	<0.5	22	71	31	5.05	20	4.26	30
UGA-59	75.00	76.00	1.00	M302943	0.03	0.7	8.66	34	270	1.2	3	0.6	<0.5	24	79	36	5.43	20	4.57	30
UGA-59	76.00	77.00	1.00	M302944	0.14	1.3	7.87	60	390	1.1	3	0.54	<0.5	19	73	41	5.07	20	4.28	30
UGA-59	77.00	78.00	1.00	M302945	0.51	1	8.13	32	520	1.4	2	0.69	<0.5	21	77	54	4.33	10	4.62	30
UGA-59	78.00	79.00	1.00	M302946	0.13	1.4	6.9	41	440	1.3	2	0.72	<0.5	19	75	36	4.39	10	3.92	20
UGA-59	79.00	80.00	1.00	M302947	0.08	0.9	7.82	23	510	1.2	<2	0.69	<0.5	21	74	40	4.51	10	4.74	30
UGA-59	80.00	81.00	1.00	M302948	0.02	<0.5	8.26	23	350	1.2	3	0.58	<0.5	20	80	39	5.61	20	4.91	30
UGA-59	81.00	82.00	1.00	M302949	0.38	1.2	6.63	63	500	0.9	<2	0.47	<0.5	17	70	31	4.51	10	4.2	20
UGA-59	82.00	84.00	2.00	M302951	0.17	1.2	7.96	38	500	1.1	4	0.62	<0.5	22	76	50	4.93	10	5.07	30
UGA-59	84.00	86.00	2.00	M302952	0.04	1.2	9.06	23	440	1.2	4	0.48	<0.5	24	80	48	5.08	20	5.42	30
UGA-59	86.00	87.00	1.00	M302953	0.05	1.2	8.06	57	370	1.2	3	0.41	<0.5	22	74	47	4.66	20	4.23	30
UGA-59	87.00	88.00	1.00	M302954	0.03	0.8	8.63	62	330	1.3	3	0.45	<0.5	23	80	39	5.39	10	4.45	30
UGA-59	88.00	89.00	1.00	M302955	0.18	1.4	7.33	99	340	1	2	0.53	<0.5	19	74	37	4.68	10	4.31	30
UGA-59	89.00	90.00	1.00	M302957	0.17	1.6	6.32	113	570	1.1	<2	0.67	<0.5	17	73	38	4.02	10	3.79	20
UGA-59	90.00	91.00	1.00	M302958	0.38	2	6.42	181	750	1.2	<2	0.7	<0.5	18	71	37	4.33	10	3.98	20
UGA-59	91.00	92.00	1.00	M302960	0.07	1.2	7.64	66	580	1.3	<2	0.43	<0.5	20	82	42	4.58	20	4.38	30
UGA-59	92.00	93.00	1.00	M302961	0.64	1.5	7.29	44	450	1.1	<2	0.39	<0.5	21	79	37	4.32	10	4.11	30
UGA-59	93.00	94.00	1.00	M302962	0.1	1.8	7.08	69	530	1.2	<2	0.48	<0.5	20	82	45	4.58	10	4.2	30
UGA-59	94.00	95.00	1.00	M302963	0.42	2	7.21	162	800	1.2	<2	0.56	<0.5	20	51	28	4.42	10	5.37	30
UGA-59	95.00	96.00	1.00	M302964	0.17	3.1	6.8	170	980	1.2	<2	0.58	<0.5	17	41	22	4.49	10	4.92	30
UGA-59	96.00	97.00	1.00	M302965	1.36	9	5.13	346	650	1	<2	0.73	<0.5	12	35	45	3.4	10	3.49	30
UGA-59	97.00	98.00	1.00	M302966	0.32	1.9	6.52	133	900	1.2	<2	0.86	<0.5	18	37	20	3.97	10	4.18	20
UGA-59	98.00	99.00	1.00	M302967	0.14	1.7	6.88	147	800	1.2	2	0.37	<0.5	18	36	19	4.32	10	4.08	30
UGA-59	99.00	100.00	1.00	M302968	0.19	2.2	7.21	182	750	1.2	<2	0.53	<0.5	18	29	19	4.98	10	4.95	30
UGA-59	100.00	101.00	1.00	M302969	0.08	1.7	7.12	127	740	1.2	2	0.43	<0.5	17	33	21	4.41	20	4.71	30
UGA-59	101.00	102.00	1.00	M302970	0.97	4.6	6.78	362	710	1.2	<2	0.97	0.5	15	31	54	4.53	10	4.34	30
UGA-59	102.00	104.00	2.00	M302971	0.35	1.1	7.91	140	640	1.3	<2	0.38	<0.5	18	36	51	5.02	20	4.42	30
UGA-59	104.00	106.00	2.00	M302972	0.08	1.5	7.35	75	680	1.2	<2	0.49	<0.5	18	35	30	4.5	20	4.78	30
UGA-59	106.00	108.00	2.00	M302973	0.02	1.1	7.54	21	590	1.1	<2	2.16	<0.5	18	38	30	4.74	20	4.88	30
UGA-59	108.00	110.00	2.00	M302974	0.02	1.2	7.21	46	660	1.1	2	2.05	<0.5	17	35	28	4.93	20	4.79	30
UGA-59	110.00	112.00	2.00	M302975	0.06	1.2	7.36	63	700	1.1	2	0.52	<0.5	18	36	30	4.86	10	4.67	30
UGA-59	112.00	114.00	2.00	M302976	0.16	1.6	7.68	38	540	1.1	<2	0.59	<0.5	18	41	31	4.78	20	5.07	30
UGA-59	114.00	115.00	1.00	M302977	0.06	1.7	7.53	58	600	1.1	3	0.41	<0.5	17	38	28	5.01	20	4.65	30
UGA-59	115.00	116.00	1.00	M302978	0.6	2.4	7.14	136	610	1.2	<2	0.57	<0.5	18	39	28	5.07	10	4.58	30
UGA-59	116.00	117.00	1.00	M302979	0.31	2.3	7.35	220	630	1.4	<2	0.45	<0.5	19	38	30	5.21	20	4.77	30
UGA-59	117.00	118.00	1.00	M302980	2.02	4.3	7.21	267	730	1.4	<2	0.51	<0.5	17	41	37	4.29	10	4.37	30
UGA-59	118.00	119.00	1.00	M302981	0.78	2.9	7.41	98	610	1.4	<2	0.82	<0.5	18	36	34	4.86	20	4.25	30
UGA-59	119.00	121.00	2.00	M302983	0.06	1.1	8.14	116	730	1.3	2	0.58	<0.5	19	37	30	4.9	20	4.73	40
UGA-59	121.00	123.00	2.00	M302984	0.41	2.1	6.97	233	700	1.3	2	0.4	<0.5	16	35	34	4.79	20	4.66	20
UGA-59	123.00	125.00	2.00	M302985	0.39	1.8	7.77	159	660	1.4	<2	0.44	0.5	18	39	39	4.66	20	5.07	30
UGA-59	125.00	126.00	1.00	M302986	0.72	2.2	7.28	396	830	1.2	2	0.8	<0.5	19	41	40	4.23	20	4.91	30
UGA-59	126.00	127.00	1.00	M302988	5.25	13.4	8.11	523	920	1.3	<2	0.55	<0.5	19	38	44	5.22	20	5	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-59	72.00	73.00	1.00	M302938	1.98	405	2	0.04	11	1030	13	2.4	13	21	122	<20	0.34	<10	<10	134
UGA-59	73.00	74.00	1.00	M302940	2.31	398	2	0.04	17	1150	11	2.04	11	23	76	<20	0.38	<10	<10	157
UGA-59	74.00	75.00	1.00	M302941	2.24	400	3	0.03	12	1120	10	2.23	7	23	67	<20	0.36	10	<10	147
UGA-59	75.00	76.00	1.00	M302943	2.6	431	1	0.04	18	1180	13	1.92	5	25	47	<20	0.42	10	<10	169
UGA-59	76.00	77.00	1.00	M302944	2.38	480	2	0.03	13	1050	12	1.82	9	23	50	<20	0.38	10	<10	151
UGA-59	77.00	78.00	1.00	M302945	1.91	615	1	0.04	11	1110	10	1.28	6	23	66	<20	0.39	10	<10	156
UGA-59	78.00	79.00	1.00	M302946	1.61	453	2	0.03	13	920	9	2.19	8	20	61	<20	0.34	<10	<10	132
UGA-59	79.00	80.00	1.00	M302947	1.99	446	1	0.04	9	1060	11	1.98	9	22	63	<20	0.38	10	<10	147
UGA-59	80.00	81.00	1.00	M302948	3.29	755	1	0.04	17	1140	10	1	7	25	62	<20	0.41	10	<10	162
UGA-59	81.00	82.00	1.00	M302949	2.17	512	3	0.04	11	1040	8	1.69	15	20	56	<20	0.33	<10	<10	132
UGA-59	82.00	84.00	2.00	M302951	2.56	662	1	0.04	14	1110	10	1.86	10	24	69	<20	0.4	10	<10	152
UGA-59	84.00	86.00	2.00	M302952	2.74	602	1	0.04	18	1200	11	1.84	6	26	62	<20	0.42	<10	<10	160
UGA-59	86.00	87.00	1.00	M302953	2.29	463	2	0.03	13	1230	9	1.65	10	23	47	<20	0.39	10	<10	145
UGA-59	87.00	88.00	1.00	M302954	3.4	656	3	0.04	14	1200	12	0.95	14	25	65	<20	0.42	10	<10	164
UGA-59	88.00	89.00	1.00	M302955	2.39	452	3	0.04	13	1170	10	1.66	21	22	56	<20	0.36	10	<10	139
UGA-59	89.00	90.00	1.00	M302957	2.11	363	3	0.04	14	1060	10	1.76	20	19	80	<20	0.33	<10	<10	134
UGA-59	90.00	91.00	1.00	M302958	2.41	428	4	0.04	15	1030	12	1.95	19	19	78	<20	0.33	<10	<10	135
UGA-59	91.00	92.00	1.00	M302960	2.88	435	3	0.05	17	1180	8	1.3	12	23	76	<20	0.4	<10	<10	164
UGA-59	92.00	93.00	1.00	M302961	2.68	383	2	0.04	17	1040	9	1.6	13	22	60	<20	0.39	10	<10	159
UGA-59	93.00	94.00	1.00	M302962	2.69	435	2	0.05	15	1050	9	1.99	13	24	61	<20	0.38	<10	<10	179
UGA-59	94.00	95.00	1.00	M302963	1.5	281	6	0.07	13	1220	14	3.58	15	22	90	<20	0.4	10	<10	174
UGA-59	95.00	96.00	1.00	M302964	2.32	460	2	0.08	10	940	11	2.8	11	20	93	<20	0.37	<10	<10	147
UGA-59	96.00	97.00	1.00	M302965	1.28	230	7	0.05	8	1190	14	2.46	40	13	71	<20	0.24	10	<10	95
UGA-59	97.00	98.00	1.00	M302966	1.8	363	5	0.06	11	1060	10	2.51	16	19	83	<20	0.35	10	<10	134
UGA-59	98.00	99.00	1.00	M302967	2.17	359	4	0.06	11	1070	10	2.28	17	19	109	<20	0.37	<10	<10	140
UGA-59	99.00	100.00	1.00	M302968	1.88	366	4	0.07	10	1210	15	3.26	15	19	114	<20	0.37	10	<10	142
UGA-59	100.00	101.00	1.00	M302969	2.11	371	3	0.06	10	1070	9	2.42	11	18	89	<20	0.37	<10	<10	141
UGA-59	101.00	102.00	1.00	M302970	2.29	561	3	0.06	8	1150	12	2.14	16	17	78	<20	0.34	<10	<10	125
UGA-59	102.00	104.00	2.00	M302971	2.64	447	2	0.05	11	1180	11	1.25	14	20	72	<20	0.39	<10	<10	150
UGA-59	104.00	106.00	2.00	M302972	2.45	418	2	0.05	11	1120	7	1.99	8	19	67	<20	0.38	<10	<10	141
UGA-59	106.00	108.00	2.00	M302973	3.08	814	2	0.05	11	1050	7	2.31	6	21	102	<20	0.4	<10	<10	154
UGA-59	108.00	110.00	2.00	M302974	3.09	922	1	0.05	10	1010	10	2.39	6	20	100	<20	0.37	<10	<10	144
UGA-59	110.00	112.00	2.00	M302975	2.71	541	2	0.05	11	1120	11	1.9	8	20	70	<20	0.38	<10	<10	142
UGA-59	112.00	114.00	2.00	M302976	2.93	562	2	0.05	11	1020	10	1.92	9	21	73	<20	0.39	<10	<10	154
UGA-59	114.00	115.00	1.00	M302977	2.6	439	2	0.05	11	1060	10	2.57	8	21	64	<20	0.39	<10	<10	149
UGA-59	115.00	116.00	1.00	M302978	2.16	385	4	0.05	12	1030	12	3.36	20	20	70	<20	0.37	<10	<10	146
UGA-59	116.00	117.00	1.00	M302979	2.42	388	3	0.05	12	1020	12	3.55	15	20	69	<20	0.39	<10	<10	149
UGA-59	117.00	118.00	1.00	M302980	2.25	323	2	0.06	10	1170	10	2.68	15	20	74	<20	0.39	<10	<10	150
UGA-59	118.00	119.00	1.00	M302981	2.93	513	3	0.05	10	1040	10	2.38	14	21	78	<20	0.38	<10	<10	149
UGA-59	119.00	121.00	2.00	M302983	3.01	443	2	0.06	10	1130	9	2.05	11	23	80	<20	0.39	<10	<10	148
UGA-59	121.00	123.00	2.00	M302984	2	287	3	0.04	10	1170	12	3.21	22	19	70	<20	0.37	<10	<10	140
UGA-59	123.00	125.00	2.00	M302985	2.29	279	3	0.05	10	1260	11	2.67	23	21	78	<20	0.4	10	<10	157
UGA-59	125.00	126.00	1.00	M302986	2.06	290	5	0.05	9	1120	12	2.55	32	19	105	<20	0.36	<10	<10	141
UGA-59	126.00	127.00	1.00	M302988	2.9	369	3	0.06	12	1170	13	2.25	23	22	84	<20	0.41	<10	<10	165

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-59	127.00	128.00	1.00	M302989	0.25	1	8	316	770	1.5	<2	0.51	<0.5	20	40	35	4.91	20	5.09	30
UGA-59	128.00	129.00	1.00	M302990	0.06	0.8	8.04	107	740	1.6	2	1	<0.5	20	41	35	4.77	20	5.3	30
UGA-59	129.00	130.00	1.00	M302991	0.14	1.1	8.05	216	750	2	<2	1.46	<0.5	20	40	39	4.59	20	4.83	30
UGA-59	130.00	132.00	2.00	M302992	0.31	0.7	8.27	121	650	1.7	<2	1.88	<0.5	21	39	36	4.88	20	4.4	30
UGA-59	132.00	134.00	2.00	M302993	0.01	<0.5	7.63	15	640	1.2	<2	4.29	<0.5	21	36	33	4.98	20	2.25	30
UGA-59	134.00	135.00	1.00	M302994	0.45	0.7	7.73	161	620	1.2	<2	3.68	<0.5	20	39	38	4.89	20	2.91	30
UGA-59	135.00	136.00	1.00	M302995	0.01	<0.5	7.62	40	580	1.2	<2	4.17	<0.5	21	38	34	5.01	20	2.13	30
UGA-59	136.00	138.00	2.00	M302996	0.04	<0.5	7.92	56	640	1.2	<2	4.3	<0.5	22	38	37	4.97	20	2.49	30
UGA-59	138.00	140.00	2.00	M302997	0.01	<0.5	7.75	20	650	1.2	<2	3.93	<0.5	21	38	38	4.99	20	2.41	30
UGA-59	140.00	141.00	1.00	M302998	0.02	<0.5	7.61	55	670	1.3	<2	1.62	<0.5	19	38	36	4.75	20	4.32	30
UGA-59	141.00	142.00	1.00	M302999	0.14	2	6.46	120	620	1.1	<2	1.58	<0.5	16	35	33	5.18	10	4.65	20
UGA-59	142.00	143.00	1.00	M303001	0.12	1.4	7.7	82	600	1.3	<2	0.98	<0.5	19	37	34	5.03	20	4	30
UGA-59	143.00	144.00	1.00	M303002	0.14	2.3	6.97	224	550	1.5	<2	0.6	<0.5	16	31	31	4.55	10	4.44	30
UGA-59	144.00	145.00	1.00	M303003	0.26	2.6	6.79	332	480	1.4	<2	0.62	<0.5	19	33	30	4.51	10	4.32	30
UGA-59	145.00	146.00	1.00	M303004	0.4	2.8	6.68	308	330	1.4	<2	0.89	<0.5	19	33	28	4.89	10	4.35	30
UGA-59	146.00	147.00	1.00	M303005	0.22	2.4	6.94	223	650	1.5	<2	0.53	<0.5	19	39	30	4.49	10	4.52	30
UGA-59	147.00	148.00	1.00	M303006	0.37	3	5.5	330	470	1	<2	1.08	<0.5	16	34	26	4.74	10	4.3	20
UGA-59	148.00	149.00	1.00	M303091	0.12	1.7	6.46	171	570	1.3	<2	0.58	<0.5	18	40	31	4.42	10	4.52	30
UGA-59	149.00	150.00	1.00	M303092	0.11	<0.5	7.89	82	650	1.4	3	0.86	<0.5	23	45	49	4.79	20	4.57	30
UGA-59	150.00	151.00	1.00	M303093	0.14	<0.5	8.33	277	800	1.5	2	1.66	<0.5	20	44	35	5.1	20	4.98	30
UGA-59	151.00	152.00	1.00	M303095	0.37	0.8	7.96	334	720	1.3	<2	2.19	0.5	18	45	34	5.21	20	3.32	30
UGA-59	152.00	153.00	1.00	M303096	0.04	<0.5	8.3	117	720	1.4	2	2.96	0.6	22	45	35	4.9	20	3.19	30
UGA-59	153.00	154.00	1.00	M303097	0.29	<0.5	7.44	153	670	1.2	<2	2.06	0.5	18	47	32	4.58	20	4	30
UGA-59	154.00	155.00	1.00	M303099	0.03	<0.5	8.57	59	750	1.7	2	1.56	0.6	20	46	36	4.92	20	4.22	30
UGA-59	155.00	156.00	1.00	M303101	0.44	1.7	7.11	323	590	1.4	<2	0.85	<0.5	19	40	44	4.58	20	4.44	30
UGA-59	156.00	157.00	1.00	M303102	0.86	1.7	7	313	780	1.5	2	0.68	<0.5	18	41	35	4.4	10	4.34	30
UGA-59	157.00	158.00	1.00	M303103	0.12	1.4	7.47	146	650	1.5	3	0.65	<0.5	20	41	30	4.7	20	4.32	30
UGA-59	158.00	159.00	1.00	M303104	0.06	0.8	7.19	88	780	1.4	3	1.17	<0.5	19	38	27	4.81	10	3.96	30
UGA-59	159.00	160.00	1.00	M303105	0.23	0.9	7.58	179	810	1.4	<2	1.1	<0.5	20	42	32	4.77	20	3.83	30
UGA-59	160.00	161.00	1.00	M303106	0.05	1	7.33	68	840	1.3	2	0.45	<0.5	20	36	24	4.42	20	4.38	30
UGA-59	161.00	162.00	1.00	M303107	0.15	0.9	7.45	206	430	1.3	3	1.81	0.5	19	32	23	5.06	20	4.76	30
UGA-59	162.00	163.00	1.00	M303108	0.21	1.2	7.43	204	680	1.3	3	0.62	<0.5	18	32	20	4.73	20	4.57	30
UGA-59	163.00	164.00	1.00	M303109	0.3	1.5	7.31	323	530	1.3	2	0.49	<0.5	20	34	22	4.63	10	4.54	30
UGA-59	164.00	165.00	1.00	M303110	0.69	2.5	6.61	643	330	1.2	2	0.74	<0.5	16	35	26	4.46	20	4.37	30
UGA-59	165.00	166.00	1.00	M303111	9.58	61.7	5.22	633	400	1	2	0.8	0.6	13	34	37	4.12	10	3.62	20
UGA-59	166.00	167.00	1.00	M303113	0.72	2.7	6.7	280	570	1.4	3	0.82	0.5	17	32	24	4.22	10	4.53	30
UGA-59	167.00	168.00	1.00	M303114	0.63	3.9	5.66	502	340	1.1	2	0.73	<0.5	14	32	25	5.92	10	3.43	30
UGA-59	168.00	169.00	1.00	M303115	6.63	13.8	4.84	763	260	1.1	<2	0.89	0.6	12	33	52	5.33	10	2.98	20
UGA-59	169.00	170.00	1.00	M303116	2.55	4.6	5.97	656	250	1.3	3	0.71	0.5	15	35	37	5.04	10	3.84	30
UGA-59	170.00	171.00	1.00	M303117	0.46	1.9	7.22	389	700	1.4	<2	0.91	<0.5	19	33	36	4.62	20	4.13	30
UGA-59	171.00	172.00	1.00	M303118	0.16	1.1	7.71	230	590	1.4	2	0.74	<0.5	18	34	31	4.29	20	4.07	30
UGA-59	172.00	173.00	1.00	M303119	0.32	1.4	7.43	217	760	1.4	3	0.66	<0.5	19	32	23	4.97	20	4.31	30
UGA-59	173.00	174.00	1.00	M303120	0.06	1.1	7.48	158	790	1.4	2	0.64	<0.5	21	31	26	4.54	20	4.54	30
UGA-59	174.00	175.00	1.00	M303121	0.35	3.6	7.47	463	670	1.5	2	0.83	0.5	20	40	36	5.42	20	4.19	30

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-59	127.00	128.00	1.00	M302989	2.68	419	2	0.05	11	1160	13	1.56	20	21	75	<20	0.4	<10	<10	159
UGA-59	128.00	129.00	1.00	M302990	2.89	591	2	0.09	11	1170	12	0.9	15	22	102	<20	0.41	10	<10	161
UGA-59	129.00	130.00	1.00	M302991	2.31	741	3	0.12	11	1650	11	1.5	20	21	112	<20	0.41	10	<10	158
UGA-59	130.00	132.00	2.00	M302992	2.21	801	1	0.29	10	1180	13	1.1	16	22	149	<20	0.4	<10	10	160
UGA-59	132.00	134.00	2.00	M302993	2.82	952	2	1.12	9	1130	13	0.47	<5	19	408	<20	0.4	<10	<10	162
UGA-59	134.00	135.00	1.00	M302994	2.47	753	2	0.94	10	1120	10	0.93	9	20	326	<20	0.4	<10	<10	162
UGA-59	135.00	136.00	1.00	M302995	2.52	829	2	1.17	9	1120	13	0.57	7	19	390	<20	0.39	10	<10	159
UGA-59	136.00	138.00	2.00	M302996	2.37	891	2	1.14	11	1150	15	0.39	7	20	408	<20	0.41	<10	<10	164
UGA-59	138.00	140.00	2.00	M302997	2.67	894	2	1.08	10	1110	12	0.49	6	20	382	<20	0.4	10	<10	161
UGA-59	140.00	141.00	1.00	M302998	2.88	696	1	0.21	11	1100	11	1.1	6	20	148	<20	0.39	<10	<10	159
UGA-59	141.00	142.00	1.00	M302999	1.98	333	2	0.04	10	1090	15	4.05	27	17	113	<20	0.32	<10	<10	128
UGA-59	142.00	143.00	1.00	M303001	3.59	640	3	0.03	12	1140	10	2.06	15	21	82	<20	0.38	<10	<10	151
UGA-59	143.00	144.00	1.00	M303002	2.1	319	2	0.03	8	990	12	3.42	15	18	63	<20	0.35	10	<10	136
UGA-59	144.00	145.00	1.00	M303003	1.72	247	3	0.03	11	1040	11	3.91	19	18	61	<20	0.36	10	<10	141
UGA-59	145.00	146.00	1.00	M303004	1.8	263	3	0.03	9	1020	14	4.47	19	18	81	<20	0.33	<10	<10	133
UGA-59	146.00	147.00	1.00	M303005	2.03	266	2	0.03	10	1040	12	3.54	18	19	63	<20	0.36	10	<10	146
UGA-59	147.00	148.00	1.00	M303006	1.53	257	4	0.03	10	860	13	4.47	29	15	99	<20	0.27	<10	<10	110
UGA-59	148.00	149.00	1.00	M303091	1.52	235	3	0.04	11	1030	14	3.72	24	19	63	<20	0.32	10	<10	122
UGA-59	149.00	150.00	1.00	M303092	3.04	587	2	0.04	9	1200	10	1.24	14	22	83	<20	0.42	10	<10	165
UGA-59	150.00	151.00	1.00	M303093	3.05	755	2	0.06	11	1110	13	1.98	8	25	112	<20	0.41	<10	<10	162
UGA-59	151.00	152.00	1.00	M303095	3.36	793	2	0.37	7	1100	12	1.18	12	24	184	<20	0.41	10	<10	159
UGA-59	152.00	153.00	1.00	M303096	3.64	1020	2	0.41	5	1140	13	0.55	8	25	222	<20	0.43	10	<10	162
UGA-59	153.00	154.00	1.00	M303097	3.39	846	2	0.04	10	1040	11	1.25	12	23	101	<20	0.38	10	<10	146
UGA-59	154.00	155.00	1.00	M303099	3.82	875	3	0.04	10	1160	10	1.07	9	25	99	<20	0.43	10	<10	166
UGA-59	155.00	156.00	1.00	M303101	1.68	243	4	0.04	10	1060	15	3.76	21	22	70	<20	0.37	<10	<10	136
UGA-59	156.00	157.00	1.00	M303102	1.58	216	4	0.05	9	1060	15	3.65	15	21	74	<20	0.37	<10	<10	137
UGA-59	157.00	158.00	1.00	M303103	2.14	308	3	0.04	10	1100	12	3.23	12	23	67	<20	0.4	10	<10	149
UGA-59	158.00	159.00	1.00	M303104	2.77	596	3	0.04	10	1000	11	2.78	7	22	83	<20	0.37	<10	<10	137
UGA-59	159.00	160.00	1.00	M303105	3.24	596	3	0.04	7	1110	12	2.19	9	23	77	<20	0.4	10	<10	151
UGA-59	160.00	161.00	1.00	M303106	2	311	2	0.06	9	1140	12	3.08	7	21	69	<20	0.4	10	<10	146
UGA-59	161.00	162.00	1.00	M303107	2.21	608	3	0.05	10	1150	15	4.03	8	22	107	<20	0.38	<10	<10	141
UGA-59	162.00	163.00	1.00	M303108	2.13	375	3	0.05	10	1160	13	3.29	8	22	69	<20	0.39	10	<10	144
UGA-59	163.00	164.00	1.00	M303109	1.61	288	3	0.06	10	1150	12	3.72	13	21	74	<20	0.4	<10	<10	143
UGA-59	164.00	165.00	1.00	M303110	1.06	159	5	0.05	9	1240	11	4.33	16	20	78	<20	0.36	<10	<10	134
UGA-59	165.00	166.00	1.00	M303111	0.92	149	6	0.04	9	1180	12	3.81	33	17	73	<20	0.28	10	<10	95
UGA-59	166.00	167.00	1.00	M303113	1.69	248	5	0.05	9	1240	7	3.07	21	17	77	<20	0.35	10	<10	134
UGA-59	167.00	168.00	1.00	M303114	1.74	288	7	0.04	7	1130	15	4.67	30	15	65	<20	0.29	10	<10	112
UGA-59	168.00	169.00	1.00	M303115	1.24	200	22	0.03	3	1370	22	4.75	46	12	67	<20	0.25	10	<10	97
UGA-59	169.00	170.00	1.00	M303116	1.48	248	8	0.04	8	1200	16	4.08	25	15	69	<20	0.31	10	<10	122
UGA-59	170.00	171.00	1.00	M303117	1.98	321	3	0.04	8	1380	15	2.96	20	18	69	<20	0.38	<10	<10	143
UGA-59	171.00	172.00	1.00	M303118	2.31	353	3	0.03	10	1510	15	2.18	13	19	66	<20	0.41	<10	<10	151
UGA-59	172.00	173.00	1.00	M303119	2.02	329	4	0.04	10	1230	14	3.25	10	19	65	<20	0.4	10	<10	145
UGA-59	173.00	174.00	1.00	M303120	1.96	319	2	0.05	8	1310	12	2.75	9	18	73	<20	0.42	<10	<10	153
UGA-59	174.00	175.00	1.00	M303121	1.97	346	3	0.04	11	1490	13	3.88	27	21	73	<20	0.39	10	<10	151

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm	
UGA-59	175.00	176.00	1.00	M303122	0.08	0.9	8.48	161	660	1.6	2	0.65	<0.5	20	49	37	5.2	20	4.43	30	
UGA-59	176.00	177.00	1.00	M303123	0.08	1.3	7.47	111	610	1.4	3	0.81	<0.5	20	51	42	4.78	20	3.92	30	
UGA-59	177.00	179.00	2.00	M303125	0.31	1.9	7.7	201	690	1.5	3	0.77	<0.5	20	59	39	4.76	20	4.14	30	
UGA-59	179.00	181.00	2.00	M303126	0.25	3.3	7.64	351	430	1.4	<2	0.85	<0.5	22	58	50	5.79	20	4.23	30	
UGA-59	181.00	183.00	2.00	M303127	0.1	0.6	7.74	246	840	1.4	<2	1.44	<0.5	21	57	40	5.04	20	4.27	30	
UGA-59	183.00	185.00	2.00	M303128	0.36	1.8	7.55	190	580	1.3	<2	0.86	<0.5	21	53	39	5.12	20	4.8	20	
UGA-59	185.00	187.00	2.00	M303129	0.87	2.1	8.22	420	890	1.2	2	0.83	<0.5	20	64	62	4.67	20	5.14	30	
UGA-59	187.00	189.00	2.00	M303131	0.05	1.1	8.52	409	780	1.3	<2	1.1	<0.5	22	63	54	5.09	20	4.92	30	
UGA-59	189.00	191.00	2.00	M303132	0.11	<0.5	8.21	178	580	1.5	4	2.44	0.6	19	62	42	4.93	20	3.73	30	
UGA-59	191.00	192.00	1.00	M303133	0.32	2.2	8.04	455	820	1.3	<2	1.66	<0.5	19	60	44	4.65	20	4.44	30	
UGA-59	192.00	193.00	1.00	M303134	0.1	<0.5	8.09	190	620	1.4	<2	2.73	<0.5	19	59	39	4.67	20	3.55	30	
UGA-59	193.00	194.00	1.00	M303135	0.55	3.1	7.76	418	760	1.3	3	1.78	0.5	20	61	46	4.64	20	4.33	30	
UGA-59	194.00	195.00	1.00	M303136	0.12	<0.5	7.59	207	650	1.4	2	1.94	<0.5	20	57	43	5.02	20	3.79	30	
UGA-59	195.00	196.00	1.00	M303137	0.14	0.6	7.9	218	710	1.4	3	3.75	0.5	21	61	41	4.98	20	2.62	30	
UGA-59	196.00	197.00	1.00	M303138	0.09	<0.5	8.15	158	820	1.3	2	3.62	0.5	23	60	44	5.11	20	2.76	30	
UGA-59	197.00	198.00	1.00	M303139	0.24	1.2	8.06	289	1360	1.4	2	3.18	0.5	23	58	47	4.92	20	2.38	30	
UGA-59	198.00	199.00	1.00	M303140	0.35	2.7	7.27	434	200	1.3	<2	1.36	<0.5	18	52	37	4.89	20	2.82	30	
UGA-59	199.00	200.00	1.00	M303141	0.12	1	7.38	243	390	1.4	<2	1.16	<0.5	16	54	37	3.41	20	3.14	30	
UGA-59	200.00	202.00	2.00	M303142	0.17	2.7	6.53	269	180	1.4	<2	2.6	0.5	18	44	34	4.96	10	2.72	30	
UGA-59	202.00	204.00	2.00	M303143	0.08	0.8	7.41	156	100	1.4	3	3.61	0.5	19	49	35	4.94	20	3.06	30	
UGA-59	204.00	206.00	2.00	M303144	0.11	<0.5	6.85	173	190	1.3	2	3.06	0.7	17	49	32	4.63	10	2.82	30	
UGA-59	206.00	207.00	1.00	M303145	0.09	0.5	7.08	206	200	1.3	<2	1.28	0.5	20	53	33	5.12	20	2.55	20	
UGA-59	207.00	209.00	2.00	M303146	0.11	<0.5	7.55	221	610	1.5	3	3.42	0.5	19	55	37	4.52	20	2.81	30	
UGA-59	209.00	210.00	1.00	M303147	0.14	<0.5	8.01	235	1270	1.5	5	2.47	<0.5	17	57	39	3.96	20	2.46	30	
UGA-59	210.00	211.00	1.00	M303148	0.22	1.6	6.77	372	440	1.3	<2	2.1	<0.5	19	47	37	4.55	20	2.66	30	
UGA-59	211.00	213.00	2.00	M303149	0.08	0.5	6.62	138	160	1.3	<2	3.55	<0.5	18	45	38	4.67	10	2.67	30	
UGA-59	213.00	215.00	2.00	M303151	0.02	0.7	7.02	45	150	1.4	<2	4.12	<0.5	20	46	37	4.42	20	2.62	30	
UGA-59	215.00	217.00	2.00	M303152	0.03	1.3	6.93	55	800	1.5	<2	4.19	<0.5	18	46	38	4.25	10	2.61	30	
UGA-59	217.00	219.00	2.00	M303153	0.05	0.8	6.88	85	150	1.7	<2	4.09	<0.5	21	44	35	5.6	20	3.05	30	
UGA-59	219.00	221.00	1.00	M303154	0.1	1.8	6.85	167	150	1.6	<2	4.11	<0.5	21	45	38	5.37	20	3.07	30	
UGA-59	221.00	222.00	1.00	M303155	0.11	1.5	7.21	175	180	1.6	2	3.74	<0.5	20	55	36	5.43	20	3.15	30	
UGA-59	222.00	223.00	1.00	M303156	0.28	2.8	6.68	396	350	1.4	<2	3.36	<0.5	18	51	41	4.77	20	2.52	20	
UGA-59	223.00	224.00	1.00	M303158	0.37	2.2	7.13	507	270	1.4	<2	3.16	<0.5	21	55	44	5.24	20	2.49	30	
UGA-59	224.00	225.00	1.00	M303159	0.15	1.2	7.42	397	350	1.4	<2	2.85	<0.5	20	57	42	4.46	20	2.75	30	
UGA-59	225.00	226.00	1.00	M303160	0.35	1.4	7.36	744	320	1.4	<2	3.06	<0.5	18	55	42	5.19	20	2.9	30	
UGA-59	226.00	227.00	1.00	M303161	0.16	1.1	7.9	580	560	1.5	<2	2.91	<0.5	20	59	43	4.85	20	2.9	30	
UGA-59	227.00	228.00	1.00	M303162	0.18	0.7	6.46	406	950	1.1	<2	3.73	<0.5	20	51	39	4.39	10	2.53	30	
UGA-59	228.00	229.00	1.00	M303164	0.16	0.8	7	311	790	1.3	<2	5.27	<0.5	20	53	41	4.67	10	2.45	30	
UGA-59	229.00	230.00	1.00	M303165	0.03	<0.5	7.49	108	420	1.3	<2	4.59	<0.5	20	59	43	4.26	20	2.43	20	
UGA-59	230.00	231.00	1.00	M303166	0.05	<0.5	6.98	125	340	1.3	<2	5.54	<0.5	16	53	38	4.13	10	2.43	30	
UGA-59	231.00	232.00	1.00	M303167	0.06	0.6	6.38	125	300	1.4	<2	4.73	<0.5	17	50	33	4.84	10	2.32	20	
UGA-59	232.00	234.00	1.00	M303169	0.02	<0.5	7.21	80	190	1.5	<2	4.45	<0.5	22	54	39	5.19	20	2.95	20	
UGA-59	234.00	235.00	1.00	M303171	0.02	0.6	7.77	72	190	1.4	<2	4.28	<0.5	20	58	43	4.2	20	2.85	30	
UGA-59	235.00	236.00	1.00	M303172	0.04	<0.5	7.16	89	190	1.5	<2	4.24	<0.5	20	50	37	4.66	10	2.7	30	

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-59	175.00	176.00	1.00	M303122	3.12	567	2	0.04	10	1460	13	2.09	12	23	72	<20	0.47	10	<10	185
UGA-59	176.00	177.00	1.00	M303123	2.34	334	3	0.03	11	1480	11	3.08	10	21	61	<20	0.4	10	<10	157
UGA-59	177.00	179.00	2.00	M303125	2.42	408	3	0.03	17	1350	11	3.12	10	21	64	<20	0.39	10	<10	151
UGA-59	179.00	181.00	2.00	M303126	2.28	407	5	0.03	15	1720	15	3.96	22	21	71	<20	0.38	10	<10	156
UGA-59	181.00	183.00	2.00	M303127	2.84	714	3	0.04	14	1330	15	2.61	13	21	93	<20	0.4	10	<10	155
UGA-59	183.00	185.00	2.00	M303128	2.03	387	2	0.05	15	1180	12	3.73	14	20	86	<20	0.39	10	<10	156
UGA-59	185.00	187.00	2.00	M303129	2.51	456	3	0.08	18	1230	13	2.03	16	22	96	<20	0.42	10	<10	163
UGA-59	187.00	189.00	2.00	M303131	2.47	555	2	0.09	16	1240	16	2.6	20	23	106	<20	0.41	10	<10	164
UGA-59	189.00	191.00	2.00	M303132	2.96	977	3	0.26	13	1180	15	1.48	7	22	167	<20	0.41	10	<10	162
UGA-59	191.00	192.00	1.00	M303133	2.66	647	3	0.08	15	1250	16	2.13	21	22	102	<20	0.4	10	<10	161
UGA-59	192.00	193.00	1.00	M303134	2.67	786	2	0.44	12	1170	17	1.38	10	22	203	<20	0.4	10	<10	158
UGA-59	193.00	194.00	1.00	M303135	2.94	743	3	0.09	15	1350	14	1.68	27	21	113	<20	0.41	<10	<10	160
UGA-59	194.00	195.00	1.00	M303136	3.27	888	2	0.06	16	1180	11	1.77	9	20	115	<20	0.39	10	<10	154
UGA-59	195.00	196.00	1.00	M303137	2.66	995	2	0.66	17	1180	15	0.84	17	21	293	<20	0.42	10	<10	162
UGA-59	196.00	197.00	1.00	M303138	3.06	1055	3	0.61	16	1180	14	0.71	10	21	284	<20	0.42	<10	<10	164
UGA-59	197.00	198.00	1.00	M303139	2.31	886	2	0.23	15	1210	14	1.38	16	21	172	<20	0.41	10	<10	162
UGA-59	198.00	199.00	1.00	M303140	1.44	326	4	0.02	15	1380	15	3.8	27	20	61	<20	0.37	<10	<10	141
UGA-59	199.00	200.00	1.00	M303141	1.15	196	5	0.02	10	1200	10	2.98	19	20	66	<20	0.39	<10	<10	140
UGA-59	200.00	202.00	2.00	M303142	1.88	670	6	0.02	9	1250	14	3.99	22	19	79	<20	0.34	10	<10	128
UGA-59	202.00	204.00	2.00	M303143	2.33	1055	3	0.02	13	1080	10	3.88	9	21	93	<20	0.38	10	<10	145
UGA-59	204.00	206.00	2.00	M303144	2.25	960	3	0.01	10	1040	9	3.13	12	20	82	<20	0.36	10	<10	140
UGA-59	206.00	207.00	1.00	M303145	2.01	374	3	0.02	10	1140	10	2.87	17	20	63	<20	0.39	<10	<10	159
UGA-59	207.00	209.00	2.00	M303146	2.59	1200	2	0.02	9	1130	10	1.35	13	21	115	<20	0.4	10	10	157
UGA-59	209.00	210.00	1.00	M303147	2.29	771	2	0.02	8	1260	12	1.34	18	23	111	<20	0.42	10	<10	163
UGA-59	210.00	211.00	1.00	M303148	1.72	537	3	0.02	11	1170	12	3.14	24	19	75	<20	0.37	10	<10	138
UGA-59	211.00	213.00	2.00	M303149	2.27	985	3	0.02	14	1030	14	3.2	8	19	74	<20	0.36	<10	<10	133
UGA-59	213.00	215.00	2.00	M303151	2.77	1180	2	0.02	13	1060	11	2.59	<5	20	95	<20	0.38	<10	<10	139
UGA-59	215.00	217.00	2.00	M303152	2.77	1150	2	0.02	14	1040	10	2.52	<5	20	105	<20	0.38	10	<10	140
UGA-59	217.00	219.00	2.00	M303153	2.46	1225	2	0.02	17	1040	13	5.03	<5	20	85	<20	0.38	<10	<10	139
UGA-59	219.00	221.00	1.00	M303154	2.42	1150	4	0.02	18	1090	15	4.84	10	20	76	<20	0.38	<10	<10	140
UGA-59	221.00	222.00	1.00	M303155	2.21	1050	3	0.02	16	1150	11	5.01	15	21	76	<20	0.4	<10	<10	155
UGA-59	222.00	223.00	1.00	M303156	2.28	1115	4	0.02	12	1060	11	3.43	29	20	74	<20	0.36	<10	<10	149
UGA-59	223.00	224.00	1.00	M303158	2.2	789	3	0.02	17	1160	13	3.33	28	21	96	<20	0.39	<10	<10	159
UGA-59	224.00	225.00	1.00	M303159	1.94	664	2	0.02	14	1150	6	2.71	21	22	74	<20	0.4	<10	<10	160
UGA-59	225.00	226.00	1.00	M303160	1.96	547	3	0.02	15	1380	10	3.2	25	23	80	<20	0.4	<10	<10	165
UGA-59	226.00	227.00	1.00	M303161	2.1	668	2	0.02	19	1260	10	1.96	19	23	86	<20	0.45	<10	<10	171
UGA-59	227.00	228.00	1.00	M303162	2.15	941	2	0.03	15	990	11	1.71	19	19	114	<20	0.35	<10	<10	141
UGA-59	228.00	229.00	1.00	M303164	2.67	1285	2	0.03	17	1080	11	1.94	20	21	129	<20	0.39	<10	<10	153
UGA-59	229.00	230.00	1.00	M303165	1.94	909	1	0.03	20	1180	10	1.34	9	22	123	<20	0.43	<10	<10	170
UGA-59	230.00	231.00	1.00	M303166	2.52	1060	2	0.02	11	1070	8	1.51	13	21	110	<20	0.38	<10	<10	148
UGA-59	231.00	232.00	1.00	M303167	2.36	1160	3	0.02	14	970	9	2.97	9	19	76	<20	0.35	<10	<10	137
UGA-59	232.00	234.00	1.00	M303169	2.28	1085	2	0.02	18	1120	11	4.27	10	21	65	<20	0.41	<10	<10	158
UGA-59	234.00	235.00	1.00	M303171	2.17	898	2	0.02	17	1150	12	3.19	15	23	62	<20	0.43	<10	<10	168
UGA-59	235.00	236.00	1.00	M303172	2.28	1100	2	0.02	17	1050	10	4.05	18	21	56	<20	0.39	<10	<10	149

For personal use only

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	K %	La ppm
UGA-59	236.00	237.00	1.00	M303173	0.04	0.9	7.83	107	190	1.8	<2	3.17	<0.5	20	65	44	3.58	20	3.15	30
UGA-59	237.00	238.00	1.00	M303174	0.14	0.8	4.26	107	110	0.9	<2	1.04	<0.5	10	50	15	2.87	10	1.95	20
UGA-59	238.00	239.00	1.00	M303175	0.07	1.1	6.6	83	200	1.2	<2	2.02	<0.5	18	68	25	3.98	10	2.91	20
UGA-59	239.00	241.00	2.00	M303176	0.09	1.2	5.15	96	200	1	<2	4.16	<0.5	13	39	23	4.45	10	2.25	20
UGA-59	241.00	243.00	2.00	M303177	0.02	0.6	8.4	24	380	1.5	<2	2.84	<0.5	11	4	28	3.79	20	3.51	10

For personal use only

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V
Hole	From (m)	To (m)	Interval	Sample Nr	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
UGA-59	236.00	237.00	1.00	M303173	1.86	996	2	0.02	15	1240	8	3.22	23	23	54	<20	0.45	<10	<10	177
UGA-59	237.00	238.00	1.00	M303174	0.81	349	4	0.02	13	610	6	2.85	16	12	30	<20	0.22	<10	<10	83
UGA-59	238.00	239.00	1.00	M303175	1.3	648	7	0.02	18	980	9	3.99	19	19	43	<20	0.36	<10	<10	142
UGA-59	239.00	241.00	2.00	M303176	2.02	1065	2	0.03	12	670	11	3.39	10	12	45	<20	0.27	<10	<10	91
UGA-59	241.00	243.00	2.00	M303177	1.31	752	1	0.1	5	910	9	1.54	<5	13	66	<20	0.47	<10	<10	120

