



29 September 2025

## Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali Gold Project, Côte d'Ivoire

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce exceptional high-grade gold results from its ongoing 100,000m infill drilling program at the 2.41Moz Boundiali Gold Project<sup>1</sup> in Côte d'Ivoire. The drilling was designed to upgrade the Mineral Resource confidence at Boundiali's BMT3 and BDT2 deposits and has successfully confirmed high-grade, continuous gold mineralisation.

### Encouraging new drill intercepts include<sup>2</sup>:

- **BMT3 Deposit:**
  - **1m @ 152.35 g/t Au** from 96m (MBDD260)
  - **21m @ 4.06 g/t Au** from 128m, incl. **1.40m @ 53.22 g/t Au** (MBDD250)
  - **5m @ 10.80 g/t Au** from 82m, incl. **4m @ 13.45 g/t Au** (MBDD255)
  - **6.65m @ 6.23 g/t Au** from 52m (MBDD238)
  - **9.30m @ 4.44 g/t Au** from 75m, incl. **4.30m @ 9.10 g/t Au** (MBDD232).
- **BDT2 Deposit:**
  - **10.50m @ 2.39 g/t Au** from 43.50m, incl. **1m @ 22.81 g/t Au** (DSDD0254)
  - **0.90m @ 22.03 g/t Au** from 126m (DSDD0252).

### Project Growth & Development:

- **Mineralisation remains open:** Gold mineralisation at both deposits remains open along strike and at depth, indicating significant potential for resource growth.
- **Drilling fleet expanded:** Two new rigs have been added, expanding Aurum's owned fleet to 12. This expansion will accelerate the program, targeting more than **130,000m** of drilling in CY2025.
- **Major Resource updates pending:** Two major MRE updates (Boundiali and Napié) are scheduled for early Q1 CY2026, aimed at growing the Company's current 3.28Moz resource base.
- **Boundiali PFS commenced:** A Boundiali Project Pre-Feasibility Study is underway, due in Q1 CY2026.
- **Well-funded for growth:** Aurum maintains a strong balance sheet with **\$40M** cash (inclusive of Montage shares, unaudited)<sup>3</sup> to fully fund its exploration and development programs.

**Aurum's Managing Director Dr. Caigen Wang** said: "*These spectacular results highlight the immense potential of our Côte d'Ivoire portfolio. The bonanza hit of 1m @ 152.35 g/t gold from 96m at Boundiali confirms the system at BDT3 hosts high-grade shoots, with this intercept being drilled up-dip from 1.43m at 234.35 g/t gold from 107m<sup>4</sup>.*

*Crucially, this success is not isolated to our Boundiali gold project. At our Napié Project, recent drilling has also returned a fantastic result of 17m @ 9.38 g/t gold<sup>5</sup> from 236m, significantly extending mineralisation at depth. This demonstrates our ability to deliver potential high-grade ounces across multiple assets.*

*Our unique advantage is our owned and operated fleet of 12 drill rigs, which allows us to aggressively and cost-effectively test these systems. With a strong cash balance of \$40 million, a clear development pathway with the Boundiali PFS underway, and major resource updates pending, we are in an excellent position to deliver substantial shareholder value through 2025 and into 2026.*"

<sup>1</sup> "Boundiali Gold Project Resource grows ~50% to 2.41Moz, growing Aurum's group resources to 3.28Moz" released to the Australian Securities Exchange on 5 August 2025 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>2</sup> Refer to tables accompanying this report for collar location information and assay intercepts and results for the new drilling

<sup>3</sup> ASX release dated 23/07/2025 June Quarterly Report

<sup>4</sup> ASX release dated 25/07/2025 Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3

<sup>5</sup> ASX release dated 10 Sep 2025 Aurum hits 17m @ 9.38 g/t gold from 236m at Napié



## New Drilling – Boundiali Gold Project<sup>6</sup>

Aurum is reporting new assay results from infill diamond drilling (53 holes for 9,746.28m). These results are from the **BMT3** deposit located on the **BM** tenement (80% interest) and the **BDT2** deposit located on the **BD** tenement (80% interest).

### BMT3 - Latest Drill Results

Aurum is reporting new assay results from diamond drilling (42 holes for 6,966.18m), with better intercepts including<sup>7</sup>:

- **1m @ 152.35 g/t Au** from 96m (MBDD260)
- **21m @ 4.06 g/t Au** from 128m inc. **1.40m @ 53.22 g/t Au** (MBDD250)
- **5m @ 10.80 g/t Au** from 82m inc. **4m @ 13.45 g/t Au** (MBDD255)
- **6.65m @ 6.23 g/t Au** from 52m (MBDD238)
- **9.30m @ 4.44 g/t Au** from 75m inc. **4.30m @ 9.10 g/t Au** (MBDD232)
- **10m @ 2.93 g/t Au** from 133m inc. **2m @ 12.72 g/t Au** (MBDD245)
- **15m @ 1.92 g/t Au** from 175m inc. **7m @ 3.42 g/t Au** (MBDD265)
- **23m @ 1.19 g/t Au** from 76m inc. **4m @ 2.72 g/t Au** (MBDD239)
- **9m @ 2.94 g/t Au** from 192m inc. **5.41m @ 4.81 g/t Au** (MBDD241)
- **9m @ 2.81 g/t Au** from 22m inc. **4m @ 5.24 g/t Au** (MBDD231).

These new results are in addition to diamond holes drilled and reported<sup>8</sup> by Aurum at **BM**, which included:

- **4.20m @ 80.64 g/t Au** from 107m inc. **1.43m @ 234.35 g/t Au & 5.66 m @ 6.99 g/t Au** from 121m (MBDD214B)
- **1.19m @ 277.54 g/t Au** from 31m (MBDD118)
- **9m @ 24.61 g/t Au** from 221m inc. **4m @ 54.64 g/t Au** from 222m (MBDD174)
- **1m @ 150.50 g/t Au** within **3m @ 50.56 g/t Au** from 124m (MBDD130)
- **2m @ 63.55 g/t Au** from 111m inc. **1m @ 110.95 g/t Au & 23m @ 2.04 g/t Au** from 118m (MBDD123)
- **4m @ 9.56 g/t Au** from 130m inc. **3m @ 12.65 g/t Au** (MBDD133)
- **1m @ 73.77 g/t Au** from 38m; **12m @ 2.14 g/t Au** from 43m; **6m @ 4.46 g/t Au** from 56m & **15m @ 1.17 g/t Au** from 132m (MBDD112)
- **11.46m @ 6.67 g/t Au** from 162.54m incl. **1.46m @ 45.04 g/t Au** (MBDD049)
- **17.31m @ 5.90 g/t Au** from 273.69m inc. **6m @ 16.07 g/t Au** (MBDD081).

Gold mineralisation at BMT3 is hosted in a diorite emplaced between volcanic and sedimentary rocks and is characterised by disseminated pyrite with quartz veinlets and quartz veins, occasional visible gold and associated with silica, carbonate and chlorite alteration. True widths for these shallow gold intercepts are estimated at about 60% - 80% of reported downhole lengths.

Details of drill collar location and assay results and intercepts for the new drilling at **BMT3** can be found in Table 1 and Table 2 respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in the following figures. General locations in Figure 1, Figure 2, and project details in Figure 3. Detailed plan showing results in Figure 4 and a cross section showing the latest drill results is presented in Figure 5.

<sup>6</sup> Refer to About Aurum's Boundiali Gold Project

<sup>7</sup> Refer to Table 1 for collar information and Table 2 for assay results for the new drilling

<sup>8</sup> Refer to Compliance Statement for details on previous reporting on ASX



## BDT2 - Latest Drill Results

Aurum is reporting new assay results from infill diamond drilling (11 holes for 2,780.10m) at the southern end of the deposit, with better intercepts including<sup>9</sup>:

- **10.50m @ 2.39 g/t Au** from 43.50m inc. **1m @ 22.81 g/t Au** (DSDD0254)
- **0.90m @ 22.03 g/t Au** from 126m inc. **0.90m @ 22.03 g/t Au** (DSDD0252)
- **34m @ 0.46 g/t Au** from 198m inc. **1m @ 3.85 g/t Au** (DSDD0256)
- **31m @ 0.43 g/t Au** from 286m inc. **1m @ 1.42 g/t Au** (DSDD0258)
- **3m @ 3.61 g/t Au** from 74m inc. **1m @ 9.65 g/t Au** (DSDD0250)
- **23m @ 0.45 g/t Au** from 161m inc. **1m @ 1.08 g/t Au** (DSDD0261)
- **15.30m @ 0.65 g/t Au** from 112m inc. **1m @ 3.37 g/t Au** (DSDD0259)
- **7m @ 1.23 g/t Au** from 171m inc. **0.90m @ 5.60 g/t Au** (DSDD0256)
- **14m @ 0.61 g/t Au** from 172m inc. **3.28m @ 1.03 g/t Au** (DSDD0253)
- **9m @ 0.78 g/t Au** from 178m inc. **1m @ 1.91 g/t Au** (DSDD0257).

These new results are in addition to diamond holes drilled and reported<sup>10</sup> by Aurum at **BDT2**, which included:

- **74m @ 1.00 g/t Au** from 167m inc. **1m @ 24.73 g/t Au** (DSDD0044)
- **2m @ 22.86 g/t Au** from 297m (DSDD0240)
- **2m @ 16.67 g/t Au** from 29.50m (DSDD0218)
- **16m @ 1.79 g/t Au** from 347m inc. **4m @ 6.36 g/t Au** (DSDD0235)
- **33m @ 0.84 g/t Au** from 146m inc. **1m @ 9.95 g/t Au** (DSDD0046)
- **33m @ 0.84 g/t Au** from 341m inc. **6m @ 2.03 g/t Au** (DSDD0123A)
- **15.78m @ 1.70 g/t Au** from 121.22m inc. **6m @ 2.99 g/t Au** (DSDD0110)
- **13.88 m @ 1.45 g/t Au** from 377m inc. **1m @ 14.79 g/t Au** (DSDD0123A)
- **18.15m @ 0.80 g/t Au** from 190.85m inc. **4m @ 2.53 g/t Au** (DSDD0243)
- **26.91m @ 0.47 g/t Au** from 51.31m inc. **1m @ 3.28 g/t Au** (DSDD0237)

The **BDT2** gold deposit lies within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold which is free milling<sup>11</sup> is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths.

Details of drill collar location and assay results and intercepts for the new drilling at **BDT2** can be found in Table 3 and Table 4 respectively. Plans showing location of the Boundjali Gold Project and the assay results are presented in the following figures. General locations in Figure 1, Figure 2, and project details in Figure 3. A detailed plan showing results is presented in Figure 6 and a cross section showing the latest drill results is presented in

Figure 7.

Gold mineralisation remains open along strike and at depth on all deposits with drilling ongoing and Aurum planning further work.

<sup>9</sup> Refer to Table 3 for collar information and Table 4 for assay results for the new drilling

<sup>10</sup> Refer to Compliance Statement for details on previous reporting on ASX

<sup>11</sup> ASX release dated 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundjali



#### Next Steps:

- **Aggressive cost-effective exploration at Boundiali:** Aurum is committed to a large-scale exploration program at Boundiali. This includes:
  - **100,000m diamond drilling<sup>12</sup>:** Up to 10 diamond drill rigs will complete 100,000m of drilling at Boundiali in CY2025. The program aims to:
    - Increase the size and confidence of current resources
    - Advance known prospects for incorporation into the next MRE update
    - Target new prospects identified through soil anomalies and geological mapping to drive resource growth into 2026.
  - **Resource expansion:** Drilling aims to expand the known resources at the **BD**, **BM**, and **BST** deposits.
  - **New discoveries:** Exploration and scout drilling is planned on **BD**, **BM**, and **BST** tenements to test new targets and create a pipeline of new discoveries to flow into resource growth.
  - **Resource updates:** Aurum plans to deliver a major **MRE update** for Boundiali early in Q1 CY2025.
- **Boundiali Pre-Feasibility Study:** Aurum is working towards completing an open pit PFS for the Boundiali Gold Project with results expected in Q1 CY2026. This will provide an evaluation of the project's economics and technical feasibility.
- **Napié exploration drilling:** A 30,000m diamond drilling program (CY2025) is continuing at the Napié Gold Project, designed to expand the existing 0.87Moz resource with an updated MRE for Napié expected early Q1 CY2026.
- **Continued growth:** With a strong financial position, Aurum is well-funded to execute these exploration and development plans. The Company remains focused on delivering value for shareholders through resource growth and project advancement.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

<sup>12</sup> This program is indicative only and subject to change based on operational requirements and exploration results. Meterage allocations may be adjusted as new information becomes available. Investors should refer to company announcements for updates on the drilling program and be aware of the inherent risks associated with mineral exploration.



## FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

## COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

## COMPLIANCE STATEMENT

The information in this report that relates to Boundiali Mineral Resources is extracted from the announcement "Aurum delivers 2.41Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 5 August 2025 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at [www.asx.com.au](http://www.asx.com.au) and includes results reported previously and published on ASX platform:

10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napié (ASX:AUE)  
01 Sep 2025, Aurum expands footprint of Boundiali and Napié Gold Projects (ASX:AUE)  
05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX: AUE)  
29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)  
25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)  
23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)  
27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)  
17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)  
27 May 2025, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)  
21 May 25, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)  
13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)  
13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)  
07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)  
16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)  
08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)  
31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)  
27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)  
19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)  
14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)  
7 Mar 25, Investor Presentation March 2025 (ASX:AUE)  
6 Mar 25, AUE Completes Acquisition of Moko Gold Limited (ASX:AUE)  
27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)  
21 Feb 2025, 8m at 8.33g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)  
4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)  
3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)  
31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)  
31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)  
31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)  
30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)  
29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)  
24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)  
24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)  
23 Jan 2025, Best and Final offer for Moko Gold Limited (ASX:AUE)  
9 Jan 2025, Best and Final offer for Moko Gold Limited (ASX:AUE)  
31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)  
30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)

24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)  
23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)  
18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3  
13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)  
6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)  
29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)  
28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)  
22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)  
15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)  
11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)  
30 Oct 2024, Bidders Statement (ASX:AUE)  
16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)  
09 Sep 2024, Aurum earns 51% interest at Boundiali BM tenement (ASX:AUE)  
05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)  
07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)  
22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)  
17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)  
24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)  
10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)  
23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)  
12 March 2024, AUE hits 73m @ 2.15g/t incl 1m at 72g/t gold at Boundiali (ASX:AUE)  
01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)  
22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX: AUE)  
21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)  
21 November 2023, AUE Acquisition Presentation (ASX:AUE)  
21 June 2021, Notice of General Meeting/Proxy Form (MSR.ASX)  
21 May 2021, PlusOr to Acquire 61.94 sq kms Ground Position in Côte d'Ivoire (MSR.ASX)  
22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI.ASX)  
15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI.ASX)  
27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI.ASX)  
16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI.ASX)  
26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI.ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire

For Personal Use Only




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for BMT3<sup>13</sup>

<sup>13</sup> Only showing holes with intercepts greater than 5 gold gram metres, full list of intercepts included in table.




Figure 5: Oblique Cross Section looking northeast (+/-25m) showing new drill results (yellow) for BMT3




Figure 6: Plan view showing new drill results (yellow) for BDT2<sup>14</sup>

<sup>14</sup> Only showing holes with intercepts greater than 5 gold gram metres, full list of intercepts included in table.

For personal use only




Figure 7: Cross Section looking north (+/-25m) showing new drill results (yellow) for BDT2



**Table 1: Drill collar information for holes drilled at BMT3**

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
MBDD218	795,327	1,079,640	368	101.70	105	-50	BMT3	DD
MBDD219	795,358	1,079,568	368	85.80	105	-50	BMT3	DD
MBDD220	795,282	1,079,282	378	192.10	105	-50	BMT3	DD
MBDD221	795,333	1,079,466	371	95.90	105	-50	BMT3	DD
MBDD222	795,351	1,079,145	380	88.60	105	-50	BMT3	DD
MBDD223	795,312	1,079,581	368	92.50	105	-50	BMT3	DD
MBDD224	795,325	1,079,052	383	101.00	105	-50	BMT3	DD
MBDD226	795,284	1,079,479	370	92.10	105	-50	BMT3	DD
MBDD227	795,263	1,079,594	369	112.30	105	-50	BMT3	DD
MBDD228	795,294	1,079,011	383	100.00	105	-50	BMT3	DD
MBDD229	795,303	1,079,158	380	124.90	105	-50	BMT3	DD
MBDD230	795,277	1,079,065	383	144.10	105	-50	BMT3	DD
MBDD231	795,233	1,079,292	376	259.20	105	-50	BMT3	DD
MBDD232	795,235	1,079,495	371	122.00	105	-50	BMT3	DD
MBDD233	795,215	1,079,607	368	144.00	105	-50	BMT3	DD
MBDD234	795,301	1,078,963	387	103.40	105	-50	BMT3	DD
MBDD235	795,254	1,079,172	381	200.60	105	-50	BMT3	DD
MBDD236	795,188	1,079,505	370	169.20	105	-50	BMT3	DD
MBDD237	795,252	1,078,974	386	160.10	105	-50	BMT3	DD
MBDD238	795,229	1,079,078	383	206.75	105	-50	BMT3	DD
MBDD239	795,205	1,079,185	382	248.60	105	-50	BMT3	DD
MBDD240	795,140	1,079,518	370	226.10	105	-50	BMT3	DD
MBDD241	795,186	1,079,304	386	337.90	105	-55	BMT3	DD
MBDD242	795,204	1,078,991	389	204.70	105	-50	BMT3	DD
MBDD243	794,807	1,078,049	386	200.20	290	-55	BMT3	DD
MBDD244A	795,278	1,078,877	388	113.80	105	-50	BMT3	DD
MBDD245	795,180	1,079,091	383	241.40	105	-50	BMT3	DD
MBDD246	795,144	1,078,331	390	206.50	105	-50	BMT3	DD
MBDD249	795,177	1,078,489	400	213.90	105	-50	BMT3	DD
MBDD250	795,098	1,078,345	390	200.93	105	-50	BMT3	DD
MBDD252	795,311	1,079,384	373	67.00	105	-50	BMT3	DD
MBDD253	795,228	1,078,887	388	170.90	105	-50	BMT3	DD
MBDD254	795,200	1,078,583	401	202.70	105	-50	BMT3	DD
MBDD255	795,193	1,078,277	387	141.35	105	-50	BMT3	DD
MBDD256	795,153	1,078,187	383	218.55	105	-50	BMT3	DD
MBDD258	795,262	1,079,399	373	119.00	105	-50	BMT3	DD
MBDD259	795,181	1,078,901	388	230.50	105	-52	BMT3	DD
MBDD260	795,147	1,078,288	388	175.50	105	-50	BMT3	DD
MBDD261	795,119	1,078,244	387	160.50	105	-50	BMT3	DD
MBDD263	795,215	1,079,410	373	150.40	105	-50	BMT3	DD
MBDD264	795,097	1,078,199	385	233.10	105	-50	BMT3	DD
MBDD265	795,139	1,078,913	388	206.40	105	-50	BMT3	DD
<b>42 holes</b>				<b>6,966.18m</b>			<b>TOTAL</b>	<b>DD</b>

**Table 2: Significant assay results for holes drilled at BMT3<sup>15</sup>**

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD218	0.00	0.55	0.55	0.56	0.55m @ 0.56 g/t Au	0.3	
MBDD218	2.04	3.00	0.96	0.14			
MBDD218	3.00	4.00	1.00	<b>1.52</b>	1m @ 1.52 g/t Au	1.5	<b>1m @ 1.52 g/t Au</b>
MBDD218	4.00	5.00	1.00	0.13			
MBDD218	6.00	7.00	1.00	0.11			
MBDD218	8.00	9.15	1.15	0.17			
MBDD218	49.00	50.00	1.00	0.16			
MBDD218	50.00	51.20	1.20	0.14			
MBDD219	0.00	1.50	1.50	0.21	1.50m @ 0.21 g/t Au	0.3	
MBDD219	2.10	3.00	0.90	0.14			
MBDD219	3.00	4.50	1.50	0.30	1.50m @ 0.30 g/t Au	0.5	
MBDD219	7.00	8.00	1.00	0.22	1m @ 0.22 g/t Au	0.2	
MBDD219	41.23	42.00	0.77	0.10			
MBDD220	0.00	1.00	1.00	0.21	1m @ 0.21 g/t Au	0.2	
MBDD220	1.00	2.00	1.00	0.14			
MBDD220	7.00	8.00	1.00	0.58	1m @ 0.58 g/t Au	0.6	
MBDD220	13.00	14.42	1.42	0.21	1.42m @ 0.21 g/t Au	0.3	
MBDD220	15.00	16.00	1.00	0.13			
MBDD220	16.00	17.00	1.00	0.23	1m @ 0.23 g/t Au	0.2	
MBDD220	20.00	21.00	1.00	0.11			
MBDD220	21.00	22.00	1.00	0.42			
MBDD220	22.00	23.00	1.00	0.03			
MBDD220	23.00	24.00	1.00	0.05			
MBDD220	24.00	25.00	1.00	0.38			
MBDD220	26.30	27.43	1.13	0.27	1.13m @ 0.27 g/t Au	0.3	
MBDD220	29.71	31.03	1.32	0.14			
MBDD220	32.33	33.00	0.67	0.30			
MBDD220	33.00	34.06	1.06	<b>1.15</b>	1.73m @ 0.82 g/t Au	1.4	<b>1.06m @ 1.15 g/t Au</b>
MBDD220	35.27	36.65	1.38	0.17			
MBDD220	38.27	39.26	0.99	0.98	0.99m @ 0.98 g/t Au	1.0	
MBDD220	176.00	177.00	1.00	0.17			
MBDD220	177.00	178.00	1.00	0.18			
MBDD221	0.00	1.00	1.00	0.22	1m @ 0.22 g/t Au	0.2	
MBDD221	1.00	2.20	1.20	0.12			
MBDD222	0.62	1.50	0.88	0.29	0.88m @ 0.29 g/t Au	0.3	
MBDD222	1.50	3.00	1.50	0.13			
MBDD223	0.00	1.00	1.00	0.22	1m @ 0.22 g/t Au	0.2	
MBDD223	2.45	3.00	0.55	0.15			
MBDD223	3.00	4.00	1.00	0.22			
MBDD223	4.00	5.00	1.00	0.22			
MBDD223	51.70	53.00	1.30	0.17			
MBDD223	55.50	56.00	0.50	0.11			
MBDD223	57.00	58.00	1.00	0.32	1m @ 0.32 g/t Au	0.3	
MBDD223	66.00	67.35	1.35	0.17			
MBDD224	1.00	101.00			NSI		
MBDD226	0.00	1.00	1.00	0.20			
MBDD226	1.00	1.82	0.82	0.36			
MBDD226	3.00	4.00	1.00	0.14			
MBDD226	19.00	20.00	1.00	0.11			
MBDD226	30.00	31.00	1.00	0.69	1m @ 0.69 g/t Au	0.7	
MBDD227	0.00	0.86	0.86	0.14			
MBDD227	4.50	5.00	0.50	0.21	0.50m @ 0.21 g/t Au	0.1	

<sup>15</sup> 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied



aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD227	79.00	80.00	1.00	0.12			
MBDD227	81.00	82.00	1.00	0.45	1m @ 0.45 g/t Au	0.4	
MBDD227	88.00	89.00	1.00	0.48			
MBDD227	89.00	90.00	1.00	0.33	2m @ 0.40 g/t Au	0.8	
MBDD227	90.00	91.00	1.00	0.12			
MBDD228	0.00	100.00			NSI		
MBDD228	5.00	6.46	1.46	0.14			
MBDD229	0.00	1.50	1.50	0.33			
MBDD229	1.50	3.00	1.50	0.35			
MBDD229	3.00	4.00	1.00	0.67			
MBDD229	4.00	5.44	1.44	0.63			
MBDD229	6.00	7.00	1.00	0.22			
MBDD229	7.00	8.50	1.50	0.36			
MBDD229	8.50	9.60	1.10	0.17			
MBDD230	1.03	2.00	0.97	0.34			
MBDD230	2.00	2.57	0.57	0.92	1.54m @ 0.55 g/t Au	0.9	
MBDD230	10.00	11.00	1.00	0.46			
MBDD230	17.00	18.50	1.50	0.35			
MBDD230	18.50	19.50	1.00	0.11			
MBDD230	19.50	20.50	1.00	0.03			
MBDD230	20.50	21.50	1.00	0.49			
MBDD230	21.50	22.50	1.00	0.29			
MBDD230	25.91	27.00	1.09	0.13			
MBDD231	0.00	1.00	1.00	0.11			
MBDD231	1.00	2.00	1.00	0.34			
MBDD231	2.00	3.00	1.00	0.49			
MBDD231	3.00	3.56	0.56	0.60			
MBDD231	6.00	7.50	1.50	0.20	1.50m @ 0.20 g/t Au	0.3	
MBDD231	14.00	15.00	1.00	0.22			
MBDD231	15.00	16.06	1.06	0.21			
MBDD231	22.00	23.00	1.00	<b>2.09</b>			
MBDD231	23.00	24.00	1.00	<b>1.06</b>			
MBDD231	24.00	25.00	1.00	0.25			
MBDD231	25.00	26.00	1.00	0.20			
MBDD231	26.00	27.00	1.00	0.75			
MBDD231	27.00	28.00	1.00	<b>3.98</b>			
MBDD231	28.00	29.00	1.00	<b>6.48</b>			
MBDD231	29.00	30.00	1.00	<b>6.38</b>			
MBDD231	30.00	31.00	1.00	<b>4.10</b>			
MBDD231	35.00	36.00	1.00	0.30	1m @ 0.30 g/t Au	0.3	
MBDD231	36.00	37.00	1.00	0.16			
MBDD231	45.00	46.00	1.00	0.30			
MBDD231	46.00	47.00	1.00	<b>1.50</b>	2m @ 0.90 g/t Au	1.8	
MBDD231	65.00	66.00	1.00	0.24	1m @ 0.23 g/t Au	0.2	
MBDD231	69.00	69.60	0.60	<b>2.72</b>			
MBDD231	69.60	71.00	1.40	0.83	2m @ 1.40 g/t Au	2.8	
MBDD231	77.60	79.00	1.40	0.30			
MBDD231	79.00	80.00	1.00	<b>1.36</b>			
MBDD231	80.00	81.00	1.00	<b>6.40</b>			
MBDD231	81.00	82.00	1.00	0.64			
MBDD231	83.00	84.00	1.00	0.12			
MBDD231	85.00	86.00	1.00	0.56			
MBDD231	86.00	87.00	1.00	<b>2.19</b>			
MBDD231	87.00	88.00	1.00	0.70			
MBDD231	88.00	89.00	1.00	0.29			
MBDD231	118.20	119.00	0.80	0.38			
MBDD231	119.00	120.00	1.00	<b>1.51</b>	1.80m @ 1.01 g/t Au	1.8	
MBDD231	122.00	123.00	1.00	0.15			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD231	126.00	127.00	1.00	0.41			
MBDD231	127.00	128.00	1.00	0.25	2m @ 0.33 g/t Au	0.7	
MBDD231	156.00	157.00	1.00	0.91	1m @ 0.91 g/t Au	0.9	
MBDD231	160.00	161.00	1.00	0.48	1m @ 0.48 g/t Au	0.5	
MBDD231	162.00	163.00	1.00	0.15			
MBDD231	167.00	168.00	1.00	0.16			
MBDD232	23.00	24.00	1.00	0.33	1m @ 0.33 g/t Au	0.3	
MBDD232	37.00	38.10	1.10	0.22	1.10m @ 0.22 g/t Au	0.2	
MBDD232	42.00	43.00	1.00	0.34	1m @ 0.34 g/t Au	0.3	
MBDD232	60.00	61.00	1.00	0.18			
MBDD232	68.00	69.00	1.00	0.32			
MBDD232	69.00	70.00	1.00	0.04			
MBDD232	70.00	71.00	1.00	0.32			
MBDD232	71.00	72.00	1.00	<b>1.54</b>			
MBDD232	72.00	73.00	1.00	0.18			
MBDD232	73.65	75.00	1.35	0.11			
MBDD232	75.00	76.00	1.00	0.38			
MBDD232	76.00	77.00	1.00	0.02			
MBDD232	77.00	78.13	1.13	0.32			
MBDD232	78.13	79.00	0.87	0.52			
MBDD232	79.00	80.00	1.00	0.94			
MBDD232	80.00	81.00	1.00	<b>3.94</b>			
MBDD232	81.00	81.50	0.50	<b>3.92</b>			
MBDD232	81.50	82.00	0.50	<b>2.87</b>			
MBDD232	82.00	83.00	1.00	<b>5.26</b>			
MBDD232	83.00	84.30	1.30	<b>20.40</b>			
MBDD232	91.53	92.37	0.84	<b>1.15</b>	0.84m @ 1.15 g/t Au	1.0	<b>0.84m @ 1.15 g/t Au</b>
MBDD233	0.00	1.50	1.50	0.11			
MBDD233	2.50	4.00	1.50	0.16			
MBDD233	121.00	122.00	1.00	0.32			
MBDD233	122.00	123.00	1.00	<b>1.07</b>			
MBDD233	123.00	123.80	0.80	0.64			
MBDD233	123.80	124.75	0.95	<b>2.65</b>			
MBDD233	124.75	126.00	1.25	0.18			
MBDD234	11.38	12.00	0.62	0.22	0.62m @ 0.22 g/t Au	0.1	
MBDD235	0.00	0.50	0.50	0.27	0.50m @ 0.27 g/t Au	0.1	
MBDD235	3.16	4.00	0.84	0.15			
MBDD235	5.00	6.06	1.06	0.11			
MBDD235	7.00	8.00	1.00	0.11			
MBDD235	8.00	8.59	0.59	0.32	0.59m @ 0.32 g/t Au	0.2	
MBDD235	10.76	11.99	1.23	0.15			
MBDD235	20.37	21.00	0.63	0.23			
MBDD235	21.00	22.25	1.25	<b>4.14</b>			
MBDD235	23.50	25.00	1.50	<b>4.15</b>	1.50m @ 4.15 g/t Au	6.2	<b>1.50m @ 4.15 g/t Au</b>
MBDD235	28.00	29.50	1.50	0.90	1.50m @ 0.90 g/t Au	1.3	
MBDD235	30.46	31.23	0.77	0.72	0.77m @ 0.72 g/t Au	0.6	
MBDD235	33.06	34.35	1.29	<b>1.07</b>	1.29m @ 1.07 g/t Au	1.4	<b>1.29m @ 1.07 g/t Au</b>
MBDD235	40.00	41.00	1.00	0.27	1m @ 0.27 g/t Au	0.3	
MBDD235	43.00	44.00	1.00	0.69			
MBDD235	44.00	45.05	1.05	0.77	2.05m @ 0.73 g/t Au	1.5	
MBDD236	0.00	1.00	1.00	0.26			
MBDD236	1.00	2.24	1.24	0.27			
MBDD236	2.24	3.00	0.76	0.03			
MBDD236	3.00	3.96	0.96	0.46			
MBDD236	6.00	7.00	1.00	0.14			
MBDD236	9.00	10.00	1.00	0.17			
MBDD236	16.00	17.00	1.00	<b>4.09</b>			
MBDD236	17.00	18.35	1.35	<b>1.64</b>	2.35m @ 2.68 g/t Au	6.3	<b>2.35m @ 2.68 g/t Au</b>

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD236	20.50	21.00	0.50	0.71			
MBDD236	21.00	22.00	1.00	0.25	1.50m @ 0.40 g/t Au	0.6	
MBDD236	22.00	22.80	0.80	0.17			
MBDD236	24.58	25.60	1.02	<b>1.40</b>			
MBDD236	25.60	26.19	0.59	0.59	1.61m @ 1.10 g/t Au	1.8	<b>1.02m @ 1.40 g/t Au</b>
MBDD236	27.00	28.00	1.00	0.34			
MBDD236	28.00	29.00	1.00	0.10	3m @ 0.23 g/t Au	0.7	
MBDD236	29.00	30.00	1.00	0.25			
MBDD236	49.00	50.00	1.00	0.14			
MBDD236	53.95	54.80	0.85	0.62	0.85m @ 0.62 g/t Au	0.5	
MBDD236	58.49	59.14	0.65	0.16			
MBDD236	71.82	73.00	1.18	<b>1.00</b>			
MBDD236	73.00	73.61	0.61	0.35	1.79m @ 0.78 g/t Au	1.4	<b>1.18m @ 1.00 g/t Au</b>
MBDD236	79.97	80.57	0.60	<b>2.88</b>	0.60m @ 2.88 g/t Au	1.7	<b>0.60m @ 2.88 g/t Au</b>
MBDD236	106.00	107.00	1.00	<b>5.06</b>	1m @ 5.06 g/t Au	5.1	<b>1m @ 5.06 g/t Au</b>
MBDD236	108.81	110.00	1.19	0.18			
MBDD236	149.00	150.00	1.00	<b>1.32</b>	1m @ 1.32 g/t Au	1.3	<b>1m @ 1.32 g/t Au</b>
MBDD237	0.00	1.00	1.00	0.26			
MBDD237	1.00	1.60	0.60	0.59			
MBDD237	1.60	2.50	0.90	0.33	3.20m @ 0.34 g/t Au	1.1	
MBDD237	2.50	3.20	0.70	0.25			
MBDD237	5.27	6.57	1.30	0.47	1.30m @ 0.47 g/t Au	0.6	
MBDD237	7.50	9.00	1.50	0.17			
MBDD237	9.00	10.20	1.20	0.94	1.20m @ 0.94 g/t Au	1.1	
MBDD237	12.00	13.20	1.20	0.72			
MBDD237	13.20	14.52	1.32	<b>2.84</b>	2.52m @ 1.83 g/t Au	4.6	<b>1.32m @ 2.84 g/t Au</b>
MBDD237	16.20	17.50	1.30	<b>6.91</b>	<b>1.30m @ 6.91 g/t Au</b>	9.0	<b>1.30m @ 6.91 g/t Au</b>
MBDD237	17.50	19.00	1.50	0.15			
MBDD237	19.00	20.00	1.00	0.13			
MBDD237	20.00	21.00	1.00	0.27			
MBDD237	21.00	22.00	1.00	0.13			
MBDD237	22.00	23.00	1.00	0.79	4.82m @ 0.33 g/t Au	1.6	
MBDD237	23.00	24.00	1.00	0.06			
MBDD237	24.00	24.82	0.82	0.41			
MBDD237	25.50	27.00	1.50	<b>1.46</b>	1.50m @ 1.46 g/t Au	2.2	<b>1.50m @ 1.46 g/t Au</b>
MBDD237	27.00	28.10	1.10	0.15			
MBDD237	29.54	30.71	1.17	<b>1.87</b>	1.17m @ 1.87 g/t Au	2.2	<b>1.17m @ 1.87 g/t Au</b>
MBDD237	34.22	35.39	1.17	0.41	1.17m @ 0.41 g/t Au	0.5	
MBDD237	38.50	39.44	0.94	0.34	0.94m @ 0.34 g/t Au	0.3	
MBDD237	47.58	49.00	1.42	0.12			
MBDD237	49.00	50.00	1.00	<b>1.86</b>			
MBDD237	50.00	51.00	1.00	<b>2.90</b>			
MBDD237	51.00	52.00	1.00	0.67			
MBDD237	52.00	53.00	1.00	0.65			
MBDD237	53.00	54.00	1.00	<b>1.49</b>			
MBDD237	54.00	55.24	1.24	<b>5.02</b>			
MBDD237	55.24	56.50	1.26	0.06			
MBDD237	56.50	58.00	1.50	0.91			
MBDD237	58.00	59.00	1.00	0.89			
MBDD237	59.00	60.00	1.00	0.17			
MBDD237	60.00	61.00	1.00	0.11			
MBDD237	61.00	62.00	1.00	0.89			
MBDD237	62.00	63.00	1.00	0.72			
MBDD237	63.00	64.00	1.00	0.21			
MBDD237	64.00	65.00	1.00	0.01			
MBDD237	65.00	66.00	1.00	0.88			
MBDD237	67.00	67.84	0.84	0.12			
MBDD237	72.00	73.00	1.00	<b>1.20</b>	<b>13.40m @ 1.45 g/t Au</b>	19.4	<b>1m @ 1.20 g/t Au</b>

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD237	73.00	74.00	1.00	0.13			
MBDD237	74.00	75.00	1.00	0.47			
MBDD237	75.00	76.00	1.00	<b>1.79</b>			
MBDD237	76.00	77.00	1.00	0.84			
MBDD237	77.00	78.00	1.00	<b>5.91</b>			
MBDD237	78.00	79.00	1.00	<b>4.10</b>			
MBDD237	79.00	80.00	1.00	0.48			
MBDD237	80.00	81.00	1.00	0.32			
MBDD237	81.00	82.00	1.00	<b>1.78</b>			
MBDD237	82.00	83.00	1.00	<b>1.24</b>			
MBDD237	83.00	84.00	1.00	0.18			
MBDD237	84.00	85.40	1.40	0.68			
MBDD237	85.40	86.75	1.35	0.13			
MBDD237	89.00	90.00	1.00	<b>1.81</b>	1m @ 1.81 g/t Au	1.8	<b>1m @ 1.81 g/t Au</b>
MBDD237	96.00	97.00	1.00	0.26	2m @ 0.49 g/t Au	1.0	
MBDD237	97.00	98.00	1.00	0.72			
MBDD237	102.00	103.00	1.00	0.11			
MBDD237	103.00	104.00	1.00	0.74	1m @ 0.74 g/t Au	0.7	
MBDD237	155.00	156.00	1.00	0.13			
MBDD238	0.00	1.50	1.50	0.14			
MBDD238	2.39	3.20	0.81	0.19			
MBDD238	20.50	21.66	1.16	0.11			
MBDD238	22.50	23.50	1.00	0.20			
MBDD238	39.00	40.50	1.50	0.53	1.50m @ 0.53 g/t Au	0.8	
MBDD238	48.00	49.00	1.00	0.18			
MBDD238	52.00	53.00	1.00	<b>7.06</b>			
MBDD238	53.00	54.00	1.00	<b>4.13</b>			
MBDD238	54.00	55.00	1.00	<b>3.46</b>			
MBDD238	55.00	56.00	1.00	<b>19.26</b>	6.65m @ 6.23 g/t Au	41.5	6.65m @ 6.23 g/t Au
MBDD238	56.00	57.00	1.00	<b>2.11</b>			
MBDD238	57.00	58.00	1.00	<b>3.93</b>			
MBDD238	58.00	58.65	0.65	<b>2.32</b>			
MBDD238	61.00	62.00	1.00	0.12			
MBDD238	65.00	66.00	1.00	0.29			
MBDD238	66.00	67.00	1.00	0.01			
MBDD238	67.00	67.60	0.60	0.46			
MBDD238	67.60	69.00	1.40	<b>1.16</b>			
MBDD238	69.00	70.00	1.00	0.04			
MBDD238	70.00	71.00	1.00	0.44			
MBDD238	71.00	72.00	1.00	0.01			
MBDD238	72.00	73.00	1.00	0.47			
MBDD238	73.00	74.00	1.00	0.87			
MBDD238	74.00	75.50	1.50	0.41			
MBDD238	75.50	76.00	0.50	0.11			
MBDD238	82.00	83.50	1.50	0.28	2m @ 0.30 g/t Au	0.6	1.40m @ 1.16 g/t Au
MBDD238	83.50	84.00	0.50	0.34			
MBDD238	91.00	91.60	0.60	<b>1.78</b>	8m @ 0.61 g/t Au	4.9	2.70m @ 1.39 g/t Au
MBDD238	91.60	93.00	1.40	<b>1.41</b>			
MBDD238	93.00	93.70	0.70	<b>1.03</b>			
MBDD238	93.70	95.00	1.30	0.29			
MBDD238	95.00	96.00	1.00	0.36			
MBDD238	96.00	97.00	1.00	0.18			
MBDD238	97.00	98.00	1.00	0.02			
MBDD238	98.00	99.00	1.00	0.21			
MBDD238	101.00	102.00	1.00	0.11			
MBDD238	112.00	113.00	1.00	0.13			
MBDD238	120.00	121.00	1.00	0.39	2m @ 0.33 g/t Au	0.7	
MBDD238	121.00	122.00	1.00	0.27			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD238	127.00	128.00	1.00	0.25			
MBDD238	128.00	129.00	1.00	0.07			
MBDD238	129.00	130.00	1.00	0.71			
MBDD238	138.00	139.00	1.00	0.35	1m @ 0.34 g/t Au	0.3	
MBDD238	148.00	149.00	1.00	<b>2.58</b>	1m @ 2.58 g/t Au	2.6	<b>1m @ 2.58 g/t Au</b>
MBDD238	149.00	150.00	1.00	0.14			
MBDD238	150.00	151.00	1.00	0.12			
MBDD238	154.00	155.00	1.00	0.25	1m @ 0.25 g/t Au	0.3	
MBDD238	166.00	167.00	1.00	0.16			
MBDD238	167.00	168.00	1.00	0.25	1m @ 0.25 g/t Au	0.3	
MBDD238	179.00	180.00	1.00	0.15			
MBDD239	0.00	1.50	1.50	0.36	1.50m @ 0.36 g/t Au	0.5	
MBDD239	67.00	68.10	1.10	0.19			
MBDD239	69.00	70.00	1.00	0.94	1m @ 0.94 g/t Au	0.9	
MBDD239	71.00	72.00	1.00	0.16			
MBDD239	72.00	73.00	1.00	0.19			
MBDD239	76.00	77.00	1.00	<b>1.52</b>			
MBDD239	77.00	78.00	1.00	<b>2.28</b>			
MBDD239	78.00	79.00	1.00	<b>3.45</b>			
MBDD239	79.00	80.00	1.00	<b>3.62</b>			
MBDD239	80.00	81.00	1.00	0.36			
MBDD239	81.00	82.00	1.00	0.43			
MBDD239	82.00	83.00	1.00	0.35			
MBDD239	83.00	84.00	1.00	0.56			
MBDD239	84.00	85.00	1.00	0.34			
MBDD239	85.00	86.00	1.00	<b>1.02</b>			
MBDD239	86.00	87.00	1.00	<b>1.52</b>			
MBDD239	87.00	87.50	0.50	<b>2.74</b>			
MBDD239	87.50	88.00	0.50	0.72			
MBDD239	88.00	89.00	1.00	0.55			
MBDD239	89.00	90.00	1.00	0.23			
MBDD239	90.00	91.00	1.00	0.47			
MBDD239	91.00	92.00	1.00	0.76			
MBDD239	92.00	93.00	1.00	0.10			
MBDD239	93.00	94.00	1.00	0.16			
MBDD239	94.00	95.00	1.00	0.78			
MBDD239	95.00	96.00	1.00	<b>1.90</b>			
MBDD239	96.00	97.00	1.00	<b>2.10</b>			
MBDD239	97.00	98.00	1.00	<b>1.25</b>			
MBDD239	98.00	99.00	1.00	<b>1.96</b>			
MBDD239	99.00	100.00	1.00	0.13			
MBDD239	103.00	104.00	1.00	0.25			
MBDD239	104.00	105.00	1.00	0.69			
MBDD239	105.00	106.00	1.00	<b>1.03</b>			
MBDD239	106.00	107.00	1.00	<b>3.05</b>			
MBDD239	107.00	108.00	1.00	0.38			
MBDD239	111.00	112.00	1.00	0.23			
MBDD239	112.00	113.00	1.00	0.85			
MBDD239	113.00	114.00	1.00	0.32			
MBDD239	114.00	115.00	1.00	<b>11.06</b>			
MBDD239	115.00	116.00	1.00	0.25			
MBDD239	116.00	117.00	1.00	0.87			
MBDD239	117.00	118.00	1.00	0.24			
MBDD239	118.00	119.00	1.00	0.35			
MBDD239	119.00	120.00	1.00	0.17			
MBDD239	126.00	127.00	1.00	0.16			
MBDD239	151.00	152.00	1.00	0.60			
MBDD239	152.00	153.00	1.00	0.01			




Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD239	153.00	154.00	1.00	<b>20.05</b>			<b>1m @ 20.05 g/t Au</b>
MBDD239	154.00	155.00	1.00	0.50			
MBDD239	168.00	169.00	1.00	0.39	1m @ 0.39 g/t Au	0.4	
MBDD239	176.00	177.00	1.00	0.21			
MBDD239	177.00	178.00	1.00	<b>1.93</b>			<b>1m @ 1.93 g/t Au</b>
MBDD239	178.00	179.00	1.00	0.20			
MBDD239	179.00	180.00	1.00	0.24			
MBDD239	180.00	181.10	1.10	0.05			
MBDD239	181.10	182.00	0.90	0.03			
MBDD239	182.00	183.00	1.00	<b>1.45</b>			
MBDD239	183.00	184.00	1.00	<b>8.66</b>			<b>2m @ 5.05 g/t Au</b>
MBDD239	188.00	189.00	1.00	<b>6.02</b>	1m @ 6.02 g/t Au	6.0	<b>1m @ 6.02 g/t Au</b>
MBDD239	191.00	192.00	1.00	0.17			
MBDD239	192.00	192.60	0.60	<b>4.29</b>	0.60m @ 4.29 g/t Au	2.6	<b>0.60m @ 4.29 g/t Au</b>
MBDD239	206.00	207.00	1.00	0.60	1m @ 0.60 g/t Au	0.6	
MBDD239	207.00	208.00	1.00	0.13			
MBDD239	212.00	213.00	1.00	0.11			
MBDD239	224.00	225.00	1.00	<b>1.50</b>	1m @ 1.50 g/t Au	1.5	<b>1m @ 1.50 g/t Au</b>
MBDD239	245.00	246.00	1.00	0.48	1m @ 0.48 g/t Au	0.5	
MBDD240	23.00	24.00	1.00	0.11			
MBDD240	24.00	25.09	1.09	<b>3.12</b>	1.09m @ 3.12 g/t Au	3.4	<b>1.09m @ 3.12 g/t Au</b>
MBDD240	25.50	27.00	1.50	<b>1.27</b>			
MBDD240	27.00	27.54	0.54	<b>3.64</b>	2.04m @ 1.90 g/t Au	3.9	<b>2.04m @ 1.90 g/t Au</b>
MBDD240	28.50	30.00	1.50	<b>1.85</b>	1.50m @ 1.85 g/t Au	2.8	<b>1.50m @ 1.85 g/t Au</b>
MBDD240	108.00	109.00	1.00	0.17			
MBDD240	110.00	111.00	1.00	0.10			
MBDD240	120.22	121.20	0.98	<b>1.08</b>	0.98m @ 1.08 g/t Au	1.1	<b>0.98m @ 1.08 g/t Au</b>
MBDD240	126.00	127.00	1.00	0.14			
MBDD240	153.72	155.00	1.28	0.14			
MBDD240	155.00	156.00	1.00	<b>1.33</b>			
MBDD240	156.00	157.22	1.22	<b>1.45</b>	2.22m @ 1.40 g/t Au	3.1	<b>2.22m @ 1.40 g/t Au</b>
MBDD240	158.00	159.00	1.00	0.20			
MBDD240	159.00	160.00	1.00	0.11			
MBDD240	160.00	161.00	1.00	0.20			
MBDD240	161.00	162.50	1.50	0.26			
MBDD240	162.50	164.00	1.50	0.25			
MBDD240	164.00	165.00	1.00	0.02			
MBDD240	165.00	166.00	1.00	0.68			
MBDD240	166.00	167.00	1.00	0.05			
MBDD240	167.00	168.00	1.00	0.38			
MBDD240	168.00	169.00	1.00	0.20			
MBDD240	169.00	170.00	1.00	0.09			
MBDD240	170.00	171.00	1.00	0.22			
MBDD240	181.00	182.20	1.20	0.12			
MBDD240	182.20	183.00	0.80	<b>0.67</b>			
MBDD240	183.00	184.00	1.00	<b>1.26</b>			
MBDD240	184.00	185.00	1.00	<b>3.17</b>			
MBDD240	185.00	186.00	1.00	<b>3.74</b>			
MBDD240	186.00	187.00	1.00	<b>3.92</b>			
MBDD240	191.00	192.00	1.00	0.61			
MBDD240	192.00	193.00	1.00	0.50			
MBDD240	193.00	194.00	1.00	0.05			
MBDD240	194.00	195.00	1.00	0.24			
MBDD240	195.00	196.00	1.00	0.48			
MBDD240	208.50	210.00	1.50	0.47	1.50m @ 0.47 g/t Au	0.7	
MBDD241	82.00	83.00	1.00	0.13			
MBDD241	85.50	86.37	0.87	0.10			
MBDD241	98.00	99.00	1.00	0.28	9m @ 0.69 g/t Au	6.2	



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD241	99.00	100.00	1.00	0.09			
MBDD241	100.00	101.00	1.00	0.30			
MBDD241	101.00	102.00	1.00	<b>2.98</b>			<b>1m @ 2.98 g/t Au</b>
MBDD241	102.00	103.00	1.00	0.71			
MBDD241	103.00	104.00	1.00	0.03			
MBDD241	104.00	105.00	1.00	0.91			
MBDD241	105.00	106.00	1.00	0.30			
MBDD241	106.00	107.00	1.00	0.57			
MBDD241	127.00	128.00	1.00	0.11			
MBDD241	129.00	130.00	1.00	0.13			
MBDD241	130.00	131.00	1.00	0.19			
MBDD241	184.65	186.00	1.35	0.17			
MBDD241	186.00	187.00	1.00	<b>1.25</b>			<b>1m @ 1.25 g/t Au</b>
MBDD241	187.00	188.00	1.00	0.57			
MBDD241	188.00	189.00	1.00	0.28			
MBDD241	189.00	189.80	0.80	0.22			
MBDD241	192.00	193.00	1.00	0.20			
MBDD241	193.00	194.00	1.00	0.03			
MBDD241	194.00	195.00	1.00	0.01			
MBDD241	195.00	196.00	1.00	<b>5.63</b>			
MBDD241	196.00	197.00	1.00	<b>7.72</b>			
MBDD241	197.00	198.00	1.00	<b>4.84</b>			
MBDD241	198.00	199.00	1.00	<b>4.14</b>			
MBDD241	199.00	200.41	1.41	<b>2.63</b>			
MBDD241	200.41	201.00	0.59	0.33			
MBDD241	205.00	206.00	1.00	0.25			
MBDD241	206.00	207.00	1.00	<b>1.15</b>			<b>1m @ 1.15 g/t Au</b>
MBDD241	210.00	211.00	1.00	0.15			
MBDD241	219.00	220.00	1.00	0.35			
MBDD241	220.00	221.00	1.00	0.17			
MBDD241	221.00	222.00	1.00	0.17			
MBDD241	270.50	271.70	1.20	<b>3.39</b>	1.20m @ 3.39 g/t Au	4.1	<b>1.20m @ 3.39 g/t Au</b>
MBDD241	275.00	276.00	1.00	0.25	1m @ 0.25 g/t Au	0.3	
MBDD241	280.00	280.80	0.80	0.23			
MBDD241	280.80	282.00	1.20	<b>2.40</b>			<b>1.20m @ 2.40 g/t Au</b>
MBDD241	282.00	283.00	1.00	0.90			
MBDD241	283.00	284.00	1.00	0.87			
MBDD241	284.00	285.00	1.00	0.37			
MBDD241	285.00	286.00	1.00	0.79			
MBDD241	286.00	287.00	1.00	0.01			
MBDD241	287.00	288.00	1.00	0.01			
MBDD241	288.00	289.00	1.00	0.76			
MBDD241	289.00	290.00	1.00	<b>1.63</b>			
MBDD241	290.00	291.00	1.00	<b>1.32</b>			<b>2m @ 1.48 g/t Au</b>
MBDD241	293.00	294.00	1.00	0.11			
MBDD241	296.00	296.83	0.83	0.31			
MBDD241	296.83	297.80	0.97	<b>1.26</b>			<b>0.97m @ 1.26 g/t Au</b>
MBDD241	297.80	299.00	1.20	0.19			
MBDD241	307.30	308.00	0.70	<b>3.31</b>			
MBDD241	308.00	309.00	1.00	<b>1.82</b>			
MBDD241	312.00	313.00	1.00	0.52			
MBDD241	321.00	321.95	0.95	0.46			
MBDD241	321.95	323.00	1.05	<b>1.13</b>			
MBDD241	323.00	324.00	1.00	<b>2.79</b>			
MBDD241	324.00	325.30	1.30	0.67			
MBDD241	327.75	328.25	0.50	<b>2.82</b>	0.50m @ 2.82 g/t Au	1.4	<b>0.50m @ 2.82 g/t Au</b>
MBDD242	0.00	1.00	1.00	0.12			
MBDD242	1.00	2.10	1.10	0.11			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD242	24.00	25.00	1.00	0.14			
MBDD242	35.00	36.00	1.00	<b>1.02</b>	3m @ 0.46 g/t Au	1.4	<b>1m @ 1.02 g/t Au</b>
MBDD242	36.00	37.00	1.00	0.12			
MBDD242	37.00	38.00	1.00	0.25			
MBDD242	42.00	43.00	1.00	0.42			
MBDD242	43.00	44.00	1.00	0.68	4m @ 0.34 g/t Au	1.4	
MBDD242	44.00	45.00	1.00	0.04			
MBDD242	45.00	46.00	1.00	0.21			
MBDD242	48.00	49.00	1.00	0.19			
MBDD242	50.00	51.00	1.00	<b>2.69</b>	4m @ 0.87 g/t Au	3.5	<b>1m @ 2.69 g/t Au</b>
MBDD242	51.00	52.00	1.00	0.08			
MBDD242	52.00	53.00	1.00	0.40			
MBDD242	53.00	54.00	1.00	0.30			
MBDD242	65.00	66.00	1.00	0.22	5m @ 0.66 g/t Au	3.3	
MBDD242	66.00	67.00	1.00	0.22			
MBDD242	67.00	68.00	1.00	0.59			
MBDD242	68.00	69.00	1.00	<b>2.03</b>			<b>1m @ 2.03 g/t Au</b>
MBDD242	69.00	70.00	1.00	0.24			
MBDD242	70.00	71.00	1.00	0.16			
MBDD242	73.00	74.00	1.00	0.11			
MBDD242	75.00	76.00	1.00	0.15			
MBDD242	76.00	77.00	1.00	0.10			
MBDD242	77.00	78.00	1.00	0.27	1m @ 0.27 g/t Au	0.3	
MBDD242	78.00	79.00	1.00	0.12			
MBDD242	79.00	80.00	1.00	0.14			
MBDD242	90.00	90.53	0.53	0.13			
MBDD242	90.53	92.00	1.47	<b>2.42</b>	13.47m @ 1.84 g/t Au	24.7	<b>9.47m @ 2.47 g/t Au</b>
MBDD242	92.00	93.00	1.00	<b>2.17</b>			
MBDD242	93.00	94.00	1.00	<b>4.14</b>			
MBDD242	94.00	95.00	1.00	<b>1.18</b>			
MBDD242	95.00	96.00	1.00	0.30			
MBDD242	96.00	97.00	1.00	<b>1.13</b>			
MBDD242	97.00	98.00	1.00	<b>2.89</b>			
MBDD242	98.00	99.00	1.00	<b>3.69</b>			
MBDD242	99.00	100.00	1.00	<b>4.36</b>			
MBDD242	100.00	101.00	1.00	0.65			
MBDD242	101.00	102.00	1.00	0.01			
MBDD242	102.00	103.00	1.00	0.01			
MBDD242	103.00	104.00	1.00	0.66			
MBDD242	118.00	119.00	1.00	<b>5.09</b>	1m @ 5.09 g/t Au	5.1	<b>1m @ 5.09 g/t Au</b>
MBDD242	119.00	120.00	1.00	0.15			
MBDD242	122.00	123.00	1.00	0.21	1m @ 0.21 g/t Au	0.2	
MBDD242	135.00	136.00	1.00	0.38	9m @ 2.45 g/t Au	22.0	<b>4m @ 4.53 g/t Au</b>
MBDD242	136.00	137.00	1.00	0.11			
MBDD242	137.00	138.00	1.00	0.94			
MBDD242	138.00	139.00	1.00	<b>1.63</b>			
MBDD242	139.00	140.00	1.00	0.87			
MBDD242	140.00	141.00	1.00	<b>5.71</b>			
MBDD242	141.00	142.00	1.00	0.51			
MBDD242	142.00	143.00	1.00	0.60			
MBDD242	143.00	144.00	1.00	<b>11.28</b>			
MBDD242	145.00	146.00	1.00	0.14			
MBDD242	146.00	147.00	1.00	0.15			
MBDD242	159.00	160.00	1.00	0.30	9.07m @ 1.78 g/t Au	16.1	<b>6.07m @ 2.38 g/t Au</b>
MBDD242	160.00	161.00	1.00	0.97			
MBDD242	161.00	162.00	1.00	0.38			
MBDD242	162.00	163.00	1.00	<b>1.10</b>			
MBDD242	163.00	164.00	1.00	0.86			



aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD242	164.00	165.00	1.00	<b>2.82</b>			
MBDD242	165.00	166.00	1.00	<b>4.94</b>			
MBDD242	166.00	167.00	1.00	<b>3.50</b>			
MBDD242	167.00	168.07	1.07	<b>1.16</b>			
MBDD242	168.07	169.00	0.93	0.14			
MBDD242	171.00	172.00	1.00	0.93	1m @ 0.93 g/t Au	0.9	
MBDD242	184.00	185.00	1.00	0.16			
MBDD242	186.00	187.00	1.00	<b>1.08</b>			<b>1m @ 1.08 g/t Au</b>
MBDD242	187.00	188.00	1.00	0.54			
MBDD242	188.00	189.00	1.00	0.18			
MBDD242	189.00	190.00	1.00	0.03			
MBDD242	190.00	191.00	1.00	0.91			
MBDD242	193.00	194.00	1.00	0.13			
MBDD242	194.00	195.00	1.00	<b>1.17</b>	1m @ 1.17 g/t Au	1.2	<b>1m @ 1.17 g/t Au</b>
MBDD243	158.00	158.70	0.70	0.17			
MBDD243	164.00	165.00	1.00	0.57	1m @ 0.57 g/t Au	0.6	
MBDD244A	1.10	2.37	1.27	0.30	1.27m @ 0.30 g/t Au	0.4	
MBDD244A	4.37	5.00	0.63	0.13			
MBDD244A	10.00	11.00	1.00	0.11			
MBDD244A	20.00	21.00	1.00	0.15			
MBDD244A	21.00	22.00	1.00	0.11			
MBDD244A	84.00	85.00	1.00	0.12			
MBDD244A	96.00	97.00	1.00	0.11			
MBDD245	0.00	1.50	1.50	0.12			
MBDD245	112.50	113.00	0.50	<b>13.04</b>			
MBDD245	113.00	114.00	1.00	<b>9.96</b>			<b>2.50m @ 7.38 g/t Au</b>
MBDD245	114.00	115.00	1.00	<b>1.96</b>			
MBDD245	115.00	116.00	1.00	0.39			
MBDD245	116.00	117.42	1.42	0.32			
MBDD245	121.00	122.00	1.00	0.14			
MBDD245	122.00	123.00	1.00	0.11			
MBDD245	123.00	124.00	1.00	0.11			
MBDD245	128.60	130.00	1.40	0.92	1.40m @ 0.92 g/t Au	1.3	
MBDD245	130.00	131.00	1.00	0.15			
MBDD245	133.00	134.00	1.00	<b>1.13</b>			<b>1m @ 1.13 g/t Au</b>
MBDD245	134.00	135.00	1.00	0.65			
MBDD245	135.00	136.00	1.00	0.18			
MBDD245	136.00	137.00	1.00	0.44			
MBDD245	137.00	138.00	1.00	0.18			
MBDD245	138.00	139.00	1.00	<b>24.34</b>			<b>2m @ 12.72 g/t Au</b>
MBDD245	139.00	140.00	1.00	<b>1.09</b>			
MBDD245	140.00	141.00	1.00	0.40			
MBDD245	141.00	142.00	1.00	0.31			
MBDD245	142.00	143.00	1.00	0.60			
MBDD245	146.00	147.45	1.45	0.96			
MBDD245	147.45	148.45	1.00	<b>10.47</b>			<b>1.55m @ 7.11 g/t Au</b>
MBDD245	148.45	149.00	0.55	<b>1.00</b>			
MBDD245	149.00	150.00	1.00	0.54			
MBDD245	150.00	151.00	1.00	0.68			
MBDD245	160.20	161.10	0.90	<b>1.55</b>	0.90m @ 1.55 g/t Au	1.4	<b>0.90m @ 1.55 g/t Au</b>
MBDD245	165.00	166.00	1.00	0.28	1m @ 0.28 g/t Au	0.3	
MBDD245	195.00	196.00	1.00	0.50	1m @ 0.50 g/t Au	0.5	
MBDD245	196.00	197.00	1.00	0.12			
MBDD246	62.50	63.00	0.50	<b>5.84</b>	0.50m @ 5.84 g/t Au	2.9	<b>0.50m @ 5.84 g/t Au</b>
MBDD246	73.00	74.00	1.00	0.30			
MBDD246	74.00	75.00	1.00	0.07			
MBDD246	75.00	76.00	1.00	<b>1.08</b>			<b>1m @ 1.08 g/t Au</b>
MBDD246	76.00	77.00	1.00	0.16			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au	
MBDD246	77.00	78.00	1.00	0.30				
MBDD246	78.00	79.00	1.00	0.04				
MBDD246	79.00	80.00	1.00	0.05				
MBDD246	80.00	81.00	1.00	0.93				
MBDD246	81.00	82.00	1.00	0.44				
MBDD246	82.00	83.00	1.00	0.10				
MBDD246	91.00	92.28	1.28	0.11				
MBDD246	107.00	108.00	1.00	0.34	2m @ 0.35 g/t Au	0.7	2m @ 1.42 g/t Au	
MBDD246	108.00	109.00	1.00	0.37				
MBDD246	112.00	113.00	1.00	<b>1.27</b>	2m @ 1.42 g/t Au	2.8		
MBDD246	113.00	114.00	1.00	<b>1.57</b>				
MBDD246	114.00	115.00	1.00	0.14			1m @ 1.36 g/t Au	
MBDD246	117.00	118.00	1.00	0.50	3m @ 0.27 g/t Au	0.8		
MBDD246	118.00	118.83	0.83	0.09				
MBDD246	118.83	120.00	1.17	0.21				
MBDD246	120.00	121.00	1.00	0.10				
MBDD246	121.00	122.00	1.00	0.10			5m @ 0.59 g/t Au	
MBDD246	122.00	123.00	1.00	0.14				
MBDD246	123.00	124.00	1.00	<b>1.36</b>	2m @ 0.55 g/t Au	3.0		
MBDD246	124.00	125.00	1.00	0.37				
MBDD246	125.00	126.00	1.00	0.11				
MBDD246	126.00	127.00	1.00	0.58				
MBDD246	127.00	128.00	1.00	0.55				
MBDD246	128.00	129.00	1.00	0.16			1m @ 0.65 g/t Au	
MBDD246	132.00	133.00	1.00	0.33	2m @ 0.55 g/t Au	1.1		
MBDD246	133.00	134.00	1.00	0.77				
MBDD246	134.00	135.00	1.00	0.17				
MBDD246	142.00	143.00	1.00	0.65	11m @ 1.58 g/t Au	17.4		
MBDD246	151.00	152.00	1.00	0.14				
MBDD246	159.00	160.00	1.00	<b>6.36</b>				
MBDD246	160.00	161.00	1.00	0.18				
MBDD246	161.00	162.00	1.00	0.25				
MBDD246	162.00	163.00	1.00	0.01			1m @ 6.36 g/t Au	
MBDD246	163.00	164.00	1.00	0.05				
MBDD246	164.00	165.00	1.00	0.43	2m @ 4.78 g/t Au	17.4		
MBDD246	165.00	166.00	1.00	<b>6.90</b>				
MBDD246	166.00	167.00	1.00	<b>2.65</b>				
MBDD246	167.00	168.00	1.00	0.17				
MBDD246	168.00	169.00	1.00	0.01				
MBDD246	169.00	170.00	1.00	0.35			1.19m @ 1.60 g/t Au	
MBDD249	0.00	1.00	1.00	0.12	5.50m @ 0.65 g/t Au	3.6		
MBDD249	4.00	4.65	0.65	0.10				
MBDD249	74.00	75.00	1.00	0.18				
MBDD249	81.00	82.00	1.00	0.16				
MBDD249	88.00	89.00	1.00	0.27				
MBDD249	89.00	90.00	1.00	0.78				
MBDD249	112.00	113.00	1.00	0.34				
MBDD249	146.30	147.00	0.70	0.45				
MBDD249	174.50	175.30	0.80	0.50				
MBDD249	189.00	190.00	1.00	0.33				
MBDD249	202.00	203.00	1.00	0.11				
MBDD250	107.50	108.81	1.31	0.21	1.08m @ 1.14 g/t Au	3.6	1.08m @ 1.14 g/t Au	
MBDD250	108.81	110.00	1.19	<b>1.60</b>				
MBDD250	110.00	111.00	1.00	0.11				
MBDD250	111.00	111.92	0.92	0.05				
MBDD250	111.92	113.00	1.08	<b>1.14</b>				
MBDD250	123.00	124.00	1.00	0.17				
MBDD250	125.84	127.00	1.16	0.12				



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD250	128.00	129.00	1.00	<b>2.69</b>			1m @ 2.69 g/t Au
MBDD250	129.00	130.00	1.00	0.33			
MBDD250	130.00	131.00	1.00	0.85			
MBDD250	131.00	132.00	1.00	0.15			
MBDD250	132.00	133.00	1.00	0.01			
MBDD250	133.00	134.00	1.00	0.36			
MBDD250	134.00	135.00	1.00	0.11			
MBDD250	135.00	136.00	1.00	0.09			
MBDD250	136.00	137.00	1.00	0.46			
MBDD250	137.00	138.08	1.08	<b>1.75</b>			2m @ 1.75 g/t Au
MBDD250	138.08	139.00	0.92	<b>1.75</b>			
MBDD250	139.00	140.00	1.00	0.56			
MBDD250	140.00	141.00	1.00	0.35			
MBDD250	141.00	141.75	0.75	0.05			
MBDD250	141.75	142.60	0.85	0.12			
MBDD250	142.60	143.14	0.54	<b>1.05</b>			
MBDD250	143.14	144.00	0.86	<b>85.98</b>			1.40m @ 53.22 g/t Au
MBDD250	144.00	145.00	1.00	0.20			
MBDD250	145.00	146.00	1.00	0.07			
MBDD250	146.00	147.00	1.00	0.31			
MBDD250	147.00	148.00	1.00	0.23			
MBDD250	148.00	149.00	1.00	0.32			
MBDD250	149.00	150.00	1.00	0.19			
MBDD250	158.00	159.00	1.00	0.17			
MBDD250	165.00	165.80	0.80	<b>3.18</b>			0.80m @ 3.18 g/t Au
MBDD250	165.80	167.00	1.20	0.05			
MBDD250	167.00	168.00	1.00	0.24			
MBDD250	168.00	169.00	1.00	0.16			
MBDD250	169.00	170.10	1.10	<b>3.04</b>			1.10m @ 3.04 g/t Au
MBDD250	170.10	171.00	0.90	0.22			
MBDD250	171.00	172.00	1.00	0.84			
MBDD250	172.00	173.00	1.00	0.80			
MBDD250	173.00	174.00	1.00	<b>1.08</b>			1m @ 1.08 g/t Au
MBDD250	174.00	175.00	1.00	0.05			
MBDD250	175.00	176.00	1.00	0.04			
MBDD250	176.00	177.00	1.00	0.52			
MBDD252	0.00	1.50	1.50	0.20			
MBDD252	1.50	3.00	1.50	0.12			
MBDD252	3.00	3.84	0.84	0.11			
MBDD252	9.83	10.85	1.02	0.21	1.02m @ 0.21 g/t Au	0.2	
MBDD253	0.00	1.50	1.50	0.31			
MBDD253	1.50	3.00	1.50	<b>1.26</b>			1.50m @ 1.26 g/t Au
MBDD253	3.00	4.00	1.00	0.26			
MBDD253	4.00	5.00	1.00	0.14			
MBDD253	5.00	6.00	1.00	0.13			
MBDD253	7.00	8.00	1.00	0.25			
MBDD253	8.00	9.00	1.00	<b>1.04</b>			1m @ 1.04 g/t Au
MBDD253	12.00	13.00	1.00	0.34			
MBDD253	13.00	14.00	1.00	<b>2.59</b>			1m @ 2.59 g/t Au
MBDD253	14.00	15.00	1.00	0.38			
MBDD253	15.00	16.08	1.08	0.22			
MBDD253	16.50	18.00	1.50	0.55	1.50m @ 0.55 g/t Au	0.8	
MBDD253	34.00	35.00	1.00	0.24	1m @ 0.24 g/t Au	0.2	
MBDD253	36.00	37.00	1.00	0.20	1m @ 0.20 g/t Au	0.2	
MBDD253	44.00	45.00	1.00	0.10			
MBDD253	45.00	46.00	1.00	0.13			
MBDD253	46.00	47.00	1.00	0.36			
MBDD253	47.00	48.00	1.00	0.21			
					3m @ 0.63 g/t Au	1.9	



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD253	48.00	49.00	1.00	<b>1.31</b>			1m @ 1.31 g/t Au
MBDD253	56.00	57.00	1.00	0.33			
MBDD253	57.00	58.00	1.00	0.57			
MBDD253	58.00	59.00	1.00	0.01			
MBDD253	59.00	60.00	1.00	0.03			
MBDD253	60.00	61.00	1.00	<b>2.56</b>			1m @ 2.56 g/t Au
MBDD253	62.00	63.00	1.00	0.10			
MBDD253	74.00	75.00	1.00	0.23			
MBDD253	75.00	76.00	1.00	0.78	2m @ 0.51 g/t Au	1.0	
MBDD253	79.00	80.00	1.00	0.57	1m @ 0.57 g/t Au	0.6	
MBDD253	90.00	91.00	1.00	<b>2.03</b>			1m @ 2.03 g/t Au
MBDD253	91.00	92.00	1.00	0.56			
MBDD253	96.00	97.00	1.00	0.28	2m @ 1.29 g/t Au	2.6	
MBDD253	97.00	98.00	1.00	0.17			
MBDD253	108.00	109.00	1.00	0.18			
MBDD253	111.00	112.00	1.00	0.81	1m @ 0.28 g/t Au	0.3	
MBDD253	112.00	113.00	1.00	0.18			
MBDD253	115.00	116.00	1.00	0.73			
MBDD253	116.00	117.00	1.00	<b>1.45</b>			1m @ 1.45 g/t Au
MBDD253	117.00	118.00	1.00	0.62			
MBDD253	118.00	119.00	1.00	0.61			
MBDD253	119.00	120.00	1.00	<b>1.30</b>			1m @ 1.30 g/t Au
MBDD253	135.00	136.00	1.00	0.47			
MBDD253	136.00	137.00	1.00	0.29			
MBDD253	137.00	138.00	1.00	0.75			
MBDD253	138.00	139.00	1.00	0.01			
MBDD253	139.00	140.00	1.00	0.02			
MBDD253	140.00	141.00	1.00	0.22			
MBDD253	141.00	142.00	1.00	<b>1.30</b>			1m @ 1.30 g/t Au
MBDD253	142.00	143.00	1.00	0.12			
MBDD253	143.00	144.00	1.00	0.01			
MBDD253	144.00	145.20	1.20	0.59			
MBDD253	145.20	146.00	0.80	0.08			
MBDD253	146.00	147.00	1.00	0.96			
MBDD253	147.00	148.00	1.00	<b>2.50</b>			
MBDD253	148.00	149.00	1.00	0.47			
MBDD253	149.00	150.00	1.00	<b>2.45</b>			
MBDD253	150.00	151.00	1.00	<b>1.54</b>			
MBDD253	151.00	152.00	1.00	0.12			
MBDD253	154.45	155.00	0.55	0.10			
MBDD254	0.00	1.00	1.00	0.21	1m @ 0.21 g/t Au	0.2	
MBDD254	1.00	2.12	1.12	0.10			
MBDD254	3.46	4.00	0.54	0.12			
MBDD254	4.00	5.00	1.00	0.36	1m @ 0.36 g/t Au	0.4	
MBDD254	6.00	7.00	1.00	0.11			
MBDD254	59.00	60.00	1.00	0.11			
MBDD254	99.00	100.00	1.00	0.51			
MBDD254	100.00	101.00	1.00	0.13			
MBDD254	101.00	102.00	1.00	<b>1.92</b>			2m @ 1.65 g/t Au
MBDD254	102.00	103.00	1.00	<b>1.38</b>			
MBDD254	103.00	104.00	1.00	0.08			
MBDD254	104.00	105.00	1.00	<b>2.45</b>			
MBDD254	105.00	106.00	1.00	0.22			
MBDD254	106.00	107.00	1.00	<b>13.02</b>			
MBDD254	107.00	108.00	1.00	0.30			
MBDD254	108.00	109.00	1.00	<b>1.07</b>			
MBDD254	109.00	110.00	1.00	0.22			
MBDD254	114.00	115.00	1.00	0.12			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD254	115.00	116.00	1.00	0.21	1m @ 0.20 g/t Au	0.2	
MBDD254	122.00	123.00	1.00	0.18			
MBDD254	133.00	134.00	1.00	0.30	1m @ 0.30 g/t Au	0.3	
MBDD254	161.00	162.00	1.00	0.11			
MBDD255	0.00	0.84	0.84	0.36	0.84m @ 0.36 g/t Au	0.3	
MBDD255	1.50	2.18	0.68	0.21	0.68m @ 0.21 g/t Au	0.1	
MBDD255	3.00	4.00	1.00	0.32	1m @ 0.32 g/t Au	0.3	
MBDD255	4.00	4.88	0.88	0.11			
MBDD255	20.60	22.00	1.40	<b>2.61</b>	1.40m @ 2.61 g/t Au	3.7	<b>1.40m @ 2.61 g/t Au</b>
MBDD255	22.50	23.50	1.00	0.56	2m @ 0.59 g/t Au	1.2	
MBDD255	23.50	24.50	1.00	0.63			
MBDD255	25.50	26.50	1.00	0.68	5.56m @ 0.77 g/t Au	4.3	
MBDD255	26.50	27.50	1.00	0.99			
MBDD255	27.50	28.50	1.00	<b>1.41</b>			<b>1m @ 1.41 g/t Au</b>
MBDD255	28.50	29.50	1.00	0.44			
MBDD255	29.50	30.50	1.00	0.16			
MBDD255	30.50	31.06	0.56	<b>1.04</b>			<b>0.56m @ 1.04 g/t Au</b>
MBDD255	44.00	45.00	1.00	0.36			
MBDD255	45.00	46.00	1.00	0.19	3m @ 0.75 g/t Au	2.3	
MBDD255	46.00	47.00	1.00	<b>1.71</b>			<b>1m @ 1.71 g/t Au</b>
MBDD255	47.00	48.00	1.00	0.15			
MBDD255	50.00	51.00	1.00	0.45	1m @ 0.45 g/t Au	0.4	
MBDD255	54.50	55.00	0.50	<b>1.02</b>	8.50m @ 1.30 g/t Au	11.0	<b>0.50m @ 1.02 g/t Au</b>
MBDD255	55.00	56.00	1.00	0.07			
MBDD255	56.00	57.00	1.00	0.57			
MBDD255	57.00	58.00	1.00	0.90			
MBDD255	58.00	59.00	1.00	<b>3.84</b>			<b>2m @ 4.17 g/t Au</b>
MBDD255	59.00	60.00	1.00	<b>4.51</b>			
MBDD255	60.00	61.00	1.00	0.07			
MBDD255	61.00	62.00	1.00	0.17			
MBDD255	62.00	63.00	1.00	0.38			
MBDD255	65.95	67.00	1.05	0.32			
MBDD255	67.00	68.00	1.00	0.08	12.05m @ 0.46 g/t Au	5.5	
MBDD255	68.00	69.00	1.00	<b>1.11</b>			<b>2m @ 1.15 g/t Au</b>
MBDD255	69.00	70.00	1.00	<b>1.20</b>			
MBDD255	70.00	71.00	1.00	0.01			
MBDD255	71.00	72.00	1.00	0.02			
MBDD255	72.00	73.00	1.00	0.41			
MBDD255	73.00	74.00	1.00	0.18			
MBDD255	74.00	75.00	1.00	<b>1.61</b>			<b>1m @ 1.61 g/t Au</b>
MBDD255	75.00	75.50	0.50	0.27			
MBDD255	75.50	77.00	1.50	0.01			
MBDD255	77.00	78.00	1.00	0.40	5m @ 10.80 g/t Au	54.0	
MBDD255	82.00	83.00	1.00	<b>3.20</b>			<b>4m @ 13.45 g/t Au</b>
MBDD255	83.00	84.00	1.00	0.06			
MBDD255	84.00	85.00	1.00	0.05			
MBDD255	85.00	86.00	1.00	<b>50.48</b>			
MBDD255	86.00	87.00	1.00	0.21			
MBDD255	113.00	114.00	1.00	0.39	1m @ 0.39 g/t Au	0.4	
MBDD255	114.00	115.00	1.00	0.13	6.84m @ 1.15 g/t Au	7.9	
MBDD256	0.64	1.96	1.32	0.19			
MBDD256	24.00	25.00	1.00	0.62			
MBDD256	25.00	26.00	1.00	0.77			
MBDD256	26.00	27.20	1.20	0.63			
MBDD256	27.20	28.00	0.80	0.50			
MBDD256	28.00	29.00	1.00	<b>2.32</b>			<b>2.30m @ 2.25 g/t Au</b>
MBDD256	29.00	30.30	1.30	<b>2.19</b>			
MBDD256	30.30	30.84	0.54	0.29			




Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD256	31.50	32.50	1.00	<b>1.29</b>			
MBDD256	32.50	33.90	1.40	0.30			<b>2.90m @ 2.30 g/t Au</b>
MBDD256	33.90	34.40	0.50	<b>9.90</b>			
MBDD256	34.40	35.00	0.60	0.57			
MBDD256	35.00	36.00	1.00	0.22			
MBDD256	36.00	37.00	1.00	0.17			
MBDD256	39.00	39.90	0.90	0.42	0.90m @ 0.42 g/t Au	0.4	
MBDD256	41.14	42.00	0.86	<b>2.71</b>			
MBDD256	42.00	43.00	1.00	<b>6.10</b>	2.98m @ 4.13 g/t Au	12.3	<b>2.98m @ 4.13 g/t Au</b>
MBDD256	43.00	44.12	1.12	<b>3.47</b>			
MBDD256	50.00	51.00	1.00	<b>8.70</b>			
MBDD256	51.00	52.00	1.00	<b>1.36</b>			<b>2m @ 5.03 g/t Au</b>
MBDD256	52.00	53.00	1.00	0.31			
MBDD256	53.00	54.00	1.00	0.27			
MBDD256	69.00	70.00	1.00	0.13			
MBDD256	70.68	72.00	1.32	0.14			
MBDD256	72.00	73.00	1.00	0.18			
MBDD256	73.00	74.00	1.00	0.38			
MBDD256	74.00	75.00	1.00	0.20	2m @ 0.29 g/t Au	0.6	
MBDD256	77.00	78.00	1.00	0.22	1m @ 0.22 g/t Au	0.2	
MBDD256	85.00	86.00	1.00	0.46	1m @ 0.46 g/t Au	0.5	
MBDD256	100.00	101.00	1.00	0.22			
MBDD256	101.00	102.00	1.00	0.89	3m @ 0.44 g/t Au	1.3	
MBDD256	102.00	103.00	1.00	0.20			
MBDD256	112.00	113.00	1.00	0.52	1m @ 0.52 g/t Au	0.5	
MBDD256	197.50	198.50	1.00	0.37	1m @ 0.37 g/t Au	0.4	
MBDD256	203.70	204.47	0.77	<b>0.67</b>			
MBDD256	204.47	205.50	1.03	0.01			
MBDD256	205.50	206.00	0.50	<b>3.00</b>	2.30m @ 0.88 g/t Au	2.0	<b>0.50m @ 3.00 g/t Au</b>
MBDD256	206.00	207.15	1.15	0.19			
MBDD258	0.00	1.00	1.00	0.18			
MBDD258	1.00	1.59	0.59	0.53	0.59m @ 0.53 g/t Au	0.3	
MBDD258	3.95	5.03	1.08	0.30	1.08m @ 0.30 g/t Au	0.3	
MBDD258	6.72	8.05	1.33	0.25	1.33m @ 0.25 g/t Au	0.3	
MBDD258	10.08	11.50	1.42	0.30			
MBDD258	11.50	13.00	1.50	0.21	2.92m @ 0.25 g/t Au	0.7	
MBDD258	13.00	14.00	1.00	0.14			
MBDD258	14.00	15.00	1.00	0.12			
MBDD258	15.00	16.50	1.50	0.10			
MBDD258	16.50	18.00	1.50	0.20	1.50m @ 0.20 g/t Au	0.3	
MBDD258	20.50	21.52	1.02	<b>3.60</b>	1.02m @ 3.60 g/t Au	3.7	<b>1.02m @ 3.60 g/t Au</b>
MBDD258	23.36	24.68	1.32	<b>2.86</b>	1.32m @ 2.86 g/t Au	3.8	<b>1.32m @ 2.86 g/t Au</b>
MBDD258	26.16	27.40	1.24	<b>5.98</b>	1.24m @ 5.98 g/t Au	7.4	<b>1.24m @ 5.98 g/t Au</b>
MBDD258	29.61	30.59	0.98	<b>1.23</b>	0.98m @ 1.23 g/t Au	1.2	<b>0.98m @ 1.23 g/t Au</b>
MBDD258	31.50	32.50	1.00	0.15			
MBDD258	35.50	36.94	1.44	0.46	1.44m @ 0.46 g/t Au	0.7	
MBDD258	43.50	45.00	1.50	0.15			
MBDD258	45.00	46.50	1.50	<b>4.43</b>			
MBDD258	46.50	47.20	0.70	0.46			
MBDD258	47.20	48.50	1.30	<b>2.31</b>			
MBDD258	48.50	49.81	1.31	0.44			
MBDD258	49.81	50.80	0.99	0.18			
MBDD258	50.80	51.94	1.14	0.15			
MBDD258	79.00	80.00	1.00	0.13			
MBDD258	83.00	84.00	1.00	0.14			
MBDD258	91.00	92.00	1.00	0.15			
MBDD258	95.00	96.00	1.00	0.28	1m @ 0.28 g/t Au	0.3	
MBDD258	98.00	99.00	1.00	0.10			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD259	6.00	7.01	1.01	<b>2.24</b>	1.01m @ 2.24 g/t Au	2.3	<b>1.01m @ 2.24 g/t Au</b>
MBDD259	12.78	13.78	1.00	0.13			
MBDD259	13.78	14.78	1.00	0.22	1m @ 0.22 g/t Au	0.2	
MBDD259	27.80	29.00	1.20	<b>3.83</b>	2.20m @ 2.42 g/t Au	5.3	<b>1.20m @ 3.83 g/t Au</b>
MBDD259	29.00	30.00	1.00	0.72			
MBDD259	33.00	34.00	1.00	1.00	3m @ 0.78 g/t Au	2.3	
MBDD259	34.00	35.00	1.00	<b>1.12</b>			<b>1m @ 1.12 g/t Au</b>
MBDD259	35.00	36.00	1.00	0.21			
MBDD259	37.00	38.00	1.00	0.19			
MBDD259	39.00	39.91	0.91	0.19			
MBDD259	53.00	54.00	1.00	0.11			
MBDD259	58.00	59.00	1.00	0.11			
MBDD259	59.00	60.00	1.00	0.31	1m @ 0.31 g/t Au	0.3	
MBDD259	64.00	65.00	1.00	0.11			
MBDD259	83.20	84.00	0.80	0.15			
MBDD259	89.00	90.00	1.00	0.29	2m @ 0.30 g/t Au	0.6	
MBDD259	90.00	91.00	1.00	0.31			
MBDD259	111.00	112.00	1.00	0.15			
MBDD259	117.17	118.00	0.83	0.55	10.83m @ 1.05 g/t Au	11.4	
MBDD259	118.00	119.00	1.00	<b>2.75</b>			
MBDD259	119.00	120.00	1.00	0.95			
MBDD259	120.00	121.00	1.00	0.80			
MBDD259	121.00	122.00	1.00	<b>4.37</b>			
MBDD259	122.00	123.00	1.00	0.19			
MBDD259	123.00	124.00	1.00	0.01			
MBDD259	124.00	125.00	1.00	0.54			
MBDD259	125.00	126.00	1.00	0.36			
MBDD259	126.00	127.00	1.00	0.45			
MBDD259	127.00	128.00	1.00	0.49			
MBDD259	150.00	151.00	1.00	0.78	1m @ 0.78 g/t Au	0.8	
MBDD259	154.29	155.50	1.21	0.37	1.21m @ 0.37 g/t Au	0.5	
MBDD259	166.00	167.40	1.40	<b>3.36</b>	1.40m @ 3.36 g/t Au	4.7	<b>1.40m @ 3.36 g/t Au</b>
MBDD259	176.00	177.00	1.00	0.62	1m @ 0.62 g/t Au	0.6	
MBDD259	181.00	182.00	1.00	<b>1.39</b>	2.04m @ 0.88 g/t Au	1.8	<b>1m @ 1.39 g/t Au</b>
MBDD259	182.00	183.04	1.04	0.39			
MBDD259	187.00	187.95	0.95	0.15			
MBDD259	208.00	209.00	1.00	0.19			
MBDD259	209.00	210.00	1.00	0.18			
MBDD259	210.00	211.00	1.00	0.14			
MBDD259	211.00	212.00	1.00	0.47	1m @ 0.47 g/t Au	0.5	
MBDD259	212.00	212.90	0.90	0.19			
MBDD260	0.56	1.50	0.94	0.13			
MBDD260	51.00	52.00	1.00	0.19			
MBDD260	53.00	54.00	1.00	0.10			
MBDD260	54.00	55.00	1.00	0.66	5m @ 0.76 g/t Au	3.8	
MBDD260	55.00	56.00	1.00	0.06			
MBDD260	56.00	57.00	1.00	0.14			
MBDD260	57.00	58.00	1.00	<b>2.73</b>			<b>1m @ 2.73 g/t Au</b>
MBDD260	58.00	59.00	1.00	0.20			
MBDD260	63.00	64.20	1.20	0.15			
MBDD260	81.00	82.00	1.00	0.15			
MBDD260	83.36	84.00	0.64	<b>1.34</b>	3.98m @ 2.05 g/t Au	8.2	
MBDD260	84.00	85.00	1.00	<b>2.11</b>			
MBDD260	85.00	86.00	1.00	<b>1.48</b>			
MBDD260	86.00	87.34	1.34	<b>2.78</b>			
MBDD260	94.00	95.00	1.00	0.18			
MBDD260	96.00	97.00	1.00	<b>152.35</b>	1m @ 152.35 g/t Au	152.4	<b>1m @ 152.35 g/t Au</b>
MBDD260	97.00	98.00	1.00	0.15			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD260	98.00	99.00	1.00	0.13			
MBDD260	99.00	100.00	1.00	0.19			
MBDD260	100.00	101.00	1.00	0.12			
MBDD260	104.00	105.00	1.00	0.25	2m @ 0.34 g/t Au	0.7	
MBDD260	105.00	106.00	1.00	0.42			
MBDD260	110.00	111.00	1.00	0.16			
MBDD260	115.00	116.00	1.00	0.53	1m @ 0.53 g/t Au	0.5	
MBDD260	116.00	116.60	0.60	0.16			
MBDD260	134.20	135.00	0.80	0.66	1.80m @ 0.47 g/t Au	0.9	
MBDD260	135.00	136.00	1.00	0.33			
MBDD260	140.00	141.00	1.00	<b>1.03</b>	1m @ 1.03 g/t Au	1.0	<b>1m @ 1.03 g/t Au</b>
MBDD260	160.00	161.20	1.20	0.28	1.20m @ 0.28 g/t Au	0.3	
MBDD260	163.00	164.00	1.00	0.13			
MBDD260	165.00	166.00	1.00	0.19			
MBDD261	0.00	1.00	1.00	0.54	1m @ 0.54 g/t Au	0.5	
MBDD261	77.00	78.00	1.00	0.64	4m @ 1.94 g/t Au	7.7	
MBDD261	78.00	79.00	1.00	0.01			
MBDD261	79.00	80.00	1.00	<b>1.61</b>			
MBDD261	80.00	81.00	1.00	<b>5.50</b>			<b>2m @ 3.55 g/t Au</b>
MBDD261	85.00	86.00	1.00	0.47	1m @ 0.47 g/t Au	0.5	
MBDD261	96.00	97.00	1.00	0.17			
MBDD261	99.20	100.00	0.80	<b>2.32</b>	4.80m @ 0.83 g/t Au	4.0	<b>0.80m @ 2.31 g/t Au</b>
MBDD261	100.00	101.00	1.00	0.98			
MBDD261	101.00	102.00	1.00	0.53			
MBDD261	102.00	103.00	1.00	0.03			
MBDD261	103.00	104.00	1.00	0.58			
MBDD261	104.00	105.00	1.00	0.15			
MBDD261	112.20	113.00	0.80	0.15			
MBDD261	113.00	114.00	1.00	<b>2.12</b>	1m @ 2.12 g/t Au	2.1	<b>1m @ 2.12 g/t Au</b>
MBDD261	118.00	119.00	1.00	0.36	6m @ 0.36 g/t Au	2.2	
MBDD261	119.00	120.00	1.00	0.05			
MBDD261	120.00	121.00	1.00	0.88			
MBDD261	121.00	122.00	1.00	0.30			
MBDD261	122.00	123.00	1.00	0.05			
MBDD261	123.00	124.00	1.00	0.53			
MBDD261	154.00	155.00	1.00	0.86	1m @ 0.86 g/t Au	0.9	
MBDD263	0.00	0.50	0.50	0.18			
MBDD263	31.50	32.92	1.42	0.60	1.42m @ 0.59 g/t Au	0.8	
MBDD263	34.76	36.00	1.24	<b>1.26</b>	3.74m @ 0.54 g/t Au	2.0	<b>1.24m @ 1.26 g/t Au</b>
MBDD263	36.00	37.00	1.00	0.05			
MBDD263	37.00	38.50	1.50	0.27			
MBDD263	43.26	44.00	0.74	0.15			
MBDD263	61.00	62.00	1.00	0.22	7.43m @ 1.08 g/t Au	8.0	
MBDD263	62.00	63.00	1.00	<b>1.81</b>			
MBDD263	63.00	64.00	1.00	<b>1.59</b>			<b>4m @ 1.50 g/t Au</b>
MBDD263	64.00	65.00	1.00	<b>1.29</b>			
MBDD263	65.00	66.00	1.00	<b>1.29</b>			
MBDD263	66.00	67.00	1.00	0.65			
MBDD263	67.00	68.43	1.43	0.79			
MBDD263	99.00	100.00	1.00	0.38	1m @ 0.38 g/t Au	0.4	
MBDD263	120.00	121.00	1.00	0.18			
MBDD263	134.00	135.00	1.00	0.17	1.70m @ 0.40 g/t Au	0.7	
MBDD263	135.00	136.00	1.00	0.11			
MBDD263	136.00	137.00	1.00	0.15			
MBDD263	137.00	138.00	1.00	0.19			
MBDD263	144.30	145.00	0.70	0.24			
MBDD263	145.00	146.00	1.00	0.51			
MBDD264	0.00	0.65	0.65	0.16			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
MBDD264	15.00	16.50	1.50	0.13			
MBDD264	69.00	70.00	1.00	0.11			
MBDD264	71.00	72.00	1.00	0.18			
MBDD264	73.00	74.00	1.00	<b>1.67</b>	1m @ 1.67 g/t Au	1.7	<b>1m @ 1.67 g/t Au</b>
MBDD264	77.00	78.00	1.00	0.13			
MBDD264	79.70	81.00	1.30	0.19			
MBDD264	81.00	82.00	1.00	0.72			
MBDD264	82.00	83.00	1.00	0.37			
MBDD264	83.00	84.00	1.00	<b>1.30</b>			<b>1m @ 1.29 g/t Au</b>
MBDD264	84.00	85.00	1.00	0.06			
MBDD264	85.00	85.80	0.80	0.02			
MBDD264	85.80	87.00	1.20	0.30			
MBDD264	87.00	88.00	1.00	0.02			
MBDD264	88.00	88.70	0.70	0.02			
MBDD264	88.70	89.40	0.70	0.60			
MBDD264	91.60	92.50	0.90	<b>1.30</b>	0.90m @ 1.30 g/t Au	1.2	<b>0.90m @ 1.30 g/t Au</b>
MBDD264	99.40	100.00	0.60	<b>11.52</b>			
MBDD264	100.00	101.00	1.00	0.16			
MBDD264	101.00	102.00	1.00	<b>2.07</b>			
MBDD264	102.00	103.00	1.00	0.53			
MBDD264	105.30	106.00	0.70	0.65	0.70m @ 0.65 g/t Au	0.5	
MBDD264	131.00	132.00	1.00	0.43	1m @ 0.43 g/t Au	0.4	
MBDD264	175.00	176.00	1.00	0.10			
MBDD264	176.00	177.00	1.00	0.44			
MBDD264	177.00	178.00	1.00	<b>1.33</b>			
MBDD264	178.00	179.00	1.00	<b>3.19</b>			
MBDD264	181.00	182.00	1.00	0.20			
MBDD264	193.65	195.00	1.35	0.74			
MBDD264	195.00	196.27	1.27	0.27			
MBDD264	197.00	198.00	1.00	0.11			
MBDD264	198.00	199.00	1.00	0.16			
MBDD264	224.00	225.00	1.00	<b>1.39</b>	1m @ 1.39 g/t Au	1.4	<b>1m @ 1.39 g/t Au</b>
MBDD265	0.00	1.00	1.00	0.35			
MBDD265	1.00	2.17	1.17	0.21			
MBDD265	66.00	67.00	1.00	0.12			
MBDD265	79.00	80.00	1.00	0.19			
MBDD265	80.00	81.00	1.00	0.27	1m @ 0.27 g/t Au	0.3	
MBDD265	89.00	90.00	1.00	0.31	1m @ 0.31 g/t Au	0.3	
MBDD265	93.00	94.00	1.00	0.57			
MBDD265	94.00	95.00	1.00	0.97			
MBDD265	95.00	96.00	1.00	0.51			
MBDD265	96.00	97.00	1.00	0.48			
MBDD265	97.00	98.00	1.00	0.22			
MBDD265	98.00	99.00	1.00	0.28			
MBDD265	99.00	100.00	1.00	0.01			
MBDD265	100.00	101.00	1.00	0.10			
MBDD265	101.00	102.00	1.00	0.28			
MBDD265	103.00	104.50	1.50	0.10			
MBDD265	104.50	106.00	1.50	0.12			
MBDD265	106.00	107.00	1.00	0.10			
MBDD265	116.00	117.00	1.00	<b>5.16</b>	1m @ 5.16 g/t Au	5.2	<b>1m @ 5.16 g/t Au</b>
MBDD265	120.50	121.57	1.07	0.55			
MBDD265	121.57	123.00	1.43	0.64			
MBDD265	123.00	124.00	1.00	0.16			
MBDD265	124.00	125.00	1.00	0.02			
MBDD265	125.00	126.00	1.00	<b>3.02</b>			<b>1m @ 3.02 g/t Au</b>
MBDD265	147.50	149.00	1.50	<b>1.47</b>	1.50m @ 1.47 g/t Au	2.2	<b>1.50m @ 1.47 g/t Au</b>
MBDD265	153.00	154.00	1.00	<b>2.06</b>	5.30m @ 0.93 g/t Au	4.9	<b>4m @ 1.16 g/t Au</b>



aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
MBDD265	154.00	155.00	1.00	0.19			
MBDD265	155.00	156.00	1.00	0.29			
MBDD265	156.00	157.00	1.00	<b>2.09</b>			
MBDD265	157.00	158.30	1.30	0.25			
MBDD265	164.00	165.00	1.00	0.32	1m @ 0.32 g/t Au	0.3	
MBDD265	175.00	175.70	0.70	<b>1.22</b>			
MBDD265	175.70	177.00	1.30	0.44			
MBDD265	177.00	178.00	1.00	<b>1.82</b>			
MBDD265	178.00	179.00	1.00	0.41			
MBDD265	179.00	180.00	1.00	0.04			
MBDD265	180.00	181.00	1.00	0.73			
MBDD265	181.00	182.00	1.00	0.02			
MBDD265	182.00	183.00	1.00	<b>3.40</b>			
MBDD265	183.00	184.00	1.00	0.58			
MBDD265	184.00	185.00	1.00	0.81			
MBDD265	185.00	186.00	1.00	<b>9.04</b>			
MBDD265	186.00	187.00	1.00	<b>1.86</b>			
MBDD265	187.00	188.00	1.00	<b>5.38</b>			
MBDD265	188.00	189.00	1.00	<b>2.87</b>			
MBDD265	189.00	190.00	1.00	0.38			
MBDD265	196.00	197.00	1.00	0.10			



Table 3: Drill collar information for holes drilled at BDT2

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0250	788,952	1,059,048	358	263.85	270	-50	BDT2	DD
DSDD0251A	788,902	1,059,100	360	151.20	270	-50	BDT2	DD
DSDD0252	788,902	1,059,002	358	135.00	270	-50	BDT2	DD
DSDD0253	789,150	1,059,149	356	288.60	270	-50	BDT2	DD
DSDD0254	789,000	1,059,000	357	192.10	270	-50	BDT2	DD
DSDD0255	789,000	1,059,098	359	226.70	270	-50	BDT2	DD
DSDD0256	789,049	1,059,050	357	271.70	270	-55	BDT2	DD
DSDD0257	789,250	1,059,200	356	317.40	270	-55	BDT2	DD
DSDD0258	789,248	1,059,146	355	380.00	270	-50	BDT2	DD
DSDD0259	789,100	1,059,100	356	274.05	270	-50	BDT2	DD
DSDD0261	789,299	1,059,248	355	279.50	270	-50	BDT2	DD
<b>11 holes</b>				<b>2780.10m</b>			<b>TOTAL</b>	<b>DD</b>

**Table 4: Significant assay results for holes drilled at BDT2<sup>16</sup>**


Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0250	1.00	2.00	1.00	0.10			
DSDD0250	13.50	15.00	1.50	0.11			
DSDD0250	46.50	48.00	1.50	0.24			
DSDD0250	48.00	49.00	1.00	0.45			
DSDD0250	49.00	50.00	1.00	0.10			
DSDD0250	50.00	51.00	1.00	0.67			
DSDD0250	51.00	52.00	1.00	0.95			
DSDD0250	52.00	53.00	1.00	0.01			
DSDD0250	53.00	54.00	1.00	0.01			
DSDD0250	54.00	55.00	1.00	0.05			
DSDD0250	55.00	56.00	1.00	0.57			
DSDD0250	56.00	57.00	1.00	0.02			
DSDD0250	57.00	58.00	1.00	0.10			
DSDD0250	58.00	59.00	1.00	0.94			
DSDD0250	59.00	60.00	1.00	0.51			
DSDD0250	60.00	61.00	1.00	0.20			
DSDD0250	61.00	62.00	1.00	0.14			
DSDD0250	62.00	63.00	1.00	0.50			
DSDD0250	63.00	64.00	1.00	0.97			
DSDD0250	71.00	72.00	1.00	0.14			
DSDD0250	74.00	75.00	1.00	0.91			
DSDD0250	75.00	76.00	1.00	<b>9.65</b>	<b>3m @ 3.61 g/t Au</b>	<b>10.8</b>	<b>1m @ 9.65 g/t Au</b>
DSDD0250	76.00	77.00	1.00	0.26			
DSDD0250	87.00	88.00	1.00	<b>1.04</b>	1m @ 1.04 g/t Au	1.0	<b>1m @ 1.04 g/t Au</b>
DSDD0250	142.00	143.00	1.00	0.97	1m @ 0.97 g/t Au	1.0	
DSDD0250	154.00	155.00	1.00	0.10			
DSDD0250	165.00	166.00	1.00	0.19			
DSDD0250	166.00	167.00	1.00	0.14			
DSDD0250	169.00	170.00	1.00	0.14			
DSDD0250	176.00	177.00	1.00	0.24			
DSDD0250	177.00	178.00	1.00	0.35			
DSDD0250	178.00	179.00	1.00	0.20			
DSDD0250	179.00	180.00	1.00	0.22			
DSDD0250	180.00	181.00	1.00	0.51			
DSDD0250	181.00	182.00	1.00	0.17			
DSDD0250	182.00	183.00	1.00	0.15			
DSDD0250	183.00	184.00	1.00	0.22			
DSDD0250	184.00	185.00	1.00	0.11			
DSDD0250	185.00	186.00	1.00	0.13			
DSDD0250	187.00	188.00	1.00	0.14			
DSDD0250	193.00	194.00	1.00	0.11			
DSDD0250	200.00	201.00	1.00	0.32	1m @ 0.32 g/t Au	0.3	
DSDD0250	240.24	241.00	0.76	0.16			
DSDD0250	248.00	249.00	1.00	0.24	1m @ 0.24 g/t Au	0.2	
DSDD0250	253.00	254.00	1.00	0.44	1m @ 0.44 g/t Au	0.4	
DSDD0251A	10.50	11.90	1.40	0.15			
DSDD0251A	11.90	12.70	0.80	0.47	0.80m @ 0.47 g/t Au	0.4	
DSDD0251A	14.22	15.68	1.46	0.72	1.46m @ 0.72 g/t Au	1.1	
DSDD0251A	16.50	17.12	0.62	<b>3.17</b>	0.62m @ 3.17 g/t Au	2.0	<b>0.62m @ 3.17 g/t Au</b>
DSDD0251A	24.81	25.50	0.69	0.21	0.69m @ 0.21 g/t Au	0.1	
DSDD0251A	34.08	34.65	0.57	0.13			
DSDD0251A	45.00	46.50	1.50	<b>1.57</b>	1.50m @ 1.57 g/t Au	2.4	<b>1.50m @ 1.57 g/t Au</b>

<sup>16</sup> 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0251A	49.00	50.00	1.00	0.18			
DSDD0251A	51.00	52.00	1.00	0.34			
DSDD0251A	52.00	53.45	1.45	0.46			
DSDD0251A	53.45	54.00	0.55	0.17			
DSDD0251A	54.00	55.00	1.00	<b>1.35</b>			<b>1m @ 1.35 g/t Au</b>
DSDD0251A	59.00	60.40	1.40	0.18			
DSDD0251A	64.00	65.00	1.00	0.14			
DSDD0251A	65.00	66.00	1.00	<b>1.30</b>	1m @ 1.30 g/t Au	1.3	<b>1m @ 1.30 g/t Au</b>
DSDD0251A	70.80	72.00	1.20	0.78			
DSDD0251A	72.00	73.00	1.00	0.50			
DSDD0251A	73.00	74.00	1.00	0.73			
DSDD0251A	74.00	75.00	1.00	0.94			
DSDD0251A	75.00	76.00	1.00	0.18			
DSDD0251A	76.00	77.00	1.00	0.11			
DSDD0251A	77.00	78.00	1.00	0.03			
DSDD0251A	78.00	79.00	1.00	0.32			
DSDD0251A	81.00	82.00	1.00	0.15			
DSDD0251A	84.00	85.00	1.00	0.49			
DSDD0251A	85.00	86.00	1.00	0.64			
DSDD0251A	86.00	87.00	1.00	0.10			
DSDD0251A	87.00	88.00	1.00	0.05			
DSDD0251A	88.00	89.00	1.00	0.34			
DSDD0251A	89.00	90.00	1.00	0.17			
DSDD0251A	90.00	91.00	1.00	0.43			
DSDD0251A	91.00	92.00	1.00	0.02			
DSDD0251A	92.00	93.20	1.20	0.12			
DSDD0251A	93.20	94.60	1.40	0.21			
DSDD0251A	96.00	97.00	1.00	0.13			
DSDD0251A	105.00	106.00	1.00	0.18			
DSDD0251A	106.00	107.00	1.00	0.16			
DSDD0251A	107.00	108.20	1.20	0.24	1.20m @ 0.24 g/t Au	0.3	
DSDD0251A	139.00	140.00	1.00	0.10			
DSDD0252	11.50	12.43	0.93	0.13			
DSDD0252	14.45	15.00	0.55	0.38			
DSDD0252	15.00	16.00	1.00	0.19			
DSDD0252	16.00	17.45	1.45	0.33			
DSDD0252	17.45	18.00	0.55	0.03			
DSDD0252	18.00	19.00	1.00	0.08			
DSDD0252	19.00	20.00	1.00	<b>1.49</b>			<b>1m @ 1.49 g/t Au</b>
DSDD0252	48.50	49.00	0.50	0.37	0.50m @ 0.37 g/t Au	0.2	
DSDD0252	49.00	50.00	1.00	0.19			
DSDD0252	51.00	52.00	1.00	0.16			
DSDD0252	52.00	53.00	1.00	0.21			
DSDD0252	53.00	54.00	1.00	0.23			
DSDD0252	55.00	56.00	1.00	0.13			
DSDD0252	58.00	59.00	1.00	0.28			
DSDD0252	59.00	60.00	1.00	0.08			
DSDD0252	60.00	61.00	1.00	0.30			
DSDD0252	67.00	68.00	1.00	0.26	1m @ 0.26 g/t Au	0.3	
DSDD0252	126.00	126.90	0.90	<b>22.03</b>	0.90m @ 22.03 g/t Au	<b>19.8</b>	<b>0.90m @ 22.03 g/t Au</b>
DSDD0252	126.90	128.00	1.10	0.10			
DSDD0253	133.00	134.00	1.00	0.11			
DSDD0253	134.74	136.00	1.26	0.19			
DSDD0253	137.00	138.00	1.00	0.21	1m @ 0.21 g/t Au	0.2	
DSDD0253	159.00	160.00	1.00	0.11			
DSDD0253	172.00	173.00	1.00	<b>1.28</b>			<b>1m @ 1.28 g/t Au</b>
DSDD0253	173.00	174.00	1.00	0.01			
DSDD0253	174.00	174.72	0.72	0.07			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0253	174.72	176.00	1.28	<b>1.38</b>			
DSDD0253	176.00	177.00	1.00	0.22			
DSDD0253	177.00	178.00	1.00	<b>1.40</b>			
DSDD0253	178.00	179.00	1.00	0.67			
DSDD0253	179.00	180.32	1.32	0.66			
DSDD0253	180.32	181.00	0.68	0.26			
DSDD0253	181.00	182.00	1.00	0.27			
DSDD0253	182.00	183.00	1.00	0.04			
DSDD0253	183.00	184.00	1.00	<b>1.00</b>			
DSDD0253	184.00	185.00	1.00	0.36			
DSDD0253	185.00	186.00	1.00	0.46			
DSDD0253	191.00	192.00	1.00	0.10			
DSDD0253	230.00	231.00	1.00	0.34	2m @ 1.05 g/t Au	2.1	
DSDD0253	231.00	232.00	1.00	<b>1.76</b>			<b>1m @ 1.76 g/t Au</b>
DSDD0253	251.00	252.00	1.00	0.12			
DSDD0253	257.00	258.00	1.00	0.12			
DSDD0253	260.00	261.00	1.00	0.44	13m @ 0.29 g/t Au	3.8	
DSDD0253	261.00	261.82	0.82	0.12			
DSDD0253	261.82	263.00	1.18	0.01			
DSDD0253	263.00	264.00	1.00	0.45			
DSDD0253	264.00	265.00	1.00	0.01			
DSDD0253	265.00	266.00	1.00	<b>1.13</b>			<b>1m @ 1.13 g/t Au</b>
DSDD0253	266.00	267.00	1.00	0.74			
DSDD0253	267.00	268.00	1.00	0.11			
DSDD0253	268.00	269.00	1.00	0.21			
DSDD0253	269.00	270.00	1.00	0.07			
DSDD0253	270.00	271.00	1.00	0.07			
DSDD0253	271.00	272.00	1.00	0.12			
DSDD0253	272.00	273.00	1.00	0.35			
DSDD0254	2.00	3.00	1.00	0.12	10.50m @ 2.39 g/t Au	25.1	
DSDD0254	42.91	43.50	0.59	0.15			
DSDD0254	43.50	45.00	1.50	0.25			
DSDD0254	45.00	46.50	1.50	0.17			
DSDD0254	46.50	48.00	1.50	0.45			
DSDD0254	48.00	49.00	1.00	0.37			
DSDD0254	49.00	50.00	1.00	0.14			
DSDD0254	50.00	51.00	1.00	0.01			
DSDD0254	51.00	52.00	1.00	0.09			
DSDD0254	52.00	53.00	1.00	<b>22.81</b>			<b>1m @ 22.81 g/t Au</b>
DSDD0254	53.00	54.00	1.00	0.41			
DSDD0254	61.03	62.00	0.97	0.10			
DSDD0254	140.00	141.00	1.00	<b>1.22</b>	3.48m @ 0.66 g/t Au	2.3	
DSDD0254	141.00	142.20	1.20	0.42			
DSDD0254	142.20	143.48	1.28	0.44			
DSDD0254	143.48	144.00	0.52	0.11			
DSDD0254	146.59	147.10	0.51	0.26			<b>1m @ 1.22 g/t Au</b>
DSDD0254	148.00	149.00	1.00	0.10	6.50m @ 0.22 g/t Au	1.5	
DSDD0254	152.00	153.00	1.00	0.37			
DSDD0254	153.00	153.78	0.78	0.05			
DSDD0254	153.78	154.50	0.72	0.08			
DSDD0254	154.50	155.12	0.62	0.39			
DSDD0254	155.12	156.00	0.88	0.18			
DSDD0254	156.00	157.00	1.00	0.01			
DSDD0254	157.00	157.84	0.84	0.15			
DSDD0254	157.84	158.50	0.66	0.68			
DSDD0254	160.50	161.75	1.25	0.11			
DSDD0254	165.30	166.00	0.70	<b>1.97</b>	5.70m @ 0.78 g/t Au	4.5	<b>2.34m @ 1.65 g/t Au</b>
DSDD0254	166.00	167.00	1.00	0.06			



aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0254	167.00	167.64	0.64	<b>3.78</b>			
DSDD0254	167.64	169.00	1.36	0.03			
DSDD0254	169.00	170.00	1.00	0.06			
DSDD0254	170.00	171.00	1.00	0.51			
DSDD0254	175.00	176.44	1.44	0.35			
DSDD0254	176.44	177.00	0.56	0.33			
DSDD0254	177.00	178.00	1.00	0.30			
DSDD0254	178.00	179.27	1.27	0.30			
DSDD0255	3.00	3.68	0.68	0.15			
DSDD0255	3.68	5.00	1.32	0.20	4.27m @ 0.32 g/t Au	1.4	
DSDD0255	20.00	21.00	1.00	0.59	1.32m @ 0.20 g/t Au	0.3	
DSDD0255	22.50	24.00	1.50	0.11	1m @ 0.59 g/t Au	0.6	
DSDD0255	24.00	25.00	1.00	0.16			
DSDD0255	25.00	26.00	1.00	0.67			
DSDD0255	26.00	27.00	1.00	0.57			
DSDD0255	27.00	28.00	1.00	<b>1.22</b>			
DSDD0255	28.00	29.00	1.00	0.47			
DSDD0255	29.00	30.00	1.00	0.92			
DSDD0255	30.00	31.00	1.00	0.26			
DSDD0255	32.00	33.00	1.00	0.11			
DSDD0255	35.00	36.00	1.00	0.48	1m @ 0.48 g/t Au	0.5	
DSDD0255	38.00	39.42	1.42	0.49	1.42m @ 0.49 g/t Au	0.7	
DSDD0255	40.50	41.00	0.50	0.52			
DSDD0255	41.00	42.00	1.00	<b>4.09</b>			
DSDD0255	42.00	43.50	1.50	0.01			
DSDD0255	43.50	45.00	1.50	0.01			
DSDD0255	45.00	46.00	1.00	0.48			
DSDD0255	73.00	74.00	1.00	<b>1.26</b>			
DSDD0255	74.00	75.00	1.00	<b>1.21</b>			
DSDD0255	75.00	76.00	1.00	0.75			
DSDD0255	76.00	77.00	1.00	0.23			
DSDD0255	77.00	78.00	1.00	<b>1.25</b>			
DSDD0255	78.00	79.00	1.00	0.01			
DSDD0255	79.00	80.00	1.00	0.04			
DSDD0255	80.00	81.00	1.00	<b>1.29</b>			
DSDD0255	81.00	82.00	1.00	0.54			
DSDD0255	82.00	83.00	1.00	0.03			
DSDD0255	83.00	84.00	1.00	0.32			
DSDD0255	87.00	88.00	1.00	0.19			
DSDD0255	89.00	90.00	1.00	0.90			
DSDD0255	90.00	91.00	1.00	0.15			
DSDD0255	91.00	92.00	1.00	0.34			
DSDD0255	92.00	93.27	1.27	0.21			
DSDD0255	93.27	94.00	0.73	0.05			
DSDD0255	94.00	95.00	1.00	0.16			
DSDD0255	95.00	96.18	1.18	<b>1.58</b>			
DSDD0255	99.48	100.00	0.52	0.72			
DSDD0255	100.00	101.00	1.00	<b>1.83</b>			
DSDD0255	101.00	101.50	0.50	0.01			
DSDD0255	101.50	102.00	0.50	0.44			
DSDD0255	102.00	103.00	1.00	0.12			
DSDD0255	103.00	104.00	1.00	0.14			
DSDD0255	104.00	105.00	1.00	0.12			
DSDD0255	106.00	107.00	1.00	0.32	1m @ 0.32 g/t Au	0.3	
DSDD0255	108.00	109.00	1.00	0.26	1m @ 0.26 g/t Au	0.3	
DSDD0255	111.00	112.00	1.00	0.15			
DSDD0255	112.00	113.00	1.00	0.10			
DSDD0255	113.00	114.00	1.00	0.14			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0255	135.00	136.00	1.00	<b>1.17</b>	1m @ 1.17 g/t Au	1.2	<b>1m @ 1.17 g/t Au</b>
DSDD0255	147.00	148.00	1.00	0.11			
DSDD0255	149.00	150.00	1.00	0.13			
DSDD0255	150.00	151.00	1.00	0.22			
DSDD0255	151.00	152.00	1.00	0.23	2m @ 0.23 g/t Au	0.5	
DSDD0255	158.34	159.00	0.66	0.45			
DSDD0255	159.00	160.00	1.00	0.11	2.66m @ 0.28 g/t Au	0.8	
DSDD0255	160.00	161.00	1.00	0.35			
DSDD0255	171.00	172.00	1.00	0.48	1m @ 0.48 g/t Au	0.5	
DSDD0255	184.00	185.00	1.00	0.11			
DSDD0255	204.09	205.00	0.91	0.11			
DSDD0255	205.00	206.00	1.00	<b>2.69</b>	1m @ 2.69 g/t Au	2.7	<b>1m @ 2.69 g/t Au</b>
DSDD0255	210.00	211.00	1.00	0.38			
DSDD0255	211.00	212.00	1.00	0.34			
DSDD0255	212.00	213.00	1.00	0.07			
DSDD0255	213.00	213.95	0.95	0.02			
DSDD0255	213.95	214.52	0.57	0.23			
DSDD0255	214.52	216.00	1.48	0.02			
DSDD0255	216.00	217.00	1.00	0.22			
DSDD0255	217.00	218.00	1.00	0.04			
DSDD0255	218.00	219.00	1.00	0.08			
DSDD0255	219.00	220.00	1.00	0.58			
DSDD0255	220.00	221.00	1.00	<b>1.30</b>			<b>1m @ 1.30 g/t Au</b>
DSDD0255	221.00	222.00	1.00	0.18			
DSDD0256	0.00	0.67	0.67	0.12			
DSDD0256	2.36	3.30	0.94	0.20	0.94m @ 0.20 g/t Au	0.2	
DSDD0256	5.04	6.00	0.96	0.13			
DSDD0256	7.00	8.00	1.00	0.26	1m @ 0.26 g/t Au	0.3	
DSDD0256	84.00	85.30	1.30	0.15			
DSDD0256	89.00	90.00	1.00	0.10			
DSDD0256	92.00	93.00	1.00	0.16			
DSDD0256	95.00	96.00	1.00	0.10			
DSDD0256	101.00	102.00	1.00	0.61	1m @ 0.61 g/t Au	0.6	
DSDD0256	132.00	133.00	1.00	0.38	1m @ 0.38 g/t Au	0.4	
DSDD0256	168.00	169.00	1.00	0.12			
DSDD0256	169.00	170.00	1.00	0.15			
DSDD0256	171.00	171.60	0.60	0.92			
DSDD0256	171.60	172.50	0.90	<b>5.60</b>			<b>0.90m @ 5.60 g/t Au</b>
DSDD0256	172.50	173.00	0.50	0.36			
DSDD0256	173.00	174.00	1.00	0.76			
DSDD0256	174.00	175.00	1.00	0.14			
DSDD0256	175.00	176.00	1.00	<b>1.23</b>			<b>1m @ 1.23 g/t Au</b>
DSDD0256	176.00	177.00	1.00	0.38			
DSDD0256	177.00	178.00	1.00	0.36			
DSDD0256	182.00	183.00	1.00	0.48	1m @ 0.48 g/t Au	0.5	
DSDD0256	198.00	199.00	1.00	0.43			
DSDD0256	199.00	200.00	1.00	0.08			
DSDD0256	200.00	201.00	1.00	0.52			
DSDD0256	201.00	202.00	1.00	0.18			
DSDD0256	202.00	203.00	1.00	0.63			
DSDD0256	203.00	204.00	1.00	0.09			
DSDD0256	204.00	205.00	1.00	<b>1.40</b>			<b>1m @ 1.40 g/t Au</b>
DSDD0256	205.00	206.00	1.00	0.21			
DSDD0256	206.00	207.00	1.00	0.15			
DSDD0256	207.00	208.00	1.00	0.08			
DSDD0256	208.00	209.00	1.00	0.61			
DSDD0256	209.00	210.00	1.00	0.19			
DSDD0256	210.00	211.00	1.00	0.77			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0256	211.00	212.00	1.00	0.27			
DSDD0256	212.00	213.00	1.00	0.31			
DSDD0256	213.00	214.00	1.00	0.01			
DSDD0256	214.00	215.00	1.00	0.01			
DSDD0256	215.00	216.00	1.00	0.02			
DSDD0256	216.00	217.00	1.00	0.40			
DSDD0256	217.00	218.00	1.00	0.01			
DSDD0256	218.00	219.00	1.00	0.24			
DSDD0256	219.00	220.00	1.00	0.01			
DSDD0256	220.00	221.00	1.00	<b>3.85</b>			
DSDD0256	221.00	222.00	1.00	0.46			
DSDD0256	222.00	223.00	1.00	0.19			
DSDD0256	223.00	224.00	1.00	0.98			
DSDD0256	224.00	225.00	1.00	0.05			
DSDD0256	225.00	226.00	1.00	0.02			
DSDD0256	226.00	227.00	1.00	0.07			
DSDD0256	227.00	228.00	1.00	0.27			
DSDD0256	228.00	229.00	1.00	<b>1.74</b>			
DSDD0256	229.00	230.00	1.00	0.18			
DSDD0256	230.00	231.00	1.00	0.26			
DSDD0256	231.00	232.00	1.00	<b>1.03</b>			
DSDD0256	252.00	253.00	1.00	0.21	1m @ 0.21 g/t Au	0.2	
DSDD0256	253.00	254.00	1.00	0.10			
DSDD0256	255.00	256.00	1.00	0.13			
DSDD0256	256.00	257.00	1.00	0.16			
DSDD0256	258.00	259.35	1.35	0.99	1.35m @ 0.99 g/t Au	1.3	
DSDD0256	259.35	260.00	0.65	0.15			
DSDD0257	5.50	6.50	1.00	0.11			
DSDD0257	10.00	11.00	1.00	0.12			
DSDD0257	15.00	15.82	0.82	0.15			
DSDD0257	21.00	22.00	1.00	0.26	1m @ 0.26 g/t Au	0.3	
DSDD0257	32.00	33.00	1.00	0.69			
DSDD0257	33.00	34.00	1.00	0.35	2m @ 0.52 g/t Au	1.0	
DSDD0257	84.00	85.00	1.00	0.15			
DSDD0257	91.00	92.00	1.00	0.46	1m @ 0.46 g/t Au	0.5	
DSDD0257	176.70	178.00	1.30	0.17			
DSDD0257	178.00	179.00	1.00	0.27			
DSDD0257	179.00	180.00	1.00	0.69			
DSDD0257	180.00	181.00	1.00	0.80			
DSDD0257	181.00	182.00	1.00	0.28			
DSDD0257	182.00	183.00	1.00	0.58			
DSDD0257	183.00	184.00	1.00	0.78			
DSDD0257	184.00	185.00	1.00	<b>1.91</b>			
DSDD0257	185.00	186.00	1.00	0.89			
DSDD0257	186.00	187.00	1.00	0.81			
DSDD0257	208.00	209.35	1.35	0.12			
DSDD0257	221.00	222.00	1.00	0.20	1m @ 0.20 g/t Au	0.2	
DSDD0257	236.00	237.00	1.00	0.29			
DSDD0257	237.00	238.00	1.00	0.21			
DSDD0257	238.00	239.00	1.00	0.29			
DSDD0257	239.00	240.00	1.00	0.15			
DSDD0257	240.00	241.00	1.00	0.04			
DSDD0257	241.00	242.00	1.00	<b>1.41</b>			
DSDD0257	242.00	243.20	1.20	0.86			
DSDD0257	243.20	244.00	0.80	0.51			
DSDD0257	244.00	245.00	1.00	0.23			
DSDD0257	289.00	290.00	1.00	0.25	1m @ 0.25 g/t Au	0.3	
DSDD0258	3.00	3.68	0.68	0.13			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0258	13.50	14.25	0.75	0.12			
DSDD0258	15.86	17.00	1.14	0.10			
DSDD0258	17.00	18.00	1.00	0.14			
DSDD0258	18.00	18.63	0.63	0.19			
DSDD0258	20.14	21.00	0.86	0.15			
DSDD0258	35.50	36.00	0.50	0.24	0.50m @ 0.24 g/t Au	0.1	
DSDD0258	36.00	37.00	1.00	0.20			
DSDD0258	37.00	38.00	1.00	0.13			
DSDD0258	39.00	40.00	1.00	0.26	1m @ 0.26 g/t Au	0.3	
DSDD0258	40.00	41.00	1.00	0.11			
DSDD0258	44.00	45.00	1.00	0.28	1m @ 0.28 g/t Au	0.3	
DSDD0258	45.00	46.00	1.00	0.20			
DSDD0258	46.00	47.00	1.00	0.14			
DSDD0258	47.00	48.25	1.25	0.15			
DSDD0258	56.00	57.00	1.00	0.18			
DSDD0258	58.00	59.00	1.00	0.16			
DSDD0258	59.00	60.00	1.00	0.14			
DSDD0258	60.00	61.40	1.40	0.33	2m @ 0.32 g/t Au	0.6	
DSDD0258	61.40	62.00	0.60	0.32			
DSDD0258	68.00	69.00	1.00	0.15			
DSDD0258	69.00	70.00	1.00	0.18			
DSDD0258	70.00	71.00	1.00	0.36	11m @ 0.22 g/t Au	2.4	
DSDD0258	71.00	72.00	1.00	0.35			
DSDD0258	72.00	73.00	1.00	0.21			
DSDD0258	73.00	74.00	1.00	0.23			
DSDD0258	74.00	75.00	1.00	0.12			
DSDD0258	75.00	76.00	1.00	0.22			
DSDD0258	76.00	77.00	1.00	0.20			
DSDD0258	77.00	78.00	1.00	0.07			
DSDD0258	78.00	79.00	1.00	0.26			
DSDD0258	79.00	80.00	1.00	0.21			
DSDD0258	80.00	81.00	1.00	0.22			
DSDD0258	81.00	82.40	1.40	0.13			
DSDD0258	82.40	83.00	0.60	0.10			
DSDD0258	83.00	84.00	1.00	0.19			
DSDD0258	271.00	272.00	1.00	0.18	1m @ 0.39 g/t Au	0.4	
DSDD0258	280.00	281.00	1.00	0.39			
DSDD0258	285.00	286.00	1.00	0.18			
DSDD0258	286.00	287.00	1.00	0.39	31m @ 0.43 g/t Au	13.5	
DSDD0258	287.00	288.00	1.00	<b>1.24</b>			
DSDD0258	288.00	289.00	1.00	0.82			
DSDD0258	289.00	290.00	1.00	0.49			
DSDD0258	290.00	291.00	1.00	0.47			
DSDD0258	291.00	292.00	1.00	0.16			
DSDD0258	292.00	293.00	1.00	0.32			
DSDD0258	293.00	294.00	1.00	<b>1.10</b>			
DSDD0258	294.00	295.00	1.00	0.42			
DSDD0258	295.00	296.00	1.00	0.93			
DSDD0258	296.00	297.00	1.00	0.03			
DSDD0258	297.00	298.00	1.00	0.79	1m @ 1.10 g/t Au	13.5	
DSDD0258	298.00	299.00	1.00	0.03			
DSDD0258	299.00	300.00	1.00	0.48			
DSDD0258	300.00	301.00	1.00	<b>1.06</b>			
DSDD0258	301.00	302.00	1.00	0.37			
DSDD0258	302.00	303.00	1.00	0.27			
DSDD0258	303.00	304.00	1.00	0.23	1m @ 1.06 g/t Au	13.5	
DSDD0258	304.00	305.00	1.00	0.09			
DSDD0258	305.00	306.00	1.00	0.21			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0258	306.00	307.00	1.00	0.14			
DSDD0258	307.00	308.00	1.00	0.12			
DSDD0258	308.00	309.00	1.00	0.09			
DSDD0258	309.00	310.00	1.00	0.21			
DSDD0258	310.00	311.00	1.00	0.44			
DSDD0258	311.00	312.00	1.00	0.24			
DSDD0258	312.00	313.00	1.00	0.10			
DSDD0258	313.00	314.00	1.00	0.34			
DSDD0258	314.00	315.00	1.00	0.18			
DSDD0258	315.00	316.00	1.00	<b>1.42</b>			
DSDD0258	316.00	317.00	1.00	0.29			
DSDD0258	319.00	319.56	0.56	0.12			
DSDD0258	325.00	326.00	1.00	<b>1.28</b>			
DSDD0258	326.00	327.00	1.00	0.46			
DSDD0258	327.00	328.00	1.00	0.90			
DSDD0258	328.00	329.00	1.00	0.42			
DSDD0258	329.00	330.00	1.00	0.27			
DSDD0258	330.00	331.00	1.00	0.68			
DSDD0258	331.00	332.00	1.00	0.68			
DSDD0258	332.00	333.00	1.00	<b>1.49</b>			
DSDD0258	333.00	334.00	1.00	0.14			
DSDD0258	334.00	335.00	1.00	0.25			
DSDD0258	347.00	348.00	1.00	0.13			
DSDD0258	351.00	352.00	1.00	0.36	1m @ 0.36 g/t Au	0.4	
DSDD0258	352.00	353.00	1.00	0.18			
DSDD0258	362.00	363.00	1.00	0.53	1m @ 0.53 g/t Au	0.5	
DSDD0258	371.00	372.00	1.00	0.21			
DSDD0258	372.00	373.00	1.00	0.35	2m @ 0.28 g/t Au	0.6	
DSDD0259	0.50	1.61	1.11	0.30	1.11m @ 0.30 g/t Au	0.3	
DSDD0259	1.61	3.11	1.50	0.11			
DSDD0259	99.73	100.50	0.77	0.29			
DSDD0259	100.50	101.00	0.50	<b>0.51</b>			
DSDD0259	101.00	102.00	1.00	0.32			
DSDD0259	102.00	103.00	1.00	0.25			
DSDD0259	103.00	104.00	1.00	0.45			
DSDD0259	104.00	105.00	1.00	0.62			
DSDD0259	105.00	106.00	1.00	0.68			
DSDD0259	106.00	107.00	1.00	0.53			
DSDD0259	107.00	108.00	1.00	0.18			
DSDD0259	108.00	109.00	1.00	0.18			
DSDD0259	112.00	113.00	1.00	0.28			
DSDD0259	113.00	114.00	1.00	0.03			
DSDD0259	114.00	115.00	1.00	0.24			
DSDD0259	115.00	116.00	1.00	0.16			
DSDD0259	116.00	117.00	1.00	0.20			
DSDD0259	117.00	118.00	1.00	<b>2.00</b>			
DSDD0259	118.00	119.00	1.00	0.28			
DSDD0259	119.00	120.00	1.00	0.08			
DSDD0259	120.00	121.00	1.00	0.07			
DSDD0259	121.00	122.00	1.00	0.12			
DSDD0259	122.00	123.00	1.00	<b>3.37</b>			
DSDD0259	123.00	124.00	1.00	0.23			
DSDD0259	124.00	125.00	1.00	0.12			
DSDD0259	125.00	126.20	1.20	0.01			
DSDD0259	126.20	127.30	1.10	<b>2.55</b>			
DSDD0259	127.30	128.00	0.70	0.11			
DSDD0259	192.00	192.50	0.50	<b>2.40</b>	0.50m @ 2.40 g/t Au	1.2	<b>0.50m @ 2.40 g/t Au</b>
DSDD0259	192.50	193.00	0.50	0.14			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0259	207.50	208.00	0.50	0.69	9.50m @ 0.30 g/t Au	2.9	
DSDD0259	208.00	209.50	1.50	0.05			
DSDD0259	209.50	210.00	0.50	0.01			
DSDD0259	210.00	211.00	1.00	0.10			
DSDD0259	211.00	212.00	1.00	0.81			
DSDD0259	212.00	212.50	0.50	0.94			
DSDD0259	212.50	213.17	0.67	0.81			
DSDD0259	213.17	214.00	0.83	0.11			
DSDD0259	214.00	215.00	1.00	0.01			
DSDD0259	215.00	216.00	1.00	0.02			
DSDD0259	216.00	217.00	1.00	0.40	6m @ 0.38 g/t Au	2.3	
DSDD0259	222.00	223.26	1.26	0.20			
DSDD0259	223.26	224.00	0.74	0.14			
DSDD0259	224.00	224.50	0.50	<b>1.36</b>			
DSDD0259	224.50	225.00	0.50	0.23			
DSDD0259	225.00	226.00	1.00	0.29			
DSDD0259	226.00	227.00	1.00	0.18			
DSDD0259	227.00	228.00	1.00	0.66			
DSDD0259	230.00	231.00	1.00	0.15			
DSDD0259	232.00	233.00	1.00	0.25	5m @ 0.52 g/t Au	2.6	
DSDD0259	233.00	234.00	1.00	<b>1.70</b>			
DSDD0259	234.00	235.00	1.00	0.16			
DSDD0259	235.00	236.00	1.00	0.20			
DSDD0259	236.00	237.00	1.00	0.28			
DSDD0259	254.00	255.00	1.00	0.14			
DSDD0259	256.00	257.00	1.00	<b>1.06</b>			
DSDD0259	257.00	258.00	1.00	0.04			
DSDD0259	258.00	259.00	1.00	<b>1.34</b>			
DSDD0259	259.00	260.00	1.00	0.47			
DSDD0259	260.00	261.47	1.47	0.53	12.15m @ 0.42 g/t Au	5.1	
DSDD0259	261.47	262.00	0.53	0.07			
DSDD0259	262.00	263.00	1.00	0.01			
DSDD0259	263.00	264.00	1.00	0.12			
DSDD0259	264.00	265.20	1.20	0.58			
DSDD0259	265.20	266.00	0.80	0.01			
DSDD0259	266.00	266.91	0.91	0.02			
DSDD0259	266.91	267.50	0.59	0.47			
DSDD0259	267.50	268.15	0.65	0.37			
DSDD0261	0.00	0.67	0.67	0.33	0.67m @ 0.33 g/t Au	0.2	
DSDD0261	2.01	3.00	0.99	0.16			
DSDD0261	3.00	3.50	0.50	0.14			
DSDD0261	3.50	4.50	1.00	0.11			
DSDD0261	4.50	5.00	0.50	0.16			
DSDD0261	6.00	6.81	0.81	0.23	0.81m @ 0.23 g/t Au	0.2	
DSDD0261	8.09	9.40	1.31	0.11			
DSDD0261	10.94	12.00	1.06	0.12			
DSDD0261	12.00	12.51	0.51	0.14			
DSDD0261	13.94	15.00	1.06	0.11			
DSDD0261	15.00	15.96	0.96	0.14			
DSDD0261	17.36	18.00	0.64	0.14			
DSDD0261	19.00	20.00	1.00	0.15			
DSDD0261	22.00	23.00	1.00	0.19			
DSDD0261	23.00	24.00	1.00	<b>1.72</b>	1m @ 1.72 g/t Au	1.7	<b>1m @ 1.72 g/t Au</b>
DSDD0261	24.00	25.00	1.00	0.12			
DSDD0261	27.00	28.00	1.00	0.11			
DSDD0261	29.00	30.00	1.00	0.31	1m @ 0.31 g/t Au	0.3	
DSDD0261	71.00	72.00	1.00	0.43	1m @ 0.43 g/t Au	0.4	
DSDD0261	99.00	99.66	0.66	0.12			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0261	99.66	101.00	1.34	0.37			
DSDD0261	101.00	102.00	1.00	0.49			
DSDD0261	102.00	103.00	1.00	0.42			
DSDD0261	103.00	104.00	1.00	0.16			
DSDD0261	104.00	105.00	1.00	0.01			
DSDD0261	105.00	106.00	1.00	0.22			
DSDD0261	106.00	107.00	1.00	0.10			
DSDD0261	107.00	108.00	1.00	0.23			
DSDD0261	108.00	109.00	1.00	0.69			
DSDD0261	109.00	110.00	1.00	0.75			
DSDD0261	110.00	111.00	1.00	0.26			
DSDD0261	111.00	112.00	1.00	0.09			
DSDD0261	112.00	113.00	1.00	0.23			
DSDD0261	113.00	114.00	1.00	0.18			
DSDD0261	114.00	115.00	1.00	0.22			
DSDD0261	115.00	116.00	1.00	0.15			
DSDD0261	119.00	120.00	1.00	0.22			
DSDD0261	120.00	121.00	1.00	0.13			
DSDD0261	121.00	122.00	1.00	0.03			
DSDD0261	122.00	123.00	1.00	0.08			
DSDD0261	123.00	124.00	1.00	0.71			
DSDD0261	124.00	125.00	1.00	0.05			
DSDD0261	125.00	126.00	1.00	0.17			
DSDD0261	126.00	126.70	0.70	0.03			
DSDD0261	126.70	128.00	1.30	0.69			
DSDD0261	129.00	130.00	1.00	0.10			
DSDD0261	133.00	134.00	1.00	0.31	1m @ 0.31 g/t Au	0.3	
DSDD0261	156.00	157.00	1.00	0.43	1m @ 0.43 g/t Au	0.4	
DSDD0261	161.00	162.00	1.00	0.21			
DSDD0261	162.00	163.00	1.00	0.01			
DSDD0261	163.00	164.00	1.00	0.30			
DSDD0261	164.00	165.00	1.00	0.49			
DSDD0261	165.00	166.00	1.00	0.34			
DSDD0261	166.00	167.00	1.00	0.44			
DSDD0261	167.00	168.00	1.00	0.60			
DSDD0261	168.00	169.00	1.00	0.52			
DSDD0261	169.00	170.00	1.00	0.80			
DSDD0261	170.00	171.00	1.00	0.40			
DSDD0261	171.00	172.00	1.00	0.34			
DSDD0261	172.00	173.00	1.00	0.11			
DSDD0261	173.00	174.00	1.00	0.09			
DSDD0261	174.00	175.00	1.00	<b>1.04</b>			
DSDD0261	175.00	176.00	1.00	0.81			
DSDD0261	176.00	177.00	1.00	0.21			
DSDD0261	177.00	178.00	1.00	0.72			
DSDD0261	178.00	179.00	1.00	0.20			
DSDD0261	179.00	180.00	1.00	<b>1.08</b>			
DSDD0261	180.00	181.00	1.00	0.76			
DSDD0261	181.00	182.32	1.32	0.32			
DSDD0261	182.32	183.00	0.68	0.48			
DSDD0261	183.00	184.00	1.00	0.21			
DSDD0261	186.00	187.00	1.00	0.16			
DSDD0261	187.00	188.00	1.00	0.15			
DSDD0261	188.00	189.00	1.00	0.12			
DSDD0261	189.00	190.00	1.00	0.29	1m @ 0.29 g/t Au	0.3	
DSDD0261	194.00	195.00	1.00	0.60			
DSDD0261	195.00	196.00	1.00	0.35			
DSDD0261	196.00	197.00	1.00	0.41			



Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0261	197.00	198.00	1.00	0.39	5m @ 0.29 g/t Au	1.5	<b>1m @ 1.15 g/t Au</b>
DSDD0261	198.00	199.00	1.00	0.06			
DSDD0261	199.00	200.00	1.00	0.89			
DSDD0261	254.00	255.00	1.00	0.22			
DSDD0261	255.00	256.00	1.00	0.47			
DSDD0261	256.00	257.00	1.00	0.01			
DSDD0261	257.00	258.00	1.00	0.58			
DSDD0261	258.00	259.00	1.00	0.20			
DSDD0261	269.00	270.00	1.00	0.10			
DSDD0261	275.00	276.00	1.00	<b>1.15</b>			
DSDD0261	276.00	277.00	1.00	0.40	2m @ 0.78 g/t Au	1.6	<b>1m @ 1.15 g/t Au</b>
DSDD0261	277.00	278.00	1.00	0.19			



## About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 3.28Moz gold resources coming from two gold projects, the 2.41Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs ten (10) diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

***Boundiali Statement of Mineral Resources by Deposit as at 31 July 2025, for BST1, BDT1, BDT2, BDT3, BMT1 and BMT3 deposits with 0.4 g/t Au cut off above 300m depth, and 1 g/t below 300m depth<sup>17</sup> (figures may not add up due to appropriate rounding)***

Area	Class	Oxide			Transition			Fresh			Total		
		Quantity (Mt)	Au (g/t)	Au (MOz)	Quantity (Mt)	Au (g/t)	Au (MOz)	Quantity (Mt)	Au (g/t)	Au (MOz)	Quantity (Mt)	Au (g/t)	Au (MOz)
BST1	Indicated	0.8	1.0	0.03	0.9	1.1	0.03	3.2	0.9	0.09	4.9	0.9	0.15
	Inferred	0.6	0.9	0.02	0.9	0.9	0.03	6.1	0.9	0.17	7.6	0.9	0.21
	Sub Total	1.5	0.9	0.04	1.7	1.0	0.05	9.3	0.9	0.26	12.5	0.9	0.36
BDT1	Indicated	0.6	0.9	0.02	0.5	0.9	0.02	10.8	1.1	0.38	12.0	1.1	0.41
	Inferred	0.2	0.9	0.01	0.2	0.9	0.01	2.2	1.0	0.07	2.6	1.0	0.08
	Sub Total	0.8	0.9	0.02	0.7	0.9	0.02	13.0	1.1	0.45	14.6	1.1	0.49
BDT2	Indicated	0.1	0.9	0.003	0.1	0.8	0.002	1.3	0.7	0.03	1.5	0.8	0.04
	Inferred	0.7	0.8	0.018	1.2	0.7	0.03	17.9	0.7	0.43	19.9	0.7	0.48
	Sub Total	0.8	0.8	0.021	1.3	0.7	0.03	19.3	0.7	0.46	21.4	0.7	0.51
BDT3	Indicated												
	Inferred	0.2	0.9	0.004	0.2	1.0	0.01	3.2	1.2	0.12	3.5	1.2	0.13
	Sub Total	0.2	0.9	0.004	0.2	1.0	0.01	3.2	1.2	0.12	3.5	1.2	0.13
BMT1	Indicated												
	Inferred	0.5	0.8	0.01	0.2	0.8	0.004	8.2	1.2	0.30	8.8	1.1	0.32
	Sub Total	0.5	0.8	0.01	0.2	0.8	0.004	8.2	1.2	0.30	8.8	1.1	0.32
BMT3	Indicated												
	Inferred	0.5	1.7	0.03	0.7	1.7	0.04	14.1	1.2	0.52	15.3	1.2	0.59
	Sub Total	0.5	1.7	0.03	0.7	1.7	0.04	14.1	1.2	0.52	15.3	1.2	0.59
All	Indicated	1.6	0.9	0.05	1.5	1.0	0.05	15.4	1.0	0.50	18.5	1.0	0.60
	Inferred	2.5	1.0	0.08	3.2	1.0	0.10	48.5	1.0	1.49	54.2	1.0	1.81
	Total	4.2	1.0	0.13	4.9	1.0	0.16	67.0	1.0	2.12	76.2	1.0	2.41

**Napié Mineral Resource Estimate:** On 14 June 2022, a maiden Mineral Resource Estimate was reported in accordance with JORC (2012) comprising two deposits, Tchaga and Gogbala.<sup>18</sup>

Deposit	Category	Tonnes (Mt)	Grade (g/t Au)	Au (koz)
Tchaga	Inferred	14.6	1.16	545
Gogbala	Inferred	7.8	1.29	323
Global Resource	Total	22.5	1.20	868

Resources reported at a cut-off grade of 0.6g/t gold. Differences may occur in totals due to rounding.

<sup>17</sup> "Boundiali Gold Project Resource grows ~50% to 2.41Moz, growing Aurum's group resources to 3.28Moz" released to the Australian Securities Exchange on 5 August 2025 and available to view on [www.asx.com.au](http://www.asx.com.au).

<sup>18</sup> "Napié Project Listing Rule 5.6 Disclosure (Amended)" released to the Australian Securities Exchange on 4 February 2025 and available to view on [www.asx.com.au](http://www.asx.com.au).



### Boundiali Gold Project (2.41Moz)

The flagship 2.41Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 5.5Moz Koné project located to the south. Barrick's Tongon mine (5.0Moz) is located to the northeast (Figure 1 and Figure 2):

#### BM gold project JV 80% interest - PR0893 ("BM"), 400km<sup>2</sup>

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

#### BD gold project JV 80% interest - PR808 ("BD"), 260km<sup>2</sup>

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

#### BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km<sup>2</sup>

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

#### BN gold project JV - PR283 ("BN"), 208.87km<sup>2</sup>

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

#### Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km<sup>2</sup> are strategically located between Aurum's existing BD and BST tenements and south of BM, offering growth potential for its 1.6Moz Boundiali Gold Project.



- Staged earn-in agreement aligns expenditure with milestones for each permit area:
  - Path to 51% interest: 4,000m diamond drilling.
  - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

#### Major Star Plus Partnership Projects

- Applications (No. 0791), 114.53km<sup>2</sup>, is strategically located on the immediate south and west of BST tenement, offering growth potential for its 2.41Moz Boundiali Gold Project.
- Applications (No. 0793), 99.12km<sup>2</sup>, are structurally located on the immediate west of the Napié gold project, offering growth potential for its 0.87Moz Napié Project.
- Applications (No. 0804), 254.97km<sup>2</sup>, is a separate gold exploration project located in central Côte D'Ivoire.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
  - Path to 51% interest in a exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
  - Path to 80% interest in a exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
  - Path to 95% interest in a exploration permit: Completion of Pre-Feasibility Study
  - 85.5~87% interest in a future production mine

#### Mako Gold Pty Ltd (0.87Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

## Section 1 of the JORC Code, 2012 Edition – Table 1

### Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	<ul style="list-style-type: none"> <li>• <i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li>• <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li>• <i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones.</i></li> <li>• <i>Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site.</i></li> <li>• <i>Sampling and QAQC procedures were carried out to industry standards.</i></li> <li>• <i>Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.</i></li> </ul>
<i>• Drilling techniques</i>	<ul style="list-style-type: none"> <li>• <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.</i></li> </ul>
<i>• Drill sample recovery</i>	<ul style="list-style-type: none"> <li>• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li>• <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li>• <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.</i></li> </ul>
<i>• Logging</i>	<ul style="list-style-type: none"> <li>• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.</i></li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>studies and metallurgical studies.</i></p> <ul style="list-style-type: none"> <li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>• The total length and percentage of the relevant intersections logged.</li> </ul>	<p><i>Metallurgical, Geotechnical and structural data has been recorded</i></p> <ul style="list-style-type: none"> <li>• Photography and recovery measurements were carried out by assistants under a geologist's supervision.</li> <li>• All drill holes were logged in full.</li> <li>• Logging was qualitative and quantitative in nature.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Sub-sampling techniques and sample preparation</b></li> </ul>	<ul style="list-style-type: none"> <li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>• Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>• NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core.</li> <li>• Sample sizes are considered appropriate to correctly represent the moderately nuggety gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au.</li> <li>• The entire sample was crushed to 70% passing 2mm.</li> <li>• Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks.</li> <li>• Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,</li> <li>• Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.</li> <li>• Coarse blank samples: Inserted 1 in every 20 samples</li> <li>• Laboratory Internal Duplicates and Standards</li> <li>• Sample sizes are considered appropriate to correctly represent the moderately nuggety gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Quality of assay data and laboratory tests</b></li> </ul>	<ul style="list-style-type: none"> <li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and</li> </ul>	<ul style="list-style-type: none"> <li>• The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to</li> </ul>

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> <li>model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</li> </ul>	<p>their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.</p> <ul style="list-style-type: none"> <li>No geophysical tools were used to determine any element concentrations used for this report.</li> <li>Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.</li> <li>The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).</li> </ul>
<ul style="list-style-type: none"> <li><b>Verification of sampling and assaying</b></li> </ul>	<ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>	<ul style="list-style-type: none"> <li>NA</li> <li>No holes have been twinned</li> <li>No adjustment to assay data</li> <li>Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.</li> <li>Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.</li> </ul>
<ul style="list-style-type: none"> <li><b>Location of data points</b></li> </ul>	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>DD collar positions were initially located using a handheld GPS with a location error of +/-3m.</li> <li>The datum employed is WGS84, Zone 29</li> <li>All drill hole locations are then surveyed utilising the differential GPS methods by both company and third party surveyors.</li> <li>DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.</li> </ul>

Criteria	JORC Code explanation	Commentary
<ul style="list-style-type: none"> <li><b>Data spacing and distribution</b></li> </ul>	<ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li><i>Whether sample compositing has been applied.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Drillholes were completed on variable line spacings (from 100m to 50m) and orientations.</i></li> <li><i>The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures.</i></li> <li><i>The samples were not composited prior to assay.</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Orientation of data in relation to geological structure</b></li> </ul>	<ul style="list-style-type: none"> <li><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Sample security</b></li> </ul>	<ul style="list-style-type: none"> <li><i>The measures taken to ensure sample security.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Audits or reviews</b></li> </ul>	<ul style="list-style-type: none"> <li><i>The results of any audits or reviews of sampling techniques and data.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.</i></li> </ul>

•

- Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
• <b>Mineral tenement and land tenure status</b>	<ul style="list-style-type: none"> <li>• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>• The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>• Exploration results are from the Boundiali project area</li> <li>• PR893 (BM), 400km<sup>2</sup>, holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km<sup>2</sup>, holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner.</li> <li>• There are no impediments to working in the area.</li> </ul>
• <b>Exploration done by other parties</b>	<ul style="list-style-type: none"> <li>• Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>• The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited</li> <li>• The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.</li> </ul>
• <b>Geology</b>	<ul style="list-style-type: none"> <li>• Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>• The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of from the Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué- Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N.</li> <li>• The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts</li> </ul>

<b>• Criteria</b>	<b>• JORC Code explanation</b>	<b>• Commentary</b>
		<p>showing evidence of shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite.</p> <ul style="list-style-type: none"> <li>Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.</li> </ul>
<b>• Drill hole information</b>	<ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</li> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length</li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<ul style="list-style-type: none"> <li>Complete drill hole data has been provided.</li> <li>Drill hole collar locations are shown in figures in main body of announcement.</li> </ul>
<b>• Data aggregation methods</b>	<ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>Assay Intervals are shown in detail. Drilling intervals are predominantly 1m.</li> <li>Metal equivalent values are not being reported.</li> </ul>
<b>• Relationship between</b>	<b>• These relationships are particularly important in the reporting of Exploration</b>	<b>• True widths have not been estimated as the geological controls on mineralisation</b>

<ul style="list-style-type: none"> <li><b>Criteria mineralisation widths and intercept lengths</b></li> </ul>	<ul style="list-style-type: none"> <li><i>JORC Code explanation</i></li> <li><i>Results.</i></li> <li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i></li> </ul>	<ul style="list-style-type: none"> <li><b>Commentary</b></li> <li><i>in these initial drill holes into the prospect are not yet well understood.</i></li> <li><i>The holes were drilled from east to west to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Diagrams</b></li> </ul>	<ul style="list-style-type: none"> <li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Appropriate diagrams relevant to material results are shown in the body of this announcement.</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Balanced Reporting</b></li> </ul>	<ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported.</i></li> <li><i>Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. being reported</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Other substantive exploration data</b></li> </ul>	<ul style="list-style-type: none"> <li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Further work</b></li> </ul>	<ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).</i></li> <li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.</i></li> <li><i>Diagrams included in body of report as deemed appropriate by competent person</i></li> </ul>