

Release Time IMMEDIATE  
 Date 20 October 2020  
 Release Number 19/20

## BHP OPERATIONAL REVIEW FOR THE QUARTER ENDED 30 SEPTEMBER 2020

**Note: All guidance is subject to further potential impacts from COVID-19 during the 2021 financial year.**

- We continue to safely operate through the COVID-19 pandemic and deliver strong outcomes.
- Group copper equivalent production increased by 2% in the September 2020 quarter following strong performances in metallurgical coal and iron ore, with record production achieved at Jimblebar.
- All production and unit cost guidance (based on exchange rates of AUD/USD 0.70 and USD/CLP 769) remains unchanged for the 2021 financial year, except for Cerrejón production guidance which is under review due to an ongoing strike.
- Our major projects under development in petroleum, copper and iron ore are tracking well. Atlantis Phase 3 achieved first production in July 2020, ahead of schedule and on budget. First production from the Spence Growth Option is expected between December 2020 and March 2021. The Jansen Stage 1 project remains on track for final investment decision in the middle of the 2021 calendar year. As a result of COVID-19 delays and the earlier challenges encountered on lining the shafts, we have approved incremental funding for completion of the current shaft lining project.
- In petroleum, we have agreed to acquire an additional 28% interest in Shenzi, a tier one asset with optionality, at an attractive price. This transaction is consistent with our strategy of targeting counter-cyclical acquisitions in high-quality producing or near producing assets.
- In copper exploration, the third phase of the drilling program at Oak Dam in South Australia delivered encouraging results, with further high grade mineralised intercepts of copper, with associated gold, uranium and silver confirmed. The project will now move to planning for early stage design evaluation and commencement of resource definition drilling in the first half of the 2021 calendar year.

Production	Sep YTD20 (vs Sep YTD19)	Sep Q20 (vs Jun Q20)	Sep Q20 vs Jun Q20 commentary
Petroleum (MMboe)	27 (9%)	27 1%	Increased volumes due to first production from Atlantis Phase 3 and higher seasonal demand at Bass Strait, partially offset by lower volumes at Shenzi due to planned maintenance, the impact of Tropical Storm Laura in the Gulf of Mexico and weather impacts at North West Shelf.
Copper (kt)	413 (4%)	413 0%	Strong concentrator throughput at Escondida, higher production at Olympic Dam due to strong smelter performance and recovery of production at Antamina following a six-week COVID-19 related stoppage in June 2020 quarter, offset by lower cathode production at Escondida due to COVID-19 impacts and Pampa Norte due to planned maintenance at Spence.
Iron ore (Mt)	66 8%	66 (1%)	Record quarterly production at Jimblebar and strong supply chain performance, offset by the impact from planned major car dumper maintenance.
Metallurgical coal (Mt)	10 4%	10 (17%)	Record truck and shovel stripping performance more than offset by the impact of significant planned wash plant maintenance activities.
Energy coal (Mt)	5 (17%)	5 (18%)	Sustained strong truck productivity at NSWEC offset by the impact of mining higher strip ratio areas, as expected. Increased volumes at Cerrejón following a temporary shutdown in response to COVID-19 in the previous quarter.
Nickel (kt)	22 3%	22 (7%)	Lower production due to planned annual maintenance at the Kwinana refinery and Kalgoorlie smelter.

## Summary

### **BHP Chief Executive Officer, Mike Henry:**

“BHP has started the new financial year with a strong first quarter of safety and production performance. Group production rose two per cent from a year ago driven by solid results in metallurgical coal and iron ore, our major growth projects made good progress, and we secured more options in copper, nickel and oil.

While our copper operations in South America continue to be impacted by COVID-19 preventative measures, we achieved strong concentrator throughput at Escondida and expect first production from the Spence Growth Option before the end of March 2021. In Australia, Olympic Dam delivered its best quarterly production in the past five years and we are on track for first production from South Flank in the middle of the 2021 calendar year.

In petroleum, we have entered an agreement to increase our interest in the tier one Shenzi asset while delivering first production from Atlantis Phase 3 ahead of schedule and within budget. In copper, we secured an option agreement in the Northern Territory in Australia and saw further promising exploration results from Oak Dam. We bolstered our nickel options with an exploration alliance in Canada and completion of the Honeymoon Well acquisition.

With a period of uncertainty to navigate, our efforts to be safer, more reliable and lower cost are as important as ever. We are alive to the challenges ahead but we look forward with confidence in our people and our strategy.”

### **Operational performance**

Production and guidance are summarised below.

**Note: All guidance is subject to further potential impacts from COVID-19 during the 2021 financial year.**

<b>Production</b>	<b>Sep Q20</b>	<b>Sep Q20 vs Sep Q19</b>	<b>Sep Q20 vs Jun Q20</b>	<b>Previous FY21 guidance</b>	<b>Current FY21 guidance</b>	
Petroleum (MMboe)	27	(9%)	1%	95 – 102	95 – 102	Unchanged
Copper (kt)	413	(4%)	0%	1,480 – 1,645	1,480 – 1,645	
Escondida (kt)	285	(3%)	(3%)	940 – 1,030	940 – 1,030	Unchanged
Pampa Norte (kt)	43	(33%)	(22%)	240 – 270	240 – 270	Unchanged
Olympic Dam (kt)	52	47%	8%	180 – 205	180 – 205	Unchanged
Antamina (kt)	35	(8%)	94%	120 – 140	120 – 140	Unchanged
Iron ore (Mt)	66	8%	(1%)	244 – 253	244 – 253	
WAIO (100% basis) (Mt)	74	7%	(2%)	276 – 286	276 – 286	Unchanged
Metallurgical coal (Mt)	10	4%	(17%)	40 – 44	40 – 44	
Queensland Coal (100% basis) (Mt)	17	5%	(18%)	71 – 77	71 – 77	Unchanged
Energy coal (Mt)	5	(17%)	(18%)	22 – 24	Under review	
NSWEC (Mt)	4	1%	(26%)	15 – 17	15 – 17	Unchanged
Cerrejón (Mt)	1	(49%)	35%	~7	Under review	
Nickel (kt)	22	3%	(7%)	85 – 95	85 – 95	Unchanged

### **Major development projects**

During the September 2020 quarter, Atlantis Phase 3 achieved first production ahead of schedule and on budget. Given this, the progress of Atlantis Phase 3 will not be reported in future Operational Reviews.

The Jansen Stage 1 project in Canada is expected to be presented to the BHP Board for Final Investment Decision in the middle of the 2021 calendar year. As a consequence of the challenges encountered earlier with placement of the shaft lining and then the more recent impacts from our COVID-19 response plan, the Board has approved additional funding of US\$272 million for the completion of the shafts, resulting in a total budget of US\$3.0 billion (previously US\$2.7 billion). Jansen Stage 1 remains well positioned with attractive medium to longer-term commodity fundamentals, and is set to be a high-margin, low-cost, long-life asset, with multiple, basin-wide, expansion

opportunities. As always, we will be disciplined about our entry into the market and it must pass our strict Capital Allocation Framework tests.

At the end of the September 2020 quarter, BHP had five major projects under development in petroleum, copper, iron ore and potash, with a combined budget of US\$10.9 billion over the life of the projects.

### **Corporate update**

On 10 September 2020, BHP released its Climate Change Report, which provided an update on its progress on climate action, new climate commitments, and how it integrates climate change into corporate strategy and portfolio decisions.

Over the last month BHP has reduced gross debt by a total of US\$2.9 billion. On 17 September 2020, BHP successfully concluded its US\$1.9 billion multi-currency hybrid repurchase program. The program was funded from surplus cash, and will reduce future interest costs while also reducing the Group's gross debt balance. The hybrid repurchase program was strongly value accretive due to the reduction in interest costs associated with the hybrids being higher than the premium paid to acquire the hybrids over par value. This premium over par value generated an upfront accounting loss of approximately US\$250 million (pre-tax), which will be reported in net finance costs in the December 2020 half year. On 19 October 2020, BHP redeemed the US\$1.0 billion of 6.250 per cent hybrid notes at par on their first call date, also using surplus cash. BHP remains in a strong liquidity position.

On 25 September 2020, BHP exercised the first, one-year extension option under the Group's US\$5.5 billion revolving credit facility, which has extended the maturity date of the facility to 10 October 2025 at no additional cost.

On 13 October 2020, BHP and the First Nations Heritage Protection Alliance announced they have jointly agreed a path forward to enhance the influence and voice of Traditional Owners in relation to heritage protection.

Good progress is continuing to be made with 12th Federal Court of Belo Horizonte in Brazil which is seeking to expedite the remediation process related to the Fundão dam failure, with recent judicial decisions regarding financial assistance and compensation of impacted persons, as well as oversight of other reparation programs. On 30 September 2020, the Federal and the Minas Gerais State Public Prosecutors' Offices and the Federal, the Minas Gerais and the Espírito Santo State Public Defenders' Offices filed a request to the 12th Federal Court of Belo Horizonte for immediate resumption of the public civil action filed in 2016. This claim had been suspended under a Governance Agreement ratified on 8 August 2018, in which BHP Brasil, Samarco and Vale established a process to renegotiate the environmental and socio-economic programs over two years to progress settlement of the R\$155 billion (approximately US\$28 billion) Federal Public Prosecution Office claim. BHP, Samarco and Vale consider the resumption request without merit, given that there was no default of obligations under the Governance Agreement. BHP, Samarco and Vale remain committed to supporting the Renova Foundation and its work to progress the remediation and compensatory programs to restore the environment and re-establish communities affected by the Samarco tragedy.

## Petroleum

### Production

	Sep Q20	Sep Q20 vs Sep Q19	Sep Q20 vs Jun Q20
Crude oil, condensate and natural gas liquids (MMboe)	12	(8%)	1%
Natural gas (bcf)	91	(9%)	1%
Total petroleum production (MMboe)	27	(9%)	1%

**Petroleum** – Total petroleum production decreased by nine per cent to 27 MMboe.

Crude oil, condensate and natural gas liquids production declined by eight per cent to 12 MMboe. This reflects natural field decline across the portfolio and the impacts of tie-in and commissioning activities at Atlantis, which was partially offset with the earlier than scheduled achievement of first production from the Phase 3 project.

Natural gas production decreased by nine per cent to 91 bcf, reflecting a decrease in tax barrels at Trinidad and Tobago in accordance with the terms of our Production Sharing Contract, end-of-field life at Minerva in the September 2019 quarter, lower domestic gas sales at Bass Strait and North West Shelf and natural field decline across the portfolio. This decline was partially offset by higher domestic gas sales at Macedon.

Production in the December 2020 quarter is expected to reflect tie-in activity for the Trinidad and Tobago Ruby project and impacts from Hurricane Delta in the Gulf of Mexico, with the potential risk of further impacts given the higher than average active hurricane season in the Gulf of Mexico.

On 6 October 2020, BHP signed a Membership Interest Purchase and Sale Agreement with Hess Corporation to acquire an additional 28 per cent working interest in Shenzi for US\$505 million (subject to customary pre and post-closing adjustments). The acquisition is consistent with our strategy of targeting counter-cyclical acquisitions in high-quality producing or near producing assets, and will bring BHP's working interest to 72 per cent. The effective date of the transaction is 1 July 2020 with an expected close by December 2020, subject to the satisfaction or waiver of customary and transaction-specific conditions.

Total petroleum production guidance for the 2021 financial year remains unchanged at between 95 and 102 MMboe. This will be updated to reflect the additional production from Shenzi once the transaction is closed and the impact of potential further weather events in the Gulf of Mexico during the December 2020 quarter.

### Projects

Project and ownership	Capital expenditure US\$M	Initial production target date	Capacity	Progress
Atlantis Phase 3 (US Gulf of Mexico) 44% (non-operator)	696	Achieved in CY20	New subsea production system that will tie back to the existing Atlantis facility, with capacity to produce up to 38,000 gross barrels of oil equivalent per day.	First production achieved in July 2020, ahead of schedule and on budget. The drilling and completion activities of the remaining wells will continue to be progressed as part of planned asset activities.
Ruby (Trinidad & Tobago) 68.46% (operator)	283	CY21	Five production wells tied back into existing operated processing facilities, with capacity to produce up to 16,000 gross barrels of oil per day and 80 million gross standard cubic feet of natural gas per day.	On schedule and budget. The project is 39% complete.
Mad Dog Phase 2 (US Gulf of Mexico) 23.9% (non-operator)	2,154	CY22	New floating production facility with the capacity to produce up to 140,000 gross barrels of crude oil per day.	On schedule and budget. The project is 80% complete.

The Bass Strait West Barracouta project is on schedule and budget, and is expected to achieve first production in the 2021 calendar year.

## Petroleum exploration

Exploration and appraisal wells drilled during the September 2020 quarter are summarised below.

Well	Location	Target	Formation age	BHP equity	Spud date	Water depth	Total well depth	Status
Broadside-1	Trinidad & Tobago Block 3	Oil	Miocene	65% (BHP Operator)	20 August 2020	2,019 m	8,142 m <sup>(1)</sup>	Drilling ahead <sup>(1)</sup>

In Trinidad and Tobago, the Deepwater Invictus rig is drilling ahead on the Broadside-1 exploration well in the Southern licence.

In the US Gulf of Mexico, following Lease Sale 254, Blocks AC36, AC80 and AC81 in the western Gulf of Mexico were awarded in July 2020.

In the Gippsland Basin, we participated in a multi-client 3D seismic survey (non-operated)<sup>(2)</sup> that successfully completed in the September 2020 quarter. Evaluation of the data is ongoing.

Petroleum exploration expenditure for the September 2020 quarter was US\$108 million, of which US\$60 million was expensed. An approximately US\$450 million exploration and appraisal program is being executed for the 2021 financial year.

## Copper

### Production

	Sep Q20	Sep Q20 vs Sep Q19	Sep Q20 vs Jun Q20
Copper (kt)	413	(4%)	0%
Zinc (t)	34,398	68%	150%
Uranium (t)	874	(7%)	(14%)

**Copper** – Total copper production decreased by four per cent to 413 kt. Guidance for the 2021 financial year remains unchanged at between 1,480 and 1,645 kt.

For the September 2020 quarter, our Chilean assets operated with a reduction in their operational workforces of approximately 30 per cent (versus approximately 35 per cent in the June 2020 quarter) as a result of the comprehensive plan we have implemented for COVID-19. Our workforce are expected to remain at similar levels during the December 2020 quarter.

Escondida copper production decreased by three per cent to 285 kt, with continued strong concentrator throughput of 378 ktpd offset by lower cathode production. The operating environment remains challenging, with a high degree of uncertainty about the continued impacts from COVID-19 and expected absenteeism levels. Guidance for the 2021 financial year remains unchanged at between 940 and 1,030 kt, and reflects a decline in the copper grade of concentrator feed of approximately four per cent, and the need to continue to balance mine development and production requirements with processing capacity. Production is also likely to be affected in the 2022 financial year as a result of the COVID-19 impact of a reduced operational workforce leading to lower material movement in the 2021 financial year. Guidance of an annual average of 1.2 Mt of copper production over the next five years remains unchanged.

Escondida's Collective Agreement with Union N°2 of Supervisors and Staff expired on 30 September 2020. On 16 October 2020, Escondida successfully completed negotiations with Union N°2 of Supervisors and Staff and signed a new Collective Agreement, effective for 36 months from 1 October 2020.

Pampa Norte copper production decreased by 33 per cent to 43 kt, largely due to planned maintenance at Spence and the impact of a reduced operational workforce due to COVID-19 preventative measures. Guidance for the 2021 financial year remains unchanged at between 240 and 270 kt, and reflects the start-up of the Spence Growth Option, partially offset by expected grade decline of approximately seven per cent. Cerro Colorado is progressing in accordance with its plan to reduce throughput and costs to achieve improved cash returns and ensure viable mining operations for the remaining period of its current environmental licence, which expires at the end of the 2023 calendar year.

Olympic Dam copper production increased 47 per cent to 52 kt, the highest quarterly rate since the December 2015 quarter, supported by improved underground mine productivity and strong smelter performance. The physical replacement and commissioning of the refinery crane is scheduled to be completed in the March 2021 quarter. Guidance for the 2021 financial year remains unchanged at between 180 and 205 kt.

Antamina copper production decreased by eight per cent to 35 kt and zinc production increased by 68 per cent to 34 kt, reflecting lower copper head grades and higher zinc head grades, as well as the impacts of operating with a reduced workforce due to COVID-19 preventative measures. While operations have ramped up following a six-week COVID-19 related shutdown during the June 2020 quarter, Antamina continues to operate with a reduced workforce, which will impact material mined in the 2021 financial year. Guidance remains unchanged for the 2021 financial year, with copper production of between 120 and 140 kt, and zinc production of between 140 and 160 kt.

## Projects

Project and ownership	Capital expenditure US\$M	Initial production target date	Capacity	Progress
Spence Growth Option (Chile) 100%	2,460	FY21	New 95 ktpd concentrator is expected to increase payable copper in concentrate production by ~185 ktpa in the first 10 years of operation and extend the mining operations by more than 50 years.	On budget. First production is expected between December 2020 and March 2021. The overall project is 97% complete.

The Spence Growth Option is on track to achieve first production between December 2020 and March 2021. The commissioning of the desalination plant and capitalisation of the associated US\$600 million lease (approximate) is on track to occur in the first half of the 2021 financial year.

At Olympic Dam, we continue to study options for expansion. Following more than 400 km of underground drilling associated with the Brownfield Expansion (BFX) project studies, we have improved knowledge of the ore body's variability. This has provided challenges for the economics of the BFX project, and we have decided the optimal way forward for now is through targeted debottlenecking investments, plant upgrades and modernisation of our infrastructure. We will continue to study longer-term options for growth. Over the next two years, our focus will remain on completing our asset integrity program. This will underpin more stable operations and expected copper production of more than 200 ktpa. The long-term opportunity for Olympic Dam is unchanged, with our enhanced understanding of the resource in the Southern Mine Area and the promising results from Oak Dam providing strong foundations for unlocking the full growth potential of this asset.



## Iron Ore

### Production

	Sep Q20	Sep Q20 vs Sep Q19	Sep Q20 vs Jun Q20
Iron ore production (kt)	66,040	8%	(1%)

**Iron ore** – Total iron ore production increased by eight per cent to 66 Mt (74 Mt on a 100 per cent basis). Guidance for the 2021 financial year remains unchanged at between 244 and 253 Mt (276 and 286 Mt on a 100 per cent basis).

WAIO achieved higher volumes reflecting record production at Jimblebar and strong performance across the supply chain. An uplift in car dumper reliability and performance has been enabled by the BHP Operating System and improved maintenance strategies. The ongoing program to improve productivity and provide a stable base for our tightly coupled supply chain has progressed well with the completion of a planned major maintenance campaign on car dumper three during the September 2020 quarter. Production in the December 2020 quarter is expected to be impacted by Mining Area C and South Flank major tie-in activity, and maintenance on car dumper four, scheduled to align with the tie-in activity.

Mining and processing operations at Samarco remain suspended following the failure of the Fundão tailings dam and Santarém water dam on 5 November 2015. Restart can occur when the filtration system is complete and Samarco has met all necessary safety requirements, and will be subject to final approval by Samarco's shareholders.

### Projects

Project and ownership	Capital expenditure US\$M	Initial production target date	Capacity	Progress
South Flank (Australia) 85%	3,061	Mid-CY21	Sustaining iron ore mine to replace production from the 80 Mtpa (100 per cent basis) Yandi mine.	On schedule and budget. The overall project is 84% complete.

BHP and the Banjima people have established a Heritage Advisory Council to provide input into mine planning at South Flank. The consultation process continues in parallel with our construction program at South Flank, which remains on schedule.



## Coal

### Production

	Sep Q20	Sep Q20 vs Sep Q19	Sep Q20 vs Jun Q20
Metallurgical coal (kt)	9,690	4%	(17%)
Energy coal (kt)	4,662	(17%)	(18%)

**Metallurgical coal** – Metallurgical coal production increased four per cent to 10 Mt (17 Mt on a 100 per cent basis). Guidance for the 2021 financial year remains unchanged at between 40 and 44 Mt (71 and 77 Mt on a 100 per cent basis), although we are monitoring for any potential impacts from restrictions on coal imports into China. With Blackwater back at full capacity at the end of the September 2020 quarter, volumes will be weighted to the second half of the financial year.

At Queensland Coal, strong underlying operational performance, including record truck and shovel stripping, was partially offset by planned major wash plant shutdowns at Blackwater, Goonyella, Saraji and Caval Ridge. Blackwater, Queensland Coal's largest mine, was back at full capacity by the end of September 2020, following recovery from significant wet weather impacts in the March 2020 quarter.

**Energy coal** – Energy coal production decreased by 17 per cent to 5 Mt. Guidance for the 2021 financial year is under review due to the ongoing strike at Cerrejón.

NSWEC production was broadly unchanged at 4 Mt with significantly improved truck productivity offset by a higher average strip ratio. Guidance for the 2021 financial year remains unchanged at between 15 and 17 Mt, although we are monitoring for any potential impacts from restrictions on coal imports into China. As a result of tropical cyclones in south-eastern Asia, several shipments were delayed until early October 2020.

Cerrejón production decreased by 49 per cent to 1 Mt predominantly due to a strike that started on 31 August 2020. Guidance for the 2021 financial year of approximately 7 Mt is under review.

## Other

### Nickel production

	Sep Q20	Sep Q20 vs Sep Q19	Sep Q20 vs Jun Q20
Nickel (kt)	22.2	3%	(7%)

**Nickel** – Nickel West production increased by three per cent to 22 kt, reflecting improved operational stability and strong performance from the new mines. Planned biannual maintenance at the Kalgoorlie Smelter and Kwinana Refinery was completed during the September 2020 quarter. Guidance for the 2021 financial year remains unchanged at between 85 and 95 kt.

**Operations Services** – The Operations Services team continues to grow, with over 3,300 permanent jobs now created in Australia, successfully accelerating safety, productivity and efficiency outcomes across WAIO, Queensland Coal and NSWEC. In October 2020, BHP committed 2,500 additional apprenticeship and traineeship positions which will be made available through the first two BHP FutureFit academies in Mackay in Queensland and Perth in Western Australia, over the next five years.

### Potash project

Project and ownership	Investment US\$M	Scope	Progress
Jansen Potash (Canada) 100%	2,972	Investment to finish the excavation and lining of the production and service shafts, and to continue the installation of essential surface infrastructure and utilities.	Budget revised to fund the completion of the shafts. The project is 86% complete <sup>(i)</sup> .

(i) Project percentage completion rebased on US\$2,972 million revised budget (previously US\$2,700 million).

Following delays to completion of the shafts as a result of initial challenges with placement of the shaft lining, since rectified, and impacts from our COVID-19 response plan, the budget to fund the completion of the shafts has been increased by US\$272 million in October 2020. The revised budget for the current scope of work is now US\$3.0 billion.

## Minerals exploration

Minerals exploration expenditure for the September 2020 quarter was US\$44 million, of which US\$27 million was expensed. Greenfield minerals exploration is predominantly focused on advancing copper targets within Chile, Ecuador, Mexico, Peru, Canada, South Australia and the south-west United States.

At Oak Dam in South Australia, the third phase of the exploration drilling program continues to deliver encouraging results. Further high grade mineralised intercepts of copper, with associated gold, uranium and silver, were confirmed. Multiple intervals ranging between 0.24 and 4.20 per cent copper were identified by laboratory assay results from 12 of the 14 drill holes, totalling 21,543 metres. For further details refer to Appendix 1. The exploration project will now be transferred to the Minerals Australia Planning and Technical team for assessment, and next stage resource definition drilling to inform future design is expected to commence in the first half of the 2021 calendar year.

In August 2020, BHP signed an agreement with Midland Exploration to undertake a nickel exploration alliance in north-eastern Quebec, Canada. The main objective of this agreement is to identify, test and develop high quality exploration targets towards the discovery of new significant nickel deposits.

In September 2020, BHP entered into an Option Agreement with Encounter Resources covering the 4,500 km<sup>2</sup> prospective Elliott Copper Project in the Northern Territory, Australia. It provides BHP with the right, following the completion of a jointly designed validation program, to enter an earn-in and joint venture agreement to earn up to 75 per cent interest in Elliott by spending up to A\$22 million over 10 years.

BHP's acquisition of the Honeymoon Well tenements and a 50 per cent interest in the Albion Downs North and Jericho exploration joint ventures was also completed in September 2020. The Honeymoon Well increases Nickel West's position in one of the world's major Nickel sulphide provinces and the exploration joint ventures provide us with new access to prospective tenements. Several deposits are under consideration and are expected to be included in Nickel West long term plans in the future.

Variance analysis relates to the relative performance of BHP and/or its operations during the September 2020 quarter compared with the September 2019 quarter, unless otherwise noted. Production volumes, sales volumes and capital and exploration expenditure from subsidiaries are reported on a 100 per cent basis; production and sales volumes from equity accounted investments and other operations are reported on a proportionate consolidation basis. Numbers presented may not add up precisely to the totals provided due to rounding. Copper equivalent production based on 2020 financial year average realised prices.

The following footnotes apply to this Operational Review:

- (1) Well depth and status as at 30 September 2020.
- (2) Non-operated CGG, EP:4619.

The following abbreviations may have been used throughout this report: barrels (bbl); billion cubic feet (bcf); cost and freight (CFR); cost, insurance and freight (CIF); dry metric tonne unit (dmtu); free on board (FOB); grams per tonne (g/t); kilograms per tonne (kg/t); kilometre (km); metre (m); million barrels of oil equivalent (MMboe); million barrels of oil per day (MMbpd); million cubic feet per day (MMcf/d); million tonnes (Mt); million tonnes per annum (Mtpa); ounces (oz); pounds (lb); thousand barrels of oil equivalent (Mboe); thousand barrels of oil equivalent per day (Mboe/d); thousand ounces (koz); thousand standard cubic feet (Mscf); thousand tonnes (kt); thousand tonnes per annum (ktpa); thousand tonnes per day (ktpd); tonnes (t); and wet metric tonnes (wmt).

In this release, the terms 'BHP', the 'Group', 'BHP Group', 'we', 'us', 'our' and ourselves' are used to refer to BHP Group Limited, BHP Group plc and, except where the context otherwise requires, their respective subsidiaries as defined in note 29 'Subsidiaries' in section 5.1 of BHP's 30 June 2020 Annual Report and Form 20-F. Those terms do not include non-operated assets. Notwithstanding that this release may include production, financial and other information from non-operated assets, non-operated assets are not included in the BHP Group and, as a result, statements regarding our operations, assets and values apply only to our operated assets unless stated otherwise. Our non-operated assets include Antamina, Cerrejón, Samarco, Atlantis, Mad Dog, Bass Strait and North West Shelf. BHP Group cautions against undue reliance on any forward-looking statement or guidance in this release, particularly in light of the current economic climate and significant volatility, uncertainty and disruption arising in connection with COVID-19. These forward looking statements are based on information available as at the date of this release and are not guarantees or predictions of future performance and involve known and unknown risks, uncertainties and other factors, many of which are beyond our control and which may cause actual results to differ materially from those expressed in the statements contained in this release.

Further information on BHP can be found at: [bhp.com](http://bhp.com)

Authorised for lodgement by:

Caroline Cox

Group General Counsel and Company Secretary

### Media Relations

Email: [media.relations@bhp.com](mailto:media.relations@bhp.com)

#### Australia and Asia

Gabrielle Notley

Tel: +61 3 9609 3830 Mobile: +61 411 071 715

#### Europe, Middle East and Africa

Neil Burrows

Tel: +44 20 7802 7484 Mobile: +44 7786 661 683

#### Americas

Judy Dane

Tel: +1 713 961 8283 Mobile: +1 713 299 5342

### Investor Relations

Email: [investor.relations@bhp.com](mailto:investor.relations@bhp.com)

#### Australia and Asia

Tara Dines

Tel: +61 3 9609 2222 Mobile: +61 499 249 005

#### Europe, Middle East and Africa

Elisa Morniroli

Tel: +44 20 7802 7611 Mobile: +44 7825 926 646

#### Americas

Brian Massey

Tel: +1 713 296 7919 Mobile: +1 832 870 7677

BHP Group Limited ABN 49 004 028 077  
LEI WZE1WSENV6JSZFK0JC28  
Registered in Australia  
Registered Office: Level 18, 171 Collins Street  
Melbourne Victoria 3000 Australia  
Tel +61 1300 55 4757 Fax +61 3 9609 3015

BHP Group plc Registration number 3196209  
LEI 549300C116EOWV835768  
Registered in England and Wales  
Registered Office: Nova South, 160 Victoria Street  
London SW1E 5LB United Kingdom  
Tel +44 20 7802 4000 Fax +44 20 7802 4111

Members of the BHP Group which is  
headquartered in Australia



Follow us on social media

## Production summary

BHP interest	Quarter ended					Year to date	
	Sep 2019	Dec 2019	Mar 2020	Jun 2020	Sep 2020	Sep 2020	Sep 2019
<b>Petroleum <sup>(1)</sup></b>							
<b>Petroleum</b>							
<b>Production</b>							
Crude oil, condensate and NGL (Mboe)	12,507	13,412	11,589	11,355	<b>11,507</b>	<b>11,507</b>	12,507
Natural gas (bcf)	100.4	88.7	80.7	89.8	<b>90.9</b>	<b>90.9</b>	100.4
Total (Mboe)	<b>29,240</b>	<b>28,195</b>	<b>25,039</b>	<b>26,322</b>	<b>26,657</b>	<b>26,657</b>	29,240
<b>Copper <sup>(2)</sup></b>							
<b>Copper</b>							
<b>Payable metal in concentrate (kt)</b>							
Escondida <sup>(3)</sup>	57.5%	237.0	240.3	220.1	228.5	<b>236.7</b>	237.0
Antamina	33.8%	37.6	36.2	32.9	17.8	<b>34.6</b>	37.6
Total		<b>274.6</b>	<b>276.5</b>	<b>253.0</b>	<b>246.3</b>	<b>271.3</b>	274.6
<b>Cathode (kt)</b>							
Escondida <sup>(3)</sup>	57.5%	55.9	68.4	69.6	65.5	<b>47.9</b>	55.9
Pampa Norte <sup>(4)</sup>	100%	63.9	60.0	64.3	54.5	<b>42.5</b>	63.9
Olympic Dam	100%	35.1	50.5	38.4	47.6	<b>51.5</b>	35.1
Total		<b>154.9</b>	<b>178.9</b>	<b>172.3</b>	<b>167.6</b>	<b>141.9</b>	154.9
<b>Total copper (kt)</b>		<b>429.5</b>	<b>455.4</b>	<b>425.3</b>	<b>413.9</b>	<b>413.2</b>	429.5
<b>Lead</b>							
<b>Payable metal in concentrate (t)</b>							
Antamina	33.8%	405	383	621	262	<b>690</b>	405
Total		<b>405</b>	<b>383</b>	<b>621</b>	<b>262</b>	<b>690</b>	405
<b>Zinc</b>							
<b>Payable metal in concentrate (t)</b>							
Antamina	33.8%	20,454	22,483	31,789	13,736	<b>34,398</b>	20,454
Total		<b>20,454</b>	<b>22,483</b>	<b>31,789</b>	<b>13,736</b>	<b>34,398</b>	20,454
<b>Gold</b>							
<b>Payable metal in concentrate (troy oz)</b>							
Escondida <sup>(3)</sup>	57.5%	48,801	49,209	35,990	43,422	<b>42,332</b>	48,801
Olympic Dam (refined gold)	100%	43,205	35,382	33,235	34,150	<b>36,608</b>	43,205
Total		<b>92,006</b>	<b>84,591</b>	<b>69,225</b>	<b>77,572</b>	<b>78,940</b>	92,006
<b>Silver</b>							
<b>Payable metal in concentrate (troy koz)</b>							
Escondida <sup>(3)</sup>	57.5%	1,626	1,798	1,390	1,599	<b>1,580</b>	1,626
Antamina	33.8%	1,101	1,173	1,216	626	<b>1,326</b>	1,101
Olympic Dam (refined silver)	100%	245	203	241	295	<b>157</b>	245
Total		<b>2,972</b>	<b>3,174</b>	<b>2,847</b>	<b>2,520</b>	<b>3,063</b>	2,972
<b>Uranium</b>							
<b>Payable metal in concentrate (t)</b>							
Olympic Dam	100%	937	949	776	1,016	<b>874</b>	937
Total		<b>937</b>	<b>949</b>	<b>776</b>	<b>1,016</b>	<b>874</b>	937
<b>Molybdenum</b>							
<b>Payable metal in concentrate (t)</b>							
Antamina	33.8%	405	527	491	243	<b>284</b>	405
Total		<b>405</b>	<b>527</b>	<b>491</b>	<b>243</b>	<b>284</b>	405

## Production summary

BHP interest	Quarter ended					Year to date		
	Sep 2019	Dec 2019	Mar 2020	Jun 2020	Sep 2020	Sep 2020	Sep 2019	
<b>Iron Ore</b>								
<b>Iron Ore</b>								
<b>Production (kt) <sup>(5)</sup></b>								
Newman	85%	16,316	15,766	16,449	17,110	<b>16,410</b>	<b>16,410</b>	16,316
Area C Joint Venture	85%	12,620	12,727	12,179	13,973	<b>11,889</b>	<b>11,889</b>	12,620
Yandi Joint Venture	85%	17,827	14,857	17,491	19,087	<b>17,666</b>	<b>17,666</b>	17,827
Jimblebar <sup>(6)</sup>	85%	14,239	17,045	13,911	16,559	<b>20,075</b>	<b>20,075</b>	14,239
Wheelarra	85%	3	-	-	-	-	-	3
Samarco	50%	-	-	-	-	-	-	-
Total		<b>61,005</b>	<b>60,395</b>	<b>60,030</b>	<b>66,729</b>	<b>66,040</b>	<b>66,040</b>	61,005
<b>Coal</b>								
<b>Metallurgical coal</b>								
<b>Production (kt) <sup>(7)</sup></b>								
BMA	50%	6,905	8,723	6,869	9,078	<b>7,365</b>	<b>7,365</b>	6,905
BHP Mitsui Coal <sup>(8)</sup>	80%	2,453	2,201	2,353	2,536	<b>2,325</b>	<b>2,325</b>	2,453
Total		<b>9,358</b>	<b>10,924</b>	<b>9,222</b>	<b>11,614</b>	<b>9,690</b>	<b>9,690</b>	9,358
<b>Energy coal</b>								
<b>Production (kt)</b>								
Australia	100%	3,592	3,763	3,810	4,887	<b>3,624</b>	<b>3,624</b>	3,592
Colombia	33.3%	2,055	2,315	1,978	767	<b>1,038</b>	<b>1,038</b>	2,055
Total		<b>5,647</b>	<b>6,078</b>	<b>5,788</b>	<b>5,654</b>	<b>4,662</b>	<b>4,662</b>	5,647
<b>Other</b>								
<b>Nickel</b>								
<b>Saleable production (kt)</b>								
Nickel West <sup>(9)</sup>	100%	21.6	13.7	20.9	23.9	<b>22.2</b>	<b>22.2</b>	21.6
Total		<b>21.6</b>	<b>13.7</b>	<b>20.9</b>	<b>23.9</b>	<b>22.2</b>	<b>22.2</b>	21.6
<b>Cobalt</b>								
<b>Saleable production (t)</b>								
Nickel West	100%	211	120	132	312	<b>238</b>	<b>238</b>	211
Total		<b>211</b>	<b>120</b>	<b>132</b>	<b>312</b>	<b>238</b>	<b>238</b>	211

(1) LPG and ethane are reported as natural gas liquids (NGL). Product-specific conversions are made and NGL is reported in barrels of oil equivalent (boe). Total boe conversions are based on 6 bcf of natural gas equals 1,000 Mboe.

(2) Metal production is reported on the basis of payable metal.

(3) Shown on a 100% basis. BHP interest in saleable production is 57.5%.

(4) Includes Cerro Colorado and Spence.

(5) Iron ore production is reported on a wet tonnes basis.

(6) Shown on a 100% basis. BHP interest in saleable production is 85%.

(7) Metallurgical coal production is reported on the basis of saleable product. Production figures include some thermal coal.

(8) Shown on a 100% basis. BHP interest in saleable production is 80%.

(9) Production restated to include other nickel by-products.

Throughout this report figures in italics indicate that this figure has been adjusted since it was previously reported.

## Production and sales report

		Quarter ended				Year to date		
		Sep	Dec	Mar	Jun	Sep	Sep	
		2019	2019	2020	2020	2020	2019	
<b>Petroleum <sup>(1)</sup></b>								
<b>Bass Strait</b>								
Crude oil and condensate	(Mboe)	1,409	1,427	926	1,231	<b>1,305</b>	<b>1,305</b>	1,409
NGL	(Mboe)	1,810	1,405	958	1,493	<b>1,660</b>	<b>1,660</b>	1,810
Natural gas	(bcf)	36.6	27.8	18.4	28.1	<b>34.1</b>	<b>34.1</b>	36.6
Total petroleum products	(Mboe)	<b>9,319</b>	<b>7,465</b>	<b>4,957</b>	<b>7,408</b>	<b>8,648</b>	<b>8,648</b>	9,319
<b>North West Shelf</b>								
Crude oil and condensate	(Mboe)	1,337	1,376	1,266	1,260	<b>1,215</b>	<b>1,215</b>	1,337
NGL	(Mboe)	202	200	191	203	<b>162</b>	<b>162</b>	202
Natural gas	(bcf)	32.1	32.9	35.0	35.2	<b>29.6</b>	<b>29.6</b>	32.1
Total petroleum products	(Mboe)	<b>6,889</b>	<b>7,059</b>	<b>7,287</b>	<b>7,334</b>	<b>6,310</b>	<b>6,310</b>	6,889
<b>Pyrenees</b>								
Crude oil and condensate	(Mboe)	979	934	917	971	<b>837</b>	<b>837</b>	979
Total petroleum products	(Mboe)	<b>979</b>	<b>934</b>	<b>917</b>	<b>971</b>	<b>837</b>	<b>837</b>	979
<b>Other Australia <sup>(2)</sup></b>								
Crude oil and condensate	(Mboe)	8	1	1	1	<b>1</b>	<b>1</b>	8
Natural gas	(bcf)	12.0	11.4	11.2	11.9	<b>12.7</b>	<b>12.7</b>	12.0
Total petroleum products	(Mboe)	<b>2,008</b>	<b>1,901</b>	<b>1,874</b>	<b>1,987</b>	<b>2,118</b>	<b>2,118</b>	2,008
<b>Atlantis <sup>(3)</sup></b>								
Crude oil and condensate	(Mboe)	2,759	3,525	2,769	2,223	<b>2,421</b>	<b>2,421</b>	2,759
NGL	(Mboe)	192	245	178	54	<b>154</b>	<b>154</b>	192
Natural gas	(bcf)	1.4	1.8	1.3	1.1	<b>1.2</b>	<b>1.2</b>	1.4
Total petroleum products	(Mboe)	<b>3,184</b>	<b>4,070</b>	<b>3,170</b>	<b>2,456</b>	<b>2,775</b>	<b>2,775</b>	3,184
<b>Mad Dog <sup>(3)</sup></b>								
Crude oil and condensate	(Mboe)	1,096	1,202	1,272	1,297	<b>1,211</b>	<b>1,211</b>	1,096
NGL	(Mboe)	49	52	55	33	<b>48</b>	<b>48</b>	49
Natural gas	(bcf)	0.2	0.2	0.2	0.3	<b>0.2</b>	<b>0.2</b>	0.2
Total petroleum products	(Mboe)	<b>1,178</b>	<b>1,287</b>	<b>1,355</b>	<b>1,374</b>	<b>1,292</b>	<b>1,292</b>	1,178
<b>Shenzi <sup>(3)</sup></b>								
Crude oil and condensate	(Mboe)	1,345	1,671	1,645	1,584	<b>1,395</b>	<b>1,395</b>	1,345
NGL	(Mboe)	70	94	94	40	<b>71</b>	<b>71</b>	70
Natural gas	(bcf)	0.2	0.3	0.3	0.4	<b>0.3</b>	<b>0.3</b>	0.2
Total petroleum products	(Mboe)	<b>1,448</b>	<b>1,815</b>	<b>1,791</b>	<b>1,686</b>	<b>1,516</b>	<b>1,516</b>	1,448
<b>Trinidad/Tobago</b>								
Crude oil and condensate	(Mboe)	175	166	97	72	<b>102</b>	<b>102</b>	175
Natural gas	(bcf)	17.9	14.2	14.0	12.8	<b>12.8</b>	<b>12.8</b>	17.9
Total petroleum products	(Mboe)	<b>3,158</b>	<b>2,533</b>	<b>2,427</b>	<b>2,201</b>	<b>2,235</b>	<b>2,235</b>	3,158
<b>Other Americas <sup>(3) (4)</sup></b>								
Crude oil and condensate	(Mboe)	185	230	344	198	<b>212</b>	<b>212</b>	185
NGL	(Mboe)	2	4	22	5	<b>2</b>	<b>2</b>	2
Natural gas	(bcf)	-	0.1	0.3	-	<b>-</b>	<b>-</b>	-
Total petroleum products	(Mboe)	<b>187</b>	<b>251</b>	<b>412</b>	<b>209</b>	<b>214</b>	<b>214</b>	187
<b>Algeria</b>								
Crude oil and condensate	(Mboe)	889	880	854	690	<b>711</b>	<b>711</b>	889
Total petroleum products	(Mboe)	<b>889</b>	<b>880</b>	<b>854</b>	<b>690</b>	<b>711</b>	<b>711</b>	889



## Production and sales report

Quarter ended					Year to date	
Sep	Dec	Mar	Jun	Sep	Sep	Sep
2019	2019	2020	2020	2020	2020	2019

### Petroleum <sup>(1)</sup>

#### Total production

Crude oil and condensate	(Mboe)	10,182	11,412	10,091	9,527	<b>9,410</b>	<b>9,410</b>	10,182
NGL	(Mboe)	2,325	2,000	1,498	1,828	<b>2,097</b>	<b>2,097</b>	2,325
Natural gas	(bcf)	100.4	88.7	80.7	89.8	<b>90.9</b>	<b>90.9</b>	100.4
Total	(Mboe)	<b>29,240</b>	<b>28,195</b>	<b>25,039</b>	<b>26,322</b>	<b>26,657</b>	<b>26,657</b>	<b>29,240</b>

(1) Total boe conversions are based on 6 bcf of natural gas equals 1,000 Mboe. Negative production figures represent finalisation adjustments.

(2) Other Australia includes Minerva and Macedon. Minerva ceased production in September 2019.

(3) Gulf of Mexico volumes are net of royalties.

(4) Other Americas includes Neptune, Genesis and Overriding Royalty Interest.

## Production and sales report

		Quarter ended				Year to date	
		Sep	Dec	Mar	Jun	Sep	Sep
		2019	2019	2020	2020	2020	2019

### Copper

Metals production is payable metal unless otherwise stated.

#### Escondida, Chile <sup>(1)</sup>

Material mined	(kt)	101,026	100,057	107,268	75,062	<b>83,357</b>	<b>83,357</b>	101,026
Sulphide ore milled	(kt)	33,956	33,659	33,440	34,755	<b>34,733</b>	<b>34,733</b>	33,956
Average concentrator head grade	(%)	0.86%	0.87%	0.82%	0.81%	<b>0.85%</b>	<b>0.85%</b>	0.86%
Production ex mill	(kt)	245.0	246.1	230.0	236.8	<b>243.9</b>	<b>243.9</b>	245.0

#### Production

Payable copper	(kt)	237.0	240.3	220.1	228.5	<b>236.7</b>	<b>236.7</b>	237.0
Copper cathode (EW)	(kt)	55.9	68.4	69.6	65.5	<b>47.9</b>	<b>47.9</b>	55.9
- Oxide leach	(kt)	21.9	28.3	29.3	26.8	<b>15.3</b>	<b>15.3</b>	21.9
- Sulphide leach	(kt)	34.1	40.1	40.2	38.7	<b>32.6</b>	<b>32.6</b>	34.1
Total copper	(kt)	<b>292.9</b>	<b>308.7</b>	<b>289.7</b>	<b>294.0</b>	<b>284.6</b>	<b>284.6</b>	<b>292.9</b>

Payable gold concentrate	(troy oz)	48,801	49,209	35,990	43,422	<b>42,332</b>	<b>42,332</b>	48,801
Payable silver concentrate	(troy koz)	1,626	1,798	1,390	1,599	<b>1,580</b>	<b>1,580</b>	1,626

#### Sales

Payable copper	(kt)	222.2	248.3	212.0	221.0	<b>237.1</b>	<b>237.1</b>	222.2
Copper cathode (EW)	(kt)	52.3	70.6	65.9	72.1	<b>46.5</b>	<b>46.5</b>	52.3
Payable gold concentrate	(troy oz)	48,801	49,209	35,990	43,422	<b>42,332</b>	<b>42,332</b>	48,801
Payable silver concentrate	(troy koz)	1,626	1,798	1,390	1,599	<b>1,580</b>	<b>1,580</b>	1,626

(1) Shown on a 100% basis. BHP interest in saleable production is 57.5%.

#### Pampa Norte, Chile

<u>Cerro Colorado</u>								
Material mined	(kt)	15,071	18,102	18,710	15,734	<b>12,618</b>	<b>12,618</b>	15,071
Ore milled	(kt)	3,995	5,009	4,574	4,553	<b>4,036</b>	<b>4,036</b>	3,995
Average copper grade	(%)	0.54%	0.57%	0.54%	0.60%	<b>0.66%</b>	<b>0.66%</b>	0.54%

#### Production

Copper cathode (EW)	(kt)	16.4	13.8	20.4	16.9	<b>15.8</b>	<b>15.8</b>	16.4
---------------------	------	------	------	------	------	-------------	-------------	------

#### Sales

Copper cathode (EW)	(kt)	14.5	15.8	18.3	18.7	<b>14.6</b>	<b>14.6</b>	14.5
---------------------	------	------	------	------	------	-------------	-------------	------

#### Spence

Material mined	(kt)	21,040	23,132	23,304	24,082	<b>18,260</b>	<b>18,260</b>	21,040
Ore milled	(kt)	5,635	5,133	5,191	2,829	<b>4,408</b>	<b>4,408</b>	5,635
Average copper grade	(%)	0.95%	0.90%	0.87%	0.95%	<b>1.10%</b>	<b>1.10%</b>	0.95%

#### Production

Copper cathode (EW)	(kt)	47.5	46.2	43.9	37.6	<b>26.7</b>	<b>26.7</b>	47.5
---------------------	------	------	------	------	------	-------------	-------------	------

#### Sales

Copper cathode (EW)	(kt)	46.7	44.3	44.8	41.0	<b>24.1</b>	<b>24.1</b>	46.7
---------------------	------	------	------	------	------	-------------	-------------	------

## Production and sales report

	Quarter ended					Year to date	
	Sep	Dec	Mar	Jun	Sep	Sep	Sep
	2019	2019	2020	2020	2020	2020	2019

### Copper (continued)

Metals production is payable metal unless otherwise stated.

#### Antamina, Peru

Material mined (100%)	(kt)	59,299	63,224	52,872	13,975	<b>45,458</b>	<b>45,458</b>	59,299
Sulphide ore milled (100%)	(kt)	13,121	13,637	12,906	6,736	<b>13,202</b>	<b>13,202</b>	13,121
Average head grades								
- Copper	(%)	0.99%	0.96%	0.88%	0.91%	<b>0.94%</b>	<b>0.94%</b>	0.99%
- Zinc	(%)	0.80%	0.82%	1.09%	1.02%	<b>1.30%</b>	<b>1.30%</b>	0.80%

#### Production

Payable copper	(kt)	37.6	36.2	32.9	17.8	<b>34.6</b>	<b>34.6</b>	37.6
Payable zinc	(t)	20,454	22,483	31,789	13,736	<b>34,398</b>	<b>34,398</b>	20,454
Payable silver	(troy koz)	1,101	1,173	1,216	626	<b>1,326</b>	<b>1,326</b>	1,101
Payable lead	(t)	405	383	621	262	<b>690</b>	<b>690</b>	405
Payable molybdenum	(t)	405	527	491	243	<b>284</b>	<b>284</b>	405

#### Sales

Payable copper	(kt)	33.1	43.6	30.8	18.2	<b>33.8</b>	<b>33.8</b>	33.1
Payable zinc	(t)	20,196	23,808	31,007	11,680	<b>32,769</b>	<b>32,769</b>	20,196
Payable silver	(troy koz)	954	1,396	815	581	<b>1,310</b>	<b>1,310</b>	954
Payable lead	(t)	844	432	151	188	<b>748</b>	<b>748</b>	844
Payable molybdenum	(t)	173	400	531	223	<b>392</b>	<b>392</b>	173

#### Olympic Dam, Australia

Material mined <sup>(1)</sup>	(kt)	2,477	2,347	1,920	1,928	<b>2,203</b>	<b>2,203</b>	2,477
Ore milled	(kt)	2,200	2,153	2,178	2,416	<b>2,443</b>	<b>2,443</b>	2,200
Average copper grade	(%)	2.31%	2.36%	2.31%	2.17%	<b>2.03%</b>	<b>2.03%</b>	2.31%
Average uranium grade	(kg/t)	0.65	0.71	0.69	0.60	<b>0.53</b>	<b>0.53</b>	0.65

#### Production

Copper cathode (ER and EW)	(kt)	35.1	50.5	38.4	47.6	<b>51.5</b>	<b>51.5</b>	35.1
Payable uranium	(t)	937	949	776	1,016	<b>874</b>	<b>874</b>	937
Refined gold	(troy oz)	43,205	35,382	33,235	34,150	<b>36,608</b>	<b>36,608</b>	43,205
Refined silver	(troy koz)	245	203	241	295	<b>157</b>	<b>157</b>	245

#### Sales

Copper cathode (ER and EW)	(kt)	32.1	49.0	41.4	48.5	<b>49.5</b>	<b>49.5</b>	32.1
Payable uranium	(t)	778	638	702	1,293	<b>859</b>	<b>859</b>	778
Refined gold	(troy oz)	40,073	36,507	36,956	37,743	<b>36,054</b>	<b>36,054</b>	40,073
Refined silver	(troy koz)	250	202	259	270	<b>222</b>	<b>222</b>	250

(1) Material mined refers to run of mine ore mined and hoisted.

## Production and sales report

Quarter ended					Year to date	
Sep 2019	Dec 2019	Mar 2020	Jun 2020	Sep 2020	Sep 2020	Sep 2019

### Iron Ore

Iron ore production and sales are reported on a wet tonnes basis.

#### Pilbara, Australia

##### Production

Newman	(kt)	16,316	15,766	16,449	17,110	<b>16,410</b>	<b>16,410</b>	16,316
Area C Joint Venture	(kt)	12,620	12,727	12,179	13,973	<b>11,889</b>	<b>11,889</b>	12,620
Yandi Joint Venture	(kt)	17,827	14,857	17,491	19,087	<b>17,666</b>	<b>17,666</b>	17,827
Jimblebar <sup>(1)</sup>	(kt)	14,239	17,045	13,911	16,559	<b>20,075</b>	<b>20,075</b>	14,239
Wheelarra	(kt)	3	-	-	-	-	-	3
Total production	(kt)	<b>61,005</b>	<b>60,395</b>	<b>60,030</b>	<b>66,729</b>	<b>66,040</b>	<b>66,040</b>	<b>61,005</b>
Total production (100%)	(kt)	<b>69,257</b>	<b>68,044</b>	<b>68,168</b>	<b>75,589</b>	<b>74,152</b>	<b>74,152</b>	<b>69,257</b>

##### Sales

Lump	(kt)	14,785	15,982	15,617	17,252	<b>17,056</b>	<b>17,056</b>	14,785
Fines	(kt)	45,509	45,785	44,764	50,904	<b>48,390</b>	<b>48,390</b>	45,509
Total	(kt)	<b>60,294</b>	<b>61,767</b>	<b>60,381</b>	<b>68,156</b>	<b>65,446</b>	<b>65,446</b>	<b>60,294</b>
Total sales (100%)	(kt)	<b>68,291</b>	<b>69,481</b>	<b>68,439</b>	<b>77,048</b>	<b>73,355</b>	<b>73,355</b>	<b>68,291</b>

(1) Shown on a 100% basis. BHP interest in saleable production is 85%.

#### Samarco, Brazil <sup>(1)</sup>

Production	(kt)	-	-	-	-	-	-	-
Sales	(kt)	-	-	-	-	-	-	-

(1) Mining and processing operations remain suspended following the failure of the Fundão tailings dam and Santarém water dam on 5 November 2015.

## Production and sales report

Quarter ended					Year to date	
Sep	Dec	Mar	Jun	Sep	Sep	Sep
2019	2019	2020	2020	2020	2020	2019

### Coal

Coal production is reported on the basis of saleable product.

#### Queensland Coal

##### Production <sup>(1)</sup>

##### BMA

Blackwater	(kt)	1,045	1,734	1,063	1,703	<b>1,184</b>	<b>1,184</b>	1,045
Goonyella	(kt)	1,489	2,662	1,963	2,651	<b>2,312</b>	<b>2,312</b>	1,489
Peak Downs	(kt)	1,423	1,386	1,339	1,635	<b>1,487</b>	<b>1,487</b>	1,423
Saraji	(kt)	1,214	1,325	1,025	1,399	<b>817</b>	<b>817</b>	1,214
Daunia	(kt)	556	579	447	588	<b>490</b>	<b>490</b>	556
Caval Ridge	(kt)	1,178	1,037	1,032	1,102	<b>1,075</b>	<b>1,075</b>	1,178
Total BMA	(kt)	6,905	8,723	6,869	9,078	<b>7,365</b>	<b>7,365</b>	6,905
Total BMA (100%)	(kt)	13,810	17,446	13,738	18,156	<b>14,730</b>	<b>14,730</b>	13,810

##### BHP Mitsui Coal <sup>(2)</sup>

South Walker Creek	(kt)	1,378	1,196	1,577	1,264	<b>1,238</b>	<b>1,238</b>	1,378
Poitrel	(kt)	1,075	1,005	776	1,272	<b>1,087</b>	<b>1,087</b>	1,075
Total BHP Mitsui Coal	(kt)	2,453	2,201	2,353	2,536	<b>2,325</b>	<b>2,325</b>	2,453
Total Queensland Coal	(kt)	9,358	10,924	9,222	11,614	<b>9,690</b>	<b>9,690</b>	9,358
Total Queensland Coal (100%)	(kt)	16,263	19,647	16,091	20,692	<b>17,055</b>	<b>17,055</b>	16,263

##### Sales

##### BMA

Coking coal	(kt)	6,558	7,179	6,417	7,547	<b>6,187</b>	<b>6,187</b>	6,558
Weak coking coal	(kt)	634	971	644	1,040	<b>977</b>	<b>977</b>	634
Thermal coal	(kt)	94	30	224	183	<b>58</b>	<b>58</b>	94
Total	(kt)	7,286	8,180	7,285	8,770	<b>7,222</b>	<b>7,222</b>	7,286

##### BHP Mitsui Coal <sup>(2)</sup>

Coking coal	(kt)	741	596	667	778	<b>671</b>	<b>671</b>	741
Weak coking coal	(kt)	1,832	1,504	1,691	1,756	<b>1,545</b>	<b>1,545</b>	1,832
Total	(kt)	2,573	2,100	2,358	2,534	<b>2,216</b>	<b>2,216</b>	2,573
Total Queensland Coal	(kt)	9,859	10,280	9,643	11,304	<b>9,438</b>	<b>9,438</b>	9,859
Total Queensland Coal (100%)	(kt)	17,145	18,459	16,928	20,074	<b>16,660</b>	<b>16,660</b>	17,145

(1) Production figures include some thermal coal.

(2) Shown on a 100% basis. BHP interest in saleable production is 80%.

#### NSW Energy Coal, Australia

Production	(kt)	3,592	3,763	3,810	4,887	<b>3,624</b>	<b>3,624</b>	3,592
------------	------	-------	-------	-------	-------	--------------	--------------	-------

##### Sales

Export thermal coal	(kt)	3,075	3,952	3,403	4,871	<b>3,168</b>	<b>3,168</b>	3,075
Inland thermal coal	(kt)	567	-	-	-	<b>-</b>	<b>-</b>	567
Total	(kt)	3,642	3,952	3,403	4,871	<b>3,168</b>	<b>3,168</b>	3,642

#### Cerrejón, Colombia

Production	(kt)	2,055	2,315	1,978	767	<b>1,038</b>	<b>1,038</b>	2,055
------------	------	-------	-------	-------	-----	--------------	--------------	-------

Sales thermal coal - export	(kt)	2,069	2,261	2,028	1,143	<b>994</b>	<b>994</b>	2,069
-----------------------------	------	-------	-------	-------	-------	------------	------------	-------

## Production and sales report

		Quarter ended				Year to date	
		Sep	Dec	Mar	Jun	Sep	Sep
		2019	2019	2020	2020	2020	2019

### Other

Nickel production is reported on the basis of saleable product

#### Nickel West, Australia

##### Mt Keith

Nickel concentrate	(kt)	43.7	31.5	42.8	60.2	<b>64.4</b>	<b>64.4</b>	43.7
Average nickel grade	(%)	18.3	17.3	15.8	16.5	<b>15.8</b>	<b>15.8</b>	18.3

##### Leinster

Nickel concentrate	(kt)	67.2	56.6	57.8	72.0	<b>66.2</b>	<b>66.2</b>	67.2
Average nickel grade	(%)	10.0	8.6	9.8	10.2	<b>9.0</b>	<b>9.0</b>	10.0

#### Saleable production

Refined nickel <sup>(1) (2)</sup>	(kt)	17.4	11.1	16.6	20.5	<b>17.3</b>	<b>17.3</b>	17.4
Intermediates and nickel by-products <sup>(1) (3)</sup>	(kt)	4.2	2.6	4.3	3.4	<b>4.9</b>	<b>4.9</b>	4.2
Total nickel <sup>(1)</sup>	(kt)	<b>21.6</b>	<b>13.7</b>	<b>20.9</b>	<b>23.9</b>	<b>22.2</b>	<b>22.2</b>	21.6

Cobalt by-products	(t)	211	120	132	312	<b>238</b>	<b>238</b>	211
--------------------	-----	-----	-----	-----	-----	------------	------------	-----

#### Sales

Refined nickel <sup>(1) (2)</sup>	(kt)	17.0	10.6	16.8	19.7	<b>17.1</b>	<b>17.1</b>	17.0
Intermediates and nickel by-products <sup>(1) (3)</sup>	(kt)	5.7	2.7	2.9	4.2	<b>4.6</b>	<b>4.6</b>	5.7
Total nickel <sup>(1)</sup>	(kt)	<b>22.7</b>	<b>13.3</b>	<b>19.7</b>	<b>23.9</b>	<b>21.7</b>	<b>21.7</b>	22.7

Cobalt by-products	(t)	212	131	132	312	<b>238</b>	<b>238</b>	212
--------------------	-----	-----	-----	-----	-----	------------	------------	-----

(1) Production and sales restated to include other nickel by-products.

(2) High quality refined nickel metal, including briquettes and powder.

(3) Nickel contained in matte and by-product streams.

## Appendix 1

### Project Status Update

Between November 2019 and June 2020, a 14 diamond hole follow-up program totalling 21,542.5 metres was completed at Oak Dam, located 65 kilometres to the south east of BHP's operations at Olympic Dam in South Australia (Figure 1). Figure 2 describes the location of the phase three new drilling and Figure 3 shows the new drilling on cross sections.

Laboratory assay results confirm further mineralised intercepts of copper with associated gold, uranium and silver metals, as per the table below, with further detail included within this appendix.

**Table 1: Summary of laboratory assay results showing mineralised intercepts of copper with associated gold, uranium and silver.**

Hole ID	From	To	Length <sup>(i)</sup> m	Cu %	Au g/t	U3O8 ppm	Ag g/t
AD27W4	1243	1392	149	1.30	0.62	265	4.10
including	1281	1299	18	2.01	0.69	318	5.11
AD29W1	1734	1854	120	0.95	0.47	222	2.50
including	1789	1821	32	2.00	1.05	365	5.65
AD30W1	1190	1502	312	2.14	0.55	390	3.14
including	1343	1502	159	2.57	0.69	550	3.50
AD30W3	1609	1803	194	0.81	0.25	327	1.06
AD31	1398	1568	170	0.62	0.09	39	1.06
AD31W1	1194	1252	58	0.38	0.07	25	2.44
AD31W2	1140	1333	193	0.87	0.09	27	2.67
AD32	1529	1643	114	1.64	0.58	214	4.66
including	1566	1643	77	1.95	0.67	250	5.18
AD32W1	1664	1733	69	1.19	0.38	143	3.14
AD32W2	2008	2323	315	1.05	0.56	252	2.94
including	2008	2066	58	2.49	1.21	398	9.48
AD33	1055	1174	119	1.17	0.12	140	4.37
including	1056	1112	56	1.84	0.14	203	5.79

(i) Not true widths.

### Geology and Mineralisation

Phase three drilling continues to confirm IOCG-style alteration and mineralisation described previously (BHP Copper Exploration Update<sup>(1)</sup> dated 27 November 2018 and BHP Operational Review dated 17 October 2019<sup>(2)</sup>), with a core of barren hematite-quartz breccias approximately central to the gravity anomaly, surrounded by high-grade chalcocite and bornite mineralisation, which grades outwards to more dominant chalcopyrite and pyrite mineralisation, towards the contact with the host rocks. The simplified geology is shown in three representative cross sections in Figure 3.

### Further Work

BHP continues to evaluate the results reported to date to inform the next phase of work expected to begin in the first half of the 2021 calendar year.

(1) <https://www.bhp.com/media-and-insights/news-releases/2018/11/bhp-copper-exploration-program-update>

(2) [https://www.bhp.com/-/media/documents/media/reports-and-presentations/2019/191017\\_bhpoperationalreviewforthequarterended30september2019.pdf?la=en](https://www.bhp.com/-/media/documents/media/reports-and-presentations/2019/191017_bhpoperationalreviewforthequarterended30september2019.pdf?la=en)



Figure 1: Location map of project within EL 5941.




Table 2: Drill hole collar locations and depths in Geocentric Datum of Australia (GDA 94, zone 53).

Hole ID	Type	Easting (m)	Northing (m)	RL (m)	Starting depth (m)	Ending depth (m)
AD27W4	wedge	710821	6571048	167	552	2176.1
AD29	parent	710694	6570517	167	0	1107.7
AD29W1	wedge	710694	6570517	167	550	2130.9
AD30	parent (abandoned)	710109	6571733	183	0	800.3
AD30W1	parent (redrill)	710109	6571733	183	598	1843.1
AD30W2	wedge	710109	6571733	183	728	1887.6
AD30W3	wedge	710109	6571733	183	706.5	2074.3
AD31	parent	712168	6571875	148	0	2350.1
AD31W1	wedge	712168	6571875	148	745	2227.3
AD31W2	wedge	712168	6571875	148	701.3	2273.2
AD32	parent	709850	6571142	183	0	2287.1
AD32W1	wedge	709850	6571142	183	731.4	2503.4
AD32W2	wedge	709850	6571142	183	700	2470.3
AD33	parent	710650	6572596	168	0	1423.3

Figure 2: Drill hole traces projected to surface and cross section locations displayed on high resolution ground gravity.





Figure 3: Representative cross-sections showing simplified geology and down hole Cu assays.



**Table 3: Length and density weighted mineralised intercepts for phase three drilling reported as apparent (down hole) widths. The complete breakdown of each reported intersection is shown and includes high and low grade intervals to demonstrate grade. Intervals with assays not reported here have <0.2% Cu. Reported mineralised intervals contain no more than ten consecutive meters of <0.2% Cu.**

Hole ID	From	To	Length m	Cu %	Au g/t	U <sub>3</sub> O <sub>8</sub> ppm	Ag g/t	SG
AD31	1196	1278	82	0.50	0.06	48	1.09	2.78
	1330	1358	28	0.98	0.16	53	1.38	3.10
	1398	1621	223	0.54	0.08	41	0.91	2.88
	1398	1568	170	0.62	0.09	39	1.06	2.90
	1568	1621	53	0.32	0.05	49	0.53	2.85
	1965	2073	108	0.32	0.09	189	2.98	3.21
	2308	2324	16	1.15	0.12	50	1.14	2.98
AD31W1	1194	1252	58	0.38	0.07	25	2.44	2.82
	1194	1224	30	0.49	0.09	17	3.33	2.78
	1224	1252	28	0.26	0.06	33	1.51	2.87
	1278	1360	82	0.44	0.06	30	1.24	2.89
	1372	1400	28	0.27	0.03	17	0.73	2.79
	1410	1446	36	0.36	0.06	19	1.38	2.80
AD32	1529	1643	114	1.64	0.58	214	4.66	3.19
	1529	1566	37	0.94	0.37	134	3.50	3.02
	1566	1643	77	1.95	0.67	250	5.18	3.27
	1986	2102	116	0.93	0.36	226	1.68	3.72
	1986	2010	24	2.15	0.77	394	3.80	3.93
	2010	2068	58	0.71	0.29	221	1.08	3.84
	2068	2102	34	0.36	0.16	97	1.09	3.37
AD30W1	1190	1502	312	2.14	0.55	390	3.14	3.65
	1190	1328	138	1.73	0.41	196	2.94	3.35
	inc. 1303	1328	25	2.44	0.77	360	4.07	3.71
	1328	1343	15	0.42	0.16	141	0.17	3.01
	1343	1502	159	2.57	0.69	550	3.50	3.96
	inc. 1343	1398	55	4.20	0.95	622	6.22	4.27
	inc. 1412	1424	12	4.06	0.55	2089	6.55	4.14
	inc. 1438	1464	26	2.79	0.55	430	3.15	4.10
	1568	1624	56	0.41	0.43	54	3.45	2.90
	1706	1772	66	0.32	0.02	26	0.46	2.94
AD32W1	1664	1733	69	1.19	0.38	143	3.14	3.02
	1664	1697	33	0.88	0.46	120	2.95	3.00
	1697	1719	22	1.75	0.24	187	3.74	3.05
	1719	1733	14	1.01	0.39	126	2.63	3.03
	1836	1851	15	1.06	0.84	422	1.08	2.95
	2020	2048	28	1.63	0.19	286	2.44	3.32
	inc. 2022	2037	15	2.49	0.20	233	4.36	3.21
	2060	2070	10	0.50	0.13	149	0.15	3.31
	2084	2297	213	0.72	0.20	108	0.95	3.24
	2084	2144	60	0.41	0.16	162	0.40	3.21
	2144	2297	153	0.85	0.24	115	1.39	3.25
	inc. 2173	2201	28	1.48	0.34	89	3.14	3.26
	2384	2419	35	0.98	0.48	196	1.56	3.58

Hole ID	From	To	Length m	Cu %	Au g/t	U <sub>3</sub> O <sub>8</sub> ppm	Ag g/t	SG	
AD30W3	1083	1133	50	0.61	0.01	16	2.23	2.87	
	1256	1278	22	0.86	0.34	71	3.29	3.12	
	1609	1803	194	0.81	0.25	327	1.06	3.45	
	1826	1849	23	0.31	0.05	39	0.12	2.79	
	1878	1910	32	0.63	0.27	60	1.30	2.99	
AD31W2	1140	1333	193	0.87	0.09	27	2.67	2.88	
	1364	1423	59	0.51	0.10	85	1.09	3.09	
	1510	1695	185	0.54	0.08	45	6.61	2.93	
	1844	1911	67	0.28	0.06	38	0.64	2.92	
AD32W2	1459	1590	131	1.33	0.48	146	4.52	3.24	
	1459	1552	93	1.65	0.57	206	4.83	3.32	
	inc. 1476	1544	68	1.81	0.60	218	4.27	3.33	
	inc. 1501	1544	43	2.04	0.65	247	4.79	3.38	
	1552	1590	38	0.50	0.17	85	2.11	3.04	
	1619	1704	85	1.24	0.52	264	3.46	3.06	
	2008	2323	315	1.05	0.56	252	2.94	3.50	
	2008	2066	58	2.49	1.21	398	9.48	3.82	
	2066	2147	81	0.99	0.43	377	2.46	3.42	
	2147	2323	176	0.54	0.38	141	0.76	3.42	
	2349	2365	16	1.12	0.34	192	2.44	3.49	
	AD29W1	821	2025	1204	0.43	0.19	107	2.30	3.40
		821	835	14	1.36	0.13	407	5.32	3.25
835		988	153	0.39	0.06	104	1.21	3.65	
1010		1041	31	0.43	0.03	106	16.10	3.54	
1099		1111	12	0.61	0.07	31	5.97	3.33	
1378		1421	43	0.43	0.44	116	3.16	3.17	
1479		1708	229	0.66	0.25	158	1.23	3.63	
inc. 1663		1708	45	0.93	0.28	242	0.72	3.98	
1734		1854	120	0.95	0.47	222	2.50	3.71	
inc. 1789		1821	32	2.00	1.05	365	5.65	3.78	
1881		1951	70	0.38	0.42	116	1.95	3.29	
1979		2025	46	0.48	0.56	161	0.81	3.17	
AD27W4		1243	1392	149	1.30	0.62	265	4.10	3.47
	1243	1262	19	1.94	0.82	242	7.89	3.69	
	1262	1281	19	1.03	0.51	233	2.83	3.77	
	1281	1299	18	2.01	0.69	318	5.11	3.64	
	1299	1330	31	1.57	0.49	316	5.12	3.52	
	1330	1392	62	0.80	0.64	239	2.34	3.25	
	1431	1492	61	0.67	0.32	90	2.52	3.12	
	1502	1581	79	0.31	0.14	59	0.75	3.22	
	1502	1527	25	0.45	0.24	74	1.33	3.33	
	1527	1581	54	0.24	0.09	52	0.46	3.16	
	1596	1712	116	0.45	0.36	226	2.07	3.15	
	1596	1667	71	0.30	0.22	102	1.30	3.09	
	1667	1683	16	1.12	0.67	807	4.98	3.46	
	1683	1712	29	0.39	0.50	171	2.16	3.12	

Hole ID	From	To	Length m	Cu %	Au g/t	U <sub>3</sub> O <sub>8</sub> ppm	Ag g/t	SG
AD27W4	1765	2037	272	0.82	0.24	125	1.24	3.67
	1765	1921	156	0.52	0.24	125	1.24	3.47
	1921	2009	88	1.35	0.68	304	3.02	4.06
	2009	2037	28	0.56	0.48	171	0.74	3.52
	2098	2169	71	0.43	1.10	145	1.02	3.29
AD33	1055	1174	119	1.17	0.12	140	4.37	3.13
	1055	1112	57	1.82	0.14	201	5.76	3.10
	1112	1174	62	0.58	0.14	203	5.79	3.16
	1195	1205	10	0.43	0.01	132	2.54	3.20

### Drilling Techniques

- All drilling was diamond drilling from surface.
- Parent holes were collared in HWT to a depth of 6m and continued in PQ until the Tregalona Shale unit in the post mineral cover (between 100 m and 150 m downhole depth). From the Tregalona Shale, drilling continued in HQ to the depth chosen to begin navigational drilling. Navigational drilling was completed on the parent hole (and subsequent wedges) to setup for one to two wedges off parents AD29, AD31, AD30 and AD32. AD27W4 was wedged off AD27 parent hole from the previous drilling campaign. AD33 was drilled from surface without navigational drilling.
- Directional surveys using a north-seeking gyroscope were completed on each hole inside the NQ2 rods.

### Location of data points

- All drill hole collar locations (historic and recent) have been surveyed with Trimble R8s and manually entered into acQuire database.
- All coordinates provided are measured and provided in Geocentric Datum of Australia 1994 (GDA94 Zone 53).

### Geological Logging

- 100% of new drill holes were logged in qualitative detail for the basement rocks.
- The following observations were recorded: lithology composition and texture, alteration minerals and sulphide distribution.
- Structural measurements have been recorded from orientated core measuring alpha and beta angles of structures of interest.
- Core was photographed both wet and dry.
- Geotechnical logging for rock-quality designation, micro-defects and rock classification commenced during the phase three drilling program.

### Sampling Techniques

- Sample recoveries are visually estimated to be >97%.
- Sample loss is not considered material to reported grades.
- Diamond core was split by core saw, with half the core submitted for assay and the other half stored in trays at Olympic Dam. Samples are submitted as 1 m or 2 m intervals.
- Specific gravity measurements were taken for all assayed samples.
- 6-8 kg samples were submitted to an analytical laboratory for final drying, staged crushing to 2 mm, splitting to approximately 3 kg portion, followed by pulverisation to 90% passing 75 micron particle size pulp.
- Duplicate samples were collected at each preparation stage where a reduction in sample mass occurred.

### **Quality of assay data and laboratory tests**

- All samples were submitted to Intertek/Genalysis Laboratory in Adelaide.
- All new drill holes reported here were analysed for Cu, Ag, As, Bi, Co, Zn, Ni, Pb, Al, Ca, Cr, Fe, K, Mg, Mn, Na, P, Sc, Si, Ti, V, Ba, Mo, Sb, Sr, U, Y, Zr, Au, S, Ce, La, using 3-acid digest, total fusion, fire assay and induction furnace digestions followed by ICP-OES/MS or infrared methods.
- Three acid digestion followed by ICP-OES/MS was used to measure Cu, Ag, As, Co, Zn, Ni, Pb.
- Lithium borate fusion followed by ICP-OES/MS was used to measure Al, Ca, Bi, Cr, Fe, K, Mg, Mn, Na, P, Sc, Si, Ti, V, Ba, Mo, Sb, Sr, U, Y, Zr.
- Comparative analysis between four and three acid digest methods, for a reduced suite of thirty-three elements, demonstrates that equally accurate and representative geochemistry and characterisation of the mineral system, was possible compared to the four acid digest method and sixty-three element suite, reported previously (BHP Exploration Results Update dated 27 November 2018).
- 25 g fire assay with an ICP-OES finish was used to measure Au.
- Induction furnace combustion followed by infrared analyser was used to measure C and S.
- Quality control samples consisted of duplicates (1:25), analytical blanks (1:50) and certified standards (1:25). QC results reviewed when results are received, all performed within acceptable accuracy and precision limits.

### **Verification of sampling and assaying**

- Significant intersections were validated via visual re-inspection of drill core, followed up by optical microscopy by BHP personnel not involved with the initial geological logging of the drill core. There has been no adjustments to the assay data that is electronically uploaded to the database from the commercial laboratory.
- All drill hole data is managed internally using computerised geological logging, a comprehensive SQL server relational database, and strict validation rules.
- The database has a security model which requires user access to have supervisor approval. The database is backed up regularly by standard backup procedures.
- No twinned holes have been drilled.

### **Sample security**

- A reconciliation is completed between the sampling request and drilling plods to ensure that any lost core is accurately recorded prior to sampling. Sample numbers are automatically generated directly from the database once the sampling request is visually validated against the drill core. Laboratory sample receipt is recorded in the database. The laboratory reconciles samples received against samples requested on the assay request sheet.

### **Audits or reviews**

- The drill hole database is structured and controlled in the same way as the Olympic Dam database which has been independently audited.

### **Orientation of data in relation to geological structure**

- Mineralisation at this stage is still not well defined as per the irregular nature in IOCG-type deposits.
- New holes have been angled approximately northwest-southeast to east-west, drilled from outside of the centre of the hydrothermal system, aiming to test the eastern and western contacts with the host rock.

### **Data aggregation methods**

- All intersections are length and density weighted represented in apparent (downhole) widths, true widths of intersections are unknown.
- There is insufficient drilling to provide any mineral inventory estimate (including Exploration Target).



### **Mineral tenement and land tenure status**

- The project is located within the Exploration Licence 5941 (EL5941), 100% owned by BHP.
- EL5941 was successfully renewed in February 2019 within the current five year term, which expires on 21 February 2022, when a subsequent application will be lodged.
- EL5941 is in 'good standing' with recent historic minimum expenditure met or exceeded.

### **Exploration done by other parties**

- The project has a long exploration history, dating back to 1976 by Western Mining Corporation and BHP.
- All drilling information prior to 2018 has not been through the same quality control and processes described in this release and uncertainties exist in respect to the survey (dip, azimuth).
- Historic drill holes have been re-sampled using the same methodologies and processes as the 2018 drill holes.

*'The information in the report to which this statement is attached that relates to Exploration Results is based on information compiled by Dr Kathy Ehrig, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy (FAusIMM(CP)). Dr Ehrig is a full-time employee of BHP. Dr Ehrig has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Ehrig consents to the inclusion in the report of the matters based on her information in the form and context in which it appears.'*