

11 December 2020

FORREST PROJECT IP SURVEY PROGRESS REPORT

- Offset Pole-Dipole Induced Polarisation Survey nearing completion at Forrest Project
- IP survey carried out to test 4.5km strike extent of copper anomalous trend inclusive of Forrest and Wodger resource estimates - 2.4Mt @ 1.7% Cu for 41,500t Cu*
- Preliminary data received to date shows encouraging chargeability anomalism interpreted along strike from the Forrest and Wodger deposits
- Chargeability anomalism potentially associated with sulphide veining and/or zones of disseminated copper sulphides
- IP survey to be extended to the south to 'close off' chargeable anomalism to the south of the Forrest deposit
- Detailed modelling, interpretation and integration of IP survey data will be carried out upon completion of the IP survey
- IP target areas expected to be drill tested by RC and/or diamond drilling in Q1 2021

Gold and Base Metals explorer **Auris Minerals Limited** ("**Auris**" or "**the Company**") (**ASX: AUR**) is pleased to provide a progress report on the offset pole-dipole induced polarisation survey currently underway at the Company's Forrest Project, located 130 kilometres north of Meekatharra, in the Bryah Basin, Western Australia.

The IP survey is evaluating approximately 4.5 kilometres of strike of an interpreted copper anomalous trend within the Forrest Project, encompassing both the Forrest and Wodger deposits (Figure 1). During July 2020, a maiden resource estimate was reported for the Forrest and Wodger deposits, which remain open along strike, down dip and down plunge, comprising a global estimate of 2.4Mt @ 1.7% Cu for 41,500t Cu, (refer ASX announcement dated 2 July 2020, Table 1). The IP survey was initially planned to take three weeks to complete, however due to several unforeseen delays, the total survey time is expected to be closer to 8 weeks.

Auris Managing Director, Mike Hendriks, commented: "Preliminary indications from the surveys are very encouraging, particularly with anomalies appearing along strike from known copper mineralisation at the Forrest and Wodger deposits.

After experiencing some delays, we are confident that this program will be finalised in the coming weeks and our technical team will use this data to identify several targets which will form the basis of a follow-up drilling program early next year."

Preliminary data from the IP survey to date has highlighted several chargeability anomalies and trends and some of which are interpreted along strike from the Forrest and Wodger deposits (Figure 2). The source of these chargeable responses could be sulphide veining and/or disseminated sulphide mineralisation or chargeable sedimentary units. Large coherent chargeability anomalism located in the west of the survey area are interpreted to be responses associated with sedimentary lithologies of

^{* -} Refer ASX announcement dated 2 July 2020

the Horseshoe Formation. An extension of the IP survey has since planned to follow up a chargeable response located to the south of the Forrest deposit. Further processing, modelling and integration of the IP data is still required and will be carried out upon survey completion, however preliminary results from the raw IP data are very encouraging.

Target areas identified by the survey following integration with other exploration datasets are expected to be tested by RC and/or diamond drilling. A drill rig is currently being organised to complete this drilling within Q1 2021.

Other recent exploration within the Bryah Basin tenement group comprises the completion of an Air Core drilling program within the Feather Cap Project designed to evaluate anomalous air core drilling at the Feather Cap prospect and potential strike extensions of significant gold mineralisation identified by Sandfire within the Morck Well JV during the June 2020 quarter including 5 metres at 4.76g/t Au from 70 metres within MWAC2682, (refer ASX announcement dated 17 July 2020). Results from this program are expected late December/early January.




Figure 1 -Extent of Forrest Project IP Survey




Figure 2 -Preliminary image showing of raw chargeability data (N-Level 7) overlying interpreted geology

-ENDS-

For and on behalf of the Board.

Mike Hendriks
Managing Director

For Further information please contact: Mike Hendriks

Managing Director Ph: 08 6109 4333

ABOUT AURIS MINERALS LIMITED

Auris is exploring for base metals and gold in the Bryah Basin of Western Australia. Auris has consolidated a tenement portfolio of 1,410km², which is divided into eight well-defined project areas: Forrest, Cashman, Cheroona, Doolgunna, Morck Well, Feather Cap, Milgun and Horseshoe Well, (Figure 3).

In February 2018, Auris entered a Farm-in Agreement with Sandfire in relation to the Morck Well and Doolgunna Projects which covers ~430km² (the Morck Well JV). During September 2019, Auris entered into a Farm-in with Sandfire in relation to the Cashman Project tenements, E51/1053 and E51/1120, (the Cashman JV). On 4 February 2020 Auris and Northern Star Resources Limited (NST) entered into a Farm-in with Sandfire in relation to the Cheroona Project tenements, E51/1391, E51/1837 and E51/1838, (the Cheroona JV). Sandfire has the right to earn a 70% interest in each of above projects upon completion of a Feasibility Study on a discovery of not less than 50,000t contained copper (or metal equivalent) on the project. Auris manages exploration on all other tenements, including those that are subject to arrangements with third parties.

In September 2020, Auris entered a binding agreement to acquire Sandfire's interest in the Sams Creek Gold Project in New Zealand, (Figure 4) held through its wholly owned subsidiary Sams Creek Gold Limited (SCGL). The Sams Creek Gold Project is located in the northwest of the South Island of New Zealand and comprises two exploration permits, EP 40 338 (currently held joint venture with OceanaGold Corporation (ASX: OGC) (20%) and SCGL (80%)) and EP 54 454 (SCGL 100%), (refer ASX Announcement dated 30 September 2020).




Figure 3: Auris' copper-gold exploration tenement portfolio, with Sandfire (SFR), Northern Star (NST), Westgold (WGX), Fe Ltd and Gateway JV areas indicated

Notes:

- The Forrest Project tenements E52/1659 and E52/1671 have the following outside interests:
 - Auris 80%; Westgold Resources Ltd 20% (ASX:WGX). Westgold Resources Ltd interest is free carried until a Decision to Mine
 - Westgold Resources Ltd own the gold rights over the Auris interest.
- 2. The Forrest Project tenement P52/1493 have the following outside interests:
 - Westgold Resources Ltd own the gold rights over the Auris interest.
- 3. The Forrest Project tenements P52/1494-1496 have the following outside interests:
 - Auris 80%; Fe Ltd 20% (ASX:FEL). Fe Ltd interest is free carried until a Decision to Mine
- 4. The Cheroona Project tenements E51/1391, E51/1837-38 have the following outside interests:
 - Auris 70%; Northern Star Resources Ltd 30% (ASX:NST)

- 5. The Horseshoe Well Project tenement E52/3291 has the following outside interests:
 - Auris 85%; Gateway Projects WA Pty Ltd (formerly OMNI Projects Pty Ltd) 15% (Gateway Projects free carried until a Decision to Mine)
- 6. The Milgun Project tenement E52/3248 has the following outside interests:
 - Auris 85%; Gateway Projects WA Pty Ltd (formerly OMNI Projects Pty Ltd) 15% (Gateway Projects free carried until a Decision to Mine)
- 7. The Morck Well Project tenements E51/1033, E52/1613 and E52/1672 have the following outside interests:
 - Auris 80%; Fe Ltd 20% (ASX:FEL). Fe Ltd interest is free carried until a Decision to Mine

Table 1 - Forrest Project June 2020 Mineral Resource Estimate (1.0% Copper Cut-off)

Prospect	Туре	Tonnage	Cu	Au	Cu	Au
		(t)	(%)	(g/t)	(t)	(oz)
Wodger	Oxide	28,000	1.5	0.22	420	200
	Transitional	490,000	2.1	0.44	10,200	7,000
	Fresh	845,000	1.6	0.48	13,500	13,100
	Total	1,363,000	1.8	0.46	24,200	20,200
Forrest	Oxide	4,000	1.3	0.25	50	30
	Transitional	354,000	2.2	0.64	7,600	7,300
	Fresh	681,000	1.4	0.31	9,600	6,800
	Total	1,039,000	1.7	0.42	17,300	14,100
Grand Total		2,402,000	1.7	0.44	41,500	34,300




Figure 4: Sams Creek Gold Project exploration permit portfolio

Competent Person's Statement

Information in this announcement that relates to exploration results is based on and fairly represents information and supporting documentation prepared and compiled by Mr Matthew Svensson, who is a Member of the Australian Institute of Geoscientists. Mr Svensson is Exploration Manager for Auris Minerals Limited. Mr Svensson has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration, and to the activity which he is undertaking to qualify as a Competent Person, as defined in the 2012 Edition of the Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves. Mr Svensson consents to the inclusion in the announcement of the matters based on this information in the form and context in which it appears.

No New Information

Except where explicitly stated, this announcement contains references to prior exploration results and Mineral Resource estimates, all of which have been cross-referenced to previous market announcements made by the Company. The Company confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements and, in the case of estimates of Mineral Resources that all material assumptions and technical parameters underpinning the results and/or estimates in the relevant market announcement continue to apply and have not materially changed.

Forward Looking Statements

This announcement has been prepared by Auris Minerals Limited. This document contains background information about Auris Minerals Limited and its related entities current at the date of this announcement. This is in summary form and does not purport to be all inclusive or complete. Recipients should conduct their own investigations and perform their own analysis in order to satisfy themselves as to the accuracy and completeness of the information, statements and opinions contained in this announcement. This announcement is for information purposes only. Neither this document nor the information contained in it constitutes an offer, invitation, solicitation or recommendation in relation to the purchase or sale of shares in any jurisdiction.

This announcement may not be distributed in any jurisdiction except in accordance with the legal requirements applicable in such jurisdiction. Recipients should inform themselves of the restrictions that apply in their own jurisdiction. A failure to do so may result in a violation of securities laws in such jurisdiction. This document does not constitute investment advice and has been prepared without taking into account the recipient's investment objectives, financial circumstances or particular needs and the opinions and recommendations in this representation are not intended to represent recommendations of particular investments to particular investments to particular persons. Recipients should seek professional advice when deciding if an investment is appropriate. All securities transactions involve risks, which include (among others) the risk of adverse or unanticipated market, financial or political developments.

No responsibility for any errors or omissions from this document arising out of negligence or otherwise is accepted. This document does include forward-looking statements. Forward-looking statements are only predictions and are subject to risks, uncertainties and assumptions which are outside the control of Auris Minerals Limited. Actual values, results, outcomes or events may be materially different to those expressed or implied in this announcement. Given these uncertainties, recipients are cautioned not to place reliance on forward-looking statements.

Any forward-looking statements in this announcement speak only at the date of issue of this announcement. Subject to any continuing obligations under applicable law and ASX Listing Rules, Auris Minerals Limited does not undertake any obligation to update or revise any information or any of the forward-looking statements in this document or any changes in events, conditions or circumstances on which any such forward-looking statement is based.

JORC Code, 2012 Edition, Table 1

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Comn	nentary	
Sampling	Nature and quality of sampling (eg cut		No drilling or assays reported.	
techniques	channels, random chips, or specific specialised			isation
.conques	industry standard measurement tools		Survey carried out by GAP Geop	
	*			mysics.
	appropriate to the minerals under	(details detailed in Section2).	
	investigation, such as down hole gamma			
	sondes, or handheld XRF instruments, etc).			
	These examples should not be taken as limiting			
	the broad meaning of sampling.			
	 Include reference to measures taken to ensure 			
	sample representivity and the appropriate			
	calibration of any measurement tools or			
	systems used.			
	Aspects of the determination of mineralisation			
	that are Material to the Public Report. In cases			
	where 'industry standard' work has been done			
	this would be relatively simple (eg 'reverse			
	circulation drilling was used to obtain 1 m			
	samples from which 3 kg was pulverised to			
	produce a 30 g charge for fire assay'). In other			
	cases more explanation may be required, such			
	as where there is coarse gold that has inherent			
	sampling problems. Unusual commodities or			
	mineralisation types (eq submarine nodules)			
	7			
	may warrant disclosure of detailed			
	information.			
Drilling	Drill type (eg core, reverse circulation, open-	• 1	No drilling or assays reported.	
techniques	hole hammer, rotary air blast, auger, Bangka,			
	sonic, etc) and details (eg core diameter, triple			
	or standard tube, depth of diamond tails, face-			
	sampling bit or other type, whether core is			
	oriented and if so, by what method, etc).			
D.:!!!!-	2011 1 5 1:			
Drill sample	Method of recording and assessing core and	• 1	No drilling or assays reported.	
recovery	chip sample recoveries and results assessed.			
	Measures taken to maximise sample recovery			
	and ensure representative nature of the			
	samples.			
	Whether a relationship exists between sample			
	recovery and grade and whether sample bias			
	may have occurred due to preferential			
	loss/gain of fine/coarse material.			
Logging		. N	No drilling or assays reported	
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a 	•	No drilling or assays reported.	
	, , , , , , , , , , , , , , , , , , , ,			
	level of detail to support appropriate Mineral			
	Resource estimation, mining studies and			
	metallurgical studies.			
	Whether logging is qualitative or quantitative			
	in nature. Core (or costean, channel, etc)			
	photography.			
	The total length and percentage of the			
	relevant intersections logged.			
Sub-sampling	If core, whether cut or sawn and whether	• 1	No drilling or assays reported.	
techniques	quarter, half or all core taken.	- '	to alliming of assays reported.	
and sample	quarter, riaij or an core taken.			
	• If non-core, whether riffled, tube sampled,			
preparation	rotary split, etc and whether sampled wet or			
	dry.			
	 For all sample types, the nature, quality and 			
	appropriateness of the sample preparation			
	technique.			
1	 Quality control procedures adopted for all sub- 			

sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and whether the technique is considered partial or total. tests • For geophysical tools, spectrometers,	
Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and whether the technique is considered partial or total.	
representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and laboratory representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. • No drilling or assays reported. No drilling or assays reported. assaying and laboratory procedures used and whether the technique is considered partial or total.	
including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and laboratory including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. • No drilling or assays reported. No drilling or assays reported.	
 Whether sample sizes are appropriate to the grain size of the material being sampled. Quality of assay data and and whether the technique is considered partial or total. Whether sample sizes are appropriate to the grain size of the material being sampled. No drilling or assays reported. 	
grain size of the material being sampled. Quality of assay data and laboratory grain size of the material being sampled. The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. No drilling or assays reported. No drilling or assays reported.	
Quality of assay data and and laboratory • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • No drilling or assays reported.	
assay dataassaying and laboratory procedures used andandwhether the technique is considered partial orlaboratorytotal.	
and whether the technique is considered partial or total.	
laboratory total.	
tests • For geophysical tools, spectrometers,	
1	
handheld XRF instruments, etc, the	
parameters used in determining the analysis including instrument make and model, reading	
times, calibrations factors applied and their	
derivation, etc.	
Nature of quality control procedures adopted (an attraction due to be a first transport to the state of	
(eg standards, blanks, duplicates, external laboratory checks) and whether acceptable	
levels of accuracy (ie lack of bias) and precision	
have been established.	
Verification of ● The verification of significant intersections by ● No drilling or assays reported	
sampling and either independent or alternative company	
assaying personnel. • The use of twinned holes.	
Documentation of primary data, data entry	
procedures, data verification, data storage	
(physical and electronic) protocols.	
Discuss any adjustment to assay data. Leasting of Assay and	
Location of data points • Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), • No drilling or assays reported	
trenches, mine workings and other locations	
used in Mineral Resource estimation.	
Specification of the grid system used.	
Quality and adequacy of topographic control. Data appairs	
Data spacing • Data spacing for reporting of Exploration • No drilling or assays reported and Results.	
distribution • Whether the data spacing and distribution is	
sufficient to establish the degree of geological	
and grade continuity appropriate for the	
Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.	
Whether sample compositing has been	
applied.	
Orientation of • Whether the orientation of sampling achieves • No drilling or assays reported	
data in unbiased sampling of possible structures and	
relation to the extent to which this is known, considering geological the deposit type.	
structure • If the relationship between the drilling	
orientation and the orientation of key	
mineralised structures is considered to have	
introduced a sampling bias, this should be assessed and reported if material.	
Sample • The measures taken to ensure sample security. • No drilling or assays reported.	
security No drining of assays reported.	
Audits or • The results of any audits or reviews of • No drilling or assays reported.	
reviews sampling techniques and data.	

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral	Type, reference name/number, location and	• The Project includes tenements E52/1659,
tenement and	ownership including agreements or material	E52/1671. Both E52/1659 and E52/1671 fall
land tenure	issues with third parties such as joint ventures,	under an agreement Westgold Resources
status	partnerships, overriding royalties, native title	Limited ("WGX"); whereby WGX own all gold
	interests, historical sites, wilderness or	rights and 20% free carried until a decision to
	national park and environmental settings.	mine for all copper rights.
	 The security of the tenure held at the time of 	mine for an copper rights.
		 The tenements are in good standing.
	reporting along with any known impediments	
	to obtaining a license to operate in the area.	
Exploration	Acknowledgment and appraisal of exploration	Various parties have explored and/or mined
done by other	by other parties.	in the Bryah Basin (including Homestake
parties	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Australia, Cyprus Gold, Dominion Mining,
F		Mines & Resources Australia, Perilya and
		Montezuma Mining). Prior to the De Grussa
		copper-gold discovery in 2009, the
		exploration target was almost exclusively
		gold. PepinNini Minerals (PML) farmed into some tenements to secure iron ore rights.
		There were few historical records preserved,
		so it is not possible to assess the quality of
		previous work.
Geology	Deposit type, geological setting and style of	The Proterozoic Bryah Basin is a volcano-
	mineralisation.	sedimentary sequence, interpreted to have
		formed in a back-arc setting, on the margin
		of the Yilgarn Craton. The principal
		exploration targets in the basin are
		volcanogenic massive sulphide (VMS)
		copper-gold deposits, and orogenic gold deposits.
		ueposits.
Drill hole	A summary of all information material to the	All exploration results have previously been
information	under-standing of the exploration results	communicated. Drill results use within the
	including a tabulation of the following	mineral resources have been previously
	information for all Material drill holes:	reported on the following dates – 29 April 2019, 4 February 2010, 24 January 2018, 10
	 easting and northing of the drill hole collar 	November 2017, 17 October 2017, 21 August
	elevation or RL (Reduced Level – elevation	2017, 31 July 2017, 30 June 2017, 14 October
	above sea level in metres) of the drill hole	2016, 22 September 2014, 1 September
	collar	2014, 23 July 2014, 7 July 2014, 26 May 2014,
		7 May 2014, 28 February 2014, 18 February
	dip and azimuth of the hole	2014.
	down hole length and interception depth	
	hole length	
	If the exclusion of this information is justified on	
	the basis that the information is not Material	
	and this exclusion does not detract from the	
	understanding of the report, the Competent	
	Person should clearly explain why this is the	
	case.	
Data	In reporting Exploration Results, weighting	No drilling or assays reported.
aggregation	averaging techniques, maximum and/or	2 2
methods		
memous	minimum grade truncations (e.g. cutting of	
	high grades) and cut-off grades are usually	
	Material and should be stated.	
	Where aggregate intercepts incorporate short	
	lengths of high grade results and longer	
	lengths of low grade results, the procedure	
	used for such aggregation should be stated	
	and some typical examples of such	
	and some typical examples of such	

Criteria	JORC Code explanation	Commentary
	 aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	
Relationship between mineralisation widths and intercept lengths	 These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). 	No drilling or assays reported
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Relevant diagrams have been included within the main body of the announcement.
Balanced Reporting	 Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	 The IP survey and preliminary data are being monitored and reviewed by the company's geophysical consultants, Resource Potentials. Resource Potentials consider the IP survey data to be of good data quality.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	 Offset Pole-Dipole Induced Polarisation Survey being carried out by GAP Geophysics. The survey consists of 12 receiver (Rx) lines and 11 transmitter (Tx) lines. The Rx lines are spaced 400m apart with Tx lines spaced equally between receiver lines, resulting in an effective survey line spacing of 200m. Tx and Rx survey lines and stations along the line were designed to avoid heritage sites. Transmitter System: Gap GeoPak High Power IPTX-2500 geophysical transmitter, with Gap GeoPak DC14HV generator. Maximum voltage 1400V Receiver System: 2 x 16 Channel EMIT SMARTem24, with full time series data collection.
Further work	 The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	Further work in the Forrest project is likely to comprise RC and/or diamond drilling which will focus on testing anomalism identified by the current IP survey and to extent and further define the Wodger and Forrest Resources.