

26 October 2021

## Sulphide Mineralising System Extended at Phil's Hill

The Company's principal business objectives are the acquisition, exploration, development and operation of PGE, copper, nickel silver, gold, vanadium and other mineral deposits.

### Directors

Peter Wall (Chairman)

Mark Freeman (MD)

Bob Affleck (Technical Director)

### Company Secretary

Mark Freeman

### Capital Structure

<b>ASX Code</b>	<b>PUR</b>
<b>Shares</b>	<b>937,013,916</b>
<b>Options</b>	
<b>10c exp 31/10/21</b>	<b>76,166,073*</b>
<b>4.9c exp 6/11/21</b>	<b>2,000,000</b>
<b>0.7c exp 18/9/23</b>	<b>36,000,000</b>
<b>Perfor Rights**</b>	<b>7,500,000</b>

\* Listed PUROA

\*\* 3,000,000 subject to shareholder approval



### Highlights:

- Sulphide mineralising system extended over **1.6km strike, open north and south** with **massive, stringer or disseminated sulphides** in all holes
- **Silver mineralisation** up to **6.96 g/t** noted in all four assay batches
- Sulphides from **at least 2 to 4** different mineralising events
- Hole 6 found **massive and stringer sulphides from 54-94m**. Potential Ni sulphides observed at 180m (assays pending)
- Hole 8 found **massive, stringer and disseminated sulphides 49-54m and 137-166m**. Potential Ni sulphides observed at 172m (assays pending)
- Diamond drilling completed with 8 holes drilled for **1,538m**
- DHEM crew on site this week to survey holes 3 to 8

### Next Steps:

- Expedite assays holes 3, 6, 7 and 8
- Complete DHEM on all holes
- Plan follow-up auger geochemistry at Phil's Hill to expand coverage along strike N and S
- Initiate geochemical & geophysical surveys at Ablett Prospect

### Pursuit Managing Director, Mark Freeman, said:

*"These assay results are very meaningful and give strong encouragement that the Company has located a significant mineralising system at Phil's Hill. Our technical team are now focussed on finding the core of the system and will be working with geophysical and geochemical consultants to that end. The significant PGE anomalism in our surface soils remains a strong driver for continued follow-up Geochem. The Company eagerly awaits assay results from holes 3, 6, 7 and 8. The drillers and our exploration team have done a phenomenal job on site with minimal disturbance to the crop and have ensured excellent relationships maintained and strengthened within the community in the district."*

## Warrior Project (100%)

**Pursuit Minerals Limited (ASX: PUR)** ("Pursuit" or the "Company") is pleased to provide assay results for four drill holes from the Phil's Hill prospect diamond drilling program. Drilling has now ceased and in total, eight holes were drilled at Phil's Hill for 1,538 m (Figure 1 & Table 1).

Silver mineralisation up to 6.96 g/t and anomalous gold, copper, and nickel are reported in the assay results for the first four diamond drill holes (1, 2, 4 and 5) (Table 2 & Appendix 1).

In order to understand the implications of silver mineralisation and gold, copper, and nickel anomalism all assay results have been reviewed by consultant geochemist Pathfinder Exploration (Pathfinder). Pathfinder utilised a number of statistical techniques, such as correlation and cluster analysis, to highlight trends and elemental associations in the data. This approach can highlight the likely type of mineralising system the Company has found at Phil's Hill and how best to explore it.

Pathfinder's analysis suggests Phil's Hill could be reflecting several possible mineralisation styles, specifically:

- **Gold – polymetallic mineralisation** – containing Au – Ag - Cu – Mo, as found in gold or gold-copper mineralisation
- **Ultramafic/PGE** - comprises an elemental association of Cr – Mg – Ni – (Pd – Pt)
- **Pegmatite** – porphyritic intrusive association that includes elements such as rare earths.
- **Lead – Zn mineralization** – Pb – Zn – Sb – Cd – Mn /Co, such as is found in Volcanic Hosted Massive Sulphide (VHMS) systems.

Mineralisation located in all drill holes suggests there may have been an **overprinting of at least two mineralising events** at Phil's Hill. Once all assay data are received, the Company will review them with geophysical and geochemical consultants to plan new programs to search for the core of the mineralising system.

Hole ID	Target Plate	Easting MGAzone50	Northing MGAzone50	RL	Azimuth	Dip	Hole Depth	Comment
21WDD0001	20a	463950	6546740	266.5	270	-60	201.8	
21WDD0002	10a	464268	6545699	251.6	230	-60	267.4	
21WDD0003	10a	464316	6545719	251.6	230	-60	198.8	
21WDD0004	20a	463970	6546840	266.5	230	-60	198.4	
21WDD0005	17a	464115	6546409	258	230	-60	68.6	Hole abandoned
21WDD0006	17a	464115	6546409	258	230	-60	197.6	Redrill of hole 5
21WDD0007	6a	464379	6545281	242.6	230	-60	59.5	Hole abandoned
21WDD0008	6a	464384	6545284	242.6	230	-60	200	Redrill of hole 7

Table 1: Collar details for Phil's Hill diamond drill holes




Figure 1 – Phil's Hill Diamond Drill holes and surface geochemistry

#### Assay Results from Drilling of EM Plate 20a - 21WDD0001 and 21WDD0004 (Holes 1 and 4)

Assay results have been received for drill holes 1 and 4 that were testing conductor Plate 20a previously identified from electromagnetic (EM) surveying. Drill hole 4 previously reported intersecting massive sulphides in the interpreted position of conductive EM Plate 20a. Assay results have been received confirming these sulphides contain silver mineralisation (Figures 2 & 3) and anomalous copper and gold.

Hole 4 mineralised intervals include:

- 0.32m @ **3.96 g/t Ag**, 0.12% Cu from 103.98m, and
- **3.7m @ 3.19 g/t Ag** from 129.5m.




Figure 2: Silver mineralised massive sulphides intersected in 21WDD0004

Significant silver mineralisation is noted in hole 1 nearby with **1.3m @ 3.09 g/t Ag** from 59.7m, including **0.3m @ 5.14 g/t Ag** & 0.13% Cu from 59.7m (Figure 3). The mineralisation intersected in Hole 1 is approximately 72m along strike of the massive sulphides intersected in Hole 4 (Figure 4).

Clear patterns of geochemical anomalism are observed in the assay data (Table 1). This anomalism suggests the mineralisation intersected in Hole 1 may represent 'leakage' of mineralisation along strike and up dip of the massive sulphide zone intersected in hole 4 (Figure 4).




Figure 3: Cross section showing sulphide mineralisation in drill holes testing EM Plate 20a

Note: Both drill holes have been projected onto the same cross section.




Figure 4: Surface projection of EM Plate 20a, assay results in relation to drill holes

Deeper in hole 4 from 154.5 to 171.5m an anomalous ultramafic elemental association is noted with elevated Pt/Pd to 24ppb (Table 2).

#### Assay Results from Drilling of Plate 10a - 21WDD0002 / Hole 2

The number and length of sulphide intervals in Hole 2 was quite low given that failed to intersect the EM plate (Figure 5) but clear patterns of geochemical anomalism are observed in the assay data (Table 2). Significant Ag, Cu, Au, Co and Ni is noted at 75m (Figure 5, 6) as well as at 237m. Results for Hole 3 are pending at this time. Significant intervals in Hole 2 include:

- **2m @ 4.40 g/t Ag** from 74.6m, including
  - **0.6m @ 6.95 g/t Ag**, 0.03% Cu from 75m (Figure 6)
- 1.4m @ 2.19 g/t Ag from 62.9m
- 1.5m @ 1.91 g/t Ag from 69.2m
- **1.15m @ 3.45 g/t Ag** from 236m, including
  - 0.15m @ **5.02 g/t Ag**, **0.41% Cu**, **51 ppb Au** from 237m




Figure 5: Plate 10a Cross section showing sulphide mineralisation and assay anomalism Holes 2 and 3



Figure 6: Hole 2 Sulphide in pegmatite and mafic gneiss: 75-75.6m 6.96 g/t Ag, 5 ppb Au, 0.03% Cu, 150 ppm Ni

# ASX RELEASE



HOLE ID	SAMPLE ID	FROM (M)	TO (M)	Interval (m)	Ag_ppm	Au_ppm	As_ppm	Co_ppm	Cr_ppm	Cu_ppm	Mo_ppm	Ni_ppm	Pd_ppm	Pt_ppm	Zn_ppm
21WDD0001	D000016	59.7	60	0.3	5.14	0.023	0.7	230	106	1280	30	249	-0.001	-0.005	243
21WDD0001	D000017	60	60.5	0.5	1.18	0.003	8.3	36	118	147	2.9	125.5	-0.001	-0.005	495
21WDD0001	D000018	60.5	61	0.5	3.76	0.004	0.7	19.9	145	233	3.57	45	-0.001	-0.005	225
21WDD0001	D000030	95.6	95.75	0.15	1.51	0.03	0.9	535	51	257	9.91	86.9	0.004	-0.005	37
21WDD0002	D000050	74.6	75	0.4	2.68	0.011	1.4	42.8	200	639	8.24	145	0.003	-0.005	250
21WDD0002	D000052	75	75.6	0.6	6.96	0.005	3.2	35	94	370	3.78	150	0.002	0.005	276
21WDD0002	D000053	75.6	76	0.4	4.74	0.007	2.5	67.8	129	1350	24.5	246	0.005	-0.005	136
21WDD0002	D000054	76	76.6	0.6	2.76	0.009	3.3	42.1	297	604	14.7	131	0.001	-0.005	221
21WDD0002	D000061	115.2	115.6	0.4	3.34	0.016	0.4	62.1	67	357	14.2	85.4	0.002	-0.005	166
21WDD0002	D000062	115.6	115.9	0.3	1.58	0.004	1.2	13.1	34	146	3.05	24.8	0.001	-0.005	84
21WDD0002	D000087	236	237	1	3.22	0.01	2.4	37.7	6	742	0.85	242	0.01	0.017	765
21WDD0002	D000088	237	237.15	0.15	5.02	0.051	5.9	94.5	21	4140	3.28	646	0.001	-0.005	788
21WDD0004	D00155	103.98	104.30	0.32	3.96	0.024	0.3	51.4	208	1180	11.2	187	0.003	0.008	188
21WDD0004	D00159	116.80	117.00	0.20	1.75	0.004	0.9	26.9	181	319	5.56	144	0.002	<0.006	228
21WDD0004	D00176	129.50	130.00	0.50	3.38	0.061	0.7	21.8	224	481	2.04	188	0.002	<0.006	262
21WDD0004	D00177	130.00	131.00	1.00	3.61	0.031	0.4	27.6	154	647	2.61	253	0.006	0.008	160
21WDD0004	D00178	131.00	131.60	0.60	3.84	0.022	0.5	45.3	104	646	3.84	277	0.005	0.005	99
21WDD0004	D00179	131.60	132.20	0.60	3.67	0.011	0.5	37.3	59	739	2.78	299	0.003	0.01	83
21WDD0004	D00182	132.50	132.75	0.25	3.8	0.004	0.4	31.2	58	576	3.26	225	0.002	<0.005	103
21WDD0004	D00183	132.75	133.20	0.45	1.59	0.014	1.5	58.6	129	149.5	1.23	105.5	0.001	<0.005	184
21WDD0004	D00201	150.70	151.70	1.00	0.28	0.063	0.9	37.8	46	73.5	0.89	26.9	0.005	0.006	97
21WDD0004	D00204	166.00	167.00	1.00	0.37	0.007	3.2	70.9	1090	220	0.7	604	0.009	0.009	105
21WDD0004	D00205	167.00	168.00	1.00	0.26	0.003	2.1	71.8	981	77.8	0.55	588	0.009	0.009	93

21WDD0004	D00206	168.00	169.00	1.00	0.22	0.002	4.7	72.4	<b>1440</b>	92.8	0.43	783	0.009	0.009	69
21WDD0004	D00207	170.20	170.60	0.40	0.06	0.001	1.3	67.3	<b>2140</b>	5.9	0.59	797	0.01	0.005	195
21WDD0004	D00208	170.60	171.15	0.55	0.03	0.002	1	67	<b>4890</b>	2.3	0.31	<b>1605</b>	0.002	<0.005	381
21WDD0004	D00210	171.55	172.15	0.60	0.12	0.002	2.3	59.8	<b>1590</b>	30.8	0.43	696	0.005	<0.005	185
21WDD0004	D00212	172.50	173.00	0.50	1.27	0.003	<b>3</b>	51.6	<b>2130</b>	94.2	0.54	832	<b>0.024</b>	<b>0.012</b>	372
21WDD0005	D00224	0.50	1.00	0.50	<b>4.42</b>	0.003	4.5	16.9	97	85	1.79	44.9	0.004	<0.005	25
21WDD0005	D00225	1.00	2.00	1.00	<b>4.67</b>	0.003	3.6	20.6	113	101	1.64	37.4	0.003	<0.005	30
21WDD0005	D00226	27.00	28.00	1.00	0.37	0.01	<b>131.5</b>	123	<b>2980</b>	79.7	8.34	<b>1385</b>	<b>0.015</b>	<b>0.017</b>	158
21WDD0005	D00227	28.00	29.00	1.00	0.25	0.007	<b>255</b>	92.9	<b>2410</b>	57.3	8.09	<b>1335</b>	<b>0.012</b>	<b>0.013</b>	180
21WDD0005	D00228	29.00	29.60	0.60	0.18	<b>0.024</b>	<b>181</b>	102	<b>3160</b>	65.6	12.15	<b>1345</b>	0.022	0.02	218
21WDD0005	D00242	62.90	63.20	0.30	<b>1.97</b>	<b>0.085</b>	0.8	103	691	263	2.51	169	0.005	<0.005	159
21WDD0005	D00243	63.20	63.70	0.50	<b>2.06</b>	<b>0.047</b>	5.3	32.8	176	490	8.87	351	0.002	<0.005	72
21WDD0005	D00244	63.70	64.30	0.60	<b>2.41</b>	0.016	0.4	27.9	68	453	12.85	315	0.002	<0.005	74
21WDD0005	D00245	64.30	64.90	0.60	1.11	<b>0.033</b>	0.6	13.9	34	126.5	2.89	74.8	<0.001	<0.005	70
21WDD0005	D00251	69.20	70.00	0.80	<b>1.97</b>	0.025	2.4	<b>107</b>	218	314	5.84	285	0.007	<0.005	88
21WDD0005	D00252	69.20	70.00	0.80	<b>2.34</b>	0.04	2	<b>103.5</b>	224	376	5.14	307	0.005	0.006	78
21WDD0005	D00253	70.00	70.70	0.70	<b>1.85</b>	0.031	0.9	34.9	46	462	6.48	342	0.002	0.006	36
21WDD0005	D00254	70.70	71.40	0.70	0.86	0.006	1.5	19.2	292	53.9	1.92	105.5	0.004	<0.005	130

Table 2: Anomalous Ag intervals holes 1, 2, 4 and 5, Phil's Hill – note all intervals are down-hole intervals, not true thicknesses

### Assay Results From Drilling of Plate 17a - Hole 5 (21WDD0005), Logging Hole 6

Hole 5 was abandoned at 71.4m following drilling problems and Hole 6 was a re-drill 3m to the SW (Figure 6). Only selected zones in Hole 5 were sampled but significant Ag, As, Pt, Pd, Cr and Ni anomalism is noted high in the hole. Significant results include:

- 1.5m @ 4.59 g/t Ag from 0.5m
- 7.8m @ 1.30 g/t Ag from 62.9m

Arsenic anomalism is not noted at Plates 10a and 20a and this new presence is very supportive of a gold-polymetallic mineralisation association. Assay results for Hole 6 are pending.

Logging of Hole 6 located massive and stringer sulphides from 54.5 to 94.4m associated with altered pegmatites and mafic units in contact with the pegmatite. Magmatic sulphides were also observed at 180m within pyroxenites toward the base of the unit. Any massive sulphide close to this interval (off-hole) would have been effectively masked and this could explain the fact that a conductor was not seen on this section.




Figure 6: Plate 17a Cross section showing sulphide mineralisation and assay anomalism, Hole 5

**Plate 6a – Logging of Holes 7 and 8 (21WDD0007 and 21WDD0008)**

Two holes were drilled at the southern plate 6a (Figure 1), holes 7 and 8. Hole 7 ended at 59.5m due to drilling problems and hole 8 was a redrill 5m to the NE. Assay results are pending for Holes 7 and 8.

Logging of Hole 8 found massive, stringer and disseminated sulphides from 49-54m and 137-166m with apparent magmatic Ni sulphides over 0.8m at 172m downhole. The core is quite different from previous holes with increased silicification and potassic alteration observed, which is common in Au-Cu mineral systems. Biotite alteration is more intense and the core more broken indicating intense alteration and fracturing which assists creating space for subsequent mineralising fluids.

A detailed analysis of past drillhole geochemistry at Warrior by geochemical consultant GC Xplore has highlighted a number of anomalies and trends that warrant follow up once crops are harvested at the project area next January.

**For more information about Pursuit Minerals and its projects, contact:**

**Mark Freeman**  
Managing Director  
E: markf@pursuitminerals.com.au  
T: +61 412 692 146

**Mathew Perrot**  
Exploration Manager  
E: mathewp@pursuitminerals.com.au  
T: +61 411 406 810

[www.pursuitminerals.com.au](http://www.pursuitminerals.com.au)

**Competent Person's Statement**

Statements contained in this announcement relating to exploration results, are based on, and fairly represents, information and supporting documentation prepared by Mr. Mathew Perrot, who is a Registered Practising Geologist Member No 10167 and a member of the Australian Institute of Geoscientists, Member No 2804. Mr. Perrot is a full-time employee of the Company, as the Company's Exploration Manager and has sufficient relevant experience in relation to the mineralisation style being reported on to qualify as a Competent Person for reporting exploration results, as defined in the Australian Code for Reporting of Identified Mineral Resources and Ore Reserves (JORC) Code 2012. Mr. Perrot consents to the use of this information in this announcement in the form and context in which it appears and holds shares in the company.

**Forward looking statements**

*Statements relating to the estimated or expected future production, operating results, cash flows and costs and financial condition of Pursuit Minerals Limited's planned work at the Company's projects and the expected results of such work are forward-looking statements. Forward-looking statements are statements that are not historical facts and are generally, but not always, identified by words such as the following: expects, plans, anticipates, forecasts, believes, intends, estimates, projects, assumes, potential and similar expressions. Forward-looking statements also include reference to events or conditions that will, would, may, could or should occur. Information concerning exploration results and mineral reserve and resource estimates may also be deemed to be forward-looking statements, as it constitutes a prediction of what might be found to be present when and if a project is actually developed.*

*These forward-looking statements are necessarily based upon a number of estimates and assumptions that, while considered reasonable at the time they are made, are inherently subject to a variety of risks and uncertainties which could cause actual events or results to differ materially from those reflected in the forward-looking statements, including, without limitation: uncertainties related to raising sufficient financing to fund the planned work in a timely manner and on acceptable terms;*

changes in planned work resulting from logistical, technical or other factors; the possibility that results of work will not fulfil projections/expectations and realize the perceived potential of the Company's projects; uncertainties involved in the interpretation of drilling results and other tests and the estimation of gold reserves and resources; risk of accidents, equipment breakdowns and labour disputes or other unanticipated difficulties or interruptions; the possibility of environmental issues at the Company's projects; the possibility of cost overruns or unanticipated expenses in work programs; the need to obtain permits and comply with environmental laws and regulations and other government requirements; fluctuations in the price of gold and other risks and uncertainties.

## GLOSSARY

Ag	Silver
Au	Gold
Cu	Copper
DHEM	Down Hole Electro-Magnetic surveying
Disseminated sulphides	Sulphides throughout the rock mass – not joined together and not conductive
Epigenetic	Mineralisation forming after rocks were formed by later mineralising events
g/t	Grams per ton
Intrusive	Body of igneous rock that has crystallized from molten magma below the surface of the Earth
Litho-geochemistry	Study of common elemental signatures in different rock types to aid accurate logging by geologists
Metamorphism	The solid state recrystallisation of pre-existing rocks due to changes in heat and/or pressure and/or the introduction of fluids, i.e. without melting
Massive Sulphides	The majority of the rock mass consists of various sulphide species
Ni	Nickel
ppm	Parts per million
Pegmatite	Exceptionally coarse-grained granitic intrusive rock,
polymetallic mineralisation	Deposits which contain different elements in economic concentrations
Pb	lead
Pyroxenite	A coarse-grained, igneous rock consisting mainly of pyroxenes. It may contain biotite, hornblende, or olivine as accessories.
Sulphides	Various chemical compounds of sulphur and metals
Ultramafic	Very low silica content igneous and metamorphic rocks
Zn	Zinc
VHMS	Volcanic Hosted Massive Sulphide

**APPENDIX 1 – ASSAY RESULTS, DIAMOND HOLES 1, 2, 4 AND 5 – PHIL’S HILL PROSPECT**

All interval widths are down hole intervals, not true widths.

HOLE ID	From (m)	To (m)	interval (m)	Ag ppm	As ppm	Au ppb	Bi ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe pct	Mg ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Pd ppm	Pt ppm	Re ppm	Sb ppm	Se ppm	Te ppm	Zn ppm
21WDD0001	50	51	1	0.66	1.4	2	0.18	0.23	29.9	70	83.6	7.04	10900	1060	1.13	86.3	41.8	<0.001	<0.005	<0.002	0.1	<1	<0.05	162
21WDD0001	51	52	1	0.85	0.7	2	0.21	0.24	45.7	57	92.1	9.1	14200	1920	1.24	115.5	20.8	<0.001	<0.005	<0.002	0.11	<1	<0.05	147
21WDD0001	52	52.5	0.5	0.29	0.9	1	0.27	0.17	32.7	34	135.5	10	13200	2380	1.01	86.5	8	<0.001	<0.005	<0.002	0.14	<1	<0.05	138
21WDD0001	52.5	53.2	0.7	0.73	1.2	<1	0.05	0.21	14.2	15	18.3	3.48	4500	729	0.97	29.2	48.8	<0.001	<0.005	<0.002	0.09	1	0.06	68
21WDD0001	53.2	54	0.8	0.11	1.3	<1	0.21	0.26	58.2	30	86.8	9.57	28900	2080	1.26	123	17	<0.001	<0.005	<0.002	<0.05	2	0.05	184
21WDD0001	54	55	1	0.17	1	1	0.13	0.28	52	28	88.1	9.32	26200	1680	1.34	97.8	15.4	<0.001	<0.005	<0.002	0.09	1	0.05	168
21WDD0001	55	56	1	0.16	0.3	2	0.03	0.62	11.6	21	11.5	4	5500	1600	0.76	19.1	78.9	<0.001	<0.005	<0.002	<0.05	<1	<0.05	240
21WDD0001	56	56.5	0.5	0.45	<0.2	1	0.02	0.93	12.4	32	31.8	3.28	4900	620	0.87	22.1	96.6	<0.001	<0.005	<0.002	0.05	<1	<0.05	357
21WDD0001	56.5	56.8	0.3	0.21	0.2	2	0.47	1	39.4	138	22.4	8.75	35200	2100	0.75	116	30.9	<0.001	<0.005	<0.002	0.06	<1	<0.05	385
21WDD0001	56.8	57.2	0.4	0.41	0.6	1	0.12	0.23	6.6	19	26.4	2.26	3900	544	0.73	22.5	61.9	<0.001	<0.005	<0.002	0.07	1	<0.05	145
21WDD0001	57.2	57.7	0.5	0.16	6.8	2	0.31	0.49	43.9	205	127.5	14.4	35200	1200	1.58	260	35.4	<0.001	<0.005	<0.002	0.06	1	0.07	499
21WDD0001	57.7	58.3	0.6	0.51	0.7	2	0.1	1.71	7.5	28	54.9	2.9	7400	524	2.59	24.2	122	<0.001	<0.005	<0.002	0.07	<1	<0.05	265
21WDD0001	58.3	58.6	0.3	0.19	1.1	<1	0.13	0.67	25.9	76	22.1	6.85	21600	1180	0.77	54.2	63.3	<0.001	<0.005	<0.002	0.12	<1	<0.05	761
21WDD0001	58.6	59.7	1.1	0.33	0.8	1	0.1	1.17	10.7	29	29.5	3.48	5900	1530	1.01	25	142	<0.001	<0.005	<0.002	0.08	1	0.05	403
21WDD0001	59.7	60	0.3	5.14	0.7	23	1.07	5.75	230	106	1280	9.73	1300	179	30	249	36.6	<0.001	<0.005	0.015	0.1	2	0.4	243
21WDD0001	60	60.5	0.5	1.18	8.3	3	0.49	0.78	36	118	147	11.6	29100	1080	2.9	125.5	29.8	<0.001	<0.005	<0.002	0.07	<1	0.05	495
21WDD0001	60.5	61	0.5	3.76	0.7	4	0.22	0.15	19.9	145	233	6.75	9000	537	3.57	45	70.2	<0.001	<0.005	0.002	0.08	<1	0.07	225
21WDD0001	61	61.4	0.4	0.14	0.5	<1	0.08	0.34	65.9	97	58.1	10.5	49300	1460	1.06	186.5	18.9	<0.001	<0.005	<0.002	0.07	1	0.06	295
21WDD0001	61.4	62	0.6	0.36	0.5	1	0.45	0.42	40.8	142	60.2	7.99	31500	1540	0.91	89.2	18.6	<0.001	<0.005	0.002	0.1	<1	<0.05	98
21WDD0001	62	63	1	0.26	1.7	2	0.46	0.41	31.9	152	65.9	7.42	29600	1420	1.31	104.5	26.8	<0.001	<0.005	<0.002	0.1	<1	<0.05	125
21WDD0001	63	64	1	0.91	0.8	3	0.89	0.57	21.4	59	178	7.15	14400	1480	2.28	53.4	38.1	<0.001	<0.005	<0.002	0.12	2	0.1	154

HOLE ID	From (m)	To (m)	interval (m)	Ag ppm	As ppm	Au ppb	Bi ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe pct	Mg ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Pd ppm	Pt ppm	Re ppm	Sb ppm	Se ppm	Te ppm	Zn ppm
21WDD0001	85	85.45	0.45	0.3	4.4	3	0.55	0.33	14	128	53	7.39	23800	1240	1.72	91	29.9	<0.001	<0.005	<0.002	0.16	1	0.08	160
21WDD0001	85.45	85.6	0.15	0.59	4.1	5	0.88	0.17	41.3	333	119	25.2	22500	2070	3.26	67.9	22.6	<0.001	<0.005	0.008	0.11	1	0.19	166
21WDD0001	85.6	86	0.4	0.12	0.5	1	0.11	0.14	56.8	168	24.1	8.4	38900	1960	0.42	137	7.8	<0.001	<0.005	0.007	0.18	<1	0.05	131
21WDD0001	94	95	1	0.12	1	1	0.63	0.35	55.1	167	60.2	8.96	30700	1780	3.95	134.5	6.9	0.001	<0.005	0.002	0.44	<1	<0.05	154
21WDD0001	95	95.6	0.6	0.35	1.7	1	0.25	0.23	57.7	153	63.3	7.86	24900	1840	1.01	145.5	9.6	<0.001	<0.005	0.003	0.52	1	<0.05	126
21WDD0001	95.6	95.75	0.15	1.51	0.9	30	5.19	0.18	535	51	257	33	4100	383	9.91	86.9	10.7	0.004	<0.005	0.006	0.07	1	0.21	37
21WDD0001	95.75	96	0.25	0.05	<0.2	1	0.04	0.14	3.6	15	9.6	33.2	12700	716	0.76	8.5	0.9	<0.001	<0.005	<0.002	0.06	<1	<0.05	97
21WDD0001	96	97	1	0.33	0.4	1	0.17	0.28	16.3	297	20.4	22.1	27100	1340	1.02	164.5	8.8	0.002	<0.005	0.002	0.08	2	0.1	120
21WDD0001	194	194.7	0.7	0.33	1.4	5	0.48	0.29	50.3	114	237	12.25	24300	2430	2.09	115.5	22.4	0.021	0.013	0.002	0.22	<1	0.07	194
21WDD0001	194.7	195.01	0.31	0.97	5.4	8	0.88	0.3	76.7	42	853	31.5	24700	2210	5.34	176.5	12.2	0.009	<0.005	0.006	0.3	1	0.3	164
21WDD0001	195.01	196	0.99	0.5	0.9	18	0.91	1.05	52.7	123	271	11.7	40500	2860	0.48	110	34	0.014	0.01	0.002	0.16	1	0.08	501
21WDD0002	46.4	47.4	1	0.07	0.9	<1	0.05	0.2	25.5	76	33.1	6.31	18900	1280	1.8	99.6	22.1	<0.001	<0.005	0.002	0.08	<1	<0.05	118
21WDD0002	47.4	47.75	0.35	1.44	3.6	5	0.43	0.44	57.7	92	1050	12.15	27900	2020	4.25	209	12.8	0.001	<0.005	0.004	0.18	1	0.08	159
21WDD0002	47.75	48.5	0.75	0.05	0.2	<1	0.04	0.09	24.1	26	7.2	5.98	13400	893	1.34	28	23.3	<0.001	<0.005	0.002	0.05	<1	<0.05	108
21WDD0002	65	66	1	0.16	1	1	0.19	0.24	42.7	15	110.5	10.2	35300	2190	0.6	74	15.9	0.001	<0.005	0.002	0.24	1	<0.05	125
21WDD0002	66	66.5	0.5	0.31	1.4	3	0.19	0.32	32.1	14	167	8.65	31600	1840	1.08	63	15.3	<0.001	<0.005	0.002	0.35	<1	<0.05	124
21WDD0002	66.5	67.2	0.7	0.49	0.9	6	0.23	0.33	33.5	18	255	11.15	33900	2490	1.02	84.3	16.6	0.001	<0.005	0.002	0.2	<1	<0.05	156
21WDD0002	67.2	68	0.8	0.12	1.7	3	0.14	0.19	51.3	19	65.5	9.34	34300	2070	0.77	135	21.6	0.001	<0.005	0.003	0.16	1	<0.05	113
21WDD0002	70	71	1	0.47	2.7	10	0.17	0.34	28.6	123	93.2	8.89	26100	1520	2.54	106.5	26.5	0.001	<0.005	0.002	0.19	<1	<0.05	152
21WDD0002	71	72	1	0.1	0.2	3	0.06	0.14	9.4	57	15.7	4.24	9400	900	0.87	30.6	54	0.001	<0.005	<0.002	0.07	<1	<0.05	109
21WDD0002	72	72.4	0.4	1.17	3.5	1	0.56	0.61	57.3	541	229	13.3	28700	2360	1.88	252	14.2	<0.001	<0.005	0.003	0.18	1	<0.05	166
21WDD0002	72.9	73.6	0.7	1.24	2	2	0.26	0.37	8.1	21	227	3	3000	251	1.4	18.9	61.9	<0.001	<0.005	<0.002	0.11	<1	<0.05	48
21WDD0002	73.6	74	0.4	0.16	162	4	0.19	0.58	56.6	799	19.4	9.8	55500	1860	0.77	432	8.7	0.005	0.006	0.002	0.86	<1	<0.05	132

HOLE ID	From (m)	To (m)	interval (m)	Ag ppm	As ppm	Au ppb	Bi ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe pct	Mg ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Pd ppm	Pt ppm	Re ppm	Sb ppm	Se ppm	Te ppm	Zn ppm
21WDD0002	74	74.6	0.6	0.47	84.2	3	0.18	0.4	44	570	96.9	11.3	30300	1220	2.25	277	16	0.004	<0.005	0.002	0.34	1	0.06	135
21WDD0002	74.6	75	0.4	2.68	1.4	11	0.63	0.69	42.8	200	639	19.25	24700	1320	8.24	145	25.8	0.003	<0.005	0.002	0.1	<1	0.08	250
21WDD0002	75	75.6	0.6	6.96	3.2	5	0.54	1.18	35	94	370	12.95	26800	2100	3.78	150	21.5	0.002	0.005	0.005	0.1	1	<0.05	276
21WDD0002	75.6	76	0.4	4.74	2.5	7	0.85	0.67	67.8	129	1350	24.7	11500	635	24.5	246	37.6	0.005	<0.005	0.007	0.07	2	0.15	136
21WDD0002	76	76.6	0.6	2.76	3.3	9	0.67	0.87	42.1	297	604	16.75	21800	1440	14.7	131	22.2	0.001	<0.005	0.004	0.11	1	0.1	221
21WDD0002	76.6	77	0.4	0.22	1	2	0.08	0.17	38.6	35	37.8	8.38	20900	1260	1.47	102.5	27.9	<0.001	<0.005	0.005	0.09	<1	<0.05	201
21WDD0002	77	78	1	0.1	0.8	1	0.06	0.21	33.3	28	31.2	7.19	16400	1040	1.35	43.9	24.7	<0.001	<0.005	0.003	0.09	<1	<0.05	169
21WDD0002	88	89	1	0.16	0.8	1	0.08	0.18	39.7	12	111	8.9	13500	1300	1.98	22.1	21.5	<0.001	<0.005	0.003	0.05	1	<0.05	132
21WDD0002	110	111	1	0.16	0.4	1	0.07	0.04	3.4	11	25.6	1.38	2600	146	1.77	4.7	60.5	0.001	<0.005	0.002	0.05	<1	<0.05	43
21WDD0002	114.2	115.2	1	0.41	0.4	1	0.16	0.05	8.8	46	41.6	2.66	6500	239	1.69	15.7	54.7	<0.001	<0.005	0.002	<0.05	<1	0.07	77
21WDD0002	115.2	115.6	0.4	3.34	0.4	16	0.84	0.43	62.1	67	357	24.1	33500	1300	14.2	85.4	5.5	0.002	<0.005	0.003	0.07	1	0.61	166
21WDD0002	115.6	115.9	0.3	1.58	1.2	4	0.55	0.08	13.1	34	146	7.24	6100	333	3.05	24.8	69.1	0.001	<0.005	0.003	<0.05	<1	0.2	84
21WDD0002	115.9	116.9	1	0.14	1	2	0.2	0.15	38.2	21	43.6	6.93	30000	1130	2.07	45.7	25.2	0.004	0.005	0.002	0.12	<1	<0.05	161
21WDD0002	133.15	134.15	1	0.29	1	<1	0.26	0.38	34.6	80	72	7.58	32400	1200	1.5	62.5	21.2	<0.001	<0.005	0.002	0.09	1	<0.05	188
21WDD0002	134.15	134.3	0.15	0.95	1	2	1.02	1.63	39.6	94	332	12.85	54100	3210	1.64	83.9	14.5	<0.001	<0.005	0.002	0.26	1	0.1	511
21WDD0002	134.3	135.3	1	0.26	1.6	1	0.86	0.45	23.8	38	46.5	6.19	27900	2050	8.38	40.5	11.6	<0.001	<0.005	0.005	0.13	<1	<0.05	209
21WDD0002	167.6	168.6	1	0.24	0.5	1	0.14	0.21	51.3	173	83	9.04	43500	1670	0.68	132	10.6	<0.001	<0.005	0.002	0.06	1	<0.05	116
21WDD0002	168.6	169	0.4	1.11	0.7	13	0.5	0.57	54.1	146	471	16.05	23100	1590	8.76	150.5	15.2	0.005	0.007	0.007	0.11	3	0.47	212
21WDD0002	169	170	1	0.04	0.6	1	0.1	0.74	72.1	1990	8.8	8.69	114500	1200	0.48	859	4.8	0.004	0.007	0.002	0.06	<1	<0.05	157
21WDD0002	178	178.6	0.6	0.16	2.9	3	0.23	0.34	17.1	114	55.8	22.3	15200	1160	1.64	68.2	5.8	0.004	<0.005	0.01	0.26	2	0.16	68
21WDD0002	178.6	179.5	0.9	1.1	2.1	8	0.44	0.67	35.1	230	357	16.1	17800	1350	4.1	104.5	9.6	0.002	<0.005	0.006	0.11	2	0.22	173
21WDD0002	179.5	180	0.5	0.25	0.5	4	0.27	0.2	45.7	168	57.7	8.36	37800	1200	1.02	123.5	16.2	<0.001	<0.005	0.002	0.06	1	<0.05	109
21WDD0002	180	180.95	0.95	0.12	0.5	1	0.07	0.04	4.5	18	24.9	1.98	4000	174	1.8	9.5	77.2	<0.001	<0.005	<0.002	0.05	1	<0.05	39

HOLE ID	From (m)	To (m)	interval (m)	Ag ppm	As ppm	Au ppb	Bi ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe pct	Mg ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Pd ppm	Pt ppm	Re ppm	Sb ppm	Se ppm	Te ppm	Zn ppm
21WDD0002	183	183.6	0.6	0.18	1	<1	0.27	0.25	51.2	143	55.1	8.55	26000	1990	1.16	120	7.9	<0.001	<0.005	0.002	0.11	1	<0.05	121
21WDD0002	183.6	183.9	0.3	1.13	0.2	9	0.47	0.62	37.4	174	474	10.9	30700	2400	1.5	109	11.3	<0.001	<0.005	0.002	0.07	1	0.15	186
21WDD0002	183.9	184.9	1	0.08	0.2	1	0.03	0.06	6.2	28	7.4	2.54	7400	246	0.92	14.4	32	<0.001	<0.005	<0.002	0.05	1	<0.05	79
21WDD0002	190	190.4	0.4	0.1	0.7	1	0.19	0.26	62.7	1080	26.8	9.68	85100	1370	0.65	492	8.3	0.008	0.012	0.002	0.1	1	<0.05	194
21WDD0002	190.4	190.65	0.25	0.09	0.3	1	0.06	0.13	28.9	592	29	9.43	36500	826	1.18	154	28.7	0.01	0.008	<0.002	<0.05	1	<0.05	310
21WDD0002	190.65	191.4	0.75	0.13	0.6	2	0.19	0.16	44.4	251	25.4	8.25	52500	1840	0.51	133.5	6.7	0.012	0.015	0.002	0.1	1	<0.05	84
21WDD0002	191.4	192.05	0.65	1.35	1.1	7	0.54	0.08	60.2	37	448	13.65	4100	394	3.29	57.8	58.7	0.002	<0.005	0.004	0.06	1	0.2	148
21WDD0002	192.05	193	0.95	0.12	0.6	<1	0.24	0.4	70.3	1080	44.2	8.75	100000	1450	0.42	600	3.9	0.012	0.011	0.002	<0.05	1	<0.05	107
21WDD0002	198.5	199.5	1	0.14	0.6	<1	0.1	0.15	39.1	182	48.5	7.85	41900	1210	0.54	94.4	14.7	0.005	0.007	0.002	0.49	1	<0.05	98
21WDD0002	199.5	199.65	0.15	0.31	2.8	5	0.25	0.28	53.3	481	198.5	10.75	71700	1650	0.83	255	9.1	0.009	0.009	0.006	0.84	1	0.08	122
21WDD0002	199.65	200.65	1	0.16	0.7	3	0.08	0.16	40	141	51.7	7.83	43600	1550	0.48	79.3	10.4	0.009	0.01	0.01	0.48	1	<0.05	85
21WDD0002	236	237	1	3.22	2.4	10	2.49	2.92	37.7	6	742	9.62	27200	5390	0.85	242	616	0.01	0.017	0.007	0.97	1	0.11	765
21WDD0002	237	237.15	0.15	5.02	5.9	51	0.87	3.25	94.5	21	4140	16.85	25400	11600	3.28	646	84	0.001	<0.005	0.014	0.89	6	0.31	788
21WDD0002	237.15	238	0.85	0.33	4	4	0.54	2.58	28.8	9	97.4	8.71	44200	8460	1.16	151.5	57.5	<0.001	<0.005	0.004	0.3	<1	<0.05	499
21WDD0002	255	256	1	0.36	2.6	2	0.25	0.27	72.4	1120	163	8.02	100500	1570	0.49	678	14.7	0.011	0.01	0.005	0.26	1	0.05	106
21WDD0004	93	93.45	0.45	0.32	3.5	2	0.75	0.84	37.9	143	26	6.57	31600	2840	1.57	95.5	37.9	0.001	<0.005	<0.002	0.36	<1	<0.05	281
21WDD0004	93.45	93.8	0.35	0.84	5.8	2	1.52	2.35	30	70	127	8.26	47000	7960	0.87	50.9	20.9	<0.001	<0.005	<0.002	0.81	1	0.06	227
21WDD0004	93.8	94.8	1	0.24	0.9	3	0.1	1.28	11.2	20	44.9	2.87	6600	1300	1.19	13.7	168	0.001	<0.005	<0.002	0.06	<1	0.05	291
21WDD0004	100.7	101.7	1	0.33	0.9	3	0.27	0.36	38.6	59	93	7.61	24900	1720	0.95	65.1	21.1	<0.001	<0.005	<0.002	0.06	1	<0.05	133
21WDD0004	102.5	103	0.5	0.15	0.6	2	0.04	0.23	3	12	6.4	1.72	3600	233	1.17	6.9	119	<0.001	<0.005	<0.002	<0.05	<1	<0.05	90
21WDD0004	103	103.98	0.98	1.02	0.5	5	0.55	0.47	7.4	23	177.5	4.43	6600	393	2.01	16.4	118	<0.001	<0.005	<0.002	0.05	<1	0.06	134
21WDD0004	103.98	104.3	0.32	3.96	0.3	24	1.85	1.4	51.4	208	1180	33	12600	602	11.2	187	6.8	0.003	0.008	0.003	<0.05	1	0.59	188
21WDD0004	104.3	104.8	0.5	0.25	1.2	6	0.13	0.24	3.4	23	23.8	2.42	5300	281	1.23	13	102.5	0.001	<0.005	<0.002	<0.05	<1	0.05	123

HOLE ID	From (m)	To (m)	interval (m)	Ag ppm	As ppm	Au ppb	Bi ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe pct	Mg ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Pd ppm	Pt ppm	Re ppm	Sb ppm	Se ppm	Te ppm	Zn ppm
21WDD0004	111.7	112.7	1	0.33	2.1	2	0.15	0.96	27.9	53	113.5	5.93	18000	1240	3.32	50.9	40.9	0.001	<0.005	<0.002	0.05	<1	<0.05	351
21WDD0004	116	116.8	0.8	0.38	2.4	2	0.48	1.09	29.3	48	75.6	6.27	16700	2200	1.7	48.6	74.1	<0.001	<0.005	0.002	0.19	1	0.05	461
21WDD0004	116.8	117	0.2	1.75	0.9	4	0.63	1.39	26.9	181	319	7.11	8900	653	5.56	144	70.3	0.002	<0.005	<0.002	0.05	1	0.05	228
21WDD0004	117	118	1	0.3	0.3	2	0.19	0.21	40.2	132	61.6	6.26	30900	1780	1.26	96.9	17.7	0.001	<0.005	0.002	0.12	1	<0.05	121
21WDD0004	119.8	120.2	0.4	0.23	1	2	0.17	0.24	37.9	20	75.5	7.59	21600	1430	1.35	47.9	20.7	<0.001	<0.005	0.002	0.09	1	<0.05	136
21WDD0004	120.3	120.9	0.6	0.15	1.7	2	0.13	0.3	49.8	22	78.6	7.92	19800	1600	1.27	76.8	24.4	<0.001	<0.005	<0.002	0.13	1	<0.05	193
21WDD0004	120.9	121.25	0.35	0.1	11.1	2	0.17	0.12	35.5	156	48.9	9.83	49600	1360	0.59	164	22	<0.001	<0.005	<0.002	0.12	1	0.08	134
21WDD0004	121.25	121.75	0.5	0.12	8.4	3	0.16	0.12	37.6	271	51.8	9.41	54800	1200	0.43	271	18.5	0.001	<0.005	<0.002	0.05	<1	0.08	133
21WDD0004	121.75	122.5	0.75	0.12	2.4	2	0.2	0.21	46.5	58	60.2	9.23	28600	2070	0.89	101	23.4	<0.001	<0.005	<0.002	0.06	<1	<0.05	158
21WDD0004	122.5	123.4	0.9	0.13	0.8	2	0.1	0.2	13.9	86	28.5	4.37	11400	503	1.57	33.7	69.7	0.001	<0.005	<0.002	0.05	<1	0.05	92
21WDD0004	123.4	123.9	0.5	1.08	0.6	8	0.34	0.12	9.6	34	232	22.4	3900	684	5.16	71.2	22.8	<0.001	<0.005	0.007	<0.05	2	0.34	198
21WDD0004	123.9	125	1.1	0.23	0.7	4	0.16	0.34	10.9	23	20.3	30.1	10300	740	2.18	17.6	9.7	0.001	<0.005	<0.002	<0.05	1	0.05	154
21WDD0004	125	126	1	0.63	0.7	7	0.23	0.68	12	80	82	30.3	17400	1600	2.3	54.6	8.5	<0.001	<0.005	0.003	<0.05	<1	0.11	235
21WDD0004	126	127	1	0.41	0.5	5	0.11	0.47	7	85	36.9	21.6	15600	1780	2.06	21.7	25.8	0.001	<0.005	0.002	<0.05	1	0.08	235
21WDD0004	127	128	1	0.55	1.2	1	0.16	0.77	42.3	104	78.6	13.75	38200	2510	1.8	79.9	62.7	0.001	<0.005	0.003	0.56	<1	<0.05	229
21WDD0004	128	129	1	0.22	0.3	2	0.04	0.34	6.1	72	19.2	22.5	17400	1910	1.92	22.4	20.1	0.001	<0.005	<0.002	0.07	<1	<0.05	207
21WDD0004	129	129.5	0.5	0.19	0.3	2	0.03	0.35	5.7	53	13.8	34.5	18500	1990	0.94	21.9	20.5	<0.001	<0.005	<0.002	0.06	<1	<0.05	228
21WDD0004	129.5	130	0.5	3.15	0.5	25	1.08	1.84	22.1	241	477	32.2	22100	2550	2.05	190	78.5	0.003	0.007	0.007	0.12	1	0.16	250
21WDD0004	130	131	1	3.61	0.4	31	1.12	2.47	27.6	154	647	40.5	14500	3160	2.61	253	61.5	0.006	0.008	0.005	0.11	2	0.17	160
21WDD0004	131	131.6	0.6	3.84	0.5	22	1.07	2.2	45.3	104	646	43.6	8800	2450	3.84	277	44.6	0.005	0.005	0.004	0.08	1	0.16	99
21WDD0004	131.6	132.2	0.6	3.67	0.5	11	1.01	2.42	37.3	59	739	46.1	5800	1550	2.78	299	32.1	0.003	0.01	0.004	0.09	1	0.16	83
21WDD0004	132.2	132.5	0.3	1.46	2.2	5	0.3	3	33.1	162	57.8	7.88	30100	2350	1.14	96.7	113	<0.001	<0.005	0.002	0.57	1	<0.05	188
21WDD0004	132.5	132.75	0.25	3.8	0.4	4	0.98	1.46	31.2	58	576	35.9	8900	825	3.26	225	30.2	0.002	<0.005	0.005	0.09	1	0.08	103

HOLE ID	From (m)	To (m)	interval (m)	Ag ppm	As ppm	Au ppb	Bi ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe pct	Mg ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Pd ppm	Pt ppm	Re ppm	Sb ppm	Se ppm	Te ppm	Zn ppm
21WDD0004	132.75	133.2	0.45	1.59	1.5	14	0.36	1.7	58.6	129	149.5	13.8	32700	2520	1.23	105.5	67.7	0.001	<0.005	0.003	0.48	<1	<0.05	184
21WDD0004	133.2	134	0.8	1.46	0.9	8	0.32	1.28	47.5	174	145.5	13.3	32000	1840	2.18	109	91.5	<0.001	<0.005	0.004	0.26	1	<0.05	179
21WDD0004	134	135	1	1.03	0.5	6	0.25	1.22	26.4	174	98.2	10	30400	1820	1.62	78.8	89.7	<0.001	<0.005	0.003	0.11	1	<0.05	208
21WDD0004	135	136	1	1.21	0.3	7	0.39	1.01	72	178	120.5	13.05	39400	2130	1.62	111.5	107.5	0.001	<0.005	0.003	0.09	1	0.07	277
21WDD0004	136	137	1	0.61	0.5	3	0.22	0.46	17.4	102	48.9	4.75	12600	688	3.61	43.5	50.4	0.001	<0.005	0.008	0.07	<1	0.05	113
21WDD0004	137	138	1	0.08	0.8	3	0.06	0.36	22.2	147	19.1	4.75	21900	1010	1.12	60.8	37.1	0.005	0.007	0.005	0.05	1	<0.05	129
21WDD0004	141	141.8	0.8	0.07	0.6	2	<0.01	0.09	8	103	35.1	2.66	7000	336	2.25	21.6	22.6	0.001	<0.005	0.003	0.06	1	<0.05	91
21WDD0004	141.8	142.5	0.7	0.17	1	2	0.11	0.37	41.4	64	92.7	8.75	31100	2210	1.09	30.1	30	0.004	0.006	0.002	0.11	1	<0.05	127
21WDD0004	142.5	143.3	0.8	0.14	0.3	3	0.01	0.09	24.6	143	72.7	6.25	13600	635	7.77	74	52.4	0.002	<0.005	0.002	0.05	1	<0.05	177
21WDD0004	143.3	144.1	0.8	0.21	0.2	4	0.01	0.18	28.5	141	97	7.13	15400	1020	37.4	85	178	0.003	<0.005	0.003	0.06	1	0.06	220
21WDD0004	144.1	145	0.9	0.21	0.8	3	0.16	0.88	32.4	62	103	8.29	23100	2180	4.02	32.9	47.6	0.004	0.005	0.002	0.27	1	<0.05	139
21WDD0004	145	146	1	0.28	0.2	3	0.08	0.52	48.9	76	115.5	9.61	32300	1640	1.59	40.9	39.2	0.005	0.007	0.003	0.12	1	<0.05	144
21WDD0004	146	147	1	0.41	0.5	3	0.04	0.26	46.2	47	141	9.49	34000	1380	2.66	30.8	41.1	0.005	0.009	0.003	0.07	1	<0.05	108
21WDD0004	147	148	1	0.39	0.2	2	0.06	0.23	44.2	65	113.5	9.07	30400	1400	2.03	32.4	32.9	0.005	0.008	0.002	0.09	1	0.15	108
21WDD0004	148	149	1	0.22	0.7	2	0.05	0.28	39.6	61	70.5	8.67	28400	2050	3.04	28.5	20.9	0.003	<0.005	0.006	0.36	1	<0.05	109
21WDD0004	149	150	1	0.2	0.7	2	0.04	0.18	42.3	63	110	8.26	27400	1880	1.29	29.9	7.8	0.005	0.007	0.002	0.49	1	<0.05	92
21WDD0004	150	150.7	0.7	0.19	0.7	1	0.05	0.2	42.6	62	84.6	8.56	30000	1710	0.94	30.4	12.6	0.004	0.007	0.002	0.46	1	<0.05	104
21WDD0004	150.7	151.7	1	0.28	0.9	63	0.08	0.17	37.8	46	73.5	8.04	28300	1990	0.89	26.9	27.9	0.005	0.006	<0.002	0.4	1	<0.05	97
21WDD0004	153.3	153.8	0.5	0.37	0.6	8	0.18	0.22	44.4	53	270	9.78	26000	2510	1.93	32.3	12	0.004	0.007	0.006	0.15	2	0.05	118
21WDD0004	165	166	1	0.37	1.5	5	0.25	0.33	43.9	569	181	8.4	59400	1360	1.49	275	9.7	0.006	0.009	<0.002	0.1	<1	<0.05	156
21WDD0004	166	167	1	0.37	3.2	7	0.31	0.37	70.9	1090	220	7.44	89100	1320	0.7	604	18.4	0.009	0.009	<0.002	0.16	1	<0.05	105
21WDD0004	167	168	1	0.26	2.1	3	0.43	0.31	71.8	981	77.8	7.77	89200	1350	0.55	588	17.4	0.009	0.009	<0.002	0.38	<1	<0.05	93
21WDD0004	168	169	1	0.22	4.7	2	0.34	0.18	72.4	1440	92.8	7.71	99500	1220	0.43	783	12.7	0.009	0.009	<0.002	0.5	1	<0.05	69

HOLE ID	From (m)	To (m)	interval (m)	Ag ppm	As ppm	Au ppb	Bi ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe pct	Mg ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Pd ppm	Pt ppm	Re ppm	Sb ppm	Se ppm	Te ppm	Zn ppm
21WDD0004	170.2	170.6	0.4	0.06	1.3	1	0.22	0.55	67.3	2140	5.9	9.35	95200	2100	0.59	797	9.5	0.01	0.005	<0.002	0.09	<1	<0.05	195
21WDD0004	170.6	171.15	0.55	0.03	1	2	0.12	0.08	67	4890	2.3	6.2	149500	1180	0.31	1605	2.2	0.002	<0.005	<0.002	0.06	1	<0.05	381
21WDD0004	171.15	171.55	0.4	0.05	0.4	1	0.08	0.28	51.9	355	1.5	8.91	123000	2050	0.31	299	2	<0.001	<0.005	<0.002	<0.05	<1	<0.05	141
21WDD0004	171.55	172.15	0.6	0.12	2.3	2	0.16	0.22	59.8	1590	30.8	7.32	129500	1500	0.43	696	4.7	0.005	<0.005	<0.002	0.08	<1	<0.05	185
21WDD0004	172.15	172.5	0.35	0.07	0.7	2	0.09	0.42	25.2	220	2.8	4.51	34700	1420	1.06	155.5	25.7	0.003	0.009	<0.002	0.09	<1	<0.05	141
21WDD0004	172.5	173	0.5	1.27	3	3	0.55	0.31	51.6	2130	94.2	4.98	55100	2750	0.54	832	93	0.024	0.012	<0.002	0.18	1	0.08	372
21WDD0004	189.1	190	0.9	0.98	8.4	6	0.37	3.33	49.7	227	374	10.65	44100	2090	1.14	168	133	0.01	0.008	<0.002	0.21	2	0.25	746
21WDD0004	190	191	1	1.06	1.4	6	0.28	2.98	51	218	351	10.05	46200	1350	1.85	160	156	0.01	0.008	0.004	0.09	2	0.29	1080
21WDD0004	191	192	1	0.27	0.8	5	0.22	0.68	40.7	124	69.2	8.95	40600	2080	0.88	93.6	31.8	0.015	0.008	<0.002	0.2	<1	<0.05	333
21WDD0004	192	193	1	0.12	0.9	2	0.17	0.51	26.4	118	11	6.74	25400	1630	0.9	59.5	25.9	0.006	0.006	<0.002	0.17	<1	<0.05	185
21WDD0004	193	194	1	0.28	1.1	5	0.24	0.65	34.2	87	114.5	7.35	31600	1630	1.55	90.7	32.6	0.011	0.005	<0.002	0.24	1	<0.05	285
21WDD0004	194	195	1	0.26	0.9	4	0.29	0.83	51.1	131	114.5	9.37	34200	1740	1.04	130.5	29	0.009	0.008	<0.002	0.27	1	<0.05	340
21WDD0004	195	196	1	0.15	0.6	4	0.2	0.43	41.8	164	79.2	8.22	44500	1240	0.91	205	32.6	0.005	0.005	<0.002	0.09	1	<0.05	228
21WDD0004	196	197	1	0.14	0.6	2	0.37	0.42	38.5	100	51.2	9.59	51300	2410	0.4	122.5	11.1	0.007	0.007	<0.002	0.17	<1	<0.05	251
21WDD0004	197	198	1	1.12	4.8	5	1.18	0.72	53.2	178	860	14.3	29700	5240	2.06	123.5	15.4	0.009	0.008	0.006	0.15	2	0.25	153
21WDD0004	198	198.4	0.4	0.55	2	3	0.92	0.26	41.7	208	492	9.18	25000	2460	1.48	120	17.9	0.009	0.005	0.008	0.15	1	0.06	113
21WDD0005	0.5	1	0.5	4.42	4.5	3	0.17	<0.02	16.9	97	85	2.63	4400	290	1.79	44.9	57.6	0.004	<0.005	<0.002	0.2	<1	0.06	25
21WDD0005	1	2	1	4.67	3.6	3	0.19	<0.02	20.6	113	101	2.9	3100	197	1.64	37.4	69.4	0.003	<0.005	<0.002	0.19	1	0.09	30
21WDD0005	27	28	1	0.37	131.5	10	0.71	1.37	123	2980	79.7	27.9	27700	7670	8.34	1385	11.2	0.015	0.017	<0.002	1.15	1	0.17	158
21WDD0005	28	29	1	0.25	255	7	0.57	1.49	92.9	2410	57.3	28.6	31300	8230	8.09	1335	15	0.012	0.013	<0.002	2.71	<1	0.16	180
21WDD0005	29	29.6	0.6	0.18	181	24	0.42	1.24	102	3160	65.6	26	38300	6530	12.15	1345	16.9	0.022	0.02	<0.002	1.78	<1	0.14	218
21WDD0005	55	55.6	0.6	0.19	2	1	0.15	0.25	44.2	38	34.9	10.8	32800	2460	0.52	105	14.5	0.001	0.005	<0.002	0.13	1	<0.05	131
21WDD0005	55.6	55.8	0.2	1.2	6	19	1.88	0.14	69.2	35	243	21.1	5800	1470	6.42	128.5	13.4	0.001	0.007	0.004	0.1	2	0.22	55

HOLE ID	From (m)	To (m)	interval (m)	Ag ppm	As ppm	Au ppb	Bi ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe pct	Mg ppm	Mn ppm	Mo ppm	Ni ppm	Pb ppm	Pd ppm	Pt ppm	Re ppm	Sb ppm	Se ppm	Te ppm	Zn ppm
21WDD0005	55.8	56.8	1	0.19	1.9	5	0.17	0.06	4.4	24	23.1	5.79	2800	543	1.14	18.6	41.4	<0.001	<0.005	<0.002	0.05	<1	<0.05	30
21WDD0005	56.8	57.8	1	0.27	1	3	0.19	0.13	3.3	13	37.2	7.04	900	498	1.56	19.9	39.1	<0.001	<0.005	<0.002	<0.05	1	0.05	37
21WDD0005	57.8	58.4	0.6	0.45	1.5	2	0.24	0.35	10.8	25	72.9	8.38	21000	2320	2.96	40.8	16.4	<0.001	<0.005	<0.002	0.06	<1	0.05	91
21WDD0005	58.4	59.4	1	0.54	1.7	3	0.24	0.06	6.5	21	44	6.81	6500	573	1.65	30.4	50.8	<0.001	<0.005	<0.002	0.06	1	<0.05	35
21WDD0005	59.4	60	0.6	1.03	1	12	0.95	0.25	50.7	36	204	18.95	19400	1660	7.02	125.5	10.1	0.001	<0.005	0.003	0.08	1	0.18	125
21WDD0005	60	60.8	0.8	0.17	0.9	2	0.11	0.09	1.7	10	9.6	4.17	3200	372	0.98	6.4	42.7	<0.001	<0.005	<0.002	0.05	<1	<0.05	41
21WDD0005	60.8	61.4	0.6	0.73	0.6	12	0.47	0.46	13.8	29	129.5	17.2	29800	5590	4.09	80.2	1.4	0.001	<0.005	<0.002	0.05	1	0.08	207
21WDD0005	61.4	61.9	0.5	0.49	0.9	12	0.29	0.17	27	163	75.1	16.55	22300	1860	3.16	130	13.1	0.003	<0.005	0.004	0.05	1	0.08	212
21WDD0005	61.9	62.9	1	0.47	1	4	0.17	0.92	30.1	378	25.5	11.65	33300	2380	1.21	150	31.3	0.004	<0.005	0.002	0.1	<1	<0.05	275
21WDD0005	62.9	63.2	0.3	1.97	0.8	85	1.69	1.11	103	691	263	26.1	26600	2050	2.51	169	18.5	0.005	<0.005	0.002	0.09	1	<0.05	159
21WDD0005	63.2	63.7	0.5	2.06	5.3	47	0.88	1.1	32.8	176	490	37.2	7000	748	8.87	351	2.5	0.002	<0.005	0.011	0.08	2	0.1	72
21WDD0005	63.7	64.3	0.6	2.41	0.4	16	1.08	1.05	27.9	68	453	41.6	6600	551	12.85	315	3.6	0.002	<0.005	0.005	<0.05	1	0.27	74
21WDD0005	64.3	64.9	0.6	1.11	0.6	33	0.88	0.65	13.9	34	126.5	12.9	4300	506	2.89	74.8	33.1	<0.001	<0.005	<0.002	0.07	1	0.07	70
21WDD0005	64.9	65.4	0.5	1.23	0.9	14	0.71	0.27	17.5	65	106.5	11.9	1800	324	3.1	69.6	56.7	<0.001	<0.005	0.003	0.06	<1	0.08	26
21WDD0005	65.4	66.4	1	1.23	1.1	13	0.81	1.11	24.7	586	200	24.5	21000	2200	4.26	147	16	0.002	0.005	0.002	0.09	1	0.05	179
21WDD0005	66.4	67.25	0.85	1.19	0.9	17	0.63	1.44	28	418	204	26	29700	3110	2.98	135.5	6.5	0.002	<0.005	0.002	0.12	1	<0.05	213
21WDD0005	67.25	68.2	0.95	0.48	0.7	4	0.28	0.69	56.7	1080	87.4	8.23	76900	1380	0.61	422	6.2	0.01	0.011	<0.002	0.06	1	<0.05	110
21WDD0005	68.2	69.2	1	0.25	0.6	3	0.01	0.14	72.1	1440	83.5	8.19	97700	1330	0.49	612	3.4	0.009	0.01	<0.002	<0.05	<1	<0.05	80
21WDD0005	69.2	70	0.8	1.97	2.4	25	1.63	1.09	107	218	314	32.1	21700	1440	5.84	285	9.1	0.007	<0.005	0.005	0.1	1	<0.05	88
21WDD0005	70	70.7	0.7	1.85	0.9	31	0.96	0.5	34.9	46	462	44.9	13200	713	6.48	342	3.4	0.002	0.006	0.004	0.05	1	0.07	36
21WDD0005	70.7	71.4	0.7	0.86	1.5	6	0.27	0.81	19.2	292	53.9	10.65	31200	2040	1.92	105.5	29.3	0.004	<0.005	<0.002	0.12	1	<0.05	130

All interval widths are down hole intervals, not true widths. Yellow columns are gold-polymetallic associations, purple columns are Ni Sulphides associations, grey are base metal associations

## 1. JORC CODE, 2012 EDITION – TABLE 1 REPORT TEMPLATE

### 1.1 Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<b>Sampling techniques</b>	<ul style="list-style-type: none"> <li><i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li><i>In cases where ‘industry standard’ work has been done this would be relatively simple (e.g. ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<ul style="list-style-type: none"> <li>Diamond drilling is carried out to produce HQ and NQ core</li> <li>Sampling over selected intervals as determined by the geologist and cut using a core saw with half the material submitted to the laboratory and half retained for further study. In cases where duplicate samples are required the half-core sample is cut into quarter-core and submitted for assay</li> <li>Samples are bagged into numbered calico sacks and these are placed into plastic bags, sealed and labelled for transport</li> </ul>

Criteria	JORC Code explanation	Commentary
<b>Drilling techniques</b>	<ul style="list-style-type: none"> <li>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>Diamond drilling was undertaken by a Mount Magnet Drilling using a D800 drill rig.</li> <li>Drilling started from surface using HQ core until competent ground was reached where drilling changed to NQ.</li> </ul>
<b>Drill sample recovery</b>	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li>Drill core was oriented, metre marked and geotechnically logged including recoveries</li> <li>Recoveries were lower in the weathered zones of the holes and improved to 100% once competent ground was encountered</li> <li>It is unclear if there is any relationship exists between lost material and grade</li> </ul>
<b>Logging</b>	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li>Logging has followed company standards and is qualitative in nature. The level of logging is appropriate for exploration and initial resource evaluation.</li> <li>All core is photographed after all geological and geotechnical logging is completed and the holes marked up for sampling.</li> <li>The entire hole is logged as per company procedures.</li> </ul>
<b>Sub-sampling techniques and sample preparation</b>	<ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and</li> </ul>	<ul style="list-style-type: none"> <li>After logging and selection of sample intervals by the geologist, the marked core is cut in half using a diamond saw.</li> <li>Half core sampling is regarded as appropriate sampling technique although duplicate samples are quarter cored. Samples are selected for analysis based on geological logging and supported by pXRF readings taken on the</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>appropriateness of the sample preparation technique.</i></p> <ul style="list-style-type: none"> <li>• <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></li> <li>• <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></li> <li>• <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul>	<p>core by the geologist.</p> <ul style="list-style-type: none"> <li>• Experienced samplers are utilised to ensure samples were restricted to the interval with all material to be sent to the laboratory being collected and all retained material being replaced into trays</li> <li>• Known standards and field duplicates have been collected to ensure the accuracy of the laboratory</li> <li>• Sufficient material has been collected for the relatively fine-grained gneiss sampled</li> </ul>
<b>Quality of assay data and laboratory tests</b>	<ul style="list-style-type: none"> <li>• <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></li> <li>• <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></li> <li>• <i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Samples were submitted to ALS Laboratories in Perth WA. Samples were crushed and pulverised to 85% passing &lt;75um. Samples were analysed for Ag, Al, As, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Fe, Ga, Ge, Hf, In, K, La, Mo, Na, Nb, Ni, P, Pb, Rb, Re, S, Sb, Sc, Se, Sn, Sr, Ta, Te, Th, Ti, Tl, U, V, W, Y, Zn, Zr, Dy, Er, Eu, Gd, Ho, Lu, Nd, Pr, Sm, Tb, Tm, Yb, with four acid digest ME-MS61 with gold analysed by fire assay Au-ICP21 (fire assay 30g). Results are considered to be near total.</li> <li>• pXRF results are collected using a Vanta VMR handheld unit manufactured by Olympus. The unit operates in Geochem mode and captures 3 beams of data, initial test work with known standards have indicated that 30 seconds per beam produces consistent results with the standards and has been set for all readings taken onsite.</li> <li>• QAQC protocols are in place that insert industry prepared standards from OREAS into assay batches that are matrix matched and includes low, medium and high-level known values for Cu, Ni and precious metals. Blanks and field duplicates (quarter core) are also inserted into the sample string.</li> <li>• All batches, assay or pXRF have a QAQC report prepared and sent to the</li> </ul>

Criteria	JORC Code explanation	Commentary
		<p>logging geologist to confirm that the results are within acceptable parameters before the batch is loaded into the database.</p> <ul style="list-style-type: none"> <li>The standards being used indicate that the batches received to date are within tolerances and the results are appropriate for exploration and initial resource estimation evaluation</li> </ul>
<b>Verification of sampling and assaying</b>	<ul style="list-style-type: none"> <li><i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li><i>The use of twinned holes.</i></li> <li><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li><i>Discuss any adjustment to assay data.</i></li> </ul>	<ul style="list-style-type: none"> <li>The results are loaded and verified by the companies database administrator before being reviewed and validated by the Companies Competent Person.</li> <li>No twinned holes have been drilled</li> <li>Data is collected directly onto computers or tablets in the field before being sent to the database administrator for loading. The database administrator uses validation protocols to ensure that the data loaded is correct.</li> <li>No corrections or adjustments have been made to assay data</li> </ul>
<b>Location of data points</b>	<ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul>	<ul style="list-style-type: none"> <li>Drill holes were located using a hand-held GPS with accuracy of ~4m</li> <li>Data location is recorded in WGS84-UTM Zone 50 south.</li> <li>Topographic control from DEM prepared by geophysical consultants</li> </ul>
<b>Data spacing and distribution</b>	<ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> </ul>	<ul style="list-style-type: none"> <li>Drilling is not located on any particular grid at this time and is designed to test the centre of geophysical anomalies</li> <li>There is insufficient drilling to utilise for a mineral resource at this point in time</li> <li>No sample compositing has been undertaken</li> </ul>

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> <li>Whether sample compositing has been applied.</li> </ul>	
<b>Orientation of data in relation to geological structure</b>	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>Drilling is oriented perpendicular to modelled EM plate targets</li> <li>Insufficient information available to determine if there is a relationship between drilling orientation and mineralisation</li> </ul>
<b>Sample security</b>	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>Samples were taken from site directly to the laboratory by an employee of Pursuit Minerals</li> </ul>
<b>Audits or reviews</b>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>An audit of assay data has been undertaken by two geochemical consultants</li> </ul>

## 1.2 Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<b>Mineral tenement and land tenure status</b>	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>Drilling is on E 70/5379 which is held by Pursuit Exploration Pty Ltd a 100% subsidiary of Pursuit Minerals and is in good standing</li> </ul>

Criteria	JORC Code explanation	Commentary
<b>Exploration done by other parties</b>	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>June, 1997, Kevron completed a MAG/RAD/DEM survey for Stockdale Prospecting Ltd. The survey was acquired with line spacing of 250 m, line orientation of 000/180° and a mean terrain clearance of 60 m. (MAGIX ID - 1164)</li> <li>June 2003, UTS Geophysics completed a MAG/RAD/DEM survey for Geoscience Australia. The survey was acquired with line spacing of 400 m, line orientation of 000/180° and a mean terrain clearance of 60 m.</li> <li>November, 2010, Fugro Airborne Surveys completed a MAG/RAD/DEM survey for Brendon Bradley. The survey was acquired with line spacing of 50 m, line orientation of 090/270° and a mean terrain clearance of 35 m. (MAGIX ID - 3288)</li> <li>Dominion Mining Limited undertook auger sampling on the project in 2010. The results of this work are summarised in the ASX announcement. Further details can be obtained by accessing WAMEX Report a86032 at: <a href="https://geoview.dmp.wa.gov.au/geoview/?Viewer=GeoVIEW&amp;layerTheme">https://geoview.dmp.wa.gov.au/geoview/?Viewer=GeoVIEW&amp;layerTheme</a></li> <li>Kingsgate Consolidated Limited undertook aircore drilling within the area of Calingiri East Tenement Application in 2011. The results of this work are summarised in the ASX announcement. Further details can be obtained by accessing WAMEX Report a89716 at: <a href="https://geoview.dmp.wa.gov.au/geoview/?Viewer=GeoVIEW&amp;layerTheme">https://geoview.dmp.wa.gov.au/geoview/?Viewer=GeoVIEW&amp;layerTheme</a></li> <li>Poseidon N.L. undertook auger soil sampling and rock chip sampling within the area of Bindi Bindi Tenement Application in 1968. The results of this work are summarised in the ASX announcement.</li> </ul>

Criteria	JORC Code explanation	Commentary
		<p>Further details can be obtained by accessing WAMEX Report a7292 at: <a href="https://geoview.dmp.wa.gov.au/geoview/?Viewer=GeoVIEW&amp;layerTheme">https://geoview.dmp.wa.gov.au/geoview/?Viewer=GeoVIEW&amp;layerTheme</a></p> <ul style="list-style-type: none"> <li>Washington Resources Limited undertook rock chip sampling within the area of Bindi Bindi Tenement Application in 2008. The results of this work are summarised in the ASX announcement. Further details can be obtained by accessing WAMEX Report a82005 at: <a href="https://geoview.dmp.wa.gov.au/geoview/?Viewer=GeoVIEW&amp;layerTheme">https://geoview.dmp.wa.gov.au/geoview/?Viewer=GeoVIEW&amp;layerTheme</a></li> <li>Magnetic Resources Limited undertook aircore and RC drilling within the area of Wubin Exploration Licence in 2010. The results of this work are summarised in the ASX announcement. Further details can be obtained by accessing WAMEX Reports a91440 and a84500 at: <a href="https://geoview.dmp.wa.gov.au/geoview/?Viewer=GeoVIEW&amp;layerTheme">https://geoview.dmp.wa.gov.au/geoview/?Viewer=GeoVIEW&amp;layerTheme</a></li> </ul>
<b>Geology</b>	<ul style="list-style-type: none"> <li><i>Deposit type, geological setting and style of mineralisation.</i></li> </ul>	<ul style="list-style-type: none"> <li>The western margin of the Archean Yilgarn Craton is highly prospective for Platinum Group Elements (“PGE”) and Nickel (Ni) – Copper (Cu) mineralisation associated with intrusive mafic to ultramafic rocks. The discovery of PGE-Ni-Cu mineralisation at the Julimar Project held by Chalice Gold Mines Limited (see Chalice Gold Mines ASX Announcement 23 March 2020), is the first significant PGE-Ni-Cu discovery in the region which previously only had early-stage indications of mineralisation (Yarawindah, Bindi-Bindi). Increasingly it is becoming apparent that prospective ultramafic-mafic intrusions are far more widespread than previously thought throughout the western margin of the Yilgarn Craton. The project area is located within the</li> </ul>

Criteria	JORC Code explanation	Commentary
		>3Ga age Western Gneiss Terrane of the Archean Yilgarn Block, which comprises a strongly deformed belt of gneisses, schists, quartzites, Banded Iron Formation, intruded by mafic to ultramafic rocks. The terrane is up to 70km wide, and possibly wider, and is bounded to the west of the Darling Fault and younger Archean rocks to the east. The general geological strike in northwest. The bedrock Archean metasedimentary gneisses, migmatites and intrusive mafic and ultramafic rocks occur in structurally complex settings. Dolerite dykes of Proterozoic age are widespread. Outcrops are rare and the basement geology is largely obscured by lateritic ironstones and deep saprolitic weathering.
<b>Drill hole Information</b>	<ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length.</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<ul style="list-style-type: none"> <li>A table of drill hole locations has been previously reported</li> <li>All assay results are reported in Appendix 1 of this release</li> </ul>

Criteria	JORC Code explanation	Commentary
<b>Data aggregation methods</b>	<ul style="list-style-type: none"> <li><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li><i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></li> <li><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>	<ul style="list-style-type: none"> <li>All assay results are reported in Appendix 1 of this release</li> <li>Sample intervals have been chosen on the basis of geological domains and intervals vary from 0.1m to 1.0m</li> <li>No metal equivalents are quoted</li> <li>Intervals reported are calculated as length weighted averages using a cut off of 1.5 g/t Ag with internal dilution of up to 1m of below 1.5 g/t Ag</li> </ul>
<b>Relationship between mineralisation widths and intercept lengths</b>	<ul style="list-style-type: none"> <li><i>These relationships are particularly important in the reporting of Exploration Results.</i></li> <li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i></li> </ul>	<ul style="list-style-type: none"> <li>Only downhole widths are reported at this early stage of exploration</li> <li>True widths of mineralisation are not known at this stage</li> </ul>
<b>Diagrams</b>	<ul style="list-style-type: none"> <li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	<ul style="list-style-type: none"> <li>Refer to figures in the body of text.</li> </ul>
<b>Balanced reporting</b>	<ul style="list-style-type: none"> <li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid</i></li> </ul>	<ul style="list-style-type: none"> <li>All assay results are reported in Appendix 1 of this release</li> </ul>

Criteria	JORC Code explanation	Commentary
	<i>misleading reporting of Exploration Results.</i>	
<b>Other substantive exploration data</b>	<ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	<ul style="list-style-type: none"> <li>All exploration data at the prospect has previously been reported</li> </ul>
<b>Further work</b>	<ul style="list-style-type: none"> <li>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	<ul style="list-style-type: none"> <li>Additional drillholes are planned with DHEM follow up of holes drilled to date to ensure conductive bodies have not been missed</li> <li>Consultant geochemists, petrologists and structural geologists will be engaged to review mineralised zones identified by the company</li> </ul>