

RISE & SHINE (RAS) MINERALISATION EXPANDS NORTH WITH MDD044 INTERCEPT

- Some of the strongest gold mineralisation in the project area to date has been intersected in MDD044 extending mineralization at RAS 900 metres down plunge from the 2021 RAS Mineral Resource Estimate (MRE).
 - MDD044 (RAS EW section N5018140):
 - 42.1m @ 5.1 g/t Au (aggregate) between 356m and 404m (partial assays) including:
 - 20.1m @ 9.0 g/t Au from 356m with:
 - 12.0, 16.3, 17.0, 34.0, 38.8, 58.6 g/t Au over 1-metre intervals and:
 - 22.0m @ 1.5 g/t Au from 382m (56.8m of deeper assays pending)
- MDD044 is oriented north down-plunge to test mineralisation north of Shepherds Creek and 160 metres north of MDD031 (21.2m @ 4.4 g/t Au from 281m). Mineralisation has an aggregate true thickness of approximately 32 metres.
- Silicified zones with multiple visible gold (VG) occurrences have been logged between 153 and 202 metres in MDD051 (assays pending) located up plunge 100m east of MDD009.
- Mineralization in the RAS shoot now extends approximately 1,500 metres down plunge in an envelope 200-300m wide. An update of inferred resources is pending.
- Assays have been received from the balance of MDD034R at RAS with no significant
 mineralization beyond the previously reported aggregate drill width of 13m @ 2.9 g/t between
 202m and 227m (including 5m @ 6.5 g/t Au).
- Partial results have been received for two further holes drilled at Come-in-Time (CIT) 1 km NW of RAS. Significant drill intercepts at a 0.5 g/t Au cut-off:
 - MDD040 (CIT EW section N5018320):
 - 2m @ 8.2 g/t Au from 151m (partial assays)
 - MDD043 (CIT EW section N5018270):
 - 2m @ 0.7 g/t Au from 125m (partial assays)
- Drilling is ongoing with three diamond drill (DD) rigs testing mineralisation that remains open at all 4 drill-tested deposits (RAS, CIT, Shreks (SHR) and Shreks East (SRE)) along the Rise and Shine Shear Zone (RSSZ).

2 June 2022 Santana Minerals Limited (ASX: SMI) ("Santana" or "the Company") is pleased to announce further significant results from the 100% owned Bendigo-Ophir Project ("the Project").

Drilling from September 2021 has primarily focused on extending mineralisation down-plunge at RAS where mineralisation within the RAS shoot consistently occurs over a vertical interval of 40-80 metres. Concentration of gold is in the 10-20-metre-thick hanging wall shear (HWS), with common grades of 1-10 g/t Au. Mineralisation is also in higher-grade stockwork within and below the HWS, as in MDD016 with bonanza grades to 57.5 g/t Au (ASX announcement 23rd December 2021) and 51.2 g/t Au in MDD025R (ASX announcement 3rd March 2021).

A new resource estimate incorporating the RAS drill results reported over the last 9 months is being undertaken which is expected to significantly upgrade the 643Koz Inferred Gold Resource (MRE) in the four Rise and Shine Shear Zone (RSSZ) Deposits reported to JORC Code 2012 (ASX announcement on 28th September 2021).

Commenting on the results Executive Director Dick Keevers said:

"A very good result to have our gold assays confirm the likely mining grade in our most northerly down plunge diamond drill hole, MDD044 at RAS. This RAS gold-rich shoot "Keeps on giving" down plunge in an exciting resource building way."

GPO Box 1305, Brisbane QLD 4000 Web: www.santanaminerals.com



RSSZ Deposits - Extension Drilling

Four RSSZ deposits, CIT, RAS, SHR and SRE extend 4 kilometres NW-SE along strike and contain the current 643Koz inferred gold resources (Figure 1). All deposits remain open at depth.




Figure 1 RSSZ Deposits / Resource Halos / Gold Metal Units (MU) & Current Drilling

Three DD rigs are now operating 24/7 and a total of 9,260 metres have been completed since January 2022 (Table 1). A total of 18,100 metres have now been drilled in 94 holes (33 reverse circulation [RC], 61 diamond core [DD]) since the Company commenced the current programme in November 2020.

Presently, drilling is primarily focused on the new northern extension at RAS (Figures 1, 2, 3 & 4), south-east extension and infill at RAS (Figure 5) and at the CIT deposit (Figures 1, 6 & 7).





Figure 2 RAS Deposit – Dunstan Range (View south)

Table 1: 2022 Drillhole co-ordinates, downhole survey detail and Status

Deposit	Hole_No	East_NZTM	North_NZTM	RL	Azimuth (T Avg)	Dip (Avg)	Length	Method	Status	Results
RAS	MDD023R	1318320.6	5017574.1	658.47	266.6	-68	359.2	DD	Completed	Reported
RAS	MDD024	1317854.7	5017118.1	756.71	268.9	-61	177.0		Completed	Reported
RAS	MDD025	1318195.1	5017716.4	632.55	258.1	-67	265.7		Re-Drilled	Reported
RAS	MDD025R	1318196.5	5017715.3	632.65	256.2	-72	360.7		Completed	Reported
RAS	MDD026	1317853.3	5017125.6	756.82	212.5	-56	221.7		Completed	Reported
RAS	MDD027	1318262.3	5017841.8	582.34	271.6	-69	365.6		Completed	Reported
RAS	MDD028	1317998.5	5017062.1	773.89	270.6	-62	250.0		Completed	Reported
RAS	MDD029	1318460.9	5017957.4	537.69	260.2	-75	398.2		Completed	Reported
RAS	MDD030	1317997.9	5017066.3	773.85	210.0	-55		DD	Re-Drilled	No assays
RAS	MDD030R	1317997.1	5017067.0	773.95	217.0	-58	242.6	DD	Completed	Reported
RAS	MDD031	1318348.9	5017957.7	536.72	291.5	-73	380.1		Completed	Reported
RAS	MDD033	1318167.1	5017835.5	581.95	277.0	-70	336.5		Completed	Reported
RAS	MDD034	1318071.8	5017712.2	597.71	269.3	-66	233.7	DD	Re-Drilled	Reported
RAS	MDD034R	1318071.6	5017712.3	597.79	268.1	-67	300.5	DD	Completed	Reported
RAS	MDD036	1318426.5	5017720.0	603.71	251.4	-73	372.8	DD	Completed	Partial reported
RAS	MDD037	1318379.9	5017826.4	607.16	267.2	-73	425.2	DD	Completed	Partial reported
RAS	MDD039	1317973.8	5017719.0	626.20	261.3	-69	256.1	DD	Completed	Partial reported
RAS	MDD041	1318243.5	5017969.3	528.53	232.5	-68	287.2	DD	Completed	Partial reported
RAS	MDD042	1318068.1	5017844.9	561.41	279.4	-69	293.0	DD	Completed	assays pending
RAS	MDD044	1318291.7	5017991.8	532.34	340.2	-70	469.8	DD	Completed	Partial reported
RAS	MDD045	1317899.5	5017479.5	695.00	259.9	-66	251.9	DD	Completed	assays pending
RAS	MDD047	1318406.6	5017959.0	535.93	3.0	-71	446.3	DD	Completed	assays pending
RAS	MDD048	1317816.2	5017478.5	702.19	99.6	-71	101.9	DD	Re-Drilled	No assays
RAS	MDD048R	1317817.2	5017479.5	702.19	97.0	-72	285.0	DD	Completed	assays pending
RAS	MDD050	1318276.1	5017476.5	688.83	251.0	-71	368.4	DD	Completed	assays pending
RAS	MDD051	1318032.2	5017177.5	740.38	264.0	-70	257.9	DD	Completed	assays pending
SubTotal							7,822.0			
CIT	MDD032	1317089.5	5018499.6	503.38	279.7	-64	200.0	DD	Completed	Reported
CIT	MDD035	1317192.1	5018500.0	501.69	265.7	-66	236.5	DD	Completed	Partial reported
CIT	MDD038	1317166.4	5018435.7	517.58	274.8	-67	213.0	DD	Completed	Partial reported
CIT	MDD040	1317160.0	5018331.0	546.28	279.1	-66	194.0	DD	Completed	Partial reported
CIT	MDD043	1317161.9	5018272.4	556.02	276.8	-67	184.3	DD	Completed	Partial reported
CIT	MDD046	1317159.6	5018179.0	594.19	271.1	-66	178.4	DD	Completed	assays pending
CIT	MDD049	1317177.2	5018641.0	442.93	251.0	-65	232.0	DD	Completed	assays pending
SubTotal							1,438.2			
TOTAL							9,260.2			



Latest Drill Assay Results from RAS

Assays have been received for two RAS drillholes, MDD034R (balance of hole) and MDD044 (partial), (Figures 3, 4, Tables 1 & 2, Appendix 1 RAS).

Northernmost RAS drillhole MDD044 has delivered a significant result (Table 2, Appendix 1 RAS) that was flagged when multiple intervals of visible gold (VG) were logged (ASX announcement on 11th May 2022).

MDD044 has an aggregate intercept of 42.1 metres @ 5.07 g/t Au between 356 and 404 metres which includes:

- 20.1 metres @ 9.04 g/t Au from 356 metres with:
 - o 12.0, 16.3, 17.0, 34.0, 38.8, 58.6 g/t Au over six 1-metre intervals and
- 22.0 metres @ 1.45 g/t Au from 382 metres

This intercept is the northernmost at RAS, and with the hole drilled down-plunge to test mineralisation north of Shepherds Creek (Figures 3 & 4), the true intercept width is ~32 metres, approximately 10 metres less than the downhole intercept of 42.1 metres.

MDD044 lies 160 m north of MDD031 (21.2m @ 4.4 g/t Au from 281m), (ASX announcements on 20th April and 11th May 2022) and 260 metres north of MDD041 (16.0m @ 5.63 g/t Au from 233m), (ASX announcement on 25th May 2022) both recent impressive intercepts.

These three holes in the northern sector of RAS were drilled to different azimuths due to drill pad constraints, and these consistent significant intercepts suggest that the mineralised structures are substantial and are associated with broad semi-continuous mineralisation within the ~300-metre-wide >20-metre-thick slab of silicified HWS in the larger low-angle RSSZ that now extends 1,500 metres down-plunge from outcrop.

Total hole gold content in 10 drillholes in the down-plunge axis at RAS exceed 80 MU (metre*gold gram metal units) from MDD009 (34.5m @ 3.7 g/t Au) in the south to MDD044 in the north (Figure 3). These drillholes also have the highest gold MU content from all drilling to date in the overall project area.




Figure 3 RAS Resource Extension Drilling - New Results / Gold Distribution



Table 2: RAS new mineralised drill intercepts

Deposit	EW Section	Drillhole	From (m)	Drill intercept (m)	Average Gold Grade (g/t) (min 0.50 g/t Au)	Comments
			356.0	20.1	9.04	true width 15.3m with hole azi 340T
	N5018140	MDD044	382.0	22.0	1.45	true width 16.8m with hole azi 340T
RAS			Aggregate	42.1	5.07	(over 48.0m), partial, 56.8m assays pending
KAS			202.0	8.0	0.65	previously reported
	N5017720	MDD034R	220.0	5.0	6.49	previously reported
			Aggregate	13.0	2.90	(over 25.0m), total hole now reported




Figure 4 RAS Down-plunge Section (new assays, geology & extension envelope)

All significant intercepts received to date from the 18 holes drilled within the mineralized zone down-plunge from the September 2021 MRE are summarised in Table 3. The intercepts, in most instances, are aggregate downhole thicknesses which will be slightly less than true, due to the inclination of the holes relative to the intersection of the low-angle (`25°NNE) mineralised zone. The exception is MDD044 which is drilled down-plunge, where the true thickness is ~32 metres, which is ~10 metres less than the aggregate downhole 42.1 metres.

The drillhole grades are composited to carry 4 metres of internal dilution at zero grade and no top-cut has been applied to higher gold grades.



The new MDD044 assays extend this mineralised zone 900 metres beyond the RAS 2021 MRE in an NNE direction oblique to the EW drill sections (Figure 3). The average width of the zone is approximately 300 metres with margins appearing to be defined in the west by drillholes MDD012, MDD017 & MDD039 and in the east by drillholes MDD029 and MDD036 (ASX announcement on 25th May 2022). The influence of the higher gold grades will be restricted by modelling, but the dimensions of the extended zone have the potential to add significantly to the overall mineral resources which will be updated by the end of this quarter.

Table 3: RAS NEW EXTENSION Intercept Summary (Sep'21-May'22)
--

RAS Northern Extension Drillhole Intercept Summary								
(composites, min 0.50g/t Au, 4m internal dilution,								
	no	top-cut)						
EW Section	Hole ID	From	Length	Grade				
Ew Section	HOIE ID	(m)	(m)	(g/t)				
N5018140	MDD044	356.0	42.1	5.07	a***			
N5017960	MDD041	233.0	16.0	5.63	a*			
N5017960	MDD031	280.8	24.2	3.93	а			
N5017840	MDD033	243.3	7.7	1.49	а			
N5017840	MDD027	267.7	11.4	3.29	а			
N5017840	MDD037	321.0	28.1	1.05	a**			
N5017720	MDD034R	202.0	13.0	2.90	а			
N5017720	MDD025R	264.0	14.0	9.00	С			
N5017720	MDD021R	270.0	41.0	2.36	С			
N5017600	MDD018	199.0	6.0	3.70	а			
N5017600	MDD023R	307.0	20.0	0.82	С			
N5017600	MDD022	262.3	25.7	1.89	С			
N5017480	MDD016	193.8	23.1	7.06	а			
N5017480	MDD015	195.4	22.7	1.50	а			
N5017480	MDD020	185.0	40.0	0.82	С			
N5017360	MDD013	152.3	23.6	2.51	а			
N5017360	MDD014	174.3	37.7	4.09	а			
N5017360	MDD019R	218.0	14.7	1.92	а			
a=aggrega	ate, c=conti	nuous, *=	50.5m **=	= 69.2m				
	***= 56.8r	n assays	pending					

RAS southern extension drilling - MDD051 multiple intervals of visible gold (VG)

Drillhole MDD051 was drilled 100m east of MDD009 to test mineralisation that remained open on EW section N5017120 and has intersected silicified breccia with multiple visible gold (VG) (Figure 5) occurrences logged between 153 and 202 metres. This thick VG intercept shows mineralisation intersected in MDD009 (34.5 metres @ 3.68 g/t Au (aggregate), (ASX announcement on 15th July 2021) and MDD010 (30.6 metres @ 1.29 g/t Au (aggregate) (ASX announcement on 25th August 2021) remains open on this southern EW section.

Drilling is continuing eastwards to test the extent of this mineralisation.




Figure 5 RAS Drillhole MDD051 coarse visible gold (VG) @ 177.9 m



Latest Drill Assay Results from CIT

Seven drillholes (Table 1) have been completed at CIT Deposit located along the RSSZ one kilometre NW of RAS (Figure 1). Further assays have been received for two CIT drillholes, MDD040 (partial) and MDD043 (partial) (Figures 6 & 7, Tables 1 & 4, Appendix 1 CIT).




Figure 6 CIT Resource Extension Drilling - New Results / Gold Distribution




Figure 7 CIT Down-plunge Section (new assays, geology & extension envelope)



RSSZ mineralisation intercepts in the two CIT drillholes lie approximately 60 metres east of the 2021 MRE with significant assays at a 0.5 g/t cut-off:

- MDD040 (CIT EW section N5018320):
 - o 2m @ 8.23 g/t Au from 151m (partial assays) including:
 - 1m @ 13.8 g/t Au from 151m
- MDD043 (CIT EW section N5018270):
 - 2m @ 0.68 g/t Au from 125m (partial assays)

MDD040 intercept includes 1m @ 13.8 g/t Au from 151 metres associated with a low angle laminated quartz veinlet with arsenopyrite fill and multiple occurrences of visible gold (VG) clustered between 151.7 and 151.8 metres (Appendix 1 CIT).

The narrow MDD043 intercept of 2 metres @ 0.68 g/t Au is the upper section of a lower grade halo of 10 metres @ 0.35 g/t Au at a lower 0.25 g/t Au cut-off.

The hanging wall zone of the RSSZ at CIT has generally been thinner than thicknesses encountered at RAS and assays from these drillholes confirm the down-plunge and eastern continuation of this CIT style of mineralisation.

Drilling is in-progress at Shepherds Creek on section N5018680 a further 180 metres down-plunge from drillholes MDD032 & MDD035 which were collared on section N5018500.

Table 4: CIT new mineralised drill intercepts

Deposit	EW Section	Drillhole	From (m)	Drill intercept (m)	Average Gold Grade (g/t) (min 0.50 g/t Au)	Comments
			151.0	2.0	8.23	
CIT	N5018320	MDD040	Continuous	2.0	8.23	partial, 25.0m assays pending
CII			125.0	2.0	0.68	
	N5018270	MDD043	Continuous	2.0	0.68	partial, 29.3m assays pending

Key Conclusions & Forward Programme

Significant mineralisation in MDD044 now extends the new mineralisation halo at RAS 1,500m down-plunge from outcrop (900 metres beyond the September 2021 MRE) and remains open north.

Early results from CIT drilling extend known mineralisation 120 metres north and 60 metres east beyond the CIT 2021 MRE.

Extension and infill DD drilling is continuing at CIT and RAS deposits with reconnaissance holes also scheduled to test the down plunge extensions of SHR deposit (the largest surface footprint of the 3 main deposits).

An MRE upgrade has commenced at RAS with finalisation awaiting further assays to define extents.

The RSSZ is emerging as a potential multi-million-ounce system.

This announcement has been authorised for release to the ASX by the Board.

For further information, please contact:

Richard Keevers
Executive Director
+61 408 873 353
rkeevers@westnet.com.au

Cameron Peacock Investor Relations & Business Development +61 439 908 732 cpeacock@santanaminerals.com



About Santana Minerals Limited Bendigo-Ophir Project

The Bendigo-Ophir Project is located on the South Island of New Zealand within the Central Otago Goldfields. The 292km2 project area comprises Minerals Exploration Permit (MEP) 60311 (252km2) and Minerals Prospecting Permit Application (MPPA) 60882 (40km2) issued to 100% owned subsidiary Matakanui Gold Ltd. The Project is located ~90 kilometres northwest of Oceana Gold Ltd (OGC) Macraes Gold Mine (Figure 8).




Figure 8 Bendigo-Ophir Project in the Otago Goldfield, ~90km NW of Macraes

The Project contains a new Inferred Mineral Resource Estimate (MRE2021) of 643K ounces of gold @ 1.0g/t (0.25 g/t Au lower cut-off grade, no top-cut), an estimate based on drill results to June 2021 and reported in September 2021 which the Company interprets has the potential to be further expanded and developed.

The Bendigo-Ophir resources occur in 4 deposits (Figure 1) that are inferred to extend in a northerly direction within the RSSZ which hosts gold mineralization over a recognised strike length of >20km.

The RSSZ occurs at the contact with TZ3 and TZ4 schist units separated by a regional fault (Thomsons Gorge Fault-TGF) and dips at a low angle (25°) to the north-east. The RSSZ is currently interpreted to have upper shear hosted gold mineralization (HWS) 10-40 metres in width above quartz vein and stockwork related gold mineralization extending >120 metres below the HWS which is largely untested down-plunge and at depth.

The Company embarked on diamond drilling (DD) and reverse circulation (RC) drilling programmes in November 2020 with the immediate objective to increase the existing resources by drill testing the down plunge extensions of known mineralisation. The Company is focusing on advanced precious metals opportunities in New Zealand and Mexico.



Previous Disclosure - 2012 JORC Code

Information relating to Mineral Resources, Exploration Targets and Exploration Data associated with the Company's projects in this announcement is extracted from the following ASX Announcements:

- ASX announcement titled "More High-Grade Gold Intercepts at Rise and Shine Deposit" dated 15 July 2021.
- ASX announcement titled "Further Drilling Lifts Rise and Shine Deposit Profile" dated 25 August 2021.
- ASX announcement titled "Gold Resources Increased 155% to 643Koz" dated 28 September 2021
- ASX announcement titled "Bonanza gold grades continue beyond new Rise & Shine Resources" dated 23 December 2021
- ASX announcement titled "Impressive Drill Assays and Metallurgical Testwork Results" dated 3 March 2022
- ASX announcement titled "Rise & Shine Drilling continues to deliver high gold grades" dated 20 April 2022.
- ASX announcement titled "Rise & Shine Mineralisation extends North, Metallurgy Updates" dated 11 May 2022
- ASX announcement titled "Rise & Shine and Come-in-Time Extension Drilling Results" dated 25 May 2022

A copy of such announcement is available to view on the Santana Minerals Limited website www.santanaminerals.com. The reports were issued in accordance with the 2012 Edition of the JORC Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

Current Disclosure - Competent Persons Statement

The information in this report that relates to Exploration Results is based on information compiled by Mr Richard Keevers, a Competent Person who is a Fellow of The Australasian Institute of Mining and Metallurgy. Mr Keevers is a Director of Santana Minerals Limited and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which is being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves.' Mr Keevers consents to the inclusion in this report of the matters based on his information in the form and context in which it appears. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified.

Forward Looking Statements

Forward-looking statements in this announcement include, but are not limited to, statements with respect to Santana's plans, strategy, activities, events or developments the Company believes, expects or anticipates will or may occur. By their very nature, forward-looking statements require Santana to make assumptions that may not materialize or that may not be accurate. Although Santana believes that the expectations reflected in the forward-looking statements in this announcement are reasonable, no assurance can be given that these expectations will prove to have been correct, as actual results and future events could differ materially from those anticipated in the forward-looking statements. Accordingly, viewers are cautioned not to place undue reliance on forward-looking statements. Santana does not undertake to update publicly or to revise any of the included forward-looking statements, except as may be required under applicable securities laws.



Appendix 1 RAS MDD034R Mineralised Intercepts – Assay results, quartz-arsenopyrite veins, geology

	From m	To m	Interval m	Sample_ID	Au g/t	metres	Au g/t	metres	Composite Au g/t	Geol Log	Visible Gold	QV-aspy Dip	QV-aspy Dip-Dir			f Poles to C	
MDD034R	193.0	194.0	1.0	MG15001	-0.01	min025	min025	min050	min050								
MDD034R	194.0	195.0	1.0	MG15002	-0.01					TZ3							
MDD034R	195.0	196.4	1.4	MG15003	-0.01												
MDD034R	196.4	197.3	0.9	MG15004	0.02					TGF							
MDD034R	197.3	198.0	0.7	MG15005	0.25												
MDD034R	198.0	199.0	1.0	MG15006	0.32												
MDD034R	199.0	200.0	1.0	MG15007	0.31												
MDD034R MDD034R	200.0	201.0 202.0	1.0	MG15008 MG15009	0.21 0.41												
MDD034R	202.0	203.0	1.0	MG15009	0.41												
MDD034R	203.0	204.0	1.0	MG15010	1.55	12.7	0.52										
MDD034R	204.0	205.0	1.0	MG15012	0.17					RSSZ							
MDD034R	205.0	206.0	1.0	MG15013	0.18												
MDD034R	206.0	207.0	1.0	MG15014	0.15			8.0	0.65								
MDD034R	207.0	208.0	1.0	MG15015	0.39												
MDD034R	208.0	209.0	1.0	MG15016	0.52												
MDD034R	209.0	210.0	1.0	MG15017	1.34												
MDD034R	210.0	211.0	1.0	MG15018	0.19												
MDD034R	211.0	212.0	1.0	MG15019	0.15												
MDD034R	212.0	213.0	1.0	MG15020	-0.01					TZ4							
MDD034R	213.0	214.0	1.0	MG15024	0.02												
MDD034R	214.0	215.0	1.0	MG15025	0.06					DCC7							
MDD034R MDD034R	215.0 216.0	216.0 217.0	1.0	MG15026 MG15027	0.05 0.10					RSSZ							
MDD034R	217.0	217.0	1.0	MG15027	0.10												
MDD034R	218.0	219.0	1.0	MG15029	-0.01					TZ4							
MDD034R	219.0	220.0	1.0	MG15029	-0.01					124							
MDD034R	220.0	221.0	1.0	MG15031	0.55												
MDD034R	221.0	222.0	1.0	MG15032	0.03							18	71				
MDD034R	222.0	223.0	1.0	MG15033	0.03			5.0	6.49			16	18	MDE		2-229m QV	aspy
MDD034R	223.0	224.0	1.0	MG15034	0.06							26	105				1
MDD034R	224.0	225.0	1.0	MG15035	31.80	8.0	4.17				P	71	330				N=11
MDD034R	225.0	226.0	1.0	MG15036	0.32					RSSZ		76	50		0		
MDD034R	226.0	227.0	1.0	MG15037	0.28							23	177	1	• •		
MDD034R	227.0	228.0	1.0	MG15038	0.32					1		74	11		0	•	
MDD034R	228.0	229.0	1.0	MG15039	0.17							54	30		0		
MDD034R	229.0	230.0	1.0	MG15040	0.12							44	304			•	
MDD034R	230.0	231.0	1.0	MG15041	0.05					TZ4		41	39		0		
MDD034R	231.0	232.0	1.0 00.5 metres	MG15042	0.03					RSSZ		64	126				



Appendix 1 RAS MDD044 Mineralised Intercepts – Assay results, quartz-arsenopyrite veins, geology

	Hole_No	From m	To m	Interval m	Sample_ID		metres min025	Au g/t min025	Composite metres min050	Au g/t min050	Geol Log	Visible Gold	QV-aspy Dip	QV-aspy Dip-Dir	Stereonet Plots of Poles to Q Planes (Kamb Contours
	MDD044	0.0	353.0	353.0		0.00									
	MDD044	353.0	354.0	1.0	MG12513	-0.01					TZ3				
	MDD044	354.0	354.7	0.7	MG12514	-0.01									
	MDD044	354.7	356.0	1.2	MG12515	0.19					TGF				
- 1	MDD044	356.0	357.0	1.1	MG12516*	2.18							41	313	
	MDD044	357.0	358.0	1.0	MG12518	17.00							86	153	
	MDD044	358.0	359.0	1.0	MG12519	2.08									
	MDD044	359.0	360.0	1.0	MG12520	2.15									
	MDD044	360.0	361.0	1.0	MG12521	0.67									
	MDD044	361.0	362.0	1.0	MG12522	58.60						P			
	MDD044	362.0	363.0	1.0	MG12524	12.00						P	88	253	
- 4	MDD044	363.0	364.0	1.0	MG12526	34.00						P	40	26	MDD044 CO/-aspv 356-3
	MDD044	364.0	365.0	1.0	MG12528	2.08						P			
	MDD044	365.0	366.0	1.0	MG12530	6.29	20.1	9.04	20.1	9.04		P			./
	MDD044	366.0	367.0	1.0	MG12532	0.44							80	259	00
1.4.5	MDD044	367.0	368.0	1.0	MG12533	0.78							62	233	
- H	MDD044	368.0	369.0	1.0	MG12534	0.12							35	162	
	MDD044	369.0	370.0	1.0	MG12535	0.58						P	44	200	
	MDD044	370.0	371.0	1.0	MG12537	0.06									
	MDD044	371.0	372.0	1.0	MG12538	0.01									
/ -	MDD044	372.0	373.0	1.0	MG12539	0.99		1					62	234	
- 11	MDD044	373.0	374.0	1.0	MG12543	0.45							43	68	
17	MDD044	374.0	375.0	1.0	MG12544	38.80						P	53	353	
	MDD044	375.0	376.0	1.0	MG12546	1.78							54	85	
ŀ	MDD044	376.0	377.0	1.0	MG12547	0.12							33	351	
	MDD044	377.0	378.0	1.0	MG12548	0.18							44	326	
ſ	MDD044	378.0	379.0	1.0	MG12549	0.12							51	268	
ı	MDD044	379.0	380.0	1.0	MG12550	0.04							60	47	
ſ	MDD044	380.0	381.0	1.0	MG12551*	0.22							30	77	
-	MDD044	381.0	382.0	1.0	MG12552	0.04									
-	MDD044	382.0	383.0	1.0	MG12553	16.30]	P	41	31	
	MDD044	383.0	384.0	1.0	MG12555	0.48						Р	48	41	
V.	MDD044	384.0	385.0	1.0	MG12557	0.74					RSSZ		21	236	
	MDD044	385.0	386.0	1.0	MG12558	0.30							72	310	
-	MDD044	386.0	387.0	1.0	MG12559	0.14							43	43	
ſ	MDD044	387.0	388.0	1.0	MG12560	0.01							33	297	
	MDD044	388.0	389.0	1.0	MG12561	0.32							31	35	
	MDD044	389.0	390.0	1.0	MG12562	0.18							51	28	/ MDD044 QV-aspy 382-40
	MDD044	390.0	391.0	1.0	MG12563	1.29							61	190	
- 15	MDD044	391.0	392.0	1.0	MG12564	0.43							78	138	•
	MDD044	392.0	393.0	1.0	MG12565	0.06							51	318	
- 15	MDD044	393.0	394.0	1.0	MG12569	0.20	22.0	1.45	22.0	1.45			78	354	
	MDD044	394.0	395.0	1.0	MG12570	2.55		1					<u> </u>		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
/	MDD044	395.0	396.0	1.0	MG12570	4.43									\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
- H	MDD044	396.0	397.0	1.0	MG12572	-0.01		1							0
199	MDD044	397.0	398.0	1.0	MG12572	0.78		1							
	MDD044	398.0	399.0	1.0	MG12573	0.04									
_	MDD044	399.0	400.0	1.0	MG12575	0.29							59	14	
1.15	MDD044	400.0	401.0	1.0	MG12576	0.05		1					20	27	
1 1	MDD044	401.0	402.0	1.0	MG12577	1.68		1					28	336	
1 H	MDD044	402.0	403.0	1.0	MG12578*	0.85		1							
- 40	MDD044	403.0	404.0	1.0	MG12578	0.74									
	MDD044	404.0	405.0	1.0	MG12579	0.09							68	2	
	MDD044	405.0	406.0	1.0	MG12580	0.03								-	
- 12	MDD044	406.0	407.0	1.0	MG12581 MG12582	-0.01									
_	MDD044	407.0	408.0	1.0	MG12582	-0.01									
	MDD044	408.0	409.0	1.0	MG12583	-0.01									
	MDD044	409.0	410.0	1.0	MG12585	0.01									
	MDD044	410.0	411.0	1.0	MG12586	-0.01									
	MDD044	411.0	412.0	1.0	MG12587	0.01									
	MDD044	412.0	413.0	1.0	MG12588	-0.01									
-	_				12540 = 1.64										
					12566 = 0.57										
					12589 = 1.07										
													1		



Appendix 1 CIT MDD040 Mineralised Intercepts - Assay results, quartz-arsenopyrite veins, geology

Hole, No From Tor Interval Sample, Day Day Composite Compo	Note		March Form Form Form Micros March		_	• •											•						
MDD040 128.0 129.0 1.0 MG13871 -0.01 MG13872 -0.01 TZ3	MIDONO 128.0 129.0 1.0 MG13871 -0.01 MG100 MG1	M0D040 128.0 129.0 1.0 MG13871 -0.01	MICHOSON 128.0 129.0 1.0 MOSISSTI -0.01	MIDOS49 128.0 12.0 MO13871 -0.01 MO13872 -0.01 MIDOS49 129.0 130.0 1.0 MO13872 -0.01 MIDOS49 131.0 1.0 MO13872 -0.01 MIDOS49 131.0 131.0 1.0 MO13872 -0.02 MIDOS49 131.0 131.0 1.0 MO13872 -0.02 MIDOS49 131.0 1.0 MO13882 -0.01 MIDOS49 131.0 MO13882 -0.01 MIDOS49 131.0 1.0 MO13882 -0.01 MIDOS49 131.0 MIDOS49 131.0 MIDOS49 131.0 M		Hole_No	From m	To m	Interval m	Sample_ID						Geol Log		1					
NODOHO 12-0 33.0 1.0 Mol3872 0.02 MolDoho 131.0 13.2 1.0 MolDoho 131.0 13.2 1.0 MolDoho 131.0 13.2 1.0 MolDoho 13.0 13.2 1.0 MolDoho 13.0 13.2 1.0 MolDoho 13.0 13.2 1.0 MolDoho 13.0 13.4 1.0 Mol3876 0.23 MolDoho 13.0 13.4 1.0 Mol3876 0.24 MolDoho 13.0 13.0 13.0 13.0 13.0 13.0 13.0 MolDoho 13.0 13.0 13.0 MolDoho MolDoho 13.0 MolDoho MolDoho MolDoho 13.0 MolDoho MolDoho	MODO00 12-0	MDD0040 129.0 130.0 1.0 MG13872 0.02 MDD0040 131.0 132.0 1.0 MG13874 -0.01 MDD0040 131.0 132.0 1.0 MG13874 -0.01 MDD0040 133.0 134.0 1.0 MG13876 0.23 MDD0040 133.0 134.0 1.0 MG13876 0.23 MDD0040 135.0 136.0 1.0 MG13878 0.02 MDD0040 135.0 136.0 1.0 MG13878 0.02 MDD0040 137.0 138.0 1.0 MG13878 0.02 MDD0040 137.0 138.0 1.0 MG13879 0.08 MDD0040 137.0 138.0 1.0 MG13887 0.02 MDD0040 137.0 138.0 1.0 MG13889 0.07 MDD0040 139.0 140.0 1.0 MG13889 -0.01 MD0040 130.0 141.0 1.0 MG13888 0.01 MD0040 130.0 141.0 1.0 MG13888 0.01 MD0040 140.0 140.0 1.0 MG13888 0.01 MD0040 140.0 140.0 1.0 MG13888 0.01 MD0040 140.0 140.0 1.0 MG13888 0.01 MD0040 140.0 150.0 140.0 1.0 MG13888 0.01 MD0040 140.0 150.0 140.0 1.0 MG13888 0.01 MD0040 140.0 150.0 1.0 MG13889 0.01 MD0040 140.0 150.0 1.0 MG13889 0.01 MD0040 140.0 150.0 1.0 MG13889 0.01 MD0040 140.0 150.0 1.0 MG13899 0.01 MD0040 150.0 150.0 1.0 MG13999 0.01 MD0040 150.0 150.0 1.0 MG13999 0.01 MD0040 150.0 150.0 1.0 MG13999 0.01 MD0040 150.0 160.0 1.0 MG13999 0.01 MD0	MODOMO 125.0 33.0 1.0 MG15872 0.02	MODORA 128.0 130.0 1.0 MG18372 0.02												_	Gold	Dip	Dip-Dir	- '	Planes (Kar	nb Contour	s)
MODDHO 13.0 13.1 1.0 Mol 1873 -0.01 MODDHO 13.0 13.0 1.0 Mol 1873 -0.01 MODDHO 13.0 13.0 1.0 Mol 1875 -0.01 MODDHO 13.0 13.0 1.0 Mol 1875 0.49 2.0 0.36 MODDHO 13.5 13.0 1.0 Mol 1877 0.06 MODDHO 13.5 13.0 1.0 Mol 1877 0.06 MODDHO 13.0 13.0 1.0 Mol 1877 0.06 MODDHO 13.0 13.0 1.0 Mol 1877 0.06 MODDHO 13.0 13.0 1.0 Mol 1879 0.02 MODDHO 13.0 13.0 1.0 Mol 1887 0.02 MODDHO 13.0 13.0 1.0 Mol 1888 0.07 MODDHO 13.0 13.0 1.0 Mol 1888 0.07 MODDHO 13.0 13.0 1.0 Mol 1888 0.01 MODDHO 14.0 1.0 Mol 1889 0.01 MODDHO 15.0 15.0 1.0 Mol 1899 0.01 MODDHO 15.0 15.0 10.0 Mol 1899 0.01 MODDHO 15.0 15.0 10.0 Mol 1899 0.01 MODDHO 15.0 15.0 10.0 Mol 1899 0.01 MODDHO 15.0 15.0 15.0 15.0 15.0	MODPON 131.0 1.0 M. 13872 -0.01 M. 100 M. 13873 M. 100 M. 138.0 M. 10 M. 13875 0.49 2.0 0.36 M. 100 M. 138.0 M. 10 M. 13875 0.02 M. 100 M. 138.0 M. 10 M. 13875 0.02 M. 100 M. 138.0 M. 10 M. 13875 0.02 M. 100 M. 138.0 M. 10 M. 13879 0.02 M. 100 M. 138.0 M. 10 M. 13879 0.02 M. 100 M. 138.0 M. 10 M. 13881 0.07 M. 100 M. 138.0 M. 10 M. 13881 0.07 M. 100 M. 138.0 M. 10 M. 13883 -0.01 M. 100 M. 138.0 M. 10 M. 13883 -0.01 M. 100 M. 138.0 M. 10 M. 13885 -0.01 M. 100 M. 138.0 M. 10 M. 13885 -0.01 M. 100 M. 138.0 M. 10 M. 13885 -0.01 M. 100 M. 138.0 M. 10 M. 13885 -0.01 M. 100 M. 138.0 M. 10 M. 13885 -0.01 M. 100 M. 138.0 M. 10 M. 13885 -0.01 M. 100 M. 138.0 M. 10 M. 13885 -0.01 M. 100 M. 138.0 M. 10 M. 13885 -0.01 M. 100 M. 138.0 M. 10 M. 13885 -0.01 M. 100 M. 138.0 M. 10 M. 13885 -0.01 M. 100 M. 138.0 M. 10 M. 138.0 M.	MODOMO 131.0 131.0 1.0 MS13873 -0.01 MODOMO 132.0 133.0 1.0 MS13873 -0.01 MODOMO 132.0 133.0 1.0 MS13875 0.49 MODOMO 132.0 133.0 1.0 MS13875 0.49 MODOMO 134.0 155.0 1.0 MS13877 0.06 MODOMO 135.0 136.0 1.0 MS13877 0.06 MODOMO 136.0 137.0 1.0 MS13879 0.02 MODOMO 136.0 137.0 1.0 MS13879 0.08 MODOMO 136.0 137.0 1.0 MS13880 0.07 MODOMO 138.0 139.0 1.0 MS13881 0.07 MODOMO 138.0 139.0 1.0 MS13881 0.07 MODOMO 138.0 139.0 1.0 MS13881 0.07 MODOMO 140.0 141.0 1.0 MS13883 -0.01 MODOMO 140.0 141.0 1.0 MS13883 -0.01 MODOMO 140.0 141.0 1.0 MS13885 -0.01 MODOMO 140.0 140.0 1.0 MS13885 -0.01 MODOMO 150.0 160.0 1.0 MS13885 -0.01 MODOMO 150.0 160.0 1.0 MS13889 -0.01 MODOMO 150.0 160.0 1.0 MS13889 -0.01 MODOMO 150.0 160.0 1.0 MS13899 -0.01 MODOMO 150.0 150.0 1.0 MS13899 -0.01 MODOMO 150.0 150.0 1.0 MS13999 -0.01 MODOMO 150.0 150.0 1.0 MS13990 -0.01 MODOMO 150.0 150.0 1.0 MS13991 -0.01 MODOMO 150.0 150.0 1.	MODOGAD 130.0 131.0 1.0 MG18873 -0.0 MD0GAD 131.0 132.0 1.0 MG18875 0.40 1.0 MG18876 0.40 1.0 MG18876 0.40 1.0 MG18876 0.40 1.0 MG18876 0.40 1.0 MG18877 0.60 1.0 MG18878 0.60 1.0 MG1888 0.60 1.0 MG18	MODQAR 138.0 131.0 1.0 MG13873 -0.0												TZ3							
MODOWO 131.0 132.0 1.0 MG13874 -0.01 TGF MD0WO 133.0 133.0 134.0 1.0 MG13875 0.49 2.0 0.39 2.0 0.36 MD0WO 133.0 134.0 1.0 MG13875 0.49 0.20 MGDWO 135.0 136.0 1.0 MG13879 0.06 MD0WO 135.0 136.0 1.0 MG13879 0.08 MD0WO 137.0 138.0 1.0 MG13889 0.07 MD0WO 137.0 138.0 1.0 MG13880 0.07 MD0WO 137.0 138.0 1.0 MG13882 0.07 MD0WO 137.0 138.0 1.0 MG13882 0.07 MD0WO 140.0 1.0 MG13882 0.01 MD0WO 140.0 1.0 MG13882 0.01 MD0WO 140.0 140.0 1.0 MG13882 0.01 MD0WO 140.0 141.0 1.0 MG13882 0.01 MD0WO 140.0 141.0 1.0 MG13883 0.01 MD0WO 140.0 141.0 142.0 1.0 MG13884 0.01 MD0WO 140.0 140.0 1.0 MG13885 0.01 MD0WO 140.0 140.0 1.0 MG13885 0.00 MD0WO 140.0 140.0 1.0 MG13885 0.00 MD0WO 140.0 140.0 150 MG13885 0.00 MD0WO 140.0 140.0 MG13883 0.00 MD0WO 140.0 140.0 MG13885 0.01 MG13885 0.01 MD0WO 140.0 140.0 MG13885 0.01 MG13885 0.0	MOD040 31.0 13.0 13.0 10 MG13874 -0.01	MDDQ00 131.0 132.0 1.0 MG13873 0.49	MODO-90 131.0 132.0 10 MG1387 -0.01 MG1387 0.02	MODONO 131.0 132.0 10 MG1387 -0.02																			
MDD040 132.0 133.0 1.0 MG13875 0.49 2.0 0.36 MDD040 134.0 135.0 1.0 MG13877 0.06 MDD040 136.0 137.0 1.0 MG13877 0.06 MDD040 136.0 137.0 1.0 MG13879 0.08 MDD040 136.0 137.0 1.0 MG13879 0.08 MDD040 136.0 137.0 1.0 MG13879 0.08 MDD040 137.0 138.0 1.0 MG13880 0.07 MDD040 138.0 138.0 1.0 MG13882 -0.01 MDD040 139.0 138.0 1.0 MG13883 -0.01 MDD040 139.0 141.0 1.0 MG13883 -0.01 MDD040 141.0 1.0 MG13884 0.01 MDD040 141.0 1.0 MG13885 -0.01 MDD040 141.0 1.0 MG13885 -0.01 MDD040 141.0 1.0 MG13885 -0.01 MDD040 141.0 141.0 1.0 MG13885 -0.01 MDD040 141.0 1.0 MG13888 0.01 MDD040 141.0 1.0 MG13888 0.01 MDD040 141.0 1.0 MG13888 0.01 MDD040 141.0 1.0 MG13888 0.01 MDD040 141.0 141.0 1.0 MG13888 0.01 MDD040 141.0 141.0 1.0 MG1389 -0.01 MDD040 141.0 141.0 1.0 MG1389 -0.01 MDD040 141.0 141.0 1.0 MG1389 -0.01 MDD040 141.0 150.0 1.0 MG13895 0.01 MDD040 141.0 150.0 1.0 MG13895 0.01 MDD040 141.0 150.0 1.0 MG13895 0.01 MDD040 150.0 151.0 150.0 1.0 MG13895 0.01 MDD040 150.0 150.0 1.0 MG13895 0.01 MD0040 150.0 150.0 1.0 MG13901 0.08 MDD040 150.0 150.0 1.0 MG13901 0.08 MD0040 150.0 150.0 1.0 MG13901 0.00 MG13901 0.00 MG0040 150.0 150.0 1.0 MG13901 0.00 MG13901 0.00 MG0040 150.0 150.0 1.0 MG13901 0.00 MG13	MOD040 32.0 133.0 1.0 MG13875 0.28 2.0 0.36	MDD040 132.0 133.0 1.0 MG13875 0.49 2.0 0.36	MODEM 133.0 134.0 1.0 MG1897 0.49	MODRING 132.0 338.0 1.0 MG13875 0.49 MODRING 134.0 1.0 MG13875 0.00 0.36 MODRING 134.0 1.0 MG13875 0.00 0.2	_											TCF							
MDD040 134.0 1.0 MG13876 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.03 0.03 0.03 0.03 0.03 0.04 0.05 0.	MDD040 133.0 134.0 15.0 MG18876 0.28 2.0 0.36	MDD040 133.0 134.0 1.0 MG13876 0.23 2.0 0.38 MDD040 135.0 136.0 1.0 MG13877 0.06 MDD040 135.0 138.0 1.0 MG13878 0.02 MDD040 137.0 138.0 1.0 MG13887 0.06 MDD040 137.0 138.0 1.0 MG13881 0.07 MDD040 137.0 138.0 1.0 MG13881 0.07 MDD040 137.0 138.0 1.0 MG13881 0.07 MDD040 139.0 140.0 1.0 MG13883 -0.01 MDD040 131.0 141.0 1.0 MG13883 -0.01 MDD040 141.0 141.0 1.0 MG13884 0.01 MDD040 141.0 141.0 1.0 MG13886 -0.01 MDD040 141.0 141.0 1.0 MG13886 -0.01 MDD040 141.0 141.0 1.0 MG13886 -0.01 MDD040 141.0 141.0 1.0 MG13888 0.01 MDD040 141.0 141.0 1.0 MG13886 -0.01 MDD040 141.0 141.0 1.0 MG13886 -0.01 MDD040 141.0 141.0 1.0 MG13886 -0.01 MDD040 141.0 141.0 1.0 MG13886 0.01 MDD040 141.0 141.0 1.0 MG13887 0.02 RSSZ MDD040 141.0 141.0 1.0 MG13886 0.01 MD040 141.0 141.0 1.0 MG13886 0.01 MDD040 141.0 141.0 1.0 MG13886 0.01 MD040 141.0 141.0 1.0 MG13886 0.01 MD040 141.0 141.0 1.0 MG13886 0.01 MD040 151.0 1.0 MG13886 0.01 MD040 151.0 151.0 1.0 MG13896 0.01 MD040 151.0 151.0 1.0 MG13896 0.01 MD040 151.0 151.0 1.0 MG13896 0.01 MD040 151.0 152.0 1.0 MG13896 0.01 MD040 151.0 152.0 1.0 MG13906 0.06 MD040 151.0 152.0 1.0 MG13907 0.01 MD040 151.0 152.0 1.0 MG13909 0.04 MD040 151.0 151.0 1.0 MG13909 0.04 MD040 151.0 152.0 1.0 MG13909 0.04 MD040 151.0 151.0 1.0 MG13909 0.04 MD040 151.0 151.0 1.0 MG13909 0.04 MD040 151.0 151.0 1.0	MoDoPal 133.0 134.0 1.0 Mo13876 0.38 Z.0 0.98 MoDoPal 135.0 135.0 1.0 Mo13878 0.06 MoDoPal 135.0 135.0 1.0 Mo13878 0.06 MoDoPal 137.0 138.0 1.0 Mo13878 0.06 MoDoPal 137.0 138.0 1.0 Mo13879 0.06 MoDoPal 137.0 138.0 1.0 Mo13880 0.07 MoDoPal 137.0 138.0 1.0 Mo13880 0.01 MoDoPal 137.0 138.0 1.0 Mo13881 0.01 MoDoPal 137.0 138.0 1.0 Mo13881 0.01 MoDoPal 137.0 142.0 1.0 Mo13881 0.01 MoDoPal 147.0 140.0 1.0 Mo13888 0.01 MoDoPal 147.0 140.0 1.0 Mo13888 0.01 MoDoPal 147.0 140.0 1.0 Mo13888 0.01 MoDoPal 147.0 148.0 1.0 Mo13889 0.01 MoDoPal 147.0 148.0 1.0 Mo13889 0.01 MoDoPal 147.0 148.0 1.0 Mo13889 0.01 MoDoPal 147.0 15.0 Mo13899 0.01 MoDoPal 147.0 Mo1389 0.01 Mo1389 0.01 MoDoPal 147.0 Mo1389 0.01 MoDoPal 147.0 Mo1389 0.01 Mo1389 0.01 MoDoPal 147.0 Mo1389 0.01 MoDoPal 147.0 Mo1389 0.01 MoDoPal 147.0 M	M00040 131.0 134.0 1.0 M013876 0.23 Z.0 0.96 M0040 135.0 135.0 1.0 M013877 0.06 M0040 135.0 135.0 1.0 M013878 0.02 M0040 135.0 135.0 1.0 M013878 0.02 M0040 135.0 137.0 1.0 M013880 0.07 M0040 137.0 138.0 1.0 M013880 0.07 M0040 138.0 138.0 1.0 M013880 0.07 M0040 138.0 140.0 1.0 M01382 -4.00 M0040 138.0 140.0 1.0 M01382 -4.00 M0040 138.0 140.0 1.0 M01388 0.01 M0040 137.0 138.0 1.0 M01388 0.01 M0040 137.0 138.0 1.0 M01388 0.01 M0040 137.0 138.0 1.0 M01388 0.01 M0040 137.0 140.0 1.0 M01388 0.01 M0040 137.0 140.0 1.0 M01388 0.01 M0040 137.0 140.0 1.0 M01388 0.01 M0040 137.0 138.0 1.0 M01388 0.01 M0040 137.0 158.0 1.0 M01388 0.01 M0040 138.0 159.0 1.0 M01388 0.01 M0040 138.0 150.0 1.0 M01389 0.01 M0040 150.0 150.0 1.0 M01389 0.06 M0040 150.0 150.0 150												IGF							
MDD040 134.0 155.0 1.0 MG13878 0.06 MD0400 135.0 150.0 1.0 MG13878 0.02 MD0400 135.0 136.0 137.0 1.0 MG13878 0.08 MD0400 137.0 138.0 136.0 157.0 1.0 MG13880 0.07 MD0400 138.0 139.0 1.0 MG13881 0.27 MD0400 139.0 140.0 141.0 1 MG13881 0.01 MD040 140.0 141.0 1.0 MG13883 0.01 MD040 140.0 141.0 1.0 MG13883 0.01 MD040 140.0 141.0 1 MG13883 0.01 MD040 140.0 141.0 1 MG13883 0.01 MD040 140.0 141.0 1 MG13885 0.01 MD040 140.0 140.0 1 MG13885 0.01 MD040 140.0 150.0 1 MG13885 0.01 MD040 150.0 1 MG13895 0.01 MG13895 0.01 MD040 150.0 151.0 1 MG13895 0.01 MD040 150.0 150.0 1 MG13895 0.01 MD040 150.0 150.0 1 MG13895 0.01 MD040 150.0 150.0 1 MG13895 0.01 MG13895 0.01 MD040 150.0 150.0 1 MG13895 0.01 MG13895 0.01 MD040 150.0 150.0 1 MG13895 0.01 MG13895 0.01 MD040 150.0 150.0 1 MG13905 0.06 MD040 150.0 150.0 1 MG13905 0.06 MG13895 0.01 MG1	MODON 134.0 155.0 1.0 MG1887 0.06 MD0NO 135.0 136.0 137.0 1.0 MG1887 0.02 MD0NO 136.0 137.0 1.0 MG1889 0.07 MD0NO 138.0 139.0 1.0 MG1889 0.07 MD0NO 138.0 139.0 1.0 MG1888 0.07 MD0NO 138.0 139.0 1.0 MG1888 0.02 MD0NO 138.0 139.0 1.0 MG1888 0.01 MD0NO 141.0 141.0 142.0 1.0 MG1888 0.01 MD0NO 141.0 141.0 142.0 1.0 MG1888 0.01 MD0NO 141.0 141.0 MG1888 0.01 MD0NO 144.0 145.0 1.0 MG1888 0.01 MD0NO 144.0 145.0 1.0 MG1888 0.01 MD0NO 145.0 146.0 1.0 MG1888 0.01 MD0NO 146.0 147.0 1.0 MG1888 0.01 MD0NO 146.0 147.0 1.0 MG1888 0.01 MD0NO 146.0 147.0 1.0 MG1888 0.01 MD0NO 145.0 146.0 1.0 MG1888 0.01 MD0NO 145.0 150.0 1.0 MG1888 0.01 MD0NO 145.0 150.0 1.0 MG1888 0.01 MD0NO 150.0 150.0 1.0 MG1888 0.01 MG1880 0.01 MGDNO 150.0 150.0 1.0 MG1889 0.01 MGDNO 150.0 150.0 1.0 MG1890 0.01 MG1890 0.01 MGDNO 150.0 150.0 1.0 MG1890 0.01 MG1890	MDD040 134.0 135.0 1.0 MG13877 0.06 MDD040 137.0 1.0 MG13878 0.02 PRSSZ MDD040 137.0 1.0 MG13879 0.06 MDD040 137.0 138.0 1.0 MG13880 0.07 PRD0401 139.0 140.0 1.0 MG13881 0.27 PRD0401 139.0 140.0 1.0 MG13881 0.27 PRD0401 139.0 140.0 1.0 MG13881 0.27 PRD0401 139.0 140.0 1.0 MG13881 0.02 PRD0401 139.0 140.0 140.0 140.0 MG13883 0.01 PRD0401 140.0 140.0 140.0 MG13883 0.01 PRD0401 140.0 140.0 MG13885 0.01 PRD0401 140.0 140.0 MG13885 0.01 PRD0401 140.0 MG13895 0.01 PRD0401 150.0 MG13905 0.06 PRD0401 150.0 MG1	MODRO 134.0 135.0 1.0 MOSST7 0.06 MOSST7 0.06 MOSST 0.02 MOSST 0.10 MOSST 0.02 MOSST 0.10 MOSST 0.00 MOSST 0.0	MODORA 134.0 135.0 1.0 MG1387 0.06 MODORA 134.0 135.0 1.0 MG13879 0.06 MODORA 136.0 137.0 1.0 MG13879 0.08 MODORA 136.0 137.0 128.0 1.0 MG13879 0.08 MODORA 136.0 137.0 180.0 1.0 MG13881 0.27 MODORA 136.0 137.0 140.0 1.0 MG13881 0.27 MODORA 136.0 140.0 1.0 MG13881 0.27 MODORA 140.0 140.0 1.0 MG13882 0.01 MODORA 140.0 1.0 MG13883 0.01 MODORA 140.0 1.0 MG13885 0.01 MODORA 140.0 1.0 MG13885 0.02 MODORA 140.0 1.0 MG13885 0.02 MODORA 140.0 1.0 MG13887 0.02 MODORA 140.0 1.0 MG13888 0.01 MODORA 140.0 1.0 MG13889 0.01 MODORA 140.0 150.0 1.0 MG13890 0.01 MODORA 140.0 150.0 1.0 MG13890 0.01 MODORA 140.0 150.0 1.0 MG13890 0.01 MODORA 150.0 150.0 1.0 MG13890 0.00 MODORA 150.0 150.0 1.0 MG13990 0.00 MODORA 150.0 150.0 1.0 MG13991 0.00 MODORA	_							2.0	0.36										
MODOHO 135.0 136.0 1.0 MG13879 0.08 MD0HO 137.0 138.0 1.0 MG13879 0.08 MD0HO 137.0 138.0 1.0 MG13881 0.07 MD0HO 137.0 138.0 1.0 MG13881 0.27 MD0HO 139.0 140.0 1.0 MG13881 0.27 MD0HO 140.0 1.0 MG13882 -0.01 MD0HO 141.0 1.0 MG13883 -0.01 MD0HO 141.0 1.0 MG13883 -0.01 MD0HO 141.0 1.0 MG13884 -0.01 MD0HO 141.0 1.0 MG13885 -0.01 MD0HO 141.0 1.0 MG13885 -0.01 MD0HO 141.0 1.0 MG13886 -0.01 MD0HO 141.0 1.0 MG13886 -0.01 MD0HO 141.0 1.0 MG13886 -0.01 MD0HO 141.0 1.0 MG13888 -0.01 MD0HO 141.0 1.0 MG13889 -0.01 MD0HO 141.0 1.0 MG13893 -0.01 MD0HO 141.0 1.0 MG13893 -0.01 MD0HO 141.0 150.0 1.0 MG13893 -0.01 MD0HO 145.0 150.0 1.0 MG13893 -0.01 MD0HO 150.0 150.0 1.0 MG13895 -0.01 MD0HO 150.0 150.0 1.0 MG13896 -0.01 MD0HO 150.0 150.0 1.0 MG13997 0.01 MD0HO 150.0 150.0 1.0 MG13997 0.01 MD0HO 150.0 150.0 1.0 MG13997 0.01 MD0HO 150.0 150.0 1.0 MG13994 -0.01 MD0HO 150.0 150.0 1.0 MG13995 -0.08 MD0HO 150.0 150.0 1.0 MG13996 -0.08 MD0HO 150.0 150.0 1.0 MG13990 -0.06 MD0HO 150.0 150.0 1.0 MG13990 -0.06 MD0HO 150.0 150.0 1.0 MG13990 -0.01 MG1	MODOHO 135.0 136.0 1.0 MG13879 0.08 MD0HO 137.0 138.0 1.0 MG13879 0.08 MD0HO 137.0 138.0 1.0 MG13881 0.07 MD0HO 137.0 138.0 1.0 MG13881 0.27 MD0HO 139.0 140.0 1.0 MG13881 0.27 MD0HO 140.0 1.0 MG13882 -0.01 MD0HO 141.0 1.0 MG13883 -0.01 MD0HO 141.0 1.0 MG13883 -0.01 MD0HO 141.0 1.0 MG13884 -0.01 MD0HO 141.0 1.0 MG13885 -0.01 MD0HO 141.0 1.0 MG13885 -0.01 MD0HO 141.0 1.0 MG13886 -0.01 MD0HO 141.0 1.0 MG13886 -0.01 MD0HO 141.0 1.0 MG13886 -0.01 MD0HO 141.0 1.0 MG13888 -0.01 MD0HO 141.0 1.0 MG13889 -0.01 MD0HO 141.0 1.0 MG13893 -0.01 MD0HO 141.0 1.0 MG13893 -0.01 MD0HO 141.0 150.0 1.0 MG13893 -0.01 MD0HO 145.0 150.0 1.0 MG13893 -0.01 MD0HO 150.0 150.0 1.0 MG13895 -0.01 MD0HO 150.0 150.0 1.0 MG13896 -0.01 MD0HO 150.0 150.0 1.0 MG13997 0.01 MD0HO 150.0 150.0 1.0 MG13997 0.01 MD0HO 150.0 150.0 1.0 MG13997 0.01 MD0HO 150.0 150.0 1.0 MG13994 -0.01 MD0HO 150.0 150.0 1.0 MG13995 -0.08 MD0HO 150.0 150.0 1.0 MG13996 -0.08 MD0HO 150.0 150.0 1.0 MG13990 -0.06 MD0HO 150.0 150.0 1.0 MG13990 -0.06 MD0HO 150.0 150.0 1.0 MG13990 -0.01 MG1	MDD040 135.0 136.0 1.0 MG13878 0.02 MDD040 137.0 138.0 1.0 MG13879 0.08 MDD040 137.0 138.0 1.0 MG13881 0.07 MDD040 137.0 138.0 1.0 MG13881 0.07 MDD040 139.0 140.0 1.0 MG13881 0.27 MDD040 139.0 140.0 1.0 MG13883 -0.01 MDD040 141.0 1.0 MG13883 -0.01 MDD040 141.0 142.0 1.0 MG13885 -0.01 MDD040 141.0 142.0 1.0 MG13885 -0.01 MDD040 143.0 143.0 1.0 MG13885 -0.01 MDD040 143.0 144.0 1.0 MG13885 -0.01 MDD040 143.0 144.0 1.0 MG13885 -0.01 MDD040 144.0 145.0 1.0 MG13885 -0.01 MDD040 144.0 145.0 1.0 MG13885 -0.01 MDD040 144.0 145.0 1.0 MG13888 -0.02 MDD040 144.0 145.0 1.0 MG13889 -0.01 MDD040 145.0 146.0 10 MG13893 -0.01 MDD040 145.0 150.0 1.0 MG13895 -0.01 MDD040 150.0 150.0 150.0 1.0 MG13895 -0.01 MD040 145.0 150.0 1.0 MG13895 -0.01 MD040 150.0 151.0 1 MG13895 -0.01 MD040 150.0 151.0 1 MG13895 -0.01 MD040 150.0 151.0 1 MG13895 -0.01 MD040 150.0 150.0 150 MG13895 -0.01 MD040 150.0 150.0 150 MG13895 -0.01 MD040 150.0 150.0 150 MG13895 -0.01 MD040 150.0 150.0 10 MG13990 -0.01 MD040 150.0 150.0 10 MG13991 -0.01 MG13990 -0.01 MD040 150.0 150.0 150.0 10 MG13991 -0.01 MG13990 -0.01 MD040 150.0 150.0 10 MG13991 -0.01 MG13990 -0.01 MD040 150.0 150.0 10 MG13991 -0.01 MG13990 -0.01 MD040 150.0 150.0 10 MG13991 -0.01 MG13990 -0.01 MG13990 -0.01 MD040 150.0 150.0 10 MG13991 -0.01 MG13990 -0.01 MD040 150	Modeled 135.0 136.0 1.0 Mol3387 0.02 Mol346 137.0 1.0 Mol3487 0.08 Mol040 137.0 138.0 1.0 Mol3488 0.07 Mol040 138.0 139.0 1.0 Mol3488 0.07 Mol040 138.0 140.0 1.0 Mol3488 0.01 Mol040 138.0 140.0 1.0 Mol3488 0.01 Mol040 141.0 1.0 Mol3488 0.01 Mol040 141.0 1.0 Mol3488 0.01 Mol040 141.0 141.0 1.0 Mol3488 0.01 Mol040 141.0 1.0 Mol3488 0.01 Mol040 141.0 1.0 Mol3488 0.01 Mol040 141.0 141.0 1.0 Mol3488 0.01 Mol040 141.0 141.0 1.0 Mol3488 0.02 Mol040 141.0 141.0 1.0 Mol3488 0.02 Mol040 141.0 14	MODORO 135.0 136.0 1.0 MO13878 0.02 MO1397 0.08 MO1397 0.08 MO1397 0.08 MO1397 0.08 MO1397 0.08 MO1397 0.08 MO1398 1.0 MO1398 1.0 MO1398 0.07 MO1398 0.09 MO1398 1.0	- 1-																		
MDD040 136.0 137.0 138.0 10.0 MG13879 0.08 MS2 MDD040 137.0 138.0 10.0 MG13881 0.27 MDD040 138.0 140.0 1.0 MG13881 0.27 MDD040 139.0 140.0 1.0 MG13883 -0.01 MDD040 140.0 141.0 140.0 1.0 MG13883 -0.01 MDD040 141.0 141.0 142.0 1.0 MG13885 -0.01 MDD040 141.0 141.0 142.0 1.0 MG13885 -0.01 MDD040 141.0 141.0 145.0 1.0 MG13885 -0.01 MDD040 141.0 141.0 145.0 1.0 MG13885 -0.01 MDD040 145.0 146.0 1.0 MG13887 0.02 MDD040 145.0 146.0 1.0 MG13887 -0.01 MDD040 147.0 148.0 170 MG13887 -0.01 MDD040 147.0 148.0 1.0 MG13889 -0.01 MDD040 151.0 1.0 MG13893 -0.01 MDD040 151.0 1.0 MG13893 -0.01 MDD040 151.0 1.0 MG13893 -0.01 MDD040 151.0 15.0 1.0 MG13895 -0.01 MDD040 151.0 151.0 1.0 MG13895 -0.01 MDD040 151.0 151.0 1.0 MG13895 -0.01 MDD040 151.0 151.0 1.0 MG13897 -0.01 MDD040 151.0 151.0 1.0 MG13897 -0.01 MDD040 151.0 151.0 1.0 MG13901 -0.01 MDD040 151.0 151.0 10 MG13901 -0.01 MDD040 151.0 151.0 10 MG13901 -0.01 MD0040 151.0 151.0 10 MG13901 -0.01 MG13901 -0.01 MG13901 -0.01 MD0040 151.0 151.0 10 MG13901 -0.01 MG13901 -0.01 MG13901 -0.01 MD0040 151.0 151.0 10 MG13901 -0.01 M	MDD040 136.0 137.0 138.0 10.0 MG13879 0.08 MS2 MDD040 137.0 138.0 10.0 MG13881 0.27 MDD040 138.0 140.0 1.0 MG13881 0.27 MDD040 139.0 140.0 1.0 MG13883 -0.01 MDD040 140.0 141.0 140.0 1.0 MG13883 -0.01 MDD040 141.0 141.0 142.0 1.0 MG13885 -0.01 MDD040 141.0 141.0 142.0 1.0 MG13885 -0.01 MDD040 141.0 141.0 145.0 1.0 MG13885 -0.01 MDD040 141.0 141.0 145.0 1.0 MG13885 -0.01 MDD040 145.0 146.0 1.0 MG13887 0.02 MDD040 145.0 146.0 1.0 MG13887 -0.01 MDD040 147.0 148.0 170 MG13887 -0.01 MDD040 147.0 148.0 1.0 MG13889 -0.01 MDD040 151.0 1.0 MG13893 -0.01 MDD040 151.0 1.0 MG13893 -0.01 MDD040 151.0 1.0 MG13893 -0.01 MDD040 151.0 15.0 1.0 MG13895 -0.01 MDD040 151.0 151.0 1.0 MG13895 -0.01 MDD040 151.0 151.0 1.0 MG13895 -0.01 MDD040 151.0 151.0 1.0 MG13897 -0.01 MDD040 151.0 151.0 1.0 MG13897 -0.01 MDD040 151.0 151.0 1.0 MG13901 -0.01 MDD040 151.0 151.0 10 MG13901 -0.01 MDD040 151.0 151.0 10 MG13901 -0.01 MD0040 151.0 151.0 10 MG13901 -0.01 MG13901 -0.01 MG13901 -0.01 MD0040 151.0 151.0 10 MG13901 -0.01 MG13901 -0.01 MG13901 -0.01 MD0040 151.0 151.0 10 MG13901 -0.01 M	MDD040 136.0 137.0 138.0 1.0 MG13879 0.08 MDD040 138.0 139.0 1.0 MG13881 0.27 MDD040 138.0 139.0 1.0 MG13881 0.27 MDD040 139.0 140.0 1.0 MG13883 -0.01 MDD040 141.0 10 MG13883 -0.01 MDD040 141.0 141.0 10 MG13883 -0.01 MDD040 141.0 141.0 10 MG13885 -0.01 MDD040 141.0 141.0 141.0 10 MG13886 -0.01 MDD040 141.0 141.0 10 MG13887 -0.02 MDD040 145.0 146.0 1.0 MG13887 -0.01 MDD040 147.0 148.0 149.0 1.0 MG13887 -0.01 MDD040 147.0 148.0 149.0 1.0 MG13889 -0.01 MDD040 147.0 148.0 149.0 1.0 MG13885 -0.01 MDD040 147.0 150.0 1.0 MG13893 -0.01 MDD040 151.0 150.0 1.0 MG13895 -0.01 MDD040 151.0 150.0 151.0 1.0 MG13896 -0.01 MDD040 151.0 150.0 151.0 1.0 MG13897 -0.01 MDD040 151.0 150.0 151.0 1.0 MG13897 -0.01 MDD040 150.0 151.0 150.0 1.0 MG13904 -0.01 MDD040 150.0 150.0 150.0 1.0 MG13906 -0.06 MDD040 150.0 150.0 150.0 1.0 MG13907 -0.01 MDD040 150.0 150.0 150.0 1.0 MG13909 -0.01 MDD040 150.0 150.0 150.0 1.0 MG13909 -0.01 MDD040 150.0 150.0 1.0 MG13909 -0.01 MG13909 -0.01 MDD040 150.0 150.0 10.0 MG13909 -0.01	MODOWA 136.0 137.0 1.0 M013879 0.08 NODOWA 138.0 139.0 1.0 M013880 0.07 NODOWA 138.0 139.0 1.0 M013881 0.27 NODOWA 140.0 140.0 1.0 M013882 -0.01 NODOWA 140.0 140.0 1.0 M013882 -0.01 NODOWA 140.0 140.0 1.0 M013882 -0.01 NODOWA 140.0 140.0 1.0 M013885 -0.01 NODOWA 140.0 140.0 1.0 M013889 -0.01 NODOWA 140.0 140.0 140.0 1.0 M013889 -0.01 NODOWA 140.0 140.0 1.0 M013889 -0.01 NODOWA 140.0 140.0 1.0 M013889 -0.01 NODOWA 140.0 150.0 1.0 M013895 -0.01 NODOWA 140.0 150.0 1.0 M013895 -0.01 NODOWA 150.0 150.0 1.0 M013995 -0.01 NODOWA 150.0 150.0 150.0 1.0 M013995 -0.01 NODOWA 150.0 150.0 150.0 150.0 150.0 15	MODOWA 136.0 137.0 1.0 MO1389 0.05 MODOWA 138.0 139.0 1.0 MO13880 0.07 MODOWA 138.0 139.0 1.0 MO13880 0.07 MODOWA 138.0 139.0 1.0 MO13882 -0.01 MODOWA 14.0 14.0 1.0 MO13882 -0.01 MODOWA 14.0 14.0 1.0 MO13882 -0.01 MODOWA 14.0 14.0 1.0 MO13885 -0.01 MODOWA 14.0 14.0 1.0 MO13889 -0.01 MODOWA 14.0 15.0 1.0 MO13895 -0.01 MODOWA 15.0 15.0 1.0 MO13995 -0.01 MODOWA 15.0 15.0 15.0 1.0 MO13995 -0.01 MODOWA 15.0 15.0 15.0 1.0 MO13995 -0.01 MO																			
MDD040 137.0 138.0 1.0 MG13880 0.07 MDD040 138.0 139.0 140.0 1.0 MG13881 0.27 MDD040 140.0 140.0 1.0 MG13883 -0.01 MDD040 141.0 142.0 1.0 MG13883 -0.01 MDD040 141.0 142.0 143.0 1.0 MG13883 -0.01 MDD040 142.0 143.0 1.0 MG13885 -0.01 MDD040 143.0 144.0 145.0 1.0 MG13885 -0.01 MDD040 143.0 144.0 145.0 1.0 MG13885 -0.01 MDD040 145.0 146.0 165.0 1.0 MG13888 0.01 MDD040 146.0 147.0 1.0 MG13888 0.01 MDD040 146.0 147.0 1.0 MG13888 -0.01 MDD040 146.0 147.0 1.0 MG13883 -0.01 MDD040 146.0 147.0 1.0 MG13893 -0.01 MDD040 146.0 147.0 1.0 MG13893 -0.01 MDD040 146.0 147.0 1.0 MG13895 -0.01 MDD040 150.0 151.0 1.0 MG13896 -0.01 MDD040 150.0 151.0 1.0 MG13896 -0.01 MDD040 150.0 151.0 1.0 MG13900 2.66 MDD040 155.0 150.0 1.0 MG13900 0.05 MDD040 155.0 150.0 1.0 MG13900 0.05 MDD040 155.0 150.0 1.0 MG13900 0.05 MDD040 155.0 150.0 1.0 MG13904 -0.01 MDD040 150.0 150.0 1.0 MG13905 0.06 MDD040 150.0 150.0 1.0 MG13905 0.06 MDD040 150.0 150.0 1.0 MG13905 0.06 MDD040 150.0 150.0 1.0 MG13906 0.06 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13901 0.02 MDD040 150.0 150.0 1.0 MG13911 0.01 MDD040 150.0 150.0 1.0 MG13911 0.01 MG13910 0.02 MDD040 150.0 150.0 1.0 MG13911 0.01 MG13910 0.02 MG13910 0.02 MG13910 0.03 MG13910 0.04 MG13910 0.05 MG1391	MDD040 137.0 138.0 1.0 MG13880 0.07 MDD040 138.0 139.0 140.0 1.0 MG13881 0.27 MDD040 140.0 140.0 1.0 MG13883 -0.01 MDD040 141.0 142.0 1.0 MG13883 -0.01 MDD040 141.0 142.0 143.0 1.0 MG13883 -0.01 MDD040 142.0 143.0 1.0 MG13885 -0.01 MDD040 143.0 144.0 145.0 1.0 MG13885 -0.01 MDD040 143.0 144.0 145.0 1.0 MG13885 -0.01 MDD040 145.0 146.0 165.0 1.0 MG13888 0.01 MDD040 146.0 147.0 1.0 MG13888 0.01 MDD040 146.0 147.0 1.0 MG13888 -0.01 MDD040 146.0 147.0 1.0 MG13883 -0.01 MDD040 146.0 147.0 1.0 MG13893 -0.01 MDD040 146.0 147.0 1.0 MG13893 -0.01 MDD040 146.0 147.0 1.0 MG13895 -0.01 MDD040 150.0 151.0 1.0 MG13896 -0.01 MDD040 150.0 151.0 1.0 MG13896 -0.01 MDD040 150.0 151.0 1.0 MG13900 2.66 MDD040 155.0 150.0 1.0 MG13900 0.05 MDD040 155.0 150.0 1.0 MG13900 0.05 MDD040 155.0 150.0 1.0 MG13900 0.05 MDD040 155.0 150.0 1.0 MG13904 -0.01 MDD040 150.0 150.0 1.0 MG13905 0.06 MDD040 150.0 150.0 1.0 MG13905 0.06 MDD040 150.0 150.0 1.0 MG13905 0.06 MDD040 150.0 150.0 1.0 MG13906 0.06 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13901 0.02 MDD040 150.0 150.0 1.0 MG13911 0.01 MDD040 150.0 150.0 1.0 MG13911 0.01 MG13910 0.02 MDD040 150.0 150.0 1.0 MG13911 0.01 MG13910 0.02 MG13910 0.02 MG13910 0.03 MG13910 0.04 MG13910 0.05 MG1391	MDD040 137.0 138.0 139.0 1.0 MG13881 0.27	MDDPAD 137.0 138.0 1.0 MG15880 0.07 MDDPAD 139.0 1.0 MG15881 0.27 MDDPAD 139.0 140.0 1.0 MG15881 0.27 MDDPAD 139.0 140.0 1.0 MG15881 0.02 MDDPAD 141.0 142.0 1.0 MG15883 0.00 MDDPAD 141.0 142.0 1.0 MG15883 0.00 MDDPAD 141.0 142.0 1.0 MG15885 0.00 MDDPAD 141.0 142.0 1.0 MG15886 0.00 MDDPAD 141.0 142.0 1.0 MG15889 0.00 MDDPAD 141.0 142.0 1.0 MG15890 0.00 MDDPAD 141.0 MG15890 0.00 MG1580 0.0	MDDPAD 137.0 138.0 1.0 MG13880 0.07 MDDPAD 139.0 140.0 1.0 MG13881 0.27 MDDPAD 139.0 140.0 1.0 MG13882 -0.01 MDDPAD 139.0 140.0 1.0 MG13883 -0.01 MDDPAD 139.0 140.0 1.0 MG13885 -0.01 MDDPAD 139.0 130.0 1.0 MG13895 -0.01 MDDPAD 139.0 130.0 1.0 MG13895 -0.01 MDDPAD 139.0 139.0 1.0 MG13990 -0.01 MDDPAD 139.0 189.0 1.0 MG13991 -0.01 MDPAD 139.0 189.0 1	_											RSSZ							
MIDDONG 139.0 140.0 10.0 MG13882 -0.01 MD0040 141.0 142.0 1.0 MG13884 0.01 TZ4 MD0040 142.0 143.0 1.0 MG13886 -0.01 MD0040 142.0 143.0 1.0 MG13886 -0.01 MD0040 143.0 144.0 1.0 MG13886 -0.01 MD0040 144.0 145.0 1.0 MG13886 -0.01 MD0040 145.0 146.0 1.0 MG13887 0.02 RS5Z MD0040 145.0 146.0 1.0 MG13889 -0.01 MD0040 145.0 146.0 1.0 MG13889 -0.01 MD0040 145.0 146.0 1.0 MG13889 -0.01 MD0040 146.0 147.0 1.0 MG13899 -0.01 MD0040 148.0 1.0 MG13899 -0.01 MD0040 148.0 1.0 MG13899 -0.01 MD0040 148.0 1.0 MG13899 -0.01 MD0040 150.0 151.0 155.0 1.0 MG13896 -0.01 MD0040 155.0 155.0 1.0 MG13896 -0.01 MD0040 155.0 155.0 1.0 MG13901 0.08 MD0040 155.0 156.0 157.0 1.0 MG13901 0.06 MD0040 155.0 156.0 157.0 1.0 MG13907 0.06 MD0040 158.0 159.0 10.0 MG13907 0.06 MD0040 158.0 159.0 10.0 MG13909 0.06 MD0040 156.0 157.0 1.0 MG13909 0.06 MD0040 156.0 157.0 1.0 MG13909 0.06 MD0040 156.0 156.0 1.0 MG13909 0.06 MD0040 156.0 156.0 1.0 MG13909 0.01 MG13900 0.06 MD0040 156.0 156.0 1.0 MG13909 0.01 MG13900 0.02 MD0040 156.0 156.0 1.0 MG13901 0.01 MG13901 0.01 MD0040 156.0 156.0 1.0 MG13901 0.01 MG	MIDDONG 139.0 140.0 10.0 MG13882 -0.01 MD0040 141.0 142.0 1.0 MG13884 0.01 TZ4 MD0040 142.0 143.0 1.0 MG13886 -0.01 MD0040 142.0 143.0 1.0 MG13886 -0.01 MD0040 143.0 144.0 1.0 MG13886 -0.01 MD0040 144.0 145.0 1.0 MG13886 -0.01 MD0040 145.0 146.0 1.0 MG13887 0.02 RS5Z MD0040 145.0 146.0 1.0 MG13889 -0.01 MD0040 145.0 146.0 1.0 MG13889 -0.01 MD0040 145.0 146.0 1.0 MG13889 -0.01 MD0040 146.0 147.0 1.0 MG13899 -0.01 MD0040 148.0 1.0 MG13899 -0.01 MD0040 148.0 1.0 MG13899 -0.01 MD0040 148.0 1.0 MG13899 -0.01 MD0040 150.0 151.0 155.0 1.0 MG13896 -0.01 MD0040 155.0 155.0 1.0 MG13896 -0.01 MD0040 155.0 155.0 1.0 MG13901 0.08 MD0040 155.0 156.0 157.0 1.0 MG13901 0.06 MD0040 155.0 156.0 157.0 1.0 MG13907 0.06 MD0040 158.0 159.0 10.0 MG13907 0.06 MD0040 158.0 159.0 10.0 MG13909 0.06 MD0040 156.0 157.0 1.0 MG13909 0.06 MD0040 156.0 157.0 1.0 MG13909 0.06 MD0040 156.0 156.0 1.0 MG13909 0.06 MD0040 156.0 156.0 1.0 MG13909 0.01 MG13900 0.06 MD0040 156.0 156.0 1.0 MG13909 0.01 MG13900 0.02 MD0040 156.0 156.0 1.0 MG13901 0.01 MG13901 0.01 MD0040 156.0 156.0 1.0 MG13901 0.01 MG	MDD040 139.0 140.0 1.0 MG13882 -0.01	M00040 140.0 1.0 M613882 -0.0 M0040 141.0 10.0 M613883 -0.0 M0040 141.0 142.0 1.0 M613884 0.0 M0040 141.0 142.0 1.0 M613886 -0.0 M0040 141.0 142.0 1.0 M613886 -0.0 M0040 141.0 140.0 M613886 -0.0 M0040 141.0 M613886 -0.0 M6040 141.0 M613887 0.0 M6040 141.0 M613888 0.0 M0040 141.0 M613888 0.0 M6040 141.0 M613889 -0.0 M6040 141.0 M613889 0.0 M6040 141.0 M613889 0.0 M6040 141.0 M613893 0.0 M6040 141.0 M613893 0.0 M6040 141.0 M613895 0.0 M6040 141.0 M613895 0.0 M6040 141.0 M613895 0.0 M6040 141.0 M613895 0.0 M6040 151.0 M613805 0.0 M6040 151.0 M613805 0.0 M6040 151.0 M613905 0.0 M	MDDP040 139.0 140.0 1.0 MG13882 -0.01 MDDP040 141.0 142.0 1.0 MG13883 -0.01 MDDP040 141.0 142.0 1.0 MG13885 -0.01 MDDP040 143.0 144.0 1.0 MG13886 -0.01 MDDP040 143.0 144.0 1.0 MG13886 -0.01 MDDP040 143.0 144.0 1.0 MG13888 -0.02 MDDP040 143.0 146.0 1.0 MG13888 -0.01 MDDP040 143.0 146.0 1.0 MG13888 -0.01 MDDP040 143.0 146.0 1.0 MG13889 -0.01 MDDP040 143.0 144.0 1.0 MG13889 -0.01 MDDP040 143.0 150.0 1.0 MG13889 -0.01 MDDP040 150.0 151.0 1.0 MG13889 -0.01 MDDP040 150.0 151.0 1.0 MG13889 -0.01 MDDP040 150.0 150.0 1.0 MG13896 -0.01 MDDP040 150.0 150.0 1.0 MG13990 -0.01 MDDP040 150.0 150.0 1.0 MG13991 -0.01 MDP040 150.0 150.0 150.0 150.0 MG139	_																		
MDD040 140.0 141.0 14.0 MG13885 -0.01 MDD040 142.0 143.0 144.0 1.0 MG13885 -0.01 MDD040 142.0 143.0 144.0 1.0 MG13885 -0.01 MDD040 143.0 144.0 1.0 MG13885 -0.01 MDD040 143.0 144.0 1.0 MG13885 -0.01 MDD040 145.0 146.0 1.0 MG13888 0.01 MDD040 145.0 146.0 1.0 MG13888 0.01 MDD040 145.0 146.0 1.0 MG13889 -0.01 TZ4 MDD040 147.0 148.0 1.0 MG13893 -0.01 MDD040 149.0 150.0 1.0 MG13895 0.01 MDD040 149.0 150.0 1.0 MG13895 0.01 MDD040 149.0 150.0 1.0 MG13895 0.01 MDD040 151.0 151.0 1.0 MG13896 -0.01 MDD040 151.0 151.0 1.0 MG13896 -0.01 MDD040 151.0 151.0 1.0 MG13896 0.01 MDD040 151.0 151.0 1.0 MG13900 0.66 MDD040 155.0 1.0 MG13900 0.05 MDD040 155.0 1.0 MG13901 0.05 MDD040 155.0 150 1.0 MG13901 0.05 MDD040 155.0 150 1.0 MG13901 0.05 MDD040 155.0 150 1.0 MG13901 0.06 MDD040 156.0 157.0 158.0 1.0 MG13904 -0.01 MDD040 156.0 157.0 1.0 MG13904 -0.01 MDD040 156.0 157.0 10 MG13901 0.06 MDD040 150.0 150.0 1.0 MG13901 0.01 MDD040 150.0 150.0 1.0 MG13901 0.01 MDD040 150.0 150.0 1.0 MG13901 0.01 MDD040 150.0 150.0 1.0 MG13910 0.02 MDD040 150.0 160.0 1.0 MG13910 0.01 MDD040 150.0 150.0 1.0 MG13911 0.01 MDD040 150.0 150.0 1.0 MG13911 0.01 MDD040 150.0 160.0 1.0 MG13911 0.01 MDD040 160.0	MiDD040 140.0 141.0 140.0 141.0 140.0 141.0 140.0 141.0 142.0 143.0 140.0 141.0 142.0 143.0 140.0 143.0 144.0 145.0 144.0 145.0 146.0 10.0 MG13885 -0.01	MDD040 140.0 141.0 12.0 MG13883 -0.01 MDD040 142.0 143.0 144.0 12.0 MG13885 -0.01 MDD040 143.0 144.0 145.0 10.0 MG13885 -0.01 MDD040 145.0 144.0 15.0 10.0 MG13885 -0.01 MDD040 145.0 146.0 1.0 MG13888 0.01 MDD040 145.0 146.0 17.0 10.0 MG13889 -0.01 MDD040 145.0 146.0 17.0 10.0 MG13899 -0.01 MDD040 148.0 10.0 MG13895 -0.01 MDD040 148.0 10.0 MG13895 -0.01 MDD040 148.0 150.0 10.0 MG13895 -0.01 MDD040 149.0 150.0 151.0 10.0 MG13895 -0.01 MDD040 150.0 151.0 10.0 MG13897 13.60 2.66 MDD040 150.0 151.0 10.0 MG13901 -0.01 MDD040 155.0 10.0 MG13902 0.01 MDD040 155.0 150.0 10.0 MG13902 0.01 MDD040 155.0 150.0 10.0 MG13902 0.01 MDD040 155.0 150.0 10.0 MG13903 0.08 MDD040 156.0 157.0 10.0 MG13904 -0.01 MD0040 150.0 150.0 10.0 MG13905 0.06 MDD040 150.0 150.0 10.0 MG13905 0.06 MDD040 150.0 150.0 10.0 MG13905 0.06 MDD040 150.0 150.0 10.0 MG13907 0.01 MD0040 150.0 150.0 10.0 MG13907 0.01 MD0040 150.0 160.0 160.0 10.0 MG13907 0.01 MD0040 150.0 160.0 10.0 MG13909 0.02 MD0040 160.0 160.0 160.0 10.0 MG13909 0.02 MD0040 160.0 160.0 160.0 10.0 MG13910 0.02 MD0040 160.0 160.0 160.0 160.0 MG13911 0.01 MG13914 0.01 MD0040 160.0 160.0 160.0 160.0 MG13914 0.01 MG13914 0.01 MD0040 160.0 160.0 160.0 MG13914 0.01 MG13918 0.03 MD0040 160.0 160.0 10.0 MG13914 0.01 MG13918 0.03 MD0040 160.0 160.0 10.0 MG13919 0.01 MG139	MDDD040 141,0 1,0 M013883 -0.01 MDD040 142,0 134,0 1,0 M013885 -0.01 MDD040 142,0 134,0 1,0 M013885 -0.01 MDD040 143,0 134,0 1,0 M013887 0.02 MDD040 144,0 155,0 1,0 M013887 0.02 MDD040 144,0 155,0 1,0 M013889 -0.01 MDD040 156,0 146,0 1,0 M013889 -0.01 MDD040 148,0 149,0 1,0 M013899 -0.01 MDD040 150,0 151,0 1,0 M013899 0.01 MDD040 151,0 150 1,0 M013896 -0.01 MDD040 151,0 152,0 1,0 M013896 -0.01 MDD040 151,0 152,0 1,0 M013896 -0.01 MDD040 151,0 152,0 1,0 M013896 -0.01 MD0040 151,0 152,0 1,0 M013900 0.08 MD0040 151,0 152,0 1,0 M013900 0.08 MD0040 151,0 152,0 1,0 M013901 0.08 MD0040 152,0 152,0 1,0 M013901 0.09 MD0040 152,0 152,0 M012,0 M01	MODOPAD 141.0 1.0 Mc13888 -0.01 MODOPAD 141.0 1.0 Mc13888 -0.01 MODOPAD 141.0 1.42.0 1.0 Mc13888 -0.01 MODOPAD 141.0 1.0 Mc13889 -0.01 MODOPAD 141.0 1.0 Mc13899 -0.01 MODOPAD 141.0 1.0 Mc13899 -0.01 MODOPAD 151.0 1.0 Mc13899 -0.01 MODOPAD 151.0 1.0 Mc13899 -0.01 MODOPAD 151.0 152.0 1.0 Mc13899 -0.01 MODOPAD 150.0 155.0 1.0 Mc13899 -0.01 MODOPAD 150.0 155.0 1.0 Mc13899 -0.01 MODOPAD 150.0 150.0 1.0 Mc13891 -0.01 M	- 1	MDD040	138.0	139.0	1.0	MG13881	0.27												
MDD040 141.0 142.0 143.0 142.0 143.0 142.0 143.0 144.0 143.0 144.0 143.0 144.0 143.0 144.0 145.0 1.0 M613886 -0.01	MDD040 141.0 142.0 143.0 142.0 143.0 142.0 143.0 144.0 143.0 144.0 143.0 144.0 143.0 144.0 145.0 1.0 M613886 -0.01	MDD040 141.0 142.0 1.0 MG13884 0.01 MG13805 0.08 MG0040 155.0 155.0 1.0 MG13905 0.06 MG0040 155.0 156.0 157.0 1.0 MG13905 0.06 MG0040 155.0 156.0 157.0 1.0 MG13905 0.06 MG0040 158.0 159.0 1.0 MG13905 0.06 MG0040 159.0 160.0 1.0 MG13905 0.06 MG0040 159.0 160.0 1.0 MG13905 0.06 MG0040 159.0 160.0 1.0 MG13905 0.06 MG0040 150.0 160.0 1.0 MG13905 0.05 MG0040 150.0 160.0 1.0 MG13905 0.05 MG0040 150.0 160.0 1.0 MG13910 0.02 MG0040 160.0 160.0 1.0 MG13911 0.01 MG13911 0.01 MG13910 0.02 MG0040 160.0 160.0 1.0 MG13911 0.01 MG	MDD040 141.0 142.0 1.0 MG13884 0.01 MD040 143.0 144.0 1.0 MG13886 -0.01 MD040 143.0 144.0 1.0 MG13886 -0.01 MD040 143.0 144.0 1.0 MG13888 0.01 MD040 143.0 144.0 1.0 MG13888 0.01 MD040 143.0 144.0 1.0 MG13889 0.01 MD040 147.0 148.0 1.0 MG13893 -0.01 MD040 147.0 148.0 1.0 MG13899 -0.01 MD040 147.0 148.0 1.0 MG13899 0.01 MD040 147.0 148.0 1.0 MG13899 0.01 MD040 147.0 148.0 1.0 MG13899 0.01 MD040 151.0 151.0 1.0 MG13897 0.02 MD040 151.0 151.0 1.0 MG13897 0.02 MD040 151.0 151.0 1.0 MG13897 0.02 MD040 151.0 151.0 1.0 MG13897 0.03 MD040 151.0 151.0 151.0 1.0 MG13897 0.03 MD040 151.0 151.0 1.0 MG13897 0.03 MD040 151.0 151.0 151.0 151.0 MG13897 0.03 MD040 151.0 151.0 151.0 MG13897 0.01 MG1390 0.03 MD040 151.0 151.0 MG13897 0.01 MG1390 0.03 MD040 151.0 151.0 MG13897 0.01 MG1390 0.03 MD040 151.0 151.0 MG13897 0.01 MG13897 0.01 MG1390 0.01 MD040 151.0 151.0 MG13897 0.01 MG13897 0.01 MG13897 0.01 MG13890 0.05 MD040 151.0 MG1380 0.06 MG1	MDD040 141.0 142.0 1.0 MS13884 0.01 MD040 143.0 144.0 1.0 MS13885 0.01 MD040 143.0 144.0 1.0 MS13885 0.01 MD040 143.0 144.0 1.0 MS13885 0.01 MD040 143.0 144.0 1.0 MS13888 0.01 MD040 145.0 146.0 1.0 MS13889 0.01 MD040 147.0 148.0 1.0 MS13899 0.01 MD040 147.0 148.0 1.0 MS13899 0.01 MD040 147.0 148.0 1.0 MS13899 0.01 MD040 150.0 151.0 1.0 MS13899 0.01 MD040 151.0 152.0 150.0 151.0 1.0 MS13899 1.0 MS1390 1.0 MS1391 1.0 MS1390 1.0 MS1391 1.0 MS1390 1.0 MS1391 1.0	1	MDD040	139.0	140.0	1.0	MG13882	-0.01												
MDD040 142.0 143.0 1.0 MG13885 -0.01	MDD040 142.0 143.0 1.0 MG13885 -0.01	MDD040 142.0 143.0 1.0 MG13885 -0.01	MDD040 134,0 1,43,0 1.0 Mc13885 -0.01 MDD040 144,0 145,0 1.0 Mc13888 0.02 MDD040 146,0 147,0 1.0 Mc13888 0.01 MDD040 150,0 146,0 1.0 Mc13889 -0.01 MDD040 150,0 150,0 1.0 Mc13899 0.01 MDD040 150,0 151,0 1.0 Mc13899 0.01 MDD040 151,0 155,0 1.0 Mc13899 0.01 MDD040 151,0 155,0 1.0 Mc13899 0.01 MDD040 155,0 156,0 1.0 Mc13900 0.01 MDD040 155,0 156,0 1.0 Mc13900 0.01 MDD040 151,0 150,0 1.0 Mc13999 0.01 MDD040 150,0 150,0 1.0 Mc13999 0.01 MD0040 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 15	MDD040 134,0 1,43,0 1.0 Mc13885 -0.01 MDD040 144,0 145,0 1.0 Mc13888 0.02 MDD040 146,0 147,0 1.0 Mc13888 0.01 MDD040 150,0 146,0 1.0 Mc13889 -0.01 MDD040 150,0 150,0 1.0 Mc13899 0.01 MDD040 150,0 151,0 1.0 Mc13899 0.01 MDD040 151,0 155,0 1.0 Mc13899 0.01 MDD040 151,0 155,0 1.0 Mc13899 0.01 MDD040 155,0 156,0 1.0 Mc13900 0.01 MDD040 155,0 156,0 1.0 Mc13900 0.01 MDD040 151,0 150,0 1.0 Mc13999 0.01 MDD040 150,0 150,0 1.0 Mc13999 0.01 MD0040 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 150,0 15			140.0		1.0														
MDD040 143.0 144.0 1.0 MG13886 -0.01 MDD040 144.0 145.0 1.0 MG13888 0.01 MDD040 146.0 147.0 148.0 1.0 MG13889 -0.01 MDD040 148.0 149.0 1.0 MG13893 -0.01 MDD040 148.0 149.0 1.0 MG13893 -0.01 MDD040 148.0 150.0 1.0 MG13893 -0.01 MDD040 150.0 1.0 MG13895 -0.01 MDD040 151.0 152.0 153.0 1.0 MG13896 -0.01 MDD040 152.0 153.0 1.0 MG13890 -0.01 MDD040 155.0 1.0 MG13900 2.66 MDD040 155.0 155.0 1.0 MG13902 0.01 MDD040 155.0 155.0 1.0 MG13903 0.08 MDD040 156.0 157.0 158.0 1.0 MG13903 0.08 MDD040 156.0 157.0 158.0 1.0 MG13903 0.06 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13903 0.06 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 160.0 1.0 MG13907 0.01 MDD040 150.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 160.0 161.0 1.0 MG13909 0.01 MDD040 160.0 161.0 1.0 MG13909 0.01 MDD040 160.0 160	MDD040 143.0 144.0 1.0 MG13886 -0.01 MDD040 144.0 145.0 1.0 MG13888 0.01 MDD040 146.0 147.0 148.0 1.0 MG13889 -0.01 MDD040 148.0 149.0 1.0 MG13893 -0.01 MDD040 148.0 149.0 1.0 MG13893 -0.01 MDD040 148.0 150.0 1.0 MG13893 -0.01 MDD040 150.0 1.0 MG13895 -0.01 MDD040 151.0 152.0 153.0 1.0 MG13896 -0.01 MDD040 152.0 153.0 1.0 MG13890 -0.01 MDD040 155.0 1.0 MG13900 2.66 MDD040 155.0 155.0 1.0 MG13902 0.01 MDD040 155.0 155.0 1.0 MG13903 0.08 MDD040 156.0 157.0 158.0 1.0 MG13903 0.08 MDD040 156.0 157.0 158.0 1.0 MG13903 0.06 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13903 0.06 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 160.0 1.0 MG13907 0.01 MDD040 150.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 160.0 161.0 1.0 MG13909 0.01 MDD040 160.0 161.0 1.0 MG13909 0.01 MDD040 160.0 160	MDD040 143.0 144.0 1.0 MG13886 -0.01 MDD040 144.0 145.0 1.0 MG13888 0.01 MDD040 146.0 147.0 148.0 1.0 MG13889 -0.01 MDD040 148.0 149.0 1.0 MG13893 -0.01 MDD040 148.0 149.0 1.0 MG13893 -0.01 MDD040 148.0 150.0 1.0 MG13893 -0.01 MDD040 150.0 1.0 MG13895 -0.01 MDD040 151.0 152.0 153.0 1.0 MG13896 -0.01 MDD040 152.0 153.0 1.0 MG13890 -0.01 MDD040 155.0 1.0 MG13900 2.66 MDD040 155.0 155.0 1.0 MG13902 0.01 MDD040 155.0 155.0 1.0 MG13903 0.08 MDD040 156.0 157.0 158.0 1.0 MG13903 0.08 MDD040 156.0 157.0 158.0 1.0 MG13903 0.06 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13903 0.06 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 150.0 1.0 MG13907 0.01 MDD040 150.0 160.0 1.0 MG13907 0.01 MDD040 150.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 160.0 161.0 1.0 MG13909 0.01 MDD040 160.0 161.0 1.0 MG13909 0.01 MDD040 160.0 160	MDD040 143.0 144.0 1.0 MG13886 -0.01	MDD040 143.0 144.0 1.0 MG13886 -0.01												TZ4							
MDD040 144.0 145.0 1.0 MG13887 0.02	MDD040 144.0 145.0 1.0 MG13887 0.02	MDD040 144.0 145.0 1.0 MG13887 0.02	MDDD040 144.0 145.0 1.0 MG13887 0.02	MDDD040 144.0 145.0 1.0 MG13887 0.02																			
NDD040	NDD040	NDD040	M0D040 145.0 146.0 1.0 M613889 -0.01	M0D040 145.0 146.0 1.0 M613889 -0.01	Н																		
MD0040 146.0 147.0 1.0 MG13889 -0.01 MD0040 147.0 148.0 149.0 1.0 MG13893 -0.01 MD0040 148.0 149.0 1.0 MG13895 0.01 MD0040 149.0 150.0 11.0 MG13896 -0.01 MD0040 151.0 151.0 1.0 MG13896 -0.01 MD0040 151.0 152.0 1.0 MG13897 13.80 2.0 8.23 2.0 8.23 RSSZ P 1 23 MD0040 152.0 153.0 1.0 MG13901 0.03 MD0040 154.0 155.0 1.0 MG13901 0.03 MD0040 155.0 156.0 1.0 MG13902 0.01 MD0040 155.0 156.0 1.0 MG13903 0.08 MD0040 155.0 156.0 1.0 MG13904 -0.01 MD0040 157.0 158.0 1.0 MG13905 0.06 MD0040 158.0 159.0 1.0 MG13905 0.06 MD0040 158.0 159.0 1.0 MG13907 0.01 MD0040 159.0 160.0 1.0 MG13907 0.01 MD0040 160.0 161.0 1.0 MG13908 0.09 MD0040 161.0 162.0 1.0 MG13908 0.09 MD0040 161.0 162.0 1.0 MG13910 0.02 MD0040 163.0 164.0 1.0 MG13911 -0.01 MD0040 165.0 166.0 1.0 MG13911 -0.01 MD0040 165.0 166.0 1.0 MG13913 0.01 MD0040 166.0 167.0 1.0 MG13913 0.01 MD0040 167.0 168.0 1.0 MG13918 0.03 MD0040 167.0 168.0 1.0 MG13918 0.03 MD0040 167.0 168.0 1.0 MG13918 0.03 MD0040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MD0040 146.0 147.0 1.0 MG13889 -0.01 MD0040 147.0 148.0 149.0 1.0 MG13893 -0.01 MD0040 148.0 149.0 1.0 MG13895 0.01 MD0040 149.0 150.0 11.0 MG13896 -0.01 MD0040 151.0 151.0 1.0 MG13896 -0.01 MD0040 151.0 152.0 1.0 MG13897 13.80 2.0 8.23 2.0 8.23 RSSZ P 1 23 MD0040 152.0 153.0 1.0 MG13901 0.03 MD0040 154.0 155.0 1.0 MG13901 0.03 MD0040 155.0 156.0 1.0 MG13902 0.01 MD0040 155.0 156.0 1.0 MG13903 0.08 MD0040 155.0 156.0 1.0 MG13904 -0.01 MD0040 157.0 158.0 1.0 MG13905 0.06 MD0040 158.0 159.0 1.0 MG13905 0.06 MD0040 158.0 159.0 1.0 MG13907 0.01 MD0040 159.0 160.0 1.0 MG13907 0.01 MD0040 160.0 161.0 1.0 MG13908 0.09 MD0040 161.0 162.0 1.0 MG13908 0.09 MD0040 161.0 162.0 1.0 MG13910 0.02 MD0040 163.0 164.0 1.0 MG13911 -0.01 MD0040 165.0 166.0 1.0 MG13911 -0.01 MD0040 165.0 166.0 1.0 MG13913 0.01 MD0040 166.0 167.0 1.0 MG13913 0.01 MD0040 167.0 168.0 1.0 MG13918 0.03 MD0040 167.0 168.0 1.0 MG13918 0.03 MD0040 167.0 168.0 1.0 MG13918 0.03 MD0040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MD0040 146.0 147.0 1.0 MG13889 -0.01 MD0040 147.0 148.0 149.0 1.0 MG13893 -0.01 MD0040 148.0 149.0 1.0 MG13895 0.01 MD0040 149.0 150.0 11.0 MG13896 -0.01 MD0040 151.0 151.0 1.0 MG13896 -0.01 MD0040 151.0 152.0 1.0 MG13897 13.80 2.0 8.23 2.0 8.23 RSSZ P 1 23 MD0040 152.0 153.0 1.0 MG13901 0.03 MD0040 154.0 155.0 1.0 MG13901 0.03 MD0040 155.0 156.0 1.0 MG13902 0.01 MD0040 155.0 156.0 1.0 MG13903 0.08 MD0040 155.0 156.0 1.0 MG13904 -0.01 MD0040 157.0 158.0 1.0 MG13905 0.06 MD0040 158.0 159.0 1.0 MG13905 0.06 MD0040 158.0 159.0 1.0 MG13907 0.01 MD0040 159.0 160.0 1.0 MG13907 0.01 MD0040 160.0 161.0 1.0 MG13908 0.09 MD0040 161.0 162.0 1.0 MG13908 0.09 MD0040 161.0 162.0 1.0 MG13910 0.02 MD0040 163.0 164.0 1.0 MG13911 -0.01 MD0040 165.0 166.0 1.0 MG13911 -0.01 MD0040 165.0 166.0 1.0 MG13913 0.01 MD0040 166.0 167.0 1.0 MG13913 0.01 MD0040 167.0 168.0 1.0 MG13918 0.03 MD0040 167.0 168.0 1.0 MG13918 0.03 MD0040 167.0 168.0 1.0 MG13918 0.03 MD0040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 146.0 147.0 1.0 MG13889 -0.01	MDD040 146.0 147.0 1.0 MG13889 -0.01	u											RSSZ							
MDD040	MDD040	MD0040	MDD040 147.0 148.0 1.0 MG13893 -0.01	MDD040 147.0 148.0 1.0 MG13893 -0.01																			
MDD040	MDD040	MDD040	MDD040 148.0 149.0 1.0 MG13894 0.01 MDD040 150.0 151.0 1.0 MG13895 0.01 MDD040 151.0 152.0 1.0 MG13896 -0.01 MDD040 152.0 153.0 1.0 MG13900 2.66 MDD040 152.0 1.0 MG13900 0.05 MDD040 152.0 1.0 MG13900 0.05 MDD040 153.0 155.0 156.0 1.0 MG13902 0.01 MDD040 155.0 156.0 1.0 MG13903 0.08 MDD040 155.0 156.0 1.0 MG13903 0.06 MDD040 156.0 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13907 0.01 MDD040 156.0 157.0 158.0 1.0 MG13907 0.01 MDD040 156.0 151.0 1.0 MG13907 0.01 MDD040 156.0 150.0 1.0 MG13907 0.01 MDD040 156.0 150.0 1.0 MG13907 0.01 MDD040 156.0 150.0 1.0 MG13909 0.05 MD0040 156.0 150.0 1.0 MG13909 0.05 MD0040 156.0 150.0 1.0 MG13919 0.02 MD0040 156.0 156.0 1.0 MG13911 0.02 MD0040 156.0 156.0 1.0 MG13911 0.01 MG13914 0.01 MD0040 156.0 156.0 1.0 MG13914 0.01	MDD040 148.0 149.0 1.0 MG13894 0.01 MD040 150.0 151.0 1.0 MG13895 0.01 MD040 151.0 152.0 1.0 MG13896 -0.01 MD040 152.0 153.0 1.0 MG13896 -0.01 MD040 152.0 153.0 154.0 1.0 MG13900 2.66 MD040 153.0 154.0 1.0 MG13902 0.01 MD040 153.0 154.0 1.0 MG13902 0.01 MD040 155.0 156.0 1.0 MG13903 0.08 MD040 155.0 156.0 1.0 MG13903 0.08 MD040 155.0 156.0 1.0 MG13905 0.06 MD040 158.0 159.0 1.0 MG13905 0.06 MD040 158.0 159.0 1.0 MG13907 0.01 MD040 156.0 151.0 1.0 MG13907 0.01 MD040 150.0 150.0 10.0 MG13907 0.01 MD040 150.0 150.0 10.0 MG13909 0.01 MD040 150.0 150.0 10.0 MG13909 0.01 MD040 150.0 150.0 10.0 MG13909 0.01 MD040 150.0 150.0 10.0 MG13910 0.02 MD040 150.0 150.0 10.0 MG13910 0.02 MD040 150.0 150.0 10.0 MG13914 -0.01 MD040 156.0 156.0 1.0 MG13914 -0.01 MD040 156.0 156.0 10.0 MG13914 -0.01 MD040 156.0 156.0 10.0 MG13914 -0.01 MD040 156.0 156.0 10.0 MG13914 -0.01 MG13914	-											124							
M0D040	M0D040	M0D040	NDD040 140.0 150.0 1.0 MG13895 0.01 NDD040 150.0 151.0 MG13896 0.01 NDD040 151.0 152.0 1.0 MG13897 13.80 2.0 8.23 2.0	NDD040 140.0 150.0 1.0 MG13895 0.01 NDD040 150.0 151.0 MG13896 0.01 NDD040 151.0 152.0 1.0 MG13897 13.80 2.0 8.23 2.0												\vdash							
MDD040	MDD040	Middle M	NPD040 150.0 151.0 1.0 MG13896 -0.01	MD0040 150.0 151.0 152.0 1.0 MG13896 -0.01	445																		
MDD040	MDD040	MDD040	NDD040 151.0 152.0 10 MG13997 13.80 2.0 8.23 2.0 8.23 R552 P 1 23 MDD040 153.0 1.0 MG13901 0.05 MGD040 155.0 155.0 1.0 MG13901 0.06 MDD040 155.0 155.0 1.0 MG13903 0.06 MDD040 155.0 155.0 1.0 MG13904 -0.01 MDD040 155.0 150.0 1.0 MG13905 0.06 MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 158.0 159.0 1.0 MG13907 0.01 MDD040 158.0 159.0 1.0 MG13907 0.01 MDD040 150.0 160.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13909 0.01 MDD040 150.0 162.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 160.0 1.0 MG13913 0.01 MDD040 165.0 160.0 1.0 MG13913 0.01 MDD040 165.0 160.0 1.0 MG13913 0.01 MDD040 167.0 168.0 169.0 1.0 MG13913 0.01 MDD040 167.0 168.0 10 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13913 0.01 MDD040 168.0 169.0 1.0 MG13913 0.01 MDD040 168.0 169.0 1.0 MG13913 0.01 MG13914 -0.01 MG13919 -0.01 MG139	MOD040 151.0 152.0 1.0 MG13897 13.80 2.66 2.0 8.23 2.0 8.23 R552 P 1 23 MD040 152.0 153.0 1.0 MG13901 0.05 MG0040 155.0 155.0 150.0 1.0 MG13902 0.01 MD040 155.0 155.0 150.0 1.0 MG13903 0.08 MD040 155.0 155.0 150.0 1.0 MG13904 -0.01 MD040 155.0 150.0 1.0 MG13906 0.06 MD040 158.0 159.0 1.0 MG13906 0.06 MD040 158.0 159.0 1.0 MG13906 0.06 MD040 158.0 159.0 1.0 MG13908 0.09 MD040 150.0 160.0 1.0 MG13908 0.09 MD040 150.0 160.0 1.0 MG13908 0.09 MD040 150.0 160.0 1.0 MG13910 0.02 MD040 150.0 160.0 1.0 MG13911 -0.01 MD040 160.0 161.0 165.0 1.0 MG13911 -0.01 MD040 160.0 160.0 1.0 MG13911 -0.01 MD040 160.0 160.0 1.0 MG13913 0.01 MD040 160.0 160.0 160.0 1.0 MG13913 0.01 MD040 160.0 167.0 1.0 MG13913 0.01 MD040 160.0 167.0 160.0 1.0 MG13913 0.01 MD040 160.0 160.0 160.0 1.0 MG13913 0.01 MG13914 0.01 MG13919 0.01 M																			
MDD040	MDD040 152.0 153.0 1.0 MG13900 2.66 2.0 8.23 2.0 8.23	MDD040	NDD040 152.0 153.0 1.0 MG13901 0.03 NDD040 154.0 1.5 0.1 0.04 0.01 NDD040 155.0 155.0 1.0 MG13902 0.06 NDD040 158.0 1.0 MG13905 0.06 NDD040 158.0 159.0 160.0 1.0 MG13907 0.01 NDD040 158.0 159.0 160.0 1.0 MG13907 0.01 NDD040 150.0 150.0 1.0 MG13909 0.01 NDD040 150.0 150.0 1.0 MG13910 0.02 NDD040 150.0 150.0 1.0 MG13910 0.02 NDD040 150.0 150.0 1.0 MG13911 0.01 NDD040 150.0 150.0 1.0 MG13911 0.01 NDD040 150.0 150.0 1.0 MG13913 0.01 NDD040 150.0 150.0 1.0 MG13913 0.01 NDD040 150.0 150.0 1.0 MG13913 0.01 NDD040 150.0 150.0 1.0 MG13918 0.03 NDD040 150.0 150.0 1.0 MG13918 0.03 NDD040 150.0 150.0 1.0 MG13918 0.03 NDD040 150.0 150.0 150.0 1.0 MG13918 0.03 NDD040 150.0 150.0 150.0 1.0 MG13919 0.01 NG53919 0.01	NDD040 152.0 153.0 1.0 MG13901 0.03												1	P	1	23				
MiDD040 153.0 154.0 1.0 MG13901 0.03 MG13004 155.0 1.0 MG13902 0.01 MG13004 155.0 155.0 1.0 MG13903 0.08 MGD040 156.0 157.0 1.0 MG13904 -0.01 MG13004 157.0 158.0 1.0 MG13905 0.06 MGD040 158.0 159.0 1.0 MG13905 0.06 MGD040 158.0 159.0 1.0 MG13906 0.06 MGD040 159.0 160.0 16.1 1.0 MG13907 0.01 MGD040 160.0 161.0 1.0 MG13908 0.09 MGD040 161.0 162.0 1.0 MG13909 0.01 MGD040 162.0 163.0 1.0 MG13909 0.01 MGD040 163.0 164.0 1.0 MG13911 -0.01 MGD040 164.0 165.0 1.0 MG13911 -0.01 MGD040 165.0 166.0 1.0 MG13912 -0.01 MGD040 165.0 166.0 1.0 MG13913 0.01 MGD040 166.0 167.0 1.0 MG13913 0.01 MGD040 167.0 168.0 1.0 MG13913 0.01 MGD040 167.0 168.0 1.0 MG13918 0.03 MGD040 168.0 169.0 1.0 MG13919 -0.01 MGD040 169.0 169.0 1.0 MGD040 169.0 1.0 MGD040 169.0 1.0 MGD040 169.0 1	MDD040	MDD040	NDD0040 153.0 154.0 1.0 MG13901 0.03 MDD040 155.0 1.0 MG13903 0.08 MDD040 155.0 155.0 1.0 MG13903 0.08 MDD040 155.0 155.0 1.0 MG13904 -0.01 MDD040 155.0 155.0 1.0 MG13904 -0.01 MDD040 157.0 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 1.0 MG13906 0.06 MDD040 159.0 160.0 1.0 MG13906 0.09 MDD040 160.0 161.0 162.0 1.0 MG13908 0.09 MDD040 160.0 161.0 162.0 1.0 MG13910 0.02 MDD040 162.0 163.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 166.0 1.0 MG13912 -0.01 MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 165.0 167.0 1.0 MG13913 0.01 MDD040 165.0 167.0 1.0 MG13913 0.03 MDD040 168.0 169.0 1.0 MG13913 0.03 MDD040 168.0	Not	_							2.0	8.23	2.0	8.23	RSSZ		 					
MDD040	MDD040	MDD040	MOD040 154.0 155.0 1.0 MG13902 0.01	MOD040 154.0 155.0 1.0 MG13902 0.01	100											1							
MDD040 155.0 156.0 1.0 MG13903 0.08 MDD040 156.0 157.0 1.0 MG13904 -0.01 MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13909 0.01 MDD040 162.0 163.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 164.0 165.0 1.0 MG13912 -0.01 MDD040 166.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 <td>MDD040 155.0 156.0 1.0 MG13903 0.08 MDD040 156.0 157.0 1.0 MG13904 -0.01 MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13909 0.01 MDD040 162.0 163.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 164.0 165.0 1.0 MG13912 -0.01 MDD040 166.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 <td> MDD040 155.0 156.0 1.0 MG13903 0.08 </td><td> MDD040 155.0 156.0 1.0 MG13903 0.08 MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 159.0 10.0 MG13908 0.09 MDD040 160.0 161.0 162.0 1.0 MG13908 0.09 MDD040 161.0 162.0 10.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 165.0 1.0 MG13912 -0.01 MDD040 165.0 165.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 MG13919</td><td> MDD040 155.0 157.0 1.0 MG13903 0.08 MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 159.0 10.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13908 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 165.0 1.0 MG13911 -0.01 MDD040 165.0 165.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 1.0 MG13918 0.03 MDD040 166.0 167.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ MG13914 -0.01 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ MG13919 -0.01 RSSZ MG13919 -0.01 RSSZ MG13919 -0.01 RSSZ MG13919 -0.01 MG13919 -0.01 RSSZ -0.01 RSS</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td>	MDD040 155.0 156.0 1.0 MG13903 0.08 MDD040 156.0 157.0 1.0 MG13904 -0.01 MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13909 0.01 MDD040 162.0 163.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 164.0 165.0 1.0 MG13912 -0.01 MDD040 166.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 <td> MDD040 155.0 156.0 1.0 MG13903 0.08 </td> <td> MDD040 155.0 156.0 1.0 MG13903 0.08 MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 159.0 10.0 MG13908 0.09 MDD040 160.0 161.0 162.0 1.0 MG13908 0.09 MDD040 161.0 162.0 10.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 165.0 1.0 MG13912 -0.01 MDD040 165.0 165.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 MG13919</td> <td> MDD040 155.0 157.0 1.0 MG13903 0.08 MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 159.0 10.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13908 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 165.0 1.0 MG13911 -0.01 MDD040 165.0 165.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 1.0 MG13918 0.03 MDD040 166.0 167.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ MG13914 -0.01 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ MG13919 -0.01 RSSZ MG13919 -0.01 RSSZ MG13919 -0.01 RSSZ MG13919 -0.01 MG13919 -0.01 RSSZ -0.01 RSS</td> <td></td>	MDD040 155.0 156.0 1.0 MG13903 0.08	MDD040 155.0 156.0 1.0 MG13903 0.08 MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 159.0 10.0 MG13908 0.09 MDD040 160.0 161.0 162.0 1.0 MG13908 0.09 MDD040 161.0 162.0 10.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 165.0 1.0 MG13912 -0.01 MDD040 165.0 165.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 MG13919	MDD040 155.0 157.0 1.0 MG13903 0.08 MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 159.0 10.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13908 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 165.0 1.0 MG13911 -0.01 MDD040 165.0 165.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 1.0 MG13918 0.03 MDD040 166.0 167.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ MG13914 -0.01 MDD040 168.0 169.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ MG13919 -0.01 RSSZ MG13919 -0.01 RSSZ MG13919 -0.01 RSSZ MG13919 -0.01 MG13919 -0.01 RSSZ -0.01 RSS																			
MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 162.0 163.0 1.0 MG13909 0.01 MDD040 162.0 163.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 16.0 MG13912 -0.01 RSSZ MDD040 165.0 16.0 MG13913 0.01 MDD040 166.0 16.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 MDD040 168.0 169.0 1.0 MG13919 -0.01	MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 TZ4 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13909 0.01 RSSZ MDD040 162.0 163.0 1.0 MG13910 0.02 TZ4 MDD040 163.0 164.0 1.0 MG13911 -0.01 RSSZ MDD040 165.0 1.0 MG13912 -0.01 RSSZ MDD040 166.0 16.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01	MDD040 157.0 158.0 1.0 MG13905 0.06 MDD040 158.0 159.0 1.0 MG13906 0.06 MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 162.0 163.0 1.0 MG13909 0.01 RSSZ MDD040 162.0 163.0 1.0 MG13910 0.02 TZ4 MDD040 163.0 164.0 1.0 MG13911 -0.01 TZ4 MDD040 165.0 165.0 1.0 MG13912 -0.01 RSSZ MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 166.0 167.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 MDD040 168.0 169.0 1.0 MG13919 -0.01	MDD040 157.0 158.0 1.0 MG13905 0.06	MDD040 157.0 158.0 1.0 MG13905 0.06	- 10																		
MDD040	MDD040 158.0 159.0 1.0 MG13906 0.06	MDD040 158.0 159.0 1.0 MG13906 0.06	MDD040 158.0 159.0 1.0 MG13906 0.06 TZ4	MDD040 158.0 159.0 1.0 MG13906 0.06 TZ4	ſ	MDD040	156.0	157.0	1.0	MG13904	-0.01												
MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 162.0 163.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 164.0 165.0 1.0 MG13912 -0.01 MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 167.0 168.0 1.0 MG13919 -0.01	MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 162.0 163.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 164.0 165.0 1.0 MG13912 -0.01 MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 166.0 167.0 168.0 1.0 MG13914 -0.01 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 MDD040 168.0 169.0 1.0 MG13919 -0.01 MDD040 168.0 169.0 1.0 MG13919 -0.01	MDD040 159.0 160.0 1.0 MG13907 0.01 MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13909 0.01 MDD040 162.0 163.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 164.0 165.0 1.0 MG13912 -0.01 RSSZ MDD040 166.0 1.0 MG13913 0.01 TZ4 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 TZ4 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 159.0 160.0 1.0 MG13907 0.01	MDD040 159.0 160.0 1.0 MG13907 0.01	ı	MDD040	157.0	158.0	1.0	MG13905	0.06												
MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13909 0.01 MDD040 162.0 163.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 1.0 MG13912 -0.01 RSSZ MDD040 166.0 167.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 RSSZ MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 160.0 161.0 1.0 MG13908 0.09 RSSZ RSSZ RSSZ RSSZ RSSZ RSSZ RSSZ RSS	MDD040 160.0 161.0 1.0 MG13908 0.09 MDD040 161.0 162.0 1.0 MG13909 0.01 MDD040 162.0 163.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 164.0 165.0 1.0 MG13912 -0.01 MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 TZ4 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040	MDD040 161.0 1.0 MG13908 0.09	- 1-				1.0							TZ4							
MIDD040 161.0 162.0 1.0 MG13909 0.01 RSSZ MDD040 162.0 163.0 1.0 MG13910 0.02 TZ4 MDD040 163.0 164.0 1.0 MG13911 -0.01 RSSZ MDD040 165.0 166.0 1.0 MG13912 -0.01 RSSZ MDD040 166.0 167.0 1.0 MG13913 0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 RSSZ MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MIDD040 161.0 162.0 1.0 MG13909 0.01 RSSZ MDD040 162.0 163.0 1.0 MG13910 0.02 TZ4 MDD040 163.0 164.0 1.0 MG13911 -0.01 RSSZ MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01	MDD040 161.0 162.0 1.0 MG13909 0.01 RSSZ MDD040 162.0 163.0 1.0 MG13910 0.02 TZ4 MDD040 163.0 164.0 1.0 MG13911 -0.01 RSSZ MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	M0D040	M0D040																			
MDD040 162.0 163.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 164.0 165.0 1.0 MG13912 -0.01 MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 162.0 163.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 164.0 165.0 1.0 MG13912 -0.01 MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 162.0 163.0 1.0 MG13910 0.02 MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 165.0 1.0 MG13912 -0.01 RSSZ MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 MDD040 168.0 169.0 1.0 MG13919 -0.01	MDD040 163.0 164.0 1.0 MG13910 0.02 T24 T24 T24 T36.0 1.0 MG13911 -0.01 T24 T24 T36.0 164.0 1.0 MG13913 0.01 T24 T24 T36.0 164.0 165.0 1.0 MG13913 0.01 T24 T24 T36.0 166.0 1.0 MG13913 0.01 T24 T24 T36.0 166.0 167.0 1.0 MG13914 -0.01 T24 T24 T36.0 167.0 168.0 1.0 MG13918 0.03 T24 T36.0 169.0 1.0 MG13919 -0.01 T24 T36.0 169.0 1.0 MG13919 -0.01 T36.0 169.0 169.0 1.0 MG13919 -0.01 T36.0 169.0 169.0 1.0 MG13919 -0.01 T36.0 169.0 169.0 169.0 1.0 MG13919 -0.01 T36.0 169.	MÓDO40 163.0 164.0 1.0 MG13910 0.02 TZ4																			
MDD040 163.0 164.0 1.0 MG13911 -0.01 MDD040 164.0 165.0 1.0 MG13912 -0.01 MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 163.0 164.0 1.0 MG13911 -0.01 RSSZ MDD040 164.0 165.0 1.0 MG13912 -0.01 RSSZ MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 163.0 164.0 1.0 MG13911 -0.01 RSSZ MDD040 164.0 165.0 1.0 MG13912 -0.01 RSSZ MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 163.0 164.0 1.0 MG13911 -0.01 RSSZ SSZ SSZ SSZ SSZ SSZ SSZ SSZ SSZ SS	MDD040 163.0 164.0 1.0 MG13911 -0.01 RSSZ SSZ SSZ SSZ SSZ SSZ SSZ SSZ SSZ SS	-											RSSZ							
MDD040 164.0 165.0 1.0 MG13912 -0.01 RSSZ MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ RSSZ	MDD040 164.0 165.0 1.0 MG13912 -0.01 RSSZ MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ RSSZ	MDD040 164.0 165.0 1.0 MG13912 -0.01 RSSZ MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 164.0 165.0 1.0 MG13912 -0.01	MDD040 164.0 165.0 1.0 MG13912 -0.01												TZ4							
MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 165.0 166.0 1.0 MG13913 0.01 MDD040 166.0 167.0 1.0 MG13914 -0.01 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 165.0 166.0 1.0 MG13913 0.01 T24	MDD040 165.0 166.0 1.0 MG13913 0.01 T24	-											DSS7							
MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 RSSZ RSSZ	MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 RSSZ RSSZ	MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 167.0 168.0 1.0 MG13918 0.03 T24 RSSZ RSSZ RSSZ RSSZ RSSZ RSSZ RSSZ RSS	MDD040 166.0 167.0 1.0 MG13914 -0.01 TZ4 MDD040 167.0 168.0 1.0 MG13918 0.03 RSSZ RSSZ	-											KJJZ							
MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 167.0 168.0 1.0 MG13918 0.03 MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 168.0 1.0 MG13918 0.03 RSSZ RSSZ	MDD040 168.0 1.0 MG13918 0.03 RSSZ RSSZ	-											TZ4							
MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	MDD040 168.0 169.0 1.0 MG13919 -0.01 RSSZ	-																		
								169.0			-0.01					RSSZ							
					ز	"								'				•					



Appendix 1 CIT MDD043 Mineralised Intercepts - Assay results, quartz-arsenopyrite veins, geology

MIDDUAL 115.0 116.0 1.0 MG13998 0.02 mind925 mind926 mind930 m	Hole_No	From m	To m	Interval m	Sample_ID	Au g/t	metres	Au g/t	metres	Composite Au g/t	Geol Log	Visible Gold	QV-aspy Dip	QV-aspy Dip-Dir			of Poles to 0	
MODOH3 116.0 117.0 1.0 MG13990 -0.01 MG13991 117.0 118.2 1.2 MG13950 -0.01 MG13951 118.2 119.0 0.8 MG13951 0.04 MG13951 119.0 120.0 1.0 MG13952 -0.01 MG100H3 119.0 120.0 12.0 1.0 MG13953 0.04 MG100H3 12.0 12.0 12.0 1.0 MG13953 0.04 MG100H3 12.0 12.0 12.0 1.0 MG13954 0.05 MG100H3 12.0 12.0 12.0 1.0 MG13955 0.01 MG100H3 12.0 12.0 12.0 1.0 MG13956 0.02 MG100H3 12.0 12.0 12.0 1.0 MG13956 0.02 MG100H3 12.0 12.0 12.0 1.0 MG13956 0.02 MG100H3 12.0 12.0 12.0 1.0 MG13957 0.01 MG100H3 12.0 12.0 12.0 1.0 MG13959 0.02 MG100H3 12.0 12.0 12.0 1.0 MG13959 0.76 MG100H3 12.0 12.0 12.0 1.0 MG13959 0.76 MG100H3 12.0 12.0 1.0 MG13950 0.22 MG100H3 12.0 12.0 1.0 MG13960 0.28 MG100H3 12.0 12.0 1.0 MG13963 0.12 MG100H3 12.0 13.0 1.0 MG13963 0.12 MG100H3 12.0 13.0 1.0 MG13963 0.12 MG100H3 13.0 13.0 1.0 MG13965 0.44 MG100H3 13.0 13.0 1.0 MG13967 0.38 MG100H3 13.0 13.0 1.0 MG13967 0.38 MG100H3 13.0 13.0 1.0 MG13967 0.38 MG1391 MG100H3 13.0 13.0 1.0 MG13967 0.38 MG1391 MG100H3 13.0 13.0 1.0 MG13967 0.38 MG1391 MG100H3 13.0 13.0 1.0 MG13970 0.05 MG13971 0.00 MG13971 0.0	MDD043	115.0	116.0	1.0	MG13948	-0.01	min025	min025	min050	min050		Colu	5.6	DIP DII		unes (nui	no contou	.5,
MDD043 117.0 118.2 1.2 MG13950 -0.01 MDD043 119.0 119.0 0.8 MG13951 -0.01 MDD043 119.0 120.0 1.0 MG13952 -0.01 MDD043 121.0 122.0 1.0 MG13955 0.01 MDD043 121.0 122.0 1.0 MG13955 0.01 MDD043 123.0 124.0 1.0 MG13955 0.01 MDD043 125.0 12.6 1.0 MG13957 -0.01 MDD043 125.0 12.6 1.0 MG13959 0.78 MDD043 127.0 128.0 1.0 MG13959 0.78 MDD043 127.0 128.0 1.0 MG13959 0.78 MDD043 127.0 128.0 1.0 MG13959 0.78 MDD043 127.0 120.0 1.0 MG13961 0.27 MDD043 129.0 130.0 1.0 MG13969 0.12 MDD043 131.0 120 1.0 MG13963 0.12 MDD043 131.0 132.0 1.0 MG13963 0.12 MDD043 131.0 132.0 1.0 MG13965 0.44 MDD043 133.0 134.0 1.0 MG13965 0.44 MDD043 133.0 134.0 1.0 MG13967 0.38 MDD043 133.0 136.0 137.0 1.0 MG13967 0.38 MDD043 138.0 139.0 1.0 MG13967 0.38 MDD043 138.0 139.0 1.0 MG13973 -0.01 MD0043 138.0 139.0 1.0 MG13975 0.02 MDD043 138.0 139.0 1.0 MG13975 0.02 MDD043 138.0 139.0 1.0 MG13977 0.05 MDD043 138.0 139.0 1.0 MG13977 0.05 MDD043 138.0 139.0 1.0 MG13977 0.05 MDD043 140.0 14.0 14.0 1.0 MG13975 0.02 MDD043 140.0 14.0 1.0 MG13975 0.05 MDD043 140.0 14.0 1.0 MG13975 0.05 MD0043 140.0 14.0 1.0 MG13975 0.05 MD0043 140.0 14.0 1.0 MG13975 0.05 MD0043 140.0 140.0 140.0 1.0 MG13975 0.05 MD0043 140.0 140.0 1.0 MG13985 0.01 MD0043 140.0 140.0											TGF							
MDD043 119.0 120.0 1.0 MG13952 -0.01	MDD043	117.0	118.2	1.2	MG13950	-0.01												
MOD043 120.0 121.0 1.0 MG13993 0.0d MOD043 121.0 122.0 1.0 MG13955 0.01 MOD043 122.0 123.0 124.0 1.0 MG13955 0.02 MOD043 124.0 125.0 1.0 MG13955 0.02 MOD043 124.0 125.0 1.0 MG13958 0.57 MOD043 125.0 125.0 1.0 MG13958 0.57 MOD043 125.0 127.0 1.0 MG13959 0.78 MOD043 126.0 127.0 1.0 MG13950 0.78 MOD043 126.0 127.0 1.0 MG13950 0.28 MOD043 127.0 128.0 1.0 MG13961 0.27 MOD043 129.0 130.0 1.0 MG13962 0.17 MOD043 131.0 131.0 1.0 MG13963 0.12 MOD043 131.0 132.0 1.0 MG13965 0.44 MOD043 131.0 135.0 130 0.10 MG13965 0.44 MOD043 134.0 135.0 1.0 MG13967 0.33 MOD043 135.0 135.0 136.0 1.0 MG13967 0.33 MOD043 135.0 135.0 136.0 1.0 MG13971 -0.01 MOD043 137.0 138.0 1.0 MG13975 0.02 MOD043 140.0 141.0 1.0 MG13975 0.02 MOD043 140.0 141.0 1.0 MG13977 0.03 MOD043 141.0 142.0 1.0 MG13977 0.03 MOD043 141.0 142.0 1.0 MG13978 -0.01 MOD043 141.0 142.0 1.0 MG13979 0.03 MOD043 141.0 142.0 1.0 MG13977 0.03 MOD043 141.0 142.0 1.0 MG13977 0.03 MOD043 141.0 142.0 1.0 MG13978 -0.01 MOD043 141.0 142.0 1.0 MG13997 0.03 MOD043 141.0 142.0 1.0 MG13998 0.03 MOD043 141.0 145.0 1.0 MG13995 -0.01 MOD043 140.0 140.0 1.0 MG13995 -0.01 MOD043 140.0 150.0 1.0 MG13995 -0.01 MOD043 140.0 150.0 1.0 MG13995 -0.01 MOD043 150.0 150.0 1.0 MG13995 -0.01 MD0043 150.0 150.0 1.0 MG13995 -0.01	MDD043	118.2	119.0	0.8	MG13951	0.04												
MDD043 121.0 122.0 1.0 MG13954 0.05 MDD043 123.0 124.0 1.0 MG13956 0.02 MDD043 124.0 125.0 1.0 MG13956 0.02 MDD043 125.0 126.0 1.0 MG13957 -0.01 MDD043 125.0 127.0 1.0 MG13959 0.78 MDD043 127.0 128.0 1.0 MG13959 0.78 MDD043 127.0 128.0 1.0 MG13959 0.78 MDD043 127.0 128.0 1.0 MG13959 0.78 MDD043 127.0 130.0 1.0 MG13961 0.27 MDD043 129.0 131.0 131.0 131.0 MG13964 0.14 MDD043 131.0 131.0 131.0 MG13964 0.14 MDD043 131.0 135.0 1.0 MG13966 0.38 MDD043 134.0 135.0 1.0 MG13966 0.38 MDD043 135.0 135.0 1.0 MG13967 0.01 MDD043 136.0 137.0 1.0 MG13971 -0.01 MDD043 136.0 137.0 1.0 MG13973 -0.01 MDD043 136.0 137.0 1.0 MG13975 0.02 MDD043 141.0 142.0 1.0 MG13976 0.06 MDD043 141.0 142.0 1.0 MG13978 -0.01 MDD043 141.0 142.0 1.0 MG13978 -0.01 MDD043 141.0 142.0 1.0 MG13978 -0.01 MDD043 140.0 141.0 141.0 MG13978 -0.01 MDD043 140.0 141.0 1.0 MG13978 -0.01 MDD043 140.0 140.0 1.0 MG13978 -0.01 MDD043 140.0 140.0 1.0 MG13978 -0.01 MDD043 140.0 147.0 1.0 MG13978 -0.01 MDD043 140.0 14		119.0	120.0		MG13952													
MDD043 122.0 123.0 1.0 MG13955 0.01 MDD043 124.0 125.0 1.0 MG13955 0.02 MDD043 124.0 125.0 1.0 MG13957 0.01 MDD043 125.0 126.0 1.0 MG13957 0.01 MDD043 125.0 126.0 1.0 MG13958 0.57 MDD043 127.0 128.0 1.0 MG13959 0.78 MDD043 127.0 128.0 1.0 MG13960 0.28 MDD043 129.0 130.0 131.0 1.0 MG13961 0.27 MDD043 131.0 131.0 132.0 1.0 MG13961 0.12 MDD043 131.0 131.0 132.0 1.0 MG13965 0.44 MDD043 131.0 131.0 131.0 0.1 MG13967 0.33 MDD043 135.0 136.0 1.0 MG13967 0.33 MDD043 135.0 136.0 1.0 MG13971 0.01 MDD043 131.0 131.0 0.1 MG13977 0.01 MDD043 131.0 141.0 142.0 1.0 MG13977 0.02 MDD043 141.0 142.0 1.0 MG13977 0.03 MDD043 141.0 142.0 1.0 MG13977 0.03 MDD043 143.0 144.0 1.0 MG13977 0.03 MDD043 144.0 145.0 1.0 MG13979 0.05 MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 144.0 145.0 1.0 MG13981 0.20 MDD043 146.0 147.0 1.0 MG13981 0.20 MDD043 146.0 147.0 1.0 MG13985 0.01 MDD043 146.0 147.0 1.0 MG13985 0.01 MDD043 146.0 147.0 1.0 MG13985 0.01 MDD043 150.0 150.0 1.0 MG13985 0.01 MDD043 150.0 150.0 1.0 MG13988 0.02 MDD043 150.0 150.0 1.0 MG13989 0.01 MDD043 150.0 150.0 1.0																		
MDD043 123.0 124.0 125.0 1.0 MG13957 -0.01																		
MDD043 124.0 125.0 1.0 MG13957 -0.01																		
MDD043 125.0 125.0 1.0 MG13958 0.57 ND043 127.0 128.0 1.0 MG13959 0.78 MD043 127.0 128.0 1.0 MG13950 0.78 MD043 128.0 129.0 1.0 MG13960 0.28 MD043 129.0 130.0 1.0 MG13962 0.17 MD043 129.0 130.0 1.0 MG13963 0.12 MD043 131.0 131.0 131.0 1.0 MG13963 0.12 MD043 131.0 131.0 131.0 1.0 MG13965 0.44 MD043 131.0 131.0 1.0 MG13965 0.44 MD043 131.0 135.0 1.0 MG13965 0.38 MD0043 135.0 136.0 1.0 MG13967 0.38 MD0043 135.0 136.0 137.0 1.0 MG13967 0.01 MG13973 0.01 MG13973 0.01 MG13973 0.01 MG13974 0.01 MG13974 0.01 MG13974 0.01 MG13973 0.02 MD0043 134.0 140.0 1.0 MG13975 0.06 MG0043 141.0 142.0 1.0 MG13975 0.06 MG0043 144.0 142.0 1.0 MG13975 0.06 MG0043 144.0 143.0 1.0 MG13975 0.06 MG0043 144.0 144.0 1.0 MG13975 0.06 MG0043 144.0 145.0 1.0 MG13978 0.03 MG0043 144.0 145.0 1.0 MG13978 0.03 MG0043 145.0 146.0 1.0 MG13978 0.03 MG0043 145.0 146.0 1.0 MG13978 0.03 MG0043 145.0 146.0 1.0 MG13988 0.05 MG0043 145.0 148.0 1.0 MG13985 0.06 MG0043 145.0 146.0 1.0 MG13985 0.06 MG0043 145.0 145.0 1.0 MG13985 0.06 MG0043 145.0 150.0 1.0 MG13985 0.01 MG13985 0.01 MG0043 150.0 150.0 1.0 MG13985 0.02 MG00043 150.0 150.0 1.0 MG13985 0.02 MG00043 150.0 150.0 1.0 MG13985 0.02 MG00043 150.0 150.0 1.0 MG13986 0.02 MG00043 15																		
MiDO43 126.0 127.0 1.0 MG13959 0.78 MD043 127.0 128.0 1.0 MG13961 0.27 MD043 129.0 130.0 1.0 MG13961 0.27 MD043 131.0 131.0 1.0 MG13962 0.17 MD043 131.0 132.0 1.0 MG13963 0.12 MD043 131.0 132.0 1.0 MG13964 0.14 MD0043 132.0 133.0 1.0 MG13965 0.44 MD0043 132.0 133.0 1.0 MG13966 0.38 MD0043 134.0 135.0 1.0 MG13966 0.38 MD0043 135.0 135.0 1.0 MG13967 0.33 MD0043 135.0 135.0 1.0 MG13972 0.01 MD0043 135.0 137.0 1.0 MG13972 0.01 MD0043 135.0 137.0 1.0 MG13975 0.02 MD0043 138.0 139.0 1.0 MG13975 0.02 MD0043 138.0 140.0 1.0 MG13975 0.02 MD0043 141.0 142.0 1.0 MG13975 0.02 MD0043 142.0 143.0 1.0 MG13975 0.02 MD0043 143.0 144.0 1.0 MG13976 0.05 MD0043 143.0 144.0 1.0 MG13976 0.05 MD0043 143.0 145.0 1.0 MG13976 0.05 MD0043 144.0 145.0 1.0 MG13986 0.05 MD0043 145.0 146.0 1.0 MG13985 0.05 MD0043 145.0 146.0 1.0 MG13985 0.05 MD0043 145.0 146.0 1.0 MG13986 0.05 MD0043 150.0 150.0 1.0 MG13986 0.01 MD0043 150.0 150.0 1.0 MG						-												
MDD043 127.0 128.0 1.0 MG13960 0.28 MDD043 129.0 130.0 1.0 MG13962 0.17 MDD043 129.0 130.0 1.10 MG13962 0.17 MDD043 130.0 131.0 1.0 MG13964 0.14 MDD043 132.0 133.0 1.0 MG13965 0.44 MDD043 132.0 133.0 1.0 MG13965 0.44 MDD043 132.0 133.0 1.0 MG13965 0.38 MDD043 133.0 134.0 1.0 MG13966 0.38 MDD043 135.0 136.0 137.0 1.0 MG13967 0.33 MDD043 135.0 136.0 137.0 1.0 MG13973 -0.01 MDD043 138.0 139.0 1.0 MG13973 -0.01 MDD043 138.0 139.0 1.0 MG13973 -0.01 MDD043 140.0 141.0 1.0 MG13975 0.02 MDD043 140.0 141.0 1.0 MG13976 0.06 MDD043 141.0 142.0 1.0 MG13976 0.06 MDD043 141.0 142.0 1.0 MG13978 -0.01 MDD043 143.0 144.0 1.0 MG13978 -0.01 MDD043 144.0 145.0 1.0 MG13978 -0.01 MDD043 145.0 145.0 1.0 MG13988 0.08 MDD043 146.0 147.0 1.0 MG13981 0.20 TZ4 MDD043 148.0 149.0 1.0 MG13984 -0.01 MDD043 148.0 149.0 1.0 MG13988 -0.01 MDD043 149.0 150.0 1.0 MG13988 -0.01 MDD043 150.0 151.0 1.0 MG13988 -0.01 MDD043 150.0 151.0 1.0 MG13988 -0.01 MDD043 150.0 151.0 1.0 MG13987 -0.01 MDD043 150.0 151.0 1.0 MG13988 -0.01 MDD043 150.0 150.0 1									2.0	0.68								
MDD043 128.0 129.0 1.0 MG13961 0.27 10.0 MDD043 130.0 130.0 1.0 MG13963 0.12 10.0 MDD043 131.0 132.0 1.0 MG13965 0.44 MDD043 131.0 132.0 1.0 MG13966 0.38 MDD043 133.0 134.0 1.0 MG13966 0.38 MDD043 134.0 135.0 1.0 MG13966 0.38 MDD043 135.0 136.0 1.0 MG13967 0.01 MDD043 135.0 136.0 1.0 MG13972 0.01 MDD043 137.0 138.0 1.0 MG13973 0.01 MDD043 137.0 138.0 1.0 MG13973 0.01 MDD043 139.0 140.0 1.0 MG13975 0.02 MDD043 140.0 141.0 1.0 MG13975 0.02 MDD043 142.0 143.0 1.0 MG13976 0.03 MDD043 142.0 143.0 1.0 MG13978 0.01 MDD043 142.0 143.0 1.0 MG13978 0.01 MDD043 143.0 144.0 1.0 MG13978 0.03 MDD043 145.0 146.0 1.0 MG13980 0.03 MDD043 145.0 146.0 1.0 MG13980 0.05 MDD043 148.0 149.0 1.0 MG13981 0.20 MDD043 148.0 149.0 1.0 MG13985 0.01 MDD043 149.0 150.0 1.0 MG13986 0.01 MDD043 150.0 151.0 1.0 MG13987 0.01 MDD043 150.0 151.0 1.0 MG13987 0.01 MDD043 150.0 151.0 1.0 MG13987 0.01 MDD043 150.0 151.0 1.0 MG13986 0.01 MDD043 150.0 151.0 1.0 MG13987 0.01 MDD043 150.0 150.0 150.0 1.0 MG13987 0.01 MDD043 150.0 150.0 150.0 1.0 MG13987 0.01	/ /																	
MDD043 129.0 130.0 1.0 MG13962 0.17 10.0 0.35 MDD043 131.0 131.0 1.0 MG13963 0.12 MDD043 131.0 132.0 1.0 MG13965 0.44 MDD043 132.0 133.0 1.0 MG13965 0.44 MDD043 133.0 134.0 1.0 MG13965 0.38 MDD043 135.0 136.0 1.0 MG13967 0.33 MDD043 135.0 136.0 1.0 MG13967 0.01 MDD043 135.0 136.0 1.0 MG13971 -0.01 MDD043 136.0 137.0 1.0 MG13972 -0.01 MDD043 138.0 139.0 1.0 MG13973 -0.01 MDD043 138.0 139.0 1.0 MG13974 -0.01 MDD043 138.0 140.0 1.0 MG13975 0.02 MDD043 141.0 141.0 1.0 MG13975 0.02 MDD043 141.0 141.0 1.0 MG13977 0.03 MDD043 141.0 142.0 1.0 MG13977 0.03 MDD043 144.0 145.0 1.0 MG13978 -0.01 MDD043 144.0 145.0 1.0 MG13978 -0.01 MDD043 144.0 145.0 1.0 MG13998 0.03 MDD043 147.0 148.0 1.0 MG13981 0.20 MDD043 147.0 148.0 1.0 MG13981 0.20 MDD043 147.0 148.0 1.0 MG13983 0.05 MDD043 147.0 148.0 1.0 MG13984 -0.01 MDD043 150.0 151.0 1.0 MG13986 -0.01 MDD043 150.0 151.0 1.0 MG13987 -0.01 MDD043 150.0 151.0 1.0 MG13987 -0.01 MDD043 150.0 151.0 1.0 MG13986 -0.01 MDD043 150.0 151.0 1.0 MG13987 -0.01 MDD043 151.0 152.0 153.0 1.0 MG13989 -0.01 MDD043 151.0 152.0 153.0 1.0 MG13989 -0.01 MDD043 151.0 152.0 153.0 1.0 MG13989 -0.01 MDD043 153.0 154.0 1.0 MG13989 -0.01 MDD043 150.0 153.0 154.0 1.0 MG13989 -0.01 MDD043 150.0 153.0 154.0 1.0 MG13989 -0.01 MDD043 150.0 153.0 154.0 1.0 MG1398													44	60				
MDD043 130.0 131.0 10 MG13963 0.12 MDD043 132.0 133.0 1.0 MG13965 0.44 MDD043 133.0 134.0 1.0 MG13965 0.48 MDD043 133.0 134.0 1.0 MG13965 0.38 MDD043 135.0 136.0 1.0 MG13967 0.03 MDD043 135.0 136.0 1.0 MG13971 -0.01 MDD043 136.0 137.0 1.0 MG13972 -0.01 MDD043 138.0 139.0 1.0 MG13973 -0.01 MDD043 138.0 139.0 1.0 MG13974 -0.01 MDD043 139.0 140.0 1.0 MG13975 0.02 MDD043 141.0 142.0 1.0 MG13975 0.06 MDD043 141.0 142.0 1.0 MG13976 -0.01 MDD043 144.0 145.0 1.0 MG13976 -0.01 MDD043 144.0 1.0 MG13976 -0.01 MDD043 144.0 145.0 1.0 MG13976 -0.01 MDD043 144.0 145.0 1.0 MG13976 -0.03 MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 147.0 148.0 1.0 MG13981 0.20 MDD043 147.0 148.0 1.0 MG13981 0.20 MDD043 147.0 148.0 1.0 MG13982 0.08 MDD043 148.0 149.0 1.0 MG13984 -0.01 MDD043 150.0 151.0 1.0 MG13986 -0.01 MDD043 150.0 151.0 1.0 MG13986 -0.01 MDD043 150.0 151.0 1.0 MG13987 -0.01 MDD043 150.0 151.0 1.0 MG13988 -0.01 MDD043 150.0 150.0 1.0 MG13988 -0.01 MDD043		129.0				0.17	10.0	0.35										
Model		130.0	131.0	1.0			10.0	0.35										
MDD043 133.0 134.0 1.0 MG13966 0.38 MDD043 135.0 135.0 1.0 MG13967 0.01 MDD043 136.0 137.0 1.0 MG13971 -0.01 MDD043 136.0 137.0 138.0 1.0 MG13973 -0.01 MDD043 138.0 139.0 1.0 MG13973 -0.01 MDD043 138.0 139.0 1.0 MG13975 0.02 MDD043 141.0 141.0 1.0 MG13975 0.02 MDD043 141.0 142.0 1.0 MG13976 0.06 MDD043 142.0 143.0 1.0 MG13976 0.06 MDD043 144.0 145.0 1.0 MG13976 0.01 MDD043 144.0 145.0 1.0 MG13979 0.03 MDD043 145.0 146.0 1.0 MG13988 0.08 MDD043 147.0 148.0 1.0 MG13981 0.20 MDD043 147.0 148.0 1.0 MG13983 0.05 MDD043 148.0 149.0 1.0 MG13985 -0.01 MDD043 149.0 150.0 1.0 MG13986 -0.01 MDD043 150.0 151.0 1.0 MG13986 -0.01 MDD043 150.0 151.0 150.0 1.0 MG13986 -0.01 MDD043 150.0 151.0 152.0 1.0 MG13987 -0.01 MDD043 150.0 151.0 152.0 1.0 MG13987 -0.01 MDD043 150.0 151.0 1.0 MG13986 -0.01 MDD043 150.0 151.0 150.0 1.0 MG13987 -0.01 MDD043 150.0 151.0 1.0 MG13986 -0.01 MDD043 150.0 150.0 1.0 MG13987 -0.01 MDD043 150.0 150.0 1.0 MG13988 -0.01 MDD043 150.0 150.0 1.0 MG13987 -0.01 MDD043 150.0 150.0 1.0 MG13988 -0.01 MDD043 150.0 150.0 1.0 MG13989 -0.01 MDD043	MDD043	131.0	132.0	1.0	MG13964	0.14					RSSZ							
MDD043 134.0 135.0 1.0 MG13967 0.33 MDD043 135.0 136.0 1.0 MG13971 -0.01 MDD043 135.0 136.0 137.0 1.0 MG13972 -0.01 MDD043 137.0 138.0 1.0 MG13973 -0.01 MDD043 137.0 138.0 1.0 MG13973 -0.01 MDD043 138.0 139.0 1.0 MG13974 -0.01 MDD043 139.0 140.0 1.0 MG13975 0.02 MDD043 140.0 141.0 1.0 MG13976 0.06 MDD043 141.0 142.0 1.0 MG13976 0.06 MDD043 142.0 143.0 1.0 MG13978 -0.01 MDD043 142.0 143.0 1.0 MG13979 0.03 MDD043 143.0 144.0 1.0 MG13979 0.03 MDD043 145.0 146.0 1.0 MG13980 0.03 MDD043 145.0 146.0 1.0 MG13981 0.20 MDD043 145.0 146.0 1.0 MG13982 0.08 MDD043 147.0 148.0 1.0 MG13982 0.08 MDD043 148.0 149.0 150.0 MG13984 -0.01 MG13983 0.05 MDD043 149.0 150.0 150.0 1.0 MG13985 -0.01 MDD043 149.0 150.0 150.0 1.0 MG13986 -0.01 MDD043 151.0 152.0 1.0 MG13986 -0.01 MDD043 151.0 152.0 1.0 MG13987 -0.01 MDD043 153.0 154.0 154.0 MG13989 -0.01 MDD043 153.0 154.0 1.0 MG13989 -0.01	MDD043	132.0	133.0	1.0	MG13965	0.44												
MDD043																		
MDD043 136.0 137.0 1.0 MG13972 -0.01 MDD043 137.0 138.0 1.0 MG13973 -0.01 MDD043 138.0 139.0 1.0 MG13974 -0.01 MDD043 139.0 140.0 1.0 MG13975 0.02 MDD043 140.0 141.0 1.0 MG13975 0.02 MDD043 141.0 142.0 1.0 MG13976 0.06 MDD043 142.0 143.0 1.0 MG13977 0.03 MDD043 142.0 143.0 1.0 MG13979 0.03 MDD043 144.0 145.0 1.0 MG13979 0.03 MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 145.0 146.0 1.0 MG13981 0.20 MDD043 147.0 148.0 1.0 MG13981 0.05 MDD043 147.0 148.0 1.0 MG13984 -0.01 MDD043 149.0 150.0 1.0 MG13985 -0.01 MDD043 149.0 150.0 1.0 MG13985 -0.01 MDD043 151.0 152.0 1.0 MG13986 -0.01 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01 MGD043 153.0 154.0 1.0 MG13989 -0.01 MDD043 153.0 154.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01 MDD043 154.0 1.0 MG13989 -0.01 MDD043 155.0 155.0 1.0 MG13989 -0.01 MDD043 155.0																		
MDD043 137.0 138.0 1.0 MG13973 -0.01 MDD043 138.0 139.0 1.0 MG13974 -0.01 MDD043 139.0 140.0 1.0 MG13975 0.02 MDD043 141.0 142.0 1.0 MG13975 0.03 MDD043 141.0 142.0 1.0 MG13976 0.06 MDD043 141.0 142.0 1.0 MG13977 0.03 MDD043 142.0 143.0 1.0 MG13978 -0.01 29 278 MDD043 143.0 144.0 1.0 MG13979 0.03 MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 145.0 146.0 1.0 MG13981 0.20 MDD043 146.0 147.0 1.0 MG13983 0.05 MDD043 148.0 149.0 1.0 MG13983 0.05 MDD043 148.0 149.0 1.0 MG13983 0.05 MDD043 149.0 150.0 1.0 MG13985 -0.01 MDD043 150.0 151.0 1.0 MG13987 -0.01 MDD043 151.0 152.0 1.0 MG13987 -0.01 MDD043 152.0 153.0 1.0 MG13987 -0.01 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01 MDD043 154.0 1.0 MG13989 -0.																MDD04	0 Qv aspv	1
MDD043 138.0 139.0 1.0 MG13974 -0.01 MDD043 139.0 140.0 1.0 MG13975 0.02 MDD043 140.0 141.0 1.0 MG13975 0.06 MDD043 141.0 142.0 1.0 MG13977 0.03 MDD043 142.0 143.0 1.0 MG13978 -0.01 MDD043 143.0 144.0 1.0 MG13979 0.03 MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 145.0 145.0 1.0 MG13980 0.03 MDD043 146.0 147.0 1.0 MG13981 0.20 MDD043 146.0 147.0 1.0 MG13981 0.20 MDD043 148.0 149.0 1.0 MG13983 0.05 MDD043 149.0 150.0 1.0 MG13985 -0.01 MDD043 150.0 151.0 1.0 MG13985 -0.01 MDD043 150.0 151.0 151.0 1.0 MG13985 -0.01 MDD043 150.0 151.0 151.0 1.0 MG13987 -0.01 MDD043 150.0 151.0 1.0 MG13987 -0.01 MDD043 150.0 151.0 151.0 1.0 MG13988 0.02 MDD043 150.0 151.0 1.0 MG13988 0.02 MDD043 150.0 150.0 1.0 MG13988 0.02 MDD043 150.0 150.0 1.0 MG13988 0.02 MDD043 150.0 150.0 1.0 MG13989 -0.01	/ /														/		o a, dop,	
MDD043 139.0 140.0 1.0 MG13975 0.02 MDD043 140.0 141.0 1.0 MG13976 0.06 MDD043 141.0 142.0 1.0 MG13977 0.03 MDD043 142.0 143.0 1.0 MG13978 -0.01 MDD043 143.0 144.0 1.0 MG13979 0.03 MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 145.0 146.0 1.0 MG13981 0.20 MDD043 146.0 147.0 1.0 MG13981 0.20 MDD043 146.0 147.0 1.0 MG13981 0.05 MDD043 148.0 149.0 1.0 MG13983 0.05 MDD043 149.0 150.0 1.0 MG13985 -0.01 MDD043 151.0 152.0 1.0 MG13987 -0.01 MDD043 151.0 152.0 1.0 MG13987 -0.01 MDD043 151.0 152.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01																		
MDD043 141.0 141.0 1.0 MG13976 0.06 MDD043 141.0 142.0 1.0 MG13977 0.03 MDD043 142.0 143.0 1.0 MG13978 -0.01 MDD043 143.0 144.0 1.0 MG13979 0.03 MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 145.0 146.0 1.0 MG13981 0.20 MDD043 145.0 146.0 1.0 MG13981 0.20 MDD043 147.0 148.0 1.0 MG13982 0.08 MDD043 148.0 149.0 1.0 MG1398 -0.05 MDD043 149.0 150.0 1.0 MG1398 -0.01 MDD043 151.0 150.0 1.0 MG1398 -0.01 MDD043 151.0 152.0 1.0 MG1398 -0.01 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01																		
MDD043 141.0 142.0 1.0 MG13977 0.03 MDD043 142.0 143.0 1.0 MG13978 -0.01 MDD043 144.0 145.0 1.0 MG13979 0.03 MDD043 144.0 145.0 1.0 MG13981 0.20 MDD043 145.0 146.0 1.0 MG13982 0.08 MDD043 147.0 148.0 1.0 MG13983 0.05 MDD043 147.0 148.0 1.0 MG13984 -0.01 MDD043 149.0 150.0 1.0 MG13985 -0.01 MDD043 150.0 151.0 1.0 MG13987 -0.01 MDD043 150.0 151.0 152.0 1.0 MG13987 -0.01 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01	1.1													270				
MDD043 142.0 143.0 1.0 MG13978 -0.01 MDD043 144.0 145.0 1.0 MG13979 0.03 MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 145.0 146.0 1.0 MG13981 0.20 MDD043 146.0 147.0 1.0 MG13981 0.08 MDD043 147.0 148.0 1.0 MG13983 0.05 MDD043 148.0 149.0 1.0 MG13984 -0.01 MDD043 149.0 150.0 1.0 MG13985 -0.01 MDD043 150.0 151.0 151.0 1.0 MG13988 0.02 MDD043 150.0 150.0 1.0 MG13988 0.02 MDD043 150.0 150.0 1.0 MG13989 -0.01													-	2/0			•	
MDD043 143.0 144.0 1.0 MG13979 0.03 MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 145.0 146.0 1.0 MG13981 0.20 MDD043 146.0 147.0 1.0 MG13981 0.05 MDD043 147.0 148.0 1.0 MG13983 0.05 MDD043 149.0 150.0 1.0 MG13984 -0.01 MDD043 149.0 150.0 1.0 MG13985 -0.01 MDD043 151.0 152.0 1.0 MG13987 -0.01 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01													20	270		•		
MDD043 144.0 145.0 1.0 MG13980 0.03 MDD043 145.0 146.0 1.0 MG13981 0.20 MDD043 146.0 147.0 1.0 MG13983 0.08 MDD043 147.0 148.0 1.0 MG13983 0.05 MDD043 148.0 149.0 1.0 MG13984 -0.01 MDD043 149.0 150.0 1.0 MG13985 -0.01 MDD043 150.0 151.0 15.0 0 1.0 MG13985 -0.01 MDD043 151.0 152.0 1.0 MG13987 -0.01 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13988 -0.01													25	2/6			•	N=7
MDD043 145.0 146.0 1.0 MG13981 0.20 TZ4 MDD043 146.0 147.0 1.0 MG13982 0.08 MDD043 147.0 148.0 1.0 MG13983 0.05 MDD043 149.0 150.0 1.0 MG13984 -0.01 MDD043 150.0 151.0 1.0 MG13986 -0.01 MDD043 151.0 152.0 1.0 MG13987 -0.01 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01																		
MDD043 146.0 147.0 1.0 MG13982 0.08 MDD043 147.0 148.0 1.0 MG13983 0.05 MDD043 148.0 149.0 1.0 MG13984 -0.01 MDD043 150.0 150.0 1.0 MG13986 -0.01 MDD043 150.0 151.0 1.0 MG13986 -0.01 MDD043 151.0 152.0 1.0 MG13987 -0.01 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01											T74							
MDD043 147.0 148.0 1.0 MG13983 0.05 MDD043 148.0 149.0 1.0 MG13984 -0.01 MDD043 150.0 150.0 1.0 MG13985 -0.01 MDD043 151.0 152.0 1.0 MG13987 -0.01 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01																		
MDD043																		
MDD043 149.0 150.0 1.0 MG13985 -0.01 RSSZ 70 82 MDD043 151.0 152.0 1.0 MG13986 -0.01 30 355 MDD043 152.0 153.0 1.0 MG13987 -0.01 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01																		
MDD043 151.0 152.0 1.0 MG13987 -0.01 30 355 MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01											RSSZ							
MDD043 152.0 153.0 1.0 MG13988 0.02 MDD043 153.0 154.0 1.0 MG13989 -0.01	MDD043	150.0	151.0	1.0	MG13986	-0.01							70	82				
MDD043 153.0 154.0 1.0 MG13989 -0.01	MDD043	151.0	152.0	1.0	MG13987	-0.01							30	355				
	MDD043	152.0	153.0	1.0	MG13988	0.02												
MDD043 154.0 155.0 1.0 MG13990 -0.01	MDD043	153.0	154.0	1.0	MG13989	-0.01					T74							
	MDD043	154.0	155.0	1.0	MG13990	-0.01					124							



JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m	Diamond drill (DD) core samples for laboratory assay are typically 1 metre samples of diamond saw cut ½ diameter core. Where distinct mineralisation boundaries are logged, sample lengths are adjusted to the respective geological contact. Samples are crushed at the receiving laboratory to minus 2mm (80% passing) and split to provide 1kg for pulverising to -75um. Pulps are fire assayed using a 50g charge.
	samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	



Criteria	JORC Code explanation	Commentary
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Current drilling techniques are diamond coring (DD) PQ3 and HQ3 size triple tube. Where PQ3 core size (83mm diameter) is commenced this is maintained throughout the DD hole until drilling conditions dictate reduction in size to HQ3 core (61mm diameter).
		Drillholes are oriented to intersect known mineralised features in a nominally perpendicular orientation as much as is practicable.
		All drill core is oriented to assist with interpretation of mineralisation and structure using a Trucore orientation tool.
Drill sample recovery	Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	DD core sample recoveries are recorded by the drillers at the time of drilling by measuring the actual distance of the drill run against the actual core recovered. The measurements are checked by the site geologist. When poor core recoveries are recorded the site geologist and driller endeavour to immediately rectify any problems to maintain maximum core recoveries. DD core logging to date indicate >97% recoveries. The drilling contract used states for any given run, a level of recovery is required otherwise financial penalties are applied to the drill contractor



Criteria	JORC Code explanation	Commentary
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.	All DD holes have been logged for their entire sampled length below upper open hole drilling (nominally 0-320 metres below collar). Data is recorded directly into digital spreadsheets and then uploaded into an Access cloud database with sufficient detail that supports Mineral Resource estimations (MRE).
	The total length and percentage of the relevant intersections logged.	Logging is mostly qualitative but there are estimations of quartz and sulphide content and quantitative records of geological / structural unit, oxidation state and water table boundaries.
		Oriented DD core allows alpha / beta measurements to determine structural element detail (dip / dip direction) to supplement routine recording of lithologies / alteration / mineralisation / structure / oxidation / colour and other features for MRE reporting.
		All core is photographed wet and dry before cutting.
Sub-sampling techniques	If core, whether cut or sawn and whether quarter, half or all core taken.	Industry standard laboratory sample preparation methods are suitable
and sample preparation	If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.	for the mineralisation style and involve, oven drying, crushing and splitting of samples to 1kg for pulverising to -75um. Pulps are fire
	For all sample types, the nature, quality and appropriateness of the sample preparation technique.	assayed using a 50g charge. 50g charge is considered minimum requirement for the coarse nature of
	Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.	the gold. Larger screen fire assays and 1kg Leachwell determinations are conducted periodically as a QAQC check.
	Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.	Large diameter (83mm) PQ3 core was maintained (where conditions allow) for DD holes to MDD016 and subsequently HQ3 (61mm) for drillholes MDD017 to MDD051.
	Whether sample sizes are appropriate to the grain size of the material being sampled.	DD core drill samples are sawn in ½ along the length of the core on cut lines marked by geologists' perpendicular to structure / foliation or to bisect vein mineralisation for representative samples whilst preserving the orientation line. Intervals required for QAQC checks are ¼ core from ½ sections of core to be sent for assay.
		QAQC procedures include field replicates, standards, and blanks at a frequency of ~4% and also cross-lab assay checks at an umpire laboratory.



Criteria	JORC Code explanation	Commentary
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the	DD core for gold assays undergo sample preparation by SGS laboratory Westport and 50g fire assay with an AAS finish (SGS method FAA505, DDL 0.01ppm Au) by SGS laboratory Waihi.
	parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	Portable XRF (pXRF) instrumentation is used onsite (Olympus Innov-X Delta Professional Series model DPO-4000 equipped with a 4 W 40kV X-Ray tube) primarily to identify arsenical samples (arsenic correlates well with gold grade in these orogenic deposits). The pXRF analyses a 31-element suite (Ag, As, Bi, Ca, Cd, Cl, Co, Cr, Cu, Fe, Hg, K, Mn, Mo, Nb, Ni, P, Pb, Rb, S, Sb, Se, Sn, Sr, Th, Ti, V, W, Y, Zn, Zr) utilising 3 beam Soil mode, each beam set for 30 secs (90 secs total). pXRF QAQC checks involve 2x daily calibration and QAQC analyses
		of SiO2 blank and NIST standards (NIST 2710a & NIST 2711a). For laboratory QAQC, samples (3*certified standards, blanks and field replicates) are inserted into laboratory batches at a frequency of ~4% and ~5% respectively. Once 1,000 samples have been assayed a ~6% selection of retained lab pulps across a range of grades are sent for reassay and to an umpire laboratory for cross-lab check assays.
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data.	Significant gold assays and pXRF arsenic analyses are checked by alternative senior company personnel. Original lab assays are initially reported and where replicate assays and other QAQC work require reassay or screen fire assays, the results from the larger samples are adopted. To date results are accurate and fit well with the mineralisation model.
	Discuss any adjustment to assay and.	Some DD core holes have been sited adjacent to previous RC drillholes to provide twinned data. pXRF multi-element analyses are directly downloaded from the pXRF
		analyser as csv electronic files. These and laboratory assay csv files are imported into the database, appended and merged with previous data.
		The database master is stored off-site and periodically updated and verified by an independent qualified person.
		There have been no adjustments to analytical data presented.



Criteria	JORC Code explanation	Commentary
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control.	DD drillhole collar locations are accurate (+/- 50mm) xyz coordinates when captured by a licensed surveyor using RTK-GPS equipment. All drillholes to MDD051 have been surveyed by RTK-GPS equipment with subsequent and planned collar locations based on hand-held GPS coordinates with xy accuracy of +/-3 metres and RL accuracy to 0.5 metres from detailed LiDAR DTM. All drill holes reference the NZTM map projection and collar RLs the NZVD2016 vertical datum. DD down hole surveys are recorded at 12m intervals using a Reflex multi-shot camera.
Data spacing and distribution	Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied.	Drillhole collar spacing is variable and considered appropriate for determination of geological and grade continuity during this phase of the drilling programme. Site locations in steep terrain are dictated by best access allowed by contour tracks with gentle gradients to allow safe working drill pad excavations. No compositing of samples is being undertaken for analysis. Sampling and assaying are in one metre intervals or truncated to logged features.
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	The majority of drillholes in this campaign are inclined (-60° or -75°) to 270°T to intercept mineralisation at a reasonable angle and facilitate core orientation measurements. Drillholes MDD044 and MDD047 at RAS were, oriented 0°T (-60°) due to topographical constraints to facilitate testing of northern mineralisation extents. True mineralisation widths in these two drillholes will be less than downhole intervals. As the deposits are tabular and lie at low angles, there is not anticipated to be any introduced bias for resource estimates.



Criteria	JORC Code explanation	Commentary
Sample security	The measures taken to ensure sample security.	Company personnel manage the chain of custody from sampling site to laboratory. DD drill core samples are transported daily from DD rig by the drilling contractor in numbered core boxes to the Company secure storage facility for logging and sample preparation. After core cutting, the core for assay is bagged, securely tied, and weighed before being placed in polyweave bags which are securely tied. Retained core is stored on racks in secure locked containers. Polyweave bags with the calico bagged samples for assay are placed in steel cage pallets, sealed with a wire-tied tarpaulin cover, photographed, and transported to local freight distributer for delivery to the laboratory. On arrival at the laboratory photographs taken of the consignment are checked against despatch condition to ensure no tampering has occurred.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	An independent competent Person (CP) conducted a site audit in January 2021 of all sampling techniques and data management. No major issues were identified, and recommendations have been followed. Further CP site audits will be undertaken in 2022.



Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.	Exploration is being currently conducted within Mineral Exploration Permit (MEP) 60311 (252km²) registered to Matakanui Gold Ltd (MGL) issued on 13th April 2018 for 5 years with renewal date on 12th April 2023. MGL has the gold rights for this tenement. There are no material issues with third parties.
	• The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	MGL applied for a Minerals Prospecting Permit (MPPA) in March 2022, and this is in process with the Government Ministerial Authority (NZPAM) for issue under MPP 60882.
		The tenure of the Permits is secure and there are no known impediments to obtaining a licence to operate.
		The Project is subject to a 1.5% Net Smelter Royalty (NSR) on all production from MEP 60311 (successor permits) payable to an incorporated, private company (Rise and Shine Holdings Limited) which is owned by the prior shareholders of MGL (NSRW Agreement) before acquisition of 100% of MGL shares by Santana Minerals Limited.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Early exploration in the late 1800's and early 1900's included small pits, adits and cross-cuts and alluvial mining.
		Exploration has included soil and rock chip sampling by numerous companies since 1983 with drilling starting in 1986. Exploration in the 1990's commenced with a search for Macraes style gold deposits along the RSSZ. Drilling included 13 RC holes by Homestake NZ Exploration Ltd in 1986, 20 RC holes by BHP Gold Mines NZ Ltd in 1988 (10 of these holes were in the Bendigo Reefs area which is not part of the MRE area), 5 RC holes by Macraes Mining Company Ltd in 1991, 22 shallow (probably blasthole) holes by Aurum Reef Resources (NZ) Ltd in 1996, 30 RC holes by CanAlaska Ventures Ltd from 2005-2007, 35 RC holes by MGL in 2018 and a further 18 RC holes by MGL in 2019.



Criteria	JORC Code explanation	Commentary
Geology	Deposit type, geological setting and style of mineralisation.	The RSSZ is a low-angle late-metamorphic shear-zone, presently known to be up to 120m thick. It is sub-parallel to the metamorphic foliation and dips gently to the north- east. It occurs within psammitic, pelitic and meta-volcanic rocks. Gold mineralisation is concentrated in multiple deposits along the RSSZ. In the Project area there are 4 deposits with Mineral Resource Estimates (MRE) – Come-in-Time (CIT), Rise and Shine (RAS), Shreks (SHR) and Shreks-East (SRE). The gold and associated pyrite/arsenopyrite mineralisation at all deposits occur along micro-shears, and in brecciated / laminar quartz veinlets within the highly- sheared schist. There are several controls on mineralisation with apparent NNW, N and NNE trending structures all influencing gold distribution. Shear dominated mineralisation within the top 20-40m of the shear zone is in a unit termed the "Hanging Wall Shear" (HWS) which lies immediately below the Thomsons Gorge Fault (TGF). The TGF is a regional low-angle fault that separates upper barren chlorite (TZ3) schist from underlying mineralised biotite (TZ4) schists. Stacked stockwork vein swarms (SVS) occur deeper in the RSSZ. Unlike Macraes, the gold mineralisation in the oxide, transition and fresh zones is characterised by coarse free gold and silica- poor but extensive ankerite alteration.
Drill hole Information	 A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	Refer to the body of text. No material information has been excluded.



Criteria	JORC Code explanation	Commentary
Data aggregation methods	 In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	Significant gold intercepts are reported using 0.25g/t Au and 0.50g/t Au lower grade cut-offs with 4m of internal dilution included. Broad zonation is: 0.10g/t Au cut-off defines the wider low-grade halo of mineralisation, 0.25g/t Au cut-off represents possible economic mineralisation, with 0.50g/t Au defining high-grade axes / envelopes. Metal unit (MU) distribution, where shown on maps and in tables are calculated from total drill hole Au * associated drill hole interval metres. pXRF analytical results reported for laboratory pulp returns are considered accurate for the suite of elements analysed. Where gold assays are pending, minimum 1,000 ppm composited arsenic values provide a preliminary representation of potential mineralised zones and include 4m <1,000 ppm internal dilution.
Relationship between mineralisation widths and intercept lengths	 These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	All intercepts quoted are downhole widths. Intercepts are associated with a major 20-120m thick low-angle mineralised shear that is largely perpendicular to the drillhole traces. Aggregate widths of mineralisation reported are drillhole intervals >0.50g/t Au occurring in apparent low angle stacked zones. There are steeply dipping narrow (1-5m) structures deeper in the footwall and the appropriateness of the current drillhole orientation will become evident and modified as additional drill results dictate.
Diagrams	 Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	Refer to figures in the body of the text.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	All significant intercepts have been reported.



Criteria		JORC Code explanation	Commentary
Other subsexploration		Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples — size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	Not applicable; meaningful and material results are reported in the body of the text.
Further w	ork	• The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).	DD drilling down dip / down plunge to the north of existing resources is continuing at RAS on ~120 metre step-out east-west drill sections.
		Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Further work is following at RAS, CIT and SHR deposits as results dictate, which may include infill RC, further DD core drilling, and metallurgical test-work.
			A new 2021 MRE update (to JORC Code 2012) was completed in September 2021 which increased Inferred Resources 155% to 643Koz from the 252Koz 2019 MRE (0.25g/t lower cut-off). A 2022 MRE upgrade to RAS is currently underway.
			Potential extensions to mineralisation and resources are shown in figures in the body of the text.