

Drilling Enhances Open-Pit Potential of Triple-P Gold Target

Wide-spaced drilling extends mineralised system and identifies potential new mineralised structure

Highlights

- Vango has intersected high-grade gold in its latest phase of drilling at the Marymia Gold Project in the mid-west region of Western Australia - 19 holes for 3,504m of RC drilling
- Highlighted intersections, from below the Triple-P and B Zone open-pits, include:
 - 1m @ 3.91 g/t Au from 44m in VPPPRC0024
 - 1m @ 7.98 g/t Au from 73m in VPPPRC0024
 - 3m @ 6.36 g/t Au from 86m in VPPPRC0024
 - 1m @ 2.6 g/t Au from 205m in VPPPRC0024
 - 12m @ 0.64 g/t Au from 247m in VPPPRC0025
incl 1m @ 1.19 g/t Au from 248m
and 1m @ 2.49 g/t Au from 253m
 - 2m @ 3.76 g/t Au from 178m in VPPPRC0026
incl 1m @ 5.62 g/t Au from 179m
 - 6m @ 0.97 g/t Au from 58m in VPPPRC0029
incl 3m @ 1.49 g/t Au from 58m
 - 2m @ 3.72 g/t Au from 200m in VPPPRC0029
- Intersections represent the continuation of the mineralised system from B Zone at Triple P. B Zone is interpreted as a continuation of Triple P mineralisation displaced by a fault
- The shallower intercepts are potentially a new zone of mineralisation offset by another large structure
- Further targeting and drilling is being planned to test the potential of this new zone - or faulted continuation of the extensive Triple P and B Zone mineralisation

Gold exploration and development company Vango Mining Limited ("Vango" or "the Company") is pleased to announce high-grade gold intersections from its latest phase of drilling at the **Triple-P and B Zone** open pits on the 100%-owned Marymia Gold Project, 300km northeast of Meekatharra in the Mid-West region of Western Australia (see location Figure 4).

These high-grade gold results come from an initial programme of seven, wide-spaced reverse circulation (RC) drillholes for 2,057 metres (Table 1), which successfully targeted areas of mineralisation below the Triple-P and B Zone open pits (see Figure 3 for location and geology).

Vango Mining Ltd

ABN: 68 108 737 711
ASX: VAN

Issued Capital

1,259,937,632 Shares
90,864,406 Options
151,250,000 Convertible Notes

Australian Registered Office

Aurora Place
Building 1
Level 29, 88 Philip Street
Sydney NSW 2000 AUSTRALIA

Directors

BRUCE MCINNES - Executive Chairman
SEAN ZHOU - Deputy Chairman - Non-Executive Director
HUNTER GUO - Non-Executive Director
The Hon CRAIG WALLACE - Non-Executive Director
Dr CAROL ZHANG - Non-Executive Director

All seven holes intersected anomalous gold mineralisation with six of the holes returning significant gold intersections, as follows:

- **1m @ 3.91 g/t Au from 44m in VPPPRC0024**
- **1m @ 7.98 g/t Au from 73m in VPPPRC0024**
- **1m @ 1.55 g/t Au from 80m in VPPPRC0024**
- **3m @ 6.36 g/t Au from 86m in VPPPRC0024**
- **1m @ 2.6 g/t Au from 205m in VPPPRC0024**
- **1m @ 1.03 g/t Au from 212m in VPPPRC0024**
- **1m @ 2.06 g/t Au from 163m in VPPPRC0025**
- **12m @ 0.64 g/t Au from 247m in VPPPRC0025
incl 1m @ 1.19 g/t Au from 248m
and 1m @ 2.49 g/t Au from 253m**
- **2m @ 3.76 g/t Au from 178m in VPPPRC0026
incl 1m @ 5.62 g/t Au from 179m**
- **12m @ 1.14 g/t Au from 196m in VPPPRC0026**
- **1m @ 1.01 g/t Au from 240m in VPPPRC0026**
- **1m @ 0.77 g/t Au from 165m in VPPPRC0027**
- **1m @ 0.75 g/t Au from 212m in VPPPRC0027**
- **6m @ 0.97 g/t Au from 58m in VPPPRC0029
incl 3m @ 1.49 g/t Au from 58m**
- **1m @ 1.19 g/t Au from 149m in VPPPRC0029**
- **2m @ 3.72 g/t Au from 200m in VPPPRC0029**
- **1m @ 0.78 g/t Au from 170m in VPPPRC0030**
- **1m @ 0.72 g/t Au from 176m in VPPPRC0030**
- **1m @ 0.89 g/t Au from 196m in VPPPRC0030**

Commentary on Results

Triple-P and Zone are interpreted to be the same zone of mineralisation, offset by a significant fault over a combined strike length of in excess of 1km (see Figure 1). The shallow dipping/plunging high-grade gold mineralisation at Triple-P and B Zone is associated with silica (quartz) and sulphide mineralisation (arsenopyrite +/- pyrrhotite, pyrite, chalcopyrite) and hosted by Mafic rocks, interpreted to be the Plutonic Mine-Mafic.

Early interpretation of these deeper holes indicates a potential repeat of geology and mineralisation potentially associated with late stage faulting. The exact position and nature of these faults will likely require closer spaced drilling to fully define their significance and the level of gold endowment.

Results from the shallow parts of VPPRC0024 are highly encouraging, in that the system appears to continue and may have potential to host further open pit resources. Similarly, the shallow results in VPPRC0029 represent another zone that warrants further drill testing.

The holes in the recently completed drilling at Triple-P and B Zone were drilling 80m spacing, and between 100 and 200m down dip from previous mineralisation.




Figure 1: 2022 RC Drilling at the Triple P area with interpreted faults

Drilling at Apex Target

A 640 metre - 4-hole RC program was also completed at the Apex prospect to follow up low-grade gold mineralisation intersected in previous drilling (Figure 2). Results showed further anomalous gold and low-grade supergene copper, and a full analysis of this significance will be undertaken over the coming period.




Figure 2: Apex drilling location

Drilling at Mareast Target

Drilling was also completed at a target adjacent to the Mareast prospect on an area under cover to the north-east which hosts a zone of greenstone. This drilling was designed to test bedrock for potential greenstones and anomalism. Eight holes were drilled for 807 metres of RC drilling. Granite was intersected in all holes and no anomalous zones were located.




Figure 3: Marymia Gold Project showing Trident-Marwest Corridor location and geology, and other key prospects

Table 1: RC Drilling Locations for 2022 drilling at Marymia Gold Project

Prospect	Hole ID	Drill Type	MGA East	MGA North	RL	Grid North	Grid East	Depth	Dip°	Azi°
APEX	VAXRC0004	RC	781335	7216192	539	6460	34402	160	-61.4	318.9
APEX	VAXRC0005	RC	781219	7216310	539	6619	34358	160	-61.2	319.2
APEX	VAXRC0006	RC	781251	7216281	539	6578	34372	160	-60.5	137.3
APEX	VAXRC0007	RC	781162	7216375	539	6704	34340	160	-59.0	137.3
BZONE	VPPPRC0024	RC	766535	7210556	604	1900	1556	245	-59.5	104.6
BZONE	VPPPRC0025	RC	766344	7210527	602	1820	1379	293	-60.9	105.0
BZONE	VPPPRC0026	RC	766366	7210604	604	1899	1380	293	-61.3	108.4
BZONE	VPPPRC0027	RC	766350	7210692	606	1980	1340	317	-61.1	109.2
BZONE	VPPPRC0028	RC	766426	7210754	605	2060	1396	305	-60.5	108.8
BZONE	VPPPRC0029	RC	766448	7210831	605	2140	1396	305	-60.3	109.1
TRIPLEP	VPPPRC0030	RC	766745	7210433	602	1839	1791	299	-60.0	106.1
MAREAST	VELRC0001	RC	768311	7217520	539	13951	23672	100	-60.1	151.1
MAREAST	VELRC0002	RC	768391	7217379	539	13789	23674	100	-60.5	333.1
MAREAST	VELRC0003	RC	768346	7217214	539	13667	23554	100	-60.0	331.9
MAREAST	VELRC0004	RC	768272	7217355	539	13826	23558	100	-60.4	152.2

Prospect	Hole ID	Drill Type	MGA East	MGA North	RL	Grid North	Grid East	Depth	Dip°	Azi°
MAREAST	VELRC0005	RC	768181	7217217	539	13750	23411	100	-58.9	329.5
MAREAST	VELRC0006	RC	768105	7217359	539	13911	23414	100	-60.9	153.7
MAREAST	VELRC0007	RC	767438	7216369	539	13370	22350	107	-61.2	152.9
MAREAST	VELRC0008	RC	767515	7216223	539	13205	22346	100	-61.2	332.3

Authorised for release by the Board of Vango Mining Limited.

-ENDS-

For further information, contact:

Bruce McInnes
Chairman
info@vangomining.com
+61 418 183 466

James Moses
Investor Relations
james@mandatecorporate.com.au
+61 420 991 574

The information in this announcement is extracted from reports lodged as market announcements available to view on the Company's (www.vangomining.com) and ASX's (<https://www2.asx.com.au>) web-sites. The Company confirms that it is not aware of any new information that materially affects the information included in the original market announcements and that all material assumptions and technical parameters underpinning the estimates in the relevant market announcements continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Persons' findings are presented have not been materially modified from the original market announcements.

About Vango Mining

Vango Mining Limited (ASX: VAN) is a minerals exploration mining company with ambitions of becoming a high-grade WA gold miner by developing the 100% owned Marymia Gold Project (**Marymia**) in the mid-west region of Western Australia. The Project comprises 45 granted mining leases over an area of 325.08km². It has an established high-grade resource of 1Moz @ 3g/t Au², underpinned by the Trident Deposit, whose resource is 410koz @ 8g/t Au, with immediate extensions open at depth/along strike.

The Marymia Project has the potential to become a significant Australian high-grade producer. The Greenstone Belt in the Marymia region includes six major gold corridors, which remain largely un-tested beyond 100m depth - supported with an extensive drilling and geophysical database. Previous mining between 1992-2001, produced 580,000 ounces of gold almost entirely from open-pits.

Vango is focused on growing its high-grade gold resource to support a proposed stand-alone gold mining and production operation at Marymia. The Project is located along strike, immediately to the north of Superior Gold's (TSX-V: SGI) Plutonic Gold Mine which has produced more than 5.5Moz of gold.¹

¹ Superior Gold Inc., TSX-V:SGI, Corporate Website www.superior-gold.com




Figure 4: Location of Marymia Gold Project in the Yilgarn block of Western Australia.

JORC compliant Mineral Resource Estimate (ASX Announcement dated 20 May 2020)²

MARYMIA GOLD PROJECT JORC 2012 MINERAL RESOURCE ESTIMATE – MAY 2020										
Deposit	Cut-off	Indicated			Inferred			Total		
Mineral Resource	Au g/t	K t	g/t	K oz	K t	g/t	Oz	K t	g/t	K oz
Open Pits	0.5	5,300	1.8	311	2,950	1.6	150	8,250	1.7	461
Underground	3.0	1,142	9.6	352	992	5.9	189	2,134	7.9	541
Total		6,442	3.2	663	3,942	2.7	339	10,384	3.0	1,002

* VAN confirms all material assumptions and technical parameters underpinning the Resource Estimate and Reserve continue to apply, and have not materially changed as per Listing Rule 5.23.2

Mineral Resources reported in accordance with the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (Joint Ore Reserves Committee Code – JORC 2012 Edition). Open pit resources reported within optimised conceptual pit shells at A\$2,500/oz gold price above a 0.5 g/t Au cut off and include oxide, transition and fresh material.

Trident underground resources are retained as first reported 18 April 2019³ above a 3.0 g/t Au cut-off grade, and modelled at a gold price of A\$2,000/oz, on the basis that the information has not materially changed since last reported. Other underground resources reported above a 3.0 g/t Au cut off (with minor 2.5 g/t Au cut-off material included for continuity purposes) and includes fresh material only. Totals may differ due to rounding, Mineral Resources reported on a dry in-situ basis.

Competent Persons Statements

The Statement of Mineral Resource Estimates has been compiled by Dr. Spero Carras who is a full-time employee of Carras Mining Pty Ltd and a Fellow of the Australian Institute of Mining and Metallurgy ("FAusIMM"). Dr. Carras has sufficient experience, including over 40 years' experience in gold mine evaluation, relevant to the style of mineralisation and type of deposits under consideration to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee ("JORC") Australasian Code for Reporting of Exploration Results, Minerals Resources and Ore Reserves. Dr. Carras consents to the inclusion in this report of the matters based on this information in the form and context in which it appears. The information in this report that relates to exploration results has been reviewed, compiled and fairly represented by Mr David Jenkins, a Member of the Australian Institute of Geologists and a full time employee of Terra Search Pty Ltd. Mr Jenkins has sufficient experience, including over 29 years' experience in exploration and resource evaluation relevant to the style of mineralisation and type of deposits under consideration to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee ("JORC") Australasian Code for Reporting of Exploration Results, Minerals Resources and Ore Reserves. Mr Jenkins consents to the inclusion in this report of the matters based on this information in the form and context in which it appears.

Forward Looking Statements

This announcement contains 'forward-looking information' that is based on the Company's expectations, estimates and projections as of the date on which the statements were made. This forward-looking information includes, among other things, statements with respect to the Company's business strategy, plans, development, objectives, performance, outlook, growth, cash flow, projections, targets and expectations, mineral reserves and resources, results of exploration and related expenses. Generally, this forward-looking information can be identified by the use of forward-looking terminology such as 'outlook', 'anticipate', 'project', 'target', 'potential', 'likely', 'believe', 'estimate', 'expect', 'intend', 'may', 'would', 'could', 'should', 'scheduled', 'will', 'plan', 'forecast', 'evolve' and similar expressions. Persons reading this announcement are cautioned that such statements are only predictions, and that the Company's actual future results or performance may be materially different. Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause the Company's actual results, level of activity, performance or achievements to be materially different from those expressed or implied by such forward-looking information.

² ASX: VAN 20/05/2020 "Marymia Mineral Resource Increases to One Million Ounces"

³ ASX: VAN 18/04/2019 "New High-Grade Trident Gold Resource Upgrade"

JORC Code, 2012 Edition: Table 1
Section 1: Sampling Techniques and Data
(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. - In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- RC Drilling assays are from 1m samples cone split on the cyclone for the key intercepts. 4m composites from these 1m splits are taken in zones of lower prospectivity at the Laboratory. Where the composite samples return > 0.2g/t Au, they are re-assayed on 1m intervals - Historical drilling has been sampled on a 1m basis. By Battle Mt and Homestake Gold – split at rig. - Duplicates are taken of the second quarter of core every 20 samples to ensure the samples were representative.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Face Sampling, Reverse Circulation hammer
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	RC drilling was bagged on 1m intervals and an estimate of sample recovery has been made on the size of each sample.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and	Reverse Circulation holes are being logged on 1m intervals

Criteria	JORC Code explanation	Commentary
	<i>metallurgical studies.</i> • <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> • <i>The total length and percentage of the relevant intersections logged.</i>	
Sub-sampling techniques and sample preparation	• <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> • <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> • <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> • <i>Quality control procedures adopted for all sub-sampling stages to maximise samples representivity</i> • <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	• Duplicates taken every 20 samples by sampling a second quarter of the NQ core, or from a second split directly from cyclone. • Standards submitted every 20 samples of tenor similar to those expected in the sampling. • Cone splitter on the cyclone was used to produce a 1m sub-sample on the RC rig. • Blanks were inserted every 20 samples also • In un-prospective lithologies these 1m samples were composited at the lab over 4m intervals.
Quality of assay data and laboratory tests	• <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	• Samples analysed at Intertek Laboratories in Perth, WA, using a 50g Fire Assay method. • Samples are dried, crushed and pulverised prior to analysis.

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- Intercepts have been calculated generally using a 0.5g/t cutoff and internal waste of up to 3m thickness with total intercepts greater than 0.3g/t. All repeats and duplicates have been included. - Historical work has been cross referenced against WAMEX reports A62465 (Battle Mt) and A64818 (Homestake)
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- DGPS has been used to locate the drillholes. - REFLEX Gyro Tool used for downhole surveys on all holes
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.	- Sample data down hole is at no more than 1m intervals - Data spacing varies from approx. 80m – 160m Assessment as to whether sufficient data has been generated to establish the degree of geological and grade continuity appropriate for Mineral Resource and estimation procedure(s) is underway and, if necessary, additional drilling will be carried out to establish continuity.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Intercepts given are downhole widths with the true widths not determined.
Sample security	The measures taken to ensure sample security.	Samples sealed in bulka bag with Security seal, unbroken

Criteria	JORC Code explanation	Commentary
<i>Audits or reviews</i>	<i>The results of any audits or reviews of sampling techniques and data.</i>	when delivered to lab Review of standards, blanks and Duplicates indicate sampling and analysis has been effective for current and historical drilling where QA/QC has been available

Section 2: Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- Located in the Marymia - Plutonic Greenstone Belt ~218km northeast of Meekatharra in the Midwest mining district in WA - Pigeon M52/396, E52/2701, E52/2702 tenement in good standing - The tenements predate Native title interests, but are covered by the Gingirana Native Title claim - The tenements are 100% owned by Vango Mining Limited and subsidiary Dampier Plutonic Pty Ltd. - Gold production will be subject to a 1-4% royalty dependent on gold price (Currently 2%) capped at \$2M across the entire project area. - Contingent production payments of up to \$4M across the entire project area.
Exploration done by other parties.	Acknowledgment and appraisal of exploration by other parties.	Extensive previous work by Battle Mt and Homestake Gold
Geology	Deposit type, geological setting and style of mineralisation.	
Drill hole Information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar	Location of new drillholes based on surveyed sites, and DGPS, summarised in Table 1 and shown on Figures 2 and 3.

Criteria	JORC Code explanation	Commentary
	▪ <i>elevation or RL (Reduced Level - elevation above sea level in metres) of the drill hole collar</i> ▪ <i>dip and azimuth of the hole</i> ▪ <i>down hole length and interception depth</i> ▪ <i>hole length.</i> • <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	• Location of previous Drillholes based on historical reports and data, originally located on surveyed sites, and DGPS. • Northing and easting data generally within 0.1m accuracy • RL data +/-0.2m • Down hole length +/- 0.1 m
Data aggregation methods	• <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> • <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	• Intercepts have been calculated generally using a 1 g/t cut off or as otherwise stated (see Table 1) and internal waste of up to 3m thickness with total intercepts greater than 1g/t. All Duplicates and repeats are included • No upper cut off has been applied to intersections.
Relationship between mineralisation widths and intercept lengths	• <i>These relationships are particularly important in the reporting of Exploration Results.</i> • <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> • <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i>	• Orientation of mineralised zones are still to be ascertained by follow up drilling.
Diagrams	• <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	• Appropriate cross-sectional and plan view of the drilling are included. • Table 1, drillhole locations and Appendix 1, all

Criteria	JORC Code explanation	Commentary
		significant assays, with repeats and duplicates.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	Table 1, drillhole locations and Appendix 1 all significant assays, with repeats and duplicates.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	- Geological interpretations are included on plan views (Figure 1) - No new exploration data has been generated apart from the drilling information included in this report.
Further work	- The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Extensive further drilling is planned for the project

Appendix 1: Significant Assays – 2022 RC drilling program

Prospect	Hole No	Sample	From	To	Data Type	Au
APEX	VAXRC0007	20220120	27	31	COMP	0.134
APEX	VAXRC0007	20220121	31	35	COMP	0.085
APEX	VAXRC0007	20220122	35	39	COMP	0.02
APEX	VAXRC0007	20220123	39	43	COMP	0.185
APEX	VAXRC0007	5316059	43	44	INT	0.248
APEX	VAXRC0007	5316061	43	44	DUP	0.407
APEX	VAXRC0007	20220124	44	48	COMP	0.04
APEX	VAXRC0007	20220125	48	52	COMP	0.06
BZONE	VPPPRC0024	20220333	17	21	COMP	0.011
BZONE	VPPPRC0024	5317171	21	22	INT	0.094
BZONE	VPPPRC0024	20220334	21	25	COMP	0.416
BZONE	VPPPRC0024	5317172	22	23	INT	0.58
BZONE	VPPPRC0024	5317173	23	24	INT	0.887

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0024	5317174	24	25	INT	0.206
BZONE	VPPPRC0024	20220335	25	29	COMP	0.017
BZONE	VPPPRC0024	5317191	38	39	INT	-0.005
BZONE	VPPPRC0024	20220338	38	42	COMP	0.21
BZONE	VPPPRC0024	5317192	39	40	INT	0.54
BZONE	VPPPRC0024	5317193	40	41	INT	0.101
BZONE	VPPPRC0024	5317194	41	42	INT	-0.005
BZONE	VPPPRC0024	5317195	42	43	INT	0.018
BZONE	VPPPRC0024	20220339	42	46	COMP	0.837
BZONE	VPPPRC0024	5317196	43	44	INT	0.255
BZONE	VPPPRC0024	5317197	44	45	INT	3.913
BZONE	VPPPRC0024	5317198	45	46	INT	0.152
BZONE	VPPPRC0024	5317199	46	47	INT	0.139
BZONE	VPPPRC0024	5317201	46	47	DUP	0.352
BZONE	VPPPRC0024	20220340	47	51	COMP	0.019
BZONE	VPPPRC0024	20220341	51	55	COMP	0.037
BZONE	VPPPRC0024	20220343	59	63	COMP	0.043
BZONE	VPPPRC0024	5317219	63	64	INT	0.106
BZONE	VPPPRC0024	5317221	63	64	DUP	0.138
BZONE	VPPPRC0024	20220344	64	68	COMP	0.088
BZONE	VPPPRC0024	5317227	68	69	INT	0.063
BZONE	VPPPRC0024	20220345	68	72	COMP	0.349
BZONE	VPPPRC0024	5317228	69	70	INT	0.213
BZONE	VPPPRC0024	5317229	70	71	INT	0.42
BZONE	VPPPRC0024	5317230	71	72	INT	0.886
BZONE	VPPPRC0024	20220346	72	76	COMP	0.387
BZONE	VPPPRC0024	5317231	72	73	INT	0.679
BZONE	VPPPRC0024	5317232	73	74	INT	7.979
BZONE	VPPPRC0024	5317233	74	75	INT	0.126
BZONE	VPPPRC0024	5317234	75	76	INT	0.081
BZONE	VPPPRC0024	20220347	76	80	COMP	0.079
BZONE	VPPPRC0024	5317241	80	81	DUP	1.101
BZONE	VPPPRC0024	5317239	80	81	INT	1.553
BZONE	VPPPRC0024	20220348	81	85	COMP	0.134
BZONE	VPPPRC0024	5317247	85	86	INT	0.484
BZONE	VPPPRC0024	5317248	86	87	INT	4.014
BZONE	VPPPRC0024	5317249	87	88	INT	9.466
BZONE	VPPPRC0024	5317250	88	89	INT	5.591
BZONE	VPPPRC0024	20220350	89	93	COMP	0.147
BZONE	VPPPRC0024	20220351	93	97	COMP	0.06
BZONE	VPPPRC0024	5317261	97	98	DUP	0.008
BZONE	VPPPRC0024	5317299	131	132	INT	0.019
BZONE	VPPPRC0024	5317303	132	133	INT	0.027
BZONE	VPPPRC0024	20220360	132	136	COMP	0.261

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0024	5317304	133	134	INT	0.009
BZONE	VPPPRC0024	5317305	134	135	INT	0.729
BZONE	VPPPRC0024	5317306	135	136	INT	0.309
BZONE	VPPPRC0024	20220361	136	140	COMP	0.149
BZONE	VPPPRC0024	20220362	140	144	COMP	0.035
BZONE	VPPPRC0024	5317315	144	145	INT	0.016
BZONE	VPPPRC0024	5317316	145	146	INT	0.277
BZONE	VPPPRC0024	5317317	146	147	INT	0.911
BZONE	VPPPRC0024	5317318	147	148	INT	0.06
BZONE	VPPPRC0024	5317319	148	149	INT	0.035
BZONE	VPPPRC0024	5317328	154	155	INT	0.068
BZONE	VPPPRC0024	5317329	155	156	INT	0.092
BZONE	VPPPRC0024	5317330	156	157	INT	0.158
BZONE	VPPPRC0024	5317331	157	158	INT	0.102
BZONE	VPPPRC0024	5317332	158	159	INT	0.146
BZONE	VPPPRC0024	5317333	159	160	INT	0.109
BZONE	VPPPRC0024	5317334	160	161	INT	0.082
BZONE	VPPPRC0024	5317335	161	162	INT	0.178
BZONE	VPPPRC0024	5317336	162	163	INT	0.098
BZONE	VPPPRC0024	5317337	163	164	INT	0.119
BZONE	VPPPRC0024	5317338	164	165	INT	0.246
BZONE	VPPPRC0024	5317341	165	166	DUP	0.014
BZONE	VPPPRC0024	5317339	165	166	INT	0.022
BZONE	VPPPRC0024	5317357	180	181	INT	0.005
BZONE	VPPPRC0024	5317358	181	182	INT	0.196
BZONE	VPPPRC0024	5317359	182	183	INT	0.055
BZONE	VPPPRC0024	5317361	182	183	DUP	0.06
BZONE	VPPPRC0024	5317367	187	188	INT	0.091
BZONE	VPPPRC0024	5317368	188	189	INT	0.07
BZONE	VPPPRC0024	5317369	189	190	INT	0.056
BZONE	VPPPRC0024	5317370	190	191	INT	0.142
BZONE	VPPPRC0024	5317374	194	195	INT	0.024
BZONE	VPPPRC0024	5317375	195	196	INT	0.135
BZONE	VPPPRC0024	5317376	196	197	INT	0.191
BZONE	VPPPRC0024	5317377	197	198	INT	0.257
BZONE	VPPPRC0024	5317378	198	199	INT	0.386
BZONE	VPPPRC0024	5317381	199	200	DUP	0.177
BZONE	VPPPRC0024	5317379	199	200	INT	0.216
BZONE	VPPPRC0024	5317383	200	201	INT	0.486
BZONE	VPPPRC0024	5317384	201	202	INT	0.291
BZONE	VPPPRC0024	5317385	202	203	INT	0.382
BZONE	VPPPRC0024	5317386	203	204	INT	0.117
BZONE	VPPPRC0024	5317387	204	205	INT	0.197
BZONE	VPPPRC0024	5317388	205	206	INT	2.604

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0024	5317389	206	207	INT	0.383
BZONE	VPPPRC0024	5317390	207	208	INT	0.426
BZONE	VPPPRC0024	5317391	208	209	INT	0.088
BZONE	VPPPRC0024	5317392	209	210	INT	0.028
BZONE	VPPPRC0024	5317393	210	211	INT	0.019
BZONE	VPPPRC0024	5317394	211	212	INT	0.052
BZONE	VPPPRC0024	5317395	212	213	INT	1.032
BZONE	VPPPRC0024	5317396	213	214	INT	0.373
BZONE	VPPPRC0024	5317397	214	215	INT	0.106
BZONE	VPPPRC0024	5317398	215	216	INT	0.092
BZONE	VPPPRC0024	5317399	216	217	INT	0.039
BZONE	VPPPRC0025	20220369	27	31	COMP	0.008
BZONE	VPPPRC0025	5317471	31	32	INT	0.059
BZONE	VPPPRC0025	5317472	32	33	INT	0.225
BZONE	VPPPRC0025	5317473	33	34	INT	0.503
BZONE	VPPPRC0025	5317474	34	35	INT	0.905
BZONE	VPPPRC0025	5317481	39	40	DUP	0.006
BZONE	VPPPRC0025	5317499	56	57	INT	0.074
BZONE	VPPPRC0025	20220387	103	107	COMP	0.035
BZONE	VPPPRC0025	5317561	107	108	DUP	0.069
BZONE	VPPPRC0025	5317559	107	108	INT	0.076
BZONE	VPPPRC0025	5317579	124	125	INT	0.044
BZONE	VPPPRC0025	5317581	124	125	DUP	0.052
BZONE	VPPPRC0025	20220392	125	129	COMP	0.106
BZONE	VPPPRC0025	20220393	129	133	COMP	0.07
BZONE	VPPPRC0025	20220394	133	137	COMP	0.146
BZONE	VPPPRC0025	20220395	137	141	COMP	0.031
BZONE	VPPPRC0025	5317601	141	142	DUP	0.029
BZONE	VPPPRC0025	5317611	150	151	INT	0.087
BZONE	VPPPRC0025	5317612	151	152	INT	0.019
BZONE	VPPPRC0025	5317613	152	153	INT	0.286
BZONE	VPPPRC0025	5317614	153	154	INT	0.014
BZONE	VPPPRC0025	5317615	154	155	INT	0.06
BZONE	VPPPRC0025	5317624	160	161	INT	0.02
BZONE	VPPPRC0025	5317625	161	162	INT	0.024
BZONE	VPPPRC0025	5317626	162	163	INT	0.114
BZONE	VPPPRC0025	5317627	163	164	INT	2.062
BZONE	VPPPRC0025	5317628	164	165	INT	0.111
BZONE	VPPPRC0025	5317629	165	166	INT	0.036
BZONE	VPPPRC0025	5317630	166	167	INT	0.017
BZONE	VPPPRC0025	5317643	176	177	INT	0.01
BZONE	VPPPRC0025	5317644	177	178	INT	0.013
BZONE	VPPPRC0025	5317645	178	179	INT	0.373
BZONE	VPPPRC0025	5317646	179	180	INT	0.242

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0025	5317647	180	181	INT	0.079
BZONE	VPPPRC0025	5317648	181	182	INT	0.125
BZONE	VPPPRC0025	5317649	182	183	INT	0.155
BZONE	VPPPRC0025	5317650	183	184	INT	0.137
BZONE	VPPPRC0025	5317651	184	185	INT	0.06
BZONE	VPPPRC0025	5317652	185	186	INT	0.028
BZONE	VPPPRC0025	5317653	186	187	INT	0.207
BZONE	VPPPRC0025	5317654	187	188	INT	0.055
BZONE	VPPPRC0025	5317655	188	189	INT	0.025
BZONE	VPPPRC0025	5317678	208	209	INT	0.026
BZONE	VPPPRC0025	5317681	209	210	DUP	0.03
BZONE	VPPPRC0025	5317679	209	210	INT	0.252
BZONE	VPPPRC0025	5317683	210	211	INT	0.204
BZONE	VPPPRC0025	5317684	211	212	INT	0.09
BZONE	VPPPRC0025	5317685	212	213	INT	0.097
BZONE	VPPPRC0025	5317686	213	214	INT	0.028
BZONE	VPPPRC0025	5317691	218	219	INT	0.029
BZONE	VPPPRC0025	5317692	219	220	INT	0.035
BZONE	VPPPRC0025	5317693	220	221	INT	0.672
BZONE	VPPPRC0025	5317694	221	222	INT	0.268
BZONE	VPPPRC0025	5317695	222	223	INT	0.082
BZONE	VPPPRC0025	5317696	223	224	INT	0.039
BZONE	VPPPRC0025	5317697	224	225	INT	0.157
BZONE	VPPPRC0025	5317698	225	226	INT	0.044
BZONE	VPPPRC0025	5317699	226	227	INT	0.008
BZONE	VPPPRC0025	5317713	238	239	INT	0.011
BZONE	VPPPRC0025	5317714	239	240	INT	0.134
BZONE	VPPPRC0025	5317715	240	241	INT	0.166
BZONE	VPPPRC0025	5317716	241	242	INT	0.346
BZONE	VPPPRC0025	5317717	242	243	INT	0.086
BZONE	VPPPRC0025	5317718	243	244	INT	0.047
BZONE	VPPPRC0025	5317719	244	245	INT	0.037
BZONE	VPPPRC0025	5317723	245	246	INT	0.021
BZONE	VPPPRC0025	5317724	246	247	INT	0.4
BZONE	VPPPRC0025	5317725	247	248	INT	0.516
BZONE	VPPPRC0025	5317726	248	249	INT	1.186
BZONE	VPPPRC0025	5317727	249	250	INT	0.501
BZONE	VPPPRC0025	5317728	250	251	INT	0.246
BZONE	VPPPRC0025	5317729	251	252	INT	0.113
BZONE	VPPPRC0025	5317730	252	253	INT	0.23
BZONE	VPPPRC0025	5317731	253	254	INT	2.488
BZONE	VPPPRC0025	5317732	254	255	INT	0.379
BZONE	VPPPRC0025	5317733	255	256	INT	0.032
BZONE	VPPPRC0025	5317734	256	257	INT	0.443

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0025	5317735	257	258	INT	0.62
BZONE	VPPPRC0025	5317736	258	259	INT	0.948
BZONE	VPPPRC0025	5317737	259	260	INT	0.257
BZONE	VPPPRC0025	5317738	260	261	INT	0.351
BZONE	VPPPRC0025	5317739	261	262	INT	0.119
BZONE	VPPPRC0025	5317741	261	262	DUP	0.144
BZONE	VPPPRC0025	5317743	262	263	INT	0.121
BZONE	VPPPRC0025	5317744	263	264	INT	0.057
BZONE	VPPPRC0025	5317745	264	265	INT	0.016
BZONE	VPPPRC0026	5317859	70	71	INT	0.031
BZONE	VPPPRC0026	20220413	71	75	COMP	0.075
BZONE	VPPPRC0026	20220414	75	79	COMP	0.172
BZONE	VPPPRC0026	20220415	79	83	COMP	0.15
BZONE	VPPPRC0026	20220416	83	87	COMP	0.012
BZONE	VPPPRC0026	5317879	87	88	INT	0.015
BZONE	VPPPRC0026	5317904	106	107	INT	0.007
BZONE	VPPPRC0026	5317905	107	108	INT	0.103
BZONE	VPPPRC0026	5317906	108	109	INT	0.216
BZONE	VPPPRC0026	5317907	109	110	INT	0.425
BZONE	VPPPRC0026	5317908	110	111	INT	0.147
BZONE	VPPPRC0026	5317909	111	112	INT	0.317
BZONE	VPPPRC0026	5317910	112	113	INT	0.418
BZONE	VPPPRC0026	5317911	113	114	INT	0.106
BZONE	VPPPRC0026	5317912	114	115	INT	0.116
BZONE	VPPPRC0026	5317913	115	116	INT	0.074
BZONE	VPPPRC0026	5317914	116	117	INT	0.028
BZONE	VPPPRC0026	5317918	120	121	INT	0.046
BZONE	VPPPRC0026	5317921	121	122	DUP	0.083
BZONE	VPPPRC0026	5317919	121	122	INT	0.139
BZONE	VPPPRC0026	5317923	122	123	INT	0.09
BZONE	VPPPRC0026	5317924	123	124	INT	0.039
BZONE	VPPPRC0026	5317928	127	128	INT	0.021
BZONE	VPPPRC0026	5317929	128	129	INT	0.064
BZONE	VPPPRC0026	5317930	129	130	INT	0.185
BZONE	VPPPRC0026	5317931	130	131	INT	0.07
BZONE	VPPPRC0026	5317932	131	132	INT	0.013
BZONE	VPPPRC0026	5317935	134	135	INT	0.049
BZONE	VPPPRC0026	5317936	135	136	INT	0.028
BZONE	VPPPRC0026	5317937	136	137	INT	0.122
BZONE	VPPPRC0026	5317938	137	138	INT	0.059
BZONE	VPPPRC0026	5317939	138	139	INT	0.04
BZONE	VPPPRC0026	5317979	172	173	INT	0.014
BZONE	VPPPRC0026	5317981	172	173	DUP	0.018
BZONE	VPPPRC0026	5317983	173	174	INT	0.363

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0026	5317984	174	175	INT	0.025
BZONE	VPPPRC0026	5317985	175	176	INT	0.016
BZONE	VPPPRC0026	5317986	176	177	INT	0.014
BZONE	VPPPRC0026	5317987	177	178	INT	0.021
BZONE	VPPPRC0026	5317988	178	179	INT	1.906
BZONE	VPPPRC0026	5317989	179	180	INT	5.621
BZONE	VPPPRC0026	5317990	180	181	INT	0.252
BZONE	VPPPRC0026	5317991	181	182	INT	0.144
BZONE	VPPPRC0026	5317992	182	183	INT	0.057
BZONE	VPPPRC0026	5317993	183	184	INT	0.027
BZONE	VPPPRC0026	5320005	192	193	INT	0.037
BZONE	VPPPRC0026	5320006	193	194	INT	0.007
BZONE	VPPPRC0026	5320007	194	195	INT	0.147
BZONE	VPPPRC0026	5320008	195	196	INT	0.364
BZONE	VPPPRC0026	5320009	196	197	INT	0.615
BZONE	VPPPRC0026	5320010	197	198	INT	0.319
BZONE	VPPPRC0026	5320011	198	199	INT	0.407
BZONE	VPPPRC0026	5320012	199	200	INT	1.004
BZONE	VPPPRC0026	5320013	200	201	INT	2.528
BZONE	VPPPRC0026	5320014	201	202	INT	1.558
BZONE	VPPPRC0026	5320015	202	203	INT	0.762
BZONE	VPPPRC0026	5320016	203	204	INT	0.822
BZONE	VPPPRC0026	5320017	204	205	INT	1.735
BZONE	VPPPRC0026	5320018	205	206	INT	1.582
BZONE	VPPPRC0026	5320021	206	207	DUP	1.317
BZONE	VPPPRC0026	5320019	206	207	INT	1.666
BZONE	VPPPRC0026	5320023	207	208	INT	0.71
BZONE	VPPPRC0026	5320024	208	209	INT	0.046
BZONE	VPPPRC0026	5320025	209	210	INT	0.138
BZONE	VPPPRC0026	5320026	210	211	INT	0.021
BZONE	VPPPRC0026	5320027	211	212	INT	0.112
BZONE	VPPPRC0026	5320033	217	218	INT	0.007
BZONE	VPPPRC0026	5320034	218	219	INT	0.011
BZONE	VPPPRC0026	5320035	219	220	INT	0.202
BZONE	VPPPRC0026	5320036	220	221	INT	0.42
BZONE	VPPPRC0026	5320037	221	222	INT	0.225
BZONE	VPPPRC0026	5320038	222	223	INT	0.026
BZONE	VPPPRC0026	5320041	223	224	DUP	0.087
BZONE	VPPPRC0026	5320039	223	224	INT	0.136
BZONE	VPPPRC0026	5320043	224	225	INT	0.07
BZONE	VPPPRC0026	5320044	225	226	INT	0.078
BZONE	VPPPRC0026	5320046	227	228	INT	0.026
BZONE	VPPPRC0026	5320047	228	229	INT	0.01
BZONE	VPPPRC0026	5320048	229	230	INT	0.436

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0026	5320049	230	231	INT	0.071
BZONE	VPPPRC0026	5320050	231	232	INT	0.117
BZONE	VPPPRC0026	5320051	232	233	INT	0.127
BZONE	VPPPRC0026	5320052	233	234	INT	0.101
BZONE	VPPPRC0026	5320053	234	235	INT	0.046
BZONE	VPPPRC0026	5320054	235	236	INT	0.034
BZONE	VPPPRC0026	5320055	236	237	INT	0.192
BZONE	VPPPRC0026	5320056	237	238	INT	0.436
BZONE	VPPPRC0026	5320057	238	239	INT	0.481
BZONE	VPPPRC0026	5320058	239	240	INT	0.113
BZONE	VPPPRC0026	5320061	240	241	DUP	0.933
BZONE	VPPPRC0026	5320059	240	241	INT	1.008
BZONE	VPPPRC0026	5320063	241	242	INT	0.327
BZONE	VPPPRC0026	5320064	242	243	INT	0.014
BZONE	VPPPRC0026	5320065	243	244	INT	0.05
BZONE	VPPPRC0026	5320066	244	245	INT	0.032
BZONE	VPPPRC0026	5320067	245	246	INT	0.058
BZONE	VPPPRC0027	5320295	147	148	INT	0.101
BZONE	VPPPRC0027	5320296	148	149	INT	0.035
BZONE	VPPPRC0027	5320297	149	150	INT	0.026
BZONE	VPPPRC0027	5320301	151	152	DUP	0.034
BZONE	VPPPRC0027	5320299	151	152	INT	0.037
BZONE	VPPPRC0027	5320305	154	155	INT	0.019
BZONE	VPPPRC0027	5320314	163	164	INT	0.03
BZONE	VPPPRC0027	5320315	164	165	INT	0.069
BZONE	VPPPRC0027	5320316	165	166	INT	0.772
BZONE	VPPPRC0027	5320317	166	167	INT	0.137
BZONE	VPPPRC0027	5320318	167	168	INT	0.038
BZONE	VPPPRC0027	5320319	168	169	INT	0.023
BZONE	VPPPRC0027	5320347	190	191	INT	0.013
BZONE	VPPPRC0027	5320348	191	192	INT	0.066
BZONE	VPPPRC0027	5320349	192	193	INT	0.181
BZONE	VPPPRC0027	5320350	193	194	INT	0.062
BZONE	VPPPRC0027	5320351	194	195	INT	0.019
BZONE	VPPPRC0027	5320363	203	204	INT	0.081
BZONE	VPPPRC0027	5320364	204	205	INT	0.009
BZONE	VPPPRC0027	5320365	205	206	INT	0.332
BZONE	VPPPRC0027	5320366	206	207	INT	0.087
BZONE	VPPPRC0027	5320367	207	208	INT	0.13
BZONE	VPPPRC0027	5320368	208	209	INT	0.067
BZONE	VPPPRC0027	5320369	209	210	INT	0.262
BZONE	VPPPRC0027	5320370	210	211	INT	0.067
BZONE	VPPPRC0027	5320371	211	212	INT	0.098
BZONE	VPPPRC0027	5320372	212	213	INT	0.747

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0027	5320373	213	214	INT	0.206
BZONE	VPPPRC0027	5320374	214	215	INT	0.047
BZONE	VPPPRC0027	5320375	215	216	INT	0.015
BZONE	VPPPRC0027	5320379	219	220	INT	0.028
BZONE	VPPPRC0027	5320383	220	221	INT	0.032
BZONE	VPPPRC0027	5320384	221	222	INT	0.24
BZONE	VPPPRC0027	5320385	222	223	INT	0.031
BZONE	VPPPRC0027	5320386	223	224	INT	0.256
BZONE	VPPPRC0027	5320387	224	225	INT	0.027
BZONE	VPPPRC0027	5320388	225	226	INT	0.021
BZONE	VPPPRC0027	5320389	226	227	INT	0.046
BZONE	VPPPRC0027	5320390	227	228	INT	0.232
BZONE	VPPPRC0027	5320391	228	229	INT	0.292
BZONE	VPPPRC0027	5320392	229	230	INT	0.122
BZONE	VPPPRC0027	5320393	230	231	INT	0.288
BZONE	VPPPRC0027	5320394	231	232	INT	0.138
BZONE	VPPPRC0027	5320395	232	233	INT	0.145
BZONE	VPPPRC0027	5320396	233	234	INT	0.485
BZONE	VPPPRC0027	5320397	234	235	INT	0.141
BZONE	VPPPRC0027	5320398	235	236	INT	0.235
BZONE	VPPPRC0027	5320401	236	237	DUP	0.195
BZONE	VPPPRC0027	5320399	236	237	INT	0.199
BZONE	VPPPRC0027	5320403	237	238	INT	0.154
BZONE	VPPPRC0027	5320404	238	239	INT	0.125
BZONE	VPPPRC0027	5320405	239	240	INT	0.133
BZONE	VPPPRC0027	5320406	240	241	INT	0.011
BZONE	VPPPRC0027	5320407	241	242	INT	0.282
BZONE	VPPPRC0027	5320408	242	243	INT	0.37
BZONE	VPPPRC0027	5320409	243	244	INT	0.075
BZONE	VPPPRC0027	5320410	244	245	INT	0.152
BZONE	VPPPRC0027	5320411	245	246	INT	0.013
BZONE	VPPPRC0027	5320412	246	247	INT	0.015
BZONE	VPPPRC0027	5320425	256	257	INT	0.034
BZONE	VPPPRC0027	5320426	257	258	INT	0.071
BZONE	VPPPRC0027	5320427	258	259	INT	0.301
BZONE	VPPPRC0027	5320428	259	260	INT	0.298
BZONE	VPPPRC0027	5320429	260	261	INT	0.184
BZONE	VPPPRC0027	5320430	261	262	INT	0.3
BZONE	VPPPRC0027	5320431	262	263	INT	0.054
BZONE	VPPPRC0027	5320432	263	264	INT	0.016
BZONE	VPPPRC0027	5320435	266	267	INT	0.062
BZONE	VPPPRC0027	5320436	267	268	INT	0.047
BZONE	VPPPRC0027	5320437	268	269	INT	0.209
BZONE	VPPPRC0027	5320438	269	270	INT	0.007

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0027	5320439	270	271	INT	0.005
BZONE	VPPPRC0027	5320447	275	276	INT	0.091
BZONE	VPPPRC0027	5320448	276	277	INT	0.012
BZONE	VPPPRC0028	5320539	38	39	INT	0.067
BZONE	VPPPRC0028	20220468	81	85	COMP	0.017
BZONE	VPPPRC0028	20220469	85	89	COMP	0.037
BZONE	VPPPRC0028	5320599	89	90	INT	0.155
BZONE	VPPPRC0028	5320601	89	90	DUP	0.222
BZONE	VPPPRC0028	20220470	90	94	COMP	0.263
BZONE	VPPPRC0028	5320603	90	91	INT	0.305
BZONE	VPPPRC0028	5320604	91	92	INT	0.4
BZONE	VPPPRC0028	5320605	92	93	INT	0.196
BZONE	VPPPRC0028	5320606	93	94	INT	0.123
BZONE	VPPPRC0028	20220471	94	98	COMP	0.149
BZONE	VPPPRC0028	20220472	98	102	COMP	0.206
BZONE	VPPPRC0028	5320611	98	99	INT	0.259
BZONE	VPPPRC0028	5320612	99	100	INT	0.198
BZONE	VPPPRC0028	5320613	100	101	INT	0.185
BZONE	VPPPRC0028	5320614	101	102	INT	0.218
BZONE	VPPPRC0028	20220473	102	106	COMP	0.077
BZONE	VPPPRC0028	5320619	106	107	INT	0.182
BZONE	VPPPRC0028	5320621	106	107	DUP	0.198
BZONE	VPPPRC0028	20220474	107	111	COMP	0.136
BZONE	VPPPRC0028	5320627	111	112	INT	0.192
BZONE	VPPPRC0028	20220475	111	115	COMP	0.209
BZONE	VPPPRC0028	5320628	112	113	INT	0.074
BZONE	VPPPRC0028	5320629	113	114	INT	0.07
BZONE	VPPPRC0028	5320641	123	124	DUP	0.01
BZONE	VPPPRC0028	5320639	123	124	INT	0.036
BZONE	VPPPRC0028	5320643	124	125	INT	0.204
BZONE	VPPPRC0028	5320644	125	126	INT	0.101
BZONE	VPPPRC0028	5320645	126	127	INT	0.108
BZONE	VPPPRC0028	5320646	127	128	INT	0.128
BZONE	VPPPRC0028	5320647	128	129	INT	0.102
BZONE	VPPPRC0028	5320648	129	130	INT	0.048
BZONE	VPPPRC0028	5320654	135	136	INT	0.031
BZONE	VPPPRC0028	5320655	136	137	INT	0.077
BZONE	VPPPRC0028	5320656	137	138	INT	0.15
BZONE	VPPPRC0028	5320657	138	139	INT	0.031
BZONE	VPPPRC0028	5320658	139	140	INT	0.024
BZONE	VPPPRC0028	5320666	144	145	INT	0.048
BZONE	VPPPRC0028	5320667	145	146	INT	0.021
BZONE	VPPPRC0028	5320668	146	147	INT	0.127
BZONE	VPPPRC0028	5320723	192	193	INT	0.039

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0028	5320736	205	206	INT	-0.005
BZONE	VPPPRC0028	5320737	206	207	INT	0.163
BZONE	VPPPRC0028	5320738	207	208	INT	0.18
BZONE	VPPPRC0028	5320739	208	209	INT	0.084
BZONE	VPPPRC0028	5320741	209	210	INT	0.07
BZONE	VPPPRC0028	5320743	210	211	INT	0.499
BZONE	VPPPRC0028	5320744	211	212	INT	0.182
BZONE	VPPPRC0028	5320745	212	213	INT	0.05
BZONE	VPPPRC0028	5320746	213	214	INT	0.029
BZONE	VPPPRC0028	5320747	214	215	INT	0.09
BZONE	VPPPRC0028	5320748	215	216	INT	0.092
BZONE	VPPPRC0028	5320749	216	217	INT	0.035
BZONE	VPPPRC0028	5320750	217	218	INT	0.206
BZONE	VPPPRC0028	5320751	218	219	INT	0.136
BZONE	VPPPRC0028	5320752	219	220	INT	0.081
BZONE	VPPPRC0028	5320753	220	221	INT	0.054
BZONE	VPPPRC0028	5320826	281	282	INT	-0.005
BZONE	VPPPRC0028	5320827	282	283	INT	0.047
BZONE	VPPPRC0028	5320828	283	284	INT	0.185
BZONE	VPPPRC0028	5320829	284	285	INT	0.075
BZONE	VPPPRC0028	5320830	285	286	INT	0.111
BZONE	VPPPRC0028	5320831	286	287	INT	0.09
BZONE	VPPPRC0028	5320832	287	288	INT	0.027
BZONE	VPPPRC0028	5320833	288	289	INT	0.029
BZONE	VPPPRC0028	5320834	289	290	INT	0.068
BZONE	VPPPRC0028	5320835	290	291	INT	0.091
BZONE	VPPPRC0028	5320836	291	292	INT	0.079
BZONE	VPPPRC0028	5320837	292	293	INT	0.08
BZONE	VPPPRC0028	5320838	293	294	INT	0.274
BZONE	VPPPRC0028	5320841	294	295	DUP	0.021
BZONE	VPPPRC0028	5320839	294	295	INT	0.033
BZONE	VPPPRC0028	5320843	295	296	INT	0.031
BZONE	VPPPRC0028	5320844	296	297	INT	0.166
BZONE	VPPPRC0028	5320845	297	298	INT	0.26
BZONE	VPPPRC0028	5320846	298	299	INT	0.033
BZONE	VPPPRC0028	5320847	299	300	INT	0.01
BZONE	VPPPRC0029	5320919	57	58	INT	0.016
BZONE	VPPPRC0029	5320921	57	58	DUP	0.023
BZONE	VPPPRC0029	5320923	58	59	INT	1.054
BZONE	VPPPRC0029	20220491	58	62	COMP	1.193
BZONE	VPPPRC0029	5320924	59	60	INT	1.918
BZONE	VPPPRC0029	5320925	60	61	INT	1.498
BZONE	VPPPRC0029	5320926	61	62	INT	0.458
BZONE	VPPPRC0029	5320927	62	63	INT	0.275

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0029	20220492	62	66	COMP	0.323
BZONE	VPPPRC0029	5320928	63	64	INT	0.605
BZONE	VPPPRC0029	5320929	64	65	INT	0.364
BZONE	VPPPRC0029	5320930	65	66	INT	0.126
BZONE	VPPPRC0029	20220493	66	70	COMP	0.095
BZONE	VPPPRC0029	20220494	70	74	COMP	0.123
BZONE	VPPPRC0029	5320939	74	75	INT	0.06
BZONE	VPPPRC0029	5320941	74	75	DUP	0.061
BZONE	VPPPRC0029	20220495	75	79	COMP	0.061
BZONE	VPPPRC0029	5320961	91	92	DUP	0.024
BZONE	VPPPRC0029	20220499	92	96	COMP	0.02
BZONE	VPPPRC0029	20220500	96	100	COMP	0.164
BZONE	VPPPRC0029	5320971	100	101	INT	0.028
BZONE	VPPPRC0029	20220501	100	104	COMP	0.331
BZONE	VPPPRC0029	5320972	101	102	INT	0.968
BZONE	VPPPRC0029	5320973	102	103	INT	0.054
BZONE	VPPPRC0029	5320974	103	104	INT	0.073
BZONE	VPPPRC0029	5321026	146	147	INT	0.013
BZONE	VPPPRC0029	5321027	147	148	INT	-0.005
BZONE	VPPPRC0029	5321028	148	149	INT	0.481
BZONE	VPPPRC0029	5321029	149	150	INT	1.188
BZONE	VPPPRC0029	5321030	150	151	INT	0.128
BZONE	VPPPRC0029	5321031	151	152	INT	0.048
BZONE	VPPPRC0029	5321032	152	153	INT	0.118
BZONE	VPPPRC0029	5321033	153	154	INT	0.14
BZONE	VPPPRC0029	5321034	154	155	INT	0.041
BZONE	VPPPRC0029	5321035	155	156	INT	0.016
BZONE	VPPPRC0029	5321041	159	160	DUP	0.041
BZONE	VPPPRC0029	5321039	159	160	INT	0.049
BZONE	VPPPRC0029	5321043	160	161	INT	0.212
BZONE	VPPPRC0029	5321044	161	162	INT	0.717
BZONE	VPPPRC0029	5321045	162	163	INT	0.065
BZONE	VPPPRC0029	5321046	163	164	INT	0.045
BZONE	VPPPRC0029	5321047	164	165	INT	0.035
BZONE	VPPPRC0029	5321085	196	197	INT	0.021
BZONE	VPPPRC0029	5321086	197	198	INT	0.116
BZONE	VPPPRC0029	5321087	198	199	INT	0.082
BZONE	VPPPRC0029	5321088	199	200	INT	0.385
BZONE	VPPPRC0029	5321089	200	201	INT	5.383
BZONE	VPPPRC0029	5321090	201	202	INT	2.049
BZONE	VPPPRC0029	5321091	202	203	INT	0.303
BZONE	VPPPRC0029	5321092	203	204	INT	0.195
BZONE	VPPPRC0029	5321093	204	205	INT	0.032
BZONE	VPPPRC0029	5321094	205	206	INT	0.015

Prospect	Hole No	Sample	From	To	Data Type	Au
BZONE	VPPPRC0029	5321095	206	207	INT	0.541
BZONE	VPPPRC0029	5321096	207	208	INT	0.234
BZONE	VPPPRC0029	5321097	208	209	INT	0.071
BZONE	VPPPRC0029	5321098	209	210	INT	0.06
BZONE	VPPPRC0029	5321099	210	211	INT	0.213
BZONE	VPPPRC0029	5321101	210	211	DUP	0.233
BZONE	VPPPRC0029	5321103	211	212	INT	0.193
BZONE	VPPPRC0029	5321104	212	213	INT	0.055
BZONE	VPPPRC0029	5321105	213	214	INT	0.175
BZONE	VPPPRC0029	5321106	214	215	INT	0.04
BZONE	VPPPRC0029	5321107	215	216	INT	0.046
BZONE	VPPPRC0029	5321111	219	220	INT	0.024
BZONE	VPPPRC0029	5321112	220	221	INT	0.043
BZONE	VPPPRC0029	5321113	221	222	INT	0.113
BZONE	VPPPRC0029	5321114	222	223	INT	0.127
BZONE	VPPPRC0029	5321115	223	224	INT	0.302
BZONE	VPPPRC0029	5321116	224	225	INT	0.039
BZONE	VPPPRC0029	5321117	225	226	INT	0.194
BZONE	VPPPRC0029	5321118	226	227	INT	0.117
BZONE	VPPPRC0029	5321121	227	228	DUP	0.074
BZONE	VPPPRC0029	5321119	227	228	INT	0.082
BZONE	VPPPRC0029	5321123	228	229	INT	0.037
BZONE	VPPPRC0029	5321124	229	230	INT	0.109
BZONE	VPPPRC0029	5321125	230	231	INT	0.364
BZONE	VPPPRC0029	5321126	231	232	INT	0.317
BZONE	VPPPRC0029	5321127	232	233	INT	0.087
BZONE	VPPPRC0029	5321128	233	234	INT	0.078
BZONE	VPPPRC0029	5321129	234	235	INT	0.035
BZONE	VPPPRC0029	5321145	247	248	INT	0.049
BZONE	VPPPRC0029	5321146	248	249	INT	0.04
BZONE	VPPPRC0029	5321148	250	251	INT	0.032
BZONE	VPPPRC0029	5321149	251	252	INT	0.043
BZONE	VPPPRC0029	5321152	254	255	INT	0.026
BZONE	VPPPRC0029	5321173	272	273	INT	-0.005
BZONE	VPPPRC0029	5321174	273	274	INT	0.112
BZONE	VPPPRC0029	5321175	274	275	INT	0.256
BZONE	VPPPRC0029	5321176	275	276	INT	0.051
BZONE	VPPPRC0029	5321177	276	277	INT	0.014
TRIPLEP	VPPPRC0030	5321304	77	78	INT	0.007
TRIPLEP	VPPPRC0030	5321305	78	79	INT	0.026
TRIPLEP	VPPPRC0030	5321306	79	80	INT	0.163
TRIPLEP	VPPPRC0030	5321307	80	81	INT	0.187
TRIPLEP	VPPPRC0030	5321308	81	82	INT	0.093
TRIPLEP	VPPPRC0030	5321309	82	83	INT	0.134

Prospect	Hole No	Sample	From	To	Data Type	Au
TRIPLEP	VPPPRC0030	5321310	83	84	INT	0.024
TRIPLEP	VPPPRC0030	5321311	84	85	INT	0.08
TRIPLEP	VPPPRC0030	5321321	92	93	DUP	0.048
TRIPLEP	VPPPRC0030	5321323	93	94	INT	0.098
TRIPLEP	VPPPRC0030	5321324	94	95	INT	0.073
TRIPLEP	VPPPRC0030	5321325	95	96	INT	0.086
TRIPLEP	VPPPRC0030	5321326	96	97	INT	0.141
TRIPLEP	VPPPRC0030	5321327	97	98	INT	0.124
TRIPLEP	VPPPRC0030	5321328	98	99	INT	0.113
TRIPLEP	VPPPRC0030	5321329	99	100	INT	0.043
TRIPLEP	VPPPRC0030	5321330	100	101	INT	0.024
TRIPLEP	VPPPRC0030	5321331	101	102	INT	0.141
TRIPLEP	VPPPRC0030	5321332	102	103	INT	0.061
TRIPLEP	VPPPRC0030	5321333	103	104	INT	0.032
TRIPLEP	VPPPRC0030	5321336	106	107	INT	0.047
TRIPLEP	VPPPRC0030	5321341	109	110	DUP	0.024
TRIPLEP	VPPPRC0030	5321339	109	110	INT	0.025
TRIPLEP	VPPPRC0030	5321343	110	111	INT	0.144
TRIPLEP	VPPPRC0030	5321344	111	112	INT	0.245
TRIPLEP	VPPPRC0030	5321345	112	113	INT	0.037
TRIPLEP	VPPPRC0030	5321346	113	114	INT	0.03
TRIPLEP	VPPPRC0030	5321355	122	123	INT	0.007
TRIPLEP	VPPPRC0030	5321356	123	124	INT	0.01
TRIPLEP	VPPPRC0030	5321357	124	125	INT	0.321
TRIPLEP	VPPPRC0030	5321358	125	126	INT	0.207
TRIPLEP	VPPPRC0030	5321361	126	127	DUP	0.029
TRIPLEP	VPPPRC0030	5321359	126	127	INT	0.04
TRIPLEP	VPPPRC0030	5321363	127	128	INT	0.05
TRIPLEP	VPPPRC0030	5321364	128	129	INT	0.151
TRIPLEP	VPPPRC0030	5321365	129	130	INT	0.111
TRIPLEP	VPPPRC0030	5321366	130	131	INT	0.05
TRIPLEP	VPPPRC0030	5321395	156	157	INT	0.017
TRIPLEP	VPPPRC0030	5321396	157	158	INT	0.154
TRIPLEP	VPPPRC0030	5321397	158	159	INT	0.236
TRIPLEP	VPPPRC0030	5321398	159	160	INT	0.03
TRIPLEP	VPPPRC0030	5321409	167	168	INT	0.143
TRIPLEP	VPPPRC0030	5321410	168	169	INT	0.339
TRIPLEP	VPPPRC0030	5321411	169	170	INT	0.062
TRIPLEP	VPPPRC0030	5321412	170	171	INT	0.775
TRIPLEP	VPPPRC0030	5321413	171	172	INT	0.178
TRIPLEP	VPPPRC0030	5321414	172	173	INT	0.341
TRIPLEP	VPPPRC0030	5321415	173	174	INT	0.477
TRIPLEP	VPPPRC0030	5321416	174	175	INT	0.333
TRIPLEP	VPPPRC0030	5321417	175	176	INT	0.294

Prospect	Hole No	Sample	From	To	Data Type	Au
TRIPLEP	VPPPRC0030	5321418	176	177	INT	0.721
TRIPLEP	VPPPRC0030	5321419	177	178	INT	0.277
TRIPLEP	VPPPRC0030	5321421	177	178	DUP	0.366
TRIPLEP	VPPPRC0030	5321423	178	179	INT	0.091
TRIPLEP	VPPPRC0030	5321424	179	180	INT	0.273
TRIPLEP	VPPPRC0030	5321425	180	181	INT	0.109
TRIPLEP	VPPPRC0030	5321426	181	182	INT	0.239
TRIPLEP	VPPPRC0030	5321427	182	183	INT	0.075
TRIPLEP	VPPPRC0030	5321428	183	184	INT	0.129
TRIPLEP	VPPPRC0030	5321429	184	185	INT	0.114
TRIPLEP	VPPPRC0030	5321430	185	186	INT	0.06
TRIPLEP	VPPPRC0030	5321431	186	187	INT	0.057
TRIPLEP	VPPPRC0030	5321432	187	188	INT	0.187
TRIPLEP	VPPPRC0030	5321433	188	189	INT	0.142
TRIPLEP	VPPPRC0030	5321434	189	190	INT	0.088
TRIPLEP	VPPPRC0030	5321435	190	191	INT	0.058
TRIPLEP	VPPPRC0030	5321436	191	192	INT	0.171
TRIPLEP	VPPPRC0030	5321437	192	193	INT	0.097
TRIPLEP	VPPPRC0030	5321438	193	194	INT	0.159
TRIPLEP	VPPPRC0030	5321441	194	195	DUP	0.278
TRIPLEP	VPPPRC0030	5321439	194	195	INT	0.316
TRIPLEP	VPPPRC0030	5321443	195	196	INT	0.085
TRIPLEP	VPPPRC0030	5321444	196	197	INT	0.892
TRIPLEP	VPPPRC0030	5321445	197	198	INT	0.18
TRIPLEP	VPPPRC0030	5321446	198	199	INT	0.02