



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

16 December 2022

HIGH LITHIUM GRADES – INCLUDING 1.8M @ 3.75% LI₂O ASSAYS FROM GORGE LITHIUM PROJECT

HIGHLIGHTS

- High-grade lithium assays from channel samples taken from the Koshman and Nelson pegmatite showings at the Gorge lithium project, including 1.8m @ 3.75% Li₂O confirm significant project potential.
- Assay results included:
 - 1.8m @ 3.75% Li₂O;
 - 2.1m @ 1.23% Li₂O;
 - 2.7m @ 0.87% Li₂O;including 1.5m at 1.30% Li₂O.
- A total of 7 channel assays have been received in the preliminary evaluation of the Nelson and Koshman pegmatite outcrops.
- Pegmatites at both Koshman and Nelson remains open along strike.
- Newly identified spodumene-bearing pegmatite dykes provide additional targets for future exploration.

Balkan Mining and Minerals Limited (ASX: BMM; “Balkan Mining” or “the Company”) is pleased to announce the results of the initial channel sampling program completed at the Gorge Lithium project located in the Georgia Lake Area, Thunder Bay North Mining District of Ontario, Canada (the “Gorge Lithium Project” or “Project”).

The channel sampling program recently completed at the Gorge Lithium Project was designed to test lithium-bearing spodumene mineralisation in a number of pegmatites on the property where previous sampling identified high-grade spodumene-bearing pegmatite dykes¹. In total, five channels were taken from Koshman totalling 14.01m (CH-001-22 to CH-005-22) and two from Nelson totalling 7.22m (CH-006-22 to CH-007-22) pegmatite dykes.

Assay result highlights are summarised in the following table, and full results are presented in Appendix A.

Channel ID	Pegmatite widths and grades
CH-001-22	2.5m@0.52% Li ₂ O
including	0.5m@1.68% Li ₂ O
CH-002-22	2.1m@1.23% Li ₂ O
including	1.1m@2.20% Li ₂ O
CH-003-22	3.8m@0.25% Li ₂ O
including	1.1m@0.61% Li ₂ O
CH-004-22	1.1m@0.61% Li ₂ O
including	0.55m@0.85%Li ₂ O

ASX | **BMM** 1. Refer ASX Announcement 28 September 2022.



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

16 December 2022

Channel ID	Pegmatite widths and grades
CH-005-22	3.5m@0.14% Li ₂ O including 0.5m@0.27%Li ₂ O
CH-006-22	2.7m@0.87% Li ₂ O including 1.5m@1.30% Li ₂ O
CH-007-22	1.8m@3.75% Li ₂ O

The most encouraging result from the channel sampling returned 1.8m at 3.75% Li₂O from a single Nelson spodumene-bearing pegmatite dyke. The spodumene crystals are randomly oriented in a matrix of variably coarse-grained microcline and albite feldspars. It has been found that the dykes at Nelson pegmatite occurrences plunge to the southeast.




Figure 1 – Nelson pegmatite locations and channel samples

ASX | BMM



Balkan
Mining and Minerals Limited

The best result from Koshman channel sampling returned 2.1m of 1.23% Li₂O, including 1.1m of 2.2% Li₂O. During prospecting the Koshman area, the Company identified a new area of evolved surface pegmatite dyke and extended the historically known dykes.

The pegmatites at Koshman have a narrow border zone comprised of fine to medium-grained feldspar-quartz-muscovite rock, succeeded inwards by a narrow, similar wall zone. Inwards from there, the pegmatite is a mixture of feldspar, quartz, spodumene, green muscovite and minor beryl and minor Ta-oxide minerals. The pegmatite contains spodumene throughout this internal zone varying in volume from about 5% to >30% of the pegmatite. The spodumene occurs as coarse-grained large prismatic crystals.




Figure 2 - Koshman pegmatite locations and channel samples



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

16 December 2022

Considering that the pegmatite at both Koshman and Nelson remains open along strike, the Company aims to conduct future stripping and channel sampling to identify extensions to define drilling targets.




Figure 3 – Gorge Project Location Map

Balkan Mining Managing Director, Mr Ross Cotton, commented:

"The channel sampling assay results received at this early stage of exploration have confirmed the exceptionally strong presence of open lithium mineralisation at both the Koshman and Nelson sites.

The next phase of exploration will seek to extend channel sampling along strike which will assist with drill targeting.

Subject to further assay results, the geological team will aim to define drill ready targets in preparation for testing in H1 2023."

For further information please contact:

Ross Cotton

Managing Director

Tel: +61 8 6109 6684

E: Ross.Cotton@balkanmin.com

Authorised for release by the Managing Director of Balkan Mining and Minerals Limited

-ENDS-

ASX | **BMM**



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

16 December 2022

About Gorge Lithium Project

The Gorge Lithium Project located approximately 215 km northeast of Thunder Bay, Ontario, and approximately 60 km southwest of Geraldton, Ontario. The Project site is accessed via Trans Canada Hwy 11 with entry points along well-graded gravel logging roads starting 40 km north of Nipigon/Trans Canada Hwy 14/11 intersection (Gorge Creek Road) and Camp 51 Rd, approximately 33 km west of Geraldton.

Access to the Koshman and Nelson mineral occurrence sites were ideal along foot access (path) points 1.4 km and 0.3 km from the Gathering Lake Outfitters wilderness/hunting camp. Access to the Project as indicated above is clear and close to Trans Canada Hwy 11 near the towns of Nipigon and Geraldton.

The Company has the Option to acquire 100% interest in the Gorge Lithium Project via a four staged earn-in acquisition over a period of up to three and a half years.

Competent Persons Statement

The information in this report that relates to Exploration Targets or Exploration Results is based on information compiled by Mr Dejan Jovanovic, a Competent Person who is a Member of the European Federation of Geologist (EurGeol). The European Federation of Geologists is a Joint Ore Reserves Committee (JORC) Code 'Recognised Professional Organisation' (RPO). An RPO is an accredited organisation to which the Competent Person under JORC Code Reporting Standards must belong in order to report Exploration Results, Mineral Resources, or Ore Reserves through the ASX. Mr Jovanovic is the General Manager of Exploration and is a full-time employee of the Company. Mr Jovanovic has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the JORC 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Jovanovic consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Forward-looking Statements

Certain statements included in this release constitute forward-looking information. Statements regarding BMM's plans with respect to its mineral properties and programs are forward-looking statements. There can be no assurance that BMM's plans for development of its mineral properties will proceed as currently expected. There can also be no assurance that BMM will be able to confirm the presence of additional mineral resources, that any mineralisation will prove to be economic or that a mine will successfully be developed on any of BMM's mineral properties. The performance of BMM may be influenced by a number of factors which are outside the control of the Company and its Directors, staff, and contractors.

These statements include, but are not limited to statements regarding future production, resources or reserves and exploration results. All such statements are subject to certain risks and uncertainties, many of which are difficult to predict and generally beyond the control of the Company, that could cause actual results to differ materially from those expressed in, or implied or projected by, the forward-looking information and statements. These risks and uncertainties include, but are not limited to: (i) those relating to the interpretation of exploration sample, mapping and drill results, the geology, grade and continuity of mineral deposits and conclusions of economic evaluations, (ii) risks relating to possible variations in reserves and resources, grade, planned mining dilution and ore loss, or recovery rates and changes in project parameters as plans continue to be refined, (iii) the potential for delays in exploration or development activities or the completion of feasibility studies, (iv) risks related to commodity price and foreign exchange rate fluctuations, (v) risks related to failure to obtain adequate financing on a timely basis and on acceptable terms or delays in obtaining governmental approvals or in the completion of development or construction activities, and (vi) other risks and uncertainties related to the company's prospects, properties and business strategy.

There is continuing uncertainty as to the full impact of COVID-19 on BMM's business, the Australian economy, share markets and the economies in which BMM conducts business. Given the high degree of uncertainty surrounding the extent and duration of the COVID-19 pandemic, it is not currently possible to assess the full impact of COVID-19 on BMM's business or the price of BMM securities. Except for statutory liability which cannot be excluded, each of BMM, its officers, employees and advisors expressly disclaim any responsibility for the accuracy or completeness of the material contained in these forward-looking statements and excludes all liability whatsoever (including in negligence) for any loss or damage which may be suffered by any person as a consequence of any information in forward-looking statements or any error or omission. BMM undertakes no obligation to update publicly or release any revisions to these forward-looking statements to reflect events or circumstances after today's date or to reflect the occurrence of unanticipated events other than required by the Corporations Act and ASX Listing Rules. Accordingly, you should not place undue reliance on any forward-looking statement.

ASX | **BMM**



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

16 December 2022

APPENDIX A: CHANNEL SAMPLING ASSAYS RESULTS

Channel ID	Sample ID	From (m)	To (m)	Length (m)	Li ₂ O %	Easting	Northing	Azimuth
CH-001-22	297217	0	0.5	0.5	0.26	466022	5481490	218
	297218	0.5	1	0.5	0.09			
	297219	1	1.5	0.5	0.11			
	297220	1.5	2	0.5	1.68			
	297221	2	2.5	0.5	0.48			
CH-002-22	297222	0	0.5	0.5	0.34	466022	5481489	330
	297223	0.5	1.1	0.6	2.26			
	297224	1.1	1.6	0.5	1.69			
	297225	1.6	2.1	0.5	0.41			
CH-003-22	297226	0	0.5	0.5	0.03	466006	5481491	10
	297227	0.5	1.05	0.55	0.1			
	297228	1.05	1.6	0.55	0.04			
	297229	1.6	2.1	0.5	0.1			
	297230B	2.1	2.9	0.8	0.09			
	297231	2.9	3.2	0.3	0.24			
	297232	3.2	4.3	1.1	0.61			
297233	4.3	4.8	0.5	< 0.01				
CH-004-22	297234	0	0.58	0.58	0.39	466013	5481495	40
	297235	0.58	1.13	0.55	0.85			
CH-005-22	297236	0	0.5	0.5	0.27	466035	5481499	320
	297237	0.5	1.23	0.73	0.15			
	297238	1.23	1.88	0.65	0.07			
	297239	1.88	2.45	0.57	0.11			
	297240	2.45	2.98	0.53	0.1			
	297241	2.98	3.48	0.5	0.15			
CH-006-22	297242	0	0.5	0.5	0.13	467615	5482185	255
	297243	0.5	1.25	0.75	0.1			
	297244	1.25	1.81	0.56	1.15			
	297245	1.81	2.72	0.91	1.4			
	297246	2.72	3.32	0.6	0.21			
	297247	3.32	3.92	0.6	0.48			
	297248	3.92	4.42	0.5	0.12			
	297249	4.42	5.42	1	0.17			
CH-007-22	297250	0	1.8	1.8	3.75	1m offset from previous channel sample		

ASX | BMM



Balkan
Mining and Minerals Limited

JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> 34 samples were collected from 7 channels which were cut using a diamond saw. The total length of channel samples was 21.2m. Samples varied in length from 0.3m to 1.8m. The channel samples were approximately 4 cm wide and up to 10cm deep. Samples varied in weight from 2kg up to 10 kg, with sampling selected based on visual mineralisation or host rock potential within the indicative target mineralogy. Before channel sampling, the pegmatites outcrops were unstripped and washed to remove vegetation and soil. All samples were submitted to ActLabs in Ontario and analysed using the standard industry assay method.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> Not Applicable - No drilling was undertaken.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Not Applicable - No drilling was undertaken.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> Not Applicable - No drilling was undertaken.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of 	<ul style="list-style-type: none"> The channel samples were collected from outcropping pegmatites. The samples were prepared (crushed and pulverised) in the Actlabs prep lab in Thunder Bay, Canada.



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

16 December 2022

	<i>the material being sampled.</i>	
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> All the rock samples collected for the present study work were prepared and analysed by Actlabs in Thunder Bay and Toronto, having been assessed by the Standards Council of Canada (SCC) and found to conform with the requirements of ISO/IEC 17025:2005 and the conditions for accreditation established by SCC. The Li was analysed by Actlabs Code 8 Sodium Peroxide Fusion - ICP-OES/ICP-MS Finish – Lithium Ore analysis package, which digests the samples by sodium peroxide fusion and analyses them using ICP/OES. Sodium Peroxide Fusion is considered as a total for lithium assays. Accuracy monitoring was achieved through submission and monitoring of certified reference materials (CRMs). The CRMs were submitted as “blind” control samples not identifiable by the laboratory. In addition, Actlabs performs its own internal QAQC checks.
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> Pleson Geoscience, an independent contractor, collected samples. The data regarding sampling location and sample information is stored in tabular format and is appended to this report. Assays results have been reported in %Li and %Li₂O, and there was no adjustment to assay data.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> Sample locations were determined using a portable GPS receiver, and the azimuth of channel samples was measured by a geological compass. All the data are tight into NAD83 / UTM zone 16 grid system.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> The reported samples are considered as random, taken directly from outcropping spodumene-bearing pegmatite and do not represent a continuous sample over any width or length of the mineralised system. The data spacing and distribution are not sufficient to establish the degree of geological and grade continuity.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> All results reported for channel samples are from surface outcrop, sub-crop and float blocks. The reported samples are considered as random taken samples and do not represent a continuous sample over any width or length of the mineralised system.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Pleson Geoscience geologists handed the samples off to the ActLabs laboratory manager, and the proper chain of custody was confirmed.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> Mr Dejan Jovanovic (the Company’s General Manager of Exploration) conducted site visits on 13.12.2022 and verified channel sampling locations.

ASX | BMM



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

16 December 2022

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary																																																				
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> In total, eleven (11) multi-cell and one (1) single mining claim are owned by Ombabika Group Inc, a holder of the Gorge exploration project. <table border="1"> <thead> <tr> <th>TENURE ID</th> <th>TITLE TYPE</th> <th>TENURE STATUS</th> <th>ANNIVERSARY DATE</th> </tr> </thead> <tbody> <tr> <td>618053</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>07/11/2022</td> </tr> <tr> <td>547101</td> <td>Single Cell Mining Claim</td> <td>Active</td> <td>31/03/2023</td> </tr> <tr> <td>750117</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>27/09/2024</td> </tr> <tr> <td>750119</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>27/09/2024</td> </tr> <tr> <td>750120</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>27/09/2024</td> </tr> <tr> <td>750121</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>27/09/2024</td> </tr> <tr> <td>570582</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>23/01/2023</td> </tr> <tr> <td>750118</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>27/09/2024</td> </tr> <tr> <td>618074</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>07/11/2022</td> </tr> <tr> <td>722323</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>07/11/2022</td> </tr> <tr> <td>636770</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>12/02/2023</td> </tr> <tr> <td>722324</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>07/11/2022</td> </tr> </tbody> </table>	TENURE ID	TITLE TYPE	TENURE STATUS	ANNIVERSARY DATE	618053	Multi-cell Mining Claim	Active	07/11/2022	547101	Single Cell Mining Claim	Active	31/03/2023	750117	Multi-cell Mining Claim	Active	27/09/2024	750119	Multi-cell Mining Claim	Active	27/09/2024	750120	Multi-cell Mining Claim	Active	27/09/2024	750121	Multi-cell Mining Claim	Active	27/09/2024	570582	Multi-cell Mining Claim	Active	23/01/2023	750118	Multi-cell Mining Claim	Active	27/09/2024	618074	Multi-cell Mining Claim	Active	07/11/2022	722323	Multi-cell Mining Claim	Active	07/11/2022	636770	Multi-cell Mining Claim	Active	12/02/2023	722324	Multi-cell Mining Claim	Active	07/11/2022
TENURE ID	TITLE TYPE	TENURE STATUS	ANNIVERSARY DATE																																																			
618053	Multi-cell Mining Claim	Active	07/11/2022																																																			
547101	Single Cell Mining Claim	Active	31/03/2023																																																			
750117	Multi-cell Mining Claim	Active	27/09/2024																																																			
750119	Multi-cell Mining Claim	Active	27/09/2024																																																			
750120	Multi-cell Mining Claim	Active	27/09/2024																																																			
750121	Multi-cell Mining Claim	Active	27/09/2024																																																			
570582	Multi-cell Mining Claim	Active	23/01/2023																																																			
750118	Multi-cell Mining Claim	Active	27/09/2024																																																			
618074	Multi-cell Mining Claim	Active	07/11/2022																																																			
722323	Multi-cell Mining Claim	Active	07/11/2022																																																			
636770	Multi-cell Mining Claim	Active	12/02/2023																																																			
722324	Multi-cell Mining Claim	Active	07/11/2022																																																			
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Historical workings carried out in 1955/56 identified up to 40 lithium and beryllium-bearing pegmatites exposed in outcrop over an area of approximately 600km², referred to as the larger Georgia Lake Area. Follow-up fieldwork was carried out in 2008 with a focus on identifying rare-element pegmatite deposits. During this period, a new pegmatite group referred to as the "Gathering Lake Pegmatite Group" was discovered containing both albite-spodumene-type and beryl-type pegmatites. The most recent field program was completed in 2018 when the presence of lithium-bearing mineralisation was confirmed on the project at the Koshman and Nelson occurrences. 																																																				
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> The Georgia Lake area is located within the Quetico Subprovince of the Superior Province of Ontario, Canada. The Quetico Subprovince is bounded by the granite-greenstone Wabigoon Subprovince to the north and Wawa Subprovince to the south. The Quetico Subprovince is composed of predominantly metasediments consisting of wacke, iron formation, conglomerate, ultramafic wacke and siltstone, which deposited between 2.70 and 2.69 Ga. The igneous rocks in the Quetico Subprovince include abundant felsic and intermediate intrusions, metamorphosed rare mafic and felsic extrusive rocks and an uncommon suite of gabbroic and ultramafic rocks. There is an abundance of pegmatites close to and within the large masses of granitic rocks. A regional zoning is apparent and a genetic association of pegmatites and granite is indicated. The pegmatites occur in two geometries: as irregular-shaped bodies and as thin veins and attenuated lenses. The irregular bodies of pegmatite are intimately associated with the granite bodies often within a few hundred feet of the contact zone. They typically are medium- to coarse-grained, up to very coarse-grained and are made up of quartz, microcline, perthite and little muscovite. These would be classified as potassic pegmatites. Accessory minerals include biotite, tourmaline and garnet. The pegmatite veins and lenses can be subdivided into 																																																				

ASX | BMM



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

16 December 2022

Criteria	JORC Code explanation	Commentary
		rare-element pegmatites and granitic pegmatites. The rare-element pegmatites are of economic significance and they contain microcline or perthite, albite, quartz, muscovite and spodumene and minor amounts of beryl, columbite-tantalite and cassiterite. The granitic pegmatites are like the irregular pegmatites described above except that they contain more abundant plagioclase. Some of the pegmatites are parallel to the foliation or bedding of the metasediments, whereas others occur in joints in either the metasediments or granite. Contacts are usually sharp and, except where veins cut granitic rocks, often found to be marked by a thin border zone of aplite or granitoid composition. A few pegmatites are internally zoned with mica-rich or tourmaline-rich rock along or close to the walls and quartz cores.
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Not applicable - No drilling was undertaken.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> No data aggregation was done on the channel samples. No cut-off grades were used. No metal equivalent values are being reported.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> Channel samples are taken from the surface and are not representative of the entire thickness of the pegmatite units and, thus, not sufficient to establish the geometry of the mineralisation.
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> Appropriate diagrams, including a channel samples locations map, are included in the main body of this report. A location map of the areas from which channel samples have been collected is included in the main body of the text. In addition, all channel sample data is listed in Appendix 1 with Channel ID, Sample ID, From-To, sample length, easting, northing, azimuth and

ASX | BMM



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

16 December 2022

Criteria	JORC Code explanation	Commentary
		analytical results for %Li ₂ O.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> The announcement is believed to include all representative and relevant information and is believed to be comprehensive.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> All historical exploration data is well summarised in Technical Report On the Gathering Lake Lithium Pegmatite Property.
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Based on the preliminary information available, continued exploration is guaranteed. The Company plans to focus on stripping to expose more of the known pegmatites to assist in identifying pegmatite structures (strike and dip). Additionally, the Company intends to conduct soil geochemistry sampling across the Property that may help identify new occurrences of the lithium-bearing pegmatites. The Company submitted an exploration permit to the Ontario Minister for administering public lands for mining purposes through the mining lands administration system (MLAS). The Company expects that document will be sent to the First Nations groups for consultation in the following weeks and to receive exploration permit approval during Q1 2023.

ASX | BMM