




**AUSMON RESOURCES  
LIMITED**

30 March 2023

**FIELD EXPLORATION SAMPLING RESULTS  
AT BRUNGLE CREEK EL8954 AND McALPINE EL9252, NSW**

**Significant Results**

- **Target 7 (Figure 6) – 3.13 g/t Au in a rock sample, iron oxide stained vein quartz in sheared granodiorite, up to 30 m wide zone of shearing and vein quartz. Elevated Au in soil to 20 ppb.**
- **Target 2 (Figure 3) – up to 2.2 g/t Au in current sampling and 6 g/t Au historic sampling and elevated Au in soil trend to 44 ppb.**



**Figure 1: Location of Cobalt Projects near the McAlpine and Brungle Creek Prospects NSW**

Ausmon Resources Limited (“Company”) is pleased to announce the results from the December 2022 surficial geochemistry program that was planned for 7 previously untested Targets at Brungle Creek EL8954 and McAlpine EL9252 (**Figure 1**). Six Targets have been geochemically sampled while access was denied to Target 6 by the landholder. In addition, the historical McAlpine Copper Mine and Campbells Chromite mine were geologically mapped to scope out the aerial extent of the surface mineralisation.

**AUSMON RESOURCES LIMITED** ABN 88 134 358 964

“World Tower” Suite 1312, 87-89 Liverpool Street, Sydney NSW 2000 Australia.

PO BOX 20188 World Square, NSW 2002 Australia

Tel : **61 2 9264 6988** Email: [office@ausmonresources.com.au](mailto:office@ausmonresources.com.au)


[www.ausmonresources.com.au](http://www.ausmonresources.com.au) ASX code: **AOA**




The tenements are located in South East NSW, 95 km east of Wagga Wagga (**Figure 1**) and south from the Thuddungra (Nico Young) (**Figure 1**) cobalt project of Jervois Mining Limited (ASX:JRV) (see JRV ASX announcement of 24 May 2019, 31 January 2022 and 22 November 2022 for details on that project).

The Company completed soil and rock sampling traverses across 6 Targets (1-3, 4, 5 and 7). Based on the results received Targets 1, 2, 3 and 7 warrant further exploration. The targets were previously identified by the Company via a Satellite Alteration Study and a review of historic gold and copper rock chip results from previous explorers as reported in the NSW Government GIS Website – Minview (**Figure 2**).

83 rocks and 180 soils have been collected and submitted to the ALS Laboratory in Adelaide for gold and base metal analyses.




**Figure 2: Brungle Creek EL8954 (Pink boundary) and McAlpine EL9252 (Dark Green boundary) 6 Target areas investigated: Red for rock sampling and Yellow for soil sampling traverses**



**Figure 3: Brungle Creek EL8954 (Pink boundary) and McAlpine EL9252 (Dark Green boundary) showing Au ppb soil results and faults in Light Green lines.**

In **Figure 2** the soil sampling traverses are shown in yellow and the rock samples in red. The rock samples were analysed via method AuAA23 for Au and MEICP61 for a multielement suite. The soil samples were analysed by method pXRF30 for a restricted range of elements of interest including As, Ca, Cr, Cu, Fe, Mn, Ni, Pb, S and Zn. The Au results are shown in **Figure 3** with the samples analysed by the AuAA23 method. A total of 160 of the 183 soils samples have been analysed for Au.




**Figure 4:** Target 2 with the rock samples collected in this program as stars and in the Mines Department Minview Database as diamonds. Soils samples collected are green triangles.

### Target 2

Target 2 (Figure 4) forms a broad corridor straddling the western slope and adjacent valley of the Honeysuckle Range through the McAlpine EL9252 tenement. It is investigated for historic Au anomalies that were found amongst the Honeysuckle Beds juxtaposed against the Coolac Serpentine Belt.

The rocks comprised quartz veining within chlorite-sericite altered basalt and silicified basalt of the Honeysuckle Metabasic Igneous Complex (purple) Beds, foliated serpentinite striking 330° of the Coola Serpentine Belt (green), felsic volcanic rocks of the Gaobarragandra Volcanics (Blowering Beds). Of particular interest was an occurrence of basalt with very soft cross-cutting lineations, which returned highly anomalous gold. Samples with elevated Au between 0.88 ppm and 6 ppm are located along the length of the Honeysuckle Beds. The Blowering Beds to the west and adjacent to the Honeysuckle Beds returned a high Au result of 2.32 ppm.

The soil results shown in **Figure 3** highlight a trend of elevated soils to 44 ppm Au along a faulted contact between felsics (yellow) and mafic (purple) volcanic/intrusive lithologies that warrants further exploration.




**Figure 5: Target 1 with the rock samples collected in this program as black stars and in the Mines Department Minview Database as yellow diamonds. Soils samples collected are green triangles.**

## Target 1

Target 1 (**Figure 5**) located in the northern edge of the Jugiong Shear Zone, striking approximately north-south through the Young Granodiorite, in the north-eastern sector of Brungle Creek EL8954.

12 rock chip samples were collected to seek anomalous gold hosted by this shear zone. The target comprised mafic intrusions of dolerite and amygdaloidal basalt, and minor units of vesicular basalt. The intrusions showed evidence of weak shearing, therefore inferring they intruded the Young Granodiorite prior to or during the shear event. The soil gold results show patchy elevated Au to 20 ppb. Further exploration along this trend is warranted.




**Figure 6: Target 3 with the rock samples collected in this program as stars and in the Mines Department Minview Database as diamonds. Soils samples collected are green triangles.**

### Target 3

Target 3 is located a few kilometres south of Target 1, along a southern continuation of the Jugiong Shear Zone. Numerous samples were taken across the shear zone to find shear-hosted gold (**Figure 6**). In contrast to Target 1, the rocks comprised intensely sheared and boudinaged granodiorite marked by foliated biotite and potassium feldspar, and occasional quartz veining. The low tenor of the gold soil results indicate no further exploration is warranted.

### Target 7

Target 7 follows the faulted contact of the Coolac Serpentinite Belt and Young Granodiorite with the southern extension of the Jugiong Shear not tested at this stage due to access difficulties. (**Figure 7**). The granodiorite forms a very steep mountain range, with a tributary of Brungle Creek rising in the south part of the range and flowing north along the contact. Laminated and iron-oxide stained quartz veining was found on the contact between these two units, ranging from a centimetre thick near the junction of the tributary and Brungle Creek in the north, to up to 30 metres wide near the Jugiong Shear Zone, approximately a kilometre or so upstream. 3 ppm Au was found in an outcrop of magnetite & goethite-stained quartz veining hosted in sheared granodiorite. There is local gold anomalism to 20 ppb. At this stage the significant mineralised target appears to be the faulted contact with the Jugiong Shear to be explored in the next field program.



**Figure 7: Target 7 with the rock samples collected in this program as stars and in the Mines Department Minview Database as diamonds. Soils samples collected are green triangles.**

#### Target 4

Target 4 is the historic McAlpine Copper Mine, comprising an old headframe and collapsed shaft upon the steep western escarpment of the Honeysuckle Range. The ore zone is on the contact between the Coolac Serpentinite and a granodiorite unit, represented by gossanous rocks containing chalcopyrite and quartz vein float with aurichalcite and malachite that were found around the shaft. Copper mineralisation appears very localised to this contact, as the serpentinite outcropping up to 300 m east of the mine appear unmineralised.

#### Target 5

Target 5 is the Campbells Chromite Mine and comprises a set of very small workings in serpentinite that has been intruded by dolerite dykes. A total of 6 rock samples were collected with chromite in the range 0.28% to 0.4%. A previous soil grid across the area returned chromium assays similar to rock samples. These levels of chromium are background levels for a serpentinite as such there is no significant mineralisation and no further exploration is warranted in Target 5.

For personal use only




Figure 8: Target Areas 1 to 3 on 1:250,000 State Geological Map. The samples are Au ppm from the NSW Geological Survey Database - Minview




Figure 9: Target Areas 4 to 6 on 1:250,000 State Geological Map



For personal use only




Figure 10: Target Areas 6 to 7 on 1:250,000 State Geological Map

### Geological Summary of the Target Areas – E to W

The geological units across the project area from E to W as shown in **Figure 8** are:

- Young Granodiorite (pink) with several North-South shear zones, in **Figure 8** the Jugiong Shear is shown to the north of Target 1
- Coolac Serpentinite (green-serpentinised ultramafic rocks) with faulted E and W contacts as shown by the black/white lines
- Honeysuckle Beds (red – meta-basic rocks ie basalts and some ultramafics) with faulted E and W contacts as shown by the black/white lines
- Metasediments and Felsic Volcanics of the Blowering Beds (yellow)

## Assessment of the Exploration Targets:

### ✚ Target 1 (Figure 8)

Possible extension of the Jugiong Shear into the northern margin of the Brungle Creek tenement. Exploration included geological mapping and rock sampling -The target commodity is gold. The soil gold results from the December 2022 field program show patchy elevated Au to 20 ppb. Further exploration along this trend is warranted.

### ✚ Target 2 (Figure 8)

This a broad elongate NW-SE target transgresses the faulted contact of the Blowering Beds/Honeysuckle Beds and Coolac Serpentinite. The historic Robin Mine is located as the southern end as a blue hatched area in **Figures 2 and 3**. Exploration within this zone involved geological prospecting and rock sampling – The target commodities are gold, copper and cobalt. The soil results from the December 2022 field program shown in **Figure 3** highlight a trend of elevated soils to 44 ppm Au along a faulted contact between felsics (yellow) and mafic (purple) volcanic/intrusive lithologies that warrants further exploration.

### ✚ Target 3 (Figure 8)

This is the historic McAlpines Copper and Chromite Mines and are located within the Coolac Serpentinite Belt. Exploration comprised detailed geological mapping to understand the geology, structure and mineralisation and rock sampling. The target commodities are copper, chromite and cobalt. The low tenor of the gold soil results from the December 2022 surficial geochemical sampling indicate no further exploration is warranted.

### ✚ Target 4 (Figure 9)

This is the historic Campbells and Chromite Mines and are located within the Coolac Serpentinite Belt. Exploration comprised detailed geological mapping to understand the geology, structure and mineralisation and rock sampling. The target commodities are copper, cobalt and chromite. The mine appear unmineralized according to the results of the December 2022 surficial geochemical sampling.

### ✚ Target 5 (Figure 9)

This a North-South shear noted in the State 1:100,000 Tumut Geology Map. Exploration is as for Target 2. According to the results of the December 2022 surficial geochemical sampling the levels of chromium are background levels for a serpentinite as such there is no significant mineralisation and no further exploration is warranted.

### ✚ Target 6 (Figure 10)

This is a historic copper prospect known as the Honeysuckle Copper Project and is a small 2m x 1m x 0.5m pit adjacent to the creek. The Satellite Alteration noted an elevated iron oxide and clay response so the exploration method will be E-W soil traverses and rock sampling. The target commodity is copper. Access was denied by the landholder so no surficial geochemical exploration was carried out.

### ✚ Target 7 (Figure 10)

This is the southern continuation of the shear in Target 5. At this stage the significant mineralised target appears to be the faulted contact with the Jugiong Shear to be explored in the next field program.

***Reference: The descriptions on pages 4,5, 6 and 7 are public information available from the NSW Department of Planning and Environment – Resources and Geoscience Minview Portal.***

**Competent Person Statement**

*The information in the report above that relates to Exploration Results, Exploration Targets and Mineral Resources is based on information compiled by Mr Mark Derriman, who is the Company's Consultant Geologist and a member of The Australian Institute of Geoscientists (1566). Mr Mark Derriman has sufficient experience that is relevant to the style of mineralization and type of deposit under consideration and to the activities which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Exploration Targets, Mineral Resources and Ore Reserves. Mr Mark Derriman consents to the inclusion in this report of matters based on his information in the form and context in which it appears.*

**Forward-Looking Statement**

*This document may include forward-looking statements. Forward-looking statements include, but are not limited to, statements concerning planned exploration program and other statements that are not historical facts. When used in this document, the words such as "could", "plan", "estimate", "expect", "intend", "may", "potential", "should" and similar expressions are forward-looking statements. Although Ausmon Resources Limited believes that its expectations reflected in these forward-looking statements are reasonable, such statements involve risks and uncertainties and no assurance can be given that actual results will be consistent with these forward-looking statements.*

**Authorised by:**

John Wang  
Managing Director

Eric Sam Yue  
Executive Director/ Company Secretary

**Contact:** Tel : 61 2 9264 6988

Email: [office@ausmonresources.com.au](mailto:office@ausmonresources.com.au)

# JORC Code, 2012 Edition – Table 1 Brungle Creek and McAlpine Base Metal Project Field Work Results Received – March 2023

## Section 1 Sampling Techniques and Data

| Criteria              | JORC Code explanation   | Commentary   |
|-----------------------|---|--|
| Sampling techniques   | <ul style="list-style-type: none"> <li>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> <li>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</li> </ul> | <ul style="list-style-type: none"> <li>83 rock samples (BRC24 to BRC113)) and 180 soil samples (BSL239 to BSL 434 were collected and placed into pre numbered calico and paper geochemistry bags respectively then dispatched ALS Orange for gold and multielement analyses.</li> <li>180 soil samples were scanned with ALS's M Series Vanta pXRF</li> <li>A hand-held Garmin GPS unit was used to record sample locations</li> </ul> |
| Drilling techniques   | <ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>   | <ul style="list-style-type: none"> <li>Not applicable as only surficial soil and rock sampling was carried out</li> </ul>  |
| Drill sample recovery | <ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>  | <ul style="list-style-type: none"> <li>Not applicable as only surficial soil and rock sampling was carried out</li> </ul>  |
| Logging               | <ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> </ul>   | <ul style="list-style-type: none"> <li>Not applicable as only surficial soil and rock sampling was carried out</li> </ul>  |

| Criteria                                       | JORC Code explanation  | Commentary  |
|--|--|---|
|  | <ul style="list-style-type: none"> <li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>• The total length and percentage of the relevant intersections logged.</li> </ul>  |   |
| Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> <li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>• Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul> | <ul style="list-style-type: none"> <li>• There was no sub sampling carried out and only ALS gold and multielement analyses was completed on the samples.</li> <li>• The rock samples were collected randomly at selected outcrops.</li> <li>• The soils were collected along N-S and E-W lines with samples collected every 50 to 100m</li> <li>• The soil samples were sieved and collected as the -1mm fraction.</li> </ul>   |
| Quality of assay data and laboratory tests     | <ul style="list-style-type: none"> <li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>• Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>   | <ul style="list-style-type: none"> <li>• The rock and samples were delivered to ALS Adelaide by the field staff on the day the sampling program was completed in numbered polywoven bags.</li> <li>• The nature, quality and appropriateness of the assaying and laboratory procedures used were a total digest and suitable for detection of base and precious metals in soils.</li> <li>• Rock/Soil – AuAA23 (AAS) for Gold and MEICP61 (ICPMS) for a multi element suits (A table is included in the announcement showing all geochemical results)</li> <li>• OREAS standards were scanned at the start and end of each day for the pXRF readings</li> </ul> |
| Verification of sampling and assaying          | <ul style="list-style-type: none"> <li>• The verification of significant intersections by either independent or alternative company personnel.</li> <li>• The use of twinned holes.</li> <li>• Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>• Discuss any adjustment to assay data.</li> </ul>  | <ul style="list-style-type: none"> <li>• Sample sites were chosen by geological consultancy Rocktiger Mineral Exploration(Rocktiger)</li> <li>• All primary data, data entry procedures, data verification and electronic data storage is per Rocktiger procedures.</li> <li>• All sampling was based on GPS sample locations.</li> <li>• Appropriate sampling techniques were used based on discussions with ALS laboratory</li> </ul>   |

| Criteria  | JORC Code explanation  | Commentary   |
|---|--|--|
| Location of data points                                 | <ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>  | <ul style="list-style-type: none"> <li>All sample sites were initially surveyed using a hand-held GPS accurate to 3 meters.</li> <li>The grid system used in MGA 94, Zone 55.</li> </ul>                                       |
| Data spacing and distribution                           | <ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>                                | <ul style="list-style-type: none"> <li>Data spacing is appropriate for this stage of Exploration.</li> <li>Sample spacing was designed to allow appropriate anomaly definition for this early stage of exploration.</li> </ul> |
| Orientation of data in relation to geological structure | <ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul> | <ul style="list-style-type: none"> <li>The rock sampling was random as per the method of sampling required</li> <li>The soil sampling was on a grid basis across the target to be sampled</li> </ul>                           |
| Sample security   | <ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>  | <ul style="list-style-type: none"> <li>All samples were secured by field geologist and delivered to the laboratory after the sampling program was completed by the Rocktiger Senior Geologist</li> </ul>                       |
| Audits or reviews                                       | <ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>  | <ul style="list-style-type: none"> <li>The sampling technique was reviewed onsite by the Rocktiger Senior Geologist</li> </ul>   |

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria                                | JORC Code explanation  | Commentary   |
|---|--|--|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul> | <ul style="list-style-type: none"> <li>Surficial sampling was completed in EL 8954 (Brungle Creek) and EL9252 (McAlpine), in New South Wales, Australia</li> <li>The tenements are owned by New Base Metals Limited, a subsidiary of Ausmon Resources Limited.</li> <li>The tenements are located in New South Wales approximately 15km East of Tumut.</li> <li>Tumut is the nearest major town.</li> <li>There are no JVs and Royalties</li> <li>There are no Native Title claimants</li> </ul> |

| Criteria  | JORC Code explanation  | Commentary   |
|---|--|--|
|   |  | <ul style="list-style-type: none"> <li>The tenements are located in the Snowy Valley and Cootamundra Shires.</li> </ul>  |
| <i>Exploration done by other parties</i>              | <ul style="list-style-type: none"> <li><i>Acknowledgment and appraisal of exploration by other parties.</i></li> </ul>   | <ul style="list-style-type: none"> <li>There has been no drill testing of any of the historical prospects.</li> <li>Metech explored for PGM mineralisation in 1987 completing heavy mineral and stream/rock sampling.</li> <li>In 1990 Helix undertook stream and rock sampling for PGE Minerals</li> <li>In 2000 Anaconda carried out a brief reconnaissance for nickel hosted laterite mineralisation</li> </ul> |
| <i>Geology</i>  | <ul style="list-style-type: none"> <li><i>Deposit type, geological setting and style of mineralisation.</i></li> </ul>   | <ul style="list-style-type: none"> <li>The exploration targets are cobalt, nickel copper and chromite mineralisation associated with serpentinitised ultramafics of the Coolac Serpentinite Belt and gold/copper associated with felsic intrusions</li> </ul>  |
| <i>Drill hole Information</i>                         | <ul style="list-style-type: none"> <li><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <li><i>easting and northing of the drill hole collar</i></li> <li><i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li> <li><i>dip and azimuth of the hole</i></li> <li><i>down hole length and interception depth</i></li> <li><i>hole length.</i></li> </ul> </li> <li><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li> </ul> | <ul style="list-style-type: none"> <li>Not applicable as only surficial soil and rock sampling was carried out</li> </ul>  |
| <i>Data aggregation methods</i>                       | <ul style="list-style-type: none"> <li><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li><i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></li> <li><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>   | <ul style="list-style-type: none"> <li>The sampling was done at random sites</li> </ul>  |
| <i>Relationship between mineralisation widths and</i> | <ul style="list-style-type: none"> <li><i>These relationships are particularly important in the reporting of Exploration Results.</i></li> <li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> </ul>   | <ul style="list-style-type: none"> <li>The exact nature of the mineralisation is not known at this stage</li> </ul>  |

| Criteria                                  | JORC Code explanation   | Commentary  |
|---|---|---|
| <i>intercept lengths</i>                  | <ul style="list-style-type: none"> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</li> </ul>   |   |
| <i>Diagrams</i>                           | <ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>  | <ul style="list-style-type: none"> <li>A map showing the all-sample locations in relation to EL 8954 and EL9252, is included in the announcement.</li> </ul>  |
| <i>Balanced reporting</i>                 | <ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>   | <ul style="list-style-type: none"> <li>All exploration results for the multi elements are included a tables in the announcement</li> </ul>  |
| <i>Other substantive exploration data</i> | <ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul> | <ul style="list-style-type: none"> <li>Geological and regolith observations were made at each sample site.</li> <li>Photographs were taken of all rock samples submitted for geochemical analyses.</li> </ul> |
| <i>Further work</i>                       | <ul style="list-style-type: none"> <li>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>                                       | <ul style="list-style-type: none"> <li>Further surficial geochemical exploration will be considered following a review of all exploration to date.</li> </ul>   |







| TenementNo | TenementName  | SampleID | SampleType | Easting | Northing | As_ppm | Ca_ppm | Cr_ppm | Cu_ppm | Fe_pct | Mn_ppm | Ni_ppm | Pb_ppm | S_pct | Zn_ppm |
|------------|---------------|----------|------------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|
| EL8954     | Brungle Creek | BSL239   | Soil       | 621017  | 6114619  | -50    | 25000  | 200    | 70     | 8.5    | 900    | 180    | -50    | -0.1  | 80     |
| EL8954     | Brungle Creek | BSL240   | Soil       | 620964  | 6114629  | -50    | 12000  | 300    | 70     | 9.2    | 1500   | 190    | -50    | -0.1  | 90     |
| EL8954     | Brungle Creek | BSL241   | Soil       | 620911  | 6114636  | -50    | 5000   | 300    | 60     | 8.1    | 1900   | 120    | -50    | -0.1  | 100    |
| EL8954     | Brungle Creek | BSL242   | Soil       | 620834  | 6114658  | -50    | 10000  | 200    | 60     | 8.7    | 1300   | 180    | -50    | 0.1   | 100    |
| EL8954     | Brungle Creek | BSL243   | Soil       | 620809  | 6114643  | -50    | 12000  | 200    | 70     | 8.9    | 900    | 240    | -50    | -0.1  | 70     |
| EL8954     | Brungle Creek | BSL244   | Soil       | 620806  | 6114606  | -50    | 8000   | 200    | 60     | 9.3    | 1200   | 210    | -50    | -0.1  | 70     |
| EL8954     | Brungle Creek | BSL245   | Soil       | 620812  | 6114577  | -50    | 18000  | 200    | 60     | 8.2    | 1100   | 160    | -50    | -0.1  | 70     |
| EL8954     | Brungle Creek | BSL246   | Soil       | 620892  | 6114467  | -50    | 14000  | 200    | 60     | 8.7    | 1200   | 160    | -50    | -0.1  | 70     |
| EL8954     | Brungle Creek | BSL247   | Soil       | 620971  | 6114447  | -50    | 14000  | 300    | 60     | 8.6    | 1600   | 140    | -50    | -0.1  | 100    |
| EL8954     | Brungle Creek | BSL248   | Soil       | 621017  | 6114433  | -50    | 12000  | 300    | 60     | 8.3    | 1500   | 170    | -50    | -0.1  | 90     |
| EL8954     | Brungle Creek | BSL249   | Soil       | 621036  | 6114493  | -50    | 9000   | 300    | -50    | 7.4    | 1500   | 130    | -50    | 0.1   | 110    |
| EL8954     | Brungle Creek | BSL250   | Soil       | 620972  | 6114547  | -50    | 11000  | 400    | 70     | 8.4    | 2200   | 130    | -50    | -0.1  | 120    |
| EL8954     | Brungle Creek | BSL251   | Soil       | 620909  | 6114575  | -50    | 8000   | 300    | -50    | 6.9    | 2000   | 110    | -50    | -0.1  | 100    |
| EL8954     | Brungle Creek | BSL252   | Soil       | 621111  | 6113891  | -50    | -5000  | 200    | 70     | 9.8    | 700    | 110    | -50    | -0.1  | 80     |
| EL8954     | Brungle Creek | BSL253   | Soil       | 621098  | 6114070  | -50    | -5000  | 200    | 60     | 8.5    | 1300   | 110    | -50    | -0.1  | 80     |
| EL8954     | Brungle Creek | BSL254   | Soil       | 621091  | 6114187  | -50    | -5000  | 200    | 70     | 9.6    | 800    | 130    | -50    | -0.1  | 90     |
| EL8954     | Brungle Creek | BSL255   | Soil       | 621091  | 6114268  | -50    | -5000  | 300    | 60     | 9.2    | 1200   | 90     | -50    | -0.1  | 80     |
| EL8954     | Brungle Creek | BSL256   | Soil       | 619480  | 6114406  | -50    | 32000  | 1800   | 60     | 6.6    | 1000   | 1520   | -50    | -0.1  | 50     |
| EL9252     | McAlpine      | BSL257   | Soil       | 619186  | 6111215  | -50    | 23000  | 2700   | -50    | 7.4    | 1400   | 940    | -50    | -0.1  | 80     |
| EL9252     | McAlpine      | BSL258   | Soil       | 619131  | 6111167  | -50    | 19000  | 1400   | -50    | 5.1    | 1800   | 470    | -50    | -0.1  | 70     |
| EL9252     | McAlpine      | BSL259   | Soil       | 619061  | 6111136  | -50    | 15000  | 1000   | -50    | 4.1    | 1600   | 270    | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL260   | Soil       | 618971  | 6111122  | -50    | 22000  | 3400   | -50    | 4.5    | 1000   | 190    | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL261   | Soil       | 618881  | 6111102  | -50    | 27000  | 2900   | -50    | 4.8    | 1400   | 200    | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL262   | Soil       | 618810  | 6111075  | -50    | 17000  | 300    | 50     | 3.9    | 900    | 80     | -50    | -0.1  | 50     |
| EL9252     | McAlpine      | BSL263   | Soil       | 618783  | 6110885  | -50    | 34000  | 400    | 50     | 5.4    | 1000   | 90     | -50    | -0.1  | 50     |
| EL9252     | McAlpine      | BSL264   | Soil       | 618945  | 6110987  | -50    | 16000  | 3200   | -50    | 3.9    | 1500   | 110    | -50    | -0.1  | 70     |
| EL9252     | McAlpine      | BSL265   | Soil       | 619020  | 6110901  | -50    | 22000  | 300    | 60     | 4.1    | 2200   | 70     | -50    | -0.1  | -50    |
| EL9252     | McAlpine      | BSL266   | Soil       | 619104  | 6110820  | -50    | 11000  | 5800   | -50    | 5.4    | 1400   | 520    | -50    | -0.1  | 70     |
| EL9252     | McAlpine      | BSL267   | Soil       | 619083  | 6110799  | -50    | 16000  | 9400   | -50    | 6.9    | 1500   | 1230   | -50    | -0.1  | 120    |
| EL9252     | McAlpine      | BSL268   | Soil       | 619205  | 6110732  | -50    | 23000  | 300    | 50     | 5.1    | 1600   | -50    | -50    | -0.1  | 70     |
| EL9252     | McAlpine      | BSL269   | Soil       | 619320  | 6110823  | -50    | 8000   | 1900   | -50    | 3.1    | 900    | 240    | -50    | -0.1  | 50     |
| EL9252     | McAlpine      | BSL270   | Soil       | 619320  | 6110738  | -50    | 10000  | 3600   | -50    | 4      | 1300   | 450    | -50    | -0.1  | 70     |
| EL9252     | McAlpine      | BSL271   | Soil       | 619385  | 6110789  | -50    | 16000  | 1000   | -50    | 4      | 1000   | 110    | -50    | -0.1  | 50     |
| EL9252     | McAlpine      | BSL272   | Soil       | 619208  | 6110968  | -50    | 17000  | 1100   | 60     | 4.8    | 1600   | 660    | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL273   | Soil       | 619090  | 6111031  | -50    | 17000  | 3700   | -50    | 5.4    | 1800   | 710    | -50    | -0.1  | 100    |
| EL9252     | McAlpine      | BSL274   | Soil       | 618627  | 6111564  | -50    | 11000  | 1800   | 50     | 5      | 1300   | 1200   | -50    | -0.1  | 70     |
| EL9252     | McAlpine      | BSL275   | Soil       | 618730  | 6111634  | -50    | 20000  | 1800   | -50    | 4.5    | 1300   | 280    | -50    | 0.1   | 90     |
| EL9252     | McAlpine      | BSL276   | Soil       | 618787  | 6111673  | -50    | 15000  | 8600   | -50    | 9.2    | 1700   | 2000   | -50    | -0.1  | 130    |
| EL9252     | McAlpine      | BSL277   | Soil       | 618519  | 6111918  | -50    | 20000  | 2400   | -50    | 6.8    | 1400   | 1310   | -50    | -0.1  | 80     |
| EL9252     | McAlpine      | BSL278   | Soil       | 618321  | 6112004  | -50    | 14000  | 1900   | -50    | 5.1    | 1200   | 740    | -50    | 0.1   | 80     |
| EL9252     | McAlpine      | BSL279   | Soil       | 618221  | 6112168  | -50    | 7000   | 1700   | -50    | 4.4    | 1400   | 600    | -50    | -0.1  | 80     |
| EL9252     | McAlpine      | BSL280   | Soil       | 617862  | 6112926  | -50    | 20000  | 300    | 140    | 5.9    | 700    | 110    | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL281   | Soil       | 617640  | 6113122  | -50    | 29000  | 300    | 70     | 5      | 1300   | 110    | -50    | -0.1  | 80     |
| EL9252     | McAlpine      | BSL282   | Soil       | 617751  | 6113337  | -50    | 24000  | 300    | -50    | 5.6    | 700    | -50    | -50    | -0.1  | -50    |
| EL9252     | McAlpine      | BSL283   | Soil       | 617980  | 6113316  | -50    | 21000  | 700    | -50    | 4      | 1500   | 100    | -50    | -0.1  | 50     |
| EL9252     | McAlpine      | BSL284   | Soil       | 618173  | 6113482  | -50    | 26000  | 5900   | 80     | 10.8   | 2100   | 2560   | -50    | -0.1  | 90     |
| EL9252     | McAlpine      | BSL285   | Soil       | 618362  | 6113521  | -50    | 14000  | 13900  | 100    | 14.2   | 3600   | 2770   | -50    | -0.1  | 170    |
| EL9252     | McAlpine      | BSL286   | Soil       | 617684  | 6113643  | -50    | -5000  | 100    | 50     | 3.9    | 900    | 50     | -50    | -0.1  | 70     |
| EL9252     | McAlpine      | BSL287   | Soil       | 617609  | 6113953  | -50    | 14000  | 200    | 50     | 3.9    | 3100   | 60     | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL288   | Soil       | 617554  | 6114256  | -50    | 25000  | 400    | 50     | 4.7    | 1000   | 80     | -50    | -0.1  | 50     |
| EL9252     | McAlpine      | BSL289   | Soil       | 617392  | 6114520  | -50    | 27000  | 100    | 60     | 6.2    | 1100   | -50    | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL290   | Soil       | 617228  | 6114785  | -50    | 30000  | 300    | 70     | 6.6    | 1400   | 110    | -50    | -0.1  | 70     |
| EL9252     | McAlpine      | BSL291   | Soil       | 616977  | 6114987  | -50    | 5000   | -100   | -50    | 3.8    | 200    | -50    | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL292   | Soil       | 617007  | 6115388  | -50    | 23000  | 500    | 100    | 6.2    | 800    | 170    | -50    | -0.1  | 50     |
| EL9252     | McAlpine      | BSL293   | Soil       | 616936  | 6115605  | -50    | 22000  | 700    | 50     | 4.4    | 700    | 100    | -50    | -0.1  | -50    |
| EL9252     | McAlpine      | BSL294   | Soil       | 617159  | 6115035  | -50    | 22000  | 1300   | -50    | 4.6    | 1300   | 130    | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL295   | Soil       | 617533  | 6115040  | -50    | 17000  | 200    | 70     | 4.5    | 800    | 60     | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL296   | Soil       | 617320  | 6114355  | -50    | 16000  | 200    | 60     | 4.4    | 700    | 80     | -50    | -0.1  | 60     |
| EL9252     | McAlpine      | BSL297   | Soil       | 617047  | 6114496  | -50    | -5000  | 100    | 50     | 3.9    | 1000   | -50    | -50    | -0.1  | -50    |
| EL9252     | McAlpine      | BSL298   | Soil       | 616735  | 6114554  | -50    | 11000  | 100    | -50    | 2.8    | 400    | -50    | -50    | -0.1  | -50    |
| EL9252     | McAlpine      | BSL299   | Soil       | 616614  | 6114256  | -50    | -5000  | 200    | -50    | 3.4    | 1200   | 70     | -50    | -0.1  | 90     |

|        |               |        |      |        |         |     |       |      |     |     |      |      |     |      |     |
|--------|---------------|--------|------|--------|---------|-----|-------|------|-----|-----|------|------|-----|------|-----|
| EL9252 | McAlpine      | BSL300 | Soil | 616750 | 6113952 | -50 | -5000 | 100  | -50 | 3.8 | 900  | -50  | -50 | -0.1 | 70  |
| EL9252 | McAlpine      | BSL301 | Soil | 616871 | 6113659 | -50 | 13000 | 100  | -50 | 2.5 | 500  | -50  | -50 | -0.1 | 60  |
| EL9252 | McAlpine      | BSL302 | Soil | 617052 | 6113341 | -50 | -5000 | 200  | -50 | 2.8 | 400  | -50  | -50 | -0.1 | 50  |
| EL9252 | McAlpine      | BSL303 | Soil | 617249 | 6113105 | -50 | -5000 | 100  | -50 | 3.6 | 800  | -50  | -50 | -0.1 | 70  |
| EL9252 | McAlpine      | BSL304 | Soil | 617381 | 6112821 | -50 | -5000 | 100  | -50 | 3.5 | 700  | -50  | -50 | -0.1 | 60  |
| EL9252 | McAlpine      | BSL305 | Soil | 617740 | 6112794 | -50 | 9000  | 3100 | -50 | 6.9 | 1100 | 1980 | -50 | -0.1 | 80  |
| EL8954 | Brungle Creek | BSL306 | Soil | 624079 | 6106949 | -50 | -5000 | -100 | -50 | 1.4 | 600  | -50  | -50 | -0.1 | 120 |
| EL8954 | Brungle Creek | BSL307 | Soil | 624094 | 6106994 | -50 | -5000 | 100  | -50 | 4   | 300  | -50  | -50 | -0.1 | 60  |
| EL8954 | Brungle Creek | BSL308 | Soil | 624131 | 6107104 | -50 | -5000 | -100 | 60  | 3.4 | 300  | -50  | -50 | -0.1 | 50  |
| EL8954 | Brungle Creek | BSL309 | Soil | 624157 | 6107179 | -50 | -5000 | -100 | -50 | 2.8 | 600  | -50  | -50 | -0.1 | 50  |
| EL8954 | Brungle Creek | BSL310 | Soil | 624168 | 6107257 | -50 | -5000 | 100  | -50 | 2.2 | 400  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL311 | Soil | 624171 | 6107335 | -50 | -5000 | 100  | -50 | 3.2 | 200  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL312 | Soil | 624158 | 6107410 | -50 | -5000 | -100 | -50 | 2   | 400  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL313 | Soil | 624112 | 6107462 | -50 | 6000  | -100 | -50 | 3.4 | 600  | -50  | -50 | -0.1 | 50  |
| EL8954 | Brungle Creek | BSL314 | Soil | 624075 | 6107511 | -50 | -5000 | -100 | -50 | 1.9 | 500  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL315 | Soil | 624036 | 6107575 | -50 | -5000 | -100 | -50 | 1.9 | 400  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL316 | Soil | 624031 | 6107645 | -50 | -5000 | -100 | -50 | 3.7 | 300  | -50  | -50 | -0.1 | 50  |
| EL8954 | Brungle Creek | BSL317 | Soil | 624032 | 6107702 | -50 | -5000 | -100 | -50 | 1.6 | 200  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL318 | Soil | 624000 | 6107753 | -50 | -5000 | -100 | -50 | 1.5 | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL319 | Soil | 623957 | 6107801 | -50 | 5000  | -100 | -50 | 3.2 | 400  | -50  | -50 | -0.1 | 50  |
| EL8954 | Brungle Creek | BSL320 | Soil | 623899 | 6107843 | -50 | -5000 | 100  | -50 | 3.6 | 200  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL321 | Soil | 623842 | 6107905 | -50 | -5000 | -100 | -50 | 3.6 | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL322 | Soil | 623828 | 6107961 | -50 | -5000 | -100 | -50 | 3.3 | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL323 | Soil | 623884 | 6107907 | -50 | -5000 | -100 | -50 | 1.2 | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL324 | Soil | 623940 | 6107963 | -50 | -5000 | -100 | -50 | 1   | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL325 | Soil | 624013 | 6107964 | -50 | -5000 | -100 | -50 | 4   | 100  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL326 | Soil | 624080 | 6107948 | -50 | -5000 | -100 | -50 | 2.5 | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL327 | Soil | 624135 | 6107935 | -50 | -5000 | 100  | -50 | 3.3 | 300  | -50  | -50 | -0.1 | 70  |
| EL8954 | Brungle Creek | BSL328 | Soil | 624209 | 6107941 | -50 | -5000 | -100 | -50 | 2.3 | 200  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL329 | Soil | 624281 | 6107910 | -50 | 7000  | -100 | -50 | 2.1 | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL330 | Soil | 624357 | 6107877 | -50 | -5000 | -100 | -50 | 3.7 | 200  | -50  | -50 | -0.1 | 70  |
| EL8954 | Brungle Creek | BSL331 | Soil | 624426 | 6107945 | -50 | -5000 | -100 | -50 | 2   | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL332 | Soil | 624333 | 6108223 | -50 | -5000 | -100 | -50 | 2.9 | 300  | -50  | -50 | -0.1 | 60  |
| EL8954 | Brungle Creek | BSL333 | Soil | 624253 | 6108292 | -50 | -5000 | -100 | -50 | 1.4 | 200  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL334 | Soil | 624198 | 6108358 | -50 | -5000 | 100  | -50 | 5.1 | 200  | -50  | -50 | -0.1 | 80  |
| EL8954 | Brungle Creek | BSL335 | Soil | 624163 | 6108456 | -50 | -5000 | -100 | -50 | 2.3 | 200  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL336 | Soil | 624418 | 6107390 | -50 | -5000 | -100 | -50 | 2.1 | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL337 | Soil | 624429 | 6107325 | -50 | -5000 | -100 | -50 | 3.4 | 200  | -50  | -50 | -0.1 | 60  |
| EL8954 | Brungle Creek | BSL338 | Soil | 624439 | 6107264 | -50 | -5000 | -100 | -50 | 1.2 | 500  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL355 | Soil | 624382 | 6108206 | -50 | -5000 | -100 | -50 | 2.6 | 300  | -50  | -50 | -0.1 | 50  |
| EL8954 | Brungle Creek | BSL356 | Soil | 624119 | 6108632 | -50 | -5000 | 100  | -50 | 2.9 | 200  | -50  | -50 | -0.1 | 50  |
| EL8954 | Brungle Creek | BSL357 | Soil | 624114 | 6108783 | -50 | -5000 | 100  | -50 | 1.8 | 100  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL358 | Soil | 624069 | 6108966 | -50 | -5000 | -100 | -50 | 1.6 | 100  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL359 | Soil | 624010 | 6109027 | -50 | -5000 | -100 | -50 | 3.9 | 200  | -50  | -50 | -0.1 | 60  |
| EL8954 | Brungle Creek | BSL360 | Soil | 624058 | 6109133 | -50 | -5000 | 100  | -50 | 4.5 | 300  | -50  | -50 | -0.1 | 90  |
| EL8954 | Brungle Creek | BSL361 | Soil | 624059 | 6109292 | -50 | -5000 | 100  | -50 | 1.8 | 200  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL362 | Soil | 623989 | 6108908 | -50 | -5000 | -100 | -50 | 1.6 | 100  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL363 | Soil | 624003 | 6108795 | -50 | -5000 | -100 | -50 | 4.2 | 300  | -50  | -50 | -0.1 | 80  |
| EL8954 | Brungle Creek | BSL364 | Soil | 623952 | 6108676 | -50 | -5000 | -100 | -50 | 2   | 500  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL365 | Soil | 623911 | 6108582 | -50 | -5000 | -100 | -50 | 3   | 300  | -50  | -50 | -0.1 | 50  |
| EL8954 | Brungle Creek | BSL366 | Soil | 623890 | 6108502 | -50 | -5000 | -100 | -50 | 1.9 | 100  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL367 | Soil | 623857 | 6108421 | -50 | -5000 | 100  | -50 | 2.3 | 100  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL368 | Soil | 624379 | 6107151 | -50 | -5000 | -100 | -50 | 1.7 | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL369 | Soil | 624357 | 6107274 | -50 | -5000 | -100 | -50 | 1.5 | 100  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL370 | Soil | 624347 | 6107512 | -50 | -5000 | 100  | -50 | 4.1 | 200  | -50  | -50 | -0.1 | 60  |
| EL8954 | Brungle Creek | BSL371 | Soil | 624317 | 6107659 | -50 | -5000 | -100 | -50 | 0.9 | 100  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL372 | Soil | 624321 | 6107051 | -50 | -5000 | -100 | -50 | 1   | 200  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL373 | Soil | 624180 | 6107722 | -50 | -5000 | -100 | -50 | 1.5 | 300  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL374 | Soil | 624127 | 6107807 | -50 | -5000 | -100 | -50 | 2.5 | 400  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL375 | Soil | 623992 | 6107824 | -50 | -5000 | -100 | -50 | 5.1 | 200  | -50  | -50 | -0.1 | -50 |
| EL8954 | Brungle Creek | BSL376 | Soil | 624239 | 6104478 | -50 | -5000 | 100  | -50 | 3.8 | 300  | -50  | -50 | -0.1 | 70  |
| EL8954 | Brungle Creek | BSL377 | Soil | 624271 | 6104432 | -50 | -5000 | 100  | -50 | 5   | 300  | -50  | -50 | -0.1 | 80  |

|        |               |        |      |        |         |      |       |      |       |      |      |      |      |      |       |
|--------|---------------|--------|------|--------|---------|------|-------|------|-------|------|------|------|------|------|-------|
| EL8954 | Brungle Creek | BSL378 | Soil | 624310 | 6104360 | -50  | -5000 | 100  | -50   | 3    | 300  | -50  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL379 | Soil | 624319 | 6104298 | -50  | -5000 | 100  | -50   | 4.1  | 400  | -50  | -50  | -0.1 | 80    |
| EL8954 | Brungle Creek | BSL380 | Soil | 624338 | 6104244 | -50  | -5000 | -100 | -50   | 3.2  | 200  | -50  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL381 | Soil | 624390 | 6104212 | -50  | -5000 | -100 | -50   | 2.7  | 400  | -50  | -50  | -0.1 | 60    |
| EL8954 | Brungle Creek | BSL382 | Soil | 624322 | 6104230 | -50  | -5000 | -100 | -50   | 2.3  | 400  | -50  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL383 | Soil | 624189 | 6104447 | -50  | -5000 | 100  | -50   | 3.8  | 200  | -50  | -50  | -0.1 | 70    |
| EL8954 | Brungle Creek | BSL384 | Soil | 624123 | 6104447 | -50  | -5000 | 100  | -50   | 4.4  | 400  | -50  | -50  | -0.1 | 80    |
| EL8954 | Brungle Creek | BSL385 | Soil | 624086 | 6104494 | -50  | -5000 | -100 | -50   | 3.2  | 300  | -50  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL386 | Soil | 624007 | 6104468 | -50  | -5000 | 100  | -50   | 2.9  | 200  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL387 | Soil | 623932 | 6104490 | -50  | -5000 | -100 | -50   | 2.3  | 400  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL388 | Soil | 623831 | 6104490 | -50  | -5000 | -100 | -50   | 2    | 400  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL389 | Soil | 623760 | 6104510 | -50  | -5000 | -100 | -50   | 3    | 300  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL390 | Soil | 623653 | 6104486 | -50  | -5000 | 1300 | -50   | 4    | 600  | 610  | -50  | -0.1 | 50    |
| EL9252 | McAlpine      | BSL391 | Soil | 619832 | 6112234 | -50  | 7000  | 8900 | 70    | 12.4 | 3000 | 3120 | 50   | -0.1 | 260   |
| EL9252 | McAlpine      | BSL392 | Soil | 619820 | 6112225 | -50  | 8000  | 8000 | 70    | 9.9  | 2100 | 2130 | -50  | -0.1 | 190   |
| EL9252 | McAlpine      | BSL393 | Soil | 619807 | 6112220 | -50  | 9000  | 6700 | 90    | 9.1  | 1800 | 2070 | -50  | -0.1 | 200   |
| EL9252 | McAlpine      | BSL394 | Soil | 619795 | 6112221 | 190  | 14000 | 3600 | 3170  | 6.4  | 1100 | 830  | 150  | 0.3  | 7670  |
| EL9252 | McAlpine      | BSL395 | Soil | 619786 | 6112209 | 840  | 13000 | 2600 | 2970  | 6.6  | 1300 | 740  | 550  | -0.1 | 2600  |
| EL9252 | McAlpine      | BSL396 | Soil | 619775 | 6112202 | 180  | 19000 | 1200 | 1290  | 4.8  | 900  | 320  | 150  | -0.1 | 1770  |
| EL9252 | McAlpine      | BSL397 | Soil | 619766 | 6112196 | 3610 | -5000 | 3200 | 43090 | 18.3 | 3100 | 170  | 1920 | 5.6  | 68500 |
| EL9252 | McAlpine      | BSL398 | Soil | 619761 | 6112188 | 50   | 5000  | 100  | 280   | 1.8  | 200  | 90   | -50  | 0.1  | 470   |
| EL9252 | McAlpine      | BSL399 | Soil | 619756 | 6112188 | 70   | 18000 | 600  | 300   | 3.6  | 700  | 180  | -50  | -0.1 | 640   |
| EL9252 | McAlpine      | BSL400 | Soil | 619750 | 6112194 | 240  | 14000 | 600  | 680   | 4.3  | 900  | 260  | -50  | -0.1 | 1080  |
| EL9252 | McAlpine      | BSL401 | Soil | 619765 | 6112205 | 300  | 16000 | 1100 | 1670  | 4.8  | 800  | 250  | 140  | 0.2  | 1850  |
| EL9252 | McAlpine      | BSL402 | Soil | 619765 | 6112205 | 3050 | 6000  | 1900 | 4400  | 10.2 | 2500 | 350  | 1910 | 0.4  | 3100  |
| EL9252 | McAlpine      | BSL403 | Soil | 619770 | 6112208 | 4800 | 8000  | 3200 | 6750  | 13.2 | 3100 | 520  | 2670 | 0.8  | 6800  |
| EL9252 | McAlpine      | BSL404 | Soil | 619779 | 6112220 | 3240 | 12000 | 2900 | 7300  | 10.8 | 2200 | 690  | 1480 | 0.2  | 5920  |
| EL9252 | McAlpine      | BSL405 | Soil | 619786 | 6112217 | 1270 | 10000 | 2100 | 17030 | 6.6  | 1500 | 590  | 1420 | 0.2  | 7540  |
| EL9252 | McAlpine      | BSL406 | Soil | 619797 | 6112223 | 80   | 11000 | 6000 | 660   | 8.6  | 2100 | 1780 | 60   | -0.1 | 700   |
| EL9252 | McAlpine      | BSL407 | Soil | 619810 | 6112234 | -50  | 6000  | 5100 | 130   | 10.8 | 2700 | 2630 | -50  | -0.1 | 240   |
| EL9252 | McAlpine      | BSL408 | Soil | 619824 | 6112245 | -50  | 5000  | 7500 | 110   | 12.7 | 3300 | 2390 | 130  | -0.1 | 270   |
| EL8954 | Brungle Creek | BSL409 | Soil | 624146 | 6103700 | -50  | -5000 | 100  | -50   | 2.8  | 300  | -50  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL410 | Soil | 624120 | 6103761 | -50  | -5000 | 100  | -50   | 3.6  | 400  | -50  | -50  | -0.1 | 60    |
| EL8954 | Brungle Creek | BSL411 | Soil | 624096 | 6103777 | -50  | -5000 | 100  | -50   | 2.8  | 600  | -50  | -50  | -0.1 | 80    |
| EL8954 | Brungle Creek | BSL412 | Soil | 623475 | 6104013 | -50  | 6000  | 7100 | -50   | 5.6  | 800  | 810  | -50  | -0.1 | 100   |
| EL8954 | Brungle Creek | BSL413 | Soil | 623564 | 6103970 | -50  | 5000  | 3200 | -50   | 6.6  | 1100 | 1740 | -50  | -0.1 | 80    |
| EL8954 | Brungle Creek | BSL414 | Soil | 623661 | 6103944 | -50  | 8000  | 2700 | -50   | 9.5  | 1300 | 3140 | -50  | -0.1 | 70    |
| EL8954 | Brungle Creek | BSL415 | Soil | 623686 | 6103855 | -50  | 9000  | 5000 | -50   | 9.3  | 2100 | 2060 | -50  | -0.1 | 90    |
| EL8954 | Brungle Creek | BSL416 | Soil | 623692 | 6103769 | -50  | 5000  | 1000 | -50   | 3.7  | 700  | 400  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL417 | Soil | 623696 | 6103684 | -50  | -5000 | 100  | -50   | 1.1  | 200  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL418 | Soil | 623660 | 6103599 | -50  | 10000 | 3500 | -50   | 7.8  | 1600 | 1770 | -50  | -0.1 | 80    |
| EL8954 | Brungle Creek | BSL419 | Soil | 623694 | 6103504 | -50  | 6000  | 600  | -50   | 3.3  | 500  | 180  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL420 | Soil | 623698 | 6103400 | -50  | 6000  | 800  | -50   | 3.5  | 900  | 270  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL421 | Soil | 623718 | 6103303 | -50  | 6000  | 1100 | -50   | 3.4  | 700  | 280  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL422 | Soil | 623726 | 6103208 | -50  | 6000  | 800  | -50   | 3.9  | 1200 | 340  | -50  | -0.1 | 60    |
| EL8954 | Brungle Creek | BSL423 | Soil | 623752 | 6103109 | -50  | 6000  | 6200 | -50   | 10.6 | 2200 | 2470 | -50  | -0.1 | 120   |
| EL8954 | Brungle Creek | BSL424 | Soil | 623805 | 6103019 | -50  | 7000  | 200  | -50   | 2.7  | 700  | 90   | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL425 | Soil | 623795 | 6102924 | -50  | -5000 | 1100 | -50   | 4.8  | 900  | 870  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL426 | Soil | 623782 | 6102824 | -50  | -5000 | -100 | -50   | 1.1  | 100  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL427 | Soil | 623755 | 6102730 | 50   | -5000 | -100 | -50   | 3.2  | 500  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL428 | Soil | 623785 | 6102651 | -50  | 7000  | -100 | -50   | 3.3  | 400  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL429 | Soil | 623798 | 6102549 | -50  | -5000 | -100 | -50   | 3.5  | 300  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL430 | Soil | 623783 | 6102458 | 70   | -5000 | 100  | 60    | 3.5  | 600  | -50  | -50  | -0.1 | 70    |
| EL8954 | Brungle Creek | BSL431 | Soil | 623835 | 6102353 | -50  | -5000 | -100 | -50   | 2.4  | 200  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL432 | Soil | 623904 | 6102291 | -50  | -5000 | -100 | -50   | 2.8  | 300  | -50  | -50  | -0.1 | -50   |
| EL8954 | Brungle Creek | BSL433 | Soil | 623989 | 6102303 | -50  | -5000 | -100 | -50   | 2.8  | 400  | -50  | -50  | -0.1 | 50    |
| EL8954 | Brungle Creek | BSL434 | Soil | 624018 | 6102240 | -50  | -5000 | 100  | -50   | 2.9  | 500  | -50  | -50  | -0.1 | -50   |