



Prospech Limited
ABN 24 602 043 265

11 April 2023

PROSPECH IDENTIFIES HIGH-GRADE RARE EARTH OXIDES AND HAFNIUM OVER 4KM STRIKE AT JOKIKANGAS PROJECT, FINLAND

Highlights

- **Mineralisation database¹ at recently acquired Jokikangas project and surrounding Otanmaki area returns rare earth element oxide (REO) intercepts in diamond drill hole samples over a strike length of 4 kilometres.**
- **Results² include:**
 - **KA02: 0.20m @24,448 ppm TREO and 4,700 ppm Niobium from 74.2m**
 - **KA03: 0.15m @15,346 ppm TREO and 2,980 ppm Niobium from 9.2m**
 - **KA03: 0.17m @ 8,690 ppm TREO and 2,030 ppm Niobium from 57.3m**
 - **JO11: 0.20m @ 2,106 ppm TREO from 54.1m**
 - **JO12: 0.20m @ 1,704 ppm TREO from 26.9m**
 - **JO12: 0.40m @ 4,509 ppm TREO from 42.2m**
 - **JO13: 0.50m @ 7,556 ppm TREO and 940 ppm Hafnium from 22.6m**
 - **JO13: 0.30m @ 10,445 ppm TREO and 1,160 ppm Hafnium from 32.8m**
 - **KO06: 0.40m @ 2,865 ppm TREO and 510 ppm Hafnium from 85.6m**
- **Drill core sampling was limited to narrow intervals for academic purposes, resulting in only narrow intersection intervals reported.**
- **Prospech has commenced sampling wider intervals of the Jokikangas drill core.**
- **Drill core is available from 36 diamond drill holes at Jokikangas and 68 diamond drill holes at Korsnas.**
- **Prospech has applied to expand the Jokikangas project to cover open ground with reported vanadium mineralisation.**

¹ Age and Origin of the Nb Zr Re Mineralisation in the Paleoproterozoic granitoids at Otanmaki, Central Finland. Bulletin of the Geological Society of Finland. Volume 92, 2020.

² All values reported in Total Rare Earth Oxide (TREO) amounts unless otherwise stated.

Prospect Managing Director Jason Beckton commented: “We are delighted to reveal results from our archive search and compilation of historical drill core at Jokikangas as the new Bambra Oy assets are incorporated into our portfolio.

According to Oulo University and Geological Survey of Finland, the peralkaline alkali feldspar granites are the most probable source for the Rare Earth Element (REE) and High Field Strength Element (HFSE) mineralised felsic dikes and sheet-like intrusions. Magnetic anomalies within the “enriched” alkali feldspar granite block and its surroundings, as well as the contact areas of this block against the monzogranite block, offer interesting potential for REE-HFSE mineralisation.

High Field Strength Elements which include Niobium and Hafnium are characterised by their ability to form strong bonds with other atoms, due to their electronic structure. This property makes them useful in a variety of technological applications where strength, durability and resistance to corrosion are required.

There is a significant increase in demand for locally supplied critical minerals in Europe and the government is strongly committed to fulfilling as much of the demand as possible from local sources.

The brownfield targets of Jokikangas, Korsnas, and Saarenkylä in Finland, which have been explored since 2018, provide us with an exciting opportunity to enter the REE and lithium space in the EU and we are planning to accelerate our exploration on the back of these results.”

About Finland and the Finland Projects

Finland is recognised as a favourable mining jurisdiction within the European Union and has been ranked ninth globally in the 2021 Fraser Institute Annual Survey of Mining Companies' Policy Perception Index and 13th in the Investment Attractiveness Index, surpassing jurisdictions such as Queensland, NSW, and Victoria.



Location map of the Bambra projects in Finland


Prospech's geological team has prior experience working in Finland, and the acquisition of Bambra will provide a local permitting and administration team with extensive country experience.

Project summaries

Extensive mapping and sampling of the mineralised horizons was conducted by the Geological Survey of Finland (GTK), and Prospech aims to prioritise the grade and tonnage potential of each occurrence to plan and permit drilling in the near future.

Jokikangas REE Project

Jokikangas REE project encompasses two blocks, Jokikangas and Honkamäki, covering a total area of 28.37km², while the third-party Otanmaki (05) Oy tenure is indicated by the blue area in the map below. Jokikangas and Honkamäki cover a REE-vanadium mineralised belt of rocks.



Jokikangas tenements

Elongated bodies containing up to 2.0% TREE are characterised by sericitic alteration and a spatial relationship with pegmatites in a mineral assemblage that includes fergusonite (Nb, Y, REO), allanite (LREE), and columbite-tantalite (Nb).

Prospech holds rights to exploration tenure surrounding the Kontioaho and Katajakangas targets currently held by Otanmaki (05) Oy, with mineralisation that is continuous but lightly drilled. The mineralisation at Katajakangas features a high-grade zone approximately 12m thick in its central part, surrounded by a lower-grade zone at the margins.

Archived drillhole data indicates an opportunity to extend mineralisation northwest of Otanmaki (05) Oy's Kontioaho operation and west of the Katajakangas operation (both depicted as red dots on the Otanmaki (05) Oy map above) onto the Jokikangas project.

Korsnas REE Project

The Korsnas REE project surrounds a former lead mine at Korsnas, which operated from 1959 to 1972 and produced 0.87Mt of ore with an average of 3.6% Pb. The deposit was found to be prospective for REE due to the presence of allanite and a few other REE minerals.

During pilot production of an REE concentrate in the early 1970s, it was discovered that the ore contained 0.83% TREO. The mineralisation is situated in a fault zone that trends north-south and is filled with a vein consisting of coarse-grained calcite, feldspar, diopside and REE-bearing apatite.

Previous mine operators have reported total REE content of samples ranging from 0.7% to 2.2%, with LREE being the dominant component. The samples also exhibit high europium (Eu) content, with values ranging from 66 to 242 ppm and thorium (Th) content ranging from 107 to 604 ppm.

There is core from 68 government stored drillholes from the immediate vicinity of the Korsnas mine that remain unsampled and there is also a group of unmined carbonate veins or dykes that up to 20m wide that may contain REE grades.

Saarenkylä Lithium-Beryllium Project

The Saarenkylä exploration reservation area is situated in a region with a known occurrence of lithium pegmatite, where lithium-cesium-tantalum (+/- beryllium) has been observed in exposed sequences of pegmatite.

The area is located within the Northern Ladoga belt, which is known for various minerals such as Sn, Zn, Pb, U, Au, W, Fe, and V. A mineral occurrence has been identified in pyroxene skarn with potential associations of nearby mineralisation within the Myerskaja Fault zone.

The mineralisation at this location includes occurrences of beryl, bismuthinite (Bi), scheelite (W), cassiterite (Sn), and native gold, which are conformable. Field mapping and sampling will be required to determine the continuity of the occurrence.

Prospech has filed a new reservation notification with the Finnish Mining Authority to extend the project area over the known lithium pegmatite occurrence area.

For further information, please contact.

**Jason Beckton
Managing Director
Prospech Limited
+61 (0)438 888 612**

Competent Person's Statement

The information in this Report that relates to Exploration Results is based on information compiled by Mr Jason Beckton, who is a Member of the Australian Institute of Geoscientists. Mr Beckton, who is Managing Director of the Company, has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Beckton consents to the inclusion in this Report of the matters based on the information in the form and context in which it appears.

This announcement has been authorised for release to the market by the Managing Director

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<p><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></p> <p><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></p> <p><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></p> <p><i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></p>	N/A
Drilling techniques	<p><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></p>	Assumed Diamond HQ, NQ and BQ drilling.
Drill sample recovery	<p><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></p> <p><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></p> <p><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></p>	Historic Core N/A.
Logging	<p><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p>	The complete core is to be relogged.
Sub-sampling techniques and sample preparation	<p><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></p> <p><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></p> <p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p> <p><i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></p> <p><i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></p> <p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p>	N/A.
Quality of assay data and laboratory tests	<p><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p> <p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <p><i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory</i></p>	Samples are stored in the Loppi relogging facility.

For personal use only

Criteria	JORC Code explanation	Commentary
	<i>checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	
<i>Verification of sampling and assaying</i>	<i>The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data.</i>	N/A.
<i>Location of data points</i>	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control.</i>	UTM projection Zone 35N.
<i>Data spacing and distribution</i>	<i>Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied.</i>	Subsampling below 0.2m was undertaken by previous companies.
<i>Orientation of data in relation to geological structure</i>	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	No bias is believed to be introduced by the sampling method.
<i>Sample security</i>	<i>The measures taken to ensure sample security.</i>	N/A
<i>Audits or reviews</i>	<i>The results of any audits or reviews of sampling techniques and data.</i>	No audits or reviews of the data management system have been carried out.

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</i>	<p>Prospect Limited has entered into an earn-in agreement with the shareholders of Bambra Oy ('Bambra'), a company incorporated in Finland, to earn up to a 100% interest in Bambra and therefore, acquire Bambra's 100% interest in the Jokikangas REE project, the Korsnas REE project and Saarenkylä lithium project in Finland ('Finland Projects').</p> <p>Prospect's exclusive right to acquire 100% of Bambra is staged over 2 years with consideration being an initial payment of \$25,000 ('Exclusivity Payment'), a series of exploration and evaluation expenditures and the issuance of Prospect consideration shares.</p> <p>For the first year option, Prospect can earn a 51% interest in Bambra by the expenditure of \$100,000, including the Exclusivity Payment, on the exploration and evaluation of the Finland Projects and, if exercised by Prospect, the issue of 3 million fully paid ordinary shares in Prospect to the shareholders of Bambra ('First Option').</p> <p>For the second year option, subject to the completion of the First Option, Prospect can earn the remaining interest in Bambra, so as to own 100% of Bambra, by the expenditure of \$200,000 on the exploration and evaluation of the Finland Projects and, if exercised by Prospect, the issue of a further 3 million shares to the shareholders of Bambra.</p> <p>The laws of Finland relating to exploration and mining have various requirements. As the exploration advances specific filings and environmental or other studies may be required. There are ongoing requirements under Finnish mining laws that will be required at each stage of advancement. Those filings and studies are maintained and updated as required by Prospect's environmental and permit advisors specifically engaged for such purposes.</p> <p>The Company is the manager of operations in accordance with generally accepted mining industry standards and practices.</p>

Criteria	JORC Code explanation	Commentary																																																																																																																																																																																																																																																																																																								
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	The area of Otanmaki – Jokikangas has been mapped, boulder sampled and drilled by private companies including Rautaruuki Oy and Outokumpu Oy from 1981. In 2020 the project was subject to core resampling by GTK (Finnish Geological Survey) and University of Oulu, utilising ALS Chemex Laboratory in Outokumpu, Finland. Karenlampi et al 2020.																																																																																																																																																																																																																																																																																																								
Geology	Deposit type, geological setting and style of mineralisation.	The Otanmäki rare earth element (REE) area is composed of diverse rock types such as granite gneisses, granites, alkali gneisses, quartz-feldspar schists, amphibolites, and mica schists. The formation of REE-bearing minerals in this area is associated with hydrothermal alteration of the host rocks caused by the intrusion of gabbros and anorthosites in the Otanmäki region.																																																																																																																																																																																																																																																																																																								
Drill hole Information	<p>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</p> <p>eastings and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length.</p> <p>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</p>	<p>Drill Hole Collar Information (All UTM Zone 35N)</p> <table border="1"> <thead> <tr> <th>HOLE_ID</th> <th>NORTH U</th> <th>EAST UTM</th> <th>FINAL_DEPTH</th> <th>RL</th> <th>DATE</th> <th>AZIMUTH</th> <th>DIP</th> </tr> </thead> <tbody> <tr><td>JOKIKANGAS-001</td><td>7111504</td><td>498886.2</td><td>148.8</td><td>1000</td><td>1984</td><td>305</td><td>-53</td></tr> <tr><td>JOKIKANGAS-002</td><td>7111216</td><td>499274.1</td><td>126.5</td><td>1000</td><td>1984</td><td>305</td><td>-53</td></tr> <tr><td>JOKIKANGAS-003</td><td>7111345</td><td>499088.1</td><td>158.3</td><td>1000</td><td>1984</td><td>305</td><td>-50</td></tr> <tr><td>JOKIKANGAS-004</td><td>7110591</td><td>500214.7</td><td>190.3</td><td>1000</td><td>1984</td><td>305</td><td>-51</td></tr> <tr><td>JOKIKANGAS-005</td><td>7110792</td><td>500457.6</td><td>194.2</td><td>1000</td><td>1984</td><td>307</td><td>-53</td></tr> <tr><td>JOKIKANGAS-006</td><td>7110572</td><td>498958.2</td><td>228.6</td><td>1000</td><td>1984</td><td>306</td><td>-47</td></tr> <tr><td>JOKIKANGAS-007</td><td>7109980</td><td>498388.4</td><td>157.7</td><td>1000</td><td>1984</td><td>317</td><td>-63</td></tr> <tr><td>JOKIKANGAS-008</td><td>7110922</td><td>497731.7</td><td>151.4</td><td>1000</td><td>1984</td><td>90</td><td>-47</td></tr> <tr><td>JOKIKANGAS-009</td><td>7110922</td><td>497548.8</td><td>57.5</td><td>1000</td><td>1984</td><td>90</td><td>-49</td></tr> <tr><td>JOKIKANGAS-010</td><td>7111181</td><td>497143.9</td><td>188.7</td><td>1000</td><td>1984</td><td>54</td><td>-45</td></tr> <tr><td>JOKIKANGAS-011</td><td>7110821</td><td>496424</td><td>182</td><td>1000</td><td>1984</td><td>90</td><td>-41</td></tr> <tr><td>JOKIKANGAS-012</td><td>7110837</td><td>496584.2</td><td>128</td><td>1000</td><td>1984</td><td>90</td><td>-45</td></tr> <tr><td>JOKIKANGAS-013</td><td>7111215</td><td>496655.1</td><td>177</td><td>1000</td><td>1984</td><td>90</td><td>-45</td></tr> <tr><td>JOKIKANGAS-014</td><td>7110489</td><td>499070.2</td><td>124</td><td>1000</td><td>1984</td><td>306</td><td>-54</td></tr> <tr><td>KATAJAKANGAS-001</td><td>7111117</td><td>503056.5</td><td>85.02</td><td>1000</td><td>1973</td><td>23</td><td>-39</td></tr> <tr><td>KATAJAKANGAS-002</td><td>7110485</td><td>503211.5</td><td>203.1</td><td>1000</td><td>1983</td><td>23</td><td>-59</td></tr> <tr><td>KATAJAKANGAS-003</td><td>7110450</td><td>503355.4</td><td>156.5</td><td>1000</td><td>1983</td><td>23</td><td>-68</td></tr> <tr><td>KATAJAKANGAS-006</td><td>7111551</td><td>501127.3</td><td>178.9</td><td>1000</td><td>1984</td><td>360</td><td>-68</td></tr> <tr><td>KATAJAKANGAS-009</td><td>7110597</td><td>502462.8</td><td>203.1</td><td>1000</td><td>1984</td><td>22</td><td>-64</td></tr> <tr><td>KATAJAKANGAS-010</td><td>7110462</td><td>501652.1</td><td>202.6</td><td>1000</td><td>1984</td><td>360</td><td>-50</td></tr> <tr><td>KONTIOAHO-001</td><td>7113371</td><td>500207.7</td><td>137.45</td><td>1000</td><td>1980</td><td>306</td><td>-54</td></tr> <tr><td>KONTIOAHO-002</td><td>7113371</td><td>500207.7</td><td>137.45</td><td>1000</td><td>1980</td><td>306</td><td>-54</td></tr> <tr><td>KONTIOAHO-003</td><td>7112008</td><td>501656.1</td><td>210.7</td><td>1000</td><td>1984</td><td>45</td><td>-70</td></tr> <tr><td>KONTIOAHO-004</td><td>7112216</td><td>501865</td><td>144.3</td><td>1000</td><td>1984</td><td>45</td><td>-64</td></tr> <tr><td>KONTIOAHO-005</td><td>7113096</td><td>501177.3</td><td>159</td><td>1000</td><td>1984</td><td>52</td><td>-63</td></tr> <tr><td>KONTIOAHO-006</td><td>7112741</td><td>499572.9</td><td>148</td><td>1000</td><td>1984</td><td>297</td><td>-51</td></tr> <tr><td>KONTIOAHO-007</td><td>7113021</td><td>500062.7</td><td>184.6</td><td>1000</td><td>1984</td><td>305</td><td>-56</td></tr> <tr><td>KONTIOAHO-012</td><td>7112985</td><td>501035.3</td><td>131.5</td><td>1000</td><td>1985</td><td>52</td><td>-54</td></tr> <tr><td>KONTIOAHO-014</td><td>7112701</td><td>500247.7</td><td>233.7</td><td>1000</td><td>1984</td><td>306</td><td>-72</td></tr> <tr><td>OTM11004</td><td>7114575</td><td>3502320</td><td>67.9</td><td>1000</td><td>2011</td><td>40</td><td>-65</td></tr> <tr><td>OTM11007</td><td>7116220</td><td>3501523</td><td>57.85</td><td>1000</td><td>2011</td><td>40</td><td>-65</td></tr> <tr><td>OTM11008</td><td>7116930</td><td>3500505</td><td>101.8</td><td>1000</td><td>2011</td><td>305</td><td>-60</td></tr> <tr><td>OTM11009</td><td>7116675</td><td>3500675</td><td>111.05</td><td>1000</td><td>2011</td><td>305</td><td>-60</td></tr> <tr><td>OTM11010</td><td>7112845</td><td>3496550</td><td>69.95</td><td>1000</td><td>2011</td><td>290</td><td>-45</td></tr> <tr><td>OTM11011</td><td>7114480</td><td>3498640</td><td>85.55</td><td>1000</td><td>2011</td><td>270</td><td>-45</td></tr> <tr><td>OTM11012</td><td>7114704</td><td>3498628</td><td>113.9</td><td>1000</td><td>2011</td><td>270</td><td>-45</td></tr> </tbody> </table> <p>Assay results, refer below to Appendix 1.</p>	HOLE_ID	NORTH U	EAST UTM	FINAL_DEPTH	RL	DATE	AZIMUTH	DIP	JOKIKANGAS-001	7111504	498886.2	148.8	1000	1984	305	-53	JOKIKANGAS-002	7111216	499274.1	126.5	1000	1984	305	-53	JOKIKANGAS-003	7111345	499088.1	158.3	1000	1984	305	-50	JOKIKANGAS-004	7110591	500214.7	190.3	1000	1984	305	-51	JOKIKANGAS-005	7110792	500457.6	194.2	1000	1984	307	-53	JOKIKANGAS-006	7110572	498958.2	228.6	1000	1984	306	-47	JOKIKANGAS-007	7109980	498388.4	157.7	1000	1984	317	-63	JOKIKANGAS-008	7110922	497731.7	151.4	1000	1984	90	-47	JOKIKANGAS-009	7110922	497548.8	57.5	1000	1984	90	-49	JOKIKANGAS-010	7111181	497143.9	188.7	1000	1984	54	-45	JOKIKANGAS-011	7110821	496424	182	1000	1984	90	-41	JOKIKANGAS-012	7110837	496584.2	128	1000	1984	90	-45	JOKIKANGAS-013	7111215	496655.1	177	1000	1984	90	-45	JOKIKANGAS-014	7110489	499070.2	124	1000	1984	306	-54	KATAJAKANGAS-001	7111117	503056.5	85.02	1000	1973	23	-39	KATAJAKANGAS-002	7110485	503211.5	203.1	1000	1983	23	-59	KATAJAKANGAS-003	7110450	503355.4	156.5	1000	1983	23	-68	KATAJAKANGAS-006	7111551	501127.3	178.9	1000	1984	360	-68	KATAJAKANGAS-009	7110597	502462.8	203.1	1000	1984	22	-64	KATAJAKANGAS-010	7110462	501652.1	202.6	1000	1984	360	-50	KONTIOAHO-001	7113371	500207.7	137.45	1000	1980	306	-54	KONTIOAHO-002	7113371	500207.7	137.45	1000	1980	306	-54	KONTIOAHO-003	7112008	501656.1	210.7	1000	1984	45	-70	KONTIOAHO-004	7112216	501865	144.3	1000	1984	45	-64	KONTIOAHO-005	7113096	501177.3	159	1000	1984	52	-63	KONTIOAHO-006	7112741	499572.9	148	1000	1984	297	-51	KONTIOAHO-007	7113021	500062.7	184.6	1000	1984	305	-56	KONTIOAHO-012	7112985	501035.3	131.5	1000	1985	52	-54	KONTIOAHO-014	7112701	500247.7	233.7	1000	1984	306	-72	OTM11004	7114575	3502320	67.9	1000	2011	40	-65	OTM11007	7116220	3501523	57.85	1000	2011	40	-65	OTM11008	7116930	3500505	101.8	1000	2011	305	-60	OTM11009	7116675	3500675	111.05	1000	2011	305	-60	OTM11010	7112845	3496550	69.95	1000	2011	290	-45	OTM11011	7114480	3498640	85.55	1000	2011	270	-45	OTM11012	7114704	3498628	113.9	1000	2011	270	-45
HOLE_ID	NORTH U	EAST UTM	FINAL_DEPTH	RL	DATE	AZIMUTH	DIP																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-001	7111504	498886.2	148.8	1000	1984	305	-53																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-002	7111216	499274.1	126.5	1000	1984	305	-53																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-003	7111345	499088.1	158.3	1000	1984	305	-50																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-004	7110591	500214.7	190.3	1000	1984	305	-51																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-005	7110792	500457.6	194.2	1000	1984	307	-53																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-006	7110572	498958.2	228.6	1000	1984	306	-47																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-007	7109980	498388.4	157.7	1000	1984	317	-63																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-008	7110922	497731.7	151.4	1000	1984	90	-47																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-009	7110922	497548.8	57.5	1000	1984	90	-49																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-010	7111181	497143.9	188.7	1000	1984	54	-45																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-011	7110821	496424	182	1000	1984	90	-41																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-012	7110837	496584.2	128	1000	1984	90	-45																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-013	7111215	496655.1	177	1000	1984	90	-45																																																																																																																																																																																																																																																																																																			
JOKIKANGAS-014	7110489	499070.2	124	1000	1984	306	-54																																																																																																																																																																																																																																																																																																			
KATAJAKANGAS-001	7111117	503056.5	85.02	1000	1973	23	-39																																																																																																																																																																																																																																																																																																			
KATAJAKANGAS-002	7110485	503211.5	203.1	1000	1983	23	-59																																																																																																																																																																																																																																																																																																			
KATAJAKANGAS-003	7110450	503355.4	156.5	1000	1983	23	-68																																																																																																																																																																																																																																																																																																			
KATAJAKANGAS-006	7111551	501127.3	178.9	1000	1984	360	-68																																																																																																																																																																																																																																																																																																			
KATAJAKANGAS-009	7110597	502462.8	203.1	1000	1984	22	-64																																																																																																																																																																																																																																																																																																			
KATAJAKANGAS-010	7110462	501652.1	202.6	1000	1984	360	-50																																																																																																																																																																																																																																																																																																			
KONTIOAHO-001	7113371	500207.7	137.45	1000	1980	306	-54																																																																																																																																																																																																																																																																																																			
KONTIOAHO-002	7113371	500207.7	137.45	1000	1980	306	-54																																																																																																																																																																																																																																																																																																			
KONTIOAHO-003	7112008	501656.1	210.7	1000	1984	45	-70																																																																																																																																																																																																																																																																																																			
KONTIOAHO-004	7112216	501865	144.3	1000	1984	45	-64																																																																																																																																																																																																																																																																																																			
KONTIOAHO-005	7113096	501177.3	159	1000	1984	52	-63																																																																																																																																																																																																																																																																																																			
KONTIOAHO-006	7112741	499572.9	148	1000	1984	297	-51																																																																																																																																																																																																																																																																																																			
KONTIOAHO-007	7113021	500062.7	184.6	1000	1984	305	-56																																																																																																																																																																																																																																																																																																			
KONTIOAHO-012	7112985	501035.3	131.5	1000	1985	52	-54																																																																																																																																																																																																																																																																																																			
KONTIOAHO-014	7112701	500247.7	233.7	1000	1984	306	-72																																																																																																																																																																																																																																																																																																			
OTM11004	7114575	3502320	67.9	1000	2011	40	-65																																																																																																																																																																																																																																																																																																			
OTM11007	7116220	3501523	57.85	1000	2011	40	-65																																																																																																																																																																																																																																																																																																			
OTM11008	7116930	3500505	101.8	1000	2011	305	-60																																																																																																																																																																																																																																																																																																			
OTM11009	7116675	3500675	111.05	1000	2011	305	-60																																																																																																																																																																																																																																																																																																			
OTM11010	7112845	3496550	69.95	1000	2011	290	-45																																																																																																																																																																																																																																																																																																			
OTM11011	7114480	3498640	85.55	1000	2011	270	-45																																																																																																																																																																																																																																																																																																			
OTM11012	7114704	3498628	113.9	1000	2011	270	-45																																																																																																																																																																																																																																																																																																			
Data aggregation methods	<p>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</p> <p>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</p> <p>The assumptions used for any reporting of metal equivalent values should be clearly stated.</p>	A minimum sample length is 0.4m generally but can be as low as 0.15m is observed in historical sampling.																																																																																																																																																																																																																																																																																																								
Relationship between mineralisation widths and intercept lengths	<p>These relationships are particularly important in the reporting of Exploration Results.</p> <p>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</p> <p>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</p>	Mineralisation is mesothermal contact related between intrusives of Paleoproterozoic age.																																																																																																																																																																																																																																																																																																								
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	The location and results received for some drill-core samples are displayed in the attached maps and/or tables. Coordinates are UTM Zone 35N.																																																																																																																																																																																																																																																																																																								
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	Results for all samples collected in the past are displayed on the attached maps and/or tables.																																																																																																																																																																																																																																																																																																								

Criteria	JORC Code explanation	Commentary
<i>Other substantive exploration data</i>	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	No metallurgical or bulk density tests were conducted at the project by Prospech.
<i>Further work</i>	<i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Prospech may carry out drilling subject to resampling of these intervals in late April 2023.

Section 1 Appendix – Assays of Rare Earth Oxides to date collated from historic drilling.

HOLE_ID	SHORT_ID	DEPTH	FROM_DEPTH	TO_INT	La2O3_ppm	Ce2O3_ppm	Pr2O3_ppm	Nd2O3_ppm	Sm2O3_ppm	Eu2O3_ppm	Gd2O3_ppm	Tb2O3_ppm	Dy2O3_ppm	Ho2O3_ppm	Er2O3_ppm	Tm2O3_ppm	Yb2O3_ppm	Lu2O3_ppm	Y2O3_ppm	TREO	Hf_ppm	Nb_ppm	Rb_ppm	Zr_ppm
JOIKKANGAS-001	JO01	97.30	97.65	0.35	11.7	175.7	23.4	46.6	11.6	23.2	11.5	0.0	0.0	0.0	11.4	0.0	0.0	0.0	203.2	518	30.0	190.0	300.0	460.0
JOIKKANGAS-001	JO01	130.00	133.30	3.30	0.0	35.1	0.0	11.7	23.2	23.2	0.0	0.0	0.0	0.0	0.0	0.0	11.4	0.0	203.2	308	30.0	150.0	240.0	410.0
JOIKKANGAS-004	JO04	74.9	76.2	1.30	11.7	140.5	23.4	46.6	34.8	34.7	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	101.6	405	30.0	50.0	150.0	490.0
JOIKKANGAS-004	JO04	76.4	77.4	1.00	11.7	128.8	23.4	46.6	34.8	34.7	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	101.6	393	30.0	50.0	180.0	430.0
JOIKKANGAS-004	JO04	115.65	116.65	1.00	11.7	128.8	11.7	58.3	23.2	23.2	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	114.3	363	20.0	60.0	170.0	410.0
JOIKKANGAS-004	JO04	117	118.6	1.60	11.7	128.8	11.7	46.6	23.2	46.3	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	101.6	370	30.0	80.0	180.0	430.0
JOIKKANGAS-004	JO04	179.8	180.8	1.00	46.9	222.5	35.1	93.9	34.8	34.7	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127	617	30.0	90.0	210.0	550.0
JOIKKANGAS-004	JO04	180.95	181.95	1.00	23.5	152.2	11.7	58.3	34.8	46.3	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127	477	20.0	60.0	200.0	430.0
JOIKKANGAS-005	JO05	80.95	81.95	1.00	0.0	152.2	11.7	46.6	104.4	104.2	80.7	34.5	34.4	11.5	88.6	0.0	0.0	0.0	152.4	801	10.0	120.0	200.0	460.0
JOIKKANGAS-005	JO05	82.07	83.5	1.43	0.0	140.5	11.7	46.6	92.8	92.6	69.2	23.0	11.5	0.0	22.9	0.0	0.0	0.0	127	638	0.0	70.0	200.0	390.0
JOIKKANGAS-005	JO05	178.3	179.3	1.00	23.5	187.4	35.1	58.3	34.8	92.6	57.7	11.5	0.0	0.0	68.6	0.0	11.4	0.0	12.7	652	10.0	60.0	230.0	480.0
JOIKKANGAS-005	JO05	179.75	180.7	0.95	0.0	163.9	23.4	46.6	81.2	81.1	57.7	11.5	0.0	0.0	22.9	0.0	0.0	0.0	114.3	603	10.0	40.0	230.0	390.0
JOIKKANGAS-011	JO11	54.10	54.30	0.20	93.8	234.2	35.1	93.3	232.0	208.4	196.0	115.0	114.8	11.5	365.8	91.4	57.0	79.5	177.8	2106	100.0	130.0	160.0	630.0
JOIKKANGAS-012	JO12	26.90	27.10	0.20	23.5	187.4	23.4	93.3	69.6	34.7	46.1	0.0	69.9	22.9	194.3	0.0	0.0	0.0	939.8	1704	60.0	40.0	80.0	670.0
JOIKKANGAS-012	JO12	42.25	42.65	0.40	0.0	492.7	1124.2	140.4	486.4	182.1	253.7	12.1	183.7	11.5	182.9	79.5	68.3	68.2	939.8	4509	130.0	310.0	80.0	1610.0
JOIKKANGAS-013	JO13	22.60	23.10	0.50	1255.1	2751.9	327.6	1131.0	313.2	92.6	395.0	34.5	195.2	0.0	22.9	0.0	34.2	0.0	1028.7	7556	840.0	710.0	120.0	2500.0
JOIKKANGAS-013	JO13	32.80	33.10	0.30	1642.2	3583.3	456.3	1599.1	475.6	198.9	541.9	126.5	321.4	0.0	45.7	91.4	113.9	0.0	1320.8	10455	1160.0	1640.0	80.0	6000.0
KATAJAKANGAS-002	KA02	73.200	74.200	1.000	35.2	187.4	93.6	151.6	23.2	11.6	46.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50.8	599	80.0	200.0	430.0	
KATAJAKANGAS-002	KA02	74.200	74.400	0.200	3304.9	5438.3	1193.4	4092.7	823.6	57.9	1095.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3441.7	4448	0.0	60.0	11300.0	
KATAJAKANGAS-002	KA02	74.400	75.400	1.000	11.7	152.2	0.0	139.9	11.6	0.0	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	114.3	546	60.0	20.0	410.0	
KATAJAKANGAS-003	KA03	8.100	9.200	1.100	0.0	140.5	23.4	46.6	34.8	46.3	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	101.6	416	60.0	50.0	150.0	490.0
KATAJAKANGAS-003	KA03	9.200	9.350	0.150	2522.0	5655.9	690.3	2402.0	533.6	69.5	645.7	34.5	310.0	0.0	171.5	0.0	113.9	0.0	2197.1	15346	0.0	120.0	270.0	
KATAJAKANGAS-003	KA03	9.350	10.850	1.500	23.5	222.5	23.4	70.0	34.8	57.9	23.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127	582	100.0	10.0	180.0	610.0
KATAJAKANGAS-003	KA03	56.300	57.330	1.030	0.0	128.8	23.4	46.6	34.8	23.2	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	101.6	370	40.0	170.0	360.0	
KATAJAKANGAS-003	KA03	57.330	57.500	0.170	1466.3	3278.8	421.2	1387.5	301.6	57.9	395.0	0.0	160.7	0.0	68.6	0.0	22.8	0.0	1155.7	6690	0.0	100.0	460.0	
KATAJAKANGAS-003	KA03	57.500	58.500	1.000	0.0	128.8	23.4	46.6	23.2	23.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	101.6	347	50.0	170.0	400.0	
KATAJAKANGAS-003	KA03	103.650	106.650	3.000	0.0	46.8	0.0	11.7	46.4	34.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	88.9	229	20.0	140.0	160.0	
KATAJAKANGAS-006	KA06	30.000	32.000	2.000	70.0	138.2	16.1	62.3	11.5	2.7	9.5	1.3	7.3	1.3	3.7	0.5	3.1	0.4	40.894	369	8.8	40.8	165.3	338.5
KATAJAKANGAS-009	KA09	100.450	101.900	1.450	11.7	140.5	23.4	58.3	34.8	34.7	0.0	14.0	5.0	0.0	0.0	0.0	0.0	0.0	101.6	405	50.0	170.0	390.0	
KONTIOAHO-001	KO01	73.330	73.730	0.400	78.2	151.3	18.4	69.7	13.3	2.7	11.4	1.8	9.5	1.8	4.9	0.6	3.6	0.5	51.816	418	9.8	65.9	142.2	371.4
KONTIOAHO-001	KO01	78.200	81.700	3.500	0.0	11.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	12	10.0	10.0	8.0	
KONTIOAHO-001	KO01	81.700	87.100	5.400	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	10.0	0.0	30.0	90.0
KONTIOAHO-001	KO01	87.100	91.600	4.500	82.1	726.0	0.0	291.5	69.6	34.7	57.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	304.8	1566	370.0	330.0	1780.0	
KONTIOAHO-001	KO01	104.450	108.250	3.800	340.2	690.9	0.0	268.2	81.2	34.7	69.2	0.0	33.0	0.0	0.0	0.0	0.0	0.0	317.5	1825	390.0	310.0	2820.0	
KONTIOAHO-001	KO01	104.450	104.950	0.500	345.1	645.1	72.4	247.3	40.0	4.7	32.4	5.8	35.4	7.2	18.7	2.3	13.7	1.9	193.294	1666	28.6	280.4	371.7	1040.2
KONTIOAHO-001	KO01	110.950	112.950	2.000	293.3	714.3	0.0	326.5	81.2	34.7	69.2	0.0	23.0	0.0	0.0	0.0	0.0	0.0	431.8	1974	610.0	360.0	9030.0	
KONTIOAHO-001	KO01	131.250	131.820	0.570	231.3	432.5	49.9	174.0	30.4	3.7	27.6	4.5	27.0	5.5	15.0	1.9	10.8	1.5	161.417	1177	31.9	227.3	341.9	1233.7
KONTIOAHO-005	KO05	13.000	13.350	0.350	62.6	125.3	15.2	58.0	10.0	2.3	8.4	1.2	6.8	1.4	3.7	0.5	3.2	0.5	36.735	338	9.0	49.0	106.7	352.7
KONTIOAHO-005	KO05	25.500	25.750	0.250	61.5	127.8	15.6	60.0	11.9	2.2	10.3	1.6	9.0	1.8	5.1	0.7	4.5	0.7	52.197	365	11.9	54.1	111.9	453.1
KONTIOAHO-005	KO05	30.450	30.950	0.500	353.1	695.6	79.5	283.6	43.1	4.5	33.1	5.3	34.6	7.9	26.6	4.0	26.9	3.9	220.726	1822	85.2	460.7	388.2	3390.4
KONTIOAHO-005	KO05	58.300	58.800	0.500	256.5	463.0	82.0	181.3	30.9	3.7	28.5	4.5	27.2	5.6	15.7	2.2	14.2	2.0	146.05	1234	49.5	321.2	249.5	1603.5
KONTIOAHO-005	KO05	56.400	60.400	4.000	316.7	667.5	93.6	268.2	69.6	34.7	80.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	368.3	1899	470.0	380.0	2120.0	
KONTIOAHO-005	KO05	60.400	62.400	2.000	398.8	796.3	105.3	291.5	58.0	11.6	57.7	0.0	23.0	0.0	0.0	0.0	0.0	0.0	457.2	2199	490.0	410.0	2310.0	
KONTIOAHO-005	KO05	70.140	70.640	0.500	255.5	496.2	57.9	201.8	35.2	4.1	29.8	4.5	25.0	4.9	14.0	1.9	12.1	1.7	151.511	1296	33.6	248.3	368.8	1323.3
KONTIOAHO-005	KO05	117.000	117.500	0.500	114.7	205.3	25.2	89.1	14.9	1.8	13.4	2.3	14.5	2.9	8.8	1.2	7.5	1.2	88.265	691	18.7	132.2	225.4	740.9
KONTIOAHO-006	KO06	30.000	30.310	0.310	63.9	127.1	15.5	59.6	10.3	2.4	8.4	1.2	6.1	1.2	3.3	0.5	3.2	0.4	35.814	339	12.3	39.2		

Section 1 Appendix – Assays of Rare Earth Oxides to date collated from historic drilling (continued).

HOLE_ID	SHORT_ID	DEPTH_FROM	DEPTH_TO	INT	La2O3_ppm	CeO2_ppm	Pr2O3_ppm	Nd2O3_ppm	Sm2O3_ppm	Eu2O3_ppm	Gd2O3_ppm	Tb2O3_ppm	Dy2O3_ppm	Ho2O3_ppm	Er2O3_ppm	Tm2O3_ppm	Yb2O3_ppm	Lu2O3_ppm	TREO	Hf_ppm	Nb_ppm	Rb_ppm	Zr_ppm	
OTM1008	OT08	45.780	47.990	2.210	153.1	289.2	28.4	101.3	18.6	2.3	16.3	2.7	16.7	3.2	9.1	1.3	8.7	1.3	102.362	755	16.4	145	165.5	750
OTM1008	OT08	66.300	68.300	2.000	119.6	241.2	25.7	99.3	20.6	2.7	19.8	3.2	19.6	3.8	10.3	1.4	8.7	1.2	124.333	702	19.5	180.5	230.0	843
OTM1008	OT08	90.600	92.000	2.000	174.8	353.6	37.7	144.0	28.0	3.3	24.1	3.9	23.4	4.4	12.6	1.7	12.1	1.7	131.445	957	24.2	204	174.0	1090
OTM1009	OT09	28.030	29.030	1.000	76.7	175.7	17.1	66.7	12.9	2.6	11.1	1.7	10.1	1.8	5.0	0.7	4.6	0.6	57.277	445	11.7	57.9	178.0	485
OTM1009	OT09	29.030	29.530	5.000	313.2	889.7	75.2	298.5	66.0	9.2	71.8	14.4	102.4	22.1	69.6	10.9	81.2	11.5	708.66	2545	245.0	523	362.0	10900
OTM1009	OT09	29.530	31.530	2.000	293.3	586.7	61.3	231.5	44.7	6.5	40.0	6.6	41.2	8.0	22.7	3.1	20.6	2.8	266.7	1635	50.4	289	362.0	2150
OTM1009	OT09	31.530	32.970	1.440	823.4	1610.1	163.8	609.8	109.3	13.2	91.3	15.4	96.1	18.3	49.6	5.9	32.8	3.9	506.73	4150	57.6	514	338.0	2620
OTM1009	OT09	32.970	34.400	1.430	432.8	839.6	85.8	317.2	57.5	7.1	50.2	7.8	47.1	8.9	25.0	3.5	23.6	3.3	267.97	2177	62.1	412	281.0	2780
OTM1009	OT09	34.400	35.020	0.620	234.0	466.1	48.9	186.0	37.0	4.7	31.4	5.0	30.2	5.6	15.5	2.0	12.8	1.8	187.96	1269	24.1	237	732.0	1240
OTM1009	OT09	35.020	37.020	2.000	383.6	738.9	75.5	271.7	47.2	5.5	38.0	6.1	38.9	7.0	19.3	2.5	16.3	2.2	224.79	1875	39.6	331	310.0	1800
OTM1009	OT09	37.020	39.020	2.000	415.2	785.7	80.6	289.2	50.8	6.1	42.2	6.5	38.3	7.1	19.4	2.6	17.3	2.4	230.505	1994	38.2	480	314.0	1600
OTM1009	OT09	39.020	39.380	0.360	543.1	1027.0	107.6	399.6	61.6	7.3	48.3	7.0	42.9	8.6	24.7	3.8	22.7	3.2	279.4	2557	44.0	457	284.0	1820
OTM1009	OT09	39.380	41.380	2.000	319.1	623.0	67.7	237.9	46.5	6.0	40.8	6.5	38.5	7.7	22.1	3.5	21.0	3.0	242.57	1686	51.8	371	296.0	2040
OTM1009	OT09	41.380	43.690	2.310	336.7	678.0	72.4	249.5	50.1	6.5	45.4	7.7	46.3	9.1	24.0	3.2	18.0	2.5	288.29	1838	43.6	317	327.0	1790
OTM1009	OT09	43.690	45.330	1.640	200.0	366.5	38.4	131.8	24.8	3.6	24.1	4.2	28.5	6.6	21.7	3.9	26.9	4.3	208.28	1093	167.5	229	275.0	6050
OTM1009	OT09	45.330	46.720	1.390	124.3	244.7	27.4	98.9	20.6	3.7	20.9	3.7	22.7	4.8	15.0	2.6	17.8	2.9	139.065	749	76.0	169	364.0	3550
OTM1009	OT09	46.720	48.580	1.860	185.9	366.5	39.8	141.7	26.3	3.9	21.5	3.0	15.8	3.0	8.5	1.3	8.5	1.4	95.504	923	60.5	201	443.0	2400
OTM1009	OT09	48.580	50.060	1.480	299.1	577.3	62.7	221.5	43.7	6.2	39.3	6.4	39.0	7.9	23.0	3.7	23.7	3.6	281.94	1639	83.9	379	263.0	3340
OTM1009	OT09	50.060	51.540	1.480	183.0	364.2	40.2	142.8	27.7	4.2	29.9	3.8	22.0	4.4	12.4	1.9	12.0	1.8	151.765	996	52.1	264	216.0	2000
OTM1009	OT09	51.540	51.850	0.310	41.4	94.3	11.6	43.7	8.6	1.8	6.6	0.9	5.0	0.9	2.6	0.4	2.4	0.3	33.909	254	9.1	37.5	312.0	358
OTM1009	OT09	51.850	52.340	0.490	486.8	850.1	88.1	274.0	39.1	4.9	24.8	3.1	15.4	2.7	11.1	1.2	6.2	0.9	92.075	1866	10.4	68.6	87.8	427
OTM1009	OT09	52.340	52.730	0.390	674.8	1698.0	169.7	551.5	78.6	9.0	51.8	7.4	41.8	8.5	25.9	4.3	25.4	3.3	312.42	3862	21.8	248	106.0	915
OTM1009	OT09	52.730	53.240	0.510	150.1	315.0	35.1	124.8	26.1	3.8	25.0	4.5	26.9	5.3	15.0	2.4	14.7	2.1	156.845	908	61.1	282	376.0	2240
OTM1009	OT09	53.240	54.060	0.820	205.9	432.1	48.3	174.3	36.9	5.1	34.6	5.9	35.2	7.0	19.8	3.2	19.4	2.8	203.2	1234	68.0	448	319.0	2620
OTM1009	OT09	54.060	56.060	2.000	287.4	560.9	62.4	225.0	41.2	5.3	33.4	4.8	26.9	5.2	14.3	2.2	13.3	2.0	162.56	1447	33.9	256	282.0	1310
OTM1009	OT09	63.000	65.000	2.000	163.0	330.2	37.2	134.1	26.2	3.3	23.2	3.7	21.4	4.3	12.1	1.9	12.1	1.9	136.525	911	57.8	216	406.0	2260
OTM1009	OT09	65.000	67.000	2.000	398.8	758.8	82.6	288.0	56.4	6.9	48.5	7.7	271.78	4.8	24.5	3.8	23.1	3.3	271.78	2028	64.8	507	411.0	2490
OTM1009	OT09	67.000	69.000	2.000	346.0	676.8	74.8	267.0	52.9	6.5	45.8	7.3	42.1	8.2	23.0	3.5	20.2	2.8	253.365	1830	50.0	387	277.0	2010
OTM1009	OT09	89.100	90.100	1.000	225.8	427.4	46.3	162.7	29.8	3.5	46.7	7.0	37.1	20.8	11.6	9.6	14	131.445	1104	33.8	219	281.0	1270	
OTM1010	OT10	63.450	64.120	0.670	163.6	327.9	37.0	130.6	25.6	3.0	22.4	3.8	22.7	4.6	13.4	2.1	12.6	1.8	132.08	903	34.6	219	172.5	1400
OTM1010	OT10	64.120	66.120	2.000	191.2	381.7	41.4	144.3	25.6	2.8	19.8	3.1	17.8	3.6	10.5	1.7	10.9	1.6	106.045	862	33.6	175.5	152.5	1400
OTM1011	OT11	13.750	14.900	1.150	366.0	777.5	84.8	292.7	49.3	5.2	37.6	5.4	28.6	5.6	13.9	2.1	11.8	1.6	178.555	1865	21.2	120	330.0	882
OTM1011	OT11	14.900	15.900	1.000	194.7	391.1	43.6	152.7	25.4	2.6	19.0	2.7	15.3	2.9	8.2	1.3	7.9	1.2	94.107	963	21.8	111	335.0	856
OTM1011	OT11	15.900	17.450	1.550	209.4	436.6	51.2	183.6	38.4	4.2	33.3	5.8	35.4	7.0	20.0	3.2	18.4	2.5	189.23	1237	79.0	406	171.5	2530
OTM1011	OT11	17.450	19.450	2.000	232.8	473.1	53.4	186.0	33.9	3.6	23.9	4.0	21.8	4.0	10.3	1.5	8.2	1.2	118.364	1178	19.3	162	395.5	779
OTM1011	OT11	19.450	21.450	2.000	197.1	393.5	43.5	152.2	26.9	2.9	21.2	3.2	17.5	3.2	8.5	1.2	6.9	1.0	106.68	985	19.2	123.5	395.0	816
OTM1011	OT11	21.450	23.200	1.750	178.3	368.3	40.5	141.7	25.3	2.5	18.7	2.8	15.8	3.0	8.2	1.3	7.6	1.1	94.361	899	24.6	145.5	210.0	881
OTM1011	OT11	23.200	25.200	2.000	246.3	509.4	58.1	207.0	36.3	3.7	28.5	4.1	22.3	4.2	11.3	1.7	10.2	1.4	128.905	1273	24.7	138	213.0	931
OTM1011	OT11	25.200	27.200	2.000	178.3	355.0	39.9	139.9	29.1	2.6	17.7	3.1	17.7	3.4	9.7	1.5	8.7	1.3	113.003	922	26.1	157	230.0	979
OTM1011	OT11	46.900	48.900	2.000	303.8	585.5	63.3	220.4	40.1	4.6	34.0	5.2	30.8	6.2	17.4	2.5	13.2	1.9	199.39	1528	46.2	275	256.0	1870
OTM1011	OT11	48.900	49.100	0.200	2392.9	3700.4	293.7	708.9	65.8	6.1	31.2	5.1	30.7	6.7	21.0	3.5	20.6	3.0	214.63	7504	67.4	325	256.0	3510
OTM1011	OT11	49.100	51.100	2.000	361.3	678.0	72.5	253.0	47.0	5.4	38.0	6.1	35.4	7.0	19.8	3.1	17.8	2.6	175.5	1763	59.6	317	339.0	2440
OTM1011	OT11	56.000	58.000	2.000	273.3	524.6	56.4	205.8	37.1	4.4	30.1	4.9	27.8	5.7	15.0	2.1	12.7	1.9	167.64	1369	38.4	255	389.0	1590
OTM1011	OT11	68.300	70.500	2.200	172.0	354.8	39.5	149.8	31.6	3.4	30.4	4.4	33.4	7.2	19.7	2.8	16.8	2.4	203.835	1075	63.1	304	238.0	2700
OTM1012	OT12	6.600	8.000	1.400	158.4	298.6	31.4	112.8	19.9	2.5	14.0	2.3	12.9	2.7	6.9	1.0	6.3	1.0	79.883	749	14.6	107	196.0	609
OTM1012	OT12	8.000	8.500	0.500	101.9	207.3	22.9	87.5	16.2	2.5	14.0	2.3	12.9	2.9	7.6	1.1	7.0	1.1	90.043	578	1			