

PAN CONCENTRATE SAMPLES RETURN HIGH-GRADE RARE EARTHS AT SANDY MITCHELL

HIGHLIGHTS

HIGH-GRADE RARE EARTHS AND HEAVY MINERALS RECOVERED IN PAN CONCENTRATE

- A single panned concentrate sample using XRF technology returns <u>29% TREO</u>; significantly exceeds historical grades first reported in late March 2023 and importantly validates historical sampling
- High levels of neodymium praseodymium (NdPr) with NdPr ratio recorded of up to 24% of Total Rare Earth Oxides (TREO)
- Heavy Minerals also present in sample including 11.2% Titanium dioxide (TiO₂) and 17% Zirconium dioxide (ZrO₂)
- Sample was taken from surface sand at Sandy Mitchell, within the area where Ark is presently drilling, has confirmed high grade rare earths and heavy metals in a pan concentrate
- Pan concentrate samples have been collected from every completed metre drilled; rare earth elements and heavy minerals are visually evident in all samples from first 1,000m of drilling

PHASE 1 SANDY MITCHELL DRILL PROGRAM ADVANCING WELL

- ~1,000m of Phase 1 drill program now been completed, with REE mineralisation visible at end-of-hole (15-18m) in the target area; 5 days of drilling remains
- Mineralisation is more than 2x the depth encountered historically
- Assay results from drilling and ongoing test work will form the basis of a Maiden Mineral Resource Estimate (MRE) under the
 2012 JORC code
- Rare Earths at 'Sandy Mitchell' are amenable to panning a concentrate with low-cost, fast start up, straightforward beneficiation by gravity processing

CAUTIONARY STATEMENT

This panned concentrate assay was taken from one surface sample location only, Image 1 and Figure 1.

Ark Mines Ltd (ASX: AHK, "Ark" or the "Company") is pleased to confirm that a panned concentrate assay produced last week at the Company's 100%-owned Sandy Mitchell rare earths and heavy minerals project in North Queensland has returned exceptionally high grades as highlighted above. The X-Ray Fluorescence (XRF) assay was completed by Southern Gold Coast Laboratories, part of Currumbin Minerals at their labs in Queensland.

These result builds on the previously reported historical test work undertaken by Japan Organization for Metals and Energy Security ('JOGMEC') which completed extensive sampling and mineralogical investigation at the Sandy Mitchell Rare Earths Project in 2010 (see ASX release: 28 March 2023).

Concentrate samples are being collected for every metre drilled and each will be assayed for rare earths and heavy minerals. Ark is pleased to confirm that in all samples collected to date, from the first 1,000 metres drilled, rare earths and heavy minerals are visually present and assay results will determine the grade of mineralisation and the NdPr ratio in each.

Ark is also pleased with the progress of its Phase 1 Air Core drill program currently underway at Sandy Mitchell. 1,000 metres have been drilled with the program expected to continue for the next five days. Drilling is centred on the area where JOGMEC focused its activities and new areas previously not drilled, also prospective for rare earths and heavy minerals, are being targeted. Ark is pleased to confirm that the current drill program is intersecting rare earths and heavy minerals in sands down to ~18 metres which is more than double the depth drilled historically. This gives the Company great confidence that the project is of much greater scales than first envisaged.

Executive Chairman Roger Jackson said: "These results are highly encouraging, with this sample delivering exceptionally high-grade rare earths and a high NdPr ratio. The pan concentrate sample improves on the results that we have identified from the historical data which gives us much greater confidence in the project. We are sampling every metre that we drill and, while the XRF result is pleasing, more extensive and multiple assays are planned.

"Also noteworthy is the progress of the drill program which is delivering beyond our expectations. Historical programs identified material down to approximately 8 metres and we are witnessing depths of more than double this, so the potential scale of the project could be much larger. We expect the drill program to continue for another five days testing areas where historical drilling was undertaken as well as new areas of interest which are yet to be drilled. At over 140km² with an additional 138km² of sub blocks under application adjoining the project, Sandy Mitchell has massive potential."



Image 1: Sandy Mitchell pan concentrate sample location.

Table 1 Single sample assay results for surface sample at Sandy Mitchell.

	Component		Al203	CaO	CeO2	Cr2O3	Dy2O3	Fe2O3	Gd2O3	HfO2	La2O3	MgO	MnO	Nd2O3
닏	Chillagoe Sand	mass %	0.882	0.532	13.895	0.027	bdl	10.181	0.602	0.325	6.226	0.171	0.241	5.362
	Component		P2O5	Pr6O11	PbO	SiO2	Sm2O3	SrO	TiO2	ThO2	U3O8	Y2O3	ZnO	ZrO2
	Chillagoe Sand	mass %	14.11	1.441	0.147	12.639	0.746	bdl	11.253	2.69	0.117	0.911	0.014	17.035

Table 2: Surface Sample Location.

Surface Sample Location										
N MGA 94z54	E MGA 94z55									
54K0813318	8193276									

Figure 1: Location of Sample taken for panning. Proposed drill program for Sandy Mitchell. Focussed area in red





Figure 2: Location of high-grade Pan Concentrate samples which define follow-up exploration targets:



For further information please contact:

Roger Jackson Executive Chairman info@arkmines.com.au

Ben Emery Executive Director info@arkmines.com.au

Released through: Ben Jarvis, Six Degrees Investor Relations, +61 413 150 448

Or visit our website and social media <u>www.arkmines.com</u> | <u>www.twitter.com/arkmineslimited</u>

About Ark Mines Limited

Ark Mines is an ASX listed Australian mineral exploration company focused on developing its 100% owned projects located in the prolific Mt Garnet and Greenvale mineral fields of Northern Queensland. The Company's exploration portfolio consists of three high quality projects covering 200km² of tenure that are prospective for copper, iron ore, nickel-cobalt and porphyry gold:

Gunnawarra Nickel-Cobalt Project

- Comprised of 11 sub-blocks covering 36km²
- Borders Australian Mines Limited Sconi project most advanced Co-Ni-Sc project in Australia
- Potential synergies with local processing facilities with export DSO Nickel/Cobalt partnership options

Mt Jesse Copper-Iron Project

- Project covers a tenure area of 12.4km² located ~25km west of Mt Garnet
- Centered on a copper rich magnetite skarn associated with porphyry style mineralization
- Three exposed historic iron formations
- Potential for near term production via toll treat and potential to direct ship

Pluton Porphyry Gold Project

- Located ~90km SW of Cairns near Mareeba, QLD covering 18km²
- Prospective for gold and associated base metals (Ag, Cu, Mo)
- Porphyry outcrop discovered during initial field inspection coincides with regional scale geophysical interpretation

Sandy Mitchell Rare Earth and heavy Mineral Project

- Ark has recently Acquired the 147km² EPM 28013 'Sandy Mitchell' an advanced Rare Earths Project in North Queensland with additional 138km² of sub blocks under application
- √Very high historical TREO grades^{*} including high grade pan concentrates of:
 - o 18.4% TREO
 - o 17.4% TREO
 - 15.8% TREO
 - 15.3% TREO
 - o 12.3% TREO
 - 9.4% TREO4.7% TREO
 - o 3.3% TREO
- Project contains all critical Light Rare Earths as well as Heavy Rare Earths including dysprosium (Dy), terbium (Tb), holmium (Ho), erbium (Er), thulium (Tm) ytterbium (Yb), yttrium (Y) and excluding only Lutetium
- Up to 25% of the TREO is Nd and Pr (magnet metals)
- Rare Earths at 'Sandy Mitchell' are amenable to panning a concentrate; Planned low-cost, fast start up, straightforward beneficiation by gravity processing

Reliance on historic data

All sample data reported in this release, as disclosed in the body of the release, in the tables in the Appendix and in the JORC table is based on data compiled by the Competent Person from other sources and quoted in their original context. These sources have been referenced in the text and the original Competent Persons statements may be found with the relevant documents. Some of this information is publicly available but has not been reported in accordance with the provisions of the JORC Code and a completed Table 1 of the JORC Code and Competent Persons statement is attached to this Release. Whilst every effort has been made to validate and check the data, these results should be considered in the context in which they appear and are subject to field verification by the Company.

Cautionary Statement

The panned concentration samples were taken by Stuart Foster. And the reported assay results supplied to MKY Resources Ltd and Delminco Pty Ltd (2007 to 2009). Stuart Foster, the present owner of the tenement has supplied a hard copy of the panned concentrate results to Ark. Mr Foster has also supplied a statement pertaining to the sampling procedures undertaken. There is however some information which is not available, and cannot be included in the Table 1. Sample results were sent to SGS Townsville for assaying the assay technique is yet to be determined and the assay receipts have not been sited. It is possible that following further evaluation and/or exploration work that the confidence in the prior exploration results may be reduced when reported under the JORC Code 2012. However, nothing has come to the attention of Ark that causes it to question the accuracy or reliability of S Fosters exploration results. The Company however has not independently validated the former explorers exploration results and therefore is not to be regarded as reporting, adopting or endorsing those results.

Competent Persons Statement

The Information in this report that relates to exploration results, mineral resources or ore reserves is based on information compiled by Mr Roger Jackson, who is a Fellow of the Australian Institute of Mining and Metallurgy and a Fellow of the Australasian Institute of Geoscientists. Mr Jackson is a shareholder and director of the Company. Mr Jackson has sufficient experience which is relevant to the style of mineralisation and type of deposits under consideration and to the activity that he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the `Australian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves' (the JORC Code). Mr Jackson consents to the inclusion of this information in the form and context in which it appears in this report. Mr Jackson confirms information in this market announcement is an accurate representation of the available data for the exploration areas being acquired.

Forward Looking Statements and Important Notice

This report contains forecasts, projections and forward-looking information. Although the Company believes that its expectations, estimates and forecast outcomes are based on reasonable assumptions it can give no assurance that these will be achieved. Expectations and estimates and projections and information provided by the Company are not a guarantee of future performance and involve unknown risks and uncertainties, many of which are out of Vertex Minerals' control.

Actual results and developments will almost certainly differ materially from those expressed or implied. Vertex Minerals has not audited or investigated the accuracy or completeness of the information, statements and opinions contained in this announcement. To the maximum extent permitted by applicable laws, Ark Mines makes no representation and can give no assurance, guarantee or warranty, express or implied, as to, and takes no responsibility and assumes no liability for the authenticity, validity, accuracy, suitability or completeness of, or any errors in or omission from, any information, statement or opinion contained in this report and without prejudice, to the generality of the foregoing, the achievement or accuracy of any forecasts, projections or other forward looking information contained or referred to in this report.

Investors should make and rely upon their own enquiries before deciding to acquire or deal in the Company's securities.

Appendix A: JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

(Criteria in this section apply to all succeeding sections.) Criteria **JORC Code explanation** Commentary Sand Sample taken by hand digging with a geo pick and a Sampling Nature and quality of sampling (eg cut small spade. The sample was approximately 1kg. techniques channels, random chips, or specific specialised industry standard measurement tools Soil/sand sample were panned to yield a heavy mineral appropriate to the minerals under concentrate. The panned residual material was placed investigation, such as down hole gamma in calico sample bag and sent to Southern Gold Coast sondes, or handheld XRF instruments, etc). Laboratories for assaying. These examples should not be taken as The sample taken was assayed using limiting the broad meaning of sampling. assaying techniques only. *Include reference to measures taken to* ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Data taken from W. Scott and Partners EPM18308 2014 Aspects of the determination of Annual Report CR075376 mineralisation that are Material to the Public Report. **Augur Sampling** In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain Auger programme, using 6m auger 1 m samples from which 3 kg was pulverised Total soils were collected by hand from the collar to to produce a 30 g charge for fire assay'). In give a composite sample of 5m or depth of refusal, other cases more explanation may be Sample was split by 25/75 riffle splitter to yield a 3 to 4 required, such as where there is coarse gold kg aliquot per hole that has inherent sampling problems. Unusual commodities or mineralisation types Data provided by Stuart Foster and pertaining to the panned (eg submarine nodules) may warrant concentration samples. disclosure of detailed information. Stream and soil samples were panned to yield a heavy mineral concentrate. The panned residual material was placed in calico sample bags and sent to SGS for assaying. Drilling Drill type (eg core, reverse circulation, open-**Augur Samples** techniques hole hammer, rotary air blast, auger, Bangka, **Augur Drilling** sonic, etc) and details (eg core diameter, 6 inch diameter triple or standard tube, depth of diamond 5m depth tails, face-sampling bit or other type, whether Vertical hole core is oriented and if so, by what method, etc). **Panned Concentrates** No drilling undertaken Drill sample Method of recording and assessing core and **Augur Samples** recovery chip sample recoveries and results assessed. Recoveries were not recorded. Measures taken to maximise sample recovery Relationships between sample recovery and grade could and ensure representative nature of the not be determined without original sample weight data, samples. however the CP does not believe a material relationship Whether a relationship exists between sample exists given it was Augur sampling. Short hole auger recovery and grade and whether sample bias soil sampling is not known to cause significant material may have occurred due to preferential fractionation as might be expected with RAB or RC loss/gain of fine/coarse material. techniques.

		Panned Concentrates
		No drilling undertaken
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	Augur Samples Samples were not logged Total Counts per second were taken Panned Concentrates Not logged
Sub-sampling techniques and sample preparation Quality of assay	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. The nature, quality and appropriateness of 	 Augur Samples Samples were composited over the full length of the Augur depth. Total soils were collected progressively by hand from the collar to give a composite sample of 5m or depth of refusal, Sample was split by 25/75 riffle splitter to yield a 3 to 4 kg aliquot per hole. The samples size are appropriate to the grain size of the material sampled: Sand to very fine sand. Panned Concentrates No compositing undertaken The sample size would be appropriate to the grain size of the material sampled. Sand to very fine sand.
data and laboratory tests	the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	 Augur Samples Drill samples were sent to SGS Laboratories Townsville. Aliquots were collected from the splitter in calico sample bags and submitted to SGS Townsville for assay by ICPOES Duplicate samples were produced at a rate of 1 in 13 and assayed. Twin auger holes were drilled at a rate of 1 in 100 with sample and assay as per other holes. The laboratory procedure was SGS ICP95A for major elements and IMS41Q for REE. Panned Concentrates The samples were sent to SGS Laboratories Townsville. The laboratory procedure was SGS ICP95A for major elements and IMS41Q for REE. Duplicate samples were taken Refer to the panned concentrate table. Panned Concentrates from Sand sample in May The samples were sent to Southern Gold Coast Laboratories Sample was tested by XRF The following were not assayed or reported Lu, Tb, Eu, Tm, Yb. Er TREO (Total Rare Earth Oxide) will normally include = La2O3 + Ce2O3 + Pr2O3 + Nd2O3 + Sm2O3 + Eu2O3 +

Gd2O3 + Tb2O3 + Dy2O3 + Ho2O3 + Er2O3 + Tm2O3 + Yb2O3 + Y2O3 + Lu2O3.

 The Ark Panned Concentrate TREO contains. La2O3 + Ce2O3 + Pr2O3 + Nd2O3 + Sm2O3 + Gd2O3 + Ho2O3 + Y2O3

Verification of sampling and assaying

- The verification of significant intersections by either independent or alternative company personnel.
- The use of twinned holes.
- Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.
- Discuss any adjustment to assay data.

Augur Samples

- The work was undertaken by others.
- There is no way of verifying the sampling or the data other than observation of its spatial relationships and internal consistency.
- Assay data yielding elemental concentrations for rare earths (REE) within the sample are converted to their stoichiometric oxides (REO) in a calculation performed within the database using the conversion factors in the table below.
- Rare Earth oxide is the industry accepted form for reporting rare earths. The following calculations have been used for reporting throughout this report;

TREO = La203 + Ce02 = Pr6O11 + Nd2O3 + Sm2O3 + Eu2O3 + Gd2O3 + Tb4O7 + Dy2O3 + Ho2O3 + Er2O3 + Tm2O3 + Yb2O3 + Lu2O3+ Y2O3

CREO = Nd2O3 + Eu2O3 + Tb4O7 + Dy2O3 + Yb2O3

LREO = La203 + Ce02 = Pr6O11

HREO = Sm2O3 + Eu2O3 + Gd2O3 + Tb4O7 + Dy2O3 + Ho2O3 + Er2O3 + Tm2O3 + Yb2O3 + Lu2O3+ Y2O3

ND/Pr = Nd2O3 + Pr6O11

TREO - Ce = TREO - CeO2

%NdPr + NdPr/TREO

Element Name	Element Oxide	Oxide Factor						
Ce	CeO2	1.2284						
Dy	Dy2O3	1.1477						
Er	Er2O3	1.1435						
Eu	Eu2O3	1.1579						
Gd	Gd2O3	1.1526						
Но	Ho2O3	1.1455						
La	La2O3	1.1728						
Lu	Lu2O3	1.1371						
Nd	Nd2O3	1.1664						
Pr	Pr6O11	1.2081						
Sc	Sc2O3	1.5338						
Sm	Sm2O3	1.1596						
Tb	Tb407	1.1762						
Th	ThO2	1.1379						
Tm	Tm2O3	1.1421						
U	U308	1.1793						
Υ	Y2O3	1.2699						
Yb	Yb2O3	1.1387						

Panned Concentrates

- The work was undertaken by others.
- There is no way of verifying the sampling or the data other than observation of its spatial relationships and internal consistency.

Panned May Sand Sample Concentrates

 The work was undertaken by Ark Directors and Arks Consultants .

Location of data points

- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.
- Specification of the grid system used.
- Quality and adequacy of topographic control.

Augur Samples

- All collar coordinates were located with hand held GPS with an accuracy of ±5m.
- All coordinates were converted from WGS84 UTM z 54, to MGA94 z 54 by the GPS.
- Current topographic control is by AGSO DEM derived 10m contours which are of greater accuracy than the ±50m available from hand held GPS. This is sufficient for the current stage of pre-resource exploration.

Panned Concentrates and May Sand Sample

- All collar coordinates were located with hand held GPS with an accuracy of ±5m.
- All coordinates were converted from WGS84 UTM z 54, to MGA94 z 54 by the GPS.
- Current topographic control is by AGSO DEM derived 10m contours which are of greater accuracy than the ±50m available from hand held GPS. This is sufficient for the current stage of pre-resource exploration.

Data spacing Data spacing for reporting of Exploration **Augur Samples** and distribution Results. Whether the data spacing and distribution is Augur drilling was undertaken over three E-W fences of auger holes approximately each 9 km long sufficient to establish the degree of geological and grade continuity appropriate for the Hole spacings at approximately 250 metres. Mineral Resource and Ore Reserve estimation Samples were composited at the sampling stage. procedure(s) and classifications applied. These factors result in some data gaps that require infill. Whether sample compositing has been Variography to determine appropriateness of grade applied. continuity for resource estimation has not yet been carried out but the current spacing is not expected to support resource estimation. No resource or reserve is reported. Panned Concentrates Samples were taken randomly in areas with a high radiometric reading. No resource or reserve is reported. Orientation of Whether the orientation of sampling achieves **Augur Samples** data in relation unbiased sampling of possible structures and Drill holes were drilled vertically which is appropriate for to geological the extent to which this is known, considering horizontal regolith profile. structure the deposit type. Any sampling bias resultant from the orientation of drilling If the relationship between the drilling and possible structural offsets of mineralisation is orientation and the orientation of key considered to be minimal. mineralised structures is considered to have The fence of augur holes running east west cross the North introduced a sampling bias, this should be south alluvial patterns. assessed and reported if material. The orientation of the drilling is considered appropriate for testing the lateral and vertical extent of mineralisation without any bias. Panned Concentrates The sampling is random There is no relationship of sampling to mineralisation orientation Sample security The measures taken to ensure sample Samples were farmed on the remote site with batches transported and delivered to SGS by security. company personnel. **Audits or reviews** The results of any audits or reviews of Data was audited in mid Feb 2023 by independent sampling techniques and data. geologists of Empirical Earth Science. The data was found to be acceptable for the current stage of exploration with recommendation that the original assay returns and laboratory QAQC be sourced from the previous owner or SGS Townsville.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, 	 EPM 28013 Sandy Mitchell is 100% owned by Ark Mines Limited. It was purchased on the 23rd of February 2023. This tenement was formally EPM18308 There are no third party agreements No known issues impeding on the security of the tenure of

Criteria	JORC Code explanation	Commentary
	 wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	Ark Mines ability to operate in the area exist.
Exploration done by other parties	 Acknowledgment and appraisal of exploration by other parties. 	A number of companies and individuals have explored the area for gold and base metals and for heavy minerals. The summaries presented below are from the IRTM source:
		• ATP 597M was granted to Laskan Minerals Pty Ltd in 1969 over the Reid Creek area, north of the Mitchell River. From assays of rock chip and stream sediment samples, it was concluded that there was little chance of economic mineralisation occurring in the Authority. Although good monazite grades were obtained, the samples were from creeks with little available wash. Good concentrations of monazite and ilmenite were present in large areas of sandy, alluvial sheet wash in the Reid's Creek area. It was believed that there was a potential for economic exploitation if the monazite concentrations occurred in a large enough volume of sandy material. No further work was reported.
		• In 1970, Altarama Search Pty Ltd was granted ATP 833M over the Mitchell River in the Reid Creek, Sandy Creek and Mount Mulgrave Homestead area. Four hundred stream sediment samples, at an average density of 1.25 samples/km², were collected for assay. Copper and lead contents were low. Half of the zinc results were considered to be possibly anomalous. A two population distribution was obtained for zinc, with a standard threshold of about 15 ppm. It was suggested that the two population distributions represented normal background ranges present in different strata. No other work was carried out.
		• ATP 2580M was granted to Tacam Pty Ltd over Sandy Creek and its tributaries. Stream sediment samples averaged 0.18% monazite (0.01 to 0.45%), 0.07% rutile (0.15% in terraces), and 0.06% zircon (0.14% in terraces). The area had low economic potential and the Authority was abandoned in August 1981.
		• The principals involved in Tacam Pty Ltd combined with Metcalfe Holdings Pty Ltd in 1986 to take up 4 Authorities to Prospect - 4400,4401,4402 and 4403 centred on Mt Mulgrave, Arkara Creek, Sandy Creek and the Kennedy River respectively. The investigations were for the possibility of locating large-scale heavy minerals in association with major drainages and lower slope eluvial deposits associated with Cretaceous weathering as indicated in previous investigations. EPM 4400, 4401, 4402 and 4403
		• Barron and O'Toole focused on Mt Mulgrave for Ilmenite, rutile, REE, Monzonite, Zircon, and Gold.Tenement EPM 4400 consisted of 96 sub-blocks centred on Mount Mulgrave (7665, 7765), EPM 4401 consisted of 97 sub-blocks centred on Arkara Creek (7665), EPM 4402 consisted of 100 sub-blocks centred on Sandy Creek (7665) and EPM 4403 consisted of 86 sub-blocks centred on Kennedy River (7666, 7766) were granted to P.T.C. Barron, A. O'Toole and Metcalfe Holdings Pty Ltd on 22 September 1986 to explore for heavy minerals and precious metals. After three years of exploration the EPMs were surrendered on 22 August 1989.

		 Tenement EPM 10185 consisted of 157 sub-blocks was granted to Palmer Gold Pty Ltd on 25 October 1994 for an initial 2 year period. The exploration permit was renewed for a further 3 years on 25 October 1996 and surrendered on 3 October 2001. The tenement was situated 200km west of Cooktown. Rationale Significant gold-silver, tin and base metal deposits are known from the Georgetown and southern Dargalong Inliers to the south of EPM 10185 (e.g. Etheridge, Croydon and Oaks goldfields), from the Hodgkinson Province to the east (e.g. Palmer, Hodgkinson, Russell River, Starcke, Jordon Ck, Mareeba and Mount Peter goldfields, and Herberton-Mt Garnet tinfield), and the Coen Inlier to the north (e.g. Alice River & Potallah goldfields). However, other than brief reference to sub-economic alluvial gold occurrences near the junction of the Palmer and Mitchell Rivers, and in the Staaten, Lynd and Walsh Rivers (Culpeper 1993), no precious or base metal deposits are known to occur within rocks of the Yambo Inlier. Application for the area was made after structural interpretation of the region showed prospectivity for gold occurrence. Base metal anomalies delineated from previous exploration were also targeted for follow-up work. In 2007 exploration activity was carried out by BHP Billiton Minerals Pty Ltd under an extremely large area (2,850 sub-blocks) of the Coen Yambo area from 2005 to 2007. EPM's 14438 and 14445 covered the majority of the Yambo Inlier. BHP targeted Ni sulphide and PGM and carried out AEM surveying, field mapping and sampling and drilling. The AEM targets were found to be related to sedimentary lithological units or obvious shear zones. In 2007 - 2009 - MTY Resources Ltd undertook bulk sampling program as reported in this report. In 2012 Waverley Nominees undertook an Augur sampling program as set out in this report
Geology	 Deposit type, geological setting and style of mineralisation. 	The tenement covers portion of the southern extent of the Yambo Inlier, one of the several Proterozoic inliers to the west of the Palmerville Fault System. Rocks of the Yambo Inlier covered by the tenement comprise those of the middle Proterozoic Yambo Metamorphic Group of mainly amphibolites and gneisses ranging in age from ~1690 Ma

Criteria	JORC Code explanation	Commentary
		Devonian granites of the Lukinville Suite which form an integral part of the Cape York Batholith. Within the tenement they form a belt roughly 10 km wide trending NNW. Extensive intrusions of Carboniferous-Permian dolerites occur throughout the Inlier, with only a few occurrences within the tenement. The tenement is largely gold deficient except for the gold reporting to sediments within the Palmer River. Recent Governmental radiometric surveys have highlighted areas of anomalous radiometric emission within the Yambo Inlier. The project tenements cover the majority of the anomalous radiometric areas. There are many stream systems within the Mulgrave/Sandy Mitchell tenements and they contain concentrations of rare earth minerals. These minerals have been derived from the now denuded remnant Jurassic-Cretaceous sandstone-pebble conglomerates and quartz sandstones, with the greater volumes being associated with the breakdown of the Mesoproterozoic basement rocks. Isolated areas of high garnet concentrations are derived from irregular zones of highly garnetiferous dolerites and schists.
Drill hole Information	 A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	Augur Samples Refer to Table in Appendices C Panned Concentrate Refer to Table in Appendices B
Data aggregation methods	 In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. 	 No high or Low-grade top/bottom-cut has been applied. The total data set is reported in Appendix C REE Equivalent TREO (total REE oxides) is reported as this is the industry standard for presentation of REE data. Stoichiometric calculation of REE oxide equivalents were performed in units of ppm, with TREO, LREO (light REE oxides), HREO (heavy REE Oxides), CREO (critical REE oxides) and Mag REO (magnet production REE oxides), as per Table 1 page 2 and 3, yielding these factors as concentrations and percentages of TREO concentration.

Panned Concentrates

• The assumptions used for any reporting of

metal equivalent values should be clearly

Criteria	JORC Code explanation	Commentary
	stated.	The total data set is reported in Appendix X
Relationship between mineralisation widths and intercept lengths	 These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	 Augur Samples All holes sample assays are based on sampling of the whole hole length. The mineralisation is interpreted to be flat lying and drilling is vertical perpendicular to mineralisation. Any internal variations to REE distribution within the horizontal layering was not defined, therefore the true width is considered not known at the current stage of development.
		Not relevant to soil samples
Diagrams	 Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	• See plan image 1 and Figure 2.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	 Results reported include all recovered assay, both low and high grade, for all holes. See Appendix B and C for full data.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	 All data material to this report that has been collected to date has been reported textually, graphically or both. Absent material data includes, Drill collar RLs, bulk density, the nature, quality and appropriateness of the assaying and laboratory procedures, water table height and geotechnical characteristics is absent from the historical data record recovered so far, and current data is still undergoing analysis. These data are not relevant to the current pre-resource drill data release.
Further Work	The nature and scale of planned further work.	Ark plans to undertake further infill Augur drilling, further beneficiation test work, pilot plant test work. Resourcing and resorge studies.

reserve studies.

Appendix B: Panned Concentrate Table

E MGA94z54	N MGA94z54	Samp Type	TREO	LREO	HREO	CREO	Mag Reo	Sc ₂ O ₃	La ₂ O ₃	CeO ₂	Pr ₆ O ₁₁	Nd ₂ O ₃	Sm ₂ O ₃	Eu ₂ O ₃	Gd ₂ O ₃	Y ₂ O ₃	Tb ₄ O ₇	Dy ₂ O ₃	Ho ₂ O ₃	Er ₂ O ₃	Tm ₂ O ₃	Yb ₂ O ₃	Lu ₂ O ₃	Note
			ppm	%	%	%	%	ppm	%	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
813624	8195067	Pan Con	153,969	95.4	4.6	23.7	25.9	225.5	3.26	7.10	8,288	2.9976	4,650	120.4		4,749	349.3	1,285	174.1	354.5	29.7	160.56		
808124	8196989	Pan Con	94,180	95.5	4.5	23.1	25.3	220.9	2.05	4.34	5,014	1.7846	2,876	88.5		2,806	197.6	797	103.8	215.0	19.6	109.77		
808125	8196989	Pan Con	17,554	91.1	8.9	25.5	24.3	309.8	0.35	0.76	887	0.3126	513	25.5		1,062	46.6	211	37.1	99.0	13.6	90.185		twin
807601	8195835	Pan Con	47,376	95.0	5.0	23.7	25.6	123.0	1.02	2.16	2,525	0.904	1,450	56.0		1,549	120.0	457	58.2	114.4	9.7	50.786		
812239	8195625	Pan Con	174,126	95.9	4.1	23.0	25.6	171.8	3.75	8.11	9,351	3.3359	5,369	135.5		4,661	407.0	1,400	173.0	335.0	25.9	133.23		
812239	8195625	Pan Con	17,929	90.6	9.4	26.1	24.6	300.6	0.35	0.77	904	0.3231	525	24.0		1,156	47.0	220	39.7	109.0	15.0	100.21		twin
812274	8195859	Pan Con	184,777	95.8	4.2	23.1	25.6	199.4	3.99	8.59	9,895	3.5459	5,624	162.1		5,029	441.1	1,515	184.4	355.6	28.1	144.61		
810407	8190286	Pan Con	158,691	95.8	4.2	22.7	25.2	170.3	3.48	7.37	8,518	2.9743	4,859	143.6		4,407	381.1	1,308	162.7	313.3	24.3	125.26		
810407	8190286	Pan Con	30,334	93.8	6.2	24.4	25.3	233.1	0.63	1.36	1,583	0.5715	914	36.6		1,261	74.9	304	45.0	107.0	12.6	79.14		twin
810408	8190286	Pan Con	123,058	95.7	4.3	22.8	24.7	135.0	2.73	5.72	5,932	2.3211	3,792	118.1		3,467	297.6	1,002	131.7	268.7	19.8	112.73		duplicate
Total REE Ovide	os = Sc () +1	2 O + CoO + E	Pr∩ + Nd	O + Sm C) + Fu O	+ 64 0 +	V O + Th O	+ Dv O	+ Ho O	+ Fr () +	Tm () +	Vh ∩ +	Lu O (ii	ncludes 9	c & V)									
		a2O3 · CCO2 · 1	16011 . 140	103 1 311120	73 · Lu ₂ O ₃	. 00203 .	1203 1 1040	7 . 57203	1110203	. 11203 .	1111203 1	10203 .	Lu ₂ O ₃ (II	ilciuucs .										
		20 1000 10	or O I Nid	0 15 00 0		. Cd O /	includes Cal																	
-		a ₂ O ₃ + CeO ₂ + P	1 ₆ U ₁₁ + Nu ₂	U ₃ + 3111 ₂ U	13 + EU2U3	+ Gu ₂ O ₃ (iliciuues sc)																	
		0 ₄ O ₇ + Dy ₂ O ₃ + I	HO ₂ O ₃ + Er ₂ i	0 ₃ + Tm ₂ O	3 + Yb2O3 +	+ Lu ₂ O ₃ (ir	icludes Y)																	
Critical REE Oxi	$des = Nd_2O_3$	+ Eu2O3 + Y2O3	+ Tb ₄ O ₇ + E	Oy ₂ O ₃ (US	Dept' Ene	rgy Definit	ion)																	
Magnet Produ	ction REE Oxide	es = Pr ₆ O ₁₁ + I	Nd ₂ O ₃₊ Tb ₄	O ₇ + Dy ₂ O ₃																				
	813624 808124 808125 807601 812239 812239 812274 810407 810408 Total REE Oxide NB: Gd & Lu n Light REE Oxide NB: Gd not as Total REE Oxide NB: Gd not as	813624 8195061 808124 8196981 808125 8196981 807601 8195831 812239 8195622 812239 8195622 812274 8195852 810407 8190286 810407 8190286 810408 8190286 Total REE Oxides = Sc ₂ O ₃ + L NB: Gd & Lu not asayed Light REE Oxides = Sc ₂ O ₃ + T NB: Gd not asayed Total REE Oxides = V ₂ O ₃ + T NB: Lu not asayed Critical REE Oxides = Nd ₂ O ₃	813624 8195067 Pan Con 808124 8195989 Pan Con 808125 8196989 Pan Con 807601 8195835 Pan Con 812239 8195625 Pan Con 812239 8195625 Pan Con 812274 8195859 Pan Con 810407 8190286 Pan Con 810407 8190286 Pan Con 810408 8190286 Pan Con Total REE Oxides = Sc ₂ O ₃ + La ₂ O ₃ + CeO ₂ + F NB: Gd & Lu not asayed Total REE Oxides = Y ₂ O ₃ + Tb ₂ O ₇ + Dy ₂ O ₃ + INB: Lu not asayed Critical REE Oxides = Nd ₂ O ₃ + Eu ₂ O ₃ + P ₂ O ₃ + INB: Lu not asayed Critical REE Oxides = Nd ₂ O ₃ + Eu ₂ O ₃ + Y ₂ O ₃ + INB: Lu not asayed Critical REE Oxides = Nd ₂ O ₃ + Eu ₂ O ₃ + P ₂ O ₃ + INB: Lu not asayed Critical REE Oxides = Nd ₂ O ₃ + Eu ₂ O ₃ + P ₂ O ₃ + INB: Lu not asayed	813624 8195067 Pan Con 153,969 808124 8195089 Pan Con 94,120 808125 8196989 Pan Con 17,554 807601 8195835 Pan Con 47,376 812239 8195625 Pan Con 17,4126 812239 8195625 Pan Con 17,4126 812274 8195859 Pan Con 184,777 810407 8190286 Pan Con 184,777 810407 8190286 Pan Con 123,058 810408 8190286 Pan Con 123,058 Total REE Oxides = Sc,03 + La,03 + CeO ₂ + Pr ₆ O ₁₁ + Nd, NB; Gd & Lu not asoyed Light REE Oxides = Sc,03 + La,03 + CeO ₂ + Pr ₆ O ₁₁ + Nd, NB; Gd not asoyed Total REE Oxides = Y,O3 + Tb ₄ O ₇ + Dy ₂ O ₃ + Ho ₂ O ₃ + Er ₂ NB; Lu not asoyed Total REE Oxides = Y,O3 + Tb ₄ O ₇ + Dy ₂ O ₃ + Tb ₄ O ₇ +	## 813624	813624	B13624 B195067 Pan Con 153,969 95.4 4.6 23.7	B13624	B13624	## 813624	## 813624	813624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 225.5 3.26 7.10 8,288 808124 8196989 Pan Con 94,180 95.5 4.5 23.1 25.3 220.9 2.05 4.04 34,50,140 808125 8196989 Pan Con 17,754 91.1 8.9 25.5 24.3 309.8 0.35 0.76 887 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 812239 8195625 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 812239 8195625 Pan Con 17,4126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 812239 8195625 Pan Con 17,929 90.6 9.4 26.1 24.6 300.6 0.35 0.77 904 812274 8195859 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.59 9,895 810407 8190286 Pan Con 184,777 95.8 4.2 22.7 25.2 170.3 3.48 7.37 8,518 810407 8190286 Pan Con 30,334 93.8 6.2 24.4 25.3 233.1 0.63 1.36 1,553 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 17014 REE Oxides = Sc₂O₃ + La₂O₃ + CeO₂ + Pr ₆ O₁₁ + Nd₂O₃ + Sm₂O₃ + Eu₂O₃ + Gd₂O₃ (Includes Sc) NB: Gd & Lu not asayed 1 Light REE Oxides = Sc₂O₃ + La₂O₃ + CeO₂ + Pr ₆ O₁₁ + Nd₂O₃ + Sm₂O₃ + Eu₂O₃ + Gd₂O₃ (Includes Sc) NB: Gd not asayed Critical REE Oxides = Nd₂O₃ + To₂O₃ +	813624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 25.5 3.26 7.10 8,288 2.9976 808124 8196989 Pan Con 94,180 95.5 4.5 23.1 25.3 20.9 3.26 7.10 8,288 2.9976 808125 8196989 Pan Con 17,554 91.1 8.9 25.5 24.3 309.8 0.35 0.76 887 0.3126 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 812239 8195625 Pan Con 174,126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3.3559 812239 8195625 Pan Con 17,929 90.6 9.4 26.1 24.6 300.6 0.35 0.77 904 0.3231 812274 8195859 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.59 9,895 3.5459 810407 8190286 Pan Con 184,777 95.8 4.2 22.7 25.2 170.3 3.48 7.37 8.518 2.9743 810407 8190286 Pan Con 30,334 93.8 6.2 24.4 25.3 233.1 0.63 1.36 1,583 0.5715 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211	813624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 225.5 3.26 7.10 8,288 2.9976 4,650 808124 8196989 Pan Con 94,180 95.5 4.5 23.1 25.3 220.9 2.05 4.34 5,014 1,7846 2,876 808125 8196989 Pan Con 17,554 91.1 8.9 25.5 24.3 309.8 0.35 0.76 887 0.3126 513 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 1,450 812239 8195625 Pan Con 17,4126 95.9 4.1 23.0 25.6 123.0 1.02 2.16 2,525 0.904 1,450 812239 8195625 Pan Con 17,929 90.6 9.4 26.1 24.6 300.6 0.35 0.77 904 0.3231 525 812274 8195859 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.99 9,895 3,5459 5,624 810407 8190286 Pan Con 184,777 95.8 4.2 22.7 25.2 170.3 3.48 7.37 8,518 2.9743 4,859 810407 8190286 Pan Con 30,334 93.8 6.2 24.4 25.3 233.1 0.63 1.36 1,583 0,5715 914 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792	813624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 225.5 3.26 7.10 8,288 2.9976 4,650 120.4 808124 8196989 Pan Con 94,180 95.5 4.5 23.1 25.3 220.9 2.05 3.26 7.10 8,288 2.9976 4,650 120.4 808124 8196989 Pan Con 17,554 91.1 8.9 25.5 24.3 309.8 0.35 0.76 887 0.3126 513 25.5 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 1,450 56.0 812239 8195625 Pan Con 17,4126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3.3359 5,369 135.5 812239 8195625 Pan Con 17,999 90.6 9.4 26.1 24.6 300.6 0.33 0.77 904 0.3231 525 24.0 812274 8195859 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.59 9,895 3.5459 5,624 162.1 810407 8190286 Pan Con 158,691 95.8 4.2 22.7 25.2 170.3 3.48 7.37 8,518 2.9743 4,859 143.6 810407 8190286 Pan Con 30,334 93.8 6.2 24.4 25.3 233.1 0.63 1.36 1,583 0.5715 914 33.6 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 3.3211 3,792 118.1	813624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 225.5 3.26 7.10 8,288 2.9976 4,650 120.4 808124 8196989 Pan Con 17,554 91.1 8.9 25.5 24.3 309.8 0.35 0.76 887 0.3126 513 25.5 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 1,450 56.0 812239 8195625 Pan Con 17,4126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3,3359 5,369 135.5 812239 8195625 Pan Con 17,4126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3,3359 5,569 135.5 812279 8195625 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.59 9,895 3,5459 5,624 162.1 810407 8190286 Pan Con 184,777 95.8 4.2 22.7 25.6 199.4 3.99 8.59 9,895 3,5459 5,624 162.1 810407 8190286 Pan Con 30,334 93.8 6.2 24.4 25.3 233.1 0.63 1.36 1,583 0,5715 914 36.6 810407 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 Total REE Oxides = \$C ₂ O ₃ + La ₂ O ₃ + CeO ₂ + Pr ₆ O ₁₁ + Nd ₂ O ₃ + Sm ₂ O ₃ + Eu ₂ O ₃ + Gd ₂ O ₃ + Y ₂ O ₃ + Tb ₂ O ₃	813624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 225.5 3.26 7.10 8,288 2.996 4.650 120.4 4,749 808124 8196989 Pan Con 94,180 95.5 4.5 23.1 25.3 220.9 2.05 4.34 5,014 1.7846 2,876 88.5 2,806 808125 8196989 Pan Con 17,554 91.1 8.9 25.5 24.3 30.8 0.35 0.76 887 0.3126 513 25.5 1,062 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 1,450 56.0 1,549 812239 8195625 Pan Con 174,126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3.359 5,369 135.5 4,661 812239 8195625 Pan Con 174,126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3.359 5,369 135.5 46.61 812239 8195625 Pan Con 18,4777 95.8 4.2 23.1 25.6 199.4 3.99 8.59 9,895 3.5459 5,624 162.1 5,5029 810407 8190286 Pan Con 18,4777 95.8 4.2 23.1 25.6 199.4 3.99 8.89 9,895 3.5459 5,624 162.1 5,5029 810407 8190286 Pan Con 18,4777 95.8 4.2 22.7 25.2 170.3 3.48 7.37 8,518 2,9743 4,859 143.6 4,407 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 22.7 170.3 3.10 6.3 1.36 1,583 0.5715 9,14 3.6 4,407 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 Total REE Oxides = \$\$C ₂ O ₃ + La ₂ O ₃ + CeO ₂ + Pr ₆ O ₁₁ + Nd ₂ O ₃ + Sm ₂ O ₃ + Eu ₂ O ₃ + Gd ₂ O ₃ (includes Sc) NB: Gd at unot asayed Critical REE Oxides = \$\$C ₂ O ₃ + Ta ₂ O ₃ + To ₂	813624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 225.5 3.26 7.10 8,288 2.9976 4,650 120.4 4,749 349.3 808124 8196989 Pan Con 94,180 95.5 4.5 23.1 25.3 25.5 24.3 309.8 0.35 0.76 887 0.3126 513 25.5 1,062 46.6 807601 8195835 Pan Con 17,754 91.1 8.9 25.5 24.3 309.8 0.35 0.76 887 0.3126 513 25.5 1,062 46.6 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 1,450 56.0 15,49 120.0 812239 8195625 Pan Con 17,4126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3.355 5.369 135.5 4,661 407.0 812239 8195625 Pan Con 17,929 90.6 9.4 26.1 24.6 300.6 0.35 0.77 904 0.3231 525 24.0 1,156 47.0 812274 8195859 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.59 9,895 3.5459 5,624 162.1 5,029 441. 810407 8190286 Pan Con 184,777 95.8 4.2 22.7 25.2 170.3 3.48 7.37 8.518 2.9743 4,859 143.6 4,407 381.1 810407 8190286 Pan Con 30,334 93.8 6.2 24.4 25.3 233.1 0.63 1.36 1,583 0.5715 914 3.66 1,261 74.9 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 810408 810408 810408 810408 810408 810408 810408 810408 810408 810408 810408 810408 810408 810408 810408 81040	813624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 25.5 3.26 7.10 8,288 2.9976 4,650 120.4 4,749 349.3 1,285 808124 8196989 Pan Con 94,180 95.5 4.5 23.1 25.3 25.9 225.5 3.26 7.10 8,288 2.9976 4,650 120.4 4,749 349.3 1,285 808125 8196989 Pan Con 17,554 91.1 8.9 25.5 24.3 309.8 0.35 0.76 887 0.3126 513 25.5 1,062 46.6 2211 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 1,450 56.0 1,549 120.0 457 812239 8195625 Pan Con 17,4126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3.3359 5,369 135.5 4661 407.0 1,400 812239 8195625 Pan Con 17,929 90.6 9.4 26.1 24.6 300.6 0.35 0.77 904 0.3231 525 24.0 1,156 47.0 220 812274 8195859 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.59 9,895 3.549 5,624 162.1 5,029 411. 1,515 810407 8190286 Pan Con 184,777 95.8 4.2 22.7 25.2 170.3 3.48 7.37 8,518 2,9743 4,859 143.6 4,407 3411. 1,515 810407 8190286 Pan Con 30,334 93.8 6.2 24.4 25.3 22.7 170.3 3.48 7.37 8,518 2,9743 4,859 143.6 4,407 3411. 1,515 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 1,002 118.1 Contained by the	813624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 25.5 225.5 3.26 7.10 8,288 2.9976 4,650 120.4 4,749 349.3 1,285 174.1 8.9 808124 8196989 Pan Con 17,554 91.1 8.9 25.5 24.3 309.8 0.35 0.76 887 0.3126 513 25.5 1,062 46.6 211 37.1 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 1,450 56.0 1,549 120.0 457 88.2 812239 8195625 Pan Con 17,4126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3.3359 5,369 135.5 4,661 407.0 1,400 173.0 812229 8195625 Pan Con 17,929 90.6 9.4 26.1 24.6 300.6 0.35 0.77 904 0.3231 525 24.0 1,156 47.0 220 39.7 812274 8195859 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.59 9,895 3.549 5,624 162.1 5,029 44.1 1,1515 184.4 810407 8190286 Pan Con 184,777 95.8 4.2 22.7 25.2 170.3 3.48 7.37 8.518 2.9743 4,859 143.6 4,407 381.1 1,308 162.7 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 1,002 131.7 Total REE Oxides = \$C_2O_3 + La_2O_3 + CeO_2 + Pr_6O_1 + Nd_2O_3 + Sm_2O_3 + Eu_2O_3 + Gd_2O_3 + Va_2O_3	813624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 225.5 3.26 7.10 8,288 2.996 4.650 120.4 4,749 349.3 1,285 174.1 354.5 808124 8196898 Pan Con 17,554 91.1 8.9 25.5 24.3 309.8 0.35 0.76 887 0.3126 513 25.5 1,062 46.6 221 37.1 99.0 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2.525 0.904 1,450 56.0 1.549 120.0 457 58.2 114.8 812239 8195625 Pan Con 17,4126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3.3359 5,369 135.5 4,661 407.0 1,400 173.0 812229 8195625 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 30.06 0.35 0.77 904 0.3231 525 24.0 1,156 47.0 220 39.7 190.0 812474 8195859 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.59 9,885 3.5459 5,624 162.1 5,029 44.1 1,515 184.4 355.6 810407 8190286 Pan Con 184,777 95.8 4.2 22.7 25.2 170.3 3.48 7.37 8,518 2.9743 4,859 143.6 4,407 381.1 1,515 184.4 355.6 810407 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,792 118.1 3,467 297.6 1,002 131.7 268.7 Total REE Oxides = \$C_2O_3 + La_2O_3 + CeO_2 + Pr_6O_1 + Nd_2O_3 + Sm_2O_3 + Eu_2O_3 + Gd_2O_3 + V_1O_3 + Vb_2O_3 + Ub_2O_3 + Er_2O_3 + Tm_2O_3 + Vb_2O_3 + Lu_2O_3 (Includes Sc N) 8: Unital REE Oxides = \$C_2O_3 + La_2O_3 + CeO_2 + Pr_6O_1 + Nd_2O_3 + Sm_2O_3 + Eu_2O_3 + Gd_2O_3 + V_1O_3 + Tb_2O_3 + Dy_2O_3 + Ho_2O_3 + Er_2O_3 + Tm_2O_3 + Vb_2O_3 + Lu_2O_3 (Includes Sc N) 8: Unital REE Oxides = \$C_2O_3 + La_2O_3 + CeO_2 + Pr_6O_1 + Nd_2O_3 + Sm_2O_3 + Eu_2O_3 + Gd_2O_3 (Includes Sc) NS: Gd not assayed Critical REE Oxides = \$Nd_2O_3 + Tb_2O_3 + Tb_2O	8313624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 225.5 3.6 7.10 8,288 2.996 4.650 120.4 4,749 349.3 1,285 174.1 354.5 29.7 888124 8195989 Pan Con 94,180 95.5 4.5 23.1 25.3 220.9 2.05 4.34 5,014 1,7846 2,876 88.5 2,806 197.6 79 103.8 215.0 19.6 808125 8196989 Pan Con 17,554 91.1 8.9 25.5 24.3 309.8 0.35 0.76 887 0.3126 513 25.5 1,062 46.6 211 37.1 99.0 13.6 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 1,450 56.0 1,549 120.0 457 58.2 114.4 9.7 812239 8195625 Pan Con 174,126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 33.59 5,369 135.5 4,661 407.0 1,400 173.0 335.0 25.9 812274 8195859 Pan Con 18,4777 95.8 4.2 23.1 25.6 199.4 3.99 8.89 5,369 5,369 135.5 4.661 407.0 1,400 173.0 335.0 25.9 812274 8195859 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.89 5,869 13.5 5 24.0 1,156 47.0 220 39.7 109.0 15.0 812074 8190286 Pan Con 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.89 5,879 3.549 5,624 162.1 5,029 441.1 1,515 184.4 355.6 28.1 810407 8190286 Pan Con 184,777 95.8 4.2 22.7 25.2 170.3 3.48 7.37 8.518 2.9743 4,859 143.6 4,407 381.1 1,308 162.7 313.3 24.3 810408 8190286 Pan Con 123,058 95.7 4.3 22.8 22.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 1,002 131.7 268.7 19.8 1810408 8190286 Pan Con 123,058 95.7 4.3 22.8 24.7 135.0 2.73 5.72 5,932 2.3211 3,792 118.1 3,467 297.6 1,002 131.7 268.7 19.8 19.8 19.8 19.0 15.0 15.0 15.0 15.0 15.0 15.0 15.0 15	8313624 8195067 Pan Con 153,969 95.4 4.6 23.7 25.9 225.5 3.2 7.20 8.28 1.296 4.650 120.4 4.749 349.3 1,285 174.1 354.5 29.7 160.56 808124 8196989 Pan Con 17,554 91.1 8.9 25.5 4.5 23.1 25.3 2.09 2.05 4.34 5,014 1.7846 2,2876 88.5 2,806 197.6 797 103.8 213.5 19.6 109.7 18.0 19.1 8.9 25.5 4.3 309.8 0.35 0.76 887 0.3126 513 25.5 1.062 46.6 211 37.1 99.0 13.6 90.185 807601 8195835 Pan Con 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 1,450 56.0 1.549 120.0 457 58.2 114.4 9.7 50.786 812239 8195625 Pan Con 17,0126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9,351 3.3359 5,369 135.5 4.661 407.0 1,400 173.0 335.0 25.0 18.2 18.2 18.2 18.2 18.2 18.2 18.2 18.2	813624 8195067 Pan Coon 153,969 95.4 4.6 23.7 25.9 225.5 3.26 7.10 8,288 2.9976 4,650 120.4 4,749 349.3 1,285 174.1 354.5 29.7 160.56 808124 8196989 Pan Coon 94,180 95.5 4.5 23.1 25.3 20.9 2.05 4.34 5,014 17.846 2,876 88.5 1.260 197.6 797 103.8 215.0 19.6 190.77 808125 8196989 Pan Coon 17,554 91.1 8.9 25.5 24.3 309.8 10.35 0.76 887 0.3126 513 25.5 1,062 46.6 211 37.1 99.0 13.6 90.185 807601 8195835 Pan Coon 47,376 95.0 5.0 23.7 25.6 123.0 1.02 2.16 2,525 0.904 1,450 56.0 1,549 120.0 475 58.2 11.4 9.7 50.786 812239 8195625 Pan Coon 174,126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9.351 33339 5.369 135.5 4.661 407.0 1,400 173.0 335.5 25.9 133.2 813239 8195625 Pan Coon 174,126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9.351 33339 5.369 135.5 4.661 407.0 1,400 173.0 335.5 25.9 133.2 812239 8195625 Pan Coon 174,126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9.351 33339 5.369 135.5 4.661 407.0 1,400 173.0 335.5 25.9 133.2 812239 8195625 Pan Coon 174,126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9.351 33339 5.369 135.5 4.661 407.0 1,400 173.0 335.5 25.9 133.2 812239 8195625 Pan Coon 175,126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9.351 33359 5.369 135.5 4.661 407.0 1,400 173.0 335.5 25.9 133.2 812239 8195625 Pan Coon 175,126 95.9 4.1 23.0 25.6 171.8 3.75 8.11 9.351 31.9525 9.004 1,450 56.0 1,549 120.0 441.1 1,515 47.0 20.0 15.0 100.21 812234 8195859 Pan Coon 184,777 95.8 4.2 23.1 25.6 199.4 3.99 8.59 9,895 3.5459 5.624 162.1 5.029 441.1 1,515 184.4 355.6 28.1 144.61 1.8 10.0 10.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1

Appendix C: Augur Sample Table

Sample ID	E MGA94z54	N MGA94z54	Samp Type	TREO	LREO %	HREO %	CREO %	Mag Reo	SC ₂ O ₃	La ₂ O ₃	CeO ₂	Pr ₆ O ₁₁	Nd ₂ O ₃	Sm ₂ O ₃	Eu ₂ O ₃	Gd ₂ O ₃	Y ₂ O ₃	Tb ₄ O ₇	Dy ₂ O ₃	HO ₂ O ₃	Er ₂ O ₃	Tm ₂ O ₃	Yb ₂ O ₃	Lu ₂ O ₃ Note
SM-01	809133	8193543	Auger	368.93	97.15	2.85	18.48	23.15	17.6	78.3	162.1	18.7	60.3	10.3	1.5	9.5		1.11	5.3 5.5	1.09	2.3	0.38		0.38
SM-02 SM-03	809383 809634	8193538 8193515	Auger Auger	457.05 270.14	97.72 97.16	2.28	18.68	23.65 22.73	12.3 13.2	99.0 56.3	208.8 121.0	24.0 13.4	77.3 43.4	12.9 7.4	1.3	10.9 6.6		1.21 0.81	3.8	1.03 0.80	1.7	0.32		0.31
SM-04 SM-05	809873 810135	8193517 8193520	Auger Auger	479.30 515.48	97.30 97.81	2.70	18.56 19.34	23.22 24.54	23.9 13.2	101.0 116.2	211.3 226.0	24.2 28.2	79.2 91.0	13.6 15.3	1.8	11.4		1.38	6.5	1.37	2.7	0.46		0.44
SM-6A	810388	8193515	Auger	350.92	96.85	3.15	18.33	22.73	24.7	70.6	151.1	17.3	56.0	9.6	1.8	8.8		1.11	5.4	1.11	2.5	0.42		0.42
SM-6B SM-6B-2	810388 810388	8193515 8193515	Auger Auger	424.01 470.40	97.80 97.78	2.20	18.60 18.46	23.54 23.43	12.7	91.0	194.1 215.0	22.1 24.6	71.6 78.7	12.1	1.1	9.9 11.2		1.15	4.9 5.5	0.92	1.8 2.1	0.26		0.24 duplicate 0.27 duplicate
SM-07	810641	8193513	Auger	237.47	96.50	3.50	17.91	21.98	19.5	45.7	103.1	11.1	36.3	6.3	1.4	5.8		0.79	4.0	0.88	1.9	0.33		0.35
SM-08 SM-09	810866 811134	8193524 8193498	Auger	276.48 307.50	96.77 97.88	3.23 2.12	18.19 18.52	22.53 23.45	18.7 9.7	56.9 67.9	119.2 138.8	13.4 16.1	43.6 51.8	7.7 8.7	1.4 0.9	6.7 7.1		0.88	4.4 3.4	0.95	2.1 1.3	0.34		0.34 0.18
SM-10	811638	8193602	Auger	481.23	97.76	2.24	19.70	25.03	11.7	108.7	208.8	26.8	86.5	14.5	1.1	12.2		1.35	5.7	1.05	2.1	0.31		0.28
SM-11 SM-12	811823 811672	8194069 8193858	Auger	401.64 367.71	96.93 97.92	3.07 2.08	18.38	22.89 22.94	23.6 8.3	83.6 81.9	174.4 169.5	19.9 19.0	64.6 60.0	11.4	1.8	9.9 9.5		1.20	6.2 4.4	0.70	2.7 1.3	0.43		0.43
SM-13	811904	8193610	Auger	391.60	97.15	2.85	18.38	22.99	23.2	81.5	170.7	19.7	63.7	10.7	1.6	9.3		1.14	5.5	1.17	2.5	0.41		0.42
SM-14 SM-15	812103 812371	8193624 8193862	Auger Auger	342.34 234.51	97.23 97.55	2.77	18.51 18.31	23.22 22.97	19.3 9.8	70.6 50.8	149.9 104.7	17.4 12.1	56.1 38.3	9.7 6.6	1.1	8.5 5.4		1.06 0.66	4.9 2.9	0.96	1.9	0.30		0.30
SM-17	812620 812812	8193624 8193635	Auger	512.77 418.58	98.05 98.04	1.95 1.96	19.04 18.41	24.17 23.19	11.5 9.4	117.2 94.4	227.3 191.6	27.8	89.3 69.8	15.4 11.9	1.5 1.8	12.8 9.8		1.40	5.4 4.5	0.96	1.8 1.5	0.24		0.18 0.17
SM-18	812128	8193628	Auger Auger	484.67	97.91	2.09	19.59	24.79	12.0	110.2	210.1	21.7 26.7	86.5	14.8	1.5	12.7		1.38	5.5	1.00	1.8	0.19		0.18
SM-19 SM-20	813376 813667	8193613 8193602	Auger Auger	670.81 628.88	98.27 97.93	1.73 2.07	19.21	24.54 25.51	15.8 13.2	156.0 141.9	294.8 272.7	37.5 35.5	119.0 115.9	19.1 19.1	1.7	15.3 16.0		1.65	6.5 7.2	1.10	1.9 2.3	0.23		0.16
SM-21	813828	8193570	Auger	976.52	98.61	1.39	18.57	23.80	12.0	197.0	481.5	52.3	170.3	27.8	1.2	20.7		2.03	7.8	1.20	2.2	0.23		0.15
SM-22 SM-23	814104 814360	8193626 8193613	Auger	546.97 450.85	98.09 98.03	1.91	19.40 18.77	24.78 23.87	13.7 8.9	124.3 98.0	238.3 207.6	30.8 24.0	97.9 77.7	17.0 13.5	1.4	13.1 11.2		1.35	5.5 4.7	1.01 0.86	2.1 1.7	0.29		0.25
SM-24A	814650	8193627	Auger	377.89	97.21	2.79	17.98	22.52	20.9	78.8	167.1	18.7	60.0	10.9	1.6	9.5		1.14	5.3	1.11	2.3	0.38		0.36
SM-24B SM-25	814650 814929	8193627 8193655	Auger	244.44 611.92	96.22 97.84	3.78 2.16	19.71 19.07	24.37 24.28	21.5 17.3	53.6 143.1	89.9 264.1	12.7 33.5	41.3 106.6	7.3 17.6	1.3	7.6 14.9		1.00	4.6 6.9	0.97 1.35	2.1	0.32		0.31 duplicate 0.39
SM-26	815167	8193650	Auger	445.58	97.36	2.64	18.19	23.00	16.4	95.8	201.5	22.8	72.4	12.4	1.4	11.1		1.26	6.0	1.21	2.5	0.41		0.41
SM-27 SM-28	815390 815633	8193605 8193638	Auger Auger	431.86 356.82	97.38 97.46	2.62	18.19 18.02	22.86 22.63	20.7 16.9	91.4 76.6	192.9 159.7	21.7 17.8	70.0 57.4	11.7 9.6	1.6	10.6 8.5		1.26	5.7 4.6	1.15 0.93	1.9	0.39		0.36
SM-30	815633 813963	8193638	Auger	155.48	85.87	14.13	29.02	23.27 22.55	16.7	20.6	54.0	6.0	26.5 33.4	4.5 5.5	1.2	3.9	13.71	0.05	3.7	0.56	2.2	0.23	1.4	0.20 twin
SM-342 SM-343	813963 817006	8196260 8193634	Auger Auger	200.68 106.98	87.40 90.70	12.60 9.30	27.52 24.36	22.55	17.8 6.6	35.2 17.8	70.3 45.6	7.6 3.9	17.5	2.8	0.6	4.5 2.3	16.25 6.03	0.54	3.8 1.7	0.60	0.9	0.22	1.4 0.6	0.23
SN-345 SN-346	816502 816001	8193639 8193966	Auger Auger	197.98 230.41	89.20 88.45	10.80 11.55	27.08 27.64	23.81 23.75	15.2 19.5	34.6 38.9	72.4 82.2	8.0 9.1	35.2 40.7	5.7 6.8	1.0	4.6 5.4	13.45	0.51	3.4 4.2	0.53	1.9 2.3	0.18	1.1	0.18
SN-347	816186	8193926	Auger	143.18	86.95	13.05	28.09	23.22	16.1	21.9	48.0	5.5	24.4	4.2	0.8	3.6	11.59	0.42	3.0	0.63	1.7	0.23	1.1	0.18
SM-348 SM-349	815504 815750	8198504 8189504	Auger Auger	178.71 304.94	88.90 90.68	11.10 9.32	23.79 26.97	20.15 25.04	14.1 14.1	24.0 56.5	79.6 117.4	5.8 13.2	26.2 57.7	4.6 9.4	0.7 1.0	3.7 7.1	11.66 18.03	0.47	3.4 4.7	0.54	1.9 2.4	0.22	1.4	0.20 0.23
SM-350	815995	8198510	Auger	290.74	90.77	9.23	26.07	23.99	14.3	52.3	117.6	12.0	52.6	8.1	0.9	6.1	17.14	0.65	4.5	0.62	2.3	0.22	1.3	0.20
SM-351 SM-352	816251 816518	8198508 8198477	Auger	217.75 249.05	90.69 92.03	9.31 7.97	26.13 25.98	24.06 25.29	14.4	39.5 47.7	82.9 97.8	9.0	39.4 47.7	6.4 7.8	0.8	5.0 6.0	12.67	0.51	3.4	0.49	1.8	0.16	1.0	0.15
SM-353A	816776	8198493	Auger	277.32	91.48	8.52	26.14	24.68	13.8	52.3	107.7	11.8	51.9	8.6	0.9	6.7	14.86	0.66	4.1	0.56	2.1	0.17	1.0	0.16
SM-353B SM-354	816776 817003	8198493 8198465	Auger Auger	230.12 315.87	88.60 92.02	11.40 7.98	27.38 22.08	23.80 20.35	18.1 16.7	39.9 47.5	83.2 152.3	9.1	40.6 48.2	6.7 7.9	1.0	5.3 6.1	16.38 15.24	0.56	4.5 4.6	0.86	2.2	0.22	1.4	0.19 duplicate 0.23
SM-355	815147	8198842	Auger	268.89	92.52	7.48	26.19	25.69	11.0	50.3	106.7	11.8	53.0	8.7	0.7	6.5	12.43	0.62	3.7	0.49	1.7	0.15	0.9	0.13
SM-356 SM-357	814908 814616	8198851 8198858	Auger	220.76 309.23	91.41 93.39	8.59 6.61	26.43 25.23	25.24 25.52	11.7	38.5 59.0	87.0 126.5	9.4 13.9	42.3 60.2	7.0 10.2	0.7	5.3 7.5	11.35	0.52	3.4 4.1	0.47	1.8	0.16	1.0	0.16
SM-358 SM-359	814545	8198699	Auger	225.90	90.20	9.80	26.71	24.19	15.3	40.3	84.9	9.3	41.2	6.8	0.8	5.1	14.10	0.54	3.7	0.52	1.8	0.18	1.1	0.17
SM-360	814206 813986	8198499 8198506	Auger Auger	269.92 231.10	92.60 91.31	7.40 8.69	26.08 26.62	26.09 25.36	7.1 9.7	51.8 43.0	109.1 90.5	12.0 9.9	53.5 44.4	8.9 7.3	0.9	6.7 5.3	11.07	0.67 0.58	4.2 3.7	0.56	1.9	0.18	1.0	0.15 0.16
SM-361 SM-362	813785 813493	8198514 8198516	Auger Auger	181.29 406.64	91.36 94.55	8.64 5.45	26.20 25.69	24.84 27.11	8.4 4.0	33.4 80.8	71.5 172.0	7.7 19.2	34.1 85.3	5.6 13.2	0.7	4.3 9.1	9.40 12.55	0.45	2.9 4.9	0.40	1.5 2.2	0.13 0.15	0.8	0.14
SM-363	812808	8198504	Auger	441.18	92.24	7.76	26.30	25.62	16.7	82.8	176.9	19.6	86.4	13.5	1.3	9.8	21.33	0.93	6.1	0.84	3.0	0.26	1.6	0.24
SM-364 SM-365	812551 812256	8198516 8198506	Auger Auger	224.98 260.18	88.52 92.38	11.48 7.62	27.56 26.27	24.17 26.17	14.4 5.8	37.6 49.4	84.5 106.5	9.1 11.7	40.5 52.0	6.6 8.3	1.2 0.7	5.2 5.9	15.49	0.56	4.2 3.8	0.68	2.6	0.26	1.7	0.25
SIVI-366	812003	8198507	Auger	202.06	89.41	10.59	28.02	25.83	10.0	35.2	75.3	8.7	39.2	6.6	0.7	5.1	12.42	0.55	3.8	0.58	2.3	0.21	1.4	0.20
SM-367 SM-368	811778 811502	8198482 8198455	Auger Auger	253.72 216.73	91.88 93.76	8.12 6.24	25.54	25.66 25.97	8.9 5.7	48.1	100.6 88.1	11.1 9.8	49.3 42.7	8.0 7.1	1.3	6.1 5.4	7.63	0.61	4.0 3.2	0.57	2.1	0.19	1.3 0.5	0.18
SM-369	811259	8198504	Auger	230.85	93.36	6.64	26.20	26.44	9.8	42.3	91.8	10.2	46.5	7.7	1.2	6.0	8.47	0.60	3.7	0.45	1.4	0.10	0.6	0.09
SM-371	810998 810748	8198511 8198496	Auger Auger	227.65 407.97	96.19 95.19	3.81 4.81	24.08 25.32	26.47 26.98	3.1 6.1	47.6 83.7	97.9 169.5	10.6 19.2	46.9 85.1	7.3 13.9	1.0	5.0 9.7	4.58 11.43	0.45	2.3 4.8	0.25	0.8 1.5	0.03 0.08	0.2	0.03
SM-372 SM-373	810505 810253	8198509 8198502	Auger	267.59 169.40	94.08 93.31	5.92 6.69	25.45 26.55	26.11 26.58	7.2 5.2	53.7 33.8	109.0 66.0	12.1 7.6	53.0 34.2	8.7 5.7	1.5 1.1	6.7 4.5	8.83 6.44	0.72 0.47	4.1 2.8	0.45	1.3 0.9	0.08	0.3	0.05
SN-374	810033	8198495	Auger Auger	166.01	94.26	5.74	25.07	25.73	5.5	32.7	67.8	7.4	32.5	5.5	0.9	4.1	5.32	0.41	2.4	0.26	0.8	0.06	0.3	0.05
SM-375 SM-377	809762 809308	8198509 8198495	Auger Auger	255.68 178.99	94.57 93.07	5.43 6.93	25.72 26.12	26.67 25.72	4.4 4.3	52.2 35.8	104.4 71.9	11.7 7.9	52.7 34.9	8.6 5.9	1.4	6.3 4.6	7.89 7.33	0.55	3.2 2.8	0.39	1.3	0.08	0.5	0.06
SM-378	809012	8198503	Auger	166.59	92.91	7.09	26.27	25.98	4.1	32.3	67.1	7.3	32.8	5.7	1.2	4.4	6.64	0.44	2.8	0.34	1.0	0.08	0.5	0.07
SM-379 SM-380	808758 808672	8198518 8198494	Auger Auger	141.46 180.31	94.20 90.19	5.80 9.81	25.40 26.97	26.22 25.13	1.4 7.5	28.6 33.0	59.0 69.8	6.5 7.6	28.2 33.9	5.1 5.6	0.7	3.8 4.4	4.60 9.97	0.34	2.1 3.3	0.23	0.7 1.9	0.03	0.2	0.03
SM-381	808656	8198483	Auger	151.78	89.31	10.69	27.72	25.34	6.7	26.9	57.7	6.4	28.6	4.8	0.8	3.7	9.17	0.41	3.1	0.47	1.7	0.17	1.0	0.16
SM-383 SM-385	808248 808604	8195749 8195657	Auger Auger	148.57 137.27	89.25 87.71	10.75 12.29	27.01 27.57	24.47 23.42	7.7 12.3	26.3 22.8	57.1 48.3	6.1 5.3	26.8 23.6	4.2 3.9	0.8	3.6 3.3	9.09	0.40	3.0 2.9	0.44	1.7	0.16	1.0	0.16
SN-390A	809500	8195751	Auger	192.43	92.88	7.12	25.87	25.35	5.5	37.4	78.0	8.3	37.0	6.3	1.5	4.7	7.84	0.49	3.0	0.38	1.3	0.10	0.6	0.08
SM-390B SM-391A	809500 809742	8195751 8195743	Auger Auger	366.85 187.05	93.81 93.93	6.19 6.07	25.18 24.87	25.50 25.05	10.0 5.8	73.8 38.0	151.1 76.7	16.4 8.3	71.4 35.7	11.8 5.8	1.1	8.4 4.3	13.97 6.86	0.81	4.9 2.4	0.53	1.7 0.9	0.10	0.6	0.07 duplicate 0.05
SM-391B SM-392	809742 810010	8195743 8195746	Auger	188.45 263.79	94.03 92.93	5.97 7.07	25.24 25.66	25.84 25.36	3.2 8.4	39.4 52.1	77.6 106.3	8.4 11.7	36.9 51.1	6.0 8.5	1.1 1.1	4.5 6.1	6.16 11.38	0.44	3.0 3.6	0.30	0.9	0.07	0.3	0.06 duplicate 0.11
SN-393	810249	8195750	Auger Auger	245.11	91.15	8.85	26.87	25.82	5.1	49.3	96.4	10.9	47.9	7.4	0.9	5.5	12.53	0.58	3.9	0.60	2.3	0.22	1.4	0.22
SM-394 SM-395	810449 810750	8195750 8195752	Auger Auger	302.74 157.69	91.43 89.19	8.57 10.81	26.89 26.88	25.72 24.01	8.6 9.7	61.1 26.9	116.5 60.4	13.2 6.4	59.0 27.9	9.7 4.6	1.3 1.3	7.4 3.6	15.37 9.63	0.75	4.9 3.2	0.70	2.5 1.8	0.24	1.3	0.18 0.17
SM-399	811250	8195749	Auger	199.92	91.83	8.17	26.86	25.90	4.8	38.2	79.1	8.8	39.1	7.0	1.3	5.4	9.45	0.58	3.3	0.44	1.5	0.13	0.8	0.11
SM-402 SM-403	811750 813749	8195753 8195752	Auger Auger	306.06 342.72	92.34 93.38	7.66 6.62	26.10 25.69	25.67 25.95	8.4 8.1	60.3 66.7	122.8 141.3	13.4 15.2	59.7 68.2	9.6 11.2	1.1	7.1 8.1	13.59	0.73	4.7	0.63	2.2	0.19	1.3 0.9	0.18
SM-404	813498	8195744	Auger	427.77	94.03	5.97	25.73	26.69	8.1	85.5	175.7	19.8	87.9	14.1	1.4	9.7	14.35	0.92	5.5	0.73	2.5	0.19	1.1	0.18
SM-405 SM-409	813284 812375	8195751 8195753	Auger Auger	179.50 217.96	92.62 93.83	7.38 6.17	26.20 24.71	25.75 25.30	7.2 6.1	34.4 40.7	70.8 93.0	7.9 9.5	35.2 42.0	5.7 7.1	0.8	4.3 5.3	7.95 7.44	0.41	2.6 3.1	0.34	1.1	0.09	0.6	0.09
SM-410	812181	8195699	Auger	281.21	91.35	8.65	26.49	25.35	9.7	54.3	110.4	12.0	53.9	8.8	1.1	6.7	14.10	0.69	4.7	0.63	2.4	0.23	1.4	0.20
SM-411 SM-413	814008 814500	8195748 8195745	Auger Auger	244.87 187.91	93.52 92.62	6.48 7.38	25.34 21.79	25.94 21.05	6.1 13.8	48.1 28.6	101.1 86.2	11.0 6.6	48.6 29.6	7.8 4.8	0.8	5.5 3.7	8.78 7.37	0.55	3.3 2.9	0.44	1.6	0.14	1.0	0.13
SM-414	814754	8195747	Auger	352.82	93.68	6.32	25.79	26.42	8.6	67.0	146.2	15.8	71.5	11.6	1.2	8.6	12.37	0.85	5.0	0.64	2.1	0.16	1.0	0.14
SM-415 SM-416	815005 815258	8195749 8195750	Auger Auger	147.86 277.60	94.32 91.55	5.68 8.45	24.09 27.19	25.17 26.34	8.1 8.0	27.0 54.8	60.8 106.3	6.4 12.6	28.6 55.5	4.8 8.9	0.4 1.3	3.5 6.8	4.33 13.59	0.34	2.0 4.4	0.25	0.9 2.4	0.08	0.5 1.4	0.07
SM-417	815347	8195748	Auger	254.12	87.48	12.52	27.22	22.29	28.2	41.9	86.5	9.4	41.8	7.3	1.1	6.2	20.83	0.69	4.8	0.76	2.6	0.25	1.6	0.24
SM-418 SM-419	815503 815755	8195748 8195749	Auger Auger	314.24 311.62	92.65 92.25	7.35 7.75	25.44 25.80	25.23 25.37	9.8	60.2	129.0 125.3	13.5 13.5	60.3 60.0	9.9	1.1	7.4 7.4	13.08 13.71	0.74	4.7 4.8	0.63	2.3	0.21	1.3	0.19
SM-420	816250	8195749	Auger	257.83	93.31	6.69	25.47	25.80	4.3	52.8	105.9	11.6	50.9	8.2	0.8	6.1	10.01	0.58	3.4	0.46	1.6	0.14	0.9	0.11
SM-421A SM-421B	816500 816500	8195751 8195751	Auger Auger	455.07 356.82	93.42 93.04	6.58 6.96	25.67 25.75	26.19 25.95	9.4 8.9	91.0 70.1	186.7 145.0	20.7 15.9	91.2 70.8	14.5 11.6	1.1	10.4 8.5	17.02 14.10	0.99	6.3 5.0	0.81	2.9	0.24	1.5	0.23 0.19 duplicate
SM-423	816748	8195750 8195747	Auger	270.66	92.82	7.18	25.69	25.66	7.4	52.0	111.3	12.0	53.1 49.6	8.5	1.0	6.1	11.09	0.60	3.8	0.54	1.9	0.18	1.1	0.15
SM-424	816998	8195747	Auger	254.01	91.77	8.23	26.50	25.63	7.7	49.8	100.1	11.1	49.6	8.0	1.1	5.8	12.17	0.58	3.9	0.57	2.1	0.19	1.3	0.18