



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

SOIL SAMPLING IDENTIFIES MULTIPLE TARGETS AT GORGE LITHIUM PROJECT

HIGHLIGHTS

- Preliminary focused soil sampling results from the Koshman and Nelson occurrences return strong anomalous Li, Cs, and Ta results identifying numerous priority target areas highly prospective for multiple lithium bearing pegmatites.
- Soil sampling data has been integrated with previous exploration results (including rock chip and pegmatite channelling programs) confirming multiple targets for drill testing.
- Assay results for the larger 5km² grid sampling area pending.

Balkan Mining and Minerals Ltd ("BMM" or "the Company") (ASX: BMM) is pleased to announce the preliminary results of its recently completed sampling program at the Gorge Lithium Project located in Ontario, Canada (the "**Gorge Lithium Project**" or the "**Project**"). This announcement follows on from the successful 2022 channel sampling program, which included 1.8m @ 3.75% Li₂O, further confirming significant potential of this project (see ASX Announcement dated 16 December 2022).

The results of the preliminary sampling program have successfully identified additional lithium anomalies at both the Koshman and Nelson occurrences for follow up testing, whilst further supporting historical geochemical data.

This preliminary sampling program was designed to further enhance extensions of previously identified and outcropping lithium-bearing pegmatites at the Koshman and Nelson occurrences and provide supporting data to tailor the Company's planned drilling programs. A total of 379 samples were collected from a focused 20x50m grid pattern around these occurrences to test north-northeast trending structures in a 0.25km² area. Multiple lithium anomalies have been found at both occurrences, providing further support of favourable conditions for LCT pegmatites. These results are detailed below.

Following the completion of this targeted program, the sampling program was stepped out to a wider area at a 100x100m grid pattern, covering a total regional area of approximately 5km². The assay results from the wider program are pending (refer to Figure 5).

ASX | **BMM**



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023




Figure 1 – Lithium (Li) and Cesium (Cs) anomaly at Koshman shows strong positive correlation




Figure 2 – Tantalum (Ta) and Tin (Sn) anomaly at Koshman shows positive correlation

ASX | BMM



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023




Figure 3 - Li and Cs anomaly at Nelson shows strong positive correlation




Figure 4 - Ta and Sn anomaly at Nelson shows positive correlation

ASX | BMM

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000
T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023




Figure 5 – Sample Location Map

Balkan Mining and Minerals, Managing Director, Ross Cotton commented:

"We are encouraged by these results which further support the success of the channel sampling program conducted in late 2022, reinforcing our confidence in the Gorge Project's potential. Our technical team have integrated this data to refine priority targets for drill testing as we build on the momentum of our 2023 field season, not only at Gorge but also in particular our Ontario Project portfolio."

For further information please contact:

Ross Cotton

Managing Director

E: Ross.Cotton@balkanmin.com

Authorised for release by the Managing Director of Balkan Mining and Minerals Limited

-ENDS-

ASX | BMM



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

Competent Persons Statement

The information in this report that relates to Exploration Targets or Exploration Results is based on information compiled by Mr Dejan Jovanovic, a Competent Person who is a Member of the European Federation of Geologists (EurGeol). The European Federation of Geologists is a Joint Ore Reserves Committee (JORC) Code 'Recognised Professional Organisation' (RPO). An RPO is an accredited organisation to which the Competent Person under JORC Code Reporting Standards must belong to report Exploration Results, Mineral Resources, or Ore Reserves through the ASX. Mr Jovanovic is the General Manager of Exploration and is a full-time employee of the Company. Mr Jovanovic has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the JORC 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Jovanovic consents to the inclusion in the report of the matters based on his information in the form and context in which it appears. This announcement contains information on the Gorge Project extracted from ASX market announcements dated 16 December 2022 and reported by the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (2012 JORC Code) and available for viewing at www.balkanmin.com. BMM confirms that it is not aware of any new information or data that materially affects the information included in any original ASX market announcement.

About Gorge

The Gorge Lithium Project consists of eleven (11) multi-cell and one (1) single mining claim, covering an area of 43km². The Project is located approximately 215 km northeast of Thunder Bay, Ontario, and approximately 60 km southwest of Geraldton, Ontario. The Project site is accessed via Trans Canada Hwy 11 with entry points along well-graded gravel logging roads starting 40 km north of Nipigon/Trans Canada Hwy 14/11 intersection (Gorge Creek Road) and Camp 51 Rd, approximately 33 km west of Geraldton. Access to the Koshman and Nelson mineral occurrence sites are ideal along foot access (path) points 1.4 km and 0.3 km from the Gathering Lake Outfitters wilderness/hunting camp. Access to the Project as indicated above is clear and close to Trans Canada Hwy 11 near the towns of Nipigon and Geraldton.

The Company has the Option to acquire 100% interest in the Gorge Lithium Project via a four staged earn-in acquisition over a period of up to three and a half years. Please refer to the Company's announcement dated 04 July 2022 for full details on the Option Agreement Terms.

Forward-looking Statements

Certain statements included in this release constitute forward-looking information. Statements regarding BMM's plans with respect to its mineral properties and programs are forward-looking statements. There can be no assurance that BMM's plans for development of its mineral properties will proceed as currently expected. There can also be no assurance that BMM will be able to confirm the presence of additional mineral resources, that any mineralisation will prove to be economic or that a mine will successfully be developed on any of BMM's mineral properties. The performance of BMM may be influenced by a number of factors which are outside the control of the Company and its Directors, staff, and contractors.

These statements include, but are not limited to statements regarding future production, resources or reserves and exploration results. All such statements are subject to certain risks and uncertainties, many of which are difficult to predict and generally beyond the control of the Company, that could cause actual results to differ materially from those expressed in, or implied or projected by, the forward-looking information and statements. These risks and uncertainties include, but are not limited to: (i) those relating to the interpretation of exploration sample, mapping and drill results, the geology, grade and continuity of mineral deposits and conclusions of economic evaluations, (ii) risks relating to possible variations in reserves and resources, grade, planned mining dilution and ore loss, or recovery rates and changes in project parameters as plans continue to be refined, (iii) the potential for delays in exploration or development activities or the completion of feasibility studies, (iv) risks related to commodity price and foreign exchange rate fluctuations, (v) risks related to failure to obtain adequate financing on a timely basis and on acceptable terms or delays in obtaining governmental approvals or in the completion of development or construction activities, and (vi) other risks and uncertainties related to the Company's prospects, properties and business strategy.

ASX | BMM



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

Except for statutory liability which cannot be excluded, each of BMM, its officers, employees and advisors expressly disclaim any responsibility for the accuracy or completeness of the material contained in these forward-looking statements and excludes all liability whatsoever (including in negligence) for any loss or damage which may be suffered by any person as a consequence of any information in forward-looking statements or any error or omission. BMM undertakes no obligation to update publicly or release any revisions to these forward-looking statements to reflect events or circumstances after today's date or to reflect the occurrence of unanticipated events other than required by the Corporations Act and ASX Listing Rules. Accordingly, you should not place undue reliance on any forward-looking statement.

ASX | **BMM**

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000
T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com



Balkan

Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

Appendix I: Soil sampling results

| Sample ID | Easting | Northing | Be_ppm | Li_ppm | Cs_ppm | Ta_ppm | Sn_ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|
| 294739 | 466246 | 5481256 | 1.4 | 26.4 | 3.65 | 0.51 | 1.08 |
| 294740 | 466226 | 5481256 | 1.23 | 26.3 | 0.97 | 0.04 | 0.86 |
| 294741 | 466206 | 5481256 | 1.26 | 23.9 | 2.98 | 0.53 | 0.97 |
| 294742 | 466186 | 5481256 | 1.16 | 15.4 | 1.96 | 0.42 | 0.81 |
| 294743 | 466146 | 5481256 | 1.28 | 26.6 | 3.06 | 0.41 | 0.88 |
| 294744 | 466007 | 5481256 | 1.14 | 10.2 | 1.47 | 0.31 | 0.58 |
| 294745 | 466026 | 5481256 | 1.21 | 19.6 | 1.66 | 0.45 | 0.91 |
| 294746 | 466046 | 5481256 | 1.18 | 14.4 | 1.08 | 0.38 | 0.91 |
| 294747 | 466066 | 5481256 | 1.19 | 40.9 | 3.26 | 0.63 | 1.25 |
| 294748 | 466086 | 5481256 | 1.41 | 39.5 | 3.2 | 0.54 | 1.16 |
| 294749 | 466106 | 5481256 | 1.34 | 25 | 2.96 | 0.47 | 1.01 |
| 294751 | 466087 | 5481755 | 1.11 | 13.9 | 1.2 | 0.37 | 0.84 |
| 294752 | 466127 | 5481755 | 1.12 | 14.2 | 1.42 | 0.43 | 0.89 |
| 294753 | 466147 | 5481755 | 1.19 | 14.5 | 1.52 | 0.37 | 0.85 |
| 294754 | 466187 | 5481755 | 1.22 | 19.4 | 2.52 | 0.42 | 1.03 |
| 294755 | 466227 | 5481755 | 1.11 | 16.2 | 1.87 | 0.35 | 0.75 |
| 294756 | 466247 | 5481755 | 1.11 | 21.4 | 2.42 | 0.4 | 0.96 |
| 294757 | 466237 | 5481705 | 1.26 | 27.3 | 2.74 | 0.5 | 1.04 |
| 294758 | 466197 | 5481705 | 1.17 | 21.8 | 2.06 | 0.53 | 1 |
| 294759 | 466177 | 5481705 | 1.18 | 16 | 1.74 | 0.34 | 0.75 |
| 294760 | 466157 | 5481705 | 1.13 | 22.1 | 2.13 | 0.51 | 1.16 |
| 294761 | 466137 | 5481705 | 1.26 | 29.9 | 2.73 | 0.51 | 1.08 |
| 294762 | 466117 | 5481705 | 1.17 | 19.7 | 2.25 | 0.38 | 0.85 |
| 294763 | 466097 | 5481705 | 1.11 | 15.5 | 2.12 | 0.49 | 0.91 |
| 294764 | 466077 | 5481705 | 1.01 | 9 | 0.98 | 0.31 | 0.75 |
| 294765 | 465977 | 5481705 | 1.16 | 19.3 | 2.17 | 0.41 | 0.99 |
| 294766 | 465957 | 5481705 | 0.99 | 15.5 | 1.7 | 0.47 | 0.97 |
| 294767 | 465937 | 5481705 | 0.96 | 8.4 | 1.17 | 0.39 | 0.88 |
| 294768 | 465917 | 5481705 | 1.11 | 11 | 1.43 | 0.42 | 0.87 |
| 294769 | 465797 | 5481605 | 1.24 | 20.7 | 2.17 | 0.41 | 0.87 |
| 294770 | 465817 | 5481605 | 1.2 | 18.1 | 1.95 | 0.4 | 0.81 |
| 294771 | 465837 | 5481605 | 1.24 | 18.6 | 1.83 | 0.43 | 0.87 |
| 294772 | 465857 | 5481605 | 1.11 | 14.5 | 1.81 | 0.39 | 0.85 |
| 294773 | 465877 | 5481605 | 1.37 | 20.4 | 2.58 | 0.45 | 1 |
| 294774 | 465897 | 5481605 | 1.25 | 16.5 | 1.76 | 0.38 | 0.84 |
| 294775 | 465917 | 5481605 | 1.23 | 18.9 | 1.97 | 0.5 | 0.93 |
| 294776 | 465937 | 5481605 | 1.15 | 11.5 | 0.94 | 0.93 | 0.77 |
| 294777 | 465957 | 5481605 | 1.08 | 9 | 0.92 | 0.34 | 0.72 |
| 294778 | 465977 | 5481605 | 1.09 | 12.8 | 1.67 | 0.39 | 0.93 |
| 294779 | 465997 | 5481605 | 1.31 | 44.1 | 1.72 | 0.51 | 0.97 |
| 294780 | 466117 | 5481605 | 1.24 | 28.8 | 2.84 | 0.51 | 1.08 |
| 294781 | 466137 | 5481605 | 1.18 | 29.9 | 3.17 | 0.45 | 0.97 |
| 294782 | 466157 | 5481605 | 1.16 | 25.1 | 2.58 | 0.46 | 0.96 |
| 294783 | 466177 | 5481605 | 0.98 | 14.7 | 3.59 | 0.51 | 1.11 |
| 294784 | 466197 | 5481605 | 1.21 | 23.6 | 2.98 | 0.46 | 0.96 |

| Sample ID | Easting | Northing | Be_ppm | Li_ppm | Cs_ppm | Ta_ppm | Sn_ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|
| 294785 | 466237 | 5481605 | 1.1 | 21.2 | 3.91 | 0.57 | 1.11 |
| 294786 | 466217 | 5481505 | 1.29 | 5.8 | 1.08 | 0.44 | 1.03 |
| 294787 | 466177 | 5481505 | 1.15 | 11.5 | 1.03 | 0.38 | 0.73 |
| 294788 | 466157 | 5481505 | 1.05 | 16.9 | 2.03 | 0.5 | 1.04 |
| 294789 | 466137 | 5481505 | 1.21 | 18 | 1.47 | 0.39 | 0.82 |
| 294790 | 466117 | 5481505 | 1.17 | 18.2 | 2.17 | 0.52 | 0.99 |
| 294791 | 466097 | 5481505 | 1.29 | 22.8 | 2.28 | 0.43 | 1.02 |
| 294792 | 465997 | 5481505 | 1.19 | 38.4 | 2.67 | 0.46 | 0.91 |
| 294793 | 465977 | 5481505 | 1.34 | 29.3 | 2.99 | 0.55 | 1.08 |
| 294794 | 465957 | 5481505 | 1.15 | 12.4 | 1.08 | 0.45 | 0.85 |
| 294795 | 465937 | 5481505 | 1.06 | 15 | 1.76 | 0.32 | 0.84 |
| 294796 | 465897 | 5481505 | 1.1 | 16.2 | 2.58 | 0.42 | 0.97 |
| 294797 | 465877 | 5481505 | 1.29 | 29.8 | 1.8 | 0.41 | 0.9 |
| 294798 | 465857 | 5481505 | 1.15 | 20.4 | 2.19 | 0.42 | 0.88 |
| 294799 | 465837 | 5481505 | 1.21 | 33.6 | 2.63 | 0.46 | 0.96 |
| 294800 | 465757 | 5481494 | 1.08 | 15.7 | 2.16 | 0.47 | 0.91 |
| 297716 | 466047 | 5481355 | 1.13 | 14.8 | 1.91 | 0.42 | 0.88 |
| 297723 | 466217 | 5481705 | 1.26 | 18 | 2.75 | 0.44 | 0.95 |
| 297725 | 465817 | 5481705 | 1.05 | 20 | 2.94 | 0.54 | 1.19 |
| 297732 | 465797 | 5481705 | 1.4 | 22.2 | 3.4 | 0.48 | 1.03 |
| 297801 | 465757 | 5481405 | 1.15 | 17.7 | 2.11 | 0.45 | 0.96 |
| 297802 | 465777 | 5481405 | 1.29 | 19.6 | 2.19 | 0.42 | 0.9 |
| 297803 | 465797 | 5481405 | 1.16 | 17.6 | 2.1 | 0.46 | 1.02 |
| 297804 | 465817 | 5481405 | 1.28 | 19.2 | 2.28 | 0.5 | 1.19 |
| 297805 | 465877 | 5481405 | 1.17 | 19.5 | 1.64 | 0.41 | 0.97 |
| 297806 | 465897 | 5481405 | 1.22 | 19.9 | 2.53 | 0.47 | 1.1 |
| 297807 | 465937 | 5481405 | 1.05 | 11.5 | 1.43 | 0.38 | 0.79 |
| 297808 | 465977 | 5481405 | 1.13 | 26.7 | 2.54 | 0.63 | 1.23 |
| 297809 | 465997 | 5481405 | 1.34 | 24.5 | 1.91 | 0.48 | 0.96 |
| 297810 | 466017 | 5481405 | 1.07 | 19.6 | 2.17 | 0.47 | 0.98 |
| 297811 | 466037 | 5481405 | 1.18 | 21 | 2.58 | 0.44 | 0.98 |
| 297812 | 466057 | 5481405 | 1.16 | 22.1 | 2.49 | 0.5 | 1.06 |
| 297813 | 466077 | 5481405 | 1.17 | 15.9 | 1.76 | 0.51 | 1.15 |
| 297814 | 466097 | 5481405 | 1.15 | 15.9 | 2.16 | 0.52 | 1.08 |
| 297815 | 466117 | 5481405 | 1.08 | 8.9 | 1.02 | 0.26 | 0.59 |
| 297816 | 466137 | 5481405 | 1.26 | 26.7 | 3.43 | 0.49 | 1.1 |
| 297817 | 466157 | 5481405 | 1.3 | 26.8 | 4.01 | 0.55 | 1.31 |
| 297818 | 466217 | 5481305 | 1.11 | 21.3 | 2.73 | 0.48 | 0.98 |
| 297819 | 466197 | 5481305 | 1.3 | 30.5 | 3.29 | 0.48 | 1 |
| 297820 | 466157 | 5481305 | 1.33 | 25.9 | 3.02 | 0.52 | 1.08 |
| 297821 | 466137 | 5481305 | 1.38 | 40.6 | 4.95 | 0.45 | 0.91 |
| 297822 | 466117 | 5481305 | 1.24 | 22.9 | 2.56 | 0.49 | 0.89 |
| 297823 | 466077 | 5481305 | 1.16 | 23.6 | 2.97 | 0.46 | 0.88 |
| 297824 | 466057 | 5481305 | 1.05 | 13.5 | 1.52 | 0.41 | 0.77 |
| 470047 | 465757 | 5481505 | 1.23 | 17.1 | 2.65 | 0.49 | 0.88 |

ASX | BMM

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000

T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com

For personal use only



Balkan

Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

Appendix I: Soil sampling results

| Sample ID | Easting | Northing | Be_ppm | Li_ppm | Cs_ppm | Ta_ppm | Sn_ppm | Sample ID | Easting | Northing | Be_ppm | Li_ppm | Cs_ppm | Ta_ppm | Sn_ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|-----------|---------|----------|--------|--------|--------|--------|--------|
| 297702 | 467457 | 5482505 | 1.08 | 18 | 2.85 | 0.58 | 1.18 | 297757 | 467367 | 5482355 | 1.15 | 15.5 | 1.55 | 0.42 | 0.83 |
| 297703 | 467476 | 5482506 | 1.23 | 24.5 | 2.9 | 0.58 | 1.16 | 297758 | 467316 | 5482306 | 1.11 | 21.3 | 2.5 | 0.55 | 1.13 |
| 297704 | 467497 | 5482505 | 1.38 | 23 | 3.22 | 0.5 | 1.07 | 297759 | 467336 | 5482306 | 1.14 | 17.4 | 1.7 | 0.44 | 0.88 |
| 297705 | 467477 | 5482305 | 1.38 | 26.5 | 3.18 | 0.53 | 1.17 | 297760 | 467356 | 5482306 | 0.97 | 12.2 | 1.35 | 0.47 | 0.88 |
| 297706 | 467537 | 5482505 | 1.23 | 22.6 | 3.82 | 1.32 | 1.32 | 297761 | 467376 | 5482306 | 1.04 | 18.1 | 2.21 | 0.5 | 1.05 |
| 297707 | 467556 | 5482506 | 1.32 | 20.5 | 3.21 | 0.51 | 1.09 | 297762 | 467397 | 5482305 | 1.04 | 13.5 | 1.65 | 0.44 | 0.9 |
| 297708 | 467577 | 5482505 | 1.34 | 20.6 | 2.9 | 0.49 | 1.1 | 297763 | 467417 | 5482305 | 2.69 | 20.5 | 2.51 | 0.48 | 1.07 |
| 297709 | 467596 | 5482506 | 1.34 | 17.2 | 3.08 | 0.46 | 1.06 | 297764 | 467437 | 5482305 | 1.36 | 16.8 | 2.46 | 0.46 | 1.02 |
| 297710 | 467617 | 5482505 | 1.39 | 27.3 | 3.74 | 0.54 | 1.08 | 297765 | 467457 | 5482305 | 0.91 | 9.7 | 1.75 | 0.56 | 1.24 |
| 297711 | 467636 | 5482506 | 1.3 | 21.3 | 3.24 | 0.53 | 1.08 | 297766 | 467497 | 5482305 | 1.15 | 20.8 | 3.05 | 0.68 | 1.64 |
| 297712 | 467657 | 5482505 | 1.43 | 19.5 | 3 | 0.46 | 1.04 | 297767 | 467517 | 5482305 | 1.55 | 39.9 | 5.13 | 0.86 | 1.95 |
| 297713 | 467716 | 5482506 | 1.21 | 22.6 | 4.24 | 0.49 | 1.05 | 297768 | 467537 | 5482305 | 1.01 | 18.4 | 2.25 | 0.56 | 1.24 |
| 297714 | 467737 | 5482505 | 1.13 | 17.2 | 2.78 | 0.44 | 1.01 | 297769 | 467557 | 5482305 | 0.99 | 15.6 | 2.21 | 0.53 | 1.12 |
| 297715 | 467807 | 5482455 | 1.18 | 15.2 | 2.12 | 0.44 | 1.01 | 297770 | 467577 | 5482305 | 1.2 | 18.3 | 2.43 | 0.51 | 1.31 |
| 297717 | 467767 | 5482455 | 1.25 | 18.2 | 2.94 | 0.45 | 1.04 | 297771 | 467597 | 5482305 | 1.03 | 18.5 | 3.4 | 0.9 | 2.55 |
| 297718 | 467746 | 5482456 | 1.26 | 24.1 | 3.7 | 0.72 | 1.25 | 297772 | 467617 | 5482305 | 1.01 | 18.8 | 2.53 | 0.55 | 1.21 |
| 297719 | 467727 | 5482455 | 1.29 | 18 | 2.44 | 0.43 | 0.98 | 297773 | 467637 | 5482305 | 1.15 | 17 | 1.8 | 0.5 | 0.91 |
| 297720 | 467706 | 5482456 | 1.16 | 16.6 | 2.66 | 0.42 | 0.94 | 297774 | 467657 | 5482305 | 1.32 | 21.2 | 2.57 | 0.49 | 1.1 |
| 297721 | 467486 | 5482456 | 1.33 | 32.1 | 3.1 | 0.49 | 1.11 | 297775 | 467677 | 5482305 | 1.21 | 20.9 | 2.64 | 0.5 | 1.1 |
| 297722 | 467467 | 5482455 | 1.28 | 16.8 | 2.42 | 0.48 | 0.94 | 297776 | 467697 | 5482305 | 1 | 16.3 | 1.5 | 0.53 | 1.09 |
| 297724 | 467427 | 5482455 | 1.12 | 17.2 | 2.53 | 0.49 | 1.11 | 297777 | 467717 | 5482305 | 1.07 | 19.7 | 3.09 | 0.58 | 1.19 |
| 297726 | 467387 | 5482455 | 1.02 | 17.8 | 2.44 | 0.51 | 1.21 | 297778 | 467757 | 5482305 | 1.07 | 26.8 | 2.86 | 0.52 | 1.06 |
| 297727 | 467366 | 5482456 | 1.18 | 23.3 | 3.37 | 0.56 | 1.24 | 297779 | 467777 | 5482305 | 1.11 | 16 | 2.14 | 0.43 | 0.89 |
| 297728 | 467347 | 5482455 | 1.16 | 20.7 | 2.81 | 0.63 | 1.09 | 297780 | 467766 | 5482256 | 1.13 | 26.1 | 2.71 | 0.51 | 1.16 |
| 297729 | 467617 | 5482005 | 1.01 | 13.9 | 1.96 | 0.4 | 0.78 | 297781 | 467707 | 5482255 | 1.25 | 43.6 | 4.65 | 0.69 | 1.4 |
| 297730 | 467316 | 5482506 | 1.09 | 18 | 3.43 | 0.48 | 1.03 | 297782 | 467667 | 5482255 | 0.97 | 31.8 | 3.23 | 0.81 | 1.61 |
| 297731 | 467337 | 5482505 | 1.24 | 22.3 | 2.94 | 0.41 | 0.93 | 297783 | 467647 | 5482255 | 1.16 | 24.4 | 3.26 | 0.52 | 1.15 |
| 297733 | 467376 | 5482506 | 1.22 | 23.1 | 3.06 | 0.49 | 1.05 | 297784 | 467627 | 5482255 | 1.08 | 22.1 | 2.66 | 0.56 | 1.15 |
| 297734 | 467396 | 5482506 | 1.2 | 18.2 | 2.83 | 0.55 | 1.24 | 297785 | 467607 | 5482255 | 1.08 | 18.2 | 3.09 | 0.52 | 1.28 |
| 297735 | 467417 | 5482505 | 1.06 | 21.8 | 2.33 | 0.46 | 0.9 | 297786 | 467587 | 5482255 | 1.18 | 18 | 2.42 | 0.48 | 1.12 |
| 297736 | 467436 | 5482406 | 1.14 | 20.1 | 2.28 | 0.42 | 0.91 | 297787 | 467527 | 5482255 | 1.19 | 20.9 | 2.52 | 0.56 | 1.39 |
| 297738 | 467677 | 5482405 | 1.28 | 27.6 | 3.08 | 0.62 | 1.35 | 297788 | 467507 | 5482255 | 1.12 | 19.8 | 2.42 | 0.58 | 1.17 |
| 297740 | 467797 | 5482405 | 1.15 | 18 | 2.29 | 0.51 | 1.01 | 297789 | 467487 | 5482255 | 1.22 | 22.6 | 2.8 | 0.55 | 1.2 |
| 297742 | 467786 | 5482356 | 1.28 | 19.3 | 2.98 | 0.5 | 1.14 | 297790 | 467467 | 5482255 | 1.3 | 35.2 | 2.75 | 0.53 | 1.11 |
| 297744 | 467746 | 5482356 | 1.48 | 24.4 | 3.04 | 0.54 | 1.12 | 297791 | 467447 | 5482255 | 1.04 | 13.6 | 2.38 | 0.55 | 1.2 |
| 297746 | 467687 | 5482355 | 1.11 | 29.2 | 3.04 | 0.55 | 1.13 | 297792 | 467427 | 5482255 | 1.31 | 24.1 | 2.69 | 0.57 | 1.13 |
| 297748 | 467727 | 5482355 | 1.42 | 24.8 | 3.31 | 0.81 | 2.55 | 297793 | 467407 | 5482255 | 1.1 | 25.2 | 2.82 | 0.51 | 1.03 |
| 297749 | 467626 | 5482356 | 1.22 | 25.3 | 2.67 | 0.59 | 1.18 | 297794 | 467387 | 5482255 | 1.27 | 17.5 | 2.55 | 0.44 | 1.02 |
| 297750 | 467607 | 5482355 | 1.07 | 20.6 | 2.34 | 0.51 | 1.09 | 297795 | 467366 | 5482256 | 1.21 | 21.8 | 2.51 | 0.52 | 1.07 |
| 297751 | 467586 | 5482356 | 1.21 | 23.6 | 2.69 | 0.61 | 1.35 | 297796 | 467347 | 5482255 | 1.04 | 14.5 | 1.65 | 0.51 | 1.34 |
| 297752 | 467466 | 5482356 | 1.22 | 20.3 | 2.83 | 0.5 | 1.08 | 297797 | 467327 | 5482255 | 0.99 | 12.4 | 1.48 | 0.57 | 1.04 |
| 297753 | 467447 | 5482355 | 1.23 | 17.6 | 2.37 | 0.46 | 1.04 | 297798 | 467317 | 5482205 | 1.21 | 21.4 | 2.61 | 0.58 | 1.25 |
| 297754 | 467426 | 5482356 | 1.15 | 11.2 | 1.02 | 0.31 | 0.74 | 297799 | 467385 | 5482207 | 1.5 | 25.6 | 3.28 | 0.54 | 1.05 |
| 297755 | 467407 | 5482355 | 1.09 | 11.8 | 1.18 | 0.41 | 0.81 | 297800 | 467357 | 5482205 | 1.34 | 16.4 | 1.92 | 0.52 | 1.08 |
| 297756 | 467386 | 5482356 | 1.15 | 14.4 | 1.5 | 0.43 | 0.89 | 297826 | 467397 | 5482205 | 1.18 | 19.9 | 2.51 | 0.53 | 1.51 |

ASX | BMM

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000

T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com



Balkan

Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

Appendix I: Soil sampling results

| Sample ID | Easting | Northing | Be_ppm | Li_ppm | Cs_ppm | Ta_ppm | Sn_ppm | Sample ID | Easting | Northing | Be_ppm | Li_ppm | Cs_ppm | Ta_ppm | Sn_ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|-----------|---------|----------|--------|--------|--------|--------|--------|
| 297827 | 467417 | 5482205 | 1.32 | 34.2 | 2.78 | 0.61 | 1.23 | 297874 | 467537 | 5482105 | 1.08 | 17.7 | 2.1 | 0.59 | 1.17 |
| 297828 | 467437 | 5482205 | 1.2 | 16.4 | 1.79 | 0.42 | 0.93 | 297875 | 467557 | 5482105 | 1.11 | 14.8 | 1.84 | 0.51 | 1.2 |
| 297829 | 467457 | 5482205 | 1.32 | 26.5 | 2.64 | 0.55 | 1.32 | 297876 | 467577 | 5482105 | 1.03 | 16.8 | 1.92 | 0.7 | 1.01 |
| 297830 | 467477 | 5482205 | 1.3 | 17.7 | 2.49 | 0.55 | 1.32 | 297877 | 467597 | 5482105 | 0.99 | 21.8 | 2.43 | 0.54 | 1.03 |
| 297831 | 467497 | 5482205 | 1.26 | 22.6 | 2.4 | 0.54 | 1.16 | 297878 | 467617 | 5482105 | 1.07 | 26.5 | 2.45 | 0.59 | 1.16 |
| 297832 | 467517 | 5482205 | 1 | 12.9 | 2.07 | 0.58 | 1.06 | 297879 | 467637 | 5482105 | 1.13 | 22.8 | 2.57 | 0.53 | 1.11 |
| 297833 | 467537 | 5482205 | 1.02 | 17.1 | 1.86 | 0.63 | 1.04 | 297880 | 467817 | 5482005 | 1.12 | 21.9 | 2.94 | 0.47 | 0.92 |
| 297834 | 467557 | 5482205 | 1.06 | 17.2 | 2.1 | 0.58 | 1.09 | 297881 | 467797 | 5482005 | 1.1 | 17.9 | 2.26 | 0.47 | 0.94 |
| 297835 | 467577 | 5482205 | 1.23 | 14.4 | 1.99 | 0.46 | 0.95 | 297882 | 467757 | 5482005 | 1.23 | 19.2 | 1.77 | 0.52 | 0.89 |
| 297836 | 467597 | 5482205 | 1.22 | 23.7 | 2.92 | 0.54 | 1.11 | 297883 | 467737 | 5482005 | 1.14 | 21.7 | 1.94 | 1.65 | 0.93 |
| 297837 | 467617 | 5482205 | 1.22 | 21.6 | 4.7 | 0.76 | 1.71 | 297884 | 467717 | 5482005 | 1.1 | 19.2 | 2.13 | 0.47 | 0.99 |
| 297838 | 467565 | 5482206 | 1.68 | 43.9 | 2.6 | 1.28 | 2.21 | 297885 | 467697 | 5482005 | 1.14 | 18.5 | 1.81 | 0.47 | 0.85 |
| 297839 | 467757 | 5482205 | 1.22 | 17.8 | 2.18 | 0.44 | 0.92 | 297886 | 467677 | 5482005 | 1.16 | 25.2 | 2.15 | 1.63 | 1.13 |
| 297840 | 467777 | 5482205 | 1.11 | 17.7 | 2.34 | 0.42 | 0.88 | 297887 | 467657 | 5482005 | 1.13 | 25.6 | 2.49 | 0.57 | 1.15 |
| 297841 | 467797 | 5482205 | 1.2 | 15.8 | 1.81 | 0.43 | 0.88 | 297888 | 467637 | 5482005 | 1.12 | 19.5 | 1.94 | 0.5 | 0.98 |
| 297842 | 467817 | 5482205 | 1.13 | 15.5 | 1.81 | 0.43 | 0.85 | 297889 | 467597 | 5482005 | 1.14 | 20.6 | 1.92 | 0.65 | 0.89 |
| 297843 | 467377 | 5482105 | 1.09 | 17.2 | 1.97 | 0.44 | 0.9 | 297890 | 467577 | 5482005 | 1.14 | 18.9 | 1.98 | 0.48 | 0.99 |
| 297844 | 467787 | 5482155 | 1.05 | 13.9 | 1.8 | 0.43 | 0.85 | 297891 | 467557 | 5482005 | 1.12 | 22 | 2.03 | 0.57 | 1.09 |
| 297845 | 467767 | 5482155 | 1.27 | 23.1 | 2.04 | 0.47 | 0.93 | 297892 | 467537 | 5482005 | 1.12 | 19.8 | 1.85 | 0.52 | 1.04 |
| 297846 | 467747 | 5482155 | 1.14 | 21.6 | 2.38 | 0.55 | 1.07 | 297893 | 467517 | 5482005 | 0.98 | 15.9 | 2.48 | 0.63 | 1.29 |
| 297847 | 467727 | 5482155 | 1.1 | 18.3 | 1.91 | 0.5 | 1.01 | 297894 | 467477 | 5482005 | 1.14 | 21.7 | 2.77 | 0.57 | 1.23 |
| 297848 | 467707 | 5482155 | 1.03 | 16.4 | 2.12 | 0.52 | 1.05 | 297895 | 467457 | 5482005 | 1.39 | 22.1 | 2.26 | 0.51 | 1.04 |
| 297849 | 467607 | 5482155 | 1.26 | 22.7 | 4.27 | 0.68 | 1.31 | 297896 | 467437 | 5482005 | 1.15 | 21.9 | 2.61 | 0.57 | 1.16 |
| 297850 | 467587 | 5482155 | 1.09 | 21.1 | 2.39 | 0.49 | 0.96 | 297897 | 467417 | 5482005 | 1.08 | 18.4 | 2.02 | 0.56 | 1.13 |
| 297851 | 467567 | 5482155 | 0.89 | 11 | 1.96 | 0.54 | 1.09 | 297898 | 467397 | 5482005 | 1.13 | 16.8 | 1.51 | 0.44 | 0.88 |
| 297852 | 467547 | 5482155 | 1.05 | 15 | 1.71 | 0.58 | 0.95 | 297899 | 467377 | 5482005 | 0.89 | 11.7 | 1.63 | 0.62 | 1.22 |
| 297853 | 467527 | 5482155 | 1 | 9.2 | 1.92 | 0.47 | 0.97 | 297900 | 467357 | 5482005 | 1.31 | 29 | 1.83 | 0.56 | 1.04 |
| 297854 | 467507 | 5482155 | 1.03 | 18.1 | 2.15 | 1.89 | 1.15 | 297901 | 467337 | 5482005 | 1.12 | 24.9 | 1.96 | 0.51 | 1 |
| 297855 | 467487 | 5482155 | 1.16 | 21.7 | 2.46 | 0.57 | 1.16 | 297902 | 467317 | 5482005 | 1.6 | 21.5 | 2.38 | 0.63 | 1.03 |
| 297856 | 467467 | 5482155 | 1.09 | 16.3 | 2.2 | 0.55 | 1.12 | 297903 | 467327 | 5482055 | 0.83 | 8.8 | 1.37 | 0.53 | 1.01 |
| 297857 | 467447 | 5482155 | 1.06 | 11.4 | 2.06 | 0.5 | 1.11 | 297904 | 467347 | 5482055 | 1.08 | 16.8 | 2.14 | 0.54 | 1.16 |
| 297858 | 467427 | 5482155 | 1.05 | 18 | 2.22 | 0.63 | 1.44 | 297905 | 467367 | 5482055 | 1.1 | 19 | 2.1 | 0.5 | 1.09 |
| 297859 | 467407 | 5482155 | 1.14 | 21.3 | 2.12 | 0.56 | 1.21 | 297906 | 467387 | 5482055 | 1.1 | 23.8 | 2.12 | 0.54 | 1.05 |
| 297860 | 467387 | 5482155 | 1.15 | 17.4 | 2.38 | 0.67 | 1.64 | 297907 | 467407 | 5482055 | 1.03 | 18.5 | 2.13 | 0.55 | 1.24 |
| 297861 | 467367 | 5482155 | 1.28 | 23.1 | 2.54 | 0.57 | 1.18 | 297908 | 467427 | 5482055 | 1.02 | 18.6 | 2.15 | 0.57 | 1.2 |
| 297862 | 467347 | 5482155 | 1.24 | 17.1 | 1.72 | 0.52 | 1.05 | 297909 | 467447 | 5482055 | 1.09 | 22.5 | 2.29 | 0.63 | 1.35 |
| 297863 | 467327 | 5482155 | 1.06 | 18 | 2.03 | 0.59 | 1.08 | 297910 | 467467 | 5482055 | 1.13 | 20.6 | 1.92 | 0.58 | 1.21 |
| 297864 | 467337 | 5482105 | 1.27 | 25 | 3.05 | 0.69 | 1.51 | 297911 | 467487 | 5482055 | 1.09 | 25.8 | 2.39 | 0.57 | 1.13 |
| 297865 | 467357 | 5482105 | 1.14 | 16.4 | 1.88 | 0.48 | 0.88 | 297912 | 467507 | 5482055 | 1.05 | 22.8 | 2.43 | 0.64 | 1.26 |
| 297866 | 467397 | 5482105 | 1.26 | 20 | 2.61 | 0.52 | 1.15 | 297913 | 467527 | 5482055 | 0.99 | 16.7 | 2.05 | 0.57 | 1.24 |
| 297867 | 467437 | 5482105 | 1.07 | 17.8 | 1.73 | 0.5 | 1.08 | 297914 | 467547 | 5482055 | 1.14 | 29.2 | 2.1 | 0.54 | 1.12 |
| 297868 | 467417 | 5482105 | 1.21 | 21.7 | 2.28 | 0.59 | 1.19 | 297915 | 467567 | 5482055 | 1.13 | 14.4 | 1.71 | 0.44 | 0.84 |
| 297869 | 467437 | 5482105 | 1.15 | 16 | 1.91 | 0.58 | 1.11 | 297916 | 467587 | 5482055 | 1.16 | 15.6 | 2.1 | 0.42 | 0.93 |
| 297870 | 467457 | 5482105 | 1.38 | 20.4 | 2.29 | 0.55 | 1.14 | 297917 | 467607 | 5482055 | 1.18 | 21 | 2.22 | 0.49 | 0.99 |
| 297871 | 467477 | 5482105 | 1.05 | 15.4 | 2.47 | 0.58 | 1.17 | 297918 | 467627 | 5482055 | 1.04 | 15.7 | 1.82 | 0.47 | 0.99 |
| 297872 | 467496 | 5482106 | 1.09 | 19.8 | 1.86 | 0.68 | 1.08 | 297919 | 467647 | 5482055 | 0.92 | 11.4 | 1.64 | 0.46 | 0.99 |
| 297873 | 467517 | 5482105 | 1.09 | 13.8 | 1.34 | 0.43 | 0.8 | 297920 | 467667 | 5482055 | 1.01 | 16.9 | 2.53 | 0.54 | 1 |

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000

T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com

For personal use only



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

Appendix I: Soil sampling results

| Sample ID | Easting | Northing | Be_ppm | Li_ppm | Cs_ppm | Ta_ppm | Sn_ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|
| 297921 | 467687 | 5482055 | 1.04 | 15 | 1.97 | 0.64 | 0.99 |
| 297922 | 467707 | 5482055 | 1.27 | 19.5 | 2.1 | 0.46 | 1.03 |
| 297923 | 467727 | 5482055 | 1.2 | 17.7 | 1.83 | 0.47 | 0.93 |
| 297924 | 467747 | 5482055 | 1.11 | 17.2 | 2.1 | 0.46 | 0.95 |
| 297925 | 467767 | 5482055 | 1.36 | 22.4 | 1.95 | 0.45 | 0.93 |
| 297926 | 467787 | 5482055 | 1.31 | 21.1 | 2.71 | 0.51 | 1.06 |
| 297927 | 467807 | 5482055 | 1.21 | 17.2 | 2.01 | 0.43 | 0.87 |
| 297928 | 467816 | 5482106 | 1.18 | 23 | 2.09 | 0.52 | 1.09 |
| 297929 | 467797 | 5482105 | 1.2 | 20.2 | 2.53 | 0.56 | 1.05 |
| 297930 | 467777 | 5482105 | 1.35 | 21.8 | 2.31 | 0.5 | 1.05 |
| 297931 | 467757 | 5482105 | 1.14 | 17.6 | 2.02 | 0.49 | 0.95 |
| 297932 | 467737 | 5482105 | 1.26 | 17.9 | 2.03 | 0.48 | 0.93 |
| 297933 | 467717 | 5482105 | 1.23 | 21.7 | 1.83 | 0.8 | 0.97 |
| 297934 | 467697 | 5482105 | 1.12 | 20.9 | 1.96 | 0.59 | 1.18 |
| 297935 | 467677 | 5482105 | 1.03 | 16.6 | 2 | 1.18 | 1.27 |
| 297936 | 467657 | 5482105 | 1.11 | 20 | 2.38 | 0.57 | 1.18 |
| 470015 | 467837 | 5482155 | 1.2 | 19.2 | 2.09 | 0.46 | 0.98 |

ASX | **BMM**

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000

T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com



Balkan
Mining and Minerals Limited

JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

| Criteria | JORC Code explanation | Commentary |
|--------------------------------|---|---|
| Sampling techniques | <ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. | <ul style="list-style-type: none"> Soil samples were collected from "B" horizon using a hand auger. The samples were taken on a 20x50m grid pattern with sites located by a handheld GPS. Samples varied in weight from 0.21kg up to 1.14kg. All collected soil samples for the present study were prepared by ALS laboratory in Thunder Bay and analysed in ALS laboratory in Vancouver, both having been assessed by the Standards Council of Canada (SCC) and found to conform with the requirements of ISO/IEC 17025:2005 and the conditions for accreditation established by SCC. Accuracy monitoring was achieved through the submission and monitoring of standard reference materials. In addition, ALS performs its own internal QAQC checks. |
| Drilling techniques | <ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). | <ul style="list-style-type: none"> Not Applicable - No drilling was undertaken. |
| Drill sample recovery | <ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. | <ul style="list-style-type: none"> Not Applicable - No drilling was undertaken. |
| Logging | <ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. | <ul style="list-style-type: none"> Each sample has been recorded in a daily log book and the sampling location has been photographed. |
| Sub-sampling techniques | <ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. | <ul style="list-style-type: none"> No sample preparation is undertaken by the Company prior to lab submission. |



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

| | | |
|--|--|---|
| <p>and sample preparation</p> | <ul style="list-style-type: none"> For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. | <ul style="list-style-type: none"> The samples were prepared (crushed and pulverised) in the ALS' prep lab in Thunder Bay and assayed in ALS' lab in Vancouver. |
| <p>Quality of assay data and laboratory tests</p> | <ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. | <ul style="list-style-type: none"> All the rock samples collected for the present study work were prepared and analysed by ALS in Thunder Bay and Vancouver, having been assessed by the accredited by the Standards Council of Canada (SCC) for specific tests listed in our Scopes of Accreditation which conforms with CAN-P-1579: Requirements for the Accreditation of Mineral Analysis Testing Laboratories and CAN-P-4E ISO/IEC 17025: General Requirements for the Competence of Testing and Calibration Laboratories. The soil samples were prepared using PREP-41 a standard ALS' procedure for soil samples. The samples were analysed by ALS' ME-MS61L Super trace 4 Acid/ ICP-MS Multi-element Package. Accuracy monitoring was achieved through the submission and monitoring of standards. Standards were submitted as "blind" control samples not identifiable by the laboratory. In addition, ALS performs its own internal QAQC checks. |
| <p>Verification of sampling and assaying</p> | <ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. | <ul style="list-style-type: none"> Pleson Geoscience, an independent contractor, collected samples. The data regarding sampling location and sample information is stored in tabular format and is appended to this report. Assays results have been reported as ppm, and there was no adjustment to assay data. |
| <p>Location of data points</p> | <ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. | <ul style="list-style-type: none"> Sample locations were determined using a portable GPS receiver. All the data are tight into NAD83 / UTM zone 16 grid system. |
| <p>Data spacing and distribution</p> | <ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. | <ul style="list-style-type: none"> Soil samples were collected from "B" horizon using a hand auger. The samples were taken on a 20x50m grid pattern. The data spacing and distribution are considered to be insufficient to establish the degree of geological and grade continuity. Sample compositing has not been applied. |
| <p>Orientation of data in</p> | <ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the | <ul style="list-style-type: none"> Soil samples were taken on a 20x50m grid pattern. The reported samples are considered |

ASX | BMM

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000

T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

| | | |
|---|--|---|
| relation to geological structure | <p>extent to which this is known, considering the deposit type.</p> <ul style="list-style-type: none">If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. | <p>as systematically taken samples and thus represent a continuous sample over any width or length of an perspective area.</p> |
| Sample security | <ul style="list-style-type: none">The measures taken to ensure sample security. | <ul style="list-style-type: none">Pleson Geoscience geologists handed the samples off to the ALS laboratory manager, and the proper chain of custody was confirmed. |
| Audits or reviews | <ul style="list-style-type: none">The results of any audits or reviews of sampling techniques and data. | <ul style="list-style-type: none">Mr Dejan Jovanovic (the Company's General Manager of Exploration) audited and reviewed sampling and assay data. |

ASX | BMM

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000

T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria | JORC Code explanation | Commentary | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|---|------------------|------------|---------------|------------------|--------|-------------------------|--------|------------|--------|--------------------------|--------|------------|--------|-------------------------|--------|------------|--------|-------------------------|--------|------------|--------|-------------------------|--------|------------|--------|-------------------------|--------|------------|--------|-------------------------|--------|------------|--------|-------------------------|--------|------------|--------|-------------------------|--------|------------|--------|-------------------------|--------|------------|--------|-------------------------|--------|------------|--------|-------------------------|--------|------------|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. | <ul style="list-style-type: none"> In total, eleven (11) multi-cell and one (1) single mining claim are owned by Ombabika Group Inc, a holder of the Gorge exploration project. <table border="1"> <thead> <tr> <th>TENURE ID</th> <th>TITLE TYPE</th> <th>TENURE STATUS</th> <th>ANNIVERSARY DATE</th> </tr> </thead> <tbody> <tr> <td>618053</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>07/11/2022</td> </tr> <tr> <td>547101</td> <td>Single Cell Mining Claim</td> <td>Active</td> <td>31/03/2023</td> </tr> <tr> <td>750117</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>27/09/2024</td> </tr> <tr> <td>750119</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>27/09/2024</td> </tr> <tr> <td>750120</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>27/09/2024</td> </tr> <tr> <td>750121</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>27/09/2024</td> </tr> <tr> <td>570582</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>23/01/2023</td> </tr> <tr> <td>750118</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>27/09/2024</td> </tr> <tr> <td>618074</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>07/11/2022</td> </tr> <tr> <td>722323</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>07/11/2022</td> </tr> <tr> <td>636770</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>12/02/2023</td> </tr> <tr> <td>722324</td> <td>Multi-cell Mining Claim</td> <td>Active</td> <td>07/11/2022</td> </tr> </tbody> </table> <p>Pursuant to the Gorge Project transaction, the Company has the option to acquire 100% in the Gorge Project via four equal 25% interested staged earn-in acquisition, over a period of 3.5 years by satisfying agreed staged consideration payments and satisfying staged project spending requirements. Please refer to Notice of General Meeting dated 22 August 2022 for further details.</p> | TENURE ID | TITLE TYPE | TENURE STATUS | ANNIVERSARY DATE | 618053 | Multi-cell Mining Claim | Active | 07/11/2022 | 547101 | Single Cell Mining Claim | Active | 31/03/2023 | 750117 | Multi-cell Mining Claim | Active | 27/09/2024 | 750119 | Multi-cell Mining Claim | Active | 27/09/2024 | 750120 | Multi-cell Mining Claim | Active | 27/09/2024 | 750121 | Multi-cell Mining Claim | Active | 27/09/2024 | 570582 | Multi-cell Mining Claim | Active | 23/01/2023 | 750118 | Multi-cell Mining Claim | Active | 27/09/2024 | 618074 | Multi-cell Mining Claim | Active | 07/11/2022 | 722323 | Multi-cell Mining Claim | Active | 07/11/2022 | 636770 | Multi-cell Mining Claim | Active | 12/02/2023 | 722324 | Multi-cell Mining Claim | Active | 07/11/2022 |
| TENURE ID | TITLE TYPE | TENURE STATUS | ANNIVERSARY DATE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 618053 | Multi-cell Mining Claim | Active | 07/11/2022 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 547101 | Single Cell Mining Claim | Active | 31/03/2023 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750117 | Multi-cell Mining Claim | Active | 27/09/2024 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750119 | Multi-cell Mining Claim | Active | 27/09/2024 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750120 | Multi-cell Mining Claim | Active | 27/09/2024 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750121 | Multi-cell Mining Claim | Active | 27/09/2024 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 570582 | Multi-cell Mining Claim | Active | 23/01/2023 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 750118 | Multi-cell Mining Claim | Active | 27/09/2024 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 618074 | Multi-cell Mining Claim | Active | 07/11/2022 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 722323 | Multi-cell Mining Claim | Active | 07/11/2022 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 636770 | Multi-cell Mining Claim | Active | 12/02/2023 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 722324 | Multi-cell Mining Claim | Active | 07/11/2022 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Exploration done by other parties | <ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. | <ul style="list-style-type: none"> Historical workings carried out in 1955/56 identified up to 40 lithium and beryllium bearing pegmatites exposed in outcrop over an area of approximately 600km², referred to as the larger Georgia Lake Area. Follow up fieldwork was carried out during 2008 with a focus on identifying rare-element pegmatite deposits. During this period, a new pegmatite group referred to as "Gathering Lake Pegmatite Group" was discovered containing both albite-spodumene-type and beryl-type pegmatites. The most recent field program was completed in 2018 when the presence of lithium-bearing mineralisation were confirmed on the Project at the Koshman and Nelson occurrences. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Geology | <ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. | <ul style="list-style-type: none"> The Georgia Lake area is located within the Quetico Subprovince of the Superior Province of Ontario, Canada. The Quetico Subprovince is bounded by the granite-greenstone Wabigoon Subprovince to the north and Wawa Subprovince to the south. The Quetico Subprovince is composed of predominantly metasediments consisting of wacke, iron formation, conglomerate, ultramafic wacke and siltstone, which deposited between 2.70 and 2.69 Ga. The igneous rocks in the Quetico Subprovince include abundant felsic and intermediate intrusions, metamorphosed rare mafic and felsic extrusive rocks and an uncommon suite of gabbroic and ultramafic rocks. There is an abundance of pegmatites close to and within the large masses of granitic rocks. A regional zoning is apparent and a genetic | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ASX | BMM

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000

T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

| Criteria | JORC Code explanation | Commentary |
|-------------------------------|---|--|
| | | <p>association of pegmatites and granite is indicated. The pegmatites occur in two geometries: as irregular-shaped bodies and as thin veins and attenuated lenses. The irregular bodies of pegmatite are intimately associated with the granite bodies often within a few hundred feet of the contact zone. They typically are medium- to coarse-grained, up to very coarse-grained and are made up of quartz, microcline, perthite and little muscovite. These would be classified as potassic pegmatites. Accessory minerals include biotite, tourmaline and garnet.</p> <ul style="list-style-type: none"> The pegmatite veins and lenses can be subdivided into rare-element pegmatites and granitic pegmatites. The rare-element pegmatites are of economic significance and they contain microcline or perthite, albite, quartz, muscovite and spodumene and minor amounts of beryl, columbite-tantalite and cassiterite. The granitic pegmatites are like the irregular pegmatites described above except that they contain more abundant plagioclase. Some of the pegmatites are parallel to the foliation or bedding of the metasediments, whereas others occur in joints in either the metasediments or granite. Contacts are usually sharp and, except where veins cut granitic rocks, often found to be marked by a thin border zone of aplite or granitoid composition. A few pegmatites are internally zoned with mica-rich or tourmaline-rich rock along or close to the walls and quartz cores. |
| Drill hole Information | <ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. | <ul style="list-style-type: none"> Not applicable - No drilling was undertaken. |

ASX | BMM

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000

T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com



Balkan
Mining and Minerals Limited

ASX ANNOUNCEMENT

6 July 2023

| Criteria | JORC Code explanation | Commentary |
|---|---|---|
| Data aggregation methods | <ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. | <ul style="list-style-type: none"> No data aggregation was done on the soil samples. No cut-off grades were used. No metal equivalent values are being reported. |
| Relationship between mineralisation widths and intercept lengths | <ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). | <ul style="list-style-type: none"> Soil samples were taken from the surface and thus are not representative of the entire thickness of the pegmatite units and, thus, not sufficient to establish the geometry of the mineralisation. |
| Diagrams | <ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. | <ul style="list-style-type: none"> Appropriate diagrams, including sample locations map, are included in the main body of this report. A location map of the areas from which soil samples have been collected is included in the main body of the text. In addition, all soil sample data is listed in Appendix 1 with Channel ID, Sample ID and analytical results. |
| Balanced reporting | <ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. | <ul style="list-style-type: none"> The announcement is believed to include all representative and relevant information and is believed to be comprehensive. |
| Other substantive exploration data | <ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. | <ul style="list-style-type: none"> All historical exploration data is well summarised in Technical Report on the Gathering Lake Lithium Pegmatite Property. |
| Further work | <ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. | <ul style="list-style-type: none"> Based on the preliminary information available, continued exploration is guaranteed. The Company plans to focus on visiting area with anomalous lithium values trying to identifying sources of anomaly. |

ASX | BMM

Balkan Mining and Minerals Limited ABN 67 646 716 681
Level 50, 108 St Georges Terrace, Perth WA 6000

T: +61 8 6109 6684 E: info@balkanmin.com www.balkanmin.com