

10 July 2023

DRILL TARGETS IDENTIFIED AT PERU BASE METALS PROJECTS

Firetail Resources Limited (ASX: FTL) (“**Company**” or “**Firetail**”) is pleased to provide a due diligence update on the Picha and Charaque Copper Projects in Peru, subsequent to the execution of the binding terms sheet with Valor Resources Limited (ASX: VAL) (“**Valor**”) for Firetail to acquire up to 80% of the issued share capital of Kiwanda S.A.C. (“**Kiwanda**”)¹.

Kiwanda is a wholly owned Peruvian subsidiary of Valor and owns mining exploration concessions that are prospective for copper in Peru, South America comprising the Picha Copper-Silver Project (“**Picha**”) and Charaque Copper Project (“**Charaque**”).

Highlights:

- Several drill-ready targets across the Picha Copper-Silver Project area identified in review of previous exploration data comprising geochemical sampling, geological mapping and IP/Resistivity surveys.
- Picha is prospective for epithermal, stratabound, polymetallic carbonate replacement (“**CRD**”) and porphyry style copper mineralisation with several untested significant surface geochemical and geophysical anomalies.
- Charaque Copper Project is subject to a farm-in deal recently executed by Valor with Barrick Gold Corporation (“**Barrick**”), providing partial benefit to Firetail.
- Experienced in-country management and technical team with proven track record will be onsite in the coming weeks to verify previous exploration work and commence drill-planning for Firetail.

Executive Chairman, Brett Grosvenor, commented:

“The Firetail team is very pleased to progress our due diligence on these exciting assets, and we see significant value for our shareholders with this advanced copper exploration opportunity.”

“The Picha Project has undergone a substantial exploration program over the past 18 months, which has identified large numbers of significant targets through surface work coupled with IP/Resistivity surveys. We are delighted to have the expertise of the existing exploration team to continue the great work they have done so far at Picha and to progress quickly to drill planning.”

“We believe the Picha Copper Project presents large-scale resource potential, in an existing mining province, and we look forward to bringing further updates on our due diligence activities to our shareholders in the coming weeks.”

¹ ASX Announcement 5 July 2023 – Firetail signs binding terms sheet for acquisition of Peru Copper Projects

For personal use only



Plate 1: Firetail Resources Executive Chair, Brett Grosvenor, onsite at the Picha Copper Project in Peru



Plate 2: Firetail Board site visit to Picha Copper Project in Peru

Projects

Kiwanda is a wholly owned Peruvian subsidiary of Valor and owns mining exploration concessions that are prospective for copper in Peru, South America comprising the Picha and Charaque Projects (“**Projects**”). Firetail has undertaken a full review of the existing exploration results at the Projects, and is pleased to present an update herewith.

Picha Copper-Silver Project

The Picha Project is a copper-silver exploration project, located in the Moquegua and Puno Departments of southern Peru. The Project comprises 27 mining concessions covering an area of around 200km² and is prospective for multiple styles of copper mineralisation including epithermal, stratabound, CRD and porphyry related. Picha is located approximately 17km east northeast of the San Gabriel Au-Cu-Ag Project, owned by Compania de Minas Buenaventura S.A.A. (“**Buenaventura**”), which hosts Reserves of 14.9 MT with 4.04 g/t Au and 6.43 g/t Ag, representing 1.94MOz Au; and resources: 24.86 MT with 2.10 g/t Au and 8.46 g/t Ag².

Exploration work completed by Valor in 2021 and 2022 comprising geochemical sampling, geological mapping and IP/Resistivity surveys has identified several exciting targets across the Project area (see Figure 1). A total of 651 rock chip and channel samples and 289 soil samples have been taken by Valor Resources at the Picha Project since 2021, full details of which are provided in Appendix 2 below.

The highest priority targets identified during the initial work by Valor in 2021 are located in the central part of the Project. These targets are drill ready with final approval expected in coming weeks, with the Peruvian Ministry of Energy and Mines (“**MEM**”) having already issued a DIA – “Declaracion de Impacto Ambiental” (Environmental Impact Statement for Exploration) for the Picha Project, allowing for up to 120 holes to be drilled within an area centred on the Cobremani, Maricate, Cumbre Coya and Fundicion targets.

Details of all surface sampling (rock chip, channel and soils) completed on the Cobremani, Maricate, Cumbre Coya and Fundicion targets are provided in third-party announcements detailed in Appendix 1, and in Tables 1 and 2 detailed in Appendix 2.

Surface sampling has highlighted geochemical anomalies at several of the drill targets including channel sampling assay results of:

- 41.6m @ 1.12% Cu and 22.85 g/t Ag (Cobremani)
- 17.6m @ 1.95% Cu and 29.58 g/t Ag (Maricate)
- 32.85m @ 0.61% Cu and 209.76 g/t Ag (Cumbre Coya)

A large Induced Polarisation (“**IP**”) chargeability anomaly was identified by a ground survey in 2021 at the Fundicion target, potentially reflecting sulphide mineralisation or alteration relating to a large porphyry body at depth. The anomaly is around 2km long (N-S) and up to 2km at its widest (E-W). The IP anomaly and geochemical targets have never been drill tested. The 2021 IP/Resistivity survey consisted of 15 lines at 200m and 400m spacing for a total of 56.1 line-km and further details are contained in Table 1 below.

² For details of Mineral Resources and Reserves please refer to Buenaventura Integrated Annual Report 2022

Charaque Copper Project

The Charaque Copper Project is located 30km north-east of the Picha Copper Project and comprises eight claims covering an area of around 6,000 hectares (60km²). The area around Charaque is an active exploration area with major mining companies including Barrick, Teck Resources Ltd and Fresnillo Plc have significant landholdings around the project area. The Project lies along a regional northwest-southeast geological trend which encompasses several deposits, including the Arasi and Jessica Gold mines (owned by Aruntani), the El Cofre polymetallic mine (owned by CIEMSA), and several other prospects and historical mine workings (see Figure 2 below).

Historical mine workings within the concessions are centred on two main areas, Arco and Huallatani. Details of work completed by Valor on the Charaque Project, including sampling details at the Arco and Huallatani targets, are provided in Appendix 2 and Table 3 below.

On 26 June 2023, Valor executed an earn-in agreement with Barrick covering the Charaque Project³.

Under the terms of the earn-in agreement, Barrick:

- has been granted a 5 year option to acquire a 70% interest in Charaque for cash payments totalling US\$800,000 and US\$3 million of exploration expenditure;
- during the first two years, guarantees a minimum exploration expenditure of US\$500,000; and
- once it has acquired a 70% interest, can earn an additional 10% by exercising a second option with a US\$1 million cash payment and the delivery of a sole-funded pre-feasibility study, taking its interest to 80%.

All future cash payments associated with the earn in agreement will be split between Valor and Firetail on a 50:50 basis.

³ ASX Announcement 26 June 2023 - Valor secures earn-in agreement with Barrick at Charaque Project

For personal use only




Figure 2: Charaque Project – Landholdings and location of Hualatani and Arco target areas

If you have any questions about the information provided in this announcement, please contact the Company on +61 8 9322 2338.

This announcement has been authorised for release on ASX by the Company’s Board of Directors.

For more information contact:

Brett Grosvenor
Executive Chairman Firetail Resources Limited
+61 8 9322 2338
info@firetailresources.com.au
www.firetailresources.com.au

Media or broker enquiries:

Fiona Marshall
Senior Communications Advisor
White Noise Communications
+61 400 512 109
fiona@whitenoisecomms.com

About Firetail Resources

Firetail Resources (ASX:FTL) is a battery minerals company with an exciting project portfolio with exposure to multiple battery mineral commodities at its well-located Western Australian and Queensland projects. The projects range from early exploration stage at the Paterson and Yalgoo-Dalgaranga Projects through to advanced exploration-early resource stage at the Mt Slopeaway Project.

Firetail is also exploring in Peru, with a binding agreement for the acquisition of up to 80% of the of the issued share capital of Kiwanda, a wholly owned subsidiary of Valor Resources Ltd (ASX: VAL) that holds mining concessions comprising the Picha Copper Silver Project and Charaque Copper Projects in Peru. Picha is an exciting copper-silver project with multiple drill-ready targets to be tested in coming months; and Charaque hosts a farm-in deal completed with leading global mining company, Barrick Gold Corporation.

With a portfolio of highly prospective assets plus the experience of a strong technical team, the Company is well positioned to rapidly explore and develop its battery mineral projects and become a significant contributor to the green energy revolution.

Forward-looking statements

This announcement may contain certain “forward-looking statements”. Forward looking statements can generally be identified by the use of forward-looking words such as, “expect”, “should”, “could”, “may”, “predict”, “plan”, “will”, “believe”, “forecast”, “estimate”, “target” and other similar expressions. Indications of, and guidance on, future earnings and financial position and performance are also forward-looking statements. Forward-looking statements, opinions and estimates provided in this presentation are based on assumptions and contingencies which are subject to change without notice, as are statements about market and industry trends, which are based on interpretations of current market conditions. Forward-looking statements including projections, guidance on future earnings and estimates are provided as a general guide only and should not be relied upon as an indication or guarantee of future performance.

Competent Persons Statement

The information in this documents that relates to Exploration Results is based on information compiled by Mr Robin Wilson who is a Member of the Australasian Institute of Mining and Metallurgy. Mr Wilson is a consultant for Firetail Resources and has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the ‘Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves’ (the JORC Code). Mr Wilson consents to the inclusion of this information in the form and context in which it appears.

Cautionary Statement

This announcement makes reference to exploration results reported in several third-party announcements which were made as ASX announcements by Valor Resources (ASX: VAL). Nothing has come to the attention of Firetail that causes it to question the accuracy or reliability of the former owner’s exploration. The Company however has not independently validated the former owner’s exploration results and therefore is not to be regarded as reporting, adopting or endorsing those results.

The Company notes that Robin Wilson, Technical Director of Valor Resources served as Competent Person on the referenced results and Mr. Wilson will continue to act as Competent Person on the Picha and Charaque Projects for Firetail Resources.

Appendix 1

This announcement makes reference to several third-party announcements which were made as ASX Announcements by Valor Resources (ASX:VAL). Firetail has not validated and is unable to validate these announcements. However, this information is material for the Projects subject to the binding terms sheet for acquisition and is disclosed with references below.

Details of surface sampling completed on the Cobremani, Maricate, Cumbre Coya and Fundicion targets are provided in Valor's ASX announcements:

- *"Widespread significant copper mineralisation at Picha"* dated 11 October 2021;
- *"Further High-Grade Copper and Silver mineralisation at Picha"* dated 4 November 2021;
- *"Additional copper targets confirmed with assays up to 3.95% Cu and 229 g/t Ag at Picha Project"* dated 21 April 2022; and *"Significant new Copper-silver-gold targets outlined at Picha and Charaque Projects"* dated 14 February 2023.

Details of work completed at the Ichucollo and Huancune targets including the surface sampling details and IP/Resistivity surveys are provided in Valor's ASX announcements:

- *"Extensive copper assays highlight Ichucollo as new significant drill target"* dated 18 July 2022;
- *"Substantial new IP anomalies confirm additional largescale porphyry copper potential at Picha Project"* dated 26 October 2022; and
- *"Significant new Copper-silver-gold targets outlined at Picha and Charaque Projects"* dated 14 February 2023.

Details of the DIA Approval – "Declaracion de Impacto Ambiental" (Environmental Impact Statement for Exploration) for the Picha Project issued by the Peruvian Ministry of Energy and Mines (MEM), allowing for up to 120 holes to be drilled within an area centred on the Cobremani, Maricate, Cumbre Coya and Fundicion targets.

- *"Drilling approvals for Picha Copper Project on track following key DIA approval"* dated 1 March 2023.

Details of work completed by Valor on the Charaque Project, including sampling details at the Arco and Huallatani targets, are provided in Valor's ASX announcements:

- *"Valor secures additional concessions in Peru"* dated 27 April 2022;
- *"Significant Copper-Silver targets confirmed with multiple results over 2% Copper and up to 929g/t Silver"* dated 3 June 2022; and
- *"Significant new Copper-silver-gold targets outlined at Picha and Charaque Projects"* dated 14 February 2023.

On 26 June 2023, Valor executed an earn-in agreement with Barrick covering the Charaque Project.

- *"Valor secures earn-in agreement with Barrick at Charaque Project"* dated 26 June 2023.

Appendix 2 – Picha Project Exploration Results

Table 1: Picha Project Rock Chip and Channel Sample Details and Assay Results

Assay results and sample locations (grid system – WGS84 UTM Zone 19S)

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000018	347620	8218583	4366	Cobremani	2.0x0.20	ROCL (Channel)	-5	5.6	175	609	-5	47	130	438.8	4.2	1.32	901.00	6	0.12	72	-5	108	-10	159.5
000019	347619	8218585	4366	Cobremani	2.0x0.20	ROCL	-5	8.7	402	839	8	126	169	487.5	5.22	0.85	3332.00	9	0.12	99	-5	110	-10	273.2
000020	347618	8218587	4366	Cobremani	2.0x0.20	ROCL	-5	2.5	584	693	-5	61	145	214.1	5.92	1.37	1394.00	15	0.13	151	-5	123	-10	332.5
000021	347616	8218588	4366	Cobremani	2.0x0.20	ROCL	-5	8.9	478	584	-5	62	210	4013.1	5.02	1.13	729.00	7	0.12	70	-5	109	-10	200
000022	347615	8218590	4366	Cobremani	2.0x0.20	ROCL	-5	3	73	550	7	43	129	461.4	4.12	1.27	1260.00	3	0.13	37	-5	90	-10	173
000043	347614	8218591	4203	Cobremani	2.0x0.20	ROCL	-5	3.3	110	494	-5	57	128	202.3	4.27	1.11	1770.00	7	0.13	44	-5	94	-10	155.5
000044	347613	8218593	4203	Cobremani	2.0x0.20	ROCL	-5	9.1	704	538	13	96	219	1042.4	6.16	0.89	1713.00	15	0.12	117	-5	116	-10	265.1
000045	347606	8218595	4365	Cobremani	2.0x0.20	ROCL	-5	3.6	49	726	19	39	142	1666.1	3.42	1.06	1074.00	6	0.11	31	-5	102	-10	107.2
000046	347606	8218596	4365	Cobremani	2.0x0.20	ROCL	-5	1.6	53	777	6	29	134	160	3.53	1.37	1402.00	5	0.11	24	-5	105	-10	107.8
000048	347606	8218597	4365	Cobremani	2.0x0.20	ROCL	-5	2.5	48	652	-5	32	135	432.3	3.47	1.37	1384.00	2	0.11	32	-5	94	-10	109.2
000049	347604	8218597	4365	Cobremani	2.0x0.20	ROCL	-5	69.1	1968	1797	-5	86	129	15244	8.44	0.76	909.00	43	0.11	308	-5	124	-10	176.3
000050	347602	8218596	4365	Cobremani	2.0x0.20	ROCL	-5	29.8	700	1577	5	81	187	17380	4.94	1.03	753.00	12	0.13	162	-5	107	-10	116.6
000051	347590	8218582	4363	Cobremani	2.0x0.20	ROCL	-5	6.9	112	547	-5	60	130	1073.2	3.04	1.18	941.00	6	0.11	35	-5	97	-10	61.4
000052	347587	8218582	4363	Cobremani	2.0x0.20	ROCL	-5	5.9	81	625	11	42	116	282.8	3.3	1.58	837.00	2	0.11	33	-5	93	-10	64.9
000053	347585	8218583	4363	Cobremani	2.0x0.20	ROCL	-5	4.7	85	582	-5	42	124	198.3	3.37	1.54	969.00	5	0.11	30	-5	93	-10	82.6
000054	347583	8218584	4363	Cobremani	2.0x0.20	ROCL	-5	3.6	426	1136	-5	174	122	406.9	5	1.26	3630.00	6	0.12	42	-5	112	-10	168.9
000055	347566	8218567	4363	Cobremani	2.0x0.20	ROCL	-5	14.3	172	1339	-5	54	118	24817	4.16	0.93	1258.00	8	0.1	104	-5	88	-10	169.5
000056	347565	8218568	4363	Cobremani	2.0x0.20	ROCL	-5	16.1	950	544	7	82	127	6420.5	6.12	0.98	1487.00	27	0.11	323	-5	102	-10	154.3
000058	347563	8218570	4363	Cobremani	2.0x0.20	ROCL	-5	11.8	1166	562	-5	63	247	2023.8	6.48	0.89	480.00	30	0.12	570	-5	118	-10	180.1
000059	347562	8218571	4363	Cobremani	2.0x0.20	ROCL	-5	69.4	1086	543	-5	69	185	23277	5.75	0.97	443.00	47	0.12	255	-5	114	-10	133.9
000060	347561	8218573	4363	Cobremani	2.0x0.20	ROCL	-5	16.5	556	534	-5	103	131	3117.6	4.53	0.97	1040.00	9	0.12	131	-5	111	-10	122.6
000061	347559	8218574	4363	Cobremani	2.0x0.20	ROCL	-5	9.6	229	572	5	61	157	4915	4.36	1.14	673.00	3	0.12	126	-5	103	-10	175.8
000062	347557	8218575	4363	Cobremani	2.0x0.20	ROCL	-5	33.1	466	639	-5	111	119	37986	4.53	0.65	1223.00	10	0.11	231	5	96	-10	141.4
000063	347556	8218575	4363	Cobremani	2.0x0.20	ROCL	-5	36.1	1510	587	7	100	157	4043.2	7.35	0.8	503.00	31	0.12	458	-5	121	-10	191.6
000064	347554.843	8218576.379	4363	Cobremani	1.60x0.20	ROCL	-5	70	1505	782	-5	75	136	27982	6.18	0.59	820.00	44	0.12	395	5	113	-10	153.9
000065	347552.7251	8218579.531	4363	Cobremani	2.0x0.20	ROCL	-5	41	1237	523	5	208	180	5160.4	5.92	0.83	1550.00	24	0.11	283	-5	104	-10	205.2
000066	347551.4	8218580.18	4363	Cobremani	2.0x0.20	ROCL	-5	27.9	597	565	-5	109	153	5044.2	5.05	0.93	1087.00	13	0.12	181	-5	116	-10	192.3
000068	347550	8218580	4363	Cobremani	2.0x0.20	ROCL	-5	14.6	354	718	-5	63	205	23486	4	1.24	668.00	9	0.12	216	-5	115	-10	191.5
000069	347548	8218581	4363	Cobremani	2.0x0.20	ROCL	-5	2.1	34	549	-5	46	140	1174.2	3.79	1.1	454.00	4	0.12	49	-5	113	-10	220.5
000070	347546	8218581	4363	Cobremani	2.0x0.20	ROCL	-5	2.5	66	521	6	49	177	1568.3	3.65	1.1	618.00	2	0.12	52	5	109	-10	215.2
000071	347544	8218580	4363	Cobremani	2.0x0.20	ROCL	-5	16.9	924	638	-5	100	131	6873.7	6.21	0.97	1148.00	21	0.11	202	-5	119	-10	279.1
000072	347543	8218579	4363	Cobremani	2.0x0.20	ROCL	-5	26.5	1744	798	-5	64	251	6614.3	7.46	0.98	741.00	27	0.12	334	-5	135	-10	279
000073	347541	8218579	4363	Cobremani	2.0x0.20	ROCL	-5	5	144	651	-5	59	141	3946.3	3.14	1.06	906.00	7	0.12	72	-5	103	-10	200.8
000074	347539	8218579	4363	Cobremani	2.0x0.20	ROCL	-5	2.6	461	604	7	56	145	246.3	4.11	1.09	753.00	8	0.12	143	5	120	-10	195.8
000075	347537.0681	8218579.518	4352	Cobremani	2.0x0.20	ROCL	-5	4.9	399	658	-5	55	150	440.7	4.72	1.09	989.00	8	0.13	89	-5	141	-10	225.9
000076	347535.1363	8218580.035	4352	Cobremani	2.0x0.20	ROCL	-5	2.8	161	688	9	48	149	572.5	4.03	1.02	1065.00	4	0.12	50	5	109	-10	272.1
000078	347555	8218515	4340	Cobremani	2.0x0.20	ROCL	-5	1.6	5	2722	-5	14	83	5047.8	2.11	0.59	358.00	4	0.07	41	-5	69	-10	66.1
000079	347554	8218517	4340	Cobremani	2.0x0.20	ROCL	-5	3	11	5357	-5	24	120	6729.4	2.92	0.76	635.00	5	0.1	44	-5	97	-10	94.4
000080	347554	8218519	4340	Cobremani	2.0x0.20	ROCL	-5	2.8	15	10000	-5	7	246	6943.3	2.4	0.55	114.00	3	0.1	38	-5	99	-10	95.3
000081	347553	8218521	4340	Cobremani	2.0x0.20	ROCL	-5	17.1	48	8414	-5	49	157	19400	3.29	0.53	322.00	5	0.11	77	-5	106	-10	102.8

For personal use only

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000082	347552	8218523	4340	Cobremani	2.0x0.20	ROCL	-5	7.3	50	690	5	47	117	16489	3.03	0.55	446.00	7	0.11	68	-5	107	-10	130.6
000083	347829	8218464	4319	Cobremani	0.05	ROSE (Selective rock chip)	9	1.4	7705	399	-5	129	585	424.5	15	0.38	273.00	442	0.07	2448	-5	78	15	143.3
000084	347743	8218839	4362	Cobremani	0.5x1.0	ROSE	-5	0.8	285	206	-5	20	79	213.1	10.25	0.05	3485.00	26	0.05	1591	5	45	-10	3709.3
000085	347700	8218819	4363	Cobremani	1x1	ROSE	-5	1.4	202	209	-5	41	695	57.8	4.7	0.07	1129.00	11	0.01	2161	5	39	-10	889.1
000086	347676	8218826	4354	Cobremani	0.5x0.7	ROSE	-5	0.9	2178	69	-5	66	86	99.8	9.47	0.05	1991.00	108	0.02	2538	5	30	-10	935.5
000088	347578	8218747	4359	Cobremani	1x1.5	ROSE	-5	25.3	4455	160	-5	100	87	191	15	0.3	2128.00	188	0.07	11789	8	52	-10	3019.6
000089	347511	8218713	4355	Cobremani	0.4x0.7	ROSE	-5	2.4	3893	246	-5	15	735	140.4	10.13	0.31	139.00	390	0.12	6889	-5	32	-10	248.5
000090	347551	8218718	4358	Cobremani	5.00x5.00	ROSE	-5	1.4	729	186	-5	32	82	77.9	9.93	0.09	3212.00	31	0.03	868	6	102	-10	1486.3
000091	347600	8218633	4370	Cobremani	0.5x0.8	ROSE	-5	1.1	1086	416	-5	66	810	74.7	5.5	0.09	2410.00	30	0.03	447	5	41	-10	641.8
000092	347679	8218745	4376	Cobremani	0.5x0.5	ROSE	-5	27.8	3696	398	-5	105	694	758.6	15	0.17	780.00	142	0.05	3482	-5	102	-10	1094.7
000093	347715	8218771	4373	Cobremani	0.4x0.6	ROSE	-5	5.4	1333	334	-5	69	85	162.5	7.89	0.09	2512.00	60	0.03	925	5	58	-10	1022.9
000094	347691	8218677	4377	Cobremani	0.3x0.6	ROSE	-5	3.1	403	394	7	68	340	127.3	4.6	0.77	965.00	10	0.05	2827	-5	204	-10	1252.8
000095	348015	8219362	4305	Cobremani	0.5x0.2	ROCL	-5	0.2	316	1307	5	51	20	65.4	15	1.59	7860.00	11	0.06	5605	9	185	-10	10681
000096	347292	8218622	4315	Cobremani	0.05x0.2	ROSE	-5	10	178	211	-5	8	781	13308	1.87	0.24	204.00	12	0.01	862	5	26	-10	104.3
000098	347293	8218627	4312	Cobremani	0.04x0.2	ROSE	-5	5.1	420	211	-5	7	95	3381.1	2.1	0.24	2085.00	30	0.01	1241	-5	33	-10	235.6
000099	347283	8218651	4324	Cobremani	0.5x0.2	ROSE	-5	24.1	1249	708	-5	15	110	15219	2.93	0.12	2294.00	42	0.11	4842	5	28	-10	1454.1
000100	347101	8218481	4292	Cobremani	2.0x3.0	ROSE	-5	0.3	36	77	-5	3	810	120.4	1.2	0.07	388.00	9	0.51	1455	5	10	-10	185.2
000101	347020	8218571	4299	Cobremani	3.00x3.00	ROSE	-5	1.7	168	454	5	29	101	631.3	4.07	0.28	3643.00	30	0.19	4131	-5	62	-10	462.8
000102	348635	8219755	4356	Maricate	2	ROCP (Rock chip)	-5	0.4	30	642	-5	16	133	75.3	3.38	1.95	1109.00	15	0.11	162	-5	103	-10	71.8
000103	348615	8219515	4375	Maricate	2.0x0.20	ROCL	-5	0.3	115	1094	6	53	158	46.1	3.84	1.23	2139.00	5	0.13	24	-5	146	-10	261.2
000104	348613	8219514	4375	Maricate	2.0x0.20	ROCL	-5	-0.2	106	864	5	37	140	40.2	3.98	0.92	1382.00	2	0.14	23	-5	156	-10	249.2
000105	348611	8219513	4375	Maricate	2.0x0.20	ROCL	-5	0.3	101	848	-5	34	156	44.3	4.83	1.32	1475.00	3	0.14	26	-5	168	-10	318
000106	348734	8219457	4320	Maricate	2	ROCL	-5	0.5	778	483	-5	101	80	69	15	1.02	3222.00	6	0.1	47	-5	236	-10	1628.7
000108	348734	8219310	4347	Maricate	2.0x0.20	ROCL	7	0.4	4133	698	14	69	137	57.6	15	1.09	131.00	13	0.19	48	-5	150	-10	328
000109	348764	8218872	4312	Maricate	2	ROSE	6	0.5	414	905	11	15	75	57.3	2.05	1.82	401.00	5	0.09	166	-5	66	-10	254.6
000110	348749	8218917	4337	Maricate	1	ROSE	-5	0.9	839	87	-5	3	77	2234.7	1.56	0.14	2584.00	43	-0.01	20	-5	5	-10	13.4
000111	348751	8218925	4337	Maricate	2.0x0.20	ROCL	-5	-0.2	163	691	11	12	88	32	2.03	1.4	205.00	1	0.06	26	-5	64	-10	91.2
000112	348711	8218676	4329	Maricate	1	ROSE	6	9.2	199	519	-5	6	123	435.9	3.51	0.03	2981.00	54	-0.01	138102	-5	19	-10	1486.7
000113	348747	8218626	4325	Maricate	1	ROCP	-5	1.4	152	48	-5	16	683	88	3.81	0.02	947.00	8	-0.01	11821	12	15	-10	474.2
000114	348747	8218603	4324	Maricate	1	ROCP	5	1.3	748	1210	6	125	85	147.7	9.54	0.04	7546.00	43	0.04	3035	-5	202	-10	786.5
000115	348728	8218405	4303	Maricate	1	ROSE	5	6.1	671	1356	6	28	98	744.4	5.5	0.06	3101.00	56	0.01	271	-5	29	-10	332.2
000116	348795	8218367	4289	Maricate	1	ROSE	5	0.7	322	344	5	53	723	64.7	5.01	0.31	607.00	9	0.03	70	14	75	-10	520.7
000118	348839	8218343	4286	Maricate	1	ROSE	6	1	400	165	-5	85	591	131.9	11.98	0.07	2326.00	26	0.05	85	13	69	-10	941.5
000119	348719	8218353	4301	Maricate	1	ROSE	-5	2	397	156	-5	30	117	794.6	6.08	0.05	3627.00	44	0.02	417	-5	37	-10	458.6
000120	348845	8218286	4285	Maricate	1	ROSE	6	1.9	751	792	-5	140	468	45.6	11.32	0.62	6367.00	16	0.06	69	10	131	-10	910.2
000121	348863	8218235	4282	Maricate	1	ROSE	-5	2.9	930	211	6	221	48	1449.2	15	0.09	5128.00	26	0.04	148	-5	157	-10	1970.6
000122	348725	8218332	4302	Maricate	1	ROSE	-5	0.5	264	246	5	28	712	302.9	4.33	0.06	1237.00	11	0.01	170	13	27	-10	263.7
000123	348816	8218229	4294	Maricate	1	ROCP	5	1.3	314	425	-5	38	83	203.8	5.34	0.38	2443.00	30	0.04	51	-5	63	-10	316.3
000124	348802	8218262	4293	Maricate	1	ROCP	-5	0.9	288	465	-5	34	639	150.5	7.56	0.43	1585.00	7	0.05	26	10	118	-10	471.2
000125	348774	8218239	4284	Maricate	1	ROCP	-5	0.3	267	586	6	145	49	362.1	15	0.09	6244.00	19	0.04	53	-5	124	-10	1467.8
000126	348852	8218157	4286	Maricate	1	ROSE	-5	1.1	285	249	-5	55	594	106.3	11.07	0.16	1392.00	13	0.03	37	11	72	-10	1059
000128	348762	8218142	4303	Maricate	1	ROSE	5	9.1	1081	349	-5	144	90	718	12.52	0.06	4619.00	99	0.04	1002	-5	85	-10	898.2

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000129	348887	8218089	4286	Maricate	1	ROSE	5	24.9	1077	55	-5	9	686	439.8	5.14	0.06	332.00	86	0.01	626	15	6	-10	152.2
000130	348882	8218099	4287	Maricate	1	ROSE	8	42.6	2993	86	9	46	107	1858.3	9.77	0.28	2674.00	162	0.02	3589	6	25	-10	413.2
000131	348714	8217973	4308	Maricate	1	ROSE	-5	9.6	1583	1483	9	61	627	2681.3	10	0.25	2873.00	26	0.04	137	14	98	-10	824
000132	348684	8217978	4306	Maricate	1	ROSE	-5	7	2154	371	17	78	75	1926.7	15	0.09	8132.00	89	0.04	216	-5	46	-10	1005.2
000133	348815	8217901	4291	Maricate	2	ROSE	5	6.6	670	4850	-5	35	309	1295.1	4.81	1	1151.00	10	0.08	103	9	105	-10	212.2
000134	349001	8217865	4274	Maricate	2	ROSE	-5	1.8	396	564	-5	12	91	1009.5	1.84	0.05	2369.00	38	-0.01	30	-5	11	-10	69.5
000135	349008	8217871	4280	Maricate	1	ROSE	6	72.8	6897	1013	15	18	814	763.2	11.58	0.23	826.00	696	0.06	2924	10	31	-10	138
000136	348023	8219373	4371	Maricate	0.70x0.20	ROCL	5	2	192	1778	8	26	37	30.5	12.84	1.23	>10000.00	16	0.03	2238	-5	67	-10	6924.5
000138	348344	8218589	4303	Maricate	2.0x0.20	ROCL	-5	3.1	324	3109	-5	24	98	786.1	2.17	2.08	596.00	4	0.11	53	-5	98	-10	88.4
000139	348344	8218544	4264	Maricate	2	ROSE	-5	1	161	1040	-5	13	386	474.8	2.17	1.61	466.00	4	0.08	392	8	75	-10	80.3
000140	348347	8218535	4237	Maricate	1	ROSE	6	22.3	2711	2458	-5	15	97	9802.8	2	0.74	1693.00	33	0.04	706	6	40	-10	692.3
000141	348419	8217463	4182	Maricate	2	ROSE	-5	5.1	375	638	-5	51	343	3351.3	8.43	0.56	1378.00	4	0.49	71	7	86	-10	232.3
000142	348403	8217421	4172	Maricate	1	ROSE	5	19.1	1801	260	8	86	82	5718	11.2	0.04	4299.00	33	0.8	763	-5	67	-10	570.6
000143	348246	8217563	4229	Maricate	1	ROSE	6	92.1	8761	163	10	113	565	25621	3.73	0.08	483.00	147	-0.01	3703	31	15	-10	841.2
000144	348156	8217607	4260	Maricate	1	ROSE	7	158	5460	284	10	98	123	5670.6	9.22	1.37	2431.00	160	0.07	1145	-5	79	-10	93.9
000145	348152	8217616	4270	Maricate	0.50x0.20	ROCL	6	164	3760	839	10	60	611	918.2	9.46	0.52	515.00	157	0.05	1263	14	111	-10	141.9
000146	348142	8217611	4278	Maricate	0.30x0.20	ROCL	5	49.3	5027	3552	8	16	104	22576	2.14	1.43	925.00	22	0.09	298	18	85	-10	282.6
000148	348158	8217643	4281	Maricate	2	ROCP	-5	124	4561	343	11	27	733	946.5	7.4	0.24	336.00	147	0.03	609	18	27	10	94.6
000149	348186	8217659	4257	Maricate	1.30x0.20	ROCL	-5	11.5	1521	10000	8	91	71	3023.8	7.88	0.51	3232.00	26	0.06	543	7	110	-10	481.2
000150	348282	8217639	4194	Maricate	1	ROSE	-5	14.8	819	1380	-5	18	843	2161.4	1.47	0.07	222.00	13	0.03	406	17	9	-10	193.6
000151	348314	8217621	4186	Maricate	1	ROSE	-5	15.9	2166	3043	-5	28	77	12196	1.8	1.04	1392.00	23	0.09	6389	10	142	-10	63.5
000152	348494	8217680	4238	Maricate	2	ROCL	-5	6.5	1919	1025	-5	38	117	39523	5.71	1.07	818.00	5	0.1	142	-5	109	-10	150.3
000153	348505	8217692	4240	Maricate	3.0	ROCP	-5	12.7	3044	1963	-5	24	98	16412	2.57	1.12	1588.00	23	0.15	389	8	101	-10	51.9
000154	348508	8217678	4237	Maricate	5.00	ROCP	-5	9.1	2670	2394	-5	13	656	7665.4	4.96	0.11	650.00	9	0.03	74	22	67	-10	184.9
000155	348536	8217646	4227	Maricate	2	ROCP	-5	1	185	2444	-5	13	115	1097	2.17	2.02	1110.00	14	0.11	25	-5	76	-10	43.3
000156	348348	8217360	4148	Maricate	2	ROSE	-5	63.8	2418	119	6	70	750	5006.9	7.91	0.26	1223.00	114	0.02	447	19	29	-10	172.4
000158	348367	8217360	4147	Maricate	2	ROCL	-5	17.6	1177	2114	10	66	110	3857.6	2.19	1.65	1080.00	24	0.09	114	8	85	-10	82.6
000159	348509	8217418	4154	Maricate	1.40x0.20	ROCL	-5	0.2	18	670	12	31	144	331.9	5.25	1.63	505.00	1	0.09	36	-5	103	-10	127.6
000160	348682	8217655	4170	Maricate	2.0x0.20	ROCL	-5	0.8	38	660	6	22	108	335.6	3.78	1.34	1706.00	22	0.07	15	-5	68	-10	150.5
000161	348764	8217587	4211	Maricate	1.20x0.20	ROCL	-5	10.6	722	1675	10	43	170	15542	1.79	2.41	322.00	2	0.13	106	-5	89	-10	65
000162	348741	8217409	4216	Maricate	1	ROCP	-5	0.2	211	5360	-5	23	40	867.1	4.56	0.83	2202.00	18	0.05	22	-5	88	-10	196.4
000163	348606	8217469	4215	Maricate	2	ROSE	-5	99.1	10000	475	-5	157	156	133916	15	0.15	1285.00	57	0.21	483	6	150	-10	524.5
000164	348599	8217439	4193	Maricate	0.15	ROSE	-5	28.9	3694	2698	14	9	104	53609	2.74	0.14	2348.00	40	0.11	129	-5	25	-10	72.7
000165	347023	8217541	4142	Maricate	3.0	ROCP	-5	0.6	38	439	9	12	536	450.5	2.38	1.56	244.00	5	0.66	126	9	70	-10	122.4
000166	346850	8217388	4120	Maricate	3.0	ROCP	-5	1.9	30	314	-5	9	94	552.2	1.93	0.84	1572.00	25	0.02	720	-5	73	-10	103.2
000168	348090	8217993	4330	Maricate	1	ROSE	-5	1.9	232	6177	-5	1	734	688.1	0.89	0.03	197.00	10	-0.01	35	20	5	-10	76.8
000169	348126	8217986	4327	Maricate	2	ROCL	-5	15.8	1278	8566	7	65	102	6585.2	3.35	1.47	1556.00	21	0.09	115	18	94	-10	240.3
000170	348111	8217955	4325	Maricate	1	ROSE	-5	4.7	454	9789	-5	9	804	794.5	1.23	0.44	262.00	10	0.03	55	19	27	-10	55.5
000171	348015	8217888	4321	Maricate	0.30	ROCL	-5	7.6	706	278	-5	21	93	1880.9	6.08	0.02	3416.00	39	-0.01	72	-5	16	-10	269.6
000172	347811	8217589	4272	Maricate	1	ROSE	-5	1.2	138	1577	-5	3	783	889.9	0.9	0.08	288.00	11	-0.01	27	15	6	-10	23.6
000173	347016	8217109	4125	Maricate	2.0x0.20	ROCL	-5	0.4	87	784	-5	45	118	127.9	6.14	2.05	1601.00	7	0.11	27	-5	162	-10	346
000174	347130	8216967	4146	Maricate	2.0x0.20	ROCL	-5	0.3	81	736	17	42	334	71.5	3.1	1.81	223.00	4	0.11	60	6	144	-10	218.6
000175	347181	8216759	4102	Maricate	3.0	ROCP	-5	0.2	10	457	-5	33	73	937	3.58	0.2	2609.00	31	-0.01	22	-5	37	-10	83.2
000176	347882	8217265	4214	Maricate	2.0x0.20	ROCL	-5	31.3	1627	977	10	70	263	13453	4.29	1.73	581.00	32	0.11	182	5	144	-10	120.9

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000178	347975	8217363	4230	Maricate	2.0x0.20	ROCL	-5	1.6	114	481	6	32	96	520.6	3.56	0.77	1570.00	17	0.06	35	-5	66	-10	96.3
000179	347993	8217362	4226	Maricate	2.0x0.20	ROCL	-5	2.4	154	722	-5	38	337	1281.9	4.45	0.6	692.00	4	0.04	31	7	56	-10	109.3
000180	348170	8217280	4188	Maricate	4.00	ROCP	-5	0.3	81	477	-5	24	62	304.9	4.98	0.31	2821.00	26	0.1	30	-5	70	-10	137.6
000181	348186	8217226	4173	Maricate	4.00	ROCP	-5	1.3	88	3889	6	8	382	1456.3	1.86	1.26	317.00	5	0.08	31	8	56	-10	54
000182	348455	8217304	4127	Maricate	2.0x0.20	ROCL	-5	-0.2	11	608	-5	31	183	125.9	3.97	0.93	390.00	1	0.13	10	-5	97	-10	130.8
000183	348436	8217302	4125	Maricate	2.0x0.20	ROCL	-5	-0.2	14	749	-5	26	246	320.9	3.64	1.16	605.00	2	0.23	17	-5	83	-10	133.5
000184	348378	8217164	4073	Maricate	2	ROCP	-5	-0.2	9	574	-5	28	272	562	3.73	1.64	499.00	1	0.07	7	-5	95	-10	71.6
000185	348882	8217144	4033	Maricate	2.0x0.20	ROCL	-5	0.5	12	677	-5	20	179	212.3	3.32	1.3	304.00	2	0.09	18	-5	82	-10	155.5
000186	348121	8217824	4288	Maricate	3.0	ROCP	-5	1.7	476	193	-5	43	495	877.8	6.02	0.04	1168.00	2	0.03	164	5	42	-10	595.6
000188	348170	8217668	4281	Maricate	2.0x0.20	ROCL	-5	25.2	2041	2776	-5	36	170	8273.2	2.52	0.98	429.00	7	0.11	136	9	58	-10	361.2
000189	348130	8217622	4281	Maricate	2.0x0.20	ROCL	-5	421	3073	811	12	209	73	9900.7	8.83	1.2	1019.00	47	0.15	1752	13	186	16	502
000190	348127	8217624	4286	Maricate	2.0x0.20	ROCL	-5	60.9	1679	811	-5	45	212	17727	3.98	1.08	398.00	7	0.12	944	10	139	-10	263.3
000191	348116	8217617	4287	Maricate	1.0x0.20	ROCL	-5	252	9897	523	-5	1422	136	39596	15	0.1	1246.00	1260	0.09	15108	58	107	12	1294
000192	348089	8217577	4277	Maricate	1	ROCP	-5	0.9	812	100	-5	183	457	2298.6	5.67	0.08	848.00	12	0.05	68	5	139	-10	136.1
000193	348049	8217476	4256	Maricate	2.0x0.20	ROCL	-5	9.1	1004	595	5	112	156	13679	4.25	0.66	659.00	14	0.13	114	-5	112	-10	143.6
000194	348047.58	8217474.58	4256	Maricate	2.0x0.20	ROCL	-5	17.8	589	694	-5	107	254	5667.1	5	0.75	175.00	12	0.15	123	-5	129	-10	199.4
000195	348044	8217465	4256	Maricate	2.0x0.20	ROCL	-5	17.1	689	698	-5	147	188	11716	4.1	0.95	615.00	10	0.12	83	-5	117	-10	122.1
000196	347983	8217413	4245	Maricate	2.0x0.20	ROCL	-5	0.7	39	737	-5	29	230	585.5	3.97	1.03	443.00	1	0.13	20	-5	122	-10	151.1
000198	347986	8217410	4245	Maricate	2.0x0.20	ROCL	-5	-0.2	57	767	-5	26	303	435.6	3.76	1.03	281.00	2	0.13	16	-5	136	-10	130.2
000199	347986	8217408	4245	Maricate	2.0x0.20	ROCL	-5	-0.2	69	700	6	27	421	436	4.21	0.88	353.00	1	0.11	17	-5	110	-10	141.6
000200	347986	8217406	4245	Maricate	2.0x0.20	ROCL	-5	0.2	97	562	-5	29	445	804.5	4.2	0.92	305.00	3	0.1	29	-5	116	-10	156.8
000201	347986	8217404	4245	Maricate	2.0x0.20	ROCL	-5	1.5	97	597	-5	24	439	702.5	3.91	0.93	394.00	1	0.1	24	-5	111	-10	137
000202	347986	8217402	4245	Maricate	2.0x0.20	ROCL	-5	-0.2	46	615	-5	25	292	259.2	3.4	0.96	201.00	2	0.12	25	-5	115	-10	129.4
000203	347987	8217397	4238	Maricate	2.0x0.20	ROCL	-5	-0.2	133	676	-5	34	180	349.8	4.56	0.96	505.00	1	0.13	25	-5	129	-10	139.3
000204	347997	8217382	4234	Maricate	2	ROCP	-5	51	1382	1490	-5	42	500	9823.4	5.24	0.42	875.00	11	0.43	434	5	71	-10	117.7
000205	348008	8217366	4228	Maricate	3.0	ROCP	-5	27.8	874	686	-5	57	478	4329	6.7	0.34	1588.00	3	0.12	52	-5	113	-10	164.4
000206	348025	8217355	4224	Maricate	3.0	ROCP	-5	45.6	2508	1389	-5	88	376	22524	6.17	0.64	1058.00	18	0.08	132	6	96	-10	111.2
000208	348447	8217050	3985	Maricate	5.00	ROCP	6	0.2	34	583	-5	27	539	462.6	4.54	1.72	1052.00	1	0.07	12	5	124	-10	149.9
000209	348368	8217338	4121	Maricate	5.00	ROSE	-5	14.1	942	3634	-5	55	391	4538.2	4.1	0.75	2260.00	11	0.05	104	8	57	-10	155
000210	348342	8217341	4122	Maricate	0.10	ROSE	-5	20.7	1015	2858	-5	68	304	4818.3	3.11	1.47	409.00	32	0.08	126	9	82	-10	101.2
000211	348283	8217330	4137	Maricate	2.0x0.20	ROCL	-5	3.9	446	941	-5	83	352	5183.8	8.46	0.33	1473.00	4	0.06	50	7	124	12	342.6
000212	348291	8217313	4144	Maricate	2.0x0.20	ROCL	-5	0.8	67	920	-5	37	286	767.7	4.3	0.51	1061.00	1	0.08	24	-5	89	-10	119.9
000213	348226	8217294	4157	Maricate	3.00x3.00	ROSE	-5	-0.2	68	536	-5	17	326	208.9	3.17	1	515.00	3	0.1	22	-5	63	-10	106.5
000214	348214	8217274	4155	Maricate	3.00x5.00	ROSE	-5	-0.2	88	382	-5	40	374	378.3	7.42	0.14	1463.00	1	0.29	61	5	66	11	422.9
000215	348011	8217306	4188	Maricate	2.0x0.20	ROCL	-5	16.2	1158	1457	-5	26	258	20876	5.64	0.67	846.00	6	0.07	85	5	100	-10	156.7
000216	348012.5321	8217304.714	4188	Maricate	2.0x0.20	ROCL	-5	1.6	183	931	-5	24	110	2730.7	3.89	0.65	830.00	1	0.09	20	-5	75	-10	100.4
000218	348014.1294	8217303.511	4188	Maricate	2.0x0.20	ROCL	-5	-0.2	19	775	-5	21	128	52.5	3.3	0.67	546.00	1	0.11	10	-5	93	-10	96.4
000219	348015.1578	8217302.285	4188	Maricate	1.6x0.20	ROCL	-5	4.1	35	713	-5	33	117	490.9	1.82	0.67	389.00	3	0.11	47	-5	76	-10	55.7
000220	348016.9704	8217301.44	4188	Maricate	2.0x0.20	ROCL	-5	14.2	914	1083	-5	72	185	13740	3.02	0.77	485.00	7	0.11	103	-5	118	-10	80.7
000221	348018.9704	8217301.44	4188	Maricate	2.0x0.20	ROCL	-5	36.5	1740	1331	5	163	153	20734	6.76	0.85	580.00	28	0.13	268	6	160	-10	175.1
000222	348020.9628	8217301.266	4188	Maricate	2.0x0.20	ROCL	-5	11.8	1320	690	-5	45	345	15782	4.21	0.89	345.00	8	0.16	93	8	181	-10	125.7
000223	348022.9628	8217301.266	4188	Maricate	2.0x0.20	ROCL	5	116	6953	1969	-5	330	188	54566	13.87	0.63	1100.00	71	0.1	668	17	247	-10	440.8
000224	348024.9628	8217301.266	4188	Maricate	2.0x0.20	ROCL	-5	60.6	4044	1727	6	124	200	42606	8.08	0.74	500.00	22	0.41	372	10	197	-10	280.3
000225	348008	8217284	4178	Maricate	4.00x4.00	ROSE	-5	42.8	662	965	5	45	264	37550	3.5	1.08	324.00	6	0.13	201	-5	107	-10	107.4

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000226	348023	8217253	4166	Maricate	7.00x7.00	ROSE	-5	30.3	456	1413	6	54	238	1944.5	2.94	0.94	457.00	7	0.17	154	-5	65	-10	58.1
000228	348060	8217254	4154	Maricate	2.0x0.20	ROCL	-5	0.8	105	609	-5	43	327	1323.9	6.72	0.73	1231.00	1	0.06	23	-5	104	-10	163.5
000229	348047	8217254	4152	Maricate	0.20x0.20	ROSE	-5	-0.2	83	754	5	63	313	838.2	10.13	0.66	3167.00	1	0.05	19	5	106	14	195.7
000230	348066	8217199	4142	Maricate	5.00x5.00	ROSE	-5	-0.2	22	695	5	19	372	697.8	3.62	0.58	1031.00	1	0.15	27	-5	61	-10	94.6
000231	349099	8218765	4125	Maricate	5.00x5.00	ROSE	-5	-0.2	69	293	-5	36	474	154.4	6.74	0.41	1127.00	3	0.03	22	-5	72	10	516.7
000232	349626	8219304	4031	Maricate	0.5x0.5	ROSE	-5	-0.2	34	192	-5	41	232	678.7	7.35	0.58	1628.00	1	0.04	30	-5	37	-10	603
000233	348888	8217060	3968	Maricate	0.10x0.20	ROSE	-5	0.5	32	570	-5	8	268	35.5	1.55	0.47	560.00	3	0.03	14	-5	32	-10	37.2
000234	348686	8216969	3965	Maricate	2.0x0.20	ROCL	-5	2.9	746	24	-5	1	10	5.6	0.87	0.05	138.00	1	-0.01	3	-5	-2	-10	8.3
000235	348221	8216918	3994	Maricate	2.0x0.20	ROCL	-5	-0.2	61	428	-5	47	541	171.6	7.36	1.07	870.00	3	0.06	20	6	146	10	155.7
000236	348925	8216595	4025	Cumbre coya	1x1	ROSE	-5	0.8	17	242	-5	18	450	626.3	2.92	0.37	540.00	1	0.02	11	-5	43	-10	79
000238	349087	8216742	4025	Cumbre coya	0.2x0.5	ROSE	-5	-0.2	12	561	-5	18	435	151.6	3.09	1.48	703.00	1	0.06	5	-5	54	-10	68.7
000239	349287	8216971	4057	Cumbre coya	0.10x0.20	ROSE	-5	-0.2	788	562	-5	19	461	65.1	3.75	1.63	171.00	50	0.08	17	-5	178	-10	486.6
000240	349327	8217032	4055	Cumbre coya	0.10x0.20	ROSE	-5	-0.2	26	523	-5	33	335	56.2	4.17	2.37	784.00	3	0.07	10	-5	141	-10	290.3
000241	349449	8217032	4047	Cumbre coya	0.10x0.20	ROSE	-5	-0.2	170	445	-5	24	518	86.7	3.58	1.04	891.00	8	0.05	10	-5	136	-10	126.4
000242	349610	8217262	4040	Cumbre coya	0.10x0.20	ROSE	-5	0.6	10	389	-5	66	101	1086.1	8.05	0.36	2428.00	1	0.26	35	-5	51	-10	372.9
000243	349571	8217206	4047	Cumbre coya	0.10x0.20	ROSE	11	10.9	772	464	-5	36	529	12555	2.79	0.26	363.00	7	0.03	118	-5	42	-10	314
000244	349570	8217183	4029	Cumbre coya	0.10x0.20	ROSE	-5	5.1	173	675	-5	34	368	1914.3	3.77	0.57	871.00	4	0.07	85	-5	75	-10	187.5
000245	349608	8217305	4097	Cumbre coya	1.7	ROCL	-5	-0.2	70	864	-5	40	223	65.4	5.1	1.05	887.00	1	0.12	33	-5	171	-10	382.6
000246	349592	8217385	4095	Cumbre coya	1.9	ROCL	-5	-0.2	102	935	-5	44	201	220.6	8.29	1.31	2234.00	1	0.12	39	-5	210	12	675.7
000248	349634	8217448	4105	Cumbre coya	1.9	ROCL	-5	8.7	4657	568	5	26	263	18990	3.72	1.22	545.00	3	0.09	1076	17	80	-10	2287.8
000249	349678	8217405	4075	Cumbre coya	0.40x0.40	ROSE	-5	-0.2	175	1434	-5	60	279	429	9.76	0.45	1644.00	1	0.04	27	5	93	12	843.4
000250	349642	8217378	4081	Cumbre coya	2.0x0.20	ROCL	-5	0.6	84	756	-5	50	330	433.7	7.46	0.64	1436.00	3	0.06	47	-5	98	-10	596.3
000251	349732	8217433	4060	Cumbre coya	5.00x5.00	ROSE	-5	-0.2	51	717	5	122	377	230.8	15	0.39	4150.00	1	0.02	40	8	148	12	1356.7
000252	348162	8216911	4021	Maricate	3.00x3.00	ROSE	-5	-0.2	14	498	-5	54	455	224.8	3.12	0.64	545.00	4	0.02	7	-5	41	-10	94.5
000253	347984	8216984	4066	Maricate	2.0x2.0	ROCP	-5	0.2	5	470	-5	25	588	66.1	3.66	0.93	571.00	1	0.09	6	5	93	-10	143.5
000254	347900	8216969	4008	Maricate	3.00x3.00	ROCP	-5	-0.2	7	240	-5	35	482	580.8	3.37	0.65	453.00	4	0.03	6	-5	38	-10	53.9
000255	347862	8216945	4011	Maricate	4.00x4.00	ROCP	-5	0.3	5	473	-5	15	551	128.3	2.54	1.25	337.00	1	0.05	6	-5	53	-10	93.3
000256	347811	8216927	4008	Maricate	4.00x5.00	ROCP	-5	-0.2	14	443	-5	30	542	56.4	4.86	0.75	464.00	4	0.05	5	-5	61	-10	95.9
000258	349789	8217604	4081	Cumbre coya	2.0x0.20	ROCL	-5	0.5	332	492	-5	36	537	1942.5	5.28	0.63	782.00	2	0.05	51	6	98	-10	398.1
000259	349671	8217501	4106	Cumbre coya	0.60	ROCL	-5	6.4	857	1149	-5	15	215	4541.8	1.74	2.13	191.00	1	0.11	78	7	79	-10	397.5
000260	349733	8217600	4108	Cumbre coya	0.10x0.20	ROSE	-5	35.8	2944	280	-5	8	516	16820	1.08	0.31	370.00	3	0.03	104	13	19	-10	156
000261	349975	8217732	4058	Cumbre coya	2.0x0.20	ROCL	-5	18.5	5093	961	-5	25	193	15330	3.18	1.11	522.00	4	0.11	79	22	147	-10	312.9
000262	349973.5858	8217733.414	4058	Cumbre coya	2.0x0.20	ROCL	6	25.5	3252	1528	-5	22	176	20082	2.28	1.29	450.00	3	0.12	152	17	153	-10	450.2
000263	349972.1716	8217734.828	4058	Cumbre coya	2.0x0.20	ROCL	-5	20.2	3486	3093	-5	27	206	19471	3.46	1.29	615.00	4	0.11	143	17	174	-10	714
000264	349970.7574	8217736.243	4064	Cumbre coya	2.0x0.20	ROCL	-5	1.3	709	1338	-5	32	197	1582.3	3.35	1.16	628.00	2	0.16	68	-5	171	-10	359.8
000265	349970.7574	8217738.243	4064	Cumbre coya	2.0x0.20	ROCL	-5	-0.2	139	1041	-5	28	184	133.8	4.65	1.4	903.00	3	0.13	46	-5	147	-10	271.8
000266	349968.636	8217740.364	4066	Cumbre coya	2.0x0.20	ROCL	-5	-0.2	80	511	-5	26	154	831.3	4.54	1.01	838.00	1	0.12	79	-5	139	-10	217.3
000268	349963	8217725	4074	Cumbre coya	2.0x0.20	ROCL	-5	9.5	280	761	-5	17	196	17718	2.02	1.96	366.00	1	0.12	50	-5	107	-10	72.9
000269	349962.8257	8217726.992	4074	Cumbre coya	2.0x0.20	ROCL	-5	19.8	831	805	5	22	178	31734	2.25	1.96	286.00	2	0.12	84	6	98	-10	110.1
000270	349962.6514	8217728.985	4074	Cumbre coya	2.0x0.20	ROCL	-5	4.9	1954	602	-5	21	230	10325	2.45	2.19	207.00	2	0.13	50	7	126	-10	116.8
000271	349961.6514	8217730.717	4074	Cumbre coya	2.0x0.20	ROCL	-5	10.1	1506	1163	6	29	173	16513	3.87	2.07	896.00	1	0.12	67	10	126	-10	184.9
000272	349807	8217656	4098	Cumbre coya	2	ROSE	-5	-0.2	365	819	5	110	475	528.4	12.18	0.33	2098.00	10	0.08	37	8	139	18	1679.9
000273	349804	8217693	4112	Cumbre coya	2.0x0.20	ROCL	-5	-0.2	47	780	-5	24	383	328.7	3.11	1.14	518.00	1	0.1	21	-5	96	-10	157
000274	349803.1548	8217694.813	4112	Cumbre coya	2.0x0.20	ROCL	-5	1.6	670	1202	5	30	500	2586.8	3.43	0.88	856.00	5	0.08	37	7	85	-10	231.7

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000275	349802.3095	8217696.625	4112	Cumbre coya	2.0x0.20	ROCL	-5	-0.2	78	987	-5	58	219	56.7	5.44	1.01	1956.00	1	0.14	23	-5	108	-10	334.6
000276	349801.4643	8217698.438	4112	Cumbre coya	0.10x0.10	ROSE	-5	-0.2	108	709	6	29	299	48.3	3.73	1.2	538.00	3	0.09	21	-5	123	-10	219.8
000278	349800.619	8217700.25	4112	Cumbre coya	2.0x0.20	ROCL	-5	6	379	1272	-5	53	172	4734	6.48	1.09	1241.00	3	0.09	45	6	141	-10	332.9
000279	349800	8217699	4116	Cumbre coya	3.00x2.00	ROSE	-5	18.5	1534	2344	6	29	443	22341	6.1	0.35	1006.00	6	0.03	108	11	72	-10	463.4
000280	349759	8217734	4136	Cumbre coya	1.5	ROSE	-5	549	4755	545	5	123	305	35105	13.68	0.41	1209.00	164	0.05	3184	6	160	38	836.5
000281	349740	8217723	4144	Cumbre coya	1.5	ROCL	-5	5.9	1208	703	-5	47	216	6432.2	7.35	0.59	1096.00	13	0.09	264	6	162	-10	533.6
000282	349741.4772	8217723.26	4144	Cumbre coya	1.5	ROCL	5	12.8	1536	646	-5	45	233	19553	7.94	0.61	997.00	30	0.08	438	7	173	-10	405.1
000283	349744	8217731	4145	Cumbre coya	1.6	ROCL	-5	50.1	2680	510	6	81	249	32351	8.35	0.64	459.00	57	0.07	692	5	172	-10	634.5
000284	349745.5757	8217731.278	4145	Cumbre coya	1.6	ROCL	-5	8.3	1276	548	5	32	458	12043	5.06	0.56	423.00	19	0.07	174	5	122	-10	361.9
000285	349724	8217729	4149	Cumbre coya	2.0x0.20	ROCL	-5	14.8	163	2275	-5	36	227	18666	4.81	0.72	265.00	14	0.08	152	-5	121	-10	389.9
000286	349725	8217730.732	4149	Cumbre coya	2.0x0.20	ROCL	-5	20.9	516	978	6	53	483	15392	6.75	0.42	358.00	29	0.17	306	5	123	-10	517.5
000288	349708	8217731	4151	Cumbre coya	2.0x0.20	ROCL	-5	2.2	179	517	-5	37	368	709.4	3.47	0.72	1034.00	7	0.07	51	-5	102	-10	220.1
000289	349948	8217783	4089	Cumbre coya	2.50x0.20	ROCL	-5	13.9	1830	1143	-5	46	126	6335.8	5.52	1.17	725.00	3	0.09	111	5	132	-10	343.2
000290	349946.2322	8217781.232	4089	Cumbre coya	2.0x0.20	ROCL	-5	3.2	296	1663	-5	34	129	924.6	5.46	1.57	849.00	1	0.09	42	-5	161	-10	566
000291	349944.818	8217779.818	4089	Cumbre coya	2.0x0.20	ROCL	-5	1.8	160	917	-5	31	113	404.3	5.3	1.47	969.00	1	0.08	34	-5	133	-10	494.9
000292	349943.4038	8217778.404	4089	Cumbre coya	2.0x0.20	ROCL	-5	1.1	65	1087	-5	26	138	268	4.42	1.76	790.00	2	0.09	40	-5	149	-10	378.1
000293	349941.9896	8217776.99	4089	Cumbre coya	2.0x0.20	ROCL	-5	2.2	200	809	-5	28	121	800.9	4.1	1.39	784.00	3	0.08	29	-5	128	-10	387.6
000294	349940.5754	8217775.575	4089	Cumbre coya	2.0x0.20	ROCL	-5	2	120	865	-5	33	109	461.8	4.93	1.03	1256.00	2	0.08	34	-5	135	-10	485.6
000295	349939.1612	8217774.161	4089	Cumbre coya	2.0x0.20	ROCL	-5	22.8	697	1745	-5	22	132	8145.7	3.56	1.71	476.00	2	0.09	87	-5	159	-10	229.6
000296	349937.747	8217772.747	4089	Cumbre coya	2.0x0.20	ROCL	-5	15.7	1443	1924	6	17	121	11051	2.9	1.15	401.00	2	0.08	88	-5	143	-10	230.5
000298	349936.3327	8217771.333	4089	Cumbre coya	2.0x0.20	ROCL	-5	1.4	410	335	-5	31	38	646.5	5.07	2.5	671.00	1	0.04	30	-5	94	-10	361.5
000299	349934.9185	8217769.919	4089	Cumbre coya	2.0x0.20	ROCL	-5	0.8	89	475	-5	33	112	40.8	4.53	2.44	612.00	1	0.07	64	-5	127	-10	357.6
000300	349933.5043	8217768.504	4089	Cumbre coya	2.0x0.20	ROCL	-5	0.8	57	555	-5	30	137	43.8	4.46	1.53	673.00	1	0.1	75	-5	137	-10	251.4
000301	349932.0901	8217767.09	4089	Cumbre coya	2.0x0.20	ROCL	-5	-0.2	47	527	7	29	180	153.5	4.52	1.31	825.00	1	0.1	71	-5	136	-10	284.4
000302	349930.6759	8217765.676	4089	Cumbre coya	2.0x0.20	ROCL	-5	6.8	271	584	-5	43	215	3583.2	5.43	1.43	1071.00	2	0.11	113	5	184	-10	376.2
000303	349930.3286	8217763.706	4089	Cumbre coya	2.0x0.20	ROCL	-5	10.8	454	707	-5	39	191	5727.7	4.76	1.42	996.00	2	0.13	161	5	177	-10	356.6
000304	349929.9813	8217761.737	4089	Cumbre coya	2.0x0.20	ROCL	-5	7	1262	4370	-5	40	220	7177.6	7.53	0.96	1695.00	3	0.14	147	5	210	-10	657.3
000305	349929.634	8217759.767	4089	Cumbre coya	2.0x0.20	ROCL	-5	6.8	179	1919	-5	40	215	8304.6	4.97	1.04	962.00	3	0.13	158	-5	165	-10	420.6
000306	349929.2867	8217757.797	4089	Cumbre coya	2.0x0.20	ROCL	-5	0.6	30	1222	-5	33	205	68.7	5.66	1.56	1142.00	1	0.12	60	5	167	-10	321.6
000308	349928.9394	8217755.828	4089	Cumbre coya	2.0x0.20	ROCL	-5	0.7	76	620	-5	33	200	500.2	5.25	1.11	817.00	2	0.14	130	8	190	-10	300.8
000309	349928.5921	8217753.858	4089	Cumbre coya	2.0x0.20	ROCL	-5	21.5	2640	1894	5	21	272	34107	2.42	0.79	405.00	2	0.13	249	14	164	-10	167
000310	349927.445	8217752.22	4089	Cumbre coya	2.0x0.20	ROCL	-5	5.6	517	1050	-5	23	215	8077.2	4.07	0.88	478.00	2	0.1	119	7	166	-10	214.6
000311	349926.2978	8217750.582	4089	Cumbre coya	2.0x0.20	ROCL	-5	0.2	45	802	-5	26	216	59.6	4.38	1.66	724.00	1	0.17	29	5	161	-10	190.8
000312	349884	8217838	4110	Cumbre coya	2.0x0.20	ROCL	-5	2.5	184	858	-5	23	198	422.2	2.36	1.87	434.00	2	0.08	36	-5	75	-10	147.3
000313	349885.4142	8217839.414	4110	Cumbre coya	2.0x0.20	ROCL	-5	10.7	579	835	-5	19	219	709	3.15	1.85	477.00	2	0.08	1618	5	94	-10	256.4
000314	349886.8284	8217840.828	4110	Cumbre coya	2.0x0.20	ROCL	-5	28.3	1282	786	-5	45	208	2430.5	4.04	1.8	693.00	2	0.09	1428	9	114	-10	379.2
000315	349779	8217937	4132	Cumbre coya	2.0x0.20	ROCL	-5	80.9	1670	2703	-5	18	161	2404.7	1.87	1.2	60.00	22	0.12	24499	16	177	13	654.8
000316	349780	8217940	4131	Cumbre coya	2.0x0.20	ROCL	18	65	2317	1402	-5	23	80	10761	2.5	0.67	84.00	11	0.11	7533	12	134	13	547
000318	349784	8217934	4130	Cumbre coya	2.0x0.20	ROCL	8	31.5	889	1077	-5	27	122	1747.3	4.1	1.31	144.00	30	0.08	8526	26	133	-10	901.2
000319	349786	8217934	4130	Cumbre coya	2.0x0.20	ROCL	-5	54.9	1063	1486	11	17	129	1934.6	2.87	1.93	77.00	13	0.07	34524	21	133	-10	377.4
000320	349788	8217934	4130	Cumbre coya	2.0x0.20	ROCL	-5	47	736	2092	15	70	249	1752.2	2.76	1.92	692.00	16	0.06	20272	8	101	-10	501.7
000321	349788	8217940	4130	Cumbre coya	2.0x0.20	ROCL	-5	627	1883	1324	15	6	224	4934.5	1.2	0.82	30.00	11	0.04	200000	10	67	38	491.6
000322	349789.9319	8217939.482	4130	Cumbre coya	2.0x0.20	ROCL	8	223	1025	440	10	11	152	2069.8	2.71	0.62	32.00	21	0.03	200000	11	74	12	912.3
000323	349791.8637	8217938.965	4130	Cumbre coya	2.0x0.20	ROCL	6	381	7361	1933	6	15	265	13646	6.97	0.53	70.00	28	0.04	180769	35	102	28	2234.6

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000324	349769	8217966	4128	Cumbre coya	2.0x0.20	ROCL	-5	69.5	4327	1375	11	86	181	7438.5	5.55	1.03	1194.00	6	0.07	1143	11	115	-10	2934.9
000325	349770	8217968	4126	Cumbre coya	2.0x0.20	ROCL	-5	8	140	864	9	83	134	425	6.77	1.22	1280.00	4	0.08	711	-5	129	-10	3671
000326	349771.9696	8217967.653	4126	Cumbre coya	2.0x0.20	ROCL	-5	9.1	108	746	18	79	164	1308.4	3.69	0.8	718.00	6	0.08	277	5	120	-10	1727
000328	349773.9392	8217967.305	4126	Cumbre coya	2.0x0.20	ROCL	10	19.5	435	689	-5	195	116	3061.9	8.13	0.53	1823.00	5	0.1	504	6	132	-10	3602.2
000329	349755	8217978	4136	Cumbre coya	1x0.2	ROCL	-5	13.9	977	935	-5	9	169	50673	0.75	1.51	27.00	7	0.04	101978	5	75	-10	359.5
000330	349756.5	8217978.5	4136	Cumbre coya	1.5x0.20	ROCL	-5	7.5	339	563	5	11	130	42225	0.72	1.44	23.00	5	0.07	26746	-5	104	-10	251.2
000331	350741	8218449	4138	Cumbre coya	0.10x0.40	ROSE	7	1	2997	355	-5	15	790	69.5	10.47	0.14	670.00	287	0.07	1226	6	16	-10	59.6
000332	350605	8218343	4166	Cumbre coya	0.20x0.50	ROSE	-5	1.3	1745	479	-5	23	437	299.9	8	0.16	671.00	139	0.02	4475	5	26	-10	168.4
000333	350572	8218325	4171	Cumbre coya	0.20x0.40	ROSE	-5	2.5	1056	1134	-5	31	645	1241.3	5.45	0.18	999.00	29	0.02	779	8	51	-10	346.6
000334	350373	8218118	4091	Cumbre coya	2.0x0.20	ROCL	-5	0.9	404	793	-5	46	42	346.2	6.76	0.67	1145.00	6	0.08	103	-5	120	-10	736.4
000335	350452	8218067	4109	Cumbre coya	2.0x0.20	ROCL	-5	1.2	2234	1302	-5	16	446	332.4	10.73	0.52	684.00	99	0.05	678	8	108	-10	385.8
000336	350546	8218055	4128	Cumbre coya	4.00x2.00	ROSE	-5	0.3	2862	681	-5	10	296	143.6	12.98	0.79	94.00	125	0.08	946	7	81	-10	251.3
000338	350821	8218054	4117	Cumbre coya	0.1x0.20	ROSE	5	3.4	2885	141	5	26	246	121.1	7.11	1.37	351.00	91	-0.01	164440	5	32	-10	978.6
000339	350825	8218046	4118	Cumbre coya	2.0x0.20	ROCL	-5	2.1	1259	969	-5	19	223	196.8	5.84	2.27	185.00	27	0.06	37460	-5	106	-10	473.3
000340	350733	8217844	4072	Cumbre coya	2.0x0.20	ROCL	-5	0.3	1729	856	-5	14	383	74	6.9	2.49	512.00	66	0.07	1125	-5	73	-10	395.6
000341	350812	8217792	4099	Cumbre coya	1.5x0.20	ROCL	-5	1	507	950	-5	33	112	45.9	7.59	2.92	876.00	19	0.08	255	-5	78	-10	1350.7
000342	350819	8217689	4070	Cumbre coya	2.0x0.20	ROCL	-5	-0.2	75	1457	-5	16	84	25.6	3.35	2.8	434.00	2	0.08	53	-5	94	-10	116.6
000343	350334	8217697	4037	Cumbre coya	1.10x0.20	ROCL	-5	2.8	892	790	-5	23	12	1525.5	7.86	1.26	5782.00	49	0.02	146	5	61	-10	583.2
000344	350091	8217460	4056	Cumbre coya	2.50	ROSE	-5	1.9	671	804	-5	35	143	119.2	4.95	2.46	601.00	31	0.06	314	-5	104	-10	251.3
000345	350054	8217408	4067	Cumbre coya	2.0x0.20	ROCL	-5	0.4	85	907	8	23	129	41	6.47	1.43	543.00	2	0.08	70	-5	132	-10	215.9
000346	349970	8217374	4072	Cumbre coya	2.0x0.20	ROCL	-5	11.5	457	1135	5	26	201	8011.3	2.9	1.86	748.00	3	0.1	64	-5	114	-10	146.4
000348	348983	8214648	4082	Fundición	2.0x0.20	ROCL	-5	36.1	4926	1348	-5	54	72	7503.6	7.89	1.35	1215.00	15	0.09	15830	22	118	-10	15540
000349	348983.3473	8214649.97	4082	Fundición	2.0x0.20	ROCL	8	8.1	1307	7241	-5	57	73	331.4	13.76	1.03	3023.00	9	0.09	12440	15	212	-10	42500
000350	348809	8216223	4015	Fundición	2.50	ROSE	-5	0.7	48	600	6	19	357	122.7	3.5	1.77	451.00	2	0.11	96	-5	85	-10	169.2
000351	348958	8216291	4022	Fundición	1	ROSE	-5	0.6	43	265	-5	6	586	1010	1.33	0.09	336.00	1	-0.01	32	-5	15	-10	70.9
000352	348641	8216256	4038	Fundición	1.5	ROSE	8	0.6	383	1285	-5	96	269	90.4	12.79	0.77	2549.00	3	0.12	150	7	198	-10	900.1
000353	348546	8216289	4043	Fundición	2.0x0.30	ROSE	-5	0.2	67	789	6	43	374	131.4	6.97	0.86	1103.00	3	0.11	17	-5	110	-10	140.4
000354	347852	8216355	4105	Fundición	2.0x0.20	ROCL	-5	3.8	30	1206	8	28	233	7883.8	4.02	2.21	1514.00	1	0.11	48	-5	126	-10	103.6
000355	347872	8216394	4090	Fundición	5.00	ROCP	-5	1	10	513	13	26	253	285.2	4.56	2.25	623.00	1	0.06	10	-5	99	-10	62.1
000356	347873	8216414	4085	Fundición	1	ROCP	-5	0.5	179	1948	-5	17	540	195.3	6.37	0.25	486.00	12	0.01	22	7	66	-10	26.7
000358	349776	8217945	4122	Cumbre coya	3.0	ROCP	-5	593	10000	6437	-1	8	88	34960	1.77	0.77	46.00	82.89	0.277	65310	54.7	130	0.4	504
000359	350776	8218096	4122	Cumbre coya	2.0x0.20	ROCL	7	0.9	323	973	-5	27	40	76.6	5.82	0.67	817.00	8	0.05	159	-5	104	-10	496
000360	350371	8217626	4064	Cumbre coya	0.25x0.20	ROSE	-5	0.5	683	667	7	24	197	60.6	9.56	1.62	8525.00	99	0.1	92	6	108	-10	532.3
000361	350363	8217622	4061	Cumbre coya	0.10x0.20	ROSE	-5	-0.2	138	1434	-5	4	93	141	7.31	0.38	>10000.00	88	0.03	80	-5	33	-10	555.6
000362	348981	8214646	4066	Fundición	2.0x0.20	ROCL	-5	19.2	644	1834	5	46	84	1136.7	4.01	1.46	2023.00	3	0.12	7183	22	128	-10	1383.9
000363	348982.2856	8214644.468	4066	Fundición	2.0x0.20	ROCL	-5	19.4	787	4178	-5	45	103	782.5	6.09	1.03	2430.00	4	0.11	16470	15	135	-10	35760
000364	348767	8215818	4019	Fundición	3.0	ROCP	-5	0.4	42	696	6	24	275	404	3.61	0.94	946.00	2	0.28	70	-5	78	-10	116.8
000365	348283	8215860	4086	Fundición	0.50x0.20	ROCL	5	80.9	8230	1130	-5	81	106	18790	4.04	0.92	1107.00	15	0.07	9587	16	152	-10	1739.6
000366	348284	8215722	4050	Fundición	0.50x0.20	ROCL	-5	2.8	110	757	7	27	285	5935.7	4.07	1.37	873.00	2	0.08	47	-5	103	-10	83
000368	349793.6763	8217938.119	4130	Cumbre coya	2.0x0.20	ROCL	10	384	7656	1079	5	14	91	5690	3.79	1.01	29.00	121	0.13	32080	101	181	23	786
000369	349795.4889	8217937.274	4130	Cumbre coya	2.0x0.20	ROCL	-5	95.2	2338	1142	21	14	113	5443.9	3.41	1.14	28.00	76	0.11	20500	27	167	-10	792.1
000370	349797.221	8217936.274	4130	Cumbre coya	2.0x0.20	ROCL	-5	206	3841	1488	6	15	102	5608.3	2.4	1.24	27.00	94	0.1	22850	23	178	18	901.5
000371	349798.9171	8217935.214	4130	Cumbre coya	2.0x0.20	ROCL	-5	173	7879	1862	12	14	132	5421.6	2.46	1.12	51.00	67	0.11	16420	136	174	14	849.5
000372	349800.6491	8217934.214	4130	Cumbre coya	2.0x0.20	ROCL	-5	39.1	2958	2625	18	13	129	3182.4	3.17	1.9	32.00	12	0.1	2974	40	135	-10	630.5

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000373	349802.2936	8217933.616	4130	Cumbre coya	1.75x0.20	ROCL	-5	73.4	3497	8540	10	21	180	12510	4.11	1.28	113.00	16	0.08	2597	78	152	-10	981.4
000374	349803.9319	8217932.469	4130	Cumbre coya	2.0x0.20	ROCL	-5	591	9512	1327	12	8	110	14130	2.74	1.1	27.00	67	0.1	62620	45	124	35	716.8
000375	349805	8217930	4107	Cumbre coya	2.0x0.20	ROCL	-5	284	2178	788	12	26	77	4969.7	5.05	0.96	233.00	34	0.06	72470	12	124	19	1745.8
000376	349923	8217807	4079	Cumbre coya	2.0x0.20	ROCL	11	57.8	793	1859	-5	37	97	23820	5.51	1.81	1252.00	5	0.06	311	10	115	16	345.3
000378	349924.7321	8217808	4079	Cumbre coya	2.0x0.20	ROCL	11	22.8	859	2090	-5	37	85	12440	6.14	1.4	1130.00	5	0.05	90	-5	82	-10	403.9
000379	349926.1177	8217808.8	4079	Cumbre coya	1.60x0.20	ROCL	-5	14.2	480	835	7	47	67	3906.9	3.88	1.61	804.00	3	0.06	79	-5	101	-10	172.2
000380	349927.5033	8217809.6	4079	Cumbre coya	1.60x0.20	ROCL	9	6.9	1417	1202	6	62	55	3695.2	5.6	2.4	993.00	3	0.06	124	-5	108	-10	258.5
000381	349949.4142	8217784.414	4089	Cumbre coya	2.0x0.20	ROCL	-5	4.3	359	892	6	19	179	1538.8	2.9	2.23	661.00	2	0.09	39	-5	105	-10	128.3
000382	349951.0525	8217785.561	4089	Cumbre coya	2.0x0.20	ROCL	-5	1.1	85	584	6	15	132	465.5	2.56	2.38	443.00	1	0.09	30	-5	115	-10	137.6
000383	349953.0449	8217785.387	4089	Cumbre coya	2.0x0.20	ROCL	-5	2.2	176	663	-5	15	124	957.6	2.41	2.26	373.00	2	0.08	26	-5	90	-10	142.4
000384	349953.7289	8217787.266	4089	Cumbre coya	2.0x0.20	ROCL	-5	0.6	175	516	-5	18	102	484	3.12	2.07	459.00	3	0.07	24	-5	98	-10	237.2
000385	349954.8761	8217788.905	4089	Cumbre coya	2.0x0.20	ROCL	5	10.3	496	1050	12	29	104	3638.8	6.08	1.86	1247.00	1	0.07	43	7	109	-10	556.6
000386	349956.0233	8217790.543	4089	Cumbre coya	2.0x0.20	ROCL	5	8.8	278	559	9	20	104	5832.8	3.71	1.43	713.00	2	0.09	47	-5	112	-10	319.8
000388	349957.1704	8217792.181	4089	Cumbre coya	2.0x0.20	ROCL	-5	4.8	208	569	6	31	83	4319.2	5.51	2.01	1463.00	3	0.06	44	-5	109	-10	380.9
000389	349958.0156	8217793.994	4089	Cumbre coya	2.0x0.20	ROCL	-5	12.1	323	1548	-5	44	97	4447.1	3.01	1.52	964.00	2	0.07	58	-5	103	-10	265.6
000390	349958.8609	8217795.807	4089	Cumbre coya	2.0x0.20	ROCL	-5	10.6	486	597	6	39	68	3057.5	3.76	2.57	341.00	2	0.07	89	-5	112	-10	309.6
000391	349959.5449	8217797.686	4089	Cumbre coya	2.0x0.20	ROCL	-5	12.4	796	799	13	41	81	1490.6	5.32	2.3	740.00	3	0.08	167	-5	129	-10	389.2
000392	349960.229	8217799.565	4089	Cumbre coya	2.0x0.20	ROCL	-5	9.5	376	596	7	44	50	1154.6	4.25	2.42	1218.00	2	0.05	87	-5	101	-10	325.4
000393	349961.229	8217801.297	4089	Cumbre coya	2.0x0.20	ROCL	-5	3.5	301	347	-5	24	46	461.7	3.68	2.54	583.00	1	0.04	82	-5	81	-10	217.8
000394	349962.229	8217803.029	4089	Cumbre coya	2.0x0.20	ROCL	11	1.2	151	535	-5	18	55	109.3	3.19	2.28	728.00	2	0.06	98	-5	111	-10	195.7
000395	349963.6432	8217804.444	4089	Cumbre coya	2.0x0.20	ROCL	25	2	345	531	-5	14	69	382.1	3.37	1.46	1132.00	19	0.04	783	-5	123	-10	297.7
000396	349964.9287	8217805.976	4089	Cumbre coya	2.0x0.20	ROCL	-5	2.9	275	381	-5	8	53	131	2.85	1.39	3381.00	31	0.03	1491	-5	128	-10	242.7
000398	349929.4352	8217810.118	4079	Cumbre coya	2.0x0.20	ROCL	170	3	256	640	10	29	54	521.7	4.27	2.66	993.00	3	0.06	124	-5	113	-10	378.9
000399	349570	8218676	4147	Cumbre coya	2.0x0.20	ROCL	-5	5.2	1589	1008	13	84	157	8414.4	3.78	0.97	710.00	3	0.09	118	6	124	-10	379.6
000400	349683	8218193	4143	Cumbre coya	2.0x0.20	ROCL	5	1.7	90	553	10	49	131	56.8	4.04	0.67	799.00	3	0.1	84	-5	149	-10	426.8
000401	349684.6961	8218194.06	4143	Cumbre coya	2.0x0.20	ROCL	5	5.8	222	546	9	78	81	183.9	7.54	0.63	2101.00	3	0.07	100	-5	139	-10	819.8
000402	349686.4281	8218195.06	4143	Cumbre coya	2.0x0.20	ROCL	9	32.3	1495	678	-5	103	112	2993.3	6.84	0.74	1792.00	7	0.08	5077	6	148	-10	776.7
000403	349688.1602	8218196.06	4143	Cumbre coya	2.0x0.20	ROCL	6	2.8	164	689	9	50	104	166.2	4.87	0.74	1018.00	4	0.09	249	-5	132	-10	536.2
000404	349689.7985	8218197.207	4143	Cumbre coya	2.0x0.20	ROCL	-5	2.6	191	700	18	51	105	115.2	4.56	1.08	885.00	4	0.08	1729	-5	139	-10	457.6
000405	349691.2612	8218198.571	4143	Cumbre coya	2.0x0.20	ROCL	-5	1.9	515	421	6	22	35	138.2	4.67	4	948.00	2	0.08	259	-5	95	-10	326.9
000406	349692.6505	8218200.01	4143	Cumbre coya	2.0x0.20	ROCL	-5	2.1	556	576	13	19	53	106.8	6.11	1.72	6204.00	16	0.05	3873	5	96	-10	682.2
000408	349694.2265	8218201.241	4143	Cumbre coya	2.0x0.20	ROCL	-5	0.8	498	349	-5	19	52	42.9	2.85	1	2920.00	54	0.05	4424	-5	128	-10	473.9
000409	349695.8846	8218202.359	4143	Cumbre coya	2.0x0.20	ROCL	-5	0.4	225	253	-5	12	43	32.8	2.43	2.34	1724.00	4	0.05	745	-5	113	-10	669
000410	350078	8218214	4102	Cumbre coya	2.0x0.20	ROCL	5	1.4	1422	719	10	6	158	59.7	15	2.34	1295.00	15	0.17	858	10	155	-10	1267.2
000411	349978	8218330	4154	Cumbre coya	2.0x0.20	ROCL	-5	32.6	5958	481	10	41	210	269.7	12.55	0.26	488.00	205	0.06	5476	10	68	-10	272.2
000412	349712	8218125	4150	Cumbre coya	2.0x0.20	ROCL	-5	24.9	935	665	10	93	144	1589.7	5.43	2.02	745.00	7	0.09	331	7	140	-10	620.5
000413	349743	8218063	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.8	103	692	9	37	91	125.1	5.75	0.73	1150.00	2	0.07	76	-5	102	-10	472.1
000414	349741.268	8218062	4146	Cumbre coya	2.0x0.20	ROCL	7	0.7	64	607	-5	31	103	40.2	4.04	0.69	890.00	2	0.08	49	-5	105	-10	411.9
000415	349739.6296	8218060.853	4146	Cumbre coya	2.0x0.20	ROCL	6	8	169	396	-5	66	82	391.2	4.51	0.45	1021.00	3	0.06	810	-5	169	-10	451.4
000416	349737.817	8218060.008	4146	Cumbre coya	2.0x0.20	ROCL	-5	-0.2	41	588	-5	27	117	63.4	4.74	0.57	923.00	2	0.08	54	-5	118	-10	512
000418	349736.2849	8218058.722	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.2	17	625	13	24	97	15	4.07	0.67	629.00	1	0.08	48	-5	105	-10	338.3
000419	349734.7529	8218057.436	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.6	23	583	7	22	100	16.5	3.67	1.05	389.00	2	0.09	26	-5	112	-10	197.5
000420	349733.3635	8218055.998	4146	Cumbre coya	2.0x0.20	ROCL	-5	-0.2	27	561	-5	24	101	43.1	3.62	1.19	515.00	2	0.08	33	-5	109	-10	273.5
000421	349731.9493	8218054.584	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.4	106	656	14	26	98	398.2	3.35	1.45	554.00	1	0.09	48	-5	112	-10	226.7

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000422	349730.0699	8218053.9	4146	Cumbre coya	2.0x0.20	ROCL	-5	2.7	101	680	9	40	147	244.1	3.64	1.34	823.00	2	0.11	1102	-5	173	-10	338.2
000423	349728.2156	8218053.15	4146	Cumbre coya	2.0x0.20	ROCL	-5	15.2	634	775	15	33	119	2105.2	3.23	1.16	671.00	2	0.11	2591	-5	155	-10	262.8
000424	349726.2837	8218052.633	4146	Cumbre coya	2.0x0.20	ROCL	-5	26.8	336	784	14	21	104	5653.5	2.66	1.75	394.00	1	0.1	288	-5	123	-10	160.5
000425	349724.2913	8218052.807	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.8	127	676	7	20	127	1493	2.67	2.07	389.00	1	0.1	27	7	120	-10	170.7
000426	349722.3217	8218052.46	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.8	66	606	-5	26	134	203.8	2.47	2.17	505.00	1	0.1	24	-5	108	-10	186.7
000428	349720.3521	8218052.112	4146	Cumbre coya	2.0x0.20	ROCL	-5	2	118	592	-5	22	130	1509.8	3	2.09	474.00	2	0.09	27	-5	118	-10	189.2
000429	349718.3825	8218051.765	4146	Cumbre coya	2.0x0.20	ROCL	-5	3.1	159	703	12	21	145	2502.1	2.2	2.16	327.00	2	0.1	36	-5	107	-10	108.9
000430	349716.4129	8218051.418	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.8	77	615	10	22	142	273.4	2.27	2.22	292.00	1	0.1	30	-5	111	-10	136.1
000431	349714.481	8218050.9	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.4	90	638	-5	27	121	130.7	2.49	2.16	525.00	1	0.09	35	-5	103	-10	178.9
000432	349712.6016	8218050.216	4146	Cumbre coya	2.0x0.20	ROCL	-5	1.4	86	734	9	28	109	552.9	1.94	2.1	406.00	2	0.1	69	-5	92	-10	129.1
000433	349710.789	8218049.371	4146	Cumbre coya	2.0x0.20	ROCL	-5	1	37	819	-5	23	104	181.7	1.56	1.88	279.00	1	0.08	52	-5	90	-10	199.7
000434	349708.9096	8218048.687	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.4	53	585	6	28	124	167.4	2.37	1.76	364.00	2	0.08	76	-5	108	-10	254.8
000435	349706.9778	8218048.169	4146	Cumbre coya	2.0x0.20	ROCL	-5	1.2	44	659	7	22	115	305.1	2.05	1.98	337.00	2	0.08	58	6	98	-10	166.9
000436	349705.0082	8218047.822	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.8	24	653	-5	23	127	60.3	3.33	2.26	449.00	1	0.09	28	-5	124	-10	225.2
000438	349703.0386	8218047.475	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.2	30	672	-5	22	159	123.3	2.72	1.91	346.00	2	0.08	26	-5	95	-10	171.9
000439	349701.0823	8218047.059	4146	Cumbre coya	2.0x0.20	ROCL	-5	4.7	160	648	8	22	137	4839.6	2.95	2.26	447.00	2	0.09	56	5	118	-10	185.3
000440	349699.1335	8218046.609	4146	Cumbre coya	2.0x0.20	ROCL	-5	2.8	162	586	8	22	137	3707.3	3.46	2.08	355.00	2	0.09	43	6	111	-10	213.1
000441	349697.1639	8218046.262	4146	Cumbre coya	2.0x0.20	ROCL	-5	2	100	515	11	19	141	2448.5	2.24	2.19	347.00	1	0.1	32	-5	108	-10	184.5
000442	349695.3513	8218045.416	4146	Cumbre coya	2.0x0.20	ROCL	-5	0.6	103	502	12	23	154	1061.6	2.33	2.11	345.00	2	0.08	22	-5	95	-10	173.7
000443	348828	8216065	4029	Fundición	1.50x0.20	ROCL	-5	0.4	8	632	-5	19	129	28	2.45	1.39	433.00	1	0.11	22	-5	78	-10	37.3
000444	348826.5328	8216064.688	4029	Fundición	1.50x0.20	ROCL	-5	0.3	28	713	14	25	259	24.9	3.37	1.89	601.00	1	0.2	29	-5	98	-10	62.8
000445	348807	8216140	4034	Fundición	2.0x0.20	ROCL	-5	-0.2	12	647	9	21	73	31.7	3.57	1.61	799.00	2	0.11	24	-5	92	-10	103.1
000446	348669	8216129	4065	Fundición	2	ROSE	-5	0.6	24	376	-5	15	685	289.8	3.04	0.7	807.00	1	0.03	8	12	56	-10	75.4
000448	348411	8216135	4143	Fundición	2.0x0.20	ROCL	-5	0.2	291	575	-5	20	154	28.2	4.12	2.37	411.00	3	0.08	16	-5	114	-10	57
000449	348228	8216118	4157	Fundición	2.50	ROSE	8	0.2	38	281	7	20	365	12.9	3.23	0.44	654.00	3	0.05	22	6	70	-10	167.3
000450	348711	8216212	4035	Fundición	4.00	ROSE	-5	0.2	34	461	-5	14	463	264.9	2.86	0.52	550.00	1	0.07	20	8	64	-10	49.1
000451	348701	8216219	4034	Fundición	2.0x0.20	ROCL	-5	0.4	23	867	20	23	529	120.5	3.78	1.2	603.00	1	0.16	20	8	86	-10	56.1
000452	348699.7144	8216220.532	4034	Fundición	2.0x0.20	ROCL	-5	0.9	35	673	8	23	379	55.5	3.72	1.27	644.00	1	0.1	18	8	91	-10	57.4
000453	348625	8216267	4033	Fundición	2.0x0.20	ROCL	-5	1	34	851	6	32	331	72.6	4.27	1.04	618.00	1	0.09	19	8	104	-10	106.7
000454	348480	8216278	4031	Fundición	2.0x0.20	ROCL	-5	-0.2	23	843	-5	25	208	57.5	4.23	1.7	491.00	1	0.1	23	-5	102	-10	109.1
000455	348418	8216282	4033	Fundición	4.00	ROSE	-5	0.2	66	909	5	35	370	62.7	4.43	1.92	694.00	3	0.09	40	-5	98	-10	414.1
000456	348384	8216291	4032	Fundición	2.0x0.20	ROCL	-5	-0.2	137	1142	9	20	136	52.9	3.65	1.87	62.00	1	0.09	13	-5	117	-10	166.9
000458	348333	8216318	4026	Fundición	4.00	ROSE	-5	0.9	399	818	10	26	272	84.2	8.33	1.84	130.00	6	0.17	55	10	112	-10	296.3
000459	348284	8216349	4023	Fundición	3.0	ROSE	-5	0.3	267	821	19	22	95	31.1	7.91	2.36	212.00	2	0.14	42	-5	119	-10	107.7
000460	348241	8216361	4020	Fundición	3.0	ROSE	7	0.6	606	809	10	25	150	86.5	9.37	2.38	284.00	4	0.12	35	7	151	-10	167.4
000461	347969	8217894	4314	Maricate	2.0x0.20	ROCL	6	12.8	1632	5675	33	55	217	13680	3.52	1.94	145.00	12	0.11	101	19	105	-10	222.3
000462	347970.618	8217892.824	4314	Maricate	2.0x0.20	ROCL	-5	11.9	1033	10000	17	92	120	15940	2.97	1.95	630.00	8	0.11	83	18	96	-10	173.3
000463	347858	8217789	4287	Maricate	2.0x0.20	ROCL	-5	20.2	1010	1341	12	85	307	1265	6.89	1.52	686.00	67	0.12	1823	8	99	-10	468.5
000464	347883	8217658	4284	Maricate	2.0x0.20	ROCL	-5	46.1	2043	4938	10	135	153	3830.2	4.55	0.79	1245.00	4	0.13	13250	9	92	-10	649.5
000465	347885	8217474	4262	Maricate	0.50	ROSE	-5	2.7	475	575	-5	8	821	2996.3	1.9	0.11	1807.00	2	0.02	56	9	16	-10	28.8
000466	347966	8217852	4295	Maricate	2.0x0.20	ROCL	-5	21.6	662	1095	12	68	213	916.2	6.62	1.77	634.00	21	0.13	333	5	110	-10	393.5
000468	347858	8217609	4259	Maricate	2.0x0.20	ROCL	6	8.7	53	1187	9	75	137	5549.5	3.91	1.44	1380.00	2	0.14	78	6	100	-10	94.6
000469	347780	8217525	4235	Maricate	2.0x0.20	ROCL	-5	21.8	2207	808	-5	65	254	15940	6.03	1.14	1058.00	8	0.11	345	9	140	10	159
000470	347867	8217291	4200	Maricate	2.0x0.20	ROCL	-5	17.9	99	1173	-5	92	134	5969.2	6.55	1.61	948.00	1	0.13	133	6	95	-10	209.1

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000471	344494	8213789	4176	Pcojhu	1.70x0.20	ROCL	-5	21.6	75	598	0.35		36	1762.8	7.85	2.66	1446.00	2.38	0.1049	82.1	1.72	123	1.1	379
000472	344491	8213802	4194	Pcojhu	1.50x0.20	ROCL	-5	22.3	841	2931	0.12		63	5280.6	5.91	2.1	658.00	6.77	0.1309	130.7	7.09	151	0.6	136
000473	344474	8213810	4206	Pcojhu	1.00x0.20	ROCL	-5	23.1	2977	4284	0.07		116	8207.2	2.94	2.15	32.00	9.61	0.1288	2893.4	18.73	135	0.6	89
000474	345075	8214008	4220	Pcojhu	10.00x10.00	ROCP	-5	14.5	7	4216	0.36		17	49.3	1.64	2.85	488.00	1.45	0.0126	12.6	0.77	13	1.4	91
000475	353965	8225076	4476	Jencorni	5.00x5.00	ROCP	-5	26.1	17	626	0.08		261	282.5	10.6	1.25	>10000.00	1.81	0.0795	24.1	0.29	137	0.4	388
000476	346022	8215506	3980	Huancune	0.80x0.20	ROCL	5	18	883	554	0.12		285	3795.4	6.91	1.34	2037.00	3.68	0.1125	60.9	21.26	203	0.4	1105
000478	346019	8215504	3980	Huancune	1.00x0.20	ROCL	10	14.5	1252	1209	0.43		190	20020	4.56	2.56	1767.00	2.01	0.1338	43.2	3.59	166	0.8	435
000479	346020	8215512	3966	Huancune	0.40x0.20	ROCL	-5	4.5	10000	486	0.24		231	39520	3.71	0.62	873.00	22.15	0.0454	30560	22.2	74	0.2	3275
000480	345982	8215154	4165	Huancune	0.40x0.20	ROCL	-5	12.9	1318	6537	3.41		75	11650	7.25	1.87	3831.00	6.11	0.1179	71.9	107.9	83	1	192
000483	345899	8215638	3933	Huancune	1.00x0.20	ROCL	10	11	3205	3761	2.32	77.9	100	20360	5.25	2.22	1939.00	2.69	0.1042	37.9	219.2	177	0.4	634
000484	345878	8215620	3946	Huancune	0.70x0.20	ROCL	17	12	1650	5532	1.18	51.6	114	17160	5.63	1.63	2873.00	1.54	0.1142	71.1	134.2	181	0.8	366
000485	345778	8215544	4008	Huancune	0.60x0.20	ROCL	11	9.6	2460	4276	0.74	27.9	161	28240	6.48	1.75	4309.00	3.02	0.0767	45	64.6	192	0.4	58
000490	350958	8222924	4294	Chullunquini	0.50x0.20	ROCL	-5	19.6	240	817	0.12	23.3	108	59.6	4.33	2.55	326.00	1.87	0.1078	11470	0.13	116	0.5	5860
000491	350957	8222922	4293	Chullunquini	0.50x0.20	ROCL	-5	16.5	441	530	0.16	110.5	75	54.8	3.39	1.77	425.00	2.56	0.0827	55710	0.17	101	0.3	53300
000492	350960	8222925	4290	Chullunquini	2.00x2.00	ROCP	7	17.9	16	850	0.26	15.5	67	250	3.8	1.66	874.00	1.17	0.1043	125.3	0.13	104	0.4	296
000508	351295	8218925	4088	Ichucollo	5.00x5.00	ROSE	8	6.8	2244	3306	0.34	30.3	411	13390	13.81	0.74	2952.00	19.91	0.032	193.6	2.54	104	0.6	1695
000509	351279	8218995	4114	Ichucollo	2.00x2.00	ROCL	7	14.3	1556	935	0.09	45.8	111	26910	2.81	1.5	410.00	3.12	0.0663	62.9	2.21	106	0.6	220
000510	351297	8219100	1433	Ichucollo	2.00x0.20	ROCL	11	11.6	2316	827	0.21	11.5	522	853	7.68	0.43	101.00	58.03	0.1154	537.2	1.83	84	0.3	110
000511	350730	8219185	4199	Ichucollo	1.00x0.20	ROCL	8	3.4	5938	610	0.07	168.9	1135	3974	11.17	0.35	218.00	66.02	0.0268	1758	3.68	50	0.1	642
000512	350802	8218630	4145	Ichucollo	0.20x0.20	ROSE	7	2.2	3327	477	0.04	9.6	497	124.7	10.85	0.48	435.00	393.84	0.0442	3406	6.07	20	0.2	59
000513	350921	8218591	4097	Ichucollo	5.00x5.00	ROSE	20	9.3	1117	1078	0.09	43	84	24270	5.28	1.18	494.00	30.27	0.0408	353.6	2.07	99	1.2	446
000514	345946	8218965	4286	Ocsani	3.00x3.00	ROSE	-5	2.3	116	240	-0.04	63.9	735	655.9	4.45	0.41	745.00	1.46	0.0381	84	0.57	62	-0.1	229
000515	346267	8218850	4309	Ocsani	0.50x0.20	ROCL	-5	10.8	1408	633	0.04	61	373	21400	2.85	1.5	269.00	26.73	0.0682	2313	3.09	78	0.6	182
000516	346313	8218876	4318	Ocsani	3.00x3.00	ROSE	8	4.1	2623	383	-0.04	154.4	740	24840	4.16	0.49	770.00	199.77	0.1262	5336	15.2	41	0.5	638
000518	343196	8217407	4290	Uturucuy	3.00x3.00	ROSE	-5	10.2	601	239	0.21	2.9	25	67820	0.4	3.3	360.00	3.02	0.0176	529.2	5.02	10	0.7	2747
000519	350985	8218448	4068	Ichucollo	3.00x3.00	ROCP	-5	7.1	582	1713	0.16	37.2	29	1662	12.04	1.47	>10000.00	23.86	0.0446	258.8	2.75	80	0.8	6313
000520	350792	8218428	4109	Ichucollo	2.00x0.20	ROCL	43	12.2	208	2258	0.16	36.3	42	94.3	4.43	0.83	574.00	5.97	0.0281	98	0.91	84	0.8	367
000521	350790	8218431	4112	Ichucollo	5.00x5.00	ROCP	46	15.3	436	2181	0.04	1.9	136	50.7	2.65	1.82	43.00	8.73	0.0329	49.8	0.93	58	0.8	52
000522	350769	8218443	4125	Ichucollo	2.00x0.20	ROCL	10	11.5	1026	854	0.07	73.4	317	79.9	7.32	0.21	1317.00	52.61	0.0769	130.4	1.56	66	0.5	367
000523	350818	8218483	4115	Ichucollo	2.00x0.20	ROCL	11	11.3	389	937	0.09	16.9	76	96.2	4.72	0.51	532.00	15.17	0.0485	170.6	1.03	84	0.5	499
000524	351023	8218536	4070	Ichucollo	0.35x0.20	ROCL	12	7	3613	623	0.25	43.3	14	77460	8.78	1.87	>10000.00	81.84	0.0303	2605	7.43	116	3.2	3634
000525	350739	8218326	4119	Ichucollo	2.00x0.20	ROCL	10	15.3	32	1136	0.09	12.5	70	127.2	3.27	0.68	528.00	2.69	0.054	206.9	0.78	82	0.6	188
000526	350694	8218287	4137	Ichucollo	2.00x0.20	ROCL	13	12.9	72	1034	0.05	11.5	56	73.2	2.92	0.38	781.00	5.51	0.0425	114.5	0.95	58	0.4	253
000527	350707	8218428	4144	Ichucollo	2.00x0.20	ROCL	9	15	374	620	0.09	24.4	41	165.4	7.61	0.33	458.00	13.05	0.0759	209.3	1.42	81	0.5	240
000529	350718	8218474	4152	Ichucollo	2.00x0.20	ROCL	12	13.9	329	1539	0.22	8.7	149	103.8	3.19	0.37	48.00	49.15	0.0503	382.2	1.13	80	0.5	266
000530	350703	8218507	4166	Ichucollo	2.00x0.20	ROCL	10	12.5	1505	716	0.11	30.8	47	82.9	12.01	0.4	577.00	96.36	0.1228	795.5	1.3	86	0.4	745
000531	350768	8218590	4163	Ichucollo	2.00x0.20	ROCL	10	13.5	60	1303	0.16	24.3	61	56.4	2.8	0.42	434.00	3.5	0.0424	56.8	0.95	83	0.5	302
000532	350759	8218491	4144	Ichucollo	2.00x0.20	ROCL	5	11.6	4509	1306	0.21	3.3	250	77.5	12.21	0.7	51.00	412.89	0.0401	940.6	4.59	52	0.4	107
000533	350753	8218432	4133	Ichucollo	2.00x0.20	ROCL	6	9.8	3069	715	0.07	7	395	49	13.24	0.46	132.00	146.97	0.0683	1480	3.76	62	0.4	397
000534	350916	8218589	4100	Ichucollo	2.00x0.20	ROCL	11	14.1	101	1012	0.09	23.6	72	154.8	3.15	0.97	406.00	2.5	0.0501	40.5	0.75	79	0.6	234
000535	350915.7563	8218590.985	4100	Ichucollo	2.00x0.20	ROCL	9	14.2	134	1152	0.07	32	57	408.8	3.11	0.92	374.00	2.72	0.0519	45.4	0.77	82	0.6	326
000536	350915.9306	8218592.977	4100	Ichucollo	2.00x0.20	ROCL	10	15.1	216	1035	0.08	39.3	66	1369	3.41	1.12	433.00	3.23	0.0563	58.8	0.95	83	0.6	352
000538	350916.2089	8218594.958	4100	Ichucollo	2.00x0.20	ROCL	6	14.2	174	816	0.11	38.3	61	1239	4.16	0.9	423.00	3.27	0.0621	81.4	1.08	91	0.7	333
000539	350916.3136	8218596.955	4100	Ichucollo	2.00x0.20	ROCL	-5	15.8	121	1025	0.05	23.3	75	744.8	2.82	1.32	338.00	2.9	0.0605	37.8	0.76	71	0.6	217

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000540	350788	8218638	4160	Ichucollo	2.00x0.20	ROCL	-5	20.3	35	1070	0.06	22.3	69	53.6	3.01	1.49	626.00	2.04	0.0618	34.3	0.72	81	0.6	181
000541	350757	8218620	4172	Ichucollo	1.50x1.50	ROSE	7	3.7	752	611	0.05	2.8	328	213.4	11.81	0.31	69.00	123.76	0.0416	1072	1.64	26	0.2	54
000542	350645	8218566	4194	Ichucollo	2.50x0.20	ROCL	-5	15	1627	1206	0.12	19.7	70	3909	3.87	0.65	306.00	4.93	0.058	737.9	2.07	94	0.6	593
000543	350615	8218564	4196	Ichucollo	2.00x0.20	ROCL	9	13.8	229	1401	0.1	30.7	50	552.5	4.42	0.49	980.00	2.17	0.0526	60.4	0.78	80	0.4	378
000544	350616	8218540	4193	Ichucollo	2.00x0.20	ROCL	11	14.1	1180	514	0.23	36.9	56	2559	7.29	0.43	834.00	3.69	0.0669	246.2	1.62	135	0.6	444
000545	350533	8218648	4237	Ichucollo	2.00x0.20	ROCL	-5	17.9	133	604	0.14	43	58	110.6	2.97	0.26	424.00	4.24	0.0514	135.3	0.75	93	0.6	341
000546	350531.011	8218648.209	4237	Ichucollo	2.00x0.20	ROCL	5	18.2	323	396	0.26	40.8	54	405.3	5.12	0.29	551.00	6.44	0.0744	626.9	0.74	115	0.7	378
000548	350529.0219	8218648.418	4237	Ichucollo	2.00x0.20	ROCL	-5	18.8	471	672	0.09	57.8	41	782.1	7.54	0.6	1205.00	6.11	0.1	550.4	0.74	117	0.6	519
000549	350558	8218828	4251	Ichucollo	2.00x0.20	ROCL	5	16.3	84	692	0.15	40.4	38	314	4.34	0.28	1103.00	2.8	0.0414	42.2	0.65	83	0.6	279
000550	350582	8218882	4250	Ichucollo	2.00x0.20	ROCL	7	17.8	153	839	0.06	25.2	56	154.9	4.38	1.41	409.00	4.26	0.056	77.5	0.71	99	0.5	420
000551	350603	8218907	4247	Ichucollo	2.00x0.20	ROCL	-5	14.6	203	1014	0.2	28.5	36	209	4.34	0.38	852.00	4.97	0.0635	255.4	0.89	112	0.5	346
000552	350845	8218948	4125	Ichucollo	4.00x4.00	ROCP	-5	6.7	239	1662	0.19	9.3	19	43.3	12.16	1.68	>10000.00	31.37	0.0283	477.1	1.4	68	0.8	779
000553	351151	8218009	4073	Ichucollo	0.70x0.20	ROCL	6	8.5	2678	610	0.31	21.7	32	17330	8.76	1.97	9451.00	21.86	0.0547	831.6	4.43	102	2.9	1624
000554	351149.4679	8218007.714	4073	Ichucollo	0.8.x0.20	ROCL	7	6.6	3198	544	0.18	15.9	30	15370	7.81	1.97	>10000.00	20.42	0.0446	701.2	4.14	89	1.9	1151
000555	351147.9358	8218006.429	4073	Ichucollo	0.60x0.20	ROCL	5	7.6	3416	938	0.18	29.6	56	7878	9.93	1.89	>10000.00	65.66	0.0462	608.4	5.14	81	1.7	1629
000556	351146.5216	8218005.015	4073	Ichucollo	0.70x0.20	ROCL	-5	9.2	2825	1131	0.26	26	55	10950	11.19	2.42	>10000.00	52.97	0.0447	1279	5.46	97	1.8	2892
000558	351145.236	8218003.483	4073	Ichucollo	0.80x0.20	ROCL	5	9.3	3434	962	0.87	16.5	38	19240	6.49	1.9	9334.00	36.35	0.0458	627.4	5.37	92	2.5	2295
000559	351144.236	8218001.75	4073	Ichucollo	0.70x0.20	ROCL	5	9.2	5872	691	0.35	16.6	43	21460	7.69	2.02	>10000.00	51.45	0.041	876	4.92	105	2.9	2323
000560	351143.552	8217999.871	4073	Ichucollo	0.70x0.20	ROCL	5	10.3	4710	937	0.33	15.7	64	14410	7.24	2.25	7558.00	38.65	0.0486	2018	5.82	117	2.1	1750
000561	351152.6383	8218010.147	4073	Ichucollo	0.55x0.20	ROCL	6	9.8	3716	631	0.3	22.1	23	14210	9.42	2.28	>10000.00	31.99	0.0512	502.7	5.03	113	1.9	1044
000562	351154.2766	8218011.294	4073	Ichucollo	0.50x0.20	ROCL	-5	4.7	2202	569	0.15	17.6	34	4830	10.69	1.43	>10000.00	39.57	0.0344	441.9	3.69	63	1.1	997
000563	351146	8218944	4135	Ichucollo	2.00x0.20	ROCL	8	14.4	102	580	0.11	16.2	86	97.9	3.87	1.72	591.00	2.71	0.0654	44.1	0.8	88	0.5	168
000564	351101	8218972	4144	Ichucollo	1.00x0.20	ROCL	-5	1.5	378	1175	0.04	2.7	601	319.1	2.54	0.19	149.00	21.12	0.0163	596.1	1.64	14	0.1	98
000565	351075	8219001	4151	Ichucollo	3.00x3.00	ROCL	-5	1	104	592	-0.04	2.6	654	46.9	6.17	0.06	1015.00	13.31	0.0121	631.8	1.28	20	0.1	777
000566	351079	8219051	4170	Ichucollo	2.00x2.00	ROCL	9	2.6	1955	355	0.15	1.8	589	165.2	5.75	0.16	281.00	169.5	0.0227	899.8	3.37	16	0.2	21
000568	351081	8219058	4168	Ichucollo	2.00x0.20	ROCL	5	14.2	871	1144	0.2	8.3	129	235.1	7.91	1.01	190.00	112.14	0.0627	220.4	3	76	0.5	189
000569	351087	8219094	4181	Ichucollo	3.00x3.00	ROSE	-5	2.9	5892	530	0.06	16.4	531	1429	9.03	0.32	222.00	215.19	0.0309	796.5	30.4	25	0.3	57
000570	351118	8219122	4189	Ichucollo	1.00x1.00	ROSE	-5	2.5	1025	233	0.05	2.4	539	448.6	6.55	0.26	88.00	112.21	0.0357	1446	3.8	19	0.2	20
000571	351158	8219126	4184	Ichucollo	2.00x0.20	ROSE	-5	4.1	1282	475	0.04	20	485	1611	3.62	0.19	268.00	61.16	0.0209	219.5	6.56	35	0.3	157
000572	351167	8219149	4195	Ichucollo	2.00x0.20	ROCL	-5	14.1	881	884	0.04	24.7	92	440.1	5.4	0.57	339.00	29.11	0.0628	352.6	5.58	67	0.5	88
000573	351009	8219271	4243	Ichucollo	1.50x0.20	ROCL	6	16.1	49	822	0.1	33.7	51	63.8	1.89	0.53	391.00	1.73	0.0648	58.8	0.86	80	0.6	228
000574	351011	8219243	4228	Ichucollo	2.00x0.20	ROCL	11	18	417	1696	0.11	38	58	311.9	4.28	1.74	317.00	15.44	0.0753	107.5	2.56	108	0.6	114
000575	351003	8219177	4203	Ichucollo	2.00x0.20	ROCL	7	16.5	585	2900	0.15	46.2	47	565.1	4.7	1.12	362.00	19.81	0.0808	137	3.29	106	0.6	89
000576	351006	8219152	4189	Ichucollo	2.00x0.20	ROCL	9	14.9	334	737	0.07	47.5	41	480.1	5.09	0.56	543.00	17.98	0.0733	181	1.27	119	0.5	242
000578	351006	8219114	4170	Ichucollo	2.00x0.20	ROCL	6	18.8	191	1107	0.29	99.6	57	491.9	5	0.84	1294.00	10.53	0.0775	80.3	1.68	95	0.8	351
000579	351210	8218901	4097	Ichucollo	2.00x0.20	ROCL	-5	13.9	863	877	0.45	35.9	126	16190	5.18	1.29	834.00	12.74	0.0608	195.7	2.07	93	1.9	271
000580	351228	8218907	4100	Ichucollo	2.00x0.20	ROCL	-5	15.4	176	733	-0.04	32	94	520	5.39	0.74	743.00	5.87	0.0614	69	0.43	102	0.5	749
000581	351281	8219045	4125	Ichucollo	2.00x0.20	ROCL	-5	10.1	413	896	0.69	200.7	358	1268	3.07	0.74	1259.00	8.67	0.0578	92.8	1.63	88	0.3	70
000582	351279.0076	8219044.826	4125	Ichucollo	2.00x0.20	ROCL	-5	18.5	92	1293	-0.04	46.9	56	546.4	3.8	0.56	817.00	2.54	0.075	16.3	0.31	92	0.5	148
000583	351277.0152	8219044.651	4125	Ichucollo	2.00x0.20	ROCL	-5	17.6	75	1817	-0.04	40.5	74	560.2	2.54	0.58	444.00	1.76	0.0709	25.4	0.26	87	0.4	136
000584	351279	8219054	4119	Ichucollo	2.00x0.20	ROCL	-5	16.8	59	1436	-0.04	77.8	79	6485	2.74	1.34	469.00	2.09	0.0799	24.9	0.25	89	0.4	122
000585	351286	8219112	4132	Ichucollo	2.00x0.20	ROCL	-5	17.7	154	2544	-0.04	376.7	38	16890	1.52	0.84	1353.00	2.53	0.0642	45.5	0.11	66	0.5	223
000586	351266	8218926	4094	Ichucollo	2.00x0.20	ROCL	-5	11.5	1812	2698	-0.04	41	211	21810	8.4	0.65	1130.00	12.44	0.0494	350	1.62	92	0.9	861
000588	351264.0304	8218926.347	4094	Ichucollo	2.00x0.20	ROCL	-5	14.7	558	963	0.13	49.1	128	3699	6.42	0.77	892.00	8.52	0.0585	71.2	0.97	104	0.6	823

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000690	351339.9392	8219052.695	4122	Ichucollo	2.00x0.20	ROCL	12	3.77	769	2002	2.27	41.7	221	4877	2.7	0.55	513.00	6.06	0.0695	95.8	2.73	90	0.7	121
000691	351341.9088	8219053.042	4122	Ichucollo	2.00x0.20	ROCL	7	0.57	103	1739	0.1	36.5	49	372.6	3.84	0.62	906.00	2.29	0.0677	28.9	0.38	104	1.1	224
000692	351343.7882	8219052.358	4122	Ichucollo	2.00x0.20	ROCL	-5	0.46	171	1305	0.06	31.3	59	293.1	4.4	0.61	699.00	4.67	0.0646	26.9	0.49	104	0.6	136
000693	351345.7108	8219052.909	4122	Ichucollo	2.00x0.20	ROCL	5	0.22	63	1100	0.17	25.6	62	117	2.97	0.61	429.00	1.74	0.0834	24.9	0.24	101	0.9	97
000694	351303	8218955	4082	Ichucollo	2.00x0.20	ROCL	-5	2.22	1470	2163	0.07	21.5	219	8197	7.41	1.53	2006.00	6.09	0.0677	73.4	1.71	112	0.7	993
000695	351304.8544	8218955.749	4082	Ichucollo	2.00x0.20	ROCL	6	1.41	907	1111	0.04	16.5	172	5475	3.87	2.3	699.00	2.46	0.0844	59.9	1.18	106	1.1	460
000696	350954	8218243	4085	Ichucollo	2.00x0.20	ROCL	-5	2.52	1761	1666	0.29	42.1	98	9976	10.27	3.79	>10000.00	153.82	0.051	1793	5.56	138	1.9	
000698	350947	8218240	4073	Ichucollo	2.00x0.20	ROCL	-5	3.66	1108	541	0.37	14.8	48	9038	6.37	3.51	7416.00	61	0.0395	1321	1.78	78	1.9	
000699	350953	8218220	4073	Ichucollo	2.00x0.20	ROCL	-5	1.03	781	954	0.28	38.2	81	1414	4.42	2.71	1837.00	118.81	0.0396	1057	1.77	85	1.3	
000700	350916	8218144	4112	Ichucollo	2.00x0.20	ROCL	-5	0.34	208	942	0.08	30.8	51	79.8	4.41	0.66	591.00	14.53	0.0531	69.5	0.35	76	0.6	
000701	350915.1548	8218142.187	4112	Ichucollo	2.00x0.20	ROCL	-5	0.26	263	803	0.07	45.6	77	60.9	4.91	0.8	779.00	16.76	0.052	62.8	0.37	74	0.6	
000702	350914.278	8218140.39	4112	Ichucollo	2.00x0.20	ROCL	7	0.23	352	1255	0.08	31.7	139	63.5	4.52	0.85	495.00	18.88	0.0543	102.1	0.68	73	0.7	
000703	350916.0101	8218139.39	4112	Ichucollo	2.00x0.20	ROCL	-5	5.85	1236	1001	0.18	34.7	77	148.1	6.86	1.16	302.00	78.87	0.058	308.8	0.9	84	0.7	
000704	352028	8217902	4078	Ichucollo	0.80x0.20	ROCL	-5	0.23	42	481	1.19	31.1	38	100.3	5.33	1.68	4514.00	3.82	0.048	26.5	1.29	85	1.6	
000705	352078	8217881	4082	Ichucollo	0.30x0.20	ROCL	-5	0.11	40	338	1.18	41	246	30.1	7.64	0.79	6238.00	9.87	0.0312	8.2	1.84	73	1.1	
000706	352218	8217750	4085	Ichucollo	0.25x0.20	ROCL	-5	0.5	260	394	0.28	12.2	202	228.5	2.91	0.93	1042.00	5.49	0.028	59.5	3.59	45	0.7	
000708	352237	8217744	4091	Ichucollo	0.80x0.20	ROCL	-5	0.19	350	837	0.71	13.2	155	173.5	2.9	1.44	2614.00	20.28	0.037	54.5	3.18	66	1	
000709	352193	8217991	4133	Ichucollo	0.40x0.20	ROCL	-5	0.2	156	310	0.73	13	98	54.2	3.18	6.67	419.00	3.24	0.0892	15.3	1.2	144	3	
000710	351872	8218592	4087	Ichucollo	0.40x0.20	ROCL	-5	1.48	624	567	0.21	17.5	101	242.3	4.89	2.41	4939.00	258.53	0.0694	118.9	3.3	96	0.8	
000711	352010	8218264	4092	Ichucollo	0.30x0.20	ROCL	-5	0.25	451	1006	0.19	30.4	14	334.2	14.53	0.61	8936.00	31.35	0.0831	15	3.75	189	1	
000712	352175	8218327	4128	Ichucollo	2.00x2.00	ROSE	-5	0.07	171	180	0.1	4.9	126	29.4	2.14	0.55	614.00	4.37	0.0203	7.1	0.61	42	0.6	
000713	352138	8218802	4160	Ichucollo	5.00x5.00	ROCP	-5	0.07	136	63	0.06	2.2	6	14.5	1.33	0.23	4177.00	3.51	0.0098	17.9	0.35	32	0.4	
000714	352175	8218873	4135	Ichucollo	0.20x0.20	ROCL	-5	0.09	199	206	0.09	3.8	287	27.7	2.47	0.45	1755.00	27.6	0.0184	15.7	1.47	50	0.5	
000715	352175	8218922	4122	Ichucollo	0.10x0.20	ROCL	-5	0.98	378	1186	0.43	21	66	148.6	2.11	5.67	545.00	15.95	0.0725	78.5	1.06	51	2.1	
PCH0164	346340	8216212	3950	Huancune	0.50x0.20	ROCL	-5	0.24	12	533	0.1	8.7	809	268.2	2.32	0.48	799.00	1.65	0.0206	11.9	0.86	37	1.1	
PCH0165	346480	8216252	3947	Huancune	0.40x0.20	ROCL	-5	0.09	18	318	0.05	18	732	31.6	3.19	0.4	721.00	1.76	0.0224	11.1	0.44	56	0.6	
PCH0166	346008	8215938	3906	Huancune	0.30x0.20	ROCL	-5	0.27	7	155	-0.04	7.8	865	122.2	2.01	0.15	1990.00	0.57	0.0103	4.3	0.3	10	0.3	
PCH0167	346051	8215959	3931	Huancune	0.20x0.20	ROCL	-5	0.03	5	294	-0.04	12.4	575	16.9	2.1	0.53	672.00	1.26	0.0255	7.4	0.35	42	0.6	
PCH0168	345479	8216678	4154	Huancune	1.00x1.00	ROSE	-5	0.08	20	294	0.07	8.7	924	210.5	3.09	0.71	172.00	5.18	-0.005	17.3	1.56	28	0.4	
PCH0169	345031	8216640	4188	Huancune	1.00x1.00	ROSE	-5	0.34	39	363	0.73	16.5	1291	1763	1.78	0.14	298.00	1.4	0.0094	10.8	1.16	22	0.4	
PCH0171	346433	8216498	4143	Huancune	1.50x0.20	ROCL	-5	0.45	114	651	1.11	26.8	233	185.4	3.11	2.2	741.00	1.53	0.097	32.8	1.76	102	0.6	
PCH0172	346108	8216422	4122	Huancune	1.00x1.00	ROSE	-5	0.77	16	356	0.21	9.8	726	286	1.46	0.45	274.00	0.48	0.0115	22.1	1.78	23	0.2	
PCH0173	348543	8220509	4303		0.20x0.20	ROSE	-5	0.08	9	98	0.15	269.9	24	17.5	15	0.4	>10000.00	9.58	0.0321	24.1	0.24	80	0.6	
PCH0174	348755	8220573	4312		1.00x0.20	ROCL	-5	0.23	90	570	0.13	117.5	85	607.2	15	1.06	7296.00	2.67	0.0887	32.4	0.37	107	0.7	
PCH0175	351253	8220355	4190	Ichucollo	1.00x0.20	ROCL	-5	8.78	498	808	0.1	87.2	150	891.6	3.82	1.43	1178.00	2.86	0.0677	4342	0.51	95	0.5	
PCH0176	351393	8220711	4208	Ichucollo	1.00x0.20	ROCL	-5	138	3027	1740	0.1	11	67	22110	2.14	2.49	67.00	35.36	0.296	5001	0.62	68	0.5	
PCH0177	351386	8220708	4181	Ichucollo	0.15x0.20	ROSE	-5	176	6384	5996	0.21	89.7	76	57560	0.97	1.95	152.00	6.45	0.1596	2112	0.59	48	0.6	
PCH0178	351398	8220717	4186	Ichucollo	2.00x0.20	ROCL	-5	84	1361	2247	0.1	139.7	62	19700	2.41	2.44	82.00	9.7	0.3882	817.4	0.35	54	0.5	
PCH0179	351165	8221487	4191	Ichucollo	1.00x0.20	ROCL	-5	3.01	21	861	0.14	34.4	141	277.8	4.19	1.5	1590.00	1.07	0.1268	1566	0.14	129	0.5	
PCH0181	351288	8221997	4338	Ichucollo	0.20x0.20	ROSE	-5	0.15	541	536	0.56	62.6	36	75.3	15	1.47	3614.00	3.03	0.1058	86.9	6.44	165	0.7	
PCH0182	351430	8220498	4235	Ichucollo	1.50x0.20	ROCL	-5	31	1717	746	0.18	114.3	526	3550	7.74	0.63	605.00	42.15	0.0811	1950	6.71	66	0.7	
PCH0183	351478	8220514	4228	Ichucollo	0.25x0.20	ROSE	-5	90	9485	575	0.19	402.6	187	73960	9.27	0.25	1858.00	142.67	0.6841	2016	21.7	54	1.3	
PCH0184	352653	8218560	4239	Cuti	2.00x0.20	ROCL	-5	4.75	9	1421	0.05	7.5	88	7497	2.66	2.69	492.00	2.38	0.1434	62	0.66	122	0.7	
PCH0185	352654.2856	8218561.532	4239	Cuti	2.00x0.20	ROCL	-5	6.48	33	1246	0.05	8.1	72	6751	2.85	3	915.00	2.45	0.1559	560.9	1.16	236	0.8	

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample type	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
PCH0186	352655.4611	8218563.15	4239	Cuti	2.00x0.20	ROCL	-5	2.76	11	1196	0.06	6	110	5645	2.48	2.73	561.00	2.11	0.1464	49.6	0.67	133	1	
PCH0187	352308	8217708	4092	Cuti	0.35x0.20	ROCL	-5	0.44	249	420	0.4	22.2	35	428.5	5.22	1.03	3862.00	15.33	0.0462	45.1	4.41	103	0.8	
PCH0188	352241	8217745	4090	Cuti	0.15x0.20	ROCL	-5	0.61	601	623	0.2	21.1	362	373.4	4.15	0.94	2185.00	40.42	0.0335	76.7	3.9	71	0.8	
PCH0348	349888	8217139	4064	Fundicion	5.00X5.00	ROSE	-5	0.96	327	209	0.05	6	539	786.8	1.64	0.32	513.00	1.51	0.0226	40.6	0.89	17	0.2	
PCH0349	349882	8217150	4045	Fundicion	1.30x0.20	ROCL	-5	3.09	1690	608	0.2	26.7	280	5096	7.63	1.37	1343.00	4.56	0.0672	223.1	0.77	112	0.3	
PCH0350	349899	8217163	4046	Fundicion	2.00X0.20	ROCL	-5	0.99	493	607	0.07	31.7	425	1095	6.17	1.08	2011.00	2.95	0.0865	116.1	0.59	97	0.3	
PCH0351	349900.8126	8217163.845	4046	Fundicion	2.00X0.20	ROCL	-5	2.98	1190	894	0.13	39.9	210	4220	9.09	1.53	2591.00	3.31	0.1081	170	0.67	138	0.3	
PCH0353	349896	8217169	4044	Fundicion	1.20X0.20	ROCL	-5	2.95	1144	693	0.16	14.4	162	3141	8.57	1.67	826.00	2.77	0.1129	219	0.43	126	0.3	
PCH0354	349897.0392	8217169.6	4044	Fundicion	1.20X0.20	ROCL	-5	5.95	1233	626	0.27	24.2	226	4189	7.51	1.51	1310.00	3.87	0.0753	216.8	0.55	116	0.2	
PCH0355	349897	8217172	4036	Fundicion	2.00X0.20	ROCL	-5	2.86	538	987	0.18	42.9	180	1554	7.37	1.66	2105.00	2.17	0.0768	78	0.43	123	0.3	
PCH0356	349898.6961	8217173.06	4036	Fundicion	2.00x0.20	ROCL	-5	0.24	68	1079	0.05	13.9	132	112.3	4.04	1.79	461.00	1.24	0.1038	53.6	0.39	110	0.4	
PCH0357	349899.4128	8217174.927	4036	Fundicion	2.00X0.20	ROCL	-5	0.14	46	947	-0.04	21.1	206	102.3	4.88	1.77	911.00	1.37	0.1196	35.3	0.45	124	0.4	
PCH0358	349901.1449	8217175.927	4036	Fundicion	2.00X0.20	ROCL	-5	9.67	1319	847	0.29	12.2	213	9134	2.78	1.92	256.00	2.17	0.1007	117	0.39	97	0.3	
PCH0359	349902.677	8217177.213	4036	Fundicion	2.00X0.20	ROCL	-5	1.15	184	1008	0.11	17.7	121	447.7	4.47	2.11	815.00	2.12	0.1179	71	0.28	118	0.4	
PCH0360	349280	8216435	4010	Fundicion	3.00X3.00	ROSE	-5	0.03	525	852	0.11	23.8	288	195.7	6.96	2.17	1311.00	24.17	0.11	11.7	2.34	210	0.7	
PCH0361	348200	8218306	4307	Maricate	2.00X0.20	ROCL	-5	0.34	55	1296	0.06	40.5	87	45.9	4.73	0.97	935.00	2.98	0.0906	44.4	0.28	92	0.6	
PCH0363	348265	8218218	4315	Maricate	3.00X3.00	ROSE	-5	41.8	9755	469	1.96	49.3	535	30150	4.05	0.04	758.00	36.17	0.0214	286.3	217.3	52	0.1	
PCH0364	348236	8218216	4313	Maricate	1.50X0.20	ROCL	-5	5.98	487	981	0.28	76.9	279	729.1	6.09	0.54	2102.00	4.02	0.0773	125.2	2.57	102	0.4	
PCH0365	348249	8219151	4306	Maricate	2.00x0.20	ROCL	-5	19	1589	1489	-0.04	117.2	135	2220	3.78	1.82	1678.00	41.53	0.1048	168.6	6.9	84	0.7	
PCH0366	348213	8218124	4309	Maricate	2.00x0.20	ROCL	-5	48.6	2836	1299	0.07	84.1	150	5900	7.6	1.83	621.00	100.78	0.098	452.3	10.8	125	0.7	
PCH0367	347780	8217550	4239	Maricate	2.00X0.20	ROCL	-5	13.8	62	1943	0.23	20.4	217	11820	2.18	2.23	333.00	3.62	0.1221	32.9	0.51	104	0.6	
PCH0368	347850	8217403	4224	Maricate	2.00x0.20	ROCL	-5	6.39	155	796	0.06	23.1	232	3155	2.82	2.36	480.00	2.18	0.1719	46.4	0.64	119	0.7	
PCH0369	347850.9389	8217401.234	4224	Maricate	2.00x0.20	ROCL	-5	2.41	77	710	0.05	17.7	288	1178	2.61	1.55	256.00	1.63	0.1461	31	0.43	104	0.5	
PCH0370	347851.2862	8217399.264	4224	Maricate	2.00x0.20	ROCL	-5	3.85	109	731	0.04	19.4	190	4133	2.93	2.44	426.00	1.89	0.151	37.8	0.31	120	0.6	
PCH0371	347852.5718	8217397.732	4224	Maricate	2.00x0.20	ROCL	-5	10	215	778	0.06	28.4	276	7684	2.62	1.69	495.00	2.38	0.1343	60.7	0.58	116	0.7	
PCH0373	347853.986	8217396.318	4224	Maricate	2.00x0.20	ROCL	-5	15.1	382	2230	0.09	26.9	170	17430	2.6	2.22	209.00	2.38	0.1428	92.9	0.51	119	0.6	
PCH0374	347855.7181	8217395.318	4224	Maricate	2.00x0.20	ROCL	8	16.3	394	2117	0.11	25.9	172	21430	2.66	1.6	379.00	3.32	0.1721	93.5	1.46	116	0.7	
PCH0375	347903	8217250	4208	Maricate	2.00x0.20	ROCL	5	23	1536	968	0.07	31.4	232	9814	4.99	0.89	1008.00	9.58	0.1297	73.4	2.49	157	1	
PCH0376	347905	8217252	4207	Maricate	2.00x0.20	ROCL	5	6.61	617	850	0.14	35.9	190	5188	4.49	1.05	1365.00	2.64	0.1264	42	1.04	120	0.8	
PCH0377	347914	8217259	4201	Maricate	2.00x0.20	ROCL	-5	54	4959	782	0.11	68.1	228	23200	6.95	0.7	1987.00	28.17	0.1154	206.3	3.73	237	4	
PCH0378	347915.9126	8217259.585	4201	Maricate	2.00x0.20	ROCL	7	115	5224	760	0.09	95.6	181	19760	10.36	1.03	997.00	80.14	0.1191	604.4	5.72	354	3.5	
PCH0379	347918	8217263	4196	Maricate	2.00x0.20	ROCL	-5	56	1494	795	0.11	51.7	102	33850	7.16	0.97	880.00	25.76	0.1232	441.4	3.34	207	2.3	
PCH0380	348958	8214621	4078	Fundicion	2.00x0.20	ROCL	5	38.9	2179	2682	0.24	113.4	91	3172	2.75	0.88	965.00	6.06	0.1114	33130	11.6	142	0.5	
PCH0381	348963	8214626	4078	Fundicion	2.00x0.20	ROCL	-5	11.8	594	885	0.11	42.3	88	1173	3.91	1	975.00	3.02	0.1299	1863	8.87	135	0.6	
PCH0383	348950	8214580	4084	Fundicion	2.00x0.20	ROCL	7	0.58	90	657	0.17	19.3	118	131.9	4.26	1.29	955.00	1.19	0.1288	323.2	14.2	171	0.5	
PCH0384	348950.3473	8214578.03	4084	Fundicion	2.00x0.20	ROCL	-5	14.2	1251	1122	0.39	19.2	95	7257	3.36	1.45	719.00	2.28	0.1333	2543	13.5	137	0.7	
PCH0385	348950.6946	8214576.061	4084	Fundicion	2.00x0.20	ROCL	-5	0.88	209	1242	0.33	27.4	93	492	3.23	1.2	955.00	1.74	0.1312	1628	3.39	143	0.8	
PCH0386	348950.9729	8214574.08	4084	Fundicion	2.00x0.20	ROCL	-5	0.31	101	895	0.15	20.1	90	217.9	3.78	1.02	921.00	1.44	0.1247	87.7	0.94	141	0.6	
PCH0387	348971	8214645	4075	Fundicion	0.20X0.20	ROCL	-5	13.4	2866	483	0.12	55.6	80	271.7	6.96	0.53	2859.00	8.76	0.0619	70930	55.7	73	0.3	
PCH0388	348349	8218368	4291	Maricate	0.50X0.50	ROSE	-5	2.14	750	477	0.05	6.3	683	1466	1.33	0.04	361.00	3.52	0.0052	163.8	8.1	12	0.1	
PCH0389	348327	8218484	4280	Maricate	2.00X0.20	ROCL	-5	57	613	939	0.25	8.3	267	12740	2.58	1.62	363.00	3.82	0.0896	403.7	2.56	71	0.6	

#

For personal use only

Table 2: Picha Project Soil Sample Details and Assay Results

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample method	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
PCH0001	351213	8220177	4250	Ichucollo	0.5	Soil -B	<5	0.36	149	555	0.23	42.5	43	97.7	3.58	0.99	1032.00	2.91	0.261	53.3	1.51	94	0.8	207
PCH0003	351410	8220174	4228	Ichucollo	0.5	Soil -B	<5	0.39	68	625	0.89	5.9	31	48.6	3.18	1.42	484.00	1.78	0.1015	68.6	5.78	99	1.3	177
PCH0004	351611	8220175	4222	Ichucollo	0.5	Soil -B	<5	0.37	19	1171	0.22	19.5	16	33.5	5.37	1.15	1299.00	1.35	0.2171	27.1	1.68	135	0.9	131
PCH0005	351814	8220180	4196	Ichucollo	0.5	Soil -B	<5	0.26	13	945	0.26	6.1	31	30.5	2.45	1.69	218.00	0.92	0.0753	30.8	1.12	78	1	64
PCH0006	352014	8220175	4176	Ichucollo	0.5	Soil -B	<5	0.5	13	809	0.27	15.2	82	42	3.87	1.76	1542.00	1.67	0.1168	31.9	1.26	120	1.2	100
PCH0007	352006	8219979	4161	Ichucollo	0.5	Soil -B	<5	1.08	31	858	0.36	12.9	34	44.9	2.87	1.66	756.00	1.75	0.0866	50.9	1.53	93	1	120
PCH0008	351806	8219977	4177	Ichucollo	0.5	Soil -B	<5	0.31	23	935	0.31	10.2	34	38.5	2.81	1.87	460.00	1.32	0.1082	32.7	0.96	90	1.1	81
PCH0009	351614	8219975	4183	Ichucollo	0.5	Soil -B	<5	0.24	85	702	0.44	11.6	29	74.8	3.37	1.92	880.00	2.36	0.0787	31.5	1.13	105	1.5	108
PCH0010	351414	8219977	4207	Ichucollo	0.5	Soil -B	<5	0.36	112	582	0.46	13.9	32	50	3.57	2.51	1587.00	3.79	0.0842	49.7	1.89	111	1.5	196
PCH0011	351218	8219972	4260	Ichucollo	0.5	Soil -B	<5	1.01	72	942	0.19	37.4	56	90.5	3.94	1.41	891.00	2.6	0.1052	51.9	1.37	125	0.9	245
PCH0013	351014	8219772	4272	Ichucollo	0.5	Soil -B	<5	0.55	34	790	0.56	21.6	56	117.8	3.68	1.26	632.00	1.4	0.0946	45.2	1.12	109	0.8	172
PCH0014	351212	8219764	4223	Ichucollo	0.5	Soil -B	<5	0.31	146	743	0.33	35.1	53	89.9	4.33	1.04	1041.00	3.74	0.2228	106.6	1.03	121	0.9	234
PCH0015	351402	8219772	4182	Ichucollo	0.5	Soil -B	<5	0.68	45	640	0.33	10.2	35	59.3	3.07	1.31	440.00	2.3	0.0927	42.7	1.01	92	1	167
PCH0016	351616	8219776	4168	Ichucollo	0.5	Soil -B	<5	0.27	25	681	0.43	9.8	32	47.7	3.22	1.54	654.00	2.02	0.1325	29.9	0.83	94	1.1	122
PCH0017	351812	8219772	4169	Ichucollo	0.5	Soil -B	<5	0.3	26	868	0.44	8	33	50.4	3.16	1.45	436.00	1.73	0.1023	29	0.95	96	1.2	84
PCH0018	352005	8219775	4145	Ichucollo	0.5	Soil -B	<5	0.31	50	826	0.39	10.6	28	58.2	2.86	1.48	797.00	3.73	0.0662	42.5	1.13	85	1.4	80
PCH0019	352011	8219571	4131	Ichucollo	0.5	Soil -B	<5	0.97	20	711	0.33	11	31	38.6	3.09	1.73	607.00	1.66	0.1013	39.4	1.19	93	1	119
PCH0020	351808	8219578	4155	Ichucollo	0.5	Soil -B	<5	0.42	33	698	0.41	13.1	33	46.5	3.41	1.21	665.00	2.01	0.0727	28.5	0.85	106	1.2	101
PCH0021	351615	8219572	4150	Ichucollo	0.5	Soil -B	<5	0.42	26	607	0.26	11	34	36.4	3.35	1.19	666.00	2.14	0.1564	30.8	0.78	106	0.9	105
PCH0023	351412	8219578	4165	Ichucollo	0.5	Soil -B	<5	0.56	48	694	0.26	12.2	39	61.3	3.49	1.11	484.00	2.15	0.1074	52.6	1	100	0.9	153
PCH0024	351223	8219574	4181	Ichucollo	0.5	Soil -B	<5	0.45	70	686	0.21	16.3	38	67.9	3.17	1.31	521.00	3.53	0.3318	35.2	1.21	98	0.8	140
PCH0025	351014	8219580	4251	Ichucollo	0.5	Soil -B	<5	0.65	103	759	0.18	32	47	118.5	3.61	1.59	1111.00	2.59	0.1179	44.8	0.96	114	0.7	180
PCH0026	350615	8219376	4230	Ichucollo	0.5	Soil -B	6	0.54	105	771	0.29	18.4	34	80.6	3.81	1.61	1625.00	2.98	0.0938	148.3	1	123	1	314
PCH0027	350807	8219373	4232	Ichucollo	0.5	Soil -B	<5	0.27	33	801	0.22	19.7	40	51.6	3.68	1.42	764.00	2.01	0.2086	44.2	0.86	117	0.9	193
PCH0028	351016	8219384	4267	Ichucollo	0.5	Soil -B	7	1.54	57	839	0.16	11.1	52	51.7	2.84	1.75	411.00	2.11	0.0948	66.5	1.46	116	0.7	114
PCH0029	351213	8219371	4183	Ichucollo	0.5	Soil -B	7	1.01	50	820	0.24	20	62	66.7	4.18	1.44	573.00	2.59	0.1819	77.1	1.62	144	0.8	157
PCH0030	351409	8219372	4141	Ichucollo	0.5	Soil -B	<5	0.7	65	758	0.25	14.7	38	50.8	3.53	1.87	1157.00	2.92	0.1369	50.7	1	109	1.1	174
PCH0031	351613	8219374	4131	Ichucollo	0.5	Soil -B	<5	1.1	37	840	0.38	12.4	29	48.1	3.08	2.05	639.00	2.05	0.093	43.4	1.43	97	1.3	109
PCH0033	351818	8219367	4130	Ichucollo	0.5	Soil -B	<5	0.86	26	675	0.33	11	28	34.1	2.84	1.82	616.00	1.43	0.0861	37.4	1.26	89	1.3	108
PCH0034	351995	8219378	4109	Ichucollo	0.5	Soil -B	<5	0.63	22	701	0.38	9.2	22	38.8	2.42	2.08	810.00	2.47	0.1134	35.9	1.6	71	1.3	109
PCH0035	352000	8219183	4096	Ichucollo	0.5	Soil -B	<5	1.11	9	812	0.19	17.4	33	38.9	4.31	1.36	1183.00	1.39	0.1441	93.2	1.22	132	1.1	132
PCH0036	351814	8219174	4126	Ichucollo	0.5	Soil -B	<5	0.71	35	724	0.44	13.5	30	55.4	3.31	1.72	876.00	2.5	0.0966	38.3	1.62	101	1.3	132
PCH0037	351610	8219177	4102	Ichucollo	0.5	Soil -B	5	0.29	75	733	0.39	18	31	57.2	3.43	1.56	1273.00	2.7	0.0839	36.9	0.83	112	1.2	147
PCH0038	351413	8219169	4121	Ichucollo	0.5	Soil -B	5	1.08	168	614	0.4	11.9	27	174.3	3.37	4.99	2131.00	5.49	0.1459	92.4	1.33	96	1.4	249
PCH0039	351217	8219170	4173	Ichucollo	0.5	Soil -B	<5	0.49	35	800	0.17	18	46	52.3	3.14	1.24	755.00	2.65	0.0848	56	1.31	123	0.8	135
PCH0040	351013	8219177	4191	Ichucollo	0.5	Soil -B	<5	0.37	57	780	0.15	23.8	43	59.4	3.63	1.13	740.00	2.24	0.1213	59.6	0.84	116	0.8	135
PCH0041	350808	8219172	4160	Ichucollo	0.5	Soil -B	<5	0.92	101	813	0.33	15.2	45	70	3.49	1.22	564.00	2.41	0.0831	86.9	2.45	111	1	240
PCH0043	350611	8219171	4241	Ichucollo	0.5	Soil -B	<5	1.4	158	761	0.93	13.5	41	73.9	3.31	1.39	688.00	4.95	0.1053	159.8	3.5	105	1.1	216
PCH0044	350610	8218978	4252	Ichucollo	0.5	Soil -B	<5	0.58	48	797	0.38	19.4	47	53.4	3.41	1.34	837.00	2.07	0.0768	42.8	1.22	109	1	207
PCH0045	350808	8218971	4146	Ichucollo	0.5	Soil -B	<5	0.48	48	805	0.36	16.9	44	56.6	3.15	1.34	515.00	2.13	0.1058	43.1	1.98	97	0.9	199
PCH0046	351013	8218978	4132	Ichucollo	0.5	Soil -B	5	0.96	85	788	0.26	18.8	37	82.5	3.2	1.28	743.00	4.53	0.1156	59.7	1.61	99	0.9	156
PCH0047	351208	8218983	4130	Ichucollo	0.5	Soil -B	5	1.11	78	822	0.18	16.6	38	93	2.87	1.16	462.00	3.62	0.0672	46.2	2.68	98	0.8	135
PCH0048	351428	8218964	4083	Ichucollo	0.5	Soil -B	5	0.62	94	684	0.41	14.3	29	48.4	3.22	2.23	1033.00	3.06	0.0764	63.8	1.63	106	1.4	217
PCH0049	351614	8218973	4099	Ichucollo	0.5	Soil -B	<5	1.88	80	627	0.4	13.5	28	49.1	2.86	2.59	1249.00	3.05	0.0907	64.6	1.82	107	1.3	257
PCH0050	351798	8218981	4097	Ichucollo	0.5	Soil -B	6	1.51	17	913	0.31	10.6	37	34.9	2.97	1.91	735.00	1.85	0.0957	44.5	1.72	96	1	129

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample method	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
PCH0051	352002	8218978	4091	Ichucollo	0.5	Soil -B	<5	0.43	15	797	0.29	9.2	32	39.5	2.75	1.15	433.00	1.66	0.0914	30.1	1.88	92	1.2	116
PCH0053	352012	8218771	4108	Ichucollo	0.5	Soil -B	7	3.91	80	873	0.92	12.4	33	48.5	3.04	2.44	773.00	3.37	0.0772	174.4	14.2	103	1.1	301
PCH0054	351818	8218777	4090	Ichucollo	0.5	Soil -B	<5	1.86	34	939	0.44	16	37	46.7	4.03	1.6	1262.00	2.07	0.1257	83.7	4.68	123	1.2	219
PCH0055	351598	8218789	4082	Ichucollo	0.5	Soil -B	5	2.42	37	877	0.46	11.7	30	47.2	2.72	1.57	782.00	2.19	0.0933	77.1	3.44	88	1.2	177
PCH0056	351412	8218775	4083	Ichucollo	0.5	Soil -B	<5	0.93	37	873	0.38	10.9	29	41.4	2.86	1.76	712.00	3.16	0.1169	44.9	1.67	91	1.3	138
PCH0057	351204	8218789	4079	Ichucollo	0.5	Soil -B	5	2.05	37	868	0.29	7	29	60.4	2.71	1.47	282.00	1.57	0.0905	67.4	1.97	72	0.9	194
PCH0058	351005	8218782	4105	Ichucollo	0.5	Soil -B	<5	1.6	78	725	0.33	14.3	34	51.3	3.2	1.4	1024.00	3.17	0.1197	142	1.75	103	1.1	269
PCH0059	350810	8218774	4149	Ichucollo	0.5	Soil -B	<5	1.36	101	872	0.23	23.7	47	65.4	3.47	1.19	709.00	3.16	0.0916	79.8	1.62	114	0.8	249
PCH0060	350613	8218773	4226	Ichucollo	0.5	Soil -B	<5	2.2	67	892	0.23	26.3	44	65.3	3.44	1.26	833.00	2.32	0.0745	90.9	2.85	113	0.8	290
PCH0061	350600	8218574	4207	Ichucollo	0.5	Soil -B	<5	0.57	69	874	0.21	24.9	53	88	3.81	1.51	774.00	2.45	0.1242	112.6	1.32	122	1	303
PCH0063	350815	8218570	4142	Ichucollo	0.5	Soil -B	<5	0.82	56	850	0.25	14.9	47	46.8	2.94	1.13	454.00	2.52	0.0658	62.3	1.51	97	0.8	173
PCH0064	351022	8218570	4088	Ichucollo	0.5	Soil -B	<5	2.26	122	915	0.25	17.4	40	61	3.36	1.23	792.00	3.74	0.0965	155.4	2.07	110	1	225
PCH0065	351213	8218581	4082	Ichucollo	0.5	Soil -B	<5	1.92	78	721	0.35	13.2	26	39.2	3.16	1.29	1165.00	2.32	0.0805	70.7	2.14	108	1.4	219
PCH0066	351410	8218576	4073	Ichucollo	0.5	Soil -B	<5	1.83	18	996	0.27	11.9	33	37.9	2.81	1.35	790.00	1.96	0.0913	50	1.87	91	1.1	147
PCH0067	351609	8218569	4087	Ichucollo	0.5	Soil -B	<5	3.49	15	1016	0.29	13.8	29	37	2.95	1.28	1156.00	1.67	0.0807	74.4	2.95	94	1.1	168
PCH0068	351809	8218579	4090	Ichucollo	0.5	Soil -B	<5	2.11	21	998	0.31	15.3	34	45.7	3.75	1.36	1187.00	1.95	0.0949	56.7	2.29	114	1.1	202
PCH0069	352011	8218570	4121	Ichucollo	0.5	Soil -B	8	4.96	36	908	0.47	15.4	33	58.4	3.48	1.44	1038.00	3.04	0.1414	101.3	4.31	111	1.2	261
PCH0070	352012	8218376	4121	Ichucollo	0.5	Soil -B	11	8.69	43	983	0.49	12.9	29	67.6	3.39	1.95	917.00	3.33	0.1023	170.7	8.11	106	1.2	323
PCH0071	351804	8218377	4081	Ichucollo	0.5	Soil -B	12	6.5	25	980	0.44	8.4	31	51.9	2.84	1.61	789.00	1.59	0.0735	247.7	7.05	89	1.3	796
PCH0073	351610	8218373	4077	Ichucollo	0.5	Soil -B	11	6.85	23	1029	0.34	14.8	34	61.7	3.65	1.14	1237.00	2.2	0.1161	132.8	6.52	110	1.1	436
PCH0074	351413	8218379	4074	Ichucollo	0.5	Soil -B	13	9.4	19	1096	0.4	8.5	29	67.6	2.9	1.48	525.00	1.46	0.1057	213.6	8.06	88	1.1	444
PCH0075	351211	8218383	4063	Ichucollo	0.5	Soil -B	12	10.2	23	992	0.38	10.9	32	46.9	2.9	1.38	843.00	1.83	0.0959	219.5	6.66	85	1.1	391
PCH0076	351026	8218379	4082	Ichucollo	0.5	Soil -B	<5	1.19	98	730	0.22	10	40	59.1	3.15	1.53	379.00	2.76	0.0696	167.9	1.86	91	0.8	318
PCH0077	350817	8218378	4097	Ichucollo	0.5	Soil -B	<5	0.98	108	827	0.21	9.6	44	82.7	2.97	1.29	226.00	2.88	0.0794	87.5	1.12	90	0.8	196
PCH0078	350616	8218378	4176	Ichucollo	0.5	Soil -B	6	1.1	55	972	0.23	19.8	49	55.9	3.5	1.3	653.00	2.14	0.0764	94	1.52	106	0.9	240
PCH0079	350608	8218180	4159	Ichucollo	0.5	Soil -B	<5	0.73	74	944	0.55	18.5	48	54.2	3.56	1.26	852.00	2.79	0.0992	83.4	1.37	108	0.9	239
PCH0080	350817	8218177	4146	Ichucollo	0.5	Soil -B	<5	2.58	84	500	0.31	10	23	47.9	2.71	1.03	1062.00	2.39	0.0909	99.8	2.32	92	0.9	251
PCH0081	351012	8218176	4061	Ichucollo	0.5	Soil -B	<5	1.8	190	817	0.33	19.7	28	63.4	3.22	2.72	1587.00	4.73	0.0828	191	2.48	89	1.2	449
PCH0083	352009	8218178	4103	Ichucollo	0.5	Soil -B	17	11.6	42	948	0.44	11	31	56.7	2.72	0.88	919.00	2.01	0.0816	239.9	10.1	88	1.1	375
PCH0084	352002	8217982	4087	Ichucollo	0.5	Soil -B	30	16.6	33	1189	0.43	13.9	25	72.9	3.53	1.35	1329.00	1.93	0.1123	340.5	14.9	114	1	661
PCH0085	351813	8217976	4085	Ichucollo	0.5	Soil -B	45	39.6	51	1066	0.6	14.9	29	135.6	3.29	1.06	1610.00	2.32	0.2085	747.1	29.5	91	1.2	683
PCH0086	351608	8217980	4084	Ichucollo	0.5	Soil -B	10	9.28	22	728	0.43	14.8	31	56.6	3.09	1	1043.00	1.84	0.0801	175.2	8.24	89	1.7	414
PCH0087	351415	8217980	4109	Ichucollo	0.5	Soil -B	7	5.27	15	763	0.34	14.2	36	52.1	3.68	1.23	799.00	1.45	0.0643	96.9	4.79	112	1.8	372
PCH0088	351210	8217978	4099	Ichucollo	0.5	Soil -B	<5	1.97	21	916	0.25	19.9	46	51.4	4.39	1.22	1257.00	1.84	0.0831	54.5	2.61	147	1.8	326
PCH0089	350807	8217983	4064	Ichucollo	0.5	Soil -B	5	3.39	254	935	0.23	23.4	46	75	3.19	1.43	979.00	7.76	0.0924	2268	2.24	96	0.8	473
PCH0090	350612	8217963	4040	Ichucollo	0.5	Soil -B	<5	0.76	91	910	0.22	28.9	55	92	4.02	1.6	1093.00	3.28	0.1201	180.4	1.59	119	0.8	267
PCH0091	351015	8217768	4133	Ichucollo	0.5	Soil -B	5	5.83	40	819	0.33	16.2	40	58.6	3.7	1.28	1036.00	2.45	0.0924	176.4	4.41	119	1.1	273
PCH0093	351216	8217775	4134	Ichucollo	0.5	Soil -B	6	7.48	25	1107	0.55	9.8	34	64.2	2.84	1.18	435.00	1.83	0.0748	118	5.42	91	1.5	226
PCH0094	351413	8217774	4151	Ichucollo	0.5	Soil -B	<5	1.14	21	749	0.39	12	35	47.9	3.29	1.15	518.00	2.19	0.1057	42.7	2.61	102	1.5	138
PCH0095	351614	8217776	4125	Ichucollo	0.5	Soil -B	6	3.4	20	780	0.4	10.3	30	48.2	2.76	1.53	583.00	1.9	0.0872	79.5	4.86	87	1.7	171
PCH0096	351820	8217776	4105	Ichucollo	0.5	Soil -B	8	6.75	20	887	0.36	7.6	17	35.8	2.2	1.45	619.00	1.55	0.0547	129.6	5.69	58	1.2	275
PCH0097	351819	8217577	4171	Ichucollo	0.5	Soil -B	5	4.11	21	761	0.36	17	40	53.1	3.74	1.25	847.00	2.2	0.0785	90.4	5.06	118	1.7	193
PCH0098	351607	8217577	4164	Ichucollo	0.5	Soil -B	<5	2.52	23	774	0.34	11.4	33	45	3.07	1.79	633.00	2.01	0.0625	62.1	4.14	92	1.6	150
PCH0099	351414	8217575	4168	Ichucollo	0.5	Soil -B	<5	1.75	20	825	0.32	11.4	34	49.8	3	1.31	631.00	1.77	0.0755	49.8	2.49	91	1.3	126
PCH0100	351221	8217572	4159	Ichucollo	0.5	Soil -B	<5	1.19	20	729	0.35	9.2	28	37.5	2.74	1.49	709.00	2.1	0.0716	37.8	2.32	80	2	116
PCH0101	347517	8218376	4281	Maricate	0.5	Soil -B	<5	0.51	54	748	0.16	32.7	97	263.7	4.68	0.97	700.00	2.12	0.0864	60.8	0.91	131	0.9	175

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample method	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
PCH0103	347727	8218371	4296	Maricate	0.5	Soil -B	<5	1.83	140	732	0.57	47.1	91	87.1	4.43	1.12	719.00	3.47	0.1022	275.7	11.8	136	0.9	420
PCH0104	347912	8218375	4303	Maricate	0.5	Soil -B	8	0.68	399	382	0.64	6.9	21	75.8	4.66	3.38	2044.00	14.9	0.082	138.8	3.29	121	1.8	453
PCH0105	348106	8218383	4310	Maricate	0.5	Soil -B	<5	0.4	224	317	0.56	9.3	77	65.2	3.88	3	1168.00	4.83	0.123	497.1	1.94	174	3.6	1289
PCH0106	348305	8218382	4298	Maricate	0.5	Soil -B	<5	0.61	48	943	0.32	25.4	68	122.3	4.08	1.34	1154.00	2.01	0.1319	49.9	1.81	134	1	180
PCH0107	348515	8218385	4253	Maricate	0.5	Soil -B	<5	0.81	88	937	0.23	66.4	96	114.7	4.17	0.92	1156.00	2.99	0.0824	164.3	1.17	142	1	290
PCH0108	348712	8218360	4281	Maricate	0.5	Soil -B	<5	0.5	69	1018	0.26	31.3	75	71.5	4.86	1.27	1288.00	2.6	0.1359	58.8	1.61	143	1.1	198
PCH0109	348871	8218382	4250	Maricate	0.5	Soil -B	<5	0.92	198	791	0.27	40.2	78	120	5.07	1.42	1402.00	4.08	0.1775	133.2	2.12	138	1	458
PCH0110	348112	8218174	4326	Maricate	0.5	Soil -B	<5	7.44	372	701	0.23	42.7	85	114.7	4.66	1.81	792.00	17.79	0.1414	1046	1.91	133	0.9	380
PCH0111	348310	8218182	4296	Maricate	0.5	Soil -B	<5	0.99	94	892	0.24	29.3	78	142.6	4.92	1.25	1005.00	3.34	0.1221	128.9	1.39	156	1	179
PCH0113	348511	8218169	4239	Maricate	0.5	Soil -B	<5	0.62	40	913	0.57	24.7	84	71.9	4.53	1.73	860.00	2.24	0.1078	74	1.6	157	1	165
PCH0114	348704	8218176	4267	Maricate	0.5	Soil -B	<5	0.48	69	774	0.26	27.6	76	72.2	3.54	1.72	750.00	2.65	0.1332	43.8	1.35	125	1.1	143
PCH0115	348870	8218177	4270	Maricate	0.5	Soil -B	<5	0.46	131	725	0.19	34.6	97	75.1	4.99	1.28	967.00	3.12	0.118	42.4	0.9	140	0.7	308
PCH0116	348906	8217991	4279	Maricate	0.5	Soil -B	7	0.68	110	841	0.23	33.3	83	91	4.89	1.56	1355.00	3.68	0.1254	50.2	1.04	136	0.9	197
PCH0117	348718	8217979	4288	Maricate	0.5	Soil -B	<5	0.65	83	892	0.25	25.9	85	72.5	4.58	1.53	1193.00	3.43	0.1383	62.4	1.01	131	1.1	185
PCH0118	348510	8217981	4226	Maricate	0.5	Soil -B	<5	0.8	125	772	0.16	45.3	90	107.7	4.22	1.53	1132.00	4.39	0.1477	96.2	0.95	136	1	189
PCH0119	348311	8217987	4261	Maricate	0.5	Soil -B	<5	0.55	135	884	0.11	25	113	339.5	3.63	1.18	253.00	3.04	0.1244	179.7	0.76	139	0.9	254
PCH0120	348115	8217982	4311	Maricate	0.5	Soil -B	<5	7.22	85	905	0.21	35.8	80	219	3.98	1.7	1207.00	2.8	0.1472	52.8	1.63	138	1	136
PCH0121	347920	8217966	4292	Maricate	0.5	Soil -B	<5	1.37	61	845	0.16	29.9	91	113.9	4.18	1.47	717.00	2.14	0.1278	46.5	0.86	134	1	172
PCH0123	347717	8217973	4250	Maricate	0.5	Soil -B	<5	0.84	34	897	0.15	20.1	77	146.2	3.82	1.49	606.00	2.06	0.0825	34.7	0.92	126	1.1	138
PCH0124	347514	8217969	4237	Maricate	0.5	Soil -B	<5	0.27	15	766	0.19	19	75	64.2	4.36	1.63	766.00	1.64	0.1022	30.7	0.93	137	0.9	149
PCH0125	347909	8218177	4283	Maricate	0.5	Soil -B	<5	0.55	70	751	0.16	29.7	78	58.5	4.01	1.29	687.00	2.43	0.1176	105	0.79	121	0.9	179
PCH0126	347715	8218182	4242	Maricate	0.5	Soil -B	6	0.3	50	788	0.18	16.9	67	72	3.67	2.09	466.00	1.91	0.084	48.5	0.78	118	0.9	150
PCH0127	347509	8218174	4225	Maricate	0.5	Soil -B	<5	0.27	23	847	0.16	21.9	110	72.5	4.61	1.97	691.00	1.62	0.2453	31.6	0.84	147	1	128
PCH0128	347513	8217774	4194	Maricate	0.5	Soil -B	<5	0.25	9	891	0.22	9.1	32	69.1	2.55	2.71	225.00	1.34	0.0735	25.8	0.72	91	1.3	74
PCH0129	347504	8217574	4171	Maricate	0.5	Soil -B	<5	0.89	19	788	0.25	17.3	48	155.5	3.64	2.12	870.00	1.96	0.1125	41.4	1.05	119	1.2	132
PCH0130	347708	8217575	4218	Maricate	0.5	Soil -B	<5	0.97	42	1063	0.17	12.7	83	384.1	3.55	2.16	365.00	1.8	0.0802	33.8	0.91	142	1.1	86
PCH0131	347721	8217769	4227	Maricate	0.5	Soil -B	<5	0.36	20	750	0.14	16	105	83.3	5.09	1.85	449.00	1.44	0.1126	32.2	0.56	134	0.6	144
PCH0133	347912	8217771	4280	Maricate	0.5	Soil -B	<5	1.61	68	711	2.29	42.6	70	139.5	3.88	1.62	1162.00	2.64	0.1441	222.6	1.63	140	0.9	299
PCH0134	347909	8217578	4255	Maricate	0.5	Soil -B	<5	0.71	37	901	0.11	24.5	101	71.6	4.68	1.37	598.00	1.88	0.1093	33.1	0.66	149	0.9	137
PCH0135	348092	8217563	4250	Maricate	0.5	Soil -B	<5	0.92	77	749	0.21	42.2	86	195.9	4.56	1.6	1157.00	2.52	0.1581	55.3	0.85	137	0.9	129
PCH0136	348313	8217775	4233	Maricate	0.5	Soil -B	<5	0.87	42	645	0.16	19.2	67	65	4.36	1.84	672.00	2.26	0.1214	42.2	0.95	152	0.8	112
PCH0137	348308	8217592	4213	Maricate	0.5	Soil -B	<5	0.45	40	862	0.17	26.5	98	110.7	5.25	1.62	857.00	1.69	0.1239	53.4	0.85	135	0.9	157
PCH0138	348504	8217573	4202	Maricate	0.5	Soil -B	<5	0.58	19	877	0.14	16.8	94	114.2	3.52	1.19	683.00	1.41	0.1461	26	1.15	113	0.8	112
PCH0139	348509	8217785	4198	Maricate	0.5	Soil -B	<5	0.69	72	817	0.18	28.3	72	89.9	3.79	1.54	726.00	3.11	0.1299	64.4	1.46	125	0.9	158
PCH0140	348721	8217792	4212	Maricate	0.5	Soil -B	<5	0.77	102	882	0.16	25.4	86	110.1	4.57	1.79	749.00	3.2	0.3881	61.3	1.01	139	0.9	149
PCH0141	348917	8217788	4212	Maricate	0.5	Soil -B	<5	0.29	23	735	0.15	23.1	99	67.4	4.99	1.42	754.00	1.44	0.1538	35.6	0.67	140	0.7	166
PCH0143	348710	8217575	4190	Maricate	0.5	Soil -B	<5	0.54	47	888	0.67	23	88	159.2	4.46	1.96	889.00	1.85	0.1487	66	3.62	140	1.1	144
PCH0144	348889	8217573	4093	Maricate	0.5	Soil -B	<5	0.73	33	709	0.43	23.6	105	110	4.7	1.94	955.00	1.55	0.0914	40.4	2.59	139	0.9	156
PCH0145	348933	8217371	4118	Maricate	0.5	Soil -B	<5	0.14	30	555	0.14	17.5	114	85.2	4.66	2.21	559.00	1.32	0.1036	23.3	0.83	151	0.7	113
PCH0146	348907	8217188	4034	Maricate	0.5	Soil -B	<5	1.21	26	733	0.19	18.9	86	85	4.53	2.14	624.00	1.58	0.0978	49.1	1.68	140	0.8	153
PCH0147	348722	8217183	4043	Maricate	0.5	Soil -B	<5	0.23	23	860	0.13	22.7	97	118.5	4.79	2.03	831.00	1.35	0.1186	24.6	0.75	129	0.7	130
PCH0148	348513	8217180	4041	Maricate	0.5	Soil -B	<5	0.56	72	1092	0.19	33.5	114	195.8	5.29	1.32	1292.00	1.97	0.1262	37	0.77	157	0.7	164
PCH0149	348334	8217164	4065	Maricate	0.5	Soil -B	<5	0.39	24	783	0.21	26.1	120	101	5.3	2.09	1041.00	1.51	0.1043	35.9	1.13	153	0.8	149
PCH0150	348321	8217374	4137	Maricate	0.5	Soil -B	<5	0.6	27	921	0.17	9.7	77	101.4	3.36	1.99	227.00	1.49	0.0748	31.6	1.01	114	1	94
PCH0151	348502	8217383	4137	Maricate	0.5	Soil -B	<5	0.32	31	522	0.14	32.5	119	364.9	5.72	1.63	1029.00	1.24	0.1415	121.2	0.61	116	0.6	299
PCH0153	348710	8217364	4147	Maricate	0.5	Soil -B	<5	0.39	37	1105	0.42	48.8	136	185.1	5.72	1.62	3258.00	1.66	0.1521	40.6	3.09	145	0.9	180

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample method	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
PCH0154	348124	8217376	4201	Maricate	0.5	Soil -B	<5	0.68	24	752	0.21	20.9	96	130.8	4.4	1.31	619.00	1.68	0.1065	41.2	1.84	132	0.7	142
PCH0155	347905	8217381	4228	Maricate	0.5	Soil -B	<5	0.62	46	810	0.27	18.3	81	193.5	3.97	2.05	629.00	1.87	0.1213	39.1	1.26	145	1.1	129
PCH0156	347709	8217388	4189	Maricate	0.5	Soil -B	<5	0.98	19	737	0.21	17.7	69	89.7	4.04	1.82	651.00	1.7	0.1043	35.3	1.39	138	0.9	117
PCH0157	347493	8217378	4149	Maricate	0.5	Soil -B	<5	0.96	18	730	0.22	15.4	59	80.7	3.38	1.65	686.00	1.97	0.1196	50.6	1.79	103	0.9	137
PCH0158	347509	8217185	4121	Maricate	0.5	Soil -B	<5	0.22	12	712	0.07	25.5	111	38.6	5.09	1.53	653.00	1.1	0.1613	23.4	0.35	131	0.6	129
PCH0159	347712	8217175	4188	Maricate	0.5	Soil -B	<5	0.57	35	905	0.24	25.6	85	84	4.53	1.74	1878.00	2.03	0.1339	41.9	1.82	149	1.4	168
PCH0160	347922	8217185	4163	Maricate	0.5	Soil -B	<5	2.37	43	706	0.21	23.1	67	234.4	3.15	1.68	788.00	2.29	0.13	62.9	2.84	108	0.8	126
PCH0161	348116	8217178	4147	Maricate	0.5	Soil -B	<5	0.87	21	859	0.22	18.5	65	56.1	3.92	1.75	894.00	1.87	0.169	37	1.32	121	0.9	137
PCH0163	348108	8217768	4288	Maricate	0.5	Soil -B	<5	6.38	187	1320	0.39	28.5	110	531.6	2.95	0.76	536.00	3.95	0.1386	72.9	1.6	111	0.8	222
PCH0189	352316	8219566	4123	Cuti	0.5	Soil -B	<5	0.1	17	963	0.26	15.8	32	45.1	3.6	1.81	1054.00	1.41	0.0955	32.3	0.82	120	1.2	112
PCH0190	352413	8219568	4144	Cuti	0.5	Soil -B	<5	0.39	7	984	0.13	12.8	39	47.2	3.74	3.18	578.00	1	0.0725	21.2	0.72	115	0.7	96
PCH0191	352608	8219570	4176	Cuti	0.5	Soil -B	<5	0.18	13	927	0.17	11	23	40.6	3.33	1.89	419.00	1.09	0.1007	29	0.68	109	2.1	99
PCH0193	352798	8219561	4204	Cuti	0.5	Soil -B	<5	0.11	15	781	0.26	10.5	38	38.1	3.33	2.03	597.00	1.38	0.0704	31.1	1.2	108	1	95
PCH0194	353013	8219567	4233	Cuti	0.5	Soil -B	<5	0.24	9	788	0.16	14.2	29	39.3	3.83	2.22	787.00	1.24	0.133	29.2	1.62	106	1	100
PCH0195	353213	8219567	4242	Cuti	0.5	Soil -B	<5	0.1	8	844	0.21	7.6	29	34.1	2.41	2.36	328.00	1.17	0.0718	22.8	0.81	72	1.1	69
PCH0196	353413	8219568	4247	Cuti	0.5	Soil -B	<5	0.2	12	784	0.2	6.7	25	28.1	2.36	2.25	342.00	1.27	0.0534	23.8	1.12	71	1.2	89
PCH0197	353609	8219567	4242	Cuti	0.5	Soil -B	<5	0.07	9	675	0.23	10	22	29	2.17	2.08	770.00	1.64	0.0437	28.1	1.19	62	1.4	112
PCH0198	352196	8219376	4111	Cuti	0.5	Soil -B	<5	0.12	14	784	0.23	7.9	30	36.7	2.94	2.01	290.00	1.14	0.0606	24.9	0.7	90	1.2	79
PCH0199	352393	8219371	4141	Cuti	0.5	Soil -B	<5	0.26	20	955	0.24	7	25	36.7	2.35	2.13	621.00	1.25	0.0834	28.5	0.64	74	1	77
PCH0200	352599	8219371	4176	Cuti	0.5	Soil -B	<5	0.22	12	681	0.29	11.2	31	51.9	2.97	2.25	1346.00	1.29	0.0519	56.2	1.01	89	1.1	116
PCH0201	352788	8219371	4200	Cuti	0.5	Soil -B	6	0.14	13	529	29.1	12.3	36	38.6	3.08	2.17	336.00	1.3	0.0439	26.2	1.74	90	0.9	150
PCH0203	352991	8219374	4208	Cuti	0.5	Soil -B	<5	0.24	9	1199	0.3	10.4	29	43.3	2.69	2.41	798.00	1.64	0.057	39.8	1.33	80	1	100
PCH0204	353193	8219361	4241	Cuti	0.5	Soil -B	6	0.16	12	1034	0.25	16.8	34	83.4	3.32	2.55	1586.00	1.65	0.1612	30.1	0.81	98	1.1	88
PCH0205	353393	8219372	4257	Cuti	0.5	Soil -B	<5	0.16	15	754	0.25	8.1	29	38.1	2.94	2.19	394.00	1.38	0.0802	24.3	0.99	92	1.1	81
PCH0206	353587	8219368	4256	Cuti	0.5	Soil -B	<5	0.11	7	1050	0.21	9.4	24	27.9	2.19	2.24	804.00	1.1	0.0433	27	1.11	59	1.3	93
PCH0207	353602	8219172	4267	Cuti	0.5	Soil -B	<5	0.23	10	761	0.26	9.7	33	37.6	3.05	2.12	314.00	1.47	0.0579	29.7	1.12	90	1.2	80
PCH0208	353401	8219179	4261	Cuti	0.5	Soil -B	<5	0.24	14	949	0.24	7	31	37.2	2.69	2.67	294.00	1.17	0.0449	22.9	1.24	86	1	62
PCH0209	353204	8219174	4243	Cuti	0.5	Soil -B	<5	0.41	17	1310	0.22	12.1	33	37.9	3.06	2.47	851.00	1.41	0.0698	26.4	1.27	100	1.2	94
PCH0210	352992	8219176	4215	Cuti	0.5	Soil -B	<5	0.42	12	1286	0.19	9.6	33	33.6	3	1.97	573.00	1.19	0.0898	27.9	0.83	85	0.9	92
PCH0211	352796	8219171	4198	Cuti	0.5	Soil -B	<5	0.1	18	811	0.25	9.3	30	44	3.03	1.92	425.00	1.6	0.065	28.8	0.84	100	1	88
PCH0213	352596	8219180	4163	Cuti	0.5	Soil -B	<5	1.01	12	901	0.26	8.8	28	30.6	2.49	2.11	431.00	1.52	0.0552	36.5	1.25	76	0.9	86
PCH0214	352389	8219172	4160	Cuti	0.5	Soil -B	<5	0.87	43	952	0.35	16.4	32	49.6	3.55	2.35	987.00	3.85	0.1005	45.5	1.39	115	1.3	114
PCH0215	352202	8219179	4104	Cuti	0.5	Soil -B	5	33.3	21	2168	0.35	9.8	21	62.3	2.55	2.33	680.00	1.89	0.1155	405.1	7.86	74	1.2	373
PCH0216	352197	8218970	4116	Cuti	0.5	Soil -B	<5	0.3	40	872	0.36	18.3	29	47.6	3.34	2.87	1174.00	3.49	0.077	37.3	0.94	112	1.6	91
PCH0217	352398	8218974	4175	Cuti	0.5	Soil -B	<5	3.11	33	798	0.33	11.6	26	48	2.89	2	1421.00	3.19	0.0552	37.9	1.46	86	2.1	95
PCH0218	352600	8218970	4201	Cuti	0.5	Soil -B	<5	0.16	8	916	0.19	4.4	27	20.9	1.77	2.17	184.00	0.89	0.0664	22.2	0.57	61	1	44
PCH0219	352804	8218975	4219	Cuti	0.5	Soil -B	<5	0.39	13	690	0.26	8.5	32	38.9	2.86	1.72	334.00	1.38	0.0675	26.7	0.82	87	0.9	81
PCH0220	353000	8218972	4236	Cuti	0.5	Soil -B	7	0.24	9	924	0.24	8.8	29	31.3	2.44	2.15	272.00	1.43	0.0505	22.1	0.79	84	1	65
PCH0221	353203	8218973	4265	Cuti	0.5	Soil -B	<5	0.33	8	783	0.16	16.3	28	41.1	3.79	1.78	619.00	1.34	0.1454	28.6	0.62	133	0.8	110
PCH0223	353402	8218976	4270	Cuti	0.5	Soil -B	<5	0.2	12	855	0.25	6.9	33	41.7	2.75	2.47	252.00	1.19	0.0409	23.6	1.43	90	1	65
PCH0224	353601	8218971	4271	Cuti	0.5	Soil -B	<5	0.26	13	1091	0.25	10.8	30	46	3.06	2.21	608.00	1.6	0.0796	26.9	1.19	89	1.3	107
PCH0225	352208	8218772	4168	Cuti	0.5	Soil -B	8	1.04	72	521	0.51	15.8	29	63.9	3.6	3.09	765.00	5.44	0.1032	39.4	1.8	131	1.2	107
PCH0226	352411	8218767	4187	Cuti	0.5	Soil -B	8	0.76	12	779	0.23	7.4	35	45.8	2.54	1.85	307.00	1.24	0.0981	30.8	1.05	77	1.1	87
PCH0227	352612	8218770	4217	Cuti	0.5	Soil -B	5	0.16	13	676	0.23	9.4	31	35	2.85	1.87	547.00	1.49	0.0873	25.5	1.13	87	1	75
PCH0228	352812	8218772	4238	Cuti	0.5	Soil -B	6	0.56	10	705	0.25	9.8	34	38.6	3.28	1.97	395.00	1.29	0.0583	29.9	1.08	93	1	88
PCH0229	353012	8218775	4253	Cuti	0.5	Soil -B	<5	0.12	14	877	0.22	9.9	78	36.5	3.16	2.44	294.00	1.08	0.0725	24.7	0.86	92	1	88

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample method	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
PCH0230	353211	8218768	4267	Cuti	0.5	Soil -B	<5	0.14	13	767	0.27	9.7	33	40.7	3.13	2.05	391.00	1.47	0.0775	25.3	1.2	92	1.1	78
PCH0231	353412	8218767	4269	Cuti	0.5	Soil -B	7	0.1	10	923	0.26	7.3	34	33.5	2.81	2.25	257.00	1.09	0.0577	27.4	0.97	80	1	74
PCH0233	353602	8218768	4264	Cuti	0.5	Soil -B	7	0.68	16	923	0.2	16.5	26	66.3	3.57	1.83	865.00	2.45	0.3277	28.9	1.03	123	1	165
PCH0234	353606	8218567	4254	Cuti	0.5	Soil -B	<5	0.21	9	1015	0.27	6.9	26	35.1	2.36	2.2	309.00	1.24	0.0575	22.9	1.06	77	1.2	69
PCH0235	353408	8218567	4262	Cuti	0.5	Soil -B	<5	0.15	12	855	0.24	7.4	31	40.6	2.78	2.17	290.00	1.34	0.0726	22.1	1.05	90	1.1	80
PCH0236	353215	8218566	4266	Cuti	0.5	Soil -B	<5	0.14	16	841	0.19	10.8	24	39	3.8	1.68	463.00	1.14	0.088	28	1.54	112	1	121
PCH0237	353010	8218567	4250	Cuti	0.5	Soil -B	<5	0.11	9	849	0.21	7.6	26	34.5	2.35	2.17	332.00	1.2	0.052	22.7	0.81	69	0.9	61
PCH0238	352809	8218564	4243	Cuti	0.5	Soil -B	<5	0.18	14	678	0.24	9.1	33	39	2.88	2.13	393.00	1.4	0.0707	22.7	0.96	90	1	76
PCH0239	352606	8218564	4232	Cuti	0.5	Soil -B	7	1.02	18	885	0.21	14.3	43	70.8	3.78	2.08	716.00	1.62	0.1086	43.7	1.73	117	0.9	118
PCH0240	352409	8218565	4221	Cuti	0.5	Soil -B	5	2.35	18	845	0.29	12.1	32	66.5	3.19	1.97	648.00	1.78	0.078	62.5	2.47	97	1.1	166
PCH0241	352207	8218562	4177	Cuti	0.5	Soil -B	<5	0.68	23	882	0.27	12.5	35	45.1	3.52	2.06	839.00	1.94	0.0888	40.2	1.38	102	1.1	106
PCH0243	352211	8218368	4156	Cuti	0.5	Soil -B	8	2.07	28	751	0.34	7.9	21	35.5	2.86	2.55	351.00	4.16	0.0769	45	2.38	87	1.4	111
PCH0244	352410	8218375	4190	Cuti	0.5	Soil -B	7	1.14	7	438	0.17	4.2	18	25.3	1.48	1.04	168.00	0.69	0.0646	38.1	1.24	43	0.5	76
PCH0245	352605	8218373	4229	Cuti	0.5	Soil -B	5	0.35	15	651	0.27	9.7	37	63.6	2.84	1.94	378.00	1.67	0.0917	34.3	1.08	90	1.2	106
PCH0246	352813	8218370	4245	Cuti	0.5	Soil -B	<5	0.15	16	724	0.26	11	34	43.9	3.57	1.92	508.00	1.65	0.0761	31.2	1	111	1.1	87
PCH0247	353010	8218375	4250	Cuti	0.5	Soil -B	<5	0.13	14	673	0.21	9.9	32	41.5	2.61	1.88	370.00	1.31	0.086	25.4	1.28	79	1.3	81
PCH0248	353209	8218370	4256	Cuti	0.5	Soil -B	<5	0.15	13	868	0.28	9.3	25	42.8	2.39	1.82	365.00	1.52	0.0472	26	0.92	75	1.2	74
PCH0249	353410	8218373	4254	Cuti	0.5	Soil -B	<5	0.46	21	954	0.22	21.8	30	95	3.66	2.55	1796.00	1.33	0.1173	35.4	0.93	94	1.3	92
PCH0250	353610	8218372	4247	Cuti	0.5	Soil -B	<5	0.13	8	1055	0.31	12.1	31	29.8	3.01	1.92	418.00	1.41	0.0401	23.2	0.97	84	1.3	66
PCH0251	353604	8218175	4231	Cuti	0.5	Soil -B	<5	0.25	14	753	0.23	7.4	26	54.1	2.68	1.91	224.00	1.33	0.0711	27.3	1.13	82	1	80
PCH0253	353407	8218174	4242	Cuti	0.5	Soil -B	<5	0.17	12	834	0.33	13	37	41.7	3.39	2.19	762.00	1.64	0.0614	28.6	1.6	107	1.3	112
PCH0254	353221	8218162	4234	Cuti	0.5	Soil -B	7	1.91	17	710	0.27	10.2	25	46.2	3.03	1.81	402.00	1.65	0.1085	50.8	1.5	86	0.9	115
PCH0255	353008	8218172	4231	Cuti	0.5	Soil -B	5	0.6	9	568	0.25	11.4	28	36.1	2.85	1.53	477.00	1.23	0.0508	24.9	1.05	79	1	92
PCH0256	352808	8218173	4226	Cuti	0.5	Soil -B	<5	0.14	14	771	0.23	10.2	35	40.6	3.25	2.24	358.00	1.39	0.077	22.8	1.06	99	1.1	72
PCH0257	352606	8218176	4223	Cuti	0.5	Soil -B	6	0.44	14	784	0.23	11.4	31	45.7	3.47	1.89	548.00	1.43	0.0867	35.6	1.2	104	1	91
PCH0258	352406	8218172	4191	Cuti	0.5	Soil -B	<5	0.57	7	896	0.19	6	31	31.5	1.97	1.98	183.00	1.14	0.0684	23.1	0.91	64	1.1	62
PCH0259	352205	8218172	4151	Cuti	0.5	Soil -B	7	2.66	30	740	0.26	8.8	21	35.3	2.81	2.38	501.00	2.07	0.0711	60.6	2.62	87	1	133
PCH0260	352198	82179982	4121	Cuti	0.5	Soil -B	<5	0.23	156	302	0.43	13.5	22	66	3.28	6.14	520.00	7.21	0.0716	21.7	1.02	117	1.5	102
PCH0261	352402	8217980	4175	Cuti	0.5	Soil -B	<5	0.71	14	957	0.15	13.5	19	34.3	2.83	1.52	695.00	2.05	0.0587	35.2	1.16	89	1	135
PCH0263	352605	8217975	4196	Cuti	0.5	Soil -B	<5	0.77	13	854	0.25	8.1	34	40.8	2.68	2.18	328.00	1.24	0.0661	33.7	1.04	77	1.1	89
PCH0264	350829	8217978	4198	Cuti	0.5	Soil -B	<5	0.42	12	582	0.29	9.1	20	29.9	2.53	2.05	412.00	1.47	0.0583	27.1	0.89	68	1.3	79
PCH0265	352999	8217976	4193	Cuti	0.5	Soil -B	<5	0.84	7	1209	0.21	5.3	19	28.4	1.78	2.35	228.00	1.35	0.0582	25.9	0.93	50	0.8	71
PCH0266	353202	8217977	4206	Cuti	0.5	Soil -B	<5	0.46	13	719	0.26	6.6	26	47.2	2.4	1.94	257.00	1.26	0.0651	28.6	0.93	69	1	78
PCH0267	353403	8217984	4222	Cuti	0.5	Soil -B	5	0.4	10	1013	0.19	19.3	36	51.4	4.57	1.9	1611.00	1.24	0.151	34.5	2.48	151	1.1	120
PCH0268	353602	8217980	4205	Cuti	0.5	Soil -B	5	1.18	12	790	0.29	9	24	29.4	2.16	2.3	411.00	1.58	0.0584	34.9	1.48	67	1	84
PCH0269	353619	8217773	4208	Cuti	0.5	Soil -B	7	0.73	15	952	0.22	16.1	30	40.7	3.74	2.04	923.00	1.51	0.0847	33.3	1.88	115	1	117
PCH0270	353416	8217778	4194	Cuti	0.5	Soil -B	<5	0.19	16	803	0.23	10.7	29	38.9	2.96	1.93	376.00	1.55	0.106	27.4	0.89	89	1	96
PCH0271	353218	8217782	4194	Cuti	0.5	Soil -B	<5	0.3	9	771	0.27	9	25	25	2.62	2.1	282.00	1.7	0.0507	23.5	0.9	84	1.1	66
PCH0273	353009	8217782	4177	Cuti	0.5	Soil -B	<5	0.73	12	991	2.49	9.6	26	45.7	2.32	2.34	546.00	2.29	0.0483	33.5	1.71	69	1	79
PCH0274	352814	8217769	4179	Cuti	0.5	Soil -B	6	0.59	13	732	0.43	7.7	26	46.2	2.74	1.87	339.00	1.25	0.077	32.7	0.93	77	1	101
PCH0275	352615	8217776	4180	Cuti	0.5	Soil -B	6	0.29	13	966	0.24	13.6	21	29.1	3.2	2.14	1025.00	1.37	0.0872	23.7	0.71	83	1.2	79
PCH0276	352417	8217774	4145	Cuti	0.5	Soil -B	5	1.28	23	705	0.34	10.2	25	43.5	2.62	2.23	500.00	2.1	0.0687	45.6	1.25	88	1.4	115
PCH0277	352019	8217577	4096	Cuti	0.5	Soil -B	9	3.71	78	674	0.41	13.2	22	60.6	3.02	2.21	1183.00	6.61	0.0916	125.7	4.46	81	1.4	345
PCH0278	352615	8217576	4133	Cuti	0.5	Soil -B	6	0.18	10	718	0.22	7.2	29	30.1	2.59	2.06	287.00	1.15	0.0574	20.1	0.59	77	1	77
PCH0279	352810	8217575	4163	Cuti	0.5	Soil -B	<5	0.72	12	808	0.24	10.8	33	45.4	3.17	2.21	464.00	1.57	0.079	33.1	0.93	108	0.9	115
PCH0280	353020	8217576	4168	Cuti	0.5	Soil -B	<5	0.62	17	793	0.28	10.4	25	40.6	2.85	2	468.00	2.2	0.0614	31.4	1.26	85	1	101

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample method	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
PCH0281	353221	8217576	4176	Cuti	0.5	Soil -B	<5	0.62	13	872	0.26	12.6	29	36.8	3.12	2.03	781.00	1.43	0.0733	33.5	1.4	93	1.2	92
PCH0283	353417	8217571	4177	Cuti	0.5	Soil -B	<5	1.55	20	846	0.32	11.7	27	44.6	3.58	2.43	727.00	1.8	0.1187	58.8	5.45	91	1.1	145
PCH0284	353619	8217572	4188	Cuti	0.5	Soil -B	<5	0.49	15	744	0.22	14.2	28	43.6	3.89	1.89	630.00	1.48	0.0976	38	2.65	115	1.1	119
PCH0285	353616	8217369	4172	Cuti	0.5	Soil -B	<5	0.79	14	747	0.21	8.9	29	38.4	3.28	1.91	358.00	1.61	0.0871	36.1	1.6	97	1.2	97
PCH0286	353413	8217376	4163	Cuti	0.5	Soil -B	<5	3.2	10	906	0.31	7.8	22	34.9	2.38	2.29	403.00	1.38	0.0608	48.3	1.64	72	1	141
PCH0287	353213	8217381	4157	Cuti	0.5	Soil -B	<5	1.06	13	913	0.29	9.8	28	33.8	2.77	2.42	467.00	1.55	0.0585	33.5	1.42	84	0.9	87
PCH0288	353017	8217368	4150	Cuti	0.5	Soil -B	<5	0.91	18	815	0.27	14.4	32	44	3.34	1.91	1056.00	1.83	0.1094	41.2	1.92	102	1.1	129
PCH0289	352820	8217380	4139	Cuti	0.5	Soil -B	6	1.3	18	970	0.24	14.3	32	36.8	3.6	1.91	1101.00	1.52	0.1279	44.7	2.06	107	1.1	135
PCH0290	352212	8217373	4118	Cuti	0.5	Soil -B	6	2.44	22	594	0.28	11	24	38.2	2.72	2.4	749.00	2.34	0.064	55.1	2.65	83	1.5	132
PCH0291	352016	8217381	4168	Cuti	0.5	Soil -B	<5	1.32	13	594	0.31	9.6	29	36.3	2.95	2.19	574.00	1.6	0.0528	37	2.71	83	1.5	96
PCH0293	351816	8217374	4191	Cuti	0.5	Soil -B	<5	0.79	14	555	1.4	9.8	28	46.5	2.99	2.02	564.00	1.69	0.0574	131.4	3.04	81	1.6	117
PCH0294	351817	8217178	4199	Cuti	0.5	Soil -B	<5	0.32	13	693	0.32	8.4	25	39.1	2.58	2.1	427.00	1.38	0.0635	29.3	1.53	73	1.2	85
PCH0295	352012	8217178	4199	Cuti	0.5	Soil -B	<5	0.37	13	640	0.28	7.3	28	37.8	2.62	2.1	356.00	1.31	0.0554	27.2	1.61	70	1.3	80
PCH0296	352217	8217178	4180	Cuti	0.5	Soil -B	<5	0.37	12	659	0.28	7.6	13	21.6	1.91	2.69	756.00	1.54	0.0856	22.9	2.44	43	2	85
PCH0297	352422	8217180	4137	Cuti	0.5	Soil -B	5	6	14	825	0.28	16.6	36	46.6	4.07	2.16	1091.00	1.51	0.1492	58	3.51	122	1.9	218
PCH0298	352616	8217173	4128	Cuti	0.5	Soil -B	<5	2.01	7	599	0.3	5.1	18	25	1.89	2.69	425.00	1.66	0.0326	41	2.45	48	2.1	90
PCH0299	352813	8217092	4125	Cuti	0.5	Soil -B	<5	0.67	9	922	0.23	7.1	20	20.9	2.04	2.63	436.00	1.34	0.0364	33.7	1.39	62	1.1	69
PCH0300	353013	8217238	4140	Cuti	0.5	Soil -B	<5	0.91	21	865	0.23	10.5	28	39.2	3.02	2.01	553.00	1.66	0.0608	39	2.02	91	1.1	104
PCH0301	353217	8217131	4140	Cuti	0.5	Soil -B	<5	0.1	21	960	0.33	8.6	15	26.1	1.97	2.17	362.00	1.16	0.0473	15.8	0.88	45	1	50
PCH0303	353422	8217172	4144	Cuti	0.5	Soil -B	<5	2.55	13	827	0.34	10.2	27	44.4	2.77	2.45	487.00	1.7	0.0674	51.2	1.89	79	1.1	119
PCH0304	353609	8216975	4166	Cuti	0.5	Soil -B	<5	2.11	14	624	0.25	7.9	19	43.3	2.31	2.07	861.00	2	0.0925	46.5	2.27	59	1	186
PCH0305	353414	8216981	4158	Cuti	0.5	Soil -B	<5	4.34	12	620	0.35	8.2	18	28	2.55	2.48	744.00	1.66	0.0414	55.9	3.29	61	2.1	162
PCH0306	353211	8216968	4162	Cuti	0.5	Soil -B	<5	1.56	13	661	0.32	10.2	23	31.9	2.72	2.24	569.00	1.34	0.047	38.4	3.2	72	1.4	97
PCH0307	353023	8216969	4147	Cuti	0.5	Soil -B	19	20.2	22	722	0.39	10.4	22	67.8	3.17	2.05	695.00	1.54	0.0897	194.2	8.7	75	1.4	313
PCH0308	352812	8216956	4169	Cuti	0.5	Soil -B	<5	0.26	10	954	0.26	8.2	23	27.6	2.27	2.09	446.00	1.52	0.0366	27.6	1.68	78	1.4	69
PCH0309	352611	8216968	4178	Cuti	0.5	Soil -B	<5	0.28	6	592	0.33	4.9	12	15.9	1.48	2.84	585.00	1.62	0.0342	21.2	1.73	32	2.3	60
PCH0310	352419	8216959	4186	Cuti	0.5	Soil -B	<5	0.63	10	595	0.29	9	20	27.2	2.32	2.15	750.00	1.72	0.0538	28.9	1.78	65	1.8	88
PCH0311	352209	8216968	4188	Cuti	0.5	Soil -B	<5	0.54	10	698	0.39	8.2	19	27.3	2.19	2.27	819.00	1.89	0.0475	26.7	3.26	56	2.3	90
PCH0313	352014	8216968	4211	Cuti	0.5	Soil -B	<5	0.71	18	646	0.3	10.4	31	47.4	3.03	1.65	655.00	1.78	0.0827	34.4	1.79	82	1.3	123
PCH0314	351812	8216972	4220	Cuti	0.5	Soil -B	<5	0.89	14	749	0.24	11.3	25	42.5	2.64	1.99	666.00	1.77	0.0643	35.9	1.76	76	1.3	110
PCH0315	351820	8216781	4242	Cuti	0.5	Soil -B	<5	0.51	17	704	0.27	17.9	36	58.1	3.54	1.72	1145.00	1.79	0.0798	32.5	1.55	112	1.7	116
PCH0316	352021	8216773	4229	Cuti	0.5	Soil -B	<5	0.18	18	585	0.3	8.4	25	33.6	2.56	1.79	449.00	1.76	0.0732	23.9	2.18	71	1.5	82
PCH0317	352210	8216775	4207	Cuti	0.5	Soil -B	<5	0.31	13	564	0.26	13.5	32	50.5	3.31	1.95	918.00	1.8	0.1144	24.9	1.44	96	1.5	110
PCH0318	352406	8216770	4201	Cuti	0.5	Soil -B	<5	0.41	14	667	0.29	11.1	26	31.3	2.71	2.46	840.00	1.92	0.047	27.7	2.37	86	1.8	83
PCH0319	352621	8216780	4200	Cuti	0.5	Soil -B	<5	0.34	12	561	0.25	5.5	13	20.5	1.43	2.54	551.00	2.23	0.0366	18.5	1.59	36	1.9	58
PCH0320	352826	8216768	4191	Cuti	0.5	Soil -B	<5	0.26	10	984	0.23	7.8	25	25.3	2.49	2.41	447.00	1.43	0.0484	20.7	1.13	81	1.3	75
PCH0321	353019	8216772	4199	Cuti	0.5	Soil -B	<5	0.16	15	816	0.32	8.9	29	27.1	2.83	2.41	315.00	1.89	0.0482	22.1	1.19	107	1.3	59
PCH0323	353222	8216770	4194	Cuti	0.5	Soil -B	<5	0.9	32	618	2.34	12.5	26	54.9	3	1.83	759.00	1.24	0.1171	47.8	7.59	91	1.9	134
PCH0324	353422	8216777	4188	Cuti	0.5	Soil -B	<5	0.14	9	715	0.49	5.7	20	37.8	1.89	2	204.00	1.19	0.0451	23.1	1.12	57	1.2	66
PCH0325	353618	8216779	4145	Cuti	0.5	Soil -B	<5	0.34	14	870	0.18	3.5	10	25.7	1.16	2.91	186.00	1.71	0.0505	18.9	1.86	37	1	59
PCH0326	351816	8216578	4259	Cuti	0.5	Soil -B	<5	0.2	13	571	0.27	9	26	39.8	2.93	2.14	425.00	1.5	0.0681	23	1.57	77	1.2	80
PCH0327	352022	8216568	4257	Cuti	0.5	Soil -B	<5	0.19	12	553	0.3	8.5	27	39	2.77	2.05	432.00	1.47	0.0591	23.9	2.31	78	1.5	79
PCH0328	352218	8216575	4209	Cuti	0.5	Soil -B	<5	0.07	10	604	0.22	10.6	24	26.4	2.66	2.44	745.00	1.85	0.0523	18.6	3.41	76	2	82
PCH0329	352417	8216569	4214	Cuti	0.5	Soil -B	<5	0.57	14	561	0.29	5.1	21	40.6	2.34	1.89	237.00	1.42	0.0582	30.9	2.32	62	1.5	86
PCH0330	352617	8216570	4237	Cuti	0.5	Soil -B	<5	0.1	13	713	0.32	9.7	23	36.5	2.53	2.42	976.00	3.15	0.0698	39.1	1.64	67	1.8	81
PCH0331	352827	8216564	4232	Cuti	0.5	Soil -B	6	0.65	15	741	0.27	17.3	37	48.1	3.75	1.98	843.00	1.82	0.0778	29.6	2.18	117	1.5	119

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample method	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
PCH0333	353009	8216577	4253	Cuti	0.5	Soil -B	<5	0.7	16	599	0.33	10.3	27	41.9	2.83	2.01	503.00	1.83	0.0461	40.1	4.48	82	1.8	107
PCH0334	353215	8216571	4231	Cuti	0.5	Soil -B	<5	1.3	24	729	0.31	12.7	25	42.8	3.25	1.92	724.00	1.66	0.0636	44	6.62	94	1.7	134
PCH0335	353416	8216573	4240	Cuti	0.5	Soil -B	<5	0.57	8	533	0.27	12.9	33	40.2	2.98	1.57	1635.00	1.33	0.0702	27.7	1.98	95	1.1	119
PCH0336	353617	8216572	4232	Cuti	0.5	Soil -B	<5	0.66	11	1024	0.28	9.6	22	33.4	2.87	2.5	715.00	1.64	0.0659	32.6	1.33	81	1.2	92
PCH0337	353606	8216378	4274	Cuti	0.5	Soil -B	<5	0.58	13	1010	0.23	8.5	16	27.9	2.41	2.84	816.00	1.93	0.0737	35.2	1.46	64	1.2	89
PCH0338	353408	8216378	4261	Cuti	0.5	Soil -B	8	0.92	25	727	0.26	11.8	23	37.4	3.25	1.7	943.00	1.72	0.1239	36.4	4.38	90	1.1	144
PCH0339	353205	8216369	4263	Cuti	0.5	Soil -B	<5	0.77	12	722	0.27	8.6	26	38.1	2.83	1.93	397.00	1.51	0.0842	31.9	1.77	79	1.4	101
PCH0340	353021	8216372	4299	Cuti	0.5	Soil -B	<5	0.24	18	773	0.31	9.7	36	42.8	3.81	1.95	376.00	1.61	0.0903	25.5	1.99	110	1.7	100
PCH0341	352863	8216374	4269	Cuti	0.5	Soil -B	<5	1.02	15	764	0.36	12.8	25	46.2	3.36	1.99	776.00	1.92	0.106	43.8	3.17	90	1.6	133
PCH0343	352610	8216373	4273	Cuti	0.5	Soil -B	<5	0.37	15	805	0.33	14.8	40	50.7	4.22	2.02	521.00	1.73	0.0987	33.8	1.79	129	2.1	102
PCH0344	352444	8216348	4254	Cuti	0.5	Soil -B	<5	0.36	15	805	0.29	13.2	30	37.2	3.5	2.28	769.00	1.83	0.0864	28.7	1.58	107	1.8	100
PCH0345	352228	8216362	4225	Cuti	0.5	Soil -B	<5	0.13	17	811	0.36	16	41	44.6	4.51	2.08	834.00	1.8	0.0721	28.9	4.47	153	2.2	110
PCH0346	352019	8216369	4277	Cuti	0.5	Soil -B	<5	0.39	17	774	0.34	12.6	30	46.4	3.43	1.98	715.00	2.2	0.0868	40.3	1.95	98	1.4	114
PCH0347	351837	8216365	4283	Cuti	0.5	Soil -B	<5	0.39	16	700	0.36	8.7	27	39.5	3.1	2.09	477.00	1.85	0.0828	35	2.48	81	1.8	98

For personal use only

Table 3: Charaques Project Rock Chip and Channel sample details and assay results

Dvd|#hvaw#qg#ap sd#rdw#q#j#b#|w#p # # J V ; 7# WP # rgh#<V #

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample method	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
000481	373020	8234838	4320	Huallatani	2.00x2.00	Selective rock chip	<5	1.65	30	2461	0.19		66	58.7	15	1.53	369.00	7.22	0.1548	618.1	6.45	115	0.6	3116
000482	381586	8230360	4303	Charaques	3.00x3.00	Rock chip	<5	134	161	635	0.13		11	305.4	15	1.22	>10000	3.98	0.1453	1859.7	0.41	141	0.8	13920
000486	374580	8230308	4301	Pichacani	5.00x5.00	Rock chip	6	0.28	29	4227	0.46	3.8	152	102.9	1.79	4.23	57.00	1.49	0.0762	30.5	2.75	33	0.9	22
000488	381904	8230752	4238	Charaques	4.00x4.00	Rock chip	<5	1.31	69	758	0.16	37.3	54	167.5	11.91	1.68	>10000	2.78	0.1142	73.3	0.35	104	0.8	1074
000489	381956	8230864	4239	Charaques	0.80x0.20	Channel	<5	66	515	492	8.14	46.3	50	9792	14.63	0.74	>10000	6.03	0.0848	346.6	0.52	118	0.7	1986
000493	373018	8234877	4313	Huallatani	2.00x0.20	Channel	5	43.2	42	1877	0.3	2.1	161	23.8	9.63	2.25	1081.00	2.67	0.1055	77430	27.6	121	0.9	2529
000494	373010	8234875	4316	Huallatani	2.00x0.20	Channel	<5	22.1	28	1243	0.24	2.2	159	26	10.52	2.35	5139.00	1.46	0.1108	40450	24.5	120	0.7	5832
000495	373008	8234874	4320	Huallatani	2.00x0.20	Channel	5	16.6	40	3051	0.39	1.8	241	126.9	6.66	2.52	381.00	1.61	0.0988	5922	18.7	132	1.1	879
000496	373010	8234865	4320	Huallatani	2.00x0.20	Channel	<5	24.6	27	2041	0.62	1.7	148	26.3	5.9	2.68	159.00	3.42	0.1048	26920	20.1	118	0.8	546
000498	373024	8234838	4314	Huallatani	0.30x0.20	Selective rock chip	<5	538	167	275	0.47	0.7	112	66.9	10.46	1.63	81.00	1.83	0.0556	195000	212.5	70	0.8	1465
000499	372977	8234786	4308	Huallatani	2.00x0.20	Channel	6	2.65	31	1723	0.37	9.6	159	30.1	7.98	2.48	1847.00	4.21	0.1734	4551	9.73	142	0.8	603
000500	372931	8234791	4294	Huallatani	2.00x0.20	Channel	<5	9.96	17	953	0.82	16.4	71	26.9	4.98	2.88	665.00	1.44	0.1646	13380	4.83	139	0.6	500
000501	381581	8230358	4263	Charaques	2.00x0.20	Channel	<5	2.64	107	725	0.06	28.8	9	49.9	12.09	1.79	>10000	4.8	0.2044	1069	0.17	118	0.9	4636
000502	381578	8230421	4269	Charaques	2.00x0.20	Channel	5	110	150	414	0.57	43.3	11	283.6	15	1.16	>10000	4.71	0.1854	1927	0.6	135	0.9	9822
000503	381568	8230501	4269	Charaques	1.00x0.20	Channel	9	120	322	416	6.04	49.1	58	931	15	1.22	>10000	9.71	0.1399	16210	0.38	133	0.5	7339
000504	381348	8230609	4281	Charaques	1.00x0.20	Channel	6	375	287	459	0.32	145.8	10	1889	15	0.83	9326.00	2.35	0.1798	657.6	0.32	129	0.5	768
000505	381296	8230606	4276	Charaques	2.00x0.20	Channel	<5	929	224	603	0.12	68.4	32	1107	9.38	1.7	>10000	5.17	0.215	573.1	0.29	173	0.6	1433
000506	380926	8230548	4317	Charaques	1.00x0.20	Channel	5	15	77	858	0.04	40.2	50	94.3	9.1	1.84	7504.00	3.82	0.2581	221.1	0.26	148	0.7	474
000652	381933	8229261	4148	Arco	1.80x0.20	Channel	<5	4.64	437	997	0.09	34.8	19	63.3	8.79	1.98	<10000	3.54	0.1713	1215	0.22	110	0.8	2704
000653	381898	8229252	4156	Arco	2.00x0.20	Channel	<5	12.4	218	802	0.05	107.9	9	42.4	13.95	1.43	<10000	14.02	0.1663	11050	0.37	203	1.1	3637
000654	381749	8229671	4236	Arco	2.00x0.20	Channel	<5	3.57	72	1037	0.05	49.5	19	34.1	15	1.07	<10000	5.19	0.188	798.6	0.36	101	0.5	13600
CHQ0001	379654	8229883	4432	Arco	0.30x0.20	Channel	<5	1.9	57	403	0.35	106.6	27	26.8	15	1.46	<10000	12.08	0.112	9898	0.96	92	2.8	3494
CHQ0002	380483	8230418	4338	Arco	1.0x0.20	Channel	<5	0.32	26	705	0.2	34.8	28	29.8	11.72	1.92	<10000	2.18	0.1955	53.6	0.37	165	1.7	998
CHQ0003	380544	8230365	4356	Arco	0.30x0.20	Channel	<5	0.19	17	944	0.26	48.7	40	86	10.13	1.16	<10000	1.84	0.1579	513.1	0.27	163	0.9	2314
CHQ0005	379255	8228003	4379	Arco	2.00x2.00	Dump	<5	0.79	26	509	0.21	17.6	13	25.2	15	0.17	<10000	37.27	0.0438	491.6	0.38	68	5.6	2327
CHQ0006	379059	8228465	4428	Arco	2.00x2.00	Channel	<5	0.3	4	822	0.15	23.2	47	10.8	8.17	2.67	6008	1.76	0.1547	66.1	0.21	76	1.1	1244
CHQ0007	379220	8228009	4367	Arco	1.00x0.20	Channel	<5	0.78	17	149	0.19	19.8	6	16.2	15	0.13	>10000	21.06	0.0279	1054	0.3	26	4.1	2379
CHQ0008	373110	8235933	4340	Huallatani	0.30x0.20	Channel	<5	0.07	19	204	0.34	1.9	721	19.7	3.91	0.17	70	3.89	0.0314	2.3	1.84	20	0.8	16
CHQ0009	373358	8235816	4381	Huallatani	2.00x2.00	Chip	<5	0.08	5	766	<0.04	19.9	97	49.5	5	2.11	935	2.28	0.1882	9.1	0.15	158	0.5	106
CHQ0010	373356	8235771	4359	Huallatani	2.00x2.00	Chip	<5	0.1	9	803	<0.04	19.7	136	43.6	4.65	2.06	799	1.86	0.1996	15.5	0.2	207	0.6	106
CHQ0011	373372	8234689	4376	Huallatani	2.00x2.00	Chip	<5	0.06	15	317	0.42	1.3	719	12.3	5.06	0.15	114	6.91	0.1479	23.3	2.32	111	0.3	13
CHQ0012	373330	8234706	4382	Huallatani	3.00x3.00	Chip	<5	2.36	12	247	0.35	1	806	24.5	4.21	0.09	99	1.44	0.1157	223.2	1.92	15	0.2	32
CHQ0013	373350	8234558	4368	Huallatani	2.00x2.00	Chip	<5	0.5	11	287	1.6	0.8	416	16.4	7.73	0.31	70	6.22	0.0782	121.1	4.91	60	1.1	24
CHQ0015	373354	8234465	4372	Huallatani	5.00x5.00	Chip	<5	5.36	14	817	0.24	1.3	752	18.4	3.21	0.19	98	1.93	0.0447	116	4.21	22	1.1	18
CHQ0016	375485	8232008	4503	Huallatani	2.00x0.20	Channel	<5	0.18	20	658	9.77	3.8	101	17.6	8.3	2.17	24	2.82	0.1796	125.3	0.73	81	0.9	18
CHQ0017	375139	8222287	4518	Huallatani	0.60x0.20	Channel	<5	0.06	19	588	0.53	2.3	60	11.3	2.57	3.49	13	6.21	0.1865	26.7	0.35	84	0.7	53
CHQ0018	375127	8232285	4516	Huallatani	0.40x0.20	Channel	10	0.12	37	54	0.78	4.2	202	30.5	12.64	0.68	62	15.34	0.0457	37.2	2.57	19	1.6	60
CHQ0019	374743	8232188	4543	Huallatani	5.00x5.00	Chip	<5	0.1	5	270	0.3	0.4	142	17.8	6.28	0.17	24	3.61	0.0921	3.3	1.78	19	1.2	23
CHQ0020	374895	8232570	4537	Huallatani	3.00x3.00	Chip	8	0.08	13	1142	0.39	9.2	92	14.4	2.63	2.59	247	3.67	0.1717	18.6	1.18	50	0.8	54
CHQ0021	374403	8232462	4523	Huallatani	6.00x6.00	Chip	18	0.1	16	598	5.04	1.3	197	11.9	3.1	0.96	36	7.47	0.1425	75.1	0.55	59	1.2	20
CHQ0022	373672	8231966	4523	Huallatani	1.10x0.20	Channel	<5	0.76	29	205	7.52	0.5	424	4.7	1.67	0.14	89	1.83	0.0905	72.5	6.05	4	0.8	14
CHQ0023	370672	8236986	4221	Huallatani	5.00x5.00	Chip	<5	3.11	12	185	0.14	0.6	136	3.5	0.59	4.66	314	2.59	0.0308	69.6	3.7	3	5.8	28

For personal use only

Sample Id	East - Wgs84	North - Wgs84	Elevation	Target	Width (m)	Sample method	Au ppb	Ag ppm	As ppm	Ba ppm	Bi ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mn ppm	Mo ppm	P %	Pb ppm	Sb ppm	V ppm	W ppm	Zn ppm
CHQ0025	372637	8233013	4377	Huallatani	3.00X3.00	Chip	<5	0.32	21	2789	0.26	3.3	40	4.7	2.02	1.39	1747	1.52	0.0314	58.3	5.4	7	1.2	177
CHQ0026	373013	8232913	4423	Huallatani	3.00X3.00	Chip	11	0.17	45	1467	0.32	1.3	140	5.4	2.11	4.71	415	5.87	0.0317	31.2	4.06	9	2	70
CHQ0027	373258	8232778	4431	Huallatani	5.00X5.00	Chip	27	0.2	13	993	0.12	19.3	39	35.5	4.64	2.26	943	8.76	0.2256	46.6	1.6	123	1.3	200
CHQ0028	374124	8232853	4423	Huallatani	5.00X5.00	Chip	<5	0.1	50	658	2.92	1.5	50	10.2	14.78	0.45	30.00	13.03	0.4394	11.3	0.63	74	0.9	38
CHQ0029	374260	8233138	4474	Huallatani	3.00X3.00	Chip	10	0.17	9	811	0.06	6.2	55	17.3	2.39	2.85	770	2.73	0.1183	15.5	0.35	55	0.7	104
CHQ0030	374063	8233390	4427	Huallatani	3.00X3.00	Chip	<5	0.08	9	930	<0.04	7.1	102	12	4.38	2.81	728	1.85	0.1454	32.9	0.38	47	0.7	106
CHQ0031	372918	8233659	4342	Huallatani	5.00X5.00	Chip	<5	0.04	92	57	1.05	4.2	7	7.7	0.82	0.04	2375	2.92	0.0518	10.1	7.85	9	0.3	71
CHQ0032	373065	8233332	4364	Huallatani	2.00X0.20	Channel	<5	0.2	25	486	0.27	10.8	59	41.7	3.62	2.96	1627	2.61	0.1583	23.8	3.69	106	2	96

For personal use only

Appendix 3 - JORC Code, 2012 Edition Table 1

Section 1 - Sampling Techniques and Data

(Criteria in this section applies to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. 	<p>Geochemistry</p> <ul style="list-style-type: none"> Rock chip samples were taken as selective samples in mineralised areas, channel samples across mineralised structures/zones or more random samples in undefined mineralised areas. The sampling technique for each sample is shown in the table above in the body of the report. All samples were taken from in-situ mineralisation. <p>Geophysics</p> <ul style="list-style-type: none"> The Induced Polarisation (IP) and ground magnetics surveys were completed by Deep Sounding High Resolution Geophysics, an independent geophysical contractor based in Lima, Peru. The IP and Magnetic survey program included two surveys, the first in 2021 and the second in 2022. The 2021 survey consisted of 15 lines of 56.10km in total. For the magnetic survey, 51 lines were completed for a total of 204 line-km of sample data. The 2022 survey comprised two grids; Ichucollo and Huancune. The Huancune survey consisted of 8 lines totalling 22.0 km. The Ichucollo survey consisted of 12 lines totalling 30.0 km. The IP survey methodology used a Pole-multidipole configuration which optimises the depth penetration. A high-power Transmitter (10 Kw Walcer) is used, as well as Multichannel receivers in conjunction with a multiplexer box. A minimum of two repetitions were completed at each reading. The IP receiver used is a 32 Channels IP Receiver Model GRx8-32.
	<ul style="list-style-type: none"> Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. 	<p>Geochemistry</p> <ul style="list-style-type: none"> Rock chip/channel samples are taken for an indication of mineralisation only. <p>Geophysics</p> <ul style="list-style-type: none"> See below under QC procedures section.
	<ul style="list-style-type: none"> Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types 	<ul style="list-style-type: none"> To date a total of 651 rock chip or channel samples have been taken at Picha Project, which does not include QAQC samples. A total of 289 soil samples have also been taken. Assay results have been received for all samples submitted to the laboratory. The selective samples have a high potential for bias and should not be considered as being representative of the overall mineralised structure or zone. Selective sample sites were selected on the basis of visual copper mineralisation and where associated with opaline silica and alteration. To date a total of 51 samples have been taken at the Charaque Project. The selective samples have a high potential for bias and should not be considered as being

For personal use only

Criteria	JORC Code explanation	Commentary
	<i>(eg submarine nodules) may warrant disclosure of detailed information.</i>	representative of the overall mineralised structure or zone. Selective sample sites were selected on the basis of visual mineralisation and where associated with alteration.
Drilling techniques	<ul style="list-style-type: none"> • <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> 	<ul style="list-style-type: none"> • Not applicable - No Drilling Reported
Drill sample recovery	<ul style="list-style-type: none"> • <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> • <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> • <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i> 	<ul style="list-style-type: none"> • Not applicable - No Drilling Reported
Logging	<ul style="list-style-type: none"> • <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> • <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> • <i>The total length and percentage of the relevant intersections logged.</i> 	<ul style="list-style-type: none"> • Rock type and general geological information are recorded at location of each rock chip sample. • Logging of rock chips is qualitative in nature. • Not applicable – no drilling completed.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> • <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> • <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> • <i>For all sample types, the nature, quality, and appropriateness of the sample preparation technique.</i> • <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> • <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> • Not applicable – no drilling completed. • Not applicable – no drilling completed. • All samples were dried at 100° C, crushed, split off quarter and pulverized. A sample of 250g with a grind size of 95% passing 140 microns is then selected for analysis. • No field sub-sampling completed – not considered appropriate for early-stage exploration. • CRMs (Standards and Blanks) and duplicates were inserted for QAQC protocols approximately every 10 samples. • Sample sizes are considered appropriate with an average size of 3.0kg. (around 10% of the total samples).
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> • <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> 	<ul style="list-style-type: none"> • Samples were assayed by SGS del Peru S.A.C, Callao, Peru. A multi-acid (four-acid) digest (near-total digestion) was used. The digestion solution was then analysed by ICP-MS for a multi-element suite of 50 elements. A 30g Fire assay with AAS finish was used to

For personal use only

For personal use only

Criteria	JORC Code explanation	Commentary																												
	<ul style="list-style-type: none"> For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. 	<p>determine Au. Subsequently, samples with Ag greater than 100ppm, Pb greater than 10,000ppm, Cu greater than 10,000ppm, Zn more than 10,000 ppm were analysed by AAS.</p> <p>Geochemistry</p> <ul style="list-style-type: none"> Not applicable – no geophysical tools used in sampling. <p>Geophysics</p> <ul style="list-style-type: none"> For the IP survey the following equipment was used: <table border="1"> <thead> <tr> <th>Instruments</th> <th>Make / Model</th> </tr> </thead> <tbody> <tr> <td>RX receiver</td> <td>GDD / Model GRx16</td> </tr> <tr> <td>Transmitter TX 11</td> <td>Walcer 10 Kw IP Transmi</td> </tr> <tr> <td>Motor generator 1</td> <td>Honda EP6500CX</td> </tr> </tbody> </table> <p>The IP survey acquisition parameters were as follows:</p> <table border="1"> <thead> <tr> <th>Parameter</th> <th>Acquisition Mo</th> </tr> </thead> <tbody> <tr> <td>Measurements</td> <td>Time Domain</td> </tr> <tr> <td>Interval between lines</td> <td>400, 200 meter</td> </tr> <tr> <td>Electrode configuration</td> <td>Pole – multi-dip</td> </tr> <tr> <td>Dipole extension</td> <td>100, 200, 300, 4</td> </tr> <tr> <td>Nominal depth</td> <td>300 meters</td> </tr> <tr> <td>Measurement windows</td> <td>20 windows of</td> </tr> <tr> <td>Delay Time</td> <td>80 msec</td> </tr> <tr> <td>No. Of Stacks</td> <td>10 stacks</td> </tr> <tr> <td>No. Repetitions</td> <td>Minimum 02 x</td> </tr> </tbody> </table> <ul style="list-style-type: none"> For the Magnetic survey, three high-precision types of equipment were used, a GSM-19TW Proton Magnetometer as Base Station (Fixed Magnetometer) with which the diurnal variation of the geomagnetic field is monitored daily during the study, and two high-sensitivity GSM-19W Overhauser magnetometers with differential GPS built-in (mobile magnetometers) with which the survey was carried out along the geophysical lines. <p>Geochemistry</p> <ul style="list-style-type: none"> Laboratory QAQC procedures involve the use of internal lab standards and duplicates – considered appropriate for early-stage exploration. Company standards and blanks were inserted at a rate of 1 in 10 samples. Results of standards and blanks show that assay values are accurate. <p>Geophysics</p> <ul style="list-style-type: none"> For the IP survey, performing Quality Control (QC) of the drop curves of the chargeability parameter, eliminating the readings whose noise level was greater than 60%. Two or more repetitions per measurement point were done to guarantee repeatability of the readings. A series of conditions were applied so that the readings were validate prior to inverse modelling. These parameters were controlled both in the field and at the time of processing. 	Instruments	Make / Model	RX receiver	GDD / Model GRx16	Transmitter TX 11	Walcer 10 Kw IP Transmi	Motor generator 1	Honda EP6500CX	Parameter	Acquisition Mo	Measurements	Time Domain	Interval between lines	400, 200 meter	Electrode configuration	Pole – multi-dip	Dipole extension	100, 200, 300, 4	Nominal depth	300 meters	Measurement windows	20 windows of	Delay Time	80 msec	No. Of Stacks	10 stacks	No. Repetitions	Minimum 02 x
Instruments	Make / Model																													
RX receiver	GDD / Model GRx16																													
Transmitter TX 11	Walcer 10 Kw IP Transmi																													
Motor generator 1	Honda EP6500CX																													
Parameter	Acquisition Mo																													
Measurements	Time Domain																													
Interval between lines	400, 200 meter																													
Electrode configuration	Pole – multi-dip																													
Dipole extension	100, 200, 300, 4																													
Nominal depth	300 meters																													
Measurement windows	20 windows of																													
Delay Time	80 msec																													
No. Of Stacks	10 stacks																													
No. Repetitions	Minimum 02 x																													
	<ul style="list-style-type: none"> Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 																													

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	<ul style="list-style-type: none"> <i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> No verification of significant results has been conducted by Firetail. A site visit has been conducted by Firetail personnel where Mineralisation has been observed. Not applicable – no drilling reported. <p>Geochemistry</p> <ul style="list-style-type: none"> Handwritten data collected in the field was transferred into an excel spreadsheet and verified by the field geologist. All data checked by responsible geologist, digitally transferred to Perth office and loaded to the Company database. <p>Geophysics</p> <ul style="list-style-type: none"> The processing was carried out using Data Processing techniques from Geosoft's Oasis Montaj and TQIPdb programs. No adjustment to assay data made – not applicable.
Location of data points	<ul style="list-style-type: none"> <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> <i>Specification of the grid system used.</i> <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> Sample sites were recorded using a Garmin Oregon 550 GPS with an accuracy of ±5m. All geophysical survey lines were surveyed with a +/- 2 meters metric precision handheld GPS. The grid system used is WGS84 UTM Zone 19S. All reported coordinates are referenced to this grid. Topographic control is considered appropriate for early-stage exploration
Data spacing and distribution	<ul style="list-style-type: none"> <i>Data spacing for reporting of Exploration Results.</i> <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> <i>Whether sample compositing has been applied.</i> 	<ul style="list-style-type: none"> Rock chip and channel sampling was taken at observed mineral occurrences, areas of known historical results, and areas with mineralisation potential. Not applicable – no Mineral Resource Estimation No compositing applied.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to</i> 	<p>Geochemistry</p> <ul style="list-style-type: none"> All channel samples were oriented perpendicular to the trend of mineralised structures where observed or within mineralised lithological units such as agglomerates or autobreccias. <p>Geophysics</p> <ul style="list-style-type: none"> Geophysical survey lines were oriented east-west which is approximately orthogonal to the regional geological trend, which is approximately northwest-southeast. Not applicable – no drilling completed.

For personal use only

Criteria	JORC Code explanation	Commentary
	<i>have introduced a sampling bias, this should be assessed and reported if material.</i>	
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> The samples were delivered to the SGS del Peru S.A.C. sample preparation facility and in compliance with chain of custody documentation provided by SGS.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> No Audits or reviews have been undertaken, however site visits to Picha Project have been undertaken by key Firetail personnel

Section 2 - Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> The Picha Project comprises 27 Mining Concessions, 25 of which are 100% owned by Kiwanda S.A.C, a wholly-owned Peruvian subsidiary of Valor Resources. The Picha project is located 127km SW of the City of Juliaca, in southern Peru, and near the village of Jesus Maria in the San Antonio de Esquilache district, province of Sanchez Cerro and the Moquegua department. The Charaque Project comprises 8 Mining Concessions, which are 100% owned by Kiwanda S.A.C, a wholly-owned Peruvian subsidiary of Valor Resources. The Charaque Project is located 70 km SW of the City of Juliaca, in southern Peru, and near the village of Arca Charaque in the Puno district, province of Puno and the Puno department. At the Picha Project 20 mining concessions are currently granted and another 7 are currently awaiting grant. All mining concessions are in good standing with no known impediments. Six of the mining concessions at the Charaque Project are granted and two are currently applications with all concessions in good standing and no known impediments.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> At Picha Project exploration was previously completed on the Picha project area by several companies including Minera Teck Peru S.A., Minera del Suroeste S.A.C, Maxy Gold Corp and most recently Lara Exploration Ltd. These companies completed surface geochemical sampling and geophysics, including an Induced Polarization survey. Lara Exploration and Maxy Gold Corp proposed drilling programs to test the five target areas, but the drilling was never implemented. At the Charaque Project there are no known records of recent exploration, but there are many historical mine workings, believed to date back to the Spanish colonial era.
Geology	<ul style="list-style-type: none"> Deposit type, geological setting, and style of mineralisation. 	<ul style="list-style-type: none"> At Picha mineralisation is considered similar to other copper-silver stratabound deposits in Peru and Chile hosted mainly in andesitic volcanics. Further exploration work is required to test this model. The project area is covered mostly by andesite lava flows, basaltic andesites, tuffs and agglomerates of the Tacaza Group. These rocks

For personal use only

Criteria	JORC Code explanation	Commentary
		<p>are unconformably overlain by lacustrine sediments made up of sandstones, limolites, shales, limestones and some intercalations of andesites, rhyolites and reworked tuffs of the Maure Group of Miocene age. While most of the copper mineralisation is hosted by the Tacaza Group, some copper mineralisation also reaches the level of the Maure Group rocks. The potential for low sulphidation epithermal and porphyry related mineralisation has now been recognised at the Picha Project through work carried out by Valor in 2022.</p> <ul style="list-style-type: none"> At Charaque mineralisation is considered similar to other copper-silver stratabound or polymetallic epithermal deposits in Peru and Chile hosted mainly in andesitic volcanics. Further exploration work is required to test this model. There is also potential for porphyry-related copper-gold mineralisation. The project area is covered mostly by andesite lava flows, basaltic andesites, tuffs and agglomerates of the Tacaza Group.
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Not applicable – no drilling reported. Not applicable – no drilling reported.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> For reporting of channel samples, weighted averages were applied, no lower cut-offs and no cutting of high grades were applied. This is considered appropriate for the style of sampling used and early stage of exploration. Channel sample intervals were reported as weighted averages across the combined width of the channel samples. Individual channel samples are generally 1-2m wide. An example of an aggregated channel sample interval is as follows: Sample 283 – 1.6m @ 3.24% Cu, Sample 284 – 1.60m @ 1.20% Cu, Total Cu.m = $(1.6 \times 3.24) + (1.6 \times 1.20) = 7.1$. Average Cu % = $7.1 / (1.6 + 1.6) = 2.2\%$ Cu Not applicable – no metal equivalents reported.

For personal use only

Criteria	JORC Code explanation	Commentary
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> • <i>These relationships are particularly important in the reporting of Exploration Results.</i> • <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> • <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i> 	<ul style="list-style-type: none"> • Not applicable – no drilling reported. • Not applicable – no drilling reported. • Not applicable – no drilling reported.
Diagrams	<ul style="list-style-type: none"> • <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> 	<ul style="list-style-type: none"> • Maps are included in the body of the announcement – refer to Figures 1 and 2.
Balanced reporting	<ul style="list-style-type: none"> • <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> 	<ul style="list-style-type: none"> • All rock chip and channel and soil sample results have been reported in tables above (Appendix 1, 2 and 3).
Other substantive exploration data	<ul style="list-style-type: none"> • <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> • No other relevant exploration data to report for Picha and Charaue Projects. Geological mapping observations are included in the body of the report.
Further work	<ul style="list-style-type: none"> • <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> • Further work on the Picha Project will include: <ul style="list-style-type: none"> ○ Diamond drilling of geophysical and geochemical targets ○ Geological mapping and geochemical sampling of new targets. • Further work on the Charaue Project to be carried out by Barrick Gold but likely to include the following: <ul style="list-style-type: none"> ○ Geological mapping and geochemical sampling throughout project area. ○ Ground geophysical surveys. • Refer to figures above in body of text.

Section 3 - Estimation and Reporting of Mineral Resources

Not applicable.

Section 4 - Estimation and Reporting of Ore Reserves

Not applicable.

For personal use only