

12th October 2023

ASX Market Announcements

DRILLING INTERSECTS ENCOURAGING RARE EARTHS AND ZINC ASSAYS AT GINDALBIE PROJECT, YILGARN CRATON – WESTERN AUSTRALIA

- ***Encouraging Total Rare Earth Oxide (TREO) results from sampling of the saprolite zone above variably altered and quartz veined mafic igneous rocks at the Holey Dam tenement***

HOLEY DAM

HDRC001

- ***4m @ 591.4ppm TREO from 24-28m and 12m @ 477.34ppm from 52-64m incl 4m @ 609.38ppm from 52-56m***

HDRC002

- ***4m @ 461.6ppm TREO from 48-52m***
- ***1m @ 453.7ppm TREO from 52-53m and 1m @ 757.3ppm from 53-54m***

CANEGRASS

- ***IP/Magnetic target extends over 800m and tested by only two drill holes (CGRC008 and 009). Ground IP survey covers 20% of the magnetic trend evaluation ongoing as to the relationship between the magnetic high and IP chargeability high.***
- ***Outcrop sample 100m north of CGRC009 – 0.6g/t Au¹ (Photo 1 below) .***

CGRC13 intersected a 4m zone of elevated sulphur and zinc from 66-70m - 1.8-7.8% sulphur and zinc 673 and 1,870ppm. CGRC12 to 13 has been drilled 100m south of the previous drilling that intersected 1m @ 3.96g/t² Au.

Kaili Resources Limited (“KLR”) is pleased to announce the results of RC drilling at the Canegrass EL 31/1113 and Holey Dam EL 27/550 tenements for a total of 1,148 m (**Figures 3 to 5 and Table 1**) completed on 3 August 2023, having experienced delays at the laboratory. The drilling follows up previous RC drilling and Ground IP survey at Canegrass and RC drilling and Aircore Drilling programs (**Figures 6 and 7**) at Holey Dam.

(see ASX announcements on 4th April 2022, 8th March 2023 and 3rd May 2023 for background description of the previous exploration work and results)

KLR's Chief Geologist Mark Derriman said *"Results from our recently completed RC drilling program at Canegrass and Holey Dam tenements are highly encouraging as the project now has zinc and rare earth potential. The IP chargeability anomaly is associated with an "altered and brecciated" mafic intrusive that outcrops (rock assay of 0.6g/t¹ Au – ASX 3rd May 2023) 100m north of drill hole CGRC009 adjacent to a NW-SE paleochannel and minimal outcrop adjacent to the paleochannel. The IP anomaly is coincident with an 800m N-S magnetic anomaly with the IP only covering 20% of the magnetic anomaly. In addition, drilling at Holey Dam has intersected encouraging rare earth results that is to be followed up by further drilling.*

DRILLING RESULTS

BASE METALS

- CGRC013 was drilled to the south of the previous RC drilling that intersected 1m @3.96g/t² Au and intersected a 4m zone from 66-70m to 7.8% sulphur and 1.870ppm Zn associated with trace chlorite alteration and quartz veining.

GOLD

- CGRC008 intersected four discrete zones of elevated gold, associated with quartz veining and blebby pyrite hosted in a chlorite-epidote altered and sheared mafic intrusive unit. 0.32g/t Au occurred at 72m-73m; 0.33g/t Au occurred at 89m-90m; 0.57g/t Au occurred at 124m-125m; and 0.23g/t occurred at 125m-126m. A zone of gold anomalism in soil and weathered outcrop located approximately 100m due west-northwest, was identified during a soil sampling programme in February 2023. A sample of sheared quartz-mafic breccia returned 0.6g/t¹ Au.

TREO

- Two holes were drilled at the Holey Dam Prospect to test for extensions of gold mineralisation and tourmaline alteration identified from prior drilling.
- HDRC001 intersected four zones of elevated Total Rare Earth Oxides (TREO) hosted within mottled clays and saprolite, formed on dolerite. The rare earth mineralisation was possibly developed from supergene enrichment processes of the below rock units.
- HDRC002
 - 4m Composite interval 48-52m returned 451.6ppm TREO
 - 52m-56m returned 453.7ppm TREO
 - 53m-54m returned 757.3ppm TREO
 -
- HDRC001
 - 4m Composite interval 24-28m returned 591.4ppm TREO
 - 12m Composite interval 52-64m returned 477.34ppm incl 1m @ 609.38ppm

For personal use only

- Re-sampling of the individual metre intervals from these zones will further delineate and identify potentially higher-grade rare earth mineralisation.

Prospect	Tenement	Hole ID	Easting_MGA94_Z51	Northing_MGA94_Z51	Dip (°)	Azimuth (°)	Planned Depth (m)	EOH (m)
Holey Dam	E27/550	HDR001	389300	6643800	60	90	90	90
Holey Dam	E27/550	HDR002	389200	6643800	60	90	90	90
Canegrass	E31/1133	CGRC008	389830	6672612	60	270	200	180
Canegrass	E31/1133	CGRC009	389809	6672503	60	270	200	200
Canegrass	E31/1133	CGRC010	389540	6672500	60	270	150	150
Canegrass	E31/1133	CGRC011	389720	6672373	60	270	150	150
Canegrass	E31/1133	CGRC012	555555	6672083	60	90	90	108
Canegrass	E31/1133	CGRC013	389897	6672083	60	90	90	90
Canegrass	E31/1133	CGRC014	389846	6672083	60	90	90	90
								1148

Table 1 Completed Gindalbie RC Drill Holes




Figure 1: Yilgarn Tenements location of Kaili Resources Group

For personal use only




Figure 2: Eastern Goldfields Super Terrain and Others Companies Operating Mines




Figure 3: Gindalbie RC Drilling Areas




Figure 4: Canegrass RC Drill Collars




Figure 5: Holey Dam RC Drill Collars

For personal use only




Figure 6: Canegrass RC Drilling on IP and Magnetics




Figure 7: Canegrass Drilling/Geophysics Detail



Photo 1: CGRC045–0.6g/t Au with elevated Ba(220 ppm), Cr(245 ppm), Mn(1,060 ppm), P(1,000ppm) and Sr(577ppm) collected 100m north of drill hole CGRC009

Previous Related ASX Announcements:

² 3rd December 2020 – Drilling Results at Gindalbie Gold Project Yilgarn Craton WA

17th February 2022 – Drilling Completed at Gindalbie WA

4th April 2022 – RC Drilling Results at Canegrass, Gindalbie Project

15th November 2022 – IP Survey Commences at Canegrass Yilgarn Gold Project WA

9th December 2022 – IP Survey Completed at Canegrass WA

30th January 2023 Quarterly Activities report

27th February 2023 – Surface Exploration Commences at Canegrass WA

8th March 2023 – Surface Exploration of IP Targets at Canegrass Completed

5th April 2023 – Results of Surface Sampling at Canegrass WA

27th April 2023 – Quarterly Activities Report

¹ 3rd May 2023 - Soil Results from Surface Sampling at Canegrass WA

10th July 2023 – RC Drilling Commences at Canegrass and Holey Dam WA

3rd August 2023 RC Drilling Completed at Gindalbie Project (Canegrass/Holey Dam) WA

The Company reports that it is not aware of any new information or data that materially affects the information included in those announcements.

Competent Person Statement

The information in the report above that relates to Exploration Results, Exploration Targets and Mineral Resources is based on information compiled by Mr Mark Derriman, who is the Company's Consultant Geologist and a member of The Australian Institute of Geoscientists (1566). Mr Mark Derriman has sufficient experience that is relevant to the style of mineralization and type of deposit under consideration and to the activities which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Exploration Targets, Mineral Resources and Ore Reserves. Mr Mark Derriman consents to the inclusion in this report of matters based on his information in the form and context in which it appears.

Forward-Looking Statement

This document may include forward-looking statements. Forward-looking statements include, but are not limited to, statements concerning planned exploration program and other statements that are not historical facts. When used in this document, the words such as "could", "plan", "estimate", "expect", "intend", "may", "potential", "should" and similar expressions are forward-looking statements. Although Kaili Resources Limited believes that its expectations reflected in these forward-looking statements are reasonable, such statements involve risks and uncertainties and no assurance can be given that actual results will be consistent with these forward-looking statements.

Authorised by.

Long Zhao
Director/Company Secretary

Contact

T: +61 2 9264 6288 E : contact@kailigroup.com.au

For personal use only

JORC Code, 2012 Edition – Table 1 Gindalbie Project_(Canegrass EL 31/1113 and Holey Dam EL 27/550) RC Drilling Results Received – October 2023

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Reverse Circulation (RC) drilling was used to obtain 1m individual samples and 4m composites from the entire hole with the samples collected in pre numbered calico sample bags. Following the receipt of geochemical results 1m sub sampling will be completed on selected 4m composites The sampling technique was to obtain geochemical samples from the entire hole. Representative samples were collected from every meter and stored in plastic chip trays
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> Drilling was by RC Method The target zone is the lower saprolite / fresh rock interval
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> RC chips were collected every meter and a representative portion of each 4 meter sample was composited into a single sample for assay purposes and geological logging
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. 	<ul style="list-style-type: none"> All RC drill chips were geologically logged. Every meter was stored in plastic chip trays

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> A spear was used to collect the four meter composites Duplicate and OREAS standards were inserted every 25th sample in the sequence Duplicate/OREAS standard/Duplicate/OREAS Standard etc. for the entire sampling of the 9 RC drill holes
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<p>Each sample was submitted to ALS in Kalgoorlie for Au determination by method Au AA23 -30g with AAS finish</p> <p>Rare Earth Elements by MS81 method for BaCe Cr Cs Dy ErEu Ga Gd Hf Ho La Lu Nb Nd Pr Rb Sc Sm Sn Sr Ta Tb Th Ti Tm U V W Y Yb Zr with conversion factors use to convert element results to oxide results as below:</p> <p>Ce(1.1713), Dy(1,1477), Er(1.1435), Eu(1.1579), Gd(1,1526), Ho(1.1455), La(1.1728), Lu(1.1371), Nd(1.1664), Pr(1.1703), Sc(1.5338), Sm(1.1596), Tb(1.1510), Y(1.2699) and Yb(1.1387</p> <p>In addition, every meter was sampled using the Company's Evident Olympus pXRF (semi quantitative scan) with precision and accuracy in the order of 20% depending on the sample type A duplicate was inserted every 25th sample</p>

Verification of sampling and assaying

- *The verification of significant intersections by either independent or alternative company personnel.*
- *The use of twinned holes.*
- *Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.*
- *Discuss any adjustment to assay data.*

- Geochemical data generated by the sampling was checked by the Site Project Geologist

Location of data points

- *Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.*
- *Specification of the grid system used.*
- *Quality and adequacy of topographic control.*

- All drill holes have been initially surveyed using a hand-held GPS accurate to 3 meters.
- The grid system used in MGA 94, Zone 51.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	<ul style="list-style-type: none"> • <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> • <i>Whether sample compositing has been applied.</i> 	<ul style="list-style-type: none"> • Data spacing is appropriate for this stage of Exploration. • The drill spacing was designed to allow geochemical testing over broad areas • Two holes were drilled at Holey Dam and seven drilled at Canegrass. The holes were drilled randomly test IP chargeability targets and tow extend drill testing 100m south of the previous drill testing at Canegrass and Holey Dam
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> • <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> • <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> 	<ul style="list-style-type: none"> • The drillholes were inclined at -60 degrees and appropriate to test the base of saprolite/fresh rock interface
Sample security	<ul style="list-style-type: none"> • <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> • All samples were secured by field geologist and delivered to the laboratory after the drill program was completed.
Audits or reviews	<ul style="list-style-type: none"> • <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> • The sampling techniques were reviewed by the principal of geological consulting company Rocktiger who supervised the work program

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> Drilling was completed in EL31/1113 and E27/550 The tenements are owned by Kaili Gold Ltd, a subsidiary of Kaili Resources Ltd. The tenements are located in Western Australia approximately 70 km south north of Kalgoorlie. The locality of Kookynie within the Shire of Menzies is the nearest locality. There are no JVs and Royalties There is a current native title claim lodged by the Maduwongga People. A Heritage survey was completed across all drill areas before drilling commenced. All sites were cleared to be drilled
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Previous exploration has been completed within the region and tenement footprint of EL 31/1113 and EL 27/550 Rubicon drilled 1 line of (Rotary Air Blast Method) line in the north. The depth of drilling was between 15 and 70m as

Criteria	JORC Code explanation	Commentary
Geology	<ul style="list-style-type: none"> • <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> • The exploration target is Archaean mafic and felsic volcanics
Drill hole Information	<ul style="list-style-type: none"> • <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> ○ <i>easting and northing of the drill hole collar</i> ○ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> ○ <i>dip and azimuth of the hole</i> ○ <i>down hole length and interception depth</i> ○ <i>hole length.</i> • <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> 	<ul style="list-style-type: none"> • Hole collar information is detailed in the text of the announcement. • Hole collar survey has been completed using a handheld GPS and accurate to 3m.
Data aggregation methods	<ul style="list-style-type: none"> • <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> • <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> • <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> 	<ul style="list-style-type: none"> • N/A
Relationship between mineralisation widths and	<ul style="list-style-type: none"> • <i>These relationships are particularly important in the reporting of Exploration Results.</i> • <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> 	<ul style="list-style-type: none"> • All drill holes completed drilled at -60 degrees to the horizontal to test the lower saprolite/fresh rock interface

Criteria	JORC Code explanation	Commentary
<i>intercept lengths</i>	<ul style="list-style-type: none"> If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	
<i>Diagrams</i>	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> A map showing the drill collars in relation to EL 31/113 and E27/550 is the announcement.
<i>Balanced reporting</i>	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced avoiding misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> Exploration results are included with this announcement.
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> All geological data collected as part of the drilling is included in this announcement.
<i>Further work</i>	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> The next phase of exploration is a full review of the drilling data and planning for deeper drill testing down dip and along strike

pXRF Readings

HoleID	DepthFrom	DepthTo	Ba_ppm	Bi_ppm	Cu_ppm	Cu %	Mn_ppm	Mo_ppm	S_ppm	S%	Zn_ppm
CGRC008	0.00	1.00		0.00	32.81	0.00	169.61	0.00	482.91	0.05	84.15
CGRC008	1.00	2.00		0.00	84.49	0.01	135.87	0.00	419.39	0.04	55.75
CGRC008	2.00	3.00		0.00	55.78	0.01	140.30	0.00	493.59	0.05	94.47
CGRC008	3.00	4.00		18.73	34.51	0.00	117.15	0.00	0.00	0.00	13.26
CGRC008	4.00	5.00		12.21	25.09	0.00	40.56	0.00	113.43	0.01	323.00
CGRC008	5.00	6.00		0.00	24.67	0.00	0.00	0.00	592.13	0.06	0.00
CGRC008	6.00	7.00		0.00	76.35	0.01	97.62	0.00	192.50	0.02	51.74
CGRC008	7.00	8.00		11.88	93.29	0.01	84.88	0.00	0.00	0.00	60.80
CGRC008	8.00	9.00		10.67	95.67	0.01	118.50	0.00	84.09	0.01	132.69
CGRC008	9.00	10.00		20.41	79.34	0.01	128.64	0.00	199.98	0.02	42.75
CGRC008	10.00	11.00		20.72	44.43	0.00	90.89	0.00	0.00	0.00	48.68
CGRC008	11.00	12.00		15.62	13.42	0.00	121.94	0.00	0.00	0.00	14.17
CGRC008	12.00	13.00		14.03	18.55	0.00	135.06	0.00	331.37	0.03	163.72
CGRC008	13.00	14.00		12.85	17.94	0.00	151.29	0.00	478.04	0.05	76.29
CGRC008	14.00	15.00		0.00	20.44	0.00	184.09	0.00	0.00	0.00	51.58
CGRC008	15.00	16.00		15.43	24.61	0.00	167.07	0.00	388.74	0.04	87.11
CGRC008	16.00	17.00		12.24	28.15	0.00	133.68	0.00	173.81	0.02	88.84
CGRC008	17.00	18.00		17.63	40.24	0.00	113.53	0.00	147.84	0.01	52.66
CGRC008	18.00	19.00		18.14	46.08	0.00	180.33	0.00	281.72	0.03	30.20
CGRC008	19.00	20.00		16.77	47.51	0.00	159.73	0.00	195.72	0.02	142.82
CGRC008	20.00	21.00		0.00	63.77	0.01	290.90	6.23	0.00	0.00	11.00
CGRC008	21.00	22.00		0.00	52.35	0.01	243.60	0.00	0.00	0.00	111.47
CGRC008	22.00	23.00		14.31	44.75	0.00	271.08	0.00	0.00	0.00	78.87
CGRC008	23.00	24.00		10.38	15.16	0.00	258.06	0.00	189.65	0.02	19.31
CGRC008	24.00	25.00		0.00	15.17	0.00	264.14	0.00	0.00	0.00	54.53
CGRC008	25.00	26.00		15.05	15.26	0.00	222.67	0.00	227.02	0.02	42.27
CGRC008	26.00	27.00		0.00	0.00	0.00	211.18	0.00	0.00	0.00	28.73
CGRC008	27.00	28.00		10.25	15.20	0.00	418.72	0.00	0.00	0.00	58.32
CGRC008	28.00	29.00		0.00	0.00	0.00	585.31	0.00	0.00	0.00	80.79
CGRC008	29.00	30.00		17.23	0.00	0.00	413.39	0.00	0.00	0.00	73.88
CGRC008	30.00	31.00		0.00	20.15	0.00	535.16	0.00	750.09	0.08	96.40
CGRC008	31.00	32.00		0.00	8.09	0.00	284.49	0.00	738.59	0.07	99.96
CGRC008	32.00	33.00		0.00	0.00	0.00	280.37	0.00	952.64	0.10	87.74
CGRC008	33.00	34.00		13.32	0.00	0.00	226.99	0.00	802.89	0.08	274.68
CGRC008	34.00	35.00		0.00	0.00	0.00	317.56	0.00	859.73	0.09	94.94
CGRC008	35.00	36.00		11.64	0.00	0.00	382.72	0.00	0.00	0.00	48.03
CGRC008	36.00	37.00		0.00	0.00	0.00	492.45	0.00	529.35	0.05	110.83
CGRC008	37.00	38.00		11.98	0.00	0.00	395.26	0.00	604.69	0.06	21.37
CGRC008	38.00	39.00		0.00	0.00	0.00	406.03	0.00	323.29	0.03	139.01
CGRC008	39.00	40.00		0.00	6.76	0.00	401.04	0.00	279.49	0.03	43.99

pXRF Readings

HoleID	DepthFrom	DepthTo	Ba_ppm	Bi_ppm	Cu_ppm	Cu %	Mn_ppm	Mo_ppm	S_ppm	S%	Zn_ppm
CGRC008	40.00	41.00		0.00	23.68	0.00	338.97	0.00	0.00	0.00	32.22
CGRC008	41.00	42.00		0.00	0.00	0.00	568.41	0.00	0.00	0.00	54.34
CGRC008	42.00	43.00		0.00	7.27	0.00	407.47	0.00	0.00	0.00	46.23
CGRC008	43.00	44.00		15.55	13.38	0.00	555.48	0.00	0.00	0.00	54.77
CGRC008	44.00	45.00		0.00	0.00	0.00	507.72	0.00	0.00	0.00	36.65
CGRC008	45.00	46.00		0.00	0.00	0.00	609.49	0.00	0.00	0.00	30.19
CGRC008	46.00	47.00		0.00	0.00	0.00	571.93	0.00	0.00	0.00	34.61
CGRC008	47.00	48.00		16.09	0.00	0.00	510.75	0.00	0.00	0.00	35.22
CGRC008	48.00	49.00		10.49	0.00	0.00	568.80	0.00	0.00	0.00	43.45
CGRC008	49.00	50.00		0.00	0.00	0.00	576.33	0.00	0.00	0.00	40.97
CGRC008	50.00	51.00		0.00	0.00	0.00	650.89	0.00	0.00	0.00	43.03
CGRC008	51.00	52.00		0.00	0.00	0.00	539.73	0.00	0.00	0.00	40.04
CGRC008	52.00	53.00		0.00	0.00	0.00	573.24	0.00	0.00	0.00	38.31
CGRC008	53.00	54.00		0.00	0.00	0.00	641.76	0.00	0.00	0.00	42.71
CGRC008	54.00	55.00		0.00	0.00	0.00	525.56	0.00	0.00	0.00	38.54
CGRC008	55.00	56.00		0.00	0.00	0.00	550.79	0.00	0.00	0.00	39.33
CGRC008	56.00	57.00		0.00	0.00	0.00	706.34	0.00	0.00	0.00	51.68
CGRC008	57.00	58.00		10.53	0.00	0.00	569.92	0.00	0.00	0.00	48.67
CGRC008	58.00	59.00		0.00	0.00	0.00	602.85	0.00	0.00	0.00	46.02
CGRC008	59.00	60.00		0.00	0.00	0.00	670.64	0.00	0.00	0.00	49.43
CGRC008	60.00	61.00		0.00	0.00	0.00	602.87	0.00	0.00	0.00	36.12
CGRC008	61.00	62.00		0.00	0.00	0.00	649.56	0.00	0.00	0.00	32.07
CGRC008	62.00	63.00		16.84	0.00	0.00	283.06	0.00	0.00	0.00	6.66
CGRC008	63.00	64.00		12.19	0.00	0.00	251.09	0.00	0.00	0.00	9.71
CGRC008	64.00	65.00		11.56	0.00	0.00	76.71	0.00	0.00	0.00	0.00
CGRC008	65.00	66.00		9.27	0.00	0.00	63.91	0.00	0.00	0.00	9.56
CGRC008	66.00	67.00		19.47	0.00	0.00	98.45	0.00	0.00	0.00	0.00
CGRC008	67.00	68.00		11.92	10.73	0.00	98.07	0.00	0.00	0.00	0.00
CGRC008	68.00	69.00		9.54	9.35	0.00	202.41	0.00	0.00	0.00	15.13
CGRC008	69.00	70.00		16.42	0.00	0.00	341.24	0.00	0.00	0.00	30.13
CGRC008	70.00	71.00		0.00	0.00	0.00	245.36	0.00	0.00	0.00	29.56
CGRC008	71.00	72.00		0.00	9.96	0.00	387.14	0.00	0.00	0.00	23.77
CGRC008	72.00	73.00		10.95	16.07	0.00	305.84	28.13	272.72	0.03	460.00
CGRC008	73.00	74.00		0.00	19.64	0.00	874.21	0.00	0.00	0.00	57.44
CGRC008	74.00	75.00		14.92	19.25	0.00	996.11	0.00	0.00	0.00	65.01
CGRC008	75.00	76.00		13.40	0.00	0.00	998.99	0.00	0.00	0.00	81.55
CGRC008	76.00	77.00		11.23	10.52	0.00	964.66	0.00	0.00	0.00	78.84
CGRC008	77.00	78.00		0.00	35.56	0.00	955.10	0.00	0.00	0.00	72.19
CGRC008	78.00	79.00		0.00	52.06	0.01	644.02	0.00	1473.88	0.15	166.18
CGRC008	79.00	80.00		0.00	13.31	0.00	585.68	0.00	367.16	0.04	65.11

For personal use only

pXRF Readings

HoleID	DepthFrom	DepthTo	Ba_ppm	Bi_ppm	Cu_ppm	Cu %	Mn_ppm	Mo_ppm	S_ppm	S%	Zn_ppm
CGRC008	80.00	81.00		0.00	21.14	0.00	662.41	0.00	567.96	0.06	41.26
CGRC008	81.00	82.00		15.06	56.14	0.01	323.02	0.00	0.00	0.00	69.90
CGRC008	82.00	83.00		0.00	20.58	0.00	247.91	0.00	0.00	0.00	57.48
CGRC008	83.00	84.00		0.00	19.13	0.00	256.41	0.00	0.00	0.00	57.65
CGRC008	84.00	85.00		0.00	0.00	0.00	236.06	0.00	0.00	0.00	50.66
CGRC008	85.00	86.00		0.00	15.21	0.00	269.23	0.00	0.00	0.00	54.09
CGRC008	86.00	87.00		10.13	12.03	0.00	264.60	0.00	0.00	0.00	54.05
CGRC008	87.00	88.00		0.00	7.83	0.00	217.99	0.00	0.00	0.00	48.34
CGRC008	88.00	89.00		0.00	7.20	0.00	236.51	0.00	0.00	0.00	45.01
CGRC008	89.00	90.00		0.00	0.00	0.00	454.97	0.00	0.00	0.00	88.23
CGRC008	90.00	91.00		15.19	47.86	0.00	889.69	0.00	1235.28	0.12	179.24
CGRC008	91.00	92.00		0.00	111.16	0.01	749.55	0.00	1257.70	0.13	95.62
CGRC008	92.00	93.00		0.00	74.97	0.01	603.69	0.00	609.08	0.06	25.18
CGRC008	93.00	94.00		0.00	44.03	0.00	547.95	0.00	0.00	0.00	105.24
CGRC008	94.00	95.00		12.78	22.49	0.00	249.27	0.00	186.49	0.02	44.43
CGRC008	95.00	96.00		0.00	20.67	0.00	332.51	0.00	0.00	0.00	71.59
CGRC008	96.00	97.00		13.10	14.68	0.00	201.42	0.00	557.41	0.06	81.81
CGRC008	97.00	98.00		0.00	22.08	0.00	207.80	0.00	0.00	0.00	67.30
CGRC008	98.00	99.00		0.00	23.15	0.00	228.93	0.00	709.73	0.07	16.10
CGRC008	99.00	100.00		0.00	62.85	0.01	1047.24	0.00	0.00	0.00	104.80
CGRC008	100.00	101.00		12.97	41.60	0.00	1039.43	0.00	419.79	0.04	65.61
CGRC008	101.00	102.00		0.00	35.21	0.00	1096.57	0.00	0.00	0.00	99.61
CGRC008	102.00	103.00		0.00	18.02	0.00	268.75	0.00	603.97	0.06	219.85
CGRC008	103.00	104.00		9.75	13.84	0.00	344.71	0.00	108.18	0.01	206.62
CGRC008	104.00	105.00		11.05	25.55	0.00	1142.88	0.00	0.00	0.00	87.84
CGRC008	105.00	106.00		0.00	40.59	0.00	1157.44	0.00	1027.16	0.10	179.58
CGRC008	106.00	107.00		0.00	29.77	0.00	1232.82	0.00	1037.71	0.10	50.55
CGRC008	107.00	108.00		0.00	35.45	0.00	1033.09	0.00	708.05	0.07	79.78
CGRC008	108.00	109.00		0.00	9.91	0.00	959.04	0.00	0.00	0.00	72.75
CGRC008	109.00	110.00		0.00	0.00	0.00	1037.12	0.00	0.00	0.00	64.15
CGRC008	110.00	111.00		13.41	0.00	0.00	944.45	0.00	0.00	0.00	88.55
CGRC008	111.00	112.00		17.38	34.73	0.00	1055.53	0.00	0.00	0.00	69.26
CGRC008	112.00	113.00		12.24	75.82	0.01	977.62	0.00	449.22	0.04	122.81
CGRC008	113.00	114.00		11.33	58.04	0.01	1046.81	0.00	162.07	0.02	40.48
CGRC008	114.00	115.00		14.84	0.00	0.00	975.62	0.00	0.00	0.00	62.36
CGRC008	115.00	116.00		18.54	0.00	0.00	1013.42	0.00	0.00	0.00	57.86
CGRC008	116.00	117.00		13.62	13.92	0.00	1022.57	0.00	0.00	0.00	61.86
CGRC008	117.00	118.00		0.00	16.26	0.00	1054.85	0.00	0.00	0.00	57.25
CGRC008	118.00	119.00		0.00	0.00	0.00	1052.66	0.00	0.00	0.00	58.85
CGRC008	119.00	120.00		0.00	14.38	0.00	1029.76	0.00	0.00	0.00	72.13

For personal use only

pXRF Readings

HoleID	DepthFrom	DepthTo	Ba_ppm	Bi_ppm	Cu_ppm	Cu %	Mn_ppm	Mo_ppm	S_ppm	S%	Zn_ppm
CGRC008	120.00	121.00		24.12	8.69	0.00	543.63	0.00	2170.13	0.22	77.63
CGRC008	121.00	122.00		19.66	16.58	0.00	542.48	0.00	342.94	0.03	40.68
CGRC008	122.00	123.00		0.00	15.47	0.00	656.34	0.00	603.99	0.06	29.21
CGRC008	123.00	124.00		0.00	10.99	0.00	923.72	0.00	0.00	0.00	72.46
CGRC008	124.00	125.00		0.00	0.00	0.00	816.60	0.00	0.00	0.00	74.31
CGRC008	125.00	126.00		13.59	26.63	0.00	443.09	0.00	442.14	0.04	67.76
CGRC008	126.00	127.00		0.00	20.67	0.00	967.38	0.00	184.89	0.02	169.28
CGRC008	127.00	128.00		0.00	0.00	0.00	1000.67	0.00	0.00	0.00	63.76
CGRC008	128.00	129.00		16.66	0.00	0.00	917.23	0.00	0.00	0.00	65.48
CGRC008	129.00	130.00		13.80	0.00	0.00	1024.50	0.00	0.00	0.00	70.85
CGRC008	130.00	131.00		13.72	12.62	0.00	966.87	0.00	0.00	0.00	67.10
CGRC008	131.00	132.00		0.00	28.48	0.00	1043.09	0.00	0.00	0.00	66.19
CGRC008	132.00	133.00		11.09	29.78	0.00	974.48	0.00	292.33	0.03	47.10
CGRC008	133.00	134.00		0.00	15.02	0.00	992.87	0.00	0.00	0.00	60.57
CGRC008	134.00	135.00		18.71	0.00	0.00	925.38	0.00	0.00	0.00	68.75
CGRC008	135.00	136.00		16.42	0.00	0.00	995.29	0.00	0.00	0.00	68.69
CGRC008	136.00	137.00		0.00	9.22	0.00	955.99	0.00	0.00	0.00	58.46
CGRC008	137.00	138.00		17.10	0.00	0.00	1051.91	0.00	0.00	0.00	66.97
CGRC008	138.00	139.00		0.00	0.00	0.00	1021.68	0.00	0.00	0.00	75.56
CGRC008	139.00	140.00		14.49	0.00	0.00	956.55	0.00	266.59	0.03	95.98
CGRC008	140.00	141.00		18.79	13.02	0.00	1070.45	0.00	0.00	0.00	74.03
CGRC008	141.00	142.00		10.83	0.00	0.00	1038.54	0.00	0.00	0.00	76.35
CGRC008	142.00	143.00		11.94	0.00	0.00	1013.80	0.00	0.00	0.00	67.78
CGRC008	143.00	144.00		12.39	0.00	0.00	684.14	0.00	0.00	0.00	42.40
CGRC008	144.00	145.00		17.54	0.00	0.00	67.71	0.00	479.82	0.05	133.54
CGRC008	145.00	146.00		12.80	0.00	0.00	638.78	0.00	0.00	0.00	39.22
CGRC008	146.00	147.00		0.00	8.19	0.00	896.23	0.00	0.00	0.00	63.37
CGRC008	147.00	148.00		11.49	0.00	0.00	1044.76	0.00	0.00	0.00	82.26
CGRC008	148.00	149.00		0.00	11.27	0.00	1118.73	0.00	0.00	0.00	70.42
CGRC008	149.00	150.00		0.00	18.28	0.00	1000.41	0.00	106.51	0.01	186.82
CGRC008	150.00	151.00		12.69	0.00	0.00	922.14	0.00	0.00	0.00	66.30
CGRC008	151.00	152.00		10.73	0.00	0.00	953.27	7.80	0.00	0.00	283.00
CGRC008	152.00	153.00		0.00	0.00	0.00	1073.01	0.00	0.00	0.00	94.29
CGRC008	153.00	154.00		11.15	0.00	0.00	998.59	0.00	0.00	0.00	72.90
CGRC008	154.00	155.00		0.00	0.00	0.00	1169.72	5.06	0.00	0.00	106.00
CGRC008	155.00	156.00		12.93	0.00	0.00	1264.33	0.00	0.00	0.00	92.81
CGRC008	156.00	157.00		0.00	0.00	0.00	1080.72	0.00	0.00	0.00	81.34
CGRC008	157.00	158.00		12.96	0.00	0.00	1087.24	0.00	0.00	0.00	77.85
CGRC008	158.00	159.00		14.76	0.00	0.00	929.63	0.00	0.00	0.00	65.33
CGRC008	159.00	160.00		0.00	0.00	0.00	983.87	0.00	0.00	0.00	65.01

For personal use only

pXRF Readings

HoleID	DepthFrom	DepthTo	Ba_ppm	Bi_ppm	Cu_ppm	Cu %	Mn_ppm	Mo_ppm	S_ppm	S%	Zn_ppm
CGRC008	160.00	161.00		14.99	0.00	0.00	956.36	0.00	0.00	0.00	67.12
CGRC008	161.00	162.00		0.00	0.00	0.00	914.94	0.00	0.00	0.00	70.10
CGRC008	162.00	163.00		13.96	0.00	0.00	920.73	0.00	0.00	0.00	60.95
CGRC008	163.00	164.00		0.00	0.00	0.00	906.33	0.00	0.00	0.00	66.85
CGRC008	164.00	165.00		0.00	9.32	0.00	961.02	0.00	0.00	0.00	79.06
CGRC008	165.00	166.00		12.98	0.00	0.00	929.40	0.00	0.00	0.00	80.49
CGRC008	166.00	167.00		11.58	9.45	0.00	926.56	0.00	0.00	0.00	68.96
CGRC008	167.00	168.00		0.00	20.18	0.00	929.31	0.00	0.00	0.00	59.17
CGRC008	168.00	169.00		0.00	0.00	0.00	948.90	0.00	0.00	0.00	57.67
CGRC008	169.00	170.00		0.00	0.00	0.00	901.50	0.00	0.00	0.00	64.36
CGRC008	170.00	171.00		10.81	0.00	0.00	982.05	0.00	0.00	0.00	60.83
CGRC008	171.00	172.00		0.00	0.00	0.00	929.37	0.00	0.00	0.00	66.10
CGRC008	172.00	173.00		13.72	0.00	0.00	1029.37	0.00	0.00	0.00	69.37
CGRC008	173.00	174.00		18.80	18.49	0.00	932.90	0.00	0.00	0.00	59.34
CGRC008	174.00	175.00		11.60	17.71	0.00	961.62	0.00	0.00	0.00	60.63
CGRC008	175.00	176.00		13.93	26.06	0.00	980.46	0.00	0.00	0.00	61.92
CGRC009	0.00	1.00		11.35	20.48	0.00	201.59	0.00	486.68	0.05	182.68
CGRC009	1.00	2.00		13.64	16.10	0.00	194.43	0.00	295.30	0.03	37.45
CGRC009	2.00	3.00		22.70	19.13	0.00	136.06	0.00	87.07	0.01	136.58
CGRC009	3.00	4.00		23.90	25.83	0.00	177.22	0.00	0.00	0.00	37.64
CGRC009	4.00	5.00		15.98	19.90	0.00	221.37	0.00	467.54	0.05	82.67
CGRC009	5.00	6.00		17.84	34.47	0.00	307.27	0.00	89.38	0.01	148.32
CGRC009	6.00	7.00		0.00	25.66	0.00	226.75	0.00	242.30	0.02	181.81
CGRC009	7.00	8.00		12.69	57.57	0.01	247.66	0.00	233.52	0.02	38.37
CGRC009	8.00	9.00		14.52	49.05	0.00	398.76	0.00	177.09	0.02	84.80
CGRC009	9.00	10.00		11.30	50.99	0.01	549.58	0.00	0.00	0.00	44.40
CGRC009	10.00	11.00		0.00	36.25	0.00	548.13	0.00	111.63	0.01	214.09
CGRC009	11.00	12.00		0.00	68.04	0.01	630.56	0.00	216.11	0.02	70.22
CGRC009	12.00	13.00		0.00	36.93	0.00	613.69	0.00	0.00	0.00	54.52
CGRC009	13.00	14.00		13.41	30.43	0.00	629.49	0.00	0.00	0.00	56.23
CGRC009	14.00	15.00		0.00	50.44	0.01	613.31	0.00	0.00	0.00	50.19
CGRC009	15.00	16.00		11.68	38.85	0.00	611.26	0.00	0.00	0.00	44.72
CGRC009	16.00	17.00		0.00	24.36	0.00	589.78	0.00	0.00	0.00	58.87
CGRC009	17.00	18.00		0.00	25.76	0.00	659.40	0.00	0.00	0.00	63.68
CGRC009	18.00	19.00		0.00	24.79	0.00	696.48	0.00	0.00	0.00	57.00
CGRC009	19.00	20.00		0.00	23.15	0.00	651.95	0.00	0.00	0.00	50.05
CGRC009	20.00	21.00		0.00	21.32	0.00	666.93	0.00	0.00	0.00	53.37
CGRC009	21.00	22.00		0.00	19.26	0.00	551.25	0.00	71.77	0.01	129.77
CGRC009	22.00	23.00		0.00	31.67	0.00	656.79	0.00	0.00	0.00	49.79
CGRC009	23.00	24.00		0.00	23.55	0.00	690.51	0.00	0.00	0.00	63.38

pXRF Readings

HoleID	DepthFrom	DepthTo	Ba_ppm	Bi_ppm	Cu_ppm	Cu %	Mn_ppm	Mo_ppm	S_ppm	S%	Zn_ppm
CGRC009	24.00	25.00		0.00	33.95	0.00	715.41	0.00	0.00	0.00	65.45
CGRC009	25.00	26.00		0.00	32.08	0.00	686.39	0.00	0.00	0.00	54.68
CGRC009	26.00	27.00		13.45	45.59	0.00	681.35	0.00	0.00	0.00	57.33
CGRC009	27.00	28.00		17.54	38.11	0.00	733.16	0.00	0.00	0.00	67.13
CGRC009	28.00	29.00		0.00	62.94	0.01	685.31	0.00	0.00	0.00	74.61
CGRC009	29.00	30.00		0.00	116.63	0.01	788.33	15.03	0.00	0.00	1090.00
CGRC009	30.00	31.00		0.00	144.26	0.01	659.78	0.00	0.00	0.00	84.29
CGRC009	31.00	32.00		0.00	63.81	0.01	687.80	0.00	0.00	0.00	72.66
CGRC009	32.00	33.00		0.00	39.73	0.00	633.28	0.00	0.00	0.00	67.08
CGRC009	33.00	34.00		11.39	45.67	0.00	619.47	0.00	0.00	0.00	61.23
CGRC009	34.00	35.00		0.00	38.25	0.00	647.41	0.00	0.00	0.00	66.47
CGRC009	35.00	36.00		0.00	40.15	0.00	496.14	0.00	0.00	0.00	67.53
CGRC009	36.00	37.00		16.63	30.46	0.00	514.70	0.00	0.00	0.00	49.84
CGRC009	37.00	38.00		0.00	23.38	0.00	555.16	0.00	0.00	0.00	53.05
CGRC009	38.00	39.00		0.00	36.25	0.00	685.13	0.00	0.00	0.00	53.38
CGRC009	39.00	40.00		0.00	58.91	0.01	587.26	0.00	0.00	0.00	60.89
CGRC009	40.00	41.00		0.00	127.81	0.01	630.89	0.00	189.99	0.02	92.33
CGRC009	41.00	42.00		0.00	32.54	0.00	805.59	0.00	305.45	0.03	100.96
CGRC009	42.00	43.00		0.00	11.31	0.00	917.76	0.00	0.00	0.00	109.53
CGRC009	43.00	44.00		34.33	10261.22	1.03	539.40	533.53	8909.45	0.89	44.00
CGRC009	44.00	45.00		644.44	0.00	0.00	266.05	0.00	0.00	0.00	0.00
CGRC009	45.00	46.00		16.67	309.35	0.03	423.88	0.00	0.00	0.00	44.21
CGRC009	46.00	47.00		16.56	1116.69	0.11	800.29	0.00	34378.08	3.44	107.00
CGRC009	47.00	48.00		13.51	2601.47	0.26	428.19	6.80	6796.04	0.68	52.00
CGRC009	48.00	49.00		0.00	25.50	0.00	596.14	0.00	172.47	0.02	99.74
CGRC009	49.00	50.00		17.97	56.75	0.01	316.32	0.00	0.00	0.00	39.50
CGRC009	50.00	51.00		11.36	42.87	0.00	340.58	0.00	0.00	0.00	44.37
CGRC009	51.00	52.00		0.00	77.48	0.01	510.98	0.00	0.00	0.00	72.16
CGRC009	52.00	53.00		0.00	77.64	0.01	506.60	0.00	0.00	0.00	70.72
CGRC009	53.00	54.00		0.00	63.53	0.01	464.48	0.00	0.00	0.00	47.85
CGRC009	54.00	55.00		14.94	50.02	0.01	413.06	0.00	0.00	0.00	53.07
CGRC009	55.00	56.00		0.00	44.97	0.00	464.63	0.00	0.00	0.00	67.86
CGRC009	56.00	57.00		0.00	60.02	0.01	1214.59	0.00	158.81	0.02	85.79
CGRC009	57.00	58.00		14.39	32.88	0.00	1550.37	0.00	0.00	0.00	87.38
CGRC009	58.00	59.00		18.40	36.23	0.00	1077.16	0.00	68.50	0.01	127.84
CGRC009	59.00	60.00		11.97	37.73	0.00	1257.94	0.00	0.00	0.00	75.40
CGRC009	60.00	61.00		14.18	39.05	0.00	1200.04	0.00	0.00	0.00	75.11
CGRC009	61.00	62.00		0.00	37.46	0.00	1224.02	0.00	0.00	0.00	84.46
CGRC009	62.00	63.00		0.00	59.02	0.01	800.08	0.00	0.00	0.00	58.59
CGRC009	63.00	64.00		18.35	45.10	0.00	858.99	0.00	0.00	0.00	70.85

For personal use only

pXRF Readings

HoleID	DepthFrom	DepthTo	Ba_ppm	Bi_ppm	Cu_ppm	Cu %	Mn_ppm	Mo_ppm	S_ppm	S%	Zn_ppm
CGRC009	64.00	65.00		0.00	13.98	0.00	1147.48	0.00	0.00	0.00	107.57
CGRC009	65.00	66.00		0.00	70.19	0.01	917.04	0.00	0.00	0.00	105.52
CGRC009	66.00	67.00		0.00	143.66	0.01	1458.72	0.00	0.00	0.00	108.10
CGRC009	67.00	68.00		0.00	55.65	0.01	1261.77	0.00	0.00	0.00	100.00
CGRC009	68.00	69.00		11.64	70.94	0.01	1215.40	0.00	0.00	0.00	99.19
CGRC009	69.00	70.00		12.39	58.09	0.01	1222.36	0.00	0.00	0.00	105.13
CGRC009	70.00	71.00		16.06	27.91	0.00	936.21	0.00	0.00	0.00	104.73
CGRC009	71.00	72.00		0.00	33.22	0.00	1075.61	0.00	0.00	0.00	89.18
CGRC009	72.00	73.00		0.00	38.26	0.00	679.95	0.00	0.00	0.00	100.67
CGRC009	73.00	74.00		12.44	41.85	0.00	651.37	0.00	0.00	0.00	106.34
CGRC009	74.00	75.00		13.87	36.84	0.00	619.22	0.00	0.00	0.00	98.06
CGRC009	75.00	76.00		11.62	34.40	0.00	584.84	0.00	0.00	0.00	89.81
CGRC009	76.00	77.00		0.00	31.27	0.00	634.79	0.00	0.00	0.00	87.22
CGRC009	77.00	78.00		0.00	18.92	0.00	671.83	0.00	0.00	0.00	97.18
CGRC009	78.00	79.00		0.00	40.66	0.00	654.63	0.00	0.00	0.00	83.15
CGRC009	79.00	80.00		0.00	37.53	0.00	838.90	0.00	0.00	0.00	82.25
CGRC009	80.00	81.00		0.00	32.43	0.00	1039.06	0.00	0.00	0.00	75.70
CGRC009	81.00	82.00		0.00	30.12	0.00	953.31	0.00	200.56	0.02	95.18
CGRC009	82.00	83.00		0.00	31.95	0.00	855.10	0.00	99.52	0.01	168.76
CGRC009	83.00	84.00		13.40	199.23	0.02	1149.21	0.00	4727.89	0.47	97.17
CGRC009	84.00	85.00		11.96	158.67	0.02	1226.04	0.00	5661.86	0.57	146.54
CGRC009	85.00	86.00		0.00	49.19	0.00	785.57	0.00	333.73	0.03	73.21
CGRC009	86.00	87.00		11.24	43.83	0.00	749.95	0.00	0.00	0.00	73.94
CGRC009	87.00	88.00		0.00	82.27	0.01	894.55	0.00	0.00	0.00	100.80
CGRC009	88.00	89.00		19.34	77.62	0.01	1117.70	0.00	357.14	0.04	22.63
CGRC009	89.00	90.00		0.00	54.80	0.01	651.13	0.00	1011.85	0.10	79.45
CGRC009	90.00	91.00		0.00	98.25	0.01	946.04	0.00	548.83	0.05	92.23
CGRC009	91.00	92.00		0.00	85.92	0.01	990.49	0.00	421.62	0.04	20.80
CGRC009	92.00	93.00		0.00	66.76	0.01	951.25	0.00	500.05	0.05	97.30
CGRC009	93.00	94.00		0.00	36.86	0.00	838.48	0.00	0.00	0.00	94.95
CGRC009	94.00	95.00		12.40	51.44	0.01	1274.95	0.00	0.00	0.00	97.54
CGRC009	95.00	96.00		0.00	32.80	0.00	967.53	0.00	1200.24	0.12	53.16
CGRC009	96.00	97.00		13.60	10.06	0.00	869.01	0.00	0.00	0.00	85.98
CGRC009	97.00	98.00		0.00	69.37	0.01	1103.08	0.00	0.00	0.00	98.99
CGRC009	98.00	99.00		0.00	57.96	0.01	1093.99	0.00	146.22	0.01	83.69
CGRC009	99.00	100.00		0.00	25.55	0.00	964.62	0.00	0.00	0.00	56.25
CGRC009	100.00	101.00		0.00	37.21	0.00	1077.12	0.00	0.00	0.00	82.11
CGRC009	101.00	102.00		0.00	30.82	0.00	700.71	0.00	0.00	0.00	53.56
CGRC009	102.00	103.00		0.00	55.61	0.01	1174.67	0.00	515.96	0.05	108.33
CGRC009	103.00	104.00		0.00	70.41	0.01	968.42	0.00	1049.02	0.10	76.60

pXRF Readings

HoleID	DepthFrom	DepthTo	Ba_ppm	Bi_ppm	Cu_ppm	Cu %	Mn_ppm	Mo_ppm	S_ppm	S%	Zn_ppm
CGRC009	104.00	105.00		0.00	35.13	0.00	880.25	0.00	0.00	0.00	82.90
CGRC009	105.00	106.00		0.00	34.71	0.00	799.25	0.00	0.00	0.00	81.37
CGRC009	106.00	107.00		0.00	41.06	0.00	740.52	0.00	0.00	0.00	65.10
CGRC009	107.00	108.00		0.00	53.10	0.01	919.78	0.00	0.00	0.00	76.33
CGRC009	108.00	109.00		0.00	46.67	0.00	569.25	0.00	0.00	0.00	64.28
CGRC009	109.00	110.00		0.00	0.00	0.00	47.06	5.39	0.00	0.00	76.00
CGRC009	110.00	111.00		17.98	10006.30	1.00	516.97	538.52	7413.71	0.74	95.00
CGRC009	111.00	112.00		683.79	0.00	0.00	225.87	0.00	0.00	0.00	433.00
CGRC009	112.00	113.00		0.00	309.78	0.03	437.26	0.00	0.00	0.00	40.75
CGRC009	113.00	114.00		0.00	1080.53	0.11	784.21	0.00	35075.13	3.51	64.49
CGRC009	114.00	115.00		19.96	2638.35	0.26	440.30	5.27	5365.70	0.54	65.00
CGRC009	115.00	116.00		13.52	33.38	0.00	354.14	0.00	0.00	0.00	36.50
CGRC009	116.00	117.00		14.48	30.38	0.00	288.46	0.00	169.62	0.02	60.34
CGRC009	117.00	118.00		0.00	33.25	0.00	567.96	0.00	0.00	0.00	57.90
CGRC009	118.00	119.00		16.24	31.31	0.00	272.91	0.00	0.00	0.00	41.63
CGRC009	119.00	120.00		0.00	28.85	0.00	822.91	0.00	0.00	0.00	70.62
CGRC009	120.00	121.00		0.00	26.28	0.00	828.33	0.00	0.00	0.00	73.30
CGRC009	121.00	122.00		0.00	26.21	0.00	427.62	0.00	161.88	0.02	41.01
CGRC009	122.00	123.00		13.50	31.14	0.00	752.37	0.00	0.00	0.00	72.82
CGRC009	123.00	124.00		0.00	44.70	0.00	940.54	0.00	88.32	0.01	139.96
CGRC009	124.00	125.00		0.00	58.40	0.01	796.12	0.00	0.00	0.00	89.59
CGRC009	125.00	126.00		0.00	66.83	0.01	874.13	0.00	241.60	0.02	42.55
CGRC009	126.00	127.00		11.94	61.98	0.01	932.96	0.00	0.00	0.00	93.42
CGRC009	127.00	128.00		0.00	40.08	0.00	923.56	0.00	0.00	0.00	93.58
CGRC009	128.00	129.00		0.00	42.93	0.00	997.81	0.00	0.00	0.00	101.21
CGRC009	129.00	130.00		0.00	62.52	0.01	946.48	0.00	0.00	0.00	81.46
CGRC009	130.00	131.00		0.00	48.31	0.00	877.88	0.00	0.00	0.00	93.85
CGRC009	131.00	132.00		0.00	55.10	0.01	813.00	0.00	0.00	0.00	82.02
CGRC009	132.00	133.00		0.00	48.11	0.00	808.65	0.00	0.00	0.00	81.47
CGRC009	133.00	134.00		0.00	44.96	0.00	833.49	0.00	0.00	0.00	79.14
CGRC009	134.00	135.00		0.00	34.01	0.00	761.02	0.00	0.00	0.00	87.18
CGRC009	135.00	136.00		0.00	38.12	0.00	820.99	0.00	0.00	0.00	95.62
CGRC009	136.00	137.00		0.00	28.14	0.00	756.58	0.00	0.00	0.00	89.73
CGRC009	137.00	138.00		0.00	32.90	0.00	860.51	0.00	0.00	0.00	95.27
CGRC009	138.00	139.00		0.00	76.44	0.01	897.55	0.00	0.00	0.00	98.57
CGRC009	139.00	140.00		0.00	69.50	0.01	908.28	0.00	0.00	0.00	103.99
CGRC009	140.00	141.00		0.00	25.03	0.00	1342.33	0.00	0.00	0.00	110.81
CGRC009	141.00	142.00		0.00	25.84	0.00	1374.73	0.00	0.00	0.00	108.36
CGRC009	142.00	143.00		0.00	44.25	0.00	1199.71	0.00	150.30	0.02	61.68
CGRC009	143.00	144.00		0.00	61.55	0.01	774.72	0.00	0.00	0.00	94.04

For personal use only

pXRF Readings

HoleID	DepthFrom	DepthTo	Ba_ppm	Bi_ppm	Cu_ppm	Cu %	Mn_ppm	Mo_ppm	S_ppm	S%	Zn_ppm
CGRC009	144.00	145.00		0.00	38.72	0.00	747.62	0.00	0.00	0.00	89.55
CGRC009	145.00	146.00		12.69	46.66	0.00	713.28	0.00	124.69	0.01	459.94
CGRC009	146.00	147.00		11.90	27.89	0.00	836.95	0.00	0.00	0.00	86.75
CGRC009	147.00	148.00		13.38	77.15	0.01	900.54	0.00	536.58	0.05	76.83
CGRC009	148.00	149.00		0.00	108.62	0.01	790.44	0.00	713.82	0.07	30.23
CGRC009	149.00	150.00		0.00	64.11	0.01	962.89	0.00	275.37	0.03	47.87
CGRC009	150.00	151.00		0.00	25.18	0.00	768.33	0.00	0.00	0.00	89.05
CGRC009	151.00	152.00		0.00	26.12	0.00	1113.48	0.00	0.00	0.00	81.90
CGRC009	152.00	153.00		0.00	14.88	0.00	827.15	0.00	0.00	0.00	78.91
CGRC009	153.00	154.00		0.00	31.69	0.00	677.66	0.00	0.00	0.00	72.21
CGRC009	154.00	155.00		0.00	48.35	0.00	769.98	0.00	0.00	0.00	81.97
CGRC009	155.00	156.00		12.00	34.94	0.00	784.02	0.00	253.52	0.03	58.28
CGRC009	156.00	157.00		0.00	40.37	0.00	1029.61	0.00	0.00	0.00	95.13
CGRC009	157.00	158.00		0.00	57.70	0.01	789.01	0.00	0.00	0.00	92.29
CGRC009	158.00	159.00		0.00	213.62	0.02	844.14	0.00	0.00	0.00	96.24
CGRC009	159.00	160.00		0.00	43.92	0.00	809.88	0.00	100.62	0.01	175.15
CGRC009	160.00	161.00		0.00	59.37	0.01	871.32	0.00	782.42	0.08	101.64
CGRC009	161.00	162.00		0.00	46.04	0.00	818.63	0.00	270.46	0.03	77.30
CGRC009	162.00	163.00		0.00	50.54	0.01	781.89	0.00	462.47	0.05	35.67
CGRC009	163.00	164.00		0.00	52.60	0.01	914.21	0.00	702.99	0.07	190.84
CGRC009	164.00	165.00		0.00	57.16	0.01	883.68	0.00	726.04	0.07	30.54
CGRC009	165.00	166.00		0.00	52.08	0.01	1041.88	9.01	309.47	0.03	103.00
CGRC009	166.00	167.00		0.00	41.95	0.00	848.16	0.00	0.00	0.00	95.22
HDR001	0.00	1.00		14.51	23.51	0.00	464.09	0.00	1040.83	0.10	145.15
HDR001	1.00	2.00		14.40	27.62	0.00	242.22	0.00	1955.77	0.20	161.07
HDR001	2.00	3.00		0.00	25.14	0.00	109.78	0.00	306.33	0.03	47.57
HDR001	3.00	4.00		17.86	21.49	0.00	84.38	0.00	964.00	0.10	91.97
HDR001	4.00	5.00		10.96	21.25	0.00	74.16	0.00	826.88	0.08	141.57
HDR001	5.00	6.00		0.00	20.02	0.00	112.62	0.00	367.90	0.04	103.22
HDR001	6.00	7.00		13.02	26.09	0.00	144.98	0.00	1086.92	0.11	125.60
HDR001	7.00	8.00		20.20	18.93	0.00	100.62	0.00	1212.32	0.12	64.06
HDR001	8.00	9.00		19.49	19.23	0.00	104.19	0.00	725.01	0.07	73.68
HDR001	9.00	10.00		11.24	19.23	0.00	46.90	0.00	1296.84	0.13	93.18
HDR001	10.00	11.00		0.00	8.51	0.00	76.93	0.00	1421.70	0.14	84.08
HDR001	11.00	12.00		0.00	15.97	0.00	40.68	0.00	659.15	0.07	88.40
HDR001	12.00	13.00		12.97	40.37	0.00	89.14	0.00	4184.19	0.42	108.39
HDR001	13.00	14.00		21.25	46.69	0.00	125.75	0.00	1533.24	0.15	111.47
HDR001	14.00	15.00		14.46	38.76	0.00	152.18	0.00	1533.42	0.15	185.37
HDR001	15.00	16.00		18.50	35.03	0.00	118.03	0.00	1061.11	0.11	94.06
HDR001	16.00	17.00		0.00	41.30	0.00	112.55	0.00	1449.35	0.14	103.20

For personal use only

pXRF Readings

HoleID	DepthFrom	DepthTo	Ba_ppm	Bi_ppm	Cu_ppm	Cu %	Mn_ppm	Mo_ppm	S_ppm	S%	Zn_ppm
HDRC001	17.00	18.00		13.04	36.31	0.00	88.77	0.00	3234.36	0.32	85.20
HDRC001	18.00	19.00		0.00	30.78	0.00	73.33	0.00	3021.52	0.30	114.77
HDRC001	19.00	20.00		0.00	25.22	0.00	49.62	0.00	1100.73	0.11	145.28
HDRC001	20.00	21.00		14.39	32.14	0.00	93.50	0.00	0.00	0.00	104.99
HDRC001	21.00	22.00		17.27	29.51	0.00	72.76	0.00	1047.43	0.10	89.57
HDRC001	22.00	23.00		15.33	32.72	0.00	47.92	0.00	1538.83	0.15	96.50
HDRC001	23.00	24.00		13.71	37.02	0.00	82.74	0.00	382.12	0.04	34.08
HDRC001	24.00	25.00		16.83	45.27	0.00	38.48	0.00	1245.22	0.12	101.73
HDRC001	25.00	26.00		12.67	39.22	0.00	59.91	0.00	1239.11	0.12	104.77
HDRC001	26.00	27.00		0.00	41.81	0.00	96.98	0.00	674.41	0.07	95.49
HDRC001	27.00	28.00		13.84	45.91	0.00	80.12	0.00	1065.96	0.11	175.09
HDRC001	28.00	29.00		15.65	39.08	0.00	56.41	0.00	641.58	0.06	42.52
HDRC001	29.00	30.00		14.00	46.36	0.00	92.60	0.00	0.00	0.00	89.93
HDRC001	30.00	31.00		15.10	49.54	0.00	153.21	0.00	956.04	0.10	60.52
HDRC001	31.00	32.00		13.98	45.59	0.00	99.17	0.00	1032.56	0.10	103.31
HDRC001	32.00	33.00		16.48	37.33	0.00	90.20	0.00	1398.08	0.14	103.10
HDRC001	33.00	34.00		11.91	79.21	0.01	208.16	0.00	868.73	0.09	68.91
HDRC001	34.00	35.00		14.30	50.89	0.01	182.77	0.00	1237.92	0.12	100.60
HDRC001	35.00	36.00		10.03	26.82	0.00	439.38	0.00	857.03	0.09	126.38
HDRC001	36.00	37.00		12.71	28.07	0.00	758.35	0.00	507.31	0.05	39.01
HDRC001	37.00	38.00		0.00	25.07	0.00	589.94	0.00	1134.86	0.11	79.53
HDRC001	38.00	39.00		0.00	35.29	0.00	795.94	0.00	1244.73	0.12	108.48
HDRC001	39.00	40.00		18.26	60.49	0.01	947.50	0.00	728.36	0.07	70.57
HDRC001	40.00	41.00		0.00	55.83	0.01	751.10	0.00	1250.08	0.13	56.66
HDRC001	41.00	42.00		0.00	57.75	0.01	731.01	0.00	1231.90	0.12	119.51
HDRC001	42.00	43.00		18.37	28.04	0.00	813.57	0.00	100.17	0.01	171.94
HDRC001	43.00	44.00		0.00	41.69	0.00	1333.17	0.00	1043.50	0.10	66.66
HDRC001	44.00	45.00		13.27	22.18	0.00	582.26	0.00	894.84	0.09	107.63
HDRC001	45.00	46.00		0.00	19.34	0.00	692.88	0.00	742.16	0.07	101.55
HDRC001	46.00	47.00		16.26	33.00	0.00	822.06	0.00	633.63	0.06	116.42