



ASX ANNOUNCEMENT

23 January 2024

MAIDEN FILLING OF POND 1 COMMENCES AT HOMBRE MUERTO WEST

Project Highlights:

- Initial filling of Pond 1 commences at HMW Project
- Evaporation process to commence within two weeks (after completion of quality test); the first major step of the long-term production schedule
- Pond 1 liner installation rapidly moving forward (40% completion)
- Pond 2 earthworks construction progressing well (20% completion)
- The HMW Project is a tier one project that will produce a premium high grade lithium chloride (LiCl) concentrate of 6% Li, comparable to 13% Li₂O or 32% Lithium Carbonate Equivalent (LCE) in H1 2025
- Low all-in sustaining costs; HMW in the 1st quartile of lithium industry's cost curve
- Operating cost of \$US3,510/t LCE equates to a low Li₂O equivalent operating cost of SC6 \$US310/t-\$US350/t
- Updated resource estimate due in Q1 2024
- Glencore due diligence site visit later this week

Galan Lithium Limited (**ASX:GLN**) (**Galan** or the **Company**) is pleased to provide a further update on the progress of construction activities at its 100% owned Hombre Muerto West (**HMW**) Phase 1 lithium brine project, with lithium chloride production expected in H1 2025.

Galan's Managing Director, Juan Pablo (JP) Vargas de la Vega, commented:


"Our experienced project team have been implementing a quicker route to start evaporation while construction continues for HMW Phase 1. We are taking advantage of the summer season whereby a buffer wall has been installed at the one third mark of Pond 1. The commencement of the filling of Pond 1 is another significant major milestone for the HMW project and I congratulate the entire Galan team. The initial partial evaporation process will commence in approximately 14 days with the full fill of Pond 1 remaining on track for Q1 2024."

As previously announced, the HMW project was separated into four production phases. The initial Phase 1 Definitive Feasibility Study (DFS) focused on the production of 5.4ktpa LCE of a lithium chloride concentrate by H1 2025, as governed by the approved production permits. The Phase 2 DFS targets 21ktpa LCE of a lithium chloride concentrate in 2026, followed by Phase 3 production of 40ktpa LCE by 2028 and finally a Phase 4 production target of 60ktpa LCE by 2030. Phase 4 will include lithium brine sourced from both HMW and Galan's other 100% owned project in Argentina, Candelas. The very positive Phase 2 DFS results were announced on 3 October 2023 (<https://wcsecure.weblink.com.au/pdf/GLN/02720109.pdf>).



Filling of Pond 1 commences

For personal use only



The liner installation process on Pond 1



The overall progression of liner installation on Pond 1

The Galan Board has authorised this release.

For further information contact:

Juan Pablo (“JP”) Vargas de la Vega
Managing Director
jp@galanlithium.com.au

+ 61 8 9214 2150

Terry Gardiner
Non-Executive Director
TGardiner@galanlithium.com.au

+ 61 (0) 400 900 377

Jane Morgan
Investor and Media Relations
info@janemorganmanagement.com.au

+ 61 (0) 405 555 618

About Galan

Galan Lithium Limited (ASX:GLN) is an ASX-listed lithium exploration and development business. Galan’s flagship assets comprise two world-class lithium brine projects, HMW and Candelas, located on the Hombre Muerto Salar in Argentina, within South America’s ‘lithium triangle’. Hombre Muerto is proven to host lithium brine deposition of the highest grade and lowest impurity levels within Argentina. It is home to the established El Fenix lithium operation (Livent Corporation) and the Sal de Vida (Allkem) and Sal de Oro (POSCO) lithium projects. Galan is also exploring at Greenbushes South in Western Australia, approximately 3 km south of the Tier 1 Greenbushes Lithium Mine.

Hombre Muerto West (HMW): A ~16 km by 1-5 km region on the west coast of Hombre Muerto Salar neighbouring Livent Corp. to the east. HMW is currently comprised of twenty one mining tenements. Geophysics and drilling at HMW demonstrated significant potential of a deep basin. In May 2023 an updated Mineral Resource estimate was delivered totalling 6.6 Mt of LCE. In November 2023, a binding offtake and financing agreement (pending due diligence) for Phase 1 production was signed with Glencore plc.

Candelas: A ~15 km long by 3-5 km wide valley-filled channel which project geophysics and drilling have indicated the potential to host a substantial volume of brine and over which a maiden resource estimated 685 kt LCE (Oct 2019). Furthermore, Candelas has the potential to provide a substantial amount of processing water by treating its low-grade brines with reverse osmosis, this is to avoid using surface river water from Los Patos River.

Greenbushes South Lithium Project: Galan now owns 100% of the mining tenement package that makes up the Greenbushes South Project that covers a total area of approximately 315 km². The project is located ~250 km south of Perth in Western Australia. These mining tenements are located along the trace of the geological structure, the Donnybrook-Bridgetown Shear Zone that hosts the emplacement of the lithium-bearing pegmatite at Greenbushes. Part of the mining tenure is only 3 km to the south of the Greenbushes mine.

Resources (May 2023)

Resource Category	Brine Vol. (Mm ³)	In situ Li (Kt)	Avg. Li (mg/l)	LCE (Kt)	Avg. K (mg/l)	In situ K (Kt)	KCl Equiv. (Kt)
Hombre Muerto West:							
Measured	1,020	890	873	4,737	7,638	7,782	14,841
Indicated	205	185	904	986	7,733	1,585	3,022
Inferred	182	161	887	859	7,644	1,391	2,653
HMW Total	1,407	1,237	880	6,582	7,653	10,758	20,516
Candelas North (*)							
Indicated	196	129	672	685	5,193	1,734	3,307
Galan’s Total Resource Inventory							
Grand Total	1,603	1,366	852	7,267	7,793	12,492	23,823

Notes:

1. No cut-off grade applied to the updated Mineral Resource Estimate as minimum assays values are above expected economic concentrations (Li 620 mg/L).
2. Specific yield (SY) values used are as follows: Sand – 23.9%, Gravel – 21.7%, Breccia – 8%, Debris – 12%, Fractured rock – 6%, and Halite – 3%.
3. The conversion for LCE = Li x 5.3228, and KCl = K x 1.907.
4. There may be minor discrepancies in the above table due to rounding.
5. (*) The Candelas North Mineral Resource Statement was announced on 1 October 2019.
6. There may be minor discrepancies in the above table due to rounding.

Lithium Classification and Conversion Factors

Lithium grades are normally presented in mass percentages or milligrams per litre (or parts per million (ppm)). Grades of deposits are also expressed as lithium compounds in percentages, for example as a percentage of lithium oxide (Li₂O) content or percentage of lithium carbonate (Li₂CO₃) content. Lithium carbonate equivalent (LCE) is the industry standard terminology and is equivalent to Li₂CO₃. Use of LCE provides data comparable with industry reports and is the total equivalent amount of lithium carbonate, assuming the lithium content in the deposit is converted to lithium carbonate, using the conversion rates in the table included below to get an equivalent Li₂CO₃ value in per cent. Use of LCE assumes 100% recovery and no process losses in the extraction of Li₂CO₃.

For personal use only

Table of Conversion Factors for Lithium Compounds and Minerals:

Convert from		Convert to Li	Convert to Li ₂ O	Convert to Li ₂ CO ₃
Lithium	Li	1.000	2.153	5.323
Lithium Oxide	Li ₂ O	0.464	1.000	2.473
Lithium Carbonate	Li ₂ CO ₃	0.188	0.404	1.000

Forward-Looking Statements

Some of the statements appearing in this announcement may be forward-looking in nature. You should be aware that such statements are only predictions and are subject to inherent risks and uncertainties. Those risks and uncertainties include factors and risks specific to the industries in which Galan Lithium Limited operates and proposes to operate as well as general economic conditions, prevailing exchange rates and interest rates and conditions in the financial markets, among other things. Actual events or results may differ materially from the events or results expressed or implied in any forward-looking statement. No forward-looking statement is a guarantee or representation as to future performance or any other future matters, which will be influenced by several factors and subject to various uncertainties and contingencies, many of which will be outside Galan Lithium Limited's control. Galan Lithium Limited does not undertake any obligation to update publicly or release any revisions to these forward-looking statements to reflect events or circumstances after today's date or to reflect the occurrence of unanticipated events. No representation or warranty, express or implied, is made as to the fairness, accuracy, completeness or correctness of the information, opinions or conclusions contained in this announcement. To the maximum extent permitted by law, neither Galan Lithium Limited, its directors, employees, advisors, or agents, nor any other person, accepts any liability for any loss arising from the use of the information contained in this announcement. You are cautioned not to place undue reliance on any forward-looking statement. The forward-looking statements in this announcement reflect views held only as at the date of this announcement.

Competent Persons Statement 1

The information contained herein that relates to exploration results and geology is based on information compiled or reviewed by Dr Luke Milan, who has consulted to the Company. Dr Milan is a Member of the Australasian Institute of Mining and Metallurgy and has sufficient experience which is relevant to the style of mineralisation and types of deposit under consideration and to the activity which they are undertaking to qualify as a Competent Persons as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Milan consents to the inclusion of his name in the matters based on the information in the form and context in which it appears.

Competent Persons Statement 2

The information contained herein that relates to the Mineral Resource estimation approach at Candelas and Hombre Muerto West was compiled by Dr Michael Cunningham. Dr Cunningham is an Associate Principal Consultant of SRK Consulting (Australasia) Pty Ltd. He has sufficient experience relevant to the assessment of this style of mineralisation to qualify as a Competent Person as defined by the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves – The JORC Code (2012)'. Dr Cunningham consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements, and that all material assumptions and technical parameters have not materially changed. The Company also confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

For personal use only