

ASX ANNOUNCEMENT

16 April 2024

NEW HIGH-GRADE DISCOVERY – “PEPPER” PROSPECT: 17.52m @ 15.86g/t GOLD INCL. 9.22m @ 27.89g/t

Drilling immediately south of the Never Never Gold Deposit intersects a new high-grade lode with Never Never-style mineralisation and grades

Highlights:

“Pepper” Gold Prospect – new discovery

- **17.52m @ 15.86g/t gold** from 522.0m, including **9.22m @ 27.89g/t** (DGRC1432-DT):
 - Intercept located approximately 90.0m south and along-strike of the nearest intercept (<0.5g/t gold) defining the southern extent of the 952koz Never Never Gold Deposit.
- Three additional diamond drill-holes have also intersected various widths of logged mineralisation up-dip of DGRC1432-DT, confirming the discovery (assays pending).
- Further drilling to define this new high-priority target is currently underway.




Figure 1: Long Section of the Never Never Gold Deposit, Four Pillars and West Winds Gold Prospects looking East. New high-grade Pepper Gold Prospect with discovery hole DGRC1432 shown in pink. Note: consistency of gold grades in DGRC1432 (inset) and three additional drill-holes with logged mineralised intercepts above DGRC1432 defining the emerging Pepper Gold Prospect (assays pending).

Please Note: Visual estimates of mineral abundance should never be considered a proxy or substitute for laboratory analyses where concentrations or grades are the factor of principal economic interest. Visual estimates also potentially provide no information regarding impurities or deleterious physical properties relevant to valuations. Assays for DGDH064 are expected in April 2024.



Spartan Resources Limited (“**Spartan**” or “**Company**”) (ASX: SPR) is pleased to advise that it has discovered a new high-grade gold lode immediately south of the 952koz Never Never Gold Deposit at its 100%-owned **Dalgaranga Gold Project (“DGP”)** in the Murchison region of Western Australia.

The new lode, named the **Pepper Gold Prospect**, sits approximately 90 metres south of the previous southernmost intercept at Never Never and all current conceptual underground development designs for future underground drilling and potential extraction of high-grade Never Never gold mineralisation pass by the new high-grade Pepper discovery position.

Importantly, the discovery intercept, **17.52m @ 15.86g/t gold including 9.22m @ 27.89g/t Au**, comprises typical Never Never-style mineralisation with similar grades and mineralogical characteristics.

DGRC1432-DT						
From (m)	To (m)	Interval (m)	Lithology	Sulphides %	Geological Description (lithology, alteration, minerals, veining, sulphide species)	Geological Interpretation
515.0	522.5	7.5	Folded volcanics	8% Po	Strongly folded fine-grained volcanics and shale - crenulation cleavage.	Hanging Wall
522.5	527.2	4.7	Altered volcanics	0.5% Py	Brecciated, biotite-phlogopite-altered volcanics with patchy silica flooding.	Mineralisation
527.2	538.2	11.0		2% Py & Po	Foliated volcanics. Pervasive but moderate biotite-silica alteration. Abundant quartz-carbonate veins which exhibit folding. Numerous 1mm grains of VG at 534.5m within folded carbonate vein.	
538.2	545.7	7.5		1% Py	Brecciated biotite-sericite altered volcanics, patchy silica flooding.	
545.7	548.1	2.4	Fine-grained shale	2% Po	Brittle faulting within shale unit.	Footwall

Table 1: Mineralisation Description – DGRC1432 – Pepper Gold Prospect discovery intercept

Mineral Glossary	
Po	Pyrrhotite
Py	Pyrite
VG	Visible Gold

DGDH064						
From (m)	To (m)	Interval (m)	Lithology	Sulphides %	Geological Description (lithology, alteration, minerals, veining, sulphide species)	Geological Interpretation
1000	1034	34.00	Mafic		Foliated weakly biotite altered fine-grained mafic with sparse quartz/carbonate veining	Hanging Wall
1034	1041	7.00	Volcanics	5% Py & Trace Po	Fine grained moderately foliated volcaniclastic, with moderate biotite alteration and weak silification frequent quartz/carbonate veins and abundant vein and disseminated sulphides	Mineralisation
1041	1054.5	13.50	Ore Zone (Volcanics)	5% Py	Strong silica and weak biotite alteration with frequent irregularly oriented quartz/carbonate veins, abundant vein and disseminated sulphides. VG at 1,046m and 1,050m in qtz-carb veins parallel to foliation.	
1054.5	1060.5	6.00	Volcanics	5% Py & Trace Po	Fine grained moderately foliated volcaniclastic, with moderate biotite alteration and weak silification frequent quartz/carbonate veins and abundant vein and disseminated sulphides	Potential Mineralisation
1060.5	1065	4.50	Volcanics and Shale	2% Py & trace Po	Weak biotite-silica altered fine grained volcaniclastic. Frequent quartz/carbonate veins, frequent vein and disseminated sulphides	Potential Mineralisation
1065	1069	4.00	Mafics		Fine-grained mafics. Sporadic quartz-carbonate veins (EOH)	Footwall

Table 2: Mineralisation Description – DGDH064 – Visible Gold at 1,050m from Never Never in Fig. 1 (previously reported)

Please Note: Visual estimates of mineral abundance should never be considered a proxy or substitute for laboratory analyses where concentrations or grades are the factor of principal economic interest. Visual estimates also potentially provide no information regarding impurities or deleterious physical properties relevant to valuations.

Management Comment

Spartan Managing Director and Chief Executive Officer, Simon Lawson, said: “The discovery of the new high-grade Pepper Gold Prospect, located directly between Never Never and Four Pillars, is yet another game-changer for the Dalgaranga Gold Project.

“The core from the discovery hole DGRC1432-DT shows the same thick, heavily-altered volcanoclastic host-rock, orientation and mineralisation style as Never Never and the gold grades are consistent across the entire intercept and of an impressive tenor, to this point only seen elsewhere at Never Never.

“Importantly, the Pepper discovery sits along-strike and in the same volcanoclastic sequence as Never Never but appears to be in a separate steeply north-west plunging fold shoot of its own.



"Think of fold shoots as linear folds like those on a corrugated iron roofing sheet. The sheet represents the north-striking steeply west-dipping volcanoclastic rock package at Dalgaranga. East-west shears regularly cross-cut the sheet, creating corrugations or fold shoots. The troughs of the folds host steeply-plunging high-grade gold mineralisation while the ridges between host lower-grade gold mineralisation.

"The high-grade Never Never Gold Deposit sits in one of these large corrugation troughs and the new high-grade Pepper discovery appears to be located in an adjacent fold trough with a ridge of lower grade mineralisation in between.

"We have also drilled a number of follow-up holes up-dip from DGRC1432-DT which have intersected the same style of mineralisation and we look forward to those assays.

"The Pepper Gold Prospect sits immediately adjacent to Never Never in an extremely favourable position given that any future exploration drill drive and/or mining access scenarios will likely come from the Gilbey's Open Pit as a start point and pass right by Pepper on the way to Never Never.

"The potential to add further high-grade ounces in close proximity to planned future infrastructure through discoveries like this is central to our strategy and investment proposition – and demonstrates clearly why we think there is so much more upside in what is turning out to be a truly remarkable gold system at Dalgaranga!"




Figure 2: Plan view of the Dalgaranga Mine Complex with main gold prospects, including the **newly discovered Pepper Gold Prospect**, and the Spartan processing plant – Dalgaranga Gold Project. Granted Mining Lease – green outline.

Drill core photographs



Figure 3: Core tray photographs of DGRC1432-DT “Pepper” discovery hole with gold assays overlaid.



Exploration Activities

Surface exploration activity at Dalgaranga continues, including:

- Three rigs on-site – three diamond drill rigs. Fourth rig – air-core drill rig arriving this week.
- Two diamond drill rigs currently focused on Never Never Resource conversion in-fill drilling targeting an increase in the Indicated component of the Never Never Mineral Resource Estimate update due mid-year.
- One diamond drill rig is currently drilling the Pepper Gold Prospect to follow up recent discovery.
- An air-core drill rig is mobilising to site this week to test numerous gravity/magnetic targets identified in recent geophysical surveys north of Never Never towards the previously mined Golden Wings pit.

Other Activities

Mining study work, including potential mine designs, feasibility study components including reserve scenarios, mining and processing schedules, financial modelling, planning and analysis and process plant optimisation studies are ongoing.



Drill-hole Tables

Table 3: Drill-hole Assay Table

Hole Id	From (m)	To (m)	Interval (m)	Au g/t	Comments
Pepper Gold Prospect – New Discovery					
DGRC1432-DT	522.00	539.52	17.52	15.86	New position outside all resource envelopes
Including	526.52	534.63	9.22	27.89	All grades uncut

*0.5 g/t lower cut-off, maximum 3m internal waste for significant intercepts.

Table 4: Drill-hole Collar Table

Hole Id	Drill Type	Target	EOH Depth	MGA Easting	MGA	RL (m)	Azi	Dip
Dalgaranga Gold Project								
DGRC1432-DT	RCDD	Pepper	588.3	525959	6920493	446.629	120	-68



References

Historical assay results referenced in this release may have been taken from the following ASX releases:

- ASX: SPR release – 14 December 2023 “Never Never hits 952,900oz @ 5.74g/t”
- ASX: SPR release – 23 January 2024 “Exploration Update – Strong start to 2024”
- ASX: SPR release – 31 January 2024 “Exploration Update – Deepest Assay to date”
- ASX: SPR release – 14 February 2024 “Visible Gold Logged 170m below 952,900oz....”
- ASX: SPR release – 04 March 2024 “Exploration Update - Exceptional Intercept....”
- ASX: SPR release – 12 March 2024 “Updated Exploration Target for the Never Never....”
- ASX: SPR release – 20 March 2024 “More strong drill hits across key prospects....”
- ASX: SPR release – 9 April 2024 “Drilling hits visible gold over 1km deep below Never Never”

Glossary of terms used in this release

“HW” =	Hanging Wall - the overhanging mass of rock above you when standing in the position of the orebody/target
“MRE” =	Mineral Resource Estimate – a mathematical estimate of the contained metal in a deposit
“VG” =	Visible Gold – Gold mineralisation visible to the human eye and typically found in areas of gold-associated mineralisation
“RC” =	Reverse Circulation - a drill type involving percussive hammer drilling and air pressure to “lift” cuttings/sample to surface
“DD” =	Diamond Drilling - a drill type that cuts a semi-continuous “core” of rock using a rotational motor and diamond drill bits
“PC” =	Pre-Collar - a short RC drillhole at the start of a DD drillhole. Reduces overall drillhole cost.
“DT” =	Diamond Tail – the remainder of a drillhole, completed using Diamond drilling, that begins with an RC Pre-Collar
“AA” =	Awaiting Assay – assays for the drill samples are in transit to, or in process, at the assay laboratory
“top-cut” =	Upper limit applied to assays to reduce the undue influence of (typically) one individual high-grade assay result when reporting a composite interval grade across many assay results.
“g/t” =	grams per tonne - accepted unit of measurement used to describe the number of grams of gold metal contained within a tonne of rock. Also equivalent to parts per million (ppm).
“ETW” =	Estimated True Width – estimated orebody width at the point of drillhole intercept based on current geological interpretation/statistical evaluation.
“NSR”	No Significant Result
“g x m”	Grams x Metres – a standard calculation commonly used to compare drill intercepts and face grades across a gold project or between different gold projects. The grade in grams per tonne “g/t” is multiplied by the metres of the significant intercept i.e 11.55m @ 36.77g/t is 11.55 x 36.77 = 424.69g x m.




Figure 4: Spartan Resources Limited Project Locations.



Authorisation

This announcement has been authorised for release by the Board of Spartan Resources Limited.

For further information, please contact:

Investor inquiries:

Simon Lawson
Managing Director and CEO
+61 8 9481 3434

Media inquiries:

Read Corporate
Nicholas Read
+61 8 9388 1474

BACKGROUND ON SPARTAN RESOURCES

Spartan Resources Limited (ASX: SPR) is an ASX-listed gold company that has repositioned itself as an advanced exploration company with a rapid pathway back into production at its Dalgaranga Gold Project, located 65km north-west of Mt Magnet in the Murchison District of Western Australia.

Dalgaranga produced over 70,000oz of gold in FY2022 before being placed on care and maintenance in November 2022 to implement an operational reset designed to preserve the value of its extensive infrastructure and Resource base while developing a new, sustainable operating plan.

This approach is underpinned by the exceptional high-grade Never Never gold discovery, which was made in 2022 just 1km from the existing 2.5Mtpa carbon-in-leach processing facility and the main open pit at Dalgaranga.

The Company has moved to rapidly unlock the potential of this significant discovery, which comprises a current JORC Mineral Resource of 952,000oz at an average grade of 5.74g/t ([read the announcement here](#)).

In February 2023, the Company announced an 18-month exploration and strategic plan (**the “365” strategy**) targeting:

- A +300koz Reserve at a grade exceeding 4.0g/t Au at Never Never;
- A +600koz Resource at a grade exceeding 5.0g/t Au at Never Never;
- The development of a 5-year mine plan aimed at delivering gold production of 130-150koz per annum.

This strategy is centred around an aggressive exploration program at Never Never designed to target Resource expansion, Reserve definition and near-mine exploration drilling targeting Never Never “lookalikes” including Four Pillars, West Winds and Sly Fox.

In addition to its near-mine exploration at Dalgaranga, Spartan is actively exploring more than 500km² of surrounding exploration tenements and also owns the advanced 244koz Yalgoo Gold Project, where permitting activities are well advanced to establish a potential satellite mining operation at the Melville deposit.

In addition to Dalgaranga and Yalgoo, the Company’s 527koz advanced exploration and development project at Glenburgh–Mt Egerton, located ~300km north of Dalgaranga, has the potential to be a second production hub.

Spartan is committed to safe and respectful operation as a professional and considerate organisation within a diverse and varied community. Our people represent our culture and our culture is always to show respect to each other and to our community, to respect the unique environment we operate within and to show respect to all of our various stakeholders.



GROUP MINERAL RESOURCES:

Total Group Mineral Resources

Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Measured	0.26	0.89	7.5
Indicated	30.04	1.79	1,727.6
Inferred	13.86	1.75	777.3
GRAND TOTAL	44.16	1.77	2,512.4

Table A1: Group Mineral Resource Estimates for Spartan Resources Limited (at various cut-offs)

Murchison Region Mineral Resources (DGP & YGP)

Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Measured	0.26	0.89	7.5
Indicated	16.31	2.43	1,271.9
Inferred	11.02	1.97	695.9
TOTAL	27.59	2.23	1,975.3

Table A2: Combined Mineral Resource Statement for the Murchison Region, includes the Dalgaranga Gold Project (DGP) and Yalgoo Gold Project (YGP)

Dalgaranga Gold Project (DGP)

Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Measured	0.26	0.89	7.5
Indicated	12.96	2.67	1,111.5
Inferred	7.93	2.25	573.6
TOTAL	21.15	2.49	1,692.6

Table A3: The DGP includes in-situ mineral resources for the Never Never Gold Deposit, the Gilbey's Complex Group of Gold Deposits, and the Archie Rose Gold Deposit.



Never Never Gold Deposit Mineral Resource Estimate (DGP)

NEVER NEVER GOLD DEPOSIT			
“Open Pit” Resource >0.5gpt Au <270mRL			
Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Indicated	1.09	2.46	86.3
Inferred	0.18	1.08	6.2
TOTAL	1.27	2.27	92.5
“Underground” Resource >2.0gpt Au >270mRL			
Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Indicated	2.58	7.40	614.5
Inferred	1.31	5.86	245.9
TOTAL	3.89	6.88	860.4
TOTAL NEVER NEVER GOLD DEPOSIT			
Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Indicated	3.67	5.93	700.7
Inferred	1.49	5.28	252.1
GRAND TOTAL	5.16	5.74	952.9

Table A4: The Never Never Gold Deposit includes in-situ the Gilbey's North and Never Never Lodes. Reporting cut-off grades are 0.5g/t Au for Open Pit defined mineral resources and 2.0g/t Au for Underground defined mineral resources.

“Gilbey's Complex” Mineral Resource Estimate (DGP)

Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Measured	0.26	0.89	7.5
Indicated	9.28	1.38	410.8
Inferred	6.44	1.55	321.5
TOTAL	15.99	1.45	739.8

Table A5: Gilbey's Complex Mineral Resource Estimate Statement for combined in-situ resources for open pit (>0.5g/t Au constrained with an A\$2,800 pit shell) and underground >1.0g/t Au, below the A\$2,800 pit shell)

Gilbey's Complex includes Four Pillars, West Winds, Gilbey's East, Plymouth and Sly Fox which were all updated for the December 2023 Release. Additional areas not currently reported are Gilbey's South, GSP Zone and MME Zone, which will be included in following updates.



Archie Rose Gold Deposit Mineral Resource Estimate (DGP)

Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Inferred	1.21	1.01	39.1
TOTAL	1.21	1.01	39.1

Table A6: Archie Rose Initial Mineral Resource statement for in-situ resources above 0.5g/t Au.

No material changes have been made to the Archie Rose deposit MRE since they were released by Spartan in September 2022. As such the details of the MRE can be found in ASX release dated 8 September 2022 and titled "Group Gold Resources Increase by 15.6% to 1.37Moz with Resource Grade up by 29%".

Yalgoo Gold Project (YGP)

Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Indicated	3.35	1.49	160.4
Inferred	1.88	1.37	83.2
TOTAL	5.24	1.45	243.6

Table A7: The YGP includes in-situ mineral resources for the Melville and Applecross Gold Deposits. Reporting cut-off grades are g/t Au.

No material changes have been made to the Melville or Applecross Gold Deposit MRE, as a whole the "Yalgoo Gold Project", since they were released by Spartan Resources in December 2021. As such the details of those individual MRE can be found in ASX release dated 6 December 2021 and titled "24% increase in Yalgoo Gold Resource to 243,613oz strengthens Dalgara Growth Pipeline".

Gascoyne Regional Project - Mineral Resources (GRP)

Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Indicated	13.73	1.03	455.7
Inferred	2.84	0.89	81.4
TOTAL	16.57	1.01	537.1

Table A8: Gascoyne Region Total Mineral Resource statement includes the Glenburgh Gold Project (GGP) and the Mt Egerton Gold Project (EGP)

No material changes have been made to the Mineral Resource Estimates of the Glenburgh Gold Project or the Mt Egerton Gold Project since they were released by Spartan Resources in May 2021. The detail of the Glenburgh MRE can be found in ASX release dated 17 December 2020 and titled "Group Mineral Resources Grow to Over 1.3Moz". Detail for the Mt Egerton MRE can be found in ASX release dated 31 May 2021 and titled "2021 Mineral Resource and Ore Reserve Statements".



Glenburgh Gold Project (GGP)

Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Indicated	13.5	1.0	430.7
Inferred	2.8	0.9	79.4
TOTAL	16.3	1.0	510.1

Table A9: The Glenburgh Gold Project Mineral Resource Estimate for in-situ resources above 0.25g/t Au for open pit defined mineral resources and above 2.0g/t Au for Underground defined mineral resources.

Mt Egerton Gold Project (EGP)

Category	Tonnes (Mt)	Grade (g/t)	Contained Metal (koz Au)
Indicated	0.23	3.4	25.0
Inferred	0.04	1.5	2.0
TOTAL	0.27	3.1	27.0

Table A10: The Mount Egerton Gold Project Mineral Resource Estimate for in-situ resources above 0.70g/t Au for open pit defined mineral resources.

Competent Persons Statement

The Mineral Resource estimates for the Dalgaranga Gold Project (including the Gilbey's North and Never Never (collectively the "Never Never deposits"), Gilbey's, Plymouth and Sly Fox Deposits referred to in this announcement titled "Never Never Hits 952,000oz @ 5.74g/t, Dalgaranga Moves To Next Level At 1.7Moz" is based on information compiled under the supervision of Mr Nicholas Jolly. Mr Jolly is a geologist with over 25 years relevant industry experience, a full-time employee of Spartan Resources Limited and is a Member in good standing of the Australian Institute of Geoscientists. Mr Jolly holds securities in Spartan Resources Limited. Mr Jolly has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity that was undertaken to qualify as a Competent Person, as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (The Joint Ore Reserves Committee Code – JORC 2012 Edition). Mr Jolly consents to the inclusion in this report of the matters based on his information in the form and context in which it appears. The Company confirms that it is not aware of any new information or data that materially affects the information included in this market announcement and that all material assumptions and technical parameters underpinning the estimate in this announcement continue to apply and have not materially changed.

The Mineral Resource estimates for the Archie Rose deposit referred to in this presentation are extracted from the ASX announcement dated 8 September 2022 and titled "Gold Resources increase by 15.6% to 1.37Moz with Resource Grade up by 29%". The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and that all material assumptions and technical parameters underpinning the estimate in the original market announcement continue to apply and have not materially changed.

Information in this announcement relating to exploration results from the Dalgaranga Gold Project (Gilbey's, Four Pillars, West Winds, Plymouth, Sly Fox and Gilbey's North / Never deposits) are based on, and fairly represents data compiled by Spartan's Exploration Manager Mr Monty Graham, who is a member of The Australasian Institute of Mining and Metallurgy. Mr Graham holds securities in Spartan Resources Limited. Mr Graham has sufficient experience which is relevant to the style of mineralisation and type of deposit under



consideration and to the activity which they are undertaking to qualify as a Competent Person under the 2012 Edition of the Australasian Code for reporting of Exploration Results. Mr Graham consents to the inclusion of the data in the form and context in which it appears.

The Mineral Resource estimate for the Yalgoo Gold Project referred to in this announcement is extracted from the ASX announcement dated 6 December 2021 and titled "24% Increase in Yalgoo Gold Resource to 243,613oz Strengthens Dalgara Growth Pipeline". The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and that all material assumptions and technical parameters underpinning the estimate in the original market announcement continue to apply and have not materially changed.

The Mineral Resource estimate for the Glenburgh Project referred to in this announcement is extracted from the ASX announcement dated 18 December 2020 and titled "Group Mineral Resources Grow to Over 1.3M oz". The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and that all material assumptions and technical parameters underpinning the estimate in the original market announcement continue to apply and have not materially changed.

The Mineral Resource estimate for the Mt Egerton Project referred to in this announcement is extracted from the ASX announcement dated 31 May 2021 and titled "2021 Mineral Resource and Ore Reserve Statements". The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and that all material assumptions and technical parameters underpinning the estimate in the original market announcement continue to apply and have not materially changed.

Information in this announcement relating to exploration results for the Glenburgh and Mt Egerton Gold Projects is based on, and fairly represents, data compiled by Spartan's Exploration Manager, Mr Monty Graham, who is a member of The Australasian Institute of Mining and Metallurgy. Mr Graham has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person under the 2012 Edition of the Australasian Code for reporting of Exploration Results. Mr Graham consents to the inclusion in this announcement of the data relating to the Glenburgh and Mt Egerton Gold Projects in the form and context in which it appears.



Forward-looking statements

This announcement contains forward-looking statements which may be identified by words such as "believes", "estimates", "expects", "intends", "may", "will", "would", "could", or "should" and other similar words that involve risks and uncertainties. These statements are based on an assessment of present economic and operating conditions, and on a number of assumptions regarding future events and actions that, as at the date of this announcement, are expected to take place.

Such forward-looking statements are not guarantees of future performance and involve known and unknown risks, uncertainties, assumptions and other important factors, many of which are beyond the control of the Company, the Directors and management of the Company. These and other factors could cause actual results to differ materially from those expressed in any forward-looking statements.

The Company cannot and does not give assurances that the results, performance or achievements expressed or implied in the forward-looking statements contained in this announcement will actually occur and investors are cautioned not to place undue reliance on these forward-looking statements.

JORC Code, 2012 Edition – Table 1
Section 1 Sampling Techniques and Data

Dalgaranga Gold Project

(Criteria in this section apply to all succeeding sections.)

Criteria	Commentary
Sampling techniques	<ul style="list-style-type: none"> RC drilling was used to obtain 1 m samples which were split by a cone splitter at the rig to produce a 3 – 5 kg sample. The samples were shipped to the laboratory for analysis via 500 g Photon assay. Where DD was undertaken or as DD tails extending RC holes ½ core and occasionally whole core was sampling while for PQ, HQ or NQ holes with analysis via 500 g Photon assay. Current QAQC protocols include the analysis of field duplicates and the insertion of appropriate commercial standards and blank samples. Based on statistical analysis of these results, there is no evidence to suggest the samples are not representative.
Drilling techniques	<ul style="list-style-type: none"> RC drilling used a nominal 5 ½ inch diameter face sampling hammer. The DD was undertaken from surface or as DD tails from RC pre-collars. Core sizes range from NQ, HQ or PQ (to allow geotechnical and/or metallurgical samples to be collected).
Drill sample recovery	<ul style="list-style-type: none"> RC sample recovery is visually assessed and recorded where significantly reduced. Negligible sample loss has been recorded. DD was undertaken and the core measured and orientated to determine recovery, which was generally 100% in transitional / fresh rock. RC samples were visually checked for recovery, moisture and contamination. A cyclone and cone splitter were used to provide a uniform sample, and these were routinely cleaned. RC Sample recoveries are generally high. No significant sample loss has been recorded.
Logging	<ul style="list-style-type: none"> RC chips are logged to geological boundaries, with chip trays photographed and stored for future reference. RC logging recorded the lithology, alteration, veining, minerals, oxidation state, and colour. DD holes have all been additionally logged for structural and geotechnical measurements. The DD core photographed tray by tray wet and dry and have been labelled appropriately for reference <holeID_mFrom_mTo_WET/DRY>. All drill holes being reported have been logged in full.



Criteria	Commentary
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> • RC chips were cone split at the rig. Samples were generally dry. A sample size of between 3 and 5 kg was collected. This size is considered appropriate, and representative of the material being sampled given the width and continuity of the intersections, and the grain size of the material being collected. • RC samples are dried. If the sample weight is greater than 3 kg, the sample is riffle split. • The DD core has been consistently sampled with the left-hand side of the core sampled. • All samples are coarse crushed to 2 mm prior to photon assaying. • Field duplicates were collected during RC drilling – the methodology has changed to full intervals through the target zone per drill hole. Duplicates are submitted for analysis based on primary assay results – guidelines are mineralised intercept (>0.25ppm Au +/-10m footwall / hanging wall either side). • Further sampling (lab umpire assays) are conducted if it is considered necessary – policy is for 3% of grading assays greater than 0.2 ppm Au are selected for Fire Assaying.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> • RC and DD samples were sent to ALS Global Pty Ltd for analysis, by Photon Assay. A 500 g sample is assayed for gold by Photon Assay (method code PAAU2) along with quality control samples including certified reference materials, blanks and sample duplicates. • For Photon Assay, the sample is crushed to nominal 85% passing 2 mm, linear split and a nominal 500 g sub sample taken (method code PAP3502R). • The 500 g sample is assayed for gold by Photon Assay (method code PAAU2) along with quality control samples including certified reference materials, blanks and sample duplicates. • Additional Bulk Density measurements have been taken from DD core by ALS Global staff (method code OA-GRA08), across material types (Laterite, oxide, transitional, fresh) lithologies (shales, schists, mafics etc) and mineralised zones. Results were in line with project averages contained within the database. • From 2024, bulk density measurements are routinely taken from DD core on site by SPR staff. • Field QAQC procedures include the insertion of both field duplicates and certified reference 'standards' and 'blank' samples. Assay results have been satisfactory and demonstrate an acceptable level of accuracy and precision. Laboratory QAQC involves the use of internal certified reference standards, blanks, splits and replicates. Analysis of these results also demonstrates an acceptable level of precision and accuracy. • Umpire assaying for 2023 drilling has been selected, with a focus on spatial location within the mineralised zones. Results continue to demonstrate a strong correlation of photon assay with fire assay techniques. • For the 2024 H1 campaign, batches are submitted monthly as assays are received with a second batch submitted for FA. • No downhole geophysical tools etc. have been used at Dalgaranga.
Verification of sampling and assaying	<ul style="list-style-type: none"> • At least 3 Company personnel verify all intersections. • No twinned holes have been drilled to date by Spartan Resources, however, multiple orientations have tested the mineralised trend, each verifying the geometry of the mineralised shoot. In 2024, drilling orientation has been optimised based on the updated MRE. • Field data is collected using Log Chief on tablet computers. The data is sent to the Spartan Database Manager for validation and compilation into a SQL database server. • All logs were validated by the Project Geologist prior to being sent to the Database Administrator for import into SPR's database.



Criteria	Commentary
	<ul style="list-style-type: none"> No adjustments have been made to assay data apart from values below the detection limit which are assigned a value of half the detection limit (positive number) prior to estimation.
Location of data points	<ul style="list-style-type: none"> The RC and DD hole collars have been picked up by DGPS. All RC and DD holes completed since 2022 had down holes surveys at the completion of each hole with readings every 10m. The grid system is MGA_GDA94 Zone 50, all current MRE's will be conducted in MGA (previous a local grid was used)
Data spacing and distribution	<ul style="list-style-type: none"> Defining the orientation of the Never Never gold deposit saw alternative drilling orientations used to pin down the strike and geometry, which included drilling north-east, south-east, and north-south orientation. Current resource drilling is targeting Inferred, Mineral Inventory and gaps within the Indicated where required at both Never Never and other high-grade targets along the Gilbey's trend. For Never Never, drill spacing ranges from 100m to 50m on various orientations as dictated by the structural architecture. For Sly Fox, drill spacing has been more exploratory in nature to test and establish the strike length and tenor – generally 100m to 50m. For Gilbey's, including Four Pillars and West Winds, drill spacing in prospective areas is reduced to 20-25m. Drilling is ongoing to pin down the mineralised trends encountered to date. For the Pepper Gold Prospect, the subject of this announcement, drill spacing for follow-up programmes will be determined after remaining outstanding drill hole assays are received and analysed. The mineralised domains have sufficient continuity in both geology and grade to be considered appropriate for the Mineral Resource and Ore Reserve estimation procedures and classification applied under the 2012 JORC Code.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Drilling sections are orientated perpendicular to the strike of the mineralised host rocks at Dalgaranga. This varies between prospects and consequently the azimuth of the drill holes also varies to reflect this. The drilling is angled at between -50 and -60° which is close to perpendicular to the dip of the stratigraphy, some of the deeper diamond holes have a steeper dip due to platform availability. Never Never demonstrates a west-northwest trend, compared to the main Gilbey's trend, which appears spatially related to a shale unit with the same or similar orientation. Never Never has a sharp northern boundary that is identifiable in geophysics, the southern boundary tapers in grade and thickness. No orientation-based sampling bias has been identified in the data – drilling to date indicates the geological model is robust, and in places conservative.
Sample security	<ul style="list-style-type: none"> Chain of custody is managed by Spartan Resources. Drill Samples are dispatched weekly from the Dalgaranga Gold Project site. Core logging is conducted on site, and at Spartan's core storage facility in Perth. Core cutting in Perth conducted by both All Points Sampling (APS). Core cut by APS is returned to Spartan's core facility for sampling, prior to delivery to ALS Global for analysis. From March 2024, all core logging, processing including core cutting will be conducted primarily on site at Dalgaranga. Currently Beattie Haulage delivers the samples directly to the assay laboratory in Perth. In some cases, Company personnel have delivered the samples directly to



Criteria	Commentary
	the lab.
Audits or reviews	<ul style="list-style-type: none">• Data is validated by the Spartan DBA whilst loading into database. Any errors within the data are returned to relevant Spartan geologist for validation.• Any fixed errors have been returned to the Spartan DBA to update the master data set.• Prior to interpretation and modelling, all data has been visually validated for erroneous surveys or collar pick-ups.• Outlier logging intervals of marker horizon lithologies such as shales and veining are checked against chip trays or core photos.• Core photos have been reviewed against logging and assays.• An audit has been undertaken by SPR of the ALS core cutting and sampling processes – no issues have been noted. A separate lab audit of the ALS photon assay facility at Cannington was also conducted in May 2023 with no issues noted. Audits are planned for 2024.• SPR's Monty Graham (Exploration Manager) is the Competent Person for Sampling Techniques, Exploration Results and Data Quality.

Section 2 Reporting of Exploration Results

Dalgaranga Gold Project

(Criteria listed in the preceding section also apply to this section.)

Criteria	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none">• Dalgaranga project is situated on Mining Lease Number M59/749. Never Never, Pepper, Four Pillars, West Winds, Sly Fox, Arc and Patient Wolf are all located on this lease.• The tenement is 100% owned by Spartan Resources Limited.• The tenements are in good standing and no known impediments exist.
Exploration done by other parties	<ul style="list-style-type: none">• The tenement areas have been previously explored by numerous companies including BHP, Newcrest and Equigold.• Previous mining was carried out by Equigold in a JV with Western Reefs NL from 1996 – 2000.



Criteria	Commentary
Geology	<ul style="list-style-type: none"> Regionally, the Dalgaranga project lies in the Archean aged Dalgaranga Greenstone Belt in the Murchison Province of Western Australia. At the Gilbey's deposit, most gold mineralisation is associated with shears situated within biotite-sericite-carbonate pyrite altered schists with quartz-carbonate veining within a volcanoclastics package-shale-mafic (dolerite, gabbro, basalt) rock package (Gilbey's Main Volcanoclastics package Zone). The volcanoclastics package containing Never Never, Pepper, Four Pillar and West Winds trends north – south and dips moderately-to-steeply to the west on local grid while Sly Fox deposit trends east – west and dips steeply to the north. These two trends define the orientation of the limbs of an anticlinal structure, with a highly disrupted area being evident in the hinge zone. At the Sly Fox deposit gold mineralisation occurs in quartz veined and silica, pyrite, biotite altered schists. The Plymouth deposit lies between Gilbey's and Sly Fox within the hinge zone of anticlinal structure – mineralisation at Plymouth is related to quartz veins and silica, pyrite, biotite altered schists. At Hendricks and Vickers gold mineralisation occurs in quartz-pyrite veined and altered zones hosted in basalts The Never Never Gold Deposit appears to be an intersection between a significant lode structure and the mine sequence – the mineralisation plunges moderately to the west and is characterised by strong quartz – sericite – biotite alteration, with fine to very fine pyrite sulphide mineralisation. Visible gold has been logged in multiple diamond drill (DD) holes to date. The Pepper Gold Prospect appears to be an adjacent high-grade structure to Never Never, mirroring the same geological characteristics – including visible gold.
Drill hole Information	<ul style="list-style-type: none"> For this announcement, 1 RCDD hole is being reported. Collar details for other drill hole results shown in diagrams have been previously published by Spartan Resources.
Data aggregation methods	<ul style="list-style-type: none"> For previously reported drilling results the following is applicable: <ul style="list-style-type: none"> All reported assays have been length weighted if appropriate. A nominal 0.5 ppm Au lower cut off has been applied to the RC and DD results, with up to 3m internal dilution (>0.5ppm Au) included if appropriate. High grade Au intervals lying within broader zones of Au mineralisation are reported as included intervals. For the drilling results prior to the Never Never July MRE update, a top-cap of 50gpt Au has been used, in-line with statistical analysis completed for the January 2023 MRE. The Never Never July 2023 MRE increased the top-cap to 75gpt Au based on statistical analysis. All exploration results reported subsequent to the Never Never July 2023 MRE, up until December 2023 used the 75gpt Au for reporting purposes. The Never Never MRE Dec 2023 increased the top-cap to 100gpt Au based on statistical analysis. From 2024, unless stated, all drilling results are being reported uncut, previously reported results will not be adjusted. No metal equivalent values have been used.
Relationship between mineralisation	<ul style="list-style-type: none"> The mineralised zones at Dalgaranga vary in strike between prospects, but all are relatively steeply dipping. Drill hole orientation reflects the change in strike of the stratigraphy over the deposit and consequently the downhole intersections quoted are believed to approximate true width unless otherwise stated in the announcement.



Criteria	Commentary
widths and intercept lengths	<ul style="list-style-type: none"> • Never Never Gold Deposit utilised various drilling orientations due to the variable strike orientation of the mineralised domains present. • The drillholes orientated east/west in some instances may be drilling along strike rather than perpendicular, as resource definition confirmed the orientation of the mineralisation. However, subsequent analysis indicated this did not provide a biased impression of the mineralisation, as drilling orientated north-south confirmed the geometry and tenor. • Based on the MRE, drilling for the 2024 phase of surface drilling has been adjusted to optimise the intersection point through mineralisation. • For Sly Fox, West Winds and Four Pillars drilling, orientation is currently being tested with diamond drilling which will provide structural information for ongoing targeting and domaining. • For Pepper, drilling orientation will be tested following receipt and analysis of the additional drill hole assays that are yet to be received, however structural measurement indicates a similar orientation to Never Never.
Diagrams	<ul style="list-style-type: none"> • Diagrams are included in the body of the report.
Balanced reporting	<ul style="list-style-type: none"> • All related drilling results are being reported to the market as assays are received. • Metallurgical results are reported as soon as test work has been completed and reported.
Other substantive exploration data	<ul style="list-style-type: none"> • Not applicable.
Further work	<ul style="list-style-type: none"> • 2024 Phase 1 surface drilling campaign is currently underway from mid-January. • Detailed ground gravity and drone magnetic surveys have been completed. Results have been integrated into Spartan's near-mine exploration drill targeting. An extensive AC programme is currently planned for commencing April 2024 focussed on the mining lease from the Never Never deposit to the former Golden Wings open pit. • Dalgaranga MRE updates are planned for June 2024, including results from 2023 drilling received after the December 2023 MRE cut-off date and the 2024 results. • Technical studies related to geotechnical and metallurgical test work remain ongoing and additional samples will be taken as drilling progresses for potential additional metallurgical test work. • Structural studies are ongoing as new data is generated to assist with targeting. Analysis of Pepper Prospect core will be incorporated into Spartan's Structural model to assist with ongoing targeting.