

27<sup>th</sup> November 2024

# HIGH GRADE GOLD ASSAYS EXTEND THYLACINE


- Latest batch of assay results from rockchips at the Thylacine Prospect return more high-grade gold, including:
  - 24JW113: 42.2g/t Au
  - 24DR644: 19.0g/t Au
  - 24DR639: 17.2g/t Au
  - 24DR808: 16.6g/t Au
  - 24DR643: 15.3g/t Au
  - 24DR645: 14.1g/t Au
- Initial samples from mineralised quartz veins to the northwest and east of Thylacine extend the prospect area to over 400m x 100m. A total of 15 mineralised veins have been mapped and sampled.
- Follow-up sampling at Tyson's Prospect returns high grade gold in samples of quartz veining, including:
  - 24DR787: 43.6 g/t Au
  - 24JW062: 9.3 g/t Au
- Heritage Survey currently scheduled for Q1 2025 with priority RC drilling to focus on the Thylacine and Siberian Tiger prospects.

Metal Hawk Limited (ASX: MHK, "Metal Hawk" or the "Company") is pleased to provide an exploration update for its 100% owned Leinster South project, located 30km south of Leinster, in the world-class Agnew-Lawlers region, Western Australian. Following the discovery of gold at Siberian Tiger less than four months ago ([see ASX announcement 5 August 2024](#)), Metal Hawk's field activities at Leinster South continue to identify more areas of significant outcropping high-grade gold mineralisation.

The second batch of rockchip results returned from the Thylacine Prospect have significantly expanded the mineralised footprint at the prospect, with several high-grade gold assays recorded from the recently sampled quartz veins.

**Metal Hawk's Managing Director Will Belbin commented:** "The new gold assay results from Thylacine are exceptional. This prospect is shaping up to be a very compelling drill target, with multiple stacked gold-bearing quartz veins covering a significant area."

"Along with Siberian Tiger, we have two of the most exciting untested high grade gold prospects in Western Australia and we are looking forward to an extensive maiden drilling program at Leinster South early next year."




**Figure 1.** Leinster South project; main prospects, rock chip results, magnetics (TMI)

## THYLACINE

The Thylacine Prospect is located approximately 1.5km ESE of Siberian Tiger on the parallel northern ESE-trending greenstone belt. Rockchip samples from Thylacine have returned several high-grade gold assays (up to **62.3g/t Au**) in multiple mostly sub-parallel NW-trending quartz veins. The gold mineralisation at Thylacine is very similar to Siberian Tiger, with abundant iron oxides forming bands and local zones of brecciation. Mapping and sampling at Thylacine have identified at least 15 closely spaced and stacked steeply dipping mineralised quartz veins.

The latest round of results includes high grade gold assays from the two northwestern-most veins at Thylacine, returning an average grade of 10.6g/t Au from the 10 samples taken (Figure 2). The distribution of high-grade rockchip assays and quartz veins extends the prospect to a footprint of 400m x 100m.



**Figure 2.** Thylacine Prospect – rockchip results over magnetics. New results highlighted yellow.




**Figure 3.** Thylacine oxide-rich rockchip sample 24DR644 from NW quartz vein grading **19.0 g/t Au**



**Figure 4.** Thylacine prospect quartz vein outcrop, looking SE (parallel to the typical 150° strike of veins)

Two additional extensive ENE (070°) striking, 0.5m to 2m wide quartz veins, both approximately 200m long, have been sampled south-east of the prospect. Although these veins contain only minor iron oxide (estimated below 2%), results from three initial representative samples have returned an average grade of >5g/t Au. The vicinity of these discordant quartz veins, and further to the south-east along a predicted strike extension, is largely unexplored at present (Figure 5). Metal Hawk's high-resolution (10cm pixel) photogrammetry indicates likely scattered discontinuous quartz veins in this zone. In addition, samples of fresh un-veined gabbro and dolerite contain much higher-than-normal baseline gold concentrations (up to 192ppb). Reconnaissance soil geochemistry is also anomalous with up to 54ppb Au. This zone will be an immediate focus for Metal Hawk.



**Figure 5.** Tyson's, Thylacine and Bengal Tiger prospects showing rock chip results over magnetics. New results labelled yellow.

## TYSON'S

The Tyson's Prospect is located along strike and approximately 3km south-east from Siberian Tiger, at the eastern tip of the greenstone belt (the Lawlers Anticline; see Figure 1). New results from sampling at Tyson's include additional gold results of up to **43.6g/t Au**. Mapping and rockchip samples have also identified gold mineralisation in quartz veining 1.5km further north (immediately east of Thylacine). The Company is conducting extensive soil sampling at the prospect which will assist with plans for initial RC drilling.

## BENGAL TIGER


The Bengal Tiger Prospect is located immediately to the west of Thylacine along the WNW trending mafic unit (Figure 5). Assays returned from initial rockchip sampling at the prospect have returned significant gold assays of up to **4.3g/t Au**. The vein system at Bengal Tiger is poorly exposed and soil sampling will be carried out at the prospect in order to define targets for drilling.

## SIBERIAN TIGER

The main mineralised gold trend at Siberian Tiger extends for more than 800m. Rockchip sampling and mapping has continued to identify new and additional extensions to high grade gold at the southern end of the prospect, a further 500m along strike (Figure 7). Plans for extensive RC drilling at Siberian Tiger include up to 15 traverses to be cleared in the upcoming heritage survey scheduled for early 2025.



**Figure 6.** Quartz vein sample from Tyson's 24DR787 grading **43.6g/t Au**




**Figure 7. Siberian Tiger; new significant rock chip results (>1 g/t Au) highlighted yellow. Previous significant results labelled (> 2.0 g/t Au).**

## FORWARD PLAN

Metal Hawk signed a Heritage Agreement with the Watarra Aboriginal Corporation in October 2024 and has scheduled a heritage survey for early 2025. Following completion of the survey, the Company is planning an extensive maiden RC drill program at Leinster South. Drilling will be focused on the Thylacine and Siberian Tiger prospects.

Results from soil sampling across the Thylacine and Tyson's prospects are expected shortly and will be used by the Company to assist with drillhole planning. Further mapping and sampling are underway along a predicted SE strike extension of Thylacine, which to date has not been explored (Figure 5).



**Figure 8. Leinster South Project**

This announcement has been authorised for release by Mr Will Belbin, Managing Director, on behalf of the Board of Metal Hawk Limited.

For further information regarding Metal Hawk Limited please visit our website at [www.metalhawk.au](http://www.metalhawk.au) or contact:

Will Belbin  
Managing Director  
Metal Hawk Limited  
+61 478 198 665

Media & Investor Relations  
Luke Forrestal  
GRA Partners  
+61 411 479 144

[admin@metalhawk.au](mailto:admin@metalhawk.au)

[luke.forrestal@grapartners.com.au](mailto:luke.forrestal@grapartners.com.au)

### Competent Person statement

The information in this announcement that relates to Exploration Targets and Exploration Results is based on information compiled and reviewed by Mr William Belbin, a “Competent Person” who is a Member of the Australian Institute Geoscientists (AIG) and is Managing Director at Metal Hawk Limited. Mr Belbin is a full-time employee of the Company and hold shares and options in the Company. Mr Belbin has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which he has undertaken to qualify as a Competent Person as defined in the 2012 Edition of the ‘Australasian Code for the Reporting of Exploration Results, Mineral Resources and Ore Reserves’. Mr Belbin consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

### Forward-Looking Statements

This document may include forward-looking statements. Forward-looking statements include, but are not limited to, statements concerning Metal Hawk Limited’s planned exploration program(s) and other statements that are not historical facts. When used in this document, the words such as “could,” “plan,” “estimate,” “expect,” “intend,” “may”, “potential,” “should,” and similar expressions are forward looking statements.

**Table 1: ROCK CHIP SAMPLE RESULTS**

| SAMPLE ID | PROSPECT  | EAST   | NORTH   | RL  | Au (g/t) |
|-----------|-----------|--------|---------|-----|----------|
| 24DR575   | Regional  | 274943 | 6881463 | 507 | NSR      |
| 24DR576   | Regional  | 274989 | 6881505 | 508 | NSR      |
| 24DR577   | Regional  | 274966 | 6881526 | 508 | NSR      |
| 24DR578   | Regional  | 275214 | 6881518 | 501 | NSR      |
| 24DR579   | Regional  | 275216 | 6881516 | 501 | NSR      |
| 24DR580   | Regional  | 275217 | 6881513 | 501 | NSR      |
| 24DR581   | Regional  | 275224 | 6881515 | 501 | NSR      |
| 24DR582   | Regional  | 275230 | 6881498 | 501 | 0.91     |
| 24DR583   | Regional  | 274680 | 6880322 | 493 | NSR      |
| 24DR585   | Tysons    | 274566 | 6880825 | 493 | 0.13     |
| 24DR586   | Regional  | 274065 | 6881670 | 514 | 0.85     |
| 24DR587   | Regional  | 274044 | 6881596 | 514 | NSR      |
| 24DR588   | LN033     | 273326 | 6881198 | 513 | NSR      |
| 24DR589   | Regional  | 275258 | 6881504 | 501 | NSR      |
| 24DR590   | Regional  | 275241 | 6881534 | 501 | 0.15     |
| 24DR591   | Regional  | 275296 | 6881527 | 501 | NSR      |
| 24DR592   | Regional  | 275291 | 6881508 | 501 | NSR      |
| 24DR593   | Regional  | 275123 | 6881652 | 500 | 0.87     |
| 24DR594   | Regional  | 274446 | 6881992 | 513 | NSR      |
| 24DR595   | Regional  | 274585 | 6881840 | 509 | 5.40     |
| 24DR596   | Regional  | 274611 | 6881741 | 505 | 0.02     |
| 24DR597   | Regional  | 274701 | 6881701 | 504 | 0.26     |
| 24DR598   | Regional  | 274681 | 6881661 | 503 | 0.11     |
| 24DR599   | Regional  | 274793 | 6881591 | 504 | 0.03     |
| 24DR600   | Regional  | 274784 | 6881589 | 504 | NSR      |
| 24DR638   | Thylacine | 273624 | 6881552 | 531 | 6.01     |
| 24DR639   | Thylacine | 273617 | 6881563 | 531 | 17.21    |
| 24DR640   | Thylacine | 273600 | 6881598 | 529 | 6.40     |
| 24DR641   | Thylacine | 273591 | 6881619 | 529 | 12.15    |
| 24DR642   | Thylacine | 273575 | 6881594 | 528 | 3.36     |
| 24DR643   | Thylacine | 273596 | 6881556 | 531 | 15.29    |
| 24DR644   | Thylacine | 273600 | 6881553 | 531 | 18.98    |
| 24DR645   | Thylacine | 273562 | 6881627 | 527 | 14.05    |
| 24DR646   | Thylacine | 273558 | 6881639 | 525 | 12.87    |
| 24DR647   | LN033     | 273217 | 6881630 | 512 | 0.11     |
| 24DR648   | LN033     | 272953 | 6881438 | 511 | 0.03     |
| 24DR649   | LN033     | 272964 | 6881371 | 515 | NSR      |
| 24DR650   | LN033     | 273398 | 6881134 | 513 | 0.06     |
| 24DR651   | LN033     | 273953 | 6881200 | 520 | NSR      |
| 24DR653   | LN033     | 273990 | 6881300 | 521 | 6.10     |
| 24DR654   | Thylacine | 274011 | 6881434 | 529 | 0.38     |
| 24DR655   | LN033     | 274127 | 6881367 | 523 | 6.37     |
| 24DR656   | LN033     | 274081 | 6881301 | 528 | 3.93     |
| 24DR657   | LN033     | 274149 | 6881206 | 526 | 0.16     |
| 24DR658   | LN033     | 274162 | 6881298 | 522 | 0.19     |
| 24DR659   | LN033     | 274062 | 6881057 | 510 | 0.02     |
| 24DR660   | LN033     | 273687 | 6880983 | 505 | NSR      |
| 24DR661   | LN033     | 273661 | 6880937 | 507 | NSR      |
| 24DR662   | LN033     | 273620 | 6880913 | 507 | NSR      |
| 24DR663   | LN033     | 273559 | 6880853 | 506 | 0.15     |
| 24DR664   | LN033     | 273494 | 6881007 | 511 | NSR      |



|         |                |        |         |     |       |
|---------|----------------|--------|---------|-----|-------|
| 24DR665 | LN033          | 273526 | 6881093 | 506 | NSR   |
| 24DR666 | LN033          | 273694 | 6881066 | 503 | 0.02  |
| 24DR667 | LN033          | 273811 | 6880926 | 500 | NSR   |
| 24DR668 | LN033          | 273907 | 6880798 | 495 | NSR   |
| 24DR669 | LN033          | 273951 | 6880938 | 499 | NSR   |
| 24DR670 | LN033          | 273985 | 6880950 | 502 | NSR   |
| 24DR671 | LN033          | 274060 | 6880990 | 504 | NSR   |
| 24DR672 | LN033          | 273993 | 6881019 | 503 | NSR   |
| 24DR673 | LN033          | 273936 | 6881000 | 502 | NSR   |
| 24DR674 | LN033          | 273822 | 6881034 | 502 | NSR   |
| 24DR675 | LN033          | 273586 | 6881126 | 505 | 0.05  |
| 24DR676 | LN033          | 273434 | 6881093 | 513 | NSR   |
| 24DR677 | LN033          | 273415 | 6881098 | 513 | NSR   |
| 24DR679 | LN033          | 273426 | 6881034 | 516 | NSR   |
| 24DR680 | LN033          | 273376 | 6881038 | 518 | NSR   |
| 24DR681 | LN033          | 273367 | 6881069 | 517 | NSR   |
| 24DR682 | LN033          | 273224 | 6881261 | 519 | NSR   |
| 24DR683 | LN033          | 274071 | 6880880 | 500 | NSR   |
| 24DR686 | LN003          | 275137 | 6878625 | 494 | NSR   |
| 24DR687 | LN003          | 275135 | 6878620 | 494 | NSR   |
| 24DR757 | Siberian Tiger | 272111 | 6881841 | 503 | 10.13 |
| 24DR758 | Siberian Tiger | 272105 | 6881833 | 503 | 0.30  |
| 24DR759 | Siberian Tiger | 272097 | 6881870 | 503 | 2.67  |
| 24DR760 | Siberian Tiger | 272156 | 6881714 | 501 | 0.04  |
| 24DR761 | Siberian Tiger | 272157 | 6881775 | 501 | 0.03  |
| 24DR762 | Siberian Tiger | 272241 | 6881661 | 498 | 1.92  |
| 24DR763 | Siberian Tiger | 272269 | 6881595 | 499 | NSR   |
| 24DR764 | Siberian Tiger | 272313 | 6881512 | 506 | NSR   |
| 24DR765 | Siberian Tiger | 272295 | 6881556 | 504 | NSR   |
| 24DR766 | Siberian Tiger | 272291 | 6881597 | 504 | 0.49  |
| 24DR767 | Siberian Tiger | 272193 | 6881714 | 498 | NSR   |
| 24DR769 | LN019          | 272388 | 6881362 | 499 | NSR   |
| 24DR770 | LN019          | 272436 | 6881299 | 509 | NSR   |
| 24DR771 | Tiger Tail     | 272769 | 6881198 | 507 | NSR   |
| 24DR772 | Tiger Tail     | 272764 | 6881230 | 506 | 0.69  |
| 24DR773 | Tiger Tail     | 272521 | 6881315 | 504 | NSR   |
| 24DR774 | Tiger Tail     | 272554 | 6881326 | 503 | NSR   |
| 24DR775 | Tiger Tail     | 272572 | 6881330 | 501 | 0.15  |
| 24DR776 | Tiger Tail     | 272645 | 6881261 | 505 | 10.35 |
| 24DR777 | Tiger Tail     | 272643 | 6881270 | 505 | 1.32  |
| 24DR778 | Tiger Tail     | 272614 | 6881373 | 499 | 0.29  |
| 24DR779 | Tiger Tail     | 272522 | 6881369 | 502 | NSR   |
| 24DR780 | Tiger Tail     | 272765 | 6881147 | 507 | 0.02  |
| 24DR781 | Tiger Tail     | 272758 | 6881141 | 507 | NSR   |
| 24DR782 | Tiger Tail     | 272690 | 6881167 | 507 | 0.17  |
| 24DR783 | Tiger Tail     | 272554 | 6881445 | 501 | NSR   |
| 24DR784 | Tiger Tail     | 272546 | 6881427 | 500 | NSR   |
| 24DR785 | Tiger Tail     | 272521 | 6881456 | 500 | NSR   |
| 24DR786 | Tiger Tail     | 272642 | 6881450 | 502 | NSR   |
| 24DR787 | Tysons         | 274676 | 6880429 | 496 | 43.56 |
| 24DR788 | Tysons         | 274670 | 6880454 | 497 | 2.04  |
| 24DR789 | Tysons         | 274761 | 6880525 | 497 | 0.15  |
| 24DR790 | Tysons         | 274734 | 6880454 | 497 | 0.66  |
| 24DR791 | Tysons         | 274687 | 6880542 | 494 | 0.18  |



|         |                |        |         |     |       |
|---------|----------------|--------|---------|-----|-------|
| 24DR792 | Tysons         | 274703 | 6880553 | 496 | NSR   |
| 24DR793 | Tysons         | 274759 | 6880633 | 495 | NSR   |
| 24DR794 | Tysons         | 274779 | 6880616 | 494 | 0.39  |
| 24DR795 | Tysons         | 274652 | 6880658 | 495 | NSR   |
| 24DR796 | Tysons         | 274705 | 6880640 | 494 | 0.02  |
| 24DR797 | Tysons         | 274669 | 6880832 | 494 | NSR   |
| 24DR798 | Tysons         | 274687 | 6880813 | 494 | 0.15  |
| 24DR799 | Tysons         | 274749 | 6880777 | 498 | 1.87  |
| 24DR800 | Thylacine East | 274439 | 6881370 | 521 | 0.20  |
| 24DR801 | Thylacine East | 274405 | 6881408 | 527 | 2.12  |
| 24DR802 | Thylacine East | 274381 | 6881339 | 523 | 3.45  |
| 24DR803 | Thylacine East | 274431 | 6881323 | 520 | 0.05  |
| 24DR804 | Thylacine East | 274453 | 6881303 | 520 | 0.27  |
| 24DR805 | Thylacine East | 274318 | 6881415 | 521 | 1.02  |
| 24DR806 | Thylacine East | 274256 | 6881452 | 519 | 0.42  |
| 24DR807 | Thylacine East | 274512 | 6881283 | 517 | 0.08  |
| 24DR808 | Thylacine      | 273893 | 6881405 | 531 | 16.57 |
| 24DR810 | Thylacine      | 273871 | 6881435 | 531 | NSR   |
| 24DR811 | Thylacine      | 273845 | 6881451 | 533 | 0.14  |
| 24DR812 | Thylacine      | 273814 | 6881453 | 533 | 9.46  |
| 24DR813 | Tiger Flank    | 271958 | 6882295 | 516 | NSR   |
| 24DR814 | Tiger Flank    | 271953 | 6882261 | 516 | 0.04  |
| 24DR815 | Bengal Tiger   | 273201 | 6881706 | 514 | NSR   |
| 24DR816 | Bengal Tiger   | 273225 | 6881812 | 534 | NSR   |
| 24DR817 | Bengal Tiger   | 273223 | 6881814 | 534 | 0.11  |
| 24DR818 | Bengal Tiger   | 273218 | 6881808 | 534 | 0.02  |
| 24DR819 | Bengal Tiger   | 273217 | 6881817 | 534 | NSR   |
| 24DR820 | Bengal Tiger   | 273236 | 6881798 | 532 | NSR   |
| 24DR821 | Bengal Tiger   | 273274 | 6881775 | 526 | 4.32  |
| 24DR822 | Bengal Tiger   | 273255 | 6881760 | 530 | 0.03  |
| 24DR823 | Bengal Tiger   | 273251 | 6881759 | 530 | 0.59  |
| 24DR824 | Bengal Tiger   | 273289 | 6881777 | 530 | 0.40  |
| 24DR825 | Bengal Tiger   | 273297 | 6881781 | 526 | NSR   |
| 24DR826 | Bengal Tiger   | 273309 | 6881786 | 526 | NSR   |
| 24DR828 | Bengal Tiger   | 273371 | 6881677 | 520 | 0.06  |
| 24DR829 | Bengal Tiger   | 273357 | 6881732 | 523 | 3.00  |
| 24DR830 | Bengal Tiger   | 273345 | 6881717 | 522 | NSR   |
| 24DR831 | Bengal Tiger   | 273307 | 6881727 | 522 | 0.04  |
| 24DR832 | Bengal Tiger   | 273282 | 6881719 | 522 | 0.08  |
| 24DR833 | Bengal Tiger   | 273280 | 6881722 | 522 | 0.15  |
| 24DR834 | Bengal Tiger   | 273272 | 6881672 | 515 | 0.05  |
| 24DR835 | Bengal Tiger   | 273162 | 6881719 | 515 | NSR   |
| 24DR836 | Bengal Tiger   | 273175 | 6881743 | 515 | NSR   |
| 24DR837 | Bengal Tiger   | 273190 | 6881764 | 522 | NSR   |
| 24DR838 | Bengal Tiger   | 273245 | 6881739 | 524 | NSR   |
| 24DR839 | Bengal Tiger   | 273264 | 6881730 | 524 | 0.03  |
| 24DR840 | Tiger Stripe   | 271671 | 6881556 | 504 | NSR   |
| 24DR842 | Bengal Tiger   | 273273 | 6881726 | 522 | 0.62  |
| 24DR843 | Bengal Tiger   | 273221 | 6881822 | 534 | 0.12  |
| 24DR844 | Bengal Tiger   | 273218 | 6881808 | 534 | NSR   |
| 24DR845 | Bengal Tiger   | 273224 | 6881803 | 532 | NSR   |
| 24DR846 | Bengal Tiger   | 273253 | 6881765 | 530 | 0.07  |
| 24DR847 | Bengal Tiger   | 273282 | 6881894 | 534 | NSR   |
| 24DR848 | Bengal Tiger   | 273281 | 6881633 | 513 | NSR   |



|         |                |        |         |     |      |
|---------|----------------|--------|---------|-----|------|
| 24DR849 | LN036          | 273057 | 6881827 | 514 | NSR  |
| 24DR850 | LN036          | 273044 | 6881833 | 514 | NSR  |
| 24DR851 | Regional       | 272845 | 6881540 | 508 | NSR  |
| 24DR852 | Regional       | 272854 | 6881579 | 505 | NSR  |
| 24DR853 | Regional       | 272809 | 6881532 | 508 | 0.02 |
| 24DR854 | Regional       | 272790 | 6881520 | 509 | NSR  |
| 24DR855 | Regional       | 272769 | 6881559 | 511 | NSR  |
| 24DR856 | Regional       | 272738 | 6881533 | 512 | NSR  |
| 24DR857 | Regional       | 272739 | 6881539 | 512 | NSR  |
| 24DR858 | Regional       | 272733 | 6881560 | 512 | NSR  |
| 24DR859 | Regional       | 272721 | 6881549 | 512 | NSR  |
| 24DR860 | Regional       | 272750 | 6881611 | 507 | NSR  |
| 24DR861 | Regional       | 272701 | 6881630 | 507 | NSR  |
| 24DR862 | Regional       | 272704 | 6881659 | 504 | NSR  |
| 24DR863 | Regional       | 272673 | 6881608 | 505 | NSR  |
| 24DR864 | Regional       | 272700 | 6881581 | 509 | NSR  |
| 24DR865 | Regional       | 272281 | 6879085 | 473 | NSR  |
| 24DR866 | Thylacine East | 274472 | 6881479 | 519 | 0.02 |
| 24DR867 | Thylacine East | 274272 | 6881530 | 513 | 0.69 |
| 24DR868 | Thylacine East | 274212 | 6881580 | 514 | 3.69 |
| 24DR869 | Thylacine East | 274127 | 6881494 | 522 | 2.31 |
| 24DR874 | Bengal Tiger   | 273296 | 6881811 | 527 | 0.03 |
| 24DR875 | Bengal Tiger   | 273300 | 6881814 | 527 | 0.09 |
| 24JW062 | Tysons         | 274695 | 6880406 | 494 | 9.31 |
| 24JW063 | Tysons         | 274715 | 6880410 | 494 | 0.04 |
| 24JW064 | Tysons         | 274724 | 6880410 | 494 | 0.05 |
| 24JW065 | Tysons         | 274769 | 6880422 | 496 | 0.12 |
| 24JW066 | Tysons         | 274771 | 6880423 | 496 | 0.09 |
| 24JW067 | Tysons         | 274769 | 6880423 | 496 | 0.11 |
| 24JW068 | Tysons         | 274777 | 6880393 | 494 | 0.16 |
| 24JW069 | Tysons         | 274635 | 6880487 | 495 | NSR  |
| 24JW070 | Tysons         | 274642 | 6880495 | 495 | NSR  |
| 24JW071 | Tysons         | 274704 | 6880498 | 496 | NSR  |
| 24JW072 | Tysons         | 274915 | 6880365 | 495 | 0.03 |
| 24JW073 | Tysons         | 274804 | 6880219 | 497 | NSR  |
| 24JW074 | Tysons         | 275060 | 6880646 | 501 | NSR  |
| 24JW075 | Tysons         | 274959 | 6880588 | 500 | NSR  |
| 24JW076 | Tysons         | 274992 | 6880615 | 500 | NSR  |
| 24JW077 | Tysons         | 275008 | 6880629 | 500 | NSR  |
| 24JW078 | Tysons         | 275132 | 6880605 | 498 | NSR  |
| 24JW079 | Tysons         | 275267 | 6880664 | 503 | NSR  |
| 24JW080 | Tysons         | 274629 | 6880574 | 492 | 0.03 |
| 24JW081 | Tysons         | 274625 | 6880708 | 495 | 0.65 |
| 24JW082 | Tysons         | 274597 | 6880732 | 493 | NSR  |
| 24JW083 | Tysons         | 274581 | 6880711 | 493 | NSR  |
| 24JW084 | Tysons         | 274691 | 6880872 | 495 | 4.01 |
| 24JW085 | Tysons         | 274651 | 6880718 | 496 | NSR  |
| 24JW086 | Tysons         | 274683 | 6881052 | 497 | 0.05 |
| 24JW087 | Tysons         | 274731 | 6881052 | 497 | NSR  |
| 24JW088 | Tysons         | 274806 | 6881107 | 497 | NSR  |
| 24JW089 | Tysons         | 274670 | 6880994 | 496 | 0.05 |
| 24JW090 | Tysons         | 274538 | 6881037 | 499 | NSR  |
| 24JW091 | Tysons         | 274467 | 6880977 | 498 | NSR  |
| 24JW092 | Tysons         | 274766 | 6881303 | 503 | 0.04 |

|         |                |        |         |     |       |
|---------|----------------|--------|---------|-----|-------|
| 24JW093 | Regional       | 274643 | 6881471 | 507 | 0.02  |
| 24JW094 | Regional       | 275010 | 6881418 | 506 | 0.46  |
| 24JW095 | Regional       | 274979 | 6881616 | 502 | 0.26  |
| 24JW096 | Regional       | 275236 | 6881519 | 501 | NSR   |
| 24JW097 | Regional       | 275278 | 6881557 | 500 | 0.02  |
| 24JW098 | Regional       | 275256 | 6881478 | 501 | NSR   |
| 24JW099 | Regional       | 274082 | 6881495 | 524 | 7.14  |
| 24JW100 | Regional       | 274031 | 6881471 | 526 | NSR   |
| 24JW101 | Regional       | 274036 | 6881474 | 526 | 0.02  |
| 24JW102 | LN033          | 273301 | 6881187 | 514 | NSR   |
| 24JW103 | Regional       | 275118 | 6881741 | 502 | NSR   |
| 24JW104 | Regional       | 274514 | 6881917 | 513 | NSR   |
| 24JW105 | Regional       | 274589 | 6881831 | 509 | 4.62  |
| 24JW106 | Regional       | 274605 | 6881701 | 504 | NSR   |
| 24JW107 | Regional       | 274701 | 6881674 | 503 | 0.02  |
| 24JW108 | Tysons         | 274727 | 6880121 | 498 | NSR   |
| 24JW109 | Tysons         | 274853 | 6880104 | 497 | NSR   |
| 24JW110 | Tysons         | 274712 | 6880154 | 496 | 0.10  |
| 24JW111 | Tysons         | 274679 | 6880352 | 493 | NSR   |
| 24JW112 | Tysons         | 275125 | 6880461 | 499 | 2.78  |
| 24JW113 | Regional       | 274125 | 6881430 | 522 | 42.25 |
| 24JW115 | LN032          | 271806 | 6880599 | 481 | NSR   |
| 24JW116 | LN032          | 271758 | 6880600 | 484 | NSR   |
| 24JW117 | LN032          | 271721 | 6880611 | 486 | NSR   |
| 24JW118 | Thylacine East | 274546 | 6881352 | 515 | NSR   |
| 24JW119 | Thylacine East | 274448 | 6881348 | 521 | 0.19  |
| 24JW120 | Thylacine East | 274311 | 6881363 | 521 | 8.22  |
| 24JW121 | Thylacine East | 274306 | 6881448 | 520 | 0.04  |
| 24JW122 | Thylacine East | 274491 | 6881479 | 514 | 0.05  |
| 24JW123 | Thylacine      | 273477 | 6881604 | 523 | 0.61  |
| 24JW124 | Bengal Tiger   | 273399 | 6881763 | 522 | 2.26  |

**Notes to Table 1:**

- Grid coordinates GDA2020: zone51, locations determined by handheld GPS.
- Au reported is average where repeat assay available.
- NSR = no significant result (< 0.02 g/t Au)

## 2012 JORC Table 1

### SECTION 1: SAMPLING TECHNIQUES & DATA (SURFACE GEOCHEMISTRY)

|                              | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sampling techniques</b>   | <p><i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</i></p> <p><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used</i></p> <p><i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</i></p> | <ul style="list-style-type: none"> <li>• Surface rockchip sampling at Leinster South was undertaken as part of reconnaissance mapping and prospecting of gold targets and follow up from recent reconnaissance work carried out in June-September 2024 which identified gold mineralisation in quartz veining. Additional targets were identified from satellite imagery, interpretation of GSWA geological maps and from historic soil geochemical anomalies.</li> <li>• Sampling was undertaken using standard industry practices.</li> <li>• The rockchip sampling program was reconnaissance in nature, rockchips were taken at the discretion of a geologist according to visual inspection of suitably mineralised and/or unmineralised rock units. The geologist has attempted to collect a representative sample of the material presented, so there is no hand picking of specific pieces of broken rock or minerals.</li> <li>• Rockchip sampling consisted of outcropping/ subcropping quartz veins and/or ferruginous mafic saprock lithologies. Samples weighed between 1 to 3kg. A total of 245 priority samples were collected in this campaign.</li> <li>• Sample coordinates are in UTM grid (GDA2020 z51) and have been measured with a hand-held GPS with an accuracy of +/- 4m.</li> <li>• All MHK rockchip samples were submitted for gold and multi-element analysis at Intertek Laboratories Perth, WA using 4 acid digest with ICPMS finish, plus fire assay for gold.</li> </ul> |
| <b>Drilling techniques</b>   | <p><i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>• Not applicable.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Drill sample recovery</b> | <p><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></p> <p><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></p> <p><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <ul style="list-style-type: none"> <li>• Not applicable.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |



|                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Logging</b>                                        | <p><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p>                                                                                                                                                                                                                                                                                                            | <ul style="list-style-type: none"><li>Logging of rock chips colour and lithology was carried out on a routine basis. Data is in a digital form. A photograph has been collected for each rockchip sample.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Sub-sampling techniques and sample preparation</b> | <p><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></p> <p><i>If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.</i></p> <p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p> <p><i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></p> <p><i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></p> <p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p> | <ul style="list-style-type: none"><li>Rockchip samples are split using a small rock hammer.</li><li>In some cases where rock had weathered to gravelly material, multiple pieces of representative rock were required to create a composite sample. No selective hand picking of minerals took place.</li><li>Rockchip samples weighed approximately 1-3 kg, which is sufficient for the grain size of the material being analysed and the reconnaissance stage of exploration being carried out. No selective hand picking took place.</li><li>In some cases, multiple pieces of representative rock were required to create a composite sample. This approach is used in regional programs to establish the fertility of a range of veins at one locality. This is especially important given the size of the area and number of veins systems being covered in this program. The objective of the follow-up sampling is to collect individual veins wherever possible at any given locality.</li><li>Rockchip samples were delivered to Intertek Genalysis prep lab in Kalgoorlie. Sample preparation by dry pulverization to 90% passing 80 microns.</li><li>Standards were used for this program at an insertion rate of 1:20. The laboratory also inserted standards at regular intervals.</li><li>Following gold results reported from reconnaissance sampling in June-July 2024, additional duplicate/replicate samples were collected at four (4) sites of gold mineralisation. The results show good repeatability (see MHK asx announcement dated 18 September 2024).</li><li>Once samples arrived in Kalgoorlie, further work including routine laboratory duplicates and QC was undertaken at the laboratory.</li><li>At the laboratory where the entire sample was dried, crushed, then pulverised to 85% passing 75 microns or better using a LM2 or LM5 mill.</li></ul> |
| <b>Quality of assay data and laboratory tests</b>     | <p><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p> <p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis</i></p>                                                                                                                                                                                                                                                                                                                                                                                                                                   | <ul style="list-style-type: none"><li>Rockchip geochemical analysis was undertaken by Intertek Genalysis in Perth, using routine multi-element analysis by 4-acid digest and ICP-OES/MS.</li><li>This near-full digest is considered sufficient for this stage of exploration and the weathered nature of the samples.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |



|                                                                |                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                | <p><i>including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <p><i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></p>                                          | <ul style="list-style-type: none"> <li>Gold analysis was undertaken with 50-gram Fire Assay with OES finish. The detection limit for gold via this method is 5ppb (0.005ppm).</li> <li>No geophysical assay tools were used.</li> <li>Laboratory QA/QC involves the use of internal lab standards using certified reference material, blanks, splits and replicates as part of the in-house procedures. QC results (blanks, duplicates, standards) were in line with commercial procedures, reproducibility and accuracy.</li> </ul> |
| <b>Verification of sampling and assaying</b>                   | <p><i>The verification of significant intersections by either independent or alternative company personnel.</i></p> <p><i>The use of twinned holes.</i></p> <p><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></p> <p><i>Discuss any adjustment to assay data.</i></p>                                          | <ul style="list-style-type: none"> <li>Data storage as PDF/XL files on company PC in Perth office, which is then up-loaded to the Company's access database.</li> <li>Data is validated at several stages to ensure consistency.</li> <li>No data was adjusted.</li> </ul>                                                                                                                                                                                                                                                           |
| <b>Location of data points</b>                                 | <p><i>Accuracy and quality of surveys used to locate drillholes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></p> <p><i>Specification of the grid system used.</i></p> <p><i>Quality and adequacy of topographic control.</i></p>                                                                                          | <ul style="list-style-type: none"> <li>All rock chip and soil samples were surveyed using a handheld Garmin GPS, accurate to within 3-5 m.</li> <li>Rockchip locations are shown as per Table 1.</li> <li>Grid MGA2020 Zone 51.</li> <li>Topography is moderately uneven and GPS has poor vertical controls, so the elevation of samples is derived from a digital terrain model.</li> </ul>                                                                                                                                         |
| <b>Data spacing and distribution</b>                           | <p><i>Data spacing for reporting of Exploration Results.</i></p> <p><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></p> <p><i>Whether sample compositing has been applied.</i></p>                            | <ul style="list-style-type: none"> <li>Rockchips were collected at variable sample spacings at the discretion of the geologist to adequately sample the area of interest.</li> </ul>                                                                                                                                                                                                                                                                                                                                                 |
| <b>Orientation of data in relation to geological structure</b> | <p><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></p> <p><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></p> | <ul style="list-style-type: none"> <li>Rockchip sampling was designed to establish the gold fertility of the various veins and textures presented at the site. This is reflected in the range of assays presented herein – barren quartz through to strongly mineralised quartz with abundant ex-sulphide.</li> </ul>                                                                                                                                                                                                                |
| <b>Sample security</b>                                         | <p><i>The measures taken to ensure sample security.</i></p>                                                                                                                                                                                                                                                                                                                                       | <ul style="list-style-type: none"> <li>Samples were collected on site under supervision of the responsible geologist. Once collected samples were bagged and transported to Kalgoorlie for analysis. Dispatch and</li> </ul>                                                                                                                                                                                                                                                                                                         |

|                          |                                                                              |                                                                                     |
|--------------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                          |                                                                              | consignment notes were delivered and checked for discrepancies.                     |
| <b>Audits or reviews</b> | <i>The results of any audits or reviews of sampling techniques and data.</i> | <ul style="list-style-type: none"> <li>No Audits have been commissioned.</li> </ul> |

## SECTION 2: REPORTING OF EXPLORATION RESULTS

| Criteria                                       | JORC Code explanation                                                                                                                                                                                                                                                               | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mineral tenement and land tenure status</b> | <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> | <ul style="list-style-type: none"> <li>The work programs were conducted on the granted exploration licenses 36/1048, 36/1068.</li> <li>The tenements are registered to Metal Hawk Limited, who is 100% owner.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                                                | <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</i>                                                                                                                                     | <ul style="list-style-type: none"> <li>The project tenements are in good standing and no known impediments exist.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Exploration done by other parties</b>       | <i>Acknowledgment and appraisal of exploration by other parties.</i>                                                                                                                                                                                                                | <ul style="list-style-type: none"> <li>Previous exploration has been carried out in the area by a number of explorers. The majority of early documented historical work was carried out for nickel sulphide exploration, given the extension of magnetic highs from the northwest (Agnew Greenstone Belt).</li> <li>No historical drilling data has been recorded at the Siberian Tiger and Thylacine prospects.</li> <li>Between 1997 to 2001 the tenure was owned by WMC (Western Mining Corporation). Work undertaken included soil and rockchip sampling, but there is no record of any drilling.</li> <li>Heron Resources Ltd (Heron) held part of the ground from 2004 to 2009. In 2004, Heron completed an extensive wide-spaced (1000m x 100m) soil survey which covered the Siberian Tiger prospect. While they reported an anomaly of 87ppb Au along strike to the southeast of Siberian Tiger, the stronger anomaly that is the central to the prospect (482ppb Au) received no coverage.</li> <li>More recently the tenement area was owned by Jindalee Resources Ltd Limited (from 2018 to 2023). The ground was subject to a JV with Auroch Minerals Ltd. No reported fieldwork took place at the Siberian Tiger prospect or any of the other reported gold prospects identified by MHK.</li> </ul> |
| <b>Geology</b>                                 | <i>Deposit type, geological setting and style of mineralisation.</i>                                                                                                                                                                                                                | <ul style="list-style-type: none"> <li>The Leinster South Project lies at the southeastern tip of the Lawlers Anticline on the Agnew Greenstone Belt in central-west WA.</li> <li>The geological setting is of Archaean age with common host rocks related to komatiite-hosted nickel sulphide mineralisation as found throughout the Yilgarn Craton of Western Australia. The region is also made up of mafic and felsic volcanics and intrusions, siliciclastic metasediments of upper</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |



|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <p>greenschist to lower amphibolite facies and post-orogenic S-type muscovite-bearing granites.</p> <ul style="list-style-type: none"> <li>The main belt of exposed rocks in EL36/1068 is composed of interlayered dolerite, gabbro, metabasalt, ortho-amphibolite, pyroxenite, and schistose meta-mafic and meta-sedimentary rocks. There are strong domainal foliations at the interface between brittle and ductile lithologies, and locally the development of quartz veins systems parallel and en echelon to the fabric. Veins range from undeformed sheeted to complex breccia and boudinaged with host rock and iron oxides. Rarely are primary sulphides preserved, but pyrite, chalcopyrite and sphalerite have been recorded during the mapping and sampling program by Metal Hawk.</li> <li>The package has been intruded by several granites with differing affinities, ranging from leucogranite to granodiorite. Some bodies are highly foliated and locally migmatized, while others are equigranular and essentially undeformed.</li> <li>The Leinster South Project principally has potential for komatiite-associated nickel and structurally controlled intrusion-related gold.</li> <li>Significant gold deposits are currently in production at Agnew – Lawlers (15 to 25km to NW) and Thunderbox, 25km to the east of E36/1068.</li> <li>The closest gold deposit and former mine is Fairyland (148,000 oz pre-mining resource 1997), 10km to north. The Company does not know the historical production figures for Fairyland.</li> </ul> |
| <b>Drill hole Information</b>   | <p><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i></p> <ul style="list-style-type: none"> <li><i>easting and northing of the drill hole collar</i></li> <li><i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li> <li><i>dip and azimuth of the hole</i></li> <li><i>down hole length and interception depth</i></li> <li><i>hole length.</i></li> </ul> | <ul style="list-style-type: none"> <li>Not applicable.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Data aggregation methods</b> | <p><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></p> <p><i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p>                                                    | <ul style="list-style-type: none"> <li>Rockchips: Average of original and any repeat gold assays used.</li> <li>No top-cut applied.</li> <li>No metal equivalents have been used.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |



|                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                         | <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Relationship between mineralisation widths and intercept lengths</b> | <p><i>These relationships are particularly important in the reporting of Exploration Results.</i></p> <p><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></p> <p><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i></p> | <ul style="list-style-type: none"><li>As the geochemical results reported are from surface, any potential depths of mineralisation or orientations can only be inferred from geological observations on the surface and hence are speculative in nature.</li></ul>                                                                                                                                                                                                      |
| <b>Diagrams</b>                                                         | <p><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></p>                                                                                                                                        | <ul style="list-style-type: none"><li>Refer to Figures in text.</li></ul>                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Balanced reporting</b>                                               | <p><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></p>                                                                                                                                                                                 | <ul style="list-style-type: none"><li>All Metal Hawk rock chip sample results are presented in Table 1 and as a thematic map in the report.</li></ul>                                                                                                                                                                                                                                                                                                                   |
| <b>Other substantive exploration data</b>                               | <p><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></p>                     | <ul style="list-style-type: none"><li>Everything meaningful and material is disclosed in the body of the report.</li></ul>                                                                                                                                                                                                                                                                                                                                              |
| <b>Further work</b>                                                     | <p><i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></p> <p><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive</i></p>                                                     | <ul style="list-style-type: none"><li>Metal Hawk is continuing follow-up soil sampling program over parts of E36/1068, encompassing the Siberian Tiger prospect and along strike to the southeast. Most is at a spacing of 200x50m, with 100mx25m infill over the immediate area of Siberian Tiger.</li><li>The company is continuing follow-up rockchip sampling at several prospects and further reconnaissance rockchip and soil sampling across E36/1068.</li></ul> |