

07 November 2025

Aurum hits 5m @ 11.07 g/t gold from 200m at Boundiali Gold Project, Côte d'Ivoire

Aurum Resources (ASX: AUE, "Aurum" or "the Company") is pleased to announce encouraging high-grade gold results from its ongoing 100,000m infill drilling program at the 2.41Moz Boundiali Gold Project¹ in Côte d'Ivoire. The drilling is designed to grow and increase confidence in Mineral Resources at Boundiali's BDT2 deposit and has successfully confirmed multiple high-grade gold intercepts.

Encouraging new drill intercepts include²:

- **BDT2 Deposit:**
 - **18m @ 3.93 g/t Au** from 198m inc. **5m @ 11.07 g/t Au** (DSDD0267)
 - **28m @ 1.54 g/t Au** from 82m inc. **4m @ 7.51 g/t Au** (DSDD0265)
 - **17m @ 0.99 g/t Au** from 55m inc. **1m @ 9.16 g/t Au** (DSDD0265)
 - **9m @ 1.38 g/t Au** from 78m inc. **3m @ 3.23 g/t Au** (DSDD0267)

Project Growth & Development:

- **Mineralisation remains open:** Gold mineralisation remains open along strike and at depth, indicating significant potential for resource growth.
- **Drilling fleet expanded:** Two new rigs have been added, expanding Aurum's owned fleet to 12. This expansion will accelerate the program, targeting more than **130,000m** of drilling at Boundiali and Napié in CY2025.
- **Major Resource updates pending:** Two major MRE updates (Boundiali and Napié) are scheduled for early Q1 CY2026, aimed at growing the Company's current 3.28Moz resource base.
- **Boundiali PFS Underway:** Boundiali Project Pre-Feasibility Study results, due in Q1 CY2026.
- **Well-funded for growth:** Aurum maintains a strong balance sheet with **\$45M** cash (inclusive of Montage shares, unaudited)³ to fully fund its exploration and development programs.

Aurum's Managing Director Dr. Caigen Wang said: "We are very pleased to see shallow high-grade intercepts from our infill and extensional drilling at BDT2. These new hits, including **5m @ 11.07 g/t Au** from 200m in DSDD0267, are very encouraging and **sit outside** of the current Mineral Resource for **BDT2**."

We are increasing the tempo of drilling at Boundiali ahead of our next major resource update expected early in Q1 CY2026. We now have 12 diamond drill rigs active at Boundiali on multiple deposits as we focus on delivering an increase in confidence and quantity in our Boundiali Mineral Resources.

*As we have stated, this success is not isolated to Boundiali. At our Napié Project, recent drilling has also returned a fantastic result of **17m @ 9.38 g/t gold**⁴ from 236m, significantly extending mineralisation at depth. This demonstrates our ability to deliver potential high-grade ounces across multiple assets.*

Our unique advantage is our owned and operated fleet of 12 diamond drill rigs, which allows us to aggressively and cost-effectively test these systems.

With a strong cash balance of more than \$45 million at the end of September, a clear development pathway with the Boundiali PFS underway, and major resource updates at both gold projects pending, we are in an excellent position to deliver substantial shareholder value through 2025 and into 2026."

¹ "Boundiali indicated gold resources grows by 53% in two months" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au

² Refer to tables accompanying this report for collar location information and assay results for the new drilling

³ ASX release dated 30/10/2025 September Quarterly Report

⁴ ASX release dated 10 Sep 2025 Aurum hits 17m @ 9.38 g/t gold from 236m at Napié

New Drilling – Boundiali Gold Project⁵

Aurum is reporting new assay results from infill and step-back diamond drilling (six holes for 1,487.40m). These results are from the **BDT2** deposit located on the **BD** tenement (80% interest).

BDT2 - Latest Drill Results

Better intercepts from drilling include⁶:

- **18m @ 3.93 g/t Au** from 198m inc. **5m @ 11.07 g/t Au** (DSDD0267)
- **28m @ 1.54 g/t Au** from 82m inc. **4m @ 7.51 g/t Au** (DSDD0265)
- **17m @ 0.99 g/t Au** from 55m inc. **1m @ 9.16 g/t Au** (DSDD0265)
- **9m @ 1.38 g/t Au** from 78m inc. **3m @ 3.23 g/t Au** (DSDD0267).

These new results are in addition to diamond holes drilled and reported⁷ by Aurum at **BDT2**, which included:

- **74m @ 1.00 g/t Au** from 167m inc. **1m @ 24.73 g/t Au** (DSDD0044)
- **2m @ 22.86 g/t Au** from 297m (DSDD0240)
- **2m @ 16.67 g/t Au** from 29.50m (DSDD0218)
- **16m @ 1.79 g/t Au** from 347m inc. **4m @ 6.36 g/t Au** (DSDD0235)
- **33m @ 0.84 g/t Au** from 146m inc. **1m @ 9.95 g/t Au** (DSDD0046)
- **33m @ 0.84 g/t Au** from 341m inc. **6m @ 2.03 g/t Au** (DSDD0123A)
- **15.78m @ 1.70 g/t Au** from 121.22m inc. **6m @ 2.99 g/t Au** (DSDD0110)
- **10.50m @ 2.39 g/t Au** from 43.50m inc. **1m @ 22.81 g/t Au** (DSDD0254)
- **13.88 m @ 1.45 g/t Au** from 377m inc. **1m @ 14.79 g/t Au** (DSDD0123A)
- **18.15m @ 0.80 g/t Au** from 190.85m inc. **4m @ 2.53 g/t Au** (DSDD0243)
- **26.91m @ 0.47 g/t Au** from 51.31m inc. **1m @ 3.28 g/t Au** (DSDD0237).

The **BDT2** gold deposit lies within an underexplored **13km by 3km mineralised corridor**. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold which is free milling⁸ is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate. True widths for these shallow, wide gold intercepts are estimated at about 65% - 80% of reported downhole lengths.

Details of drill collar location and assay results and intercepts for the new drilling at **BDT2** can be found in Table 1 and Table 2 respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in the following figures: General locations in Figure 1 and Figure 2, and project details in Figure 3. A detailed plan showing results is presented in Figure 4 and a cross section showing the latest drill results is presented in Figure 5.

Gold mineralisation at **BDT2** remains open along strike and at depth on all deposits with drilling ongoing and Aurum is planning further work.

⁵ Refer to About Aurum's Boundiali Gold Project

⁶ Refer to Table 1 for collar information and Table 2 for assay results for the new drilling

⁷ Refer to Compliance Statement for details on previous reporting on ASX

⁸ ASX release dated 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali

Next Steps:

- **Aggressive cost-effective exploration:** Aurum is committed to a large-scale exploration program at its two projects in Côte d'Ivoire. This includes:
 - **100,000m diamond drilling at Boundiali⁹:** Up to 12 diamond drill rigs will complete 100,000m of drilling at Boundiali in CY2025. The program aims to:
 - Increase the size and confidence of current resources
 - Advance known prospects for incorporation into the next MRE update
 - Target new prospects identified through soil anomalies and geological mapping to drive resource growth into 2026.
 - **Resource expansion:** Drilling aims to expand the known resources at the **BD**, **BM**, and **BST** deposits.
 - **New discoveries:** Exploration and scout drilling is planned on **BD**, **BM**, and **BST** tenements to test new targets and create a pipeline of new discoveries to flow into resource growth.
 - **Resource updates:** Aurum plans to deliver a major **MRE update** for Boundiali early in Q1 CY2026.
- **Boundiali Pre-Feasibility Study:** Aurum is working towards completing an open pit PFS for the Boundiali Gold Project with results expected in Q1 CY2026. This will provide an evaluation of the project's economics and technical feasibility.
- **Napié exploration drilling:** A 30,000m diamond drilling program (CY2025) is continuing at the Napié Gold Project, designed to expand the existing 0.87Moz resource with an updated MRE for Napié expected early Q1 CY2026.
- **Continued growth:** With a strong financial position, Aurum is well-funded to execute these exploration and development plans. The Company remains focused on delivering value for shareholders through resource growth and project advancement.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

⁹ This program is indicative only and subject to change based on operational requirements and exploration results. Meterage allocations may be adjusted as new information becomes available. Investors should refer to company announcements for updates on the drilling program and be aware of the inherent risks associated with mineral exploration.

FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

COMPLIANCE STATEMENT

The information in this presentation that relates to Boundiali Mineral Resources is extracted from the announcement "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at www.asx.com.au and includes results reported previously and published on ASX platform:

30 Oct 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 27 Oct 2025, Aurum hits 0.8m @ 350 g/t gold at Boundiali Gold Project (ASX:AUE)
 06 Oct 2025, Boundiali indicated gold resources grows by 53% in two month (ASX:AUE)
 29 Sep 2025, Aurum hits 1m @ 152.35 g/t gold from 96m at Boundiali (ASX:AUE)
 10 Sep 2025, Aurum hits 17m @ 9.38 g/t gold from 236m at Napié (ASX:AUE)
 01 Sep 2025, Aurum expands footprint of Boundiali and Napié Gold Projects (ASX:AUE)
 05 Aug 2025, Boundiali Gold Project Resource grows ~50% to 2.41Moz (ASX:AUE)
 29 Jul 2025, Encouraging Drilling Results at BD & BST (ASX:AUE)
 25 Jul 2025, Aurum hits 1.43m at 234.35 g/t gold from 107m at BMT3 (ASX:AUE)
 23 Jul 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 15 Jul 2025, 100 million share placement to strategic investors completed (ASX:AUE)
 27 Jun 2025, Aurum commenced 30,000m diamond drilling at Napié (ASX:AUE)
 17 Jun 2025, AUE hits 66m @ 1.07g/t gold from 33m @ Boundiali BD tenement (ASX:AUE)
 27 May 2025, AUE expands Boundiali Gold Project exploration ground (ASX:AUE)
 21 May 2025, AUE hits 34m @ 2.32g/t gold from 56m @ Boundiali BD tenement (ASX:AUE)
 13 May 2025, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
 13 May 2025, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
 27 Mar 2025, Aurum hits 83m @ 4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
 7 Mar 2025, Investor Presentation March 2025 (ASX:AUE)
 6 Mar 2025, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
 27 Feb 2025, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 21 Feb 2025, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
 4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AUE)
 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)
 15 Nov 2024, Supplementary Bidders Statement (ASX:AUE)
 11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)
 30 Oct 2024, Bidders Statement (ASX:AUE)
 16 Oct 2024, Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)
 09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)
 05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)
 07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)
 22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)
 17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)
 24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)
 10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)
 01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)
 23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)
 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)
 12 March 2024, AUE hits 73m at 2.15g/t Inc. 1m at 72g/t gold at Boundiali (ASX:AUE)
 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)
 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX:AUE)
 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)
 21 November 2023, AUE Acquisition Presentation (ASX:AUE)
 21 June 2021, Notice of General Meeting/Proxy Form (MSR:ASX)
 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR:ASX)
 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI:ASX)
 15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte d'Ivoire (PDI:ASX)
 27 May 2019, New Drill Results Strengthen Boundiali Project Côte d'Ivoire (PDI:ASX)
 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI:ASX)
 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI:ASX)

The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Plan view showing new drill results (yellow) for BDT2¹⁰

¹⁰ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of intercepts included in table.




Figure 5: Cross Section looking north (+/-25m) showing new drill results (yellow) for BDT2¹¹

¹¹ Only showing new holes with intercepts greater than 2.5 gold gram metres, full list of intercepts included in table.

Table 1: Drill collar information for holes drilled at BDT2

Hole ID	UTM East Zone 29N	UTM North Zone 29N	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0262	788,900	1,058,951	358	195.00	270	-50	BDT2	DD
DSDD0263	789,101	1,059,050	355	326.95	270	-55	BDT2	DD
DSDD0265	788,948	1,059,103	360	319.15	270	-53	BDT2	DD
DSDD0266	788,950	1,059,200	360	202.40	270	-50	BDT2	DD
DSDD0267	789,053	1,059,200	358	248.75	270	-50	BDT2	DD
DSDD0268	788,850	1,059,154	362	195.15	270	-50	BDT2	DD
6 holes				1,487.40m			TOTAL	DD

Table 2: Significant assay results for holes drilled at BDT2¹²

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au	
DSDD0262	5.00	6.00	1.00	0.29	1.00 m @ 0.29 g/t Au	0.3		
DSDD0262	11.41	12.10	0.69	0.92	0.69 m @ 0.92 g/t Au	0.6		
DSDD0262	77.00	78.30	1.30	0.10				
DSDD0262	126.00	127.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2		
DSDD0263	1.90	3.00	1.10	0.14				
DSDD0263	89.00	90.00	1.00	0.75	1.00 m @ 0.75 g/t Au	0.8		
DSDD0263	166.00	167.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2		
DSDD0263	167.00	168.00	1.00	0.12				
DSDD0263	168.00	169.00	1.00	0.24	1.00 m @ 0.24 g/t Au	0.2		
DSDD0263	171.00	172.00	1.00	0.16				
DSDD0263	173.00	174.00	1.00	1.36	2.00 m @ 0.83 g/t Au	1.7	1.00 m @ 1.36 g/t Au	
DSDD0263	174.00	175.00	1.00	0.30				
DSDD0263	178.00	179.00	1.00	0.11				
DSDD0263	179.00	180.00	1.00	0.13				
DSDD0263	180.00	181.00	1.00	0.10				
DSDD0263	181.00	182.00	1.00	0.14				
DSDD0263	184.00	185.00	1.00	0.23	7.00 m @ 0.25 g/t Au	1.8		
DSDD0263	185.00	186.00	1.00	0.26				
DSDD0263	186.00	187.00	1.00	0.22				
DSDD0263	187.00	188.45	1.45	0.20				
DSDD0263	188.45	189.00	0.55	0.24				
DSDD0263	189.00	190.00	1.00	0.27				
DSDD0263	190.00	191.00	1.00	0.36				
DSDD0263	191.00	192.00	1.00	0.14				
DSDD0263	198.00	199.00	1.00	0.38	1.00 m @ 0.38 g/t Au	0.4		
DSDD0263	201.00	202.00	1.00	0.15				
DSDD0263	203.00	204.00	1.00	0.16				
DSDD0263	214.00	215.00	1.00	0.29	4.00 m @ 0.39 g/t Au	1.6		
DSDD0263	215.00	216.00	1.00	0.79				
DSDD0263	216.00	217.00	1.00	0.21				
DSDD0263	217.00	218.00	1.00	0.27				
DSDD0263	218.00	219.00	1.00	0.16				
DSDD0263	219.00	220.00	1.00	0.17				
DSDD0263	246.00	247.00	1.00	0.60	12.00 m @ 0.23 g/t Au	2.8		
DSDD0263	247.00	248.00	1.00	0.28				
DSDD0263	248.00	249.00	1.00	0.14				
DSDD0263	249.00	250.00	1.00	0.04				
DSDD0263	250.00	251.00	1.00	0.32				
DSDD0263	251.00	252.00	1.00	0.01				
DSDD0263	252.00	253.00	1.00	0.05				
DSDD0263	253.00	254.00	1.00	0.21				

¹² 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0263	254.00	255.00	1.00	0.46			
DSDD0263	255.00	256.00	1.00	0.16			
DSDD0263	256.00	257.00	1.00	0.26			
DSDD0263	257.00	258.00	1.00	0.24			
DSDD0263	266.00	267.00	1.00	0.10			
DSDD0263	267.00	268.00	1.00	0.77	4.00 m @ 0.44 g/t Au	1.8	
DSDD0263	268.00	269.00	1.00	0.33			
DSDD0263	269.00	270.00	1.00	0.45			
DSDD0263	270.00	271.00	1.00	0.21			
DSDD0263	275.00	276.00	1.00	0.10			
DSDD0263	283.00	284.00	1.00	0.14			
DSDD0263	284.00	285.00	1.00	0.23	1.00 m @ 0.23 g/t Au	0.2	
DSDD0263	300.00	301.00	1.00	0.28	9.00 m @ 0.23 g/t Au	2.1	
DSDD0263	301.00	302.00	1.00	0.16			
DSDD0263	302.00	303.00	1.00	0.27			
DSDD0263	303.00	304.00	1.00	0.60			
DSDD0263	304.00	305.00	1.00	0.28			
DSDD0263	305.00	306.00	1.00	0.11			
DSDD0263	306.00	307.00	1.00	0.05			
DSDD0263	307.00	308.00	1.00	0.03			
DSDD0263	308.00	309.00	1.00	0.29			
DSDD0265	6.00	7.00	1.00	0.38	4.00 m @ 0.23 g/t Au	0.9	
DSDD0265	7.00	8.00	1.00	0.03			
DSDD0265	8.00	9.00	1.00	0.09			
DSDD0265	9.00	10.00	1.00	0.44			
DSDD0265	10.00	11.00	1.00	0.10			
DSDD0265	11.00	11.50	0.50	0.10			
DSDD0265	12.99	14.00	1.01	0.23	1.01 m @ 0.23 g/t Au	0.2	
DSDD0265	16.50	18.00	1.50	0.12			
DSDD0265	19.50	20.00	0.50	0.60	0.50 m @ 0.60 g/t Au	0.3	
DSDD0265	21.00	22.00	1.00	0.19			
DSDD0265	22.00	23.00	1.00	0.26	1.00 m @ 0.26 g/t Au	0.3	
DSDD0265	23.00	24.00	1.00	0.19			
DSDD0265	24.00	25.00	1.00	0.17			
DSDD0265	31.00	32.00	1.00	0.48	4.00 m @ 0.31 g/t Au	1.3	
DSDD0265	32.00	33.00	1.00	0.03			
DSDD0265	33.00	34.00	1.00	0.12			
DSDD0265	34.00	35.00	1.00	0.62			
DSDD0265	38.00	39.00	1.00	0.12			
DSDD0265	44.00	45.00	1.00	0.20	6.00 m @ 0.37 g/t Au	2.2	
DSDD0265	45.00	46.00	1.00	0.17			
DSDD0265	46.00	47.00	1.00	0.46			
DSDD0265	47.00	48.00	1.00	0.03			
DSDD0265	48.00	49.00	1.00	0.94			
DSDD0265	49.00	50.00	1.00	0.42			
DSDD0265	54.00	55.00	1.00	0.16			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0265	55.00	56.00	1.00	0.22	17.00 m @ 0.99 g/t Au	16.9	
DSDD0265	56.00	57.00	1.00	0.48			
DSDD0265	57.00	58.00	1.00	2.60			1.00 m @ 2.60 g/t Au
DSDD0265	58.00	59.00	1.00	0.65			
DSDD0265	59.00	60.00	1.00	0.66			
DSDD0265	60.00	61.00	1.00	0.32			
DSDD0265	61.00	62.00	1.00	0.20			
DSDD0265	62.00	63.00	1.00	0.09			
DSDD0265	63.00	64.00	1.00	0.13			
DSDD0265	64.00	65.00	1.00	0.04			
DSDD0265	65.00	66.00	1.00	0.78			
DSDD0265	66.00	67.00	1.00	1.00			1.00 m @ 1.00 g/t Au
DSDD0265	67.00	68.00	1.00	0.20			
DSDD0265	68.00	69.00	1.00	0.01			
DSDD0265	69.00	70.00	1.00	0.34			
DSDD0265	70.00	71.00	1.00	0.02			
DSDD0265	71.00	72.00	1.00	9.16			1.00 m @ 9.16 g/t Au
DSDD0265	82.00	83.00	1.00	0.31	28.00 m @ 1.54 g/t Au	43.0	
DSDD0265	83.00	84.15	1.15	0.09			
DSDD0265	84.15	85.00	0.85	0.77			
DSDD0265	85.00	86.00	1.00	0.51			
DSDD0265	86.00	87.00	1.00	0.63			
DSDD0265	87.00	88.00	1.00	0.65			4.00 m @ 7.51 g/t Au
DSDD0265	88.00	89.00	1.00	0.57			
DSDD0265	89.00	90.00	1.00	1.95			
DSDD0265	90.00	91.00	1.00	0.10			
DSDD0265	91.00	92.00	1.00	0.09			
DSDD0265	92.00	93.00	1.00	27.89			
DSDD0265	93.00	94.00	1.00	0.18			
DSDD0265	94.00	95.00	1.00	0.16			
DSDD0265	95.00	96.00	1.00	0.22			
DSDD0265	96.00	97.00	1.00	0.06			
DSDD0265	97.00	98.00	1.00	0.03			
DSDD0265	98.00	99.00	1.00	0.04			
DSDD0265	99.00	100.00	1.00	0.30			6.00 m @ 1.30 g/t Au
DSDD0265	100.00	101.00	1.00	1.41			
DSDD0265	101.00	102.00	1.00	1.97			
DSDD0265	102.00	103.00	1.00	0.39			
DSDD0265	103.00	104.00	1.00	0.01			
DSDD0265	104.00	105.00	1.00	2.30			
DSDD0265	105.00	106.00	1.00	1.73			
DSDD0265	106.00	107.00	1.00	0.06			
DSDD0265	107.00	108.00	1.00	0.19			
DSDD0265	108.00	109.00	1.00	0.26			
DSDD0265	109.00	110.00	1.00	0.23			
DSDD0265	110.00	111.00	1.00	0.13			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0265	171.00	172.00	1.00	0.14			
DSDD0265	176.00	177.00	1.00	0.28	1.00 m @ 0.28 g/t Au	0.3	
DSDD0265	179.00	180.00	1.00	0.25	8.00 m @ 0.23 g/t Au	1.8	
DSDD0265	180.00	181.00	1.00	0.03			
DSDD0265	181.00	182.00	1.00	0.01			
DSDD0265	182.00	183.00	1.00	0.32			
DSDD0265	183.00	184.00	1.00	0.06			
DSDD0265	184.00	185.00	1.00	0.15			
DSDD0265	185.00	186.00	1.00	0.61			
DSDD0265	186.00	187.00	1.00	0.41			
DSDD0265	196.00	197.00	1.00	0.18			
DSDD0265	200.00	201.00	1.00	0.23	8.00 m @ 0.26 g/t Au	2.1	
DSDD0265	201.00	202.00	1.00	0.25			
DSDD0265	202.00	203.00	1.00	0.05			
DSDD0265	203.00	204.00	1.00	0.03			
DSDD0265	204.00	205.00	1.00	0.47			
DSDD0265	205.00	206.00	1.00	0.27			
DSDD0265	206.00	207.00	1.00	0.18			
DSDD0265	207.00	208.00	1.00	0.59			
DSDD0265	215.00	216.00	1.00	0.15			
DSDD0265	217.00	218.00	1.00	0.64	1.00 m @ 0.64 g/t Au	0.6	
DSDD0265	252.25	253.00	0.75	0.12			
DSDD0265	259.00	260.00	1.00	0.26	1.00 m @ 0.26 g/t Au	0.3	
DSDD0265	260.00	261.00	1.00	0.18			
DSDD0265	267.00	268.00	1.00	0.26	4.00 m @ 0.23 g/t Au	0.9	
DSDD0265	268.00	269.00	1.00	0.03			
DSDD0265	269.00	270.00	1.00	0.40			
DSDD0265	270.00	271.00	1.00	0.21			
DSDD0265	289.00	290.00	1.00	0.39	1.00 m @ 0.39 g/t Au	0.4	
DSDD0265	295.00	296.00	1.00	1.13	2.00 m @ 0.90 g/t Au	1.8	1.00 m @ 1.13 g/t Au
DSDD0265	296.00	297.00	1.00	0.66			
DSDD0265	305.00	306.40	1.40	0.14			
DSDD0266	1.00	2.00	1.00	0.16			
DSDD0266	2.00	3.00	1.00	0.11			
DSDD0266	5.29	6.33	1.04	0.37	1.04 m @ 0.37 g/t Au	0.4	
DSDD0266	39.00	39.86	0.86	3.24	0.86 m @ 3.24 g/t Au	2.8	0.86 m @ 3.24 g/t Au
DSDD0266	43.06	44.00	0.94	0.47	0.94 m @ 0.47 g/t Au	0.4	
DSDD0266	87.00	88.25	1.25	0.57	1.25 m @ 0.57 g/t Au	0.7	
DSDD0266	95.00	96.00	1.00	0.11			
DSDD0266	113.80	115.00	1.20	1.66	1.20 m @ 1.66 g/t Au	2.0	1.20 m @ 1.66 g/t Au
DSDD0266	189.95	191.00	1.05	0.14			
DSDD0266	192.00	193.00	1.00	0.13			
DSDD0267	5.00	5.50	0.50	0.10			
DSDD0267	24.89	26.00	1.11	0.14			
DSDD0267	27.50	28.50	1.00	2.04	1.00 m @ 2.04 g/t Au	2.0	1.00 m @ 2.04 g/t Au
DSDD0267	32.75	34.00	1.25	0.90	1.25 m @ 0.90 g/t Au	1.1	

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au		
DSDD0267	37.00	37.50	0.50	0.11					
DSDD0267	39.00	40.00	1.00	0.15					
DSDD0267	41.00	42.00	1.00	7.30	1.50 m @ 6.70 g/t Au	10.0	1.50 m @ 6.70 g/t Au		
DSDD0267	42.00	42.50	0.50	5.48					
DSDD0267	47.00	48.00	1.00	0.32	1.00 m @ 0.32 g/t Au	0.3			
DSDD0267	48.83	50.00	1.17	0.51	5.17 m @ 0.41 g/t Au	2.1			
DSDD0267	50.00	51.00	1.00	0.96					
DSDD0267	51.00	52.00	1.00	0.07					
DSDD0267	52.00	53.00	1.00	0.24					
DSDD0267	53.00	54.00	1.00	0.27					
DSDD0267	67.00	68.00	1.00	0.14	4.00 m @ 0.44 g/t Au	1.8			
DSDD0267	68.00	69.00	1.00	0.50					
DSDD0267	69.00	70.00	1.00	0.91					
DSDD0267	70.00	71.00	1.00	0.06					
DSDD0267	71.00	72.00	1.00	0.31					
DSDD0267	73.00	74.00	1.00	0.14	9.00 m @ 1.38 g/t Au	12.4		3.00 m @ 3.23 g/t Au	
DSDD0267	75.00	76.00	1.00	0.16					
DSDD0267	78.00	79.00	1.00	0.38					
DSDD0267	79.00	79.85	0.85	0.15					
DSDD0267	79.85	81.00	1.15	0.69					
DSDD0267	81.00	82.00	1.00	0.82					
DSDD0267	82.00	83.00	1.00	1.04					
DSDD0267	83.00	84.00	1.00	4.74					
DSDD0267	84.00	85.00	1.00	3.91					
DSDD0267	85.00	86.00	1.00	0.28					
DSDD0267	86.00	87.00	1.00	0.30					
DSDD0267	97.70	98.71	1.01	0.15					
DSDD0267	134.00	135.00	1.00	0.31				1.00 m @ 0.31 g/t Au	0.3
DSDD0267	151.00	152.00	1.00	0.18					
DSDD0267	153.20	154.00	0.80	0.60				0.80 m @ 0.60 g/t Au	0.5
DSDD0267	155.00	156.00	1.00	0.11					
DSDD0267	161.65	163.00	1.35	0.76				1.35 m @ 0.76 g/t Au	1.0
DSDD0267	176.00	177.00	1.00	0.23				4.00 m @ 0.21 g/t Au	0.8
DSDD0267	177.00	178.00	1.00	0.08					
DSDD0267	178.00	179.00	1.00	0.07					
DSDD0267	179.00	180.00	1.00	0.46					
DSDD0267	180.00	181.43	1.43	0.14					
DSDD0267	181.43	182.00	0.57	0.16					
DSDD0267	182.00	183.00	1.00	0.11					
DSDD0267	183.00	184.00	1.00	0.19					
DSDD0267	184.00	185.30	1.30	0.17					
DSDD0267	198.00	199.00	1.00	0.28	18.00 m @ 3.93 g/t Au	70.8	5.00 m @ 11.07 g/t Au		
DSDD0267	199.00	200.00	1.00	0.04					
DSDD0267	200.00	201.00	1.00	1.11					
DSDD0267	201.00	202.00	1.00	6.35					
DSDD0267	202.00	203.00	1.00	0.48					

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0267	203.00	204.00	1.00	0.87			
DSDD0267	204.00	205.00	1.00	46.55			
DSDD0267	205.00	206.00	1.00	0.15			
DSDD0267	206.00	207.00	1.00	0.22			
DSDD0267	207.00	208.00	1.00	0.34			
DSDD0267	208.00	209.00	1.00	0.67			
DSDD0267	209.00	210.00	1.00	0.38			
DSDD0267	210.00	211.00	1.00	0.19			
DSDD0267	211.00	212.00	1.00	0.90			
DSDD0267	212.00	213.26	1.26	8.49			
DSDD0267	213.26	214.00	0.74	0.87			
DSDD0267	214.00	215.00	1.00	0.53			
DSDD0267	215.00	216.00	1.00	0.36			
DSDD0267	216.00	217.00	1.00	0.20			
DSDD0267	221.11	222.00	0.89	0.24			
DSDD0267	222.00	223.00	1.00	0.16			
DSDD0267	235.00	236.00	1.00	0.20			
DSDD0267	236.00	237.00	1.00	0.18			
DSDD0268	1.00	2.00	1.00	0.14			
DSDD0268	4.00	5.13	1.13	1.15			
DSDD0268	6.00	7.00	1.00	0.34			
DSDD0268	7.00	8.00	1.00	0.35			
DSDD0268	8.00	9.00	1.00	0.14			
DSDD0268	9.00	10.20	1.20	0.22			
DSDD0268	22.94	24.43	1.49	0.65			
DSDD0268	29.10	30.51	1.41	0.18			
DSDD0268	74.50	75.20	0.70	0.13			
DSDD0268	86.00	87.00	1.00	0.13			
DSDD0268	115.00	116.00	1.00	0.30			
DSDD0268	116.00	117.00	1.00	0.06			
DSDD0268	117.00	118.30	1.30	0.04			
DSDD0268	118.30	119.00	0.70	0.01			
DSDD0268	119.00	120.00	1.00	3.65			
DSDD0268	120.00	121.00	1.00	0.47			
DSDD0268	129.00	130.00	1.00	0.16			
DSDD0268	130.00	131.00	1.00	0.12			
DSDD0268	131.00	132.00	1.00	0.11			
DSDD0268	133.00	134.00	1.00	0.18			
DSDD0268	134.00	135.00	1.00	0.39			
DSDD0268	135.00	136.00	1.00	0.18			
DSDD0268	153.00	154.00	1.00	0.79			
DSDD0268	157.00	158.00	1.00	0.16			
DSDD0268	159.00	159.70	0.70	0.52			
DSDD0268	159.70	161.00	1.30	0.04			
DSDD0268	161.00	162.35	1.35	0.30			
DSDD0268	162.35	163.30	0.95	0.03			

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0268	163.30	164.15	0.85	2.02			0.85 m @ 2.02 g/t Au
DSDD0268	168.00	169.00	1.00	0.74	1.00 m @ 0.74 g/t Au	0.7	
DSDD0268	170.00	171.00	1.00	0.19			
DSDD0268	174.00	175.00	1.00	0.16			
DSDD0268	175.00	176.00	1.00	0.11			
DSDD0268	187.00	188.00	1.00	0.10			
DSDD0268	190.00	191.00	1.00	0.24	1.00 m @ 0.24 g/t Au	0.2	
DSDD0268	191.00	192.00	1.00	0.18			

About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 3.28Moz gold resources coming from two gold projects, the 2.41Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs ten (10) diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

Statement of Mineral Resources by Deposit as at 30 September 2025, for BST1, BDT1, BDT2, BDT3, BMT1 and BMT3 deposits with 0.4 g/t Au cut off above 300m depth, and 1 g/t below 300m depth¹³

Area	Class	Oxide			Transition			Fresh			Total		
		Quantity (Mt)	Au (g/t)	Au (MOz)	Quantity (Mt)	Au (g/t)	Au (MOz)	Quantity (Mt)	Au (g/t)	Au (MOz)	Quantity (Mt)	Au (g/t)	Au (MOz)
BST1	Indicated	0.8	1	0.03	0.9	1.1	0.03	3.2	0.9	0.09	4.9	0.9	0.15
	Inferred	0.6	0.9	0.02	0.9	0.9	0.03	6.1	0.9	0.17	7.6	0.9	0.21
	Sub Total	1.5	0.9	0.04	1.7	1	0.05	9.3	0.9	0.26	12.5	0.9	0.36
BDT1	Indicated	0.6	0.9	0.02	0.5	0.9	0.02	10.8	1.1	0.38	12	1.1	0.41
	Inferred	0.2	0.9	0.01	0.2	0.9	0.01	2.2	1	0.07	2.6	1	0.08
	Sub Total	0.8	0.9	0.02	0.7	0.9	0.02	13	1.1	0.45	14.6	1.1	0.49
BDT2	Indicated	0.1	0.9	0.003	0.1	0.8	0.002	1.3	0.7	0.03	1.5	0.8	0.04
	Inferred	0.7	0.8	0.018	1.2	0.7	0.03	17.9	0.7	0.43	19.9	0.7	0.48
	Sub Total	0.8	0.8	0.021	1.3	0.7	0.03	19.3	0.7	0.46	21.4	0.7	0.51
BDT3	Indicated												
	Inferred	0.2	0.9	0.004	0.2	1	0.01	3.2	1.2	0.12	3.5	1.2	0.13
	Sub Total	0.2	0.9	0.004	0.2	1	0.01	3.2	1.2	0.12	3.5	1.2	0.13
BMT1	Indicated												
	Inferred	0.5	0.8	0.01	0.2	0.8	0.004	8.2	1.2	0.3	8.8	1.1	0.32
	Sub Total	0.5	0.8	0.01	0.2	0.8	0.004	8.2	1.2	0.3	8.8	1.1	0.32
BMT3	Indicated	0.4	1.4	0.02	0.5	1.4	0.02	6.6	1.3	0.28	7.6	1.3	0.32
	Inferred	0.1	0.9	0.01	0.1	0.9	0.01	8.4	1	0.26	8.6	1	0.27
	Sub Total	0.5	1.3	0.03	0.6	1.3	0.03	15	1.1	0.54	16.2	1.1	0.59
All	Indicated	1.9	1.0	0.07	2	1.1	0.07	21.9	1.1	0.78	26	1.1	0.92
	Inferred	2.3	0.8	0.07	2.8	0.8	0.09	46	0.9	1.35	51	0.9	1.49
	Total	4.3	0.9	0.13	4.7	0.9	0.14	68	1.0	2.13	77	1.0	2.41

Napié Mineral Resource Estimate; On 14 June 2022, a maiden Mineral Resource Estimate was reported in accordance with JORC (2012) comprising two deposits, Tchaga and Gogbala.¹⁴

Deposit	Category	Tonnes (Mt)	Grade (g/t Au)	Au (koz)
Tchaga	Inferred	14.6	1.16	545
Gogbala	Inferred	7.8	1.29	323
Global Resource	Total	22.5	1.20	868

Resources reported at a cut-off grade of 0.6g/t gold. Differences may occur in totals due to rounding.

¹³ "Boundiali indicated gold resources grows by 53% in two month" released to the Australian Securities Exchange on 6 October 2025 and available to view on www.asx.com.au

¹⁴ "Napié Project Listing Rule 5.6 Disclosure (Amended)" released to the Australian Securities Exchange on 4 February 2025 and available to view on www.asx.com.au.

Boundiali Gold Project (2.41Moz)

The flagship 2.41Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 5.5Moz Koné project located to the south. Barrick's Tongon mine (5.0Moz) is located to the northeast (Figure 1 and Figure 2):

BM gold project JV 80% interest - PR0893 ("BM"), 400km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BD gold project JV 80% interest - PR808 ("BD"), 260km²

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
 - 80% if local partner contributes 11% capex
 - 85% if local partner does not contribute capex – they go to 5% free carry
 - 88% if local partner sells us 3% of their interest they go to 2% free carry

BST gold project 100% interest – Application No. 0781 ("BST") 100%, 167.34km²

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

BN gold project JV - PR283 ("BN"), 208.87km²

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant
- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

Encore JV Project

- Applications (No. 1740 and No. 1745) totalling nearly 320km² are strategically located between Aurum's existing **BD** and **BST** tenements and south of **BM**, offering growth potential for its 1.6Moz Boundiali Gold Project.

- Staged earn-in agreement aligns expenditure with milestones for each permit area:
 - Path to 51% interest: 4,000m diamond drilling.
 - Path to 80% interest: Additional 8,000m diamond drilling (total 12,000m) OR US\$2.5 million nominal expenditure.

Major Star Plus Partnership Projects

- Applications (No. 0791), 114.53km², is strategically located on the immediate south and west of **BST** tenement, offering growth potential for its 2.41Moz Boundiali Gold Project.
- Applications (No. 0793), 99.12km², are structurally located on the immediate west of the Napié gold project, offering growth potential for its 0.87Moz Napié Project.
- Applications (No. 0804), 254.97km², is a separate gold exploration project located in central Côte D'Ivoire.
- 35% project interest from the Company's ownership of 35% registered share capital of Major Star Plus Sarl.
 - Path to 51% interest in a exploration permit: Either USD1.5 million normal expenditure or 7,000m diamond drilling.
 - Path to 80% interest in a exploration permit: Either USD3.0 million normal expenditure or 15,000m diamond drilling
 - Path to 95% interest in a exploration permit: Completion of Pre-Feasibility Study
 - 85.5~87% interest in a future production mine

Mako Gold Pty Ltd (0.87Moz)

Wholly owned subsidiary of Aurum and holds the following projects:

- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

Section 1 of the JORC Code, 2012 Edition – Table 1

Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones. - Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site. - Sampling and QAQC procedures were carried out to industry standards. - Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamousoukro for analysis via 500g Photon Assay.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining	All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.

Criteria	JORC Code explanation	Commentary
	studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	Metallurgical, Geotechnical and structural data has been recorded - Photography and recovery measurements were carried out by assistants under a geologist's supervision. - All drill holes were logged in full. - Logging was qualitative and quantitative in nature.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core. - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au. - The entire sample was crushed to 70% passing 2mm. - Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks. - Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd, - Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled. - Coarse blank samples: Inserted 1 in every 20 samples - Laboratory Internal Duplicates and Standards - Sample sizes are considered appropriate to correctly represent the moderately nuggetty gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and	The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to

Criteria	JORC Code explanation	Commentary
	model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting. - No geophysical tools were used to determine any element concentrations used for this report. - Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client. - The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- NA - No holes have been twinned - No adjustment to assay data - Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format. - Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- DD collar positions were initially located using a handheld GPS with a location error of +/-3m. - The datum employed is WGS84, Zone 29 - All drill hole locations are then surveyed utilising the differential GPS methods by both company and third party surveyors. - DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Drillholes were completed on variable line spacings (from 100m to 50m) and orientations. - The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures. - The samples were not composited prior to assay.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.
Sample security	The measures taken to ensure sample security.	Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.

• Section 2 of the JORC Code, 2012 Edition – Table 1

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	- Exploration results are from the Boundiali project area - PR893 (BM), 400km², holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor"). Boundiali DS tenement PR808 ("BD"), 260km², holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor. BST mining licence application of which Aurum is 100% owner. - There are no impediments to working in the area.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	- The exploration results reported in this announcement are from work undertaken by PlusOr a wholly owned subsidiary of Aurum Resources Limited - The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.
Geology	Deposit type, geological setting and style of mineralisation.	- The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of from the Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué- Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N. - The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts

• Criteria	• JORC Code explanation	• Commentary
		showing evidence of shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite. Two types of deformation are present in the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.
• Drill hole information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- Complete drill hole data has been provided. - Drill hole collar locations are shown in figures in main body of announcement.
• Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- Assay Intervals are shown in detail. Drilling intervals are predominantly 1m. - Metal equivalent values are not being reported.
• Relationship between	These relationships are particularly important in the reporting of Exploration	True widths have not been estimated as the geological controls on mineralisation

• Criteria	• JORC Code explanation	• Commentary
mineralisation widths and intercept lengths	Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	in these initial drill holes into the prospect are not yet well understood. The holes were drilled to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Appropriate diagrams relevant to material results are shown in the body of this announcement.
Balanced Reporting	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	- All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. - Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. being reported
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.
Further work	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs. - Diagrams included in body of report as deemed appropriate by competent person