

DISCLAIMER

No investment or financial product advice

This Presentation, and the information provided in it, does not constitute, and is not intended to constitute, financial product or investment advice, or a recommendation to acquire Vulcan Shares, nor does it constitute, and is not intended to constitute, accounting, legal or tax advice. This Presentation does not, and will not, form any part of any contract for the acquisition of Vulcan Shares. This Presentation has been prepared without taking into account the objectives, financial or tax situation or particular needs of any individual. Before making an investment decision (including any investment in Vulcan Shares or Vulcan generally), prospective investors should consider the appropriateness of the information having regard to their own objectives, financial and tax situation and needs, and seek professional advice from their legal, financial, taxation or other independent adviser (having regard to the requirements of all relevant jurisdictions). Vulcan is not licensed to provide financial product advice in respect of an investment in shares. Any investment in any publicly-traded company, including Vulcan, is subject to significant risks of loss of income and capital.

Forward-looking statements

This Presentation contains certain forward-looking statements. Often, but not always, forward-looking statements can be identified by the use of forward-looking words such as "may", "will", "expect", "intend", "plan", "estimate", "target", "propose", "anticipate", "continue", "outlook" and "guidance", or other similar words. Such forward-looking statements may include, but are not limited to, statements regarding: the proposed use of funds; estimated mineral resources and ore reserves; forecast financial information (including revenue and EBITDA); permits and approvals; forecast lithium prices; expected future demand for lithium products; planned production and operating costs; planned capital requirements; planned strategies and corporate objectives; and expected construction and production commencement dates.

By their nature, forward-looking statements inherently involve known and unknown risks, uncertainties and other factors that may cause actual results, performance and achievements to be materially greater or less than estimated, including those generally associated with the lithium industry and/or resources exploration companies, including but not limited to the risks listed in Appendices 10 and 11 of this Presentation as well as the risks contained in the Prospectus dated 11 February 2022, and the ASX Announcement "Vulcan Zero Carbon LithiumTM Project DFS results and Resources-Reserves update" released to ASX on 13 February 2023 and the "Risk factors" section of the Equity Raising Presentation released to ASX on 14 September 2021 (together the "Previous Disclosures").

These factors may include, but are not limited to, changes in commodity and renewable energy prices, foreign exchange fluctuations and general economic conditions, increased costs and demand for production inputs lithium, the speculative nature of exploration and project development (including the risks of obtaining necessary licenses and permits and diminishing quantities or grades of reserves), political and social risks, changes to the regulatory framework within which Vulcan operates or may in the future operate, environmental conditions including climate change and extreme weather conditions, geological and geotechnical events, environmental issues, the recruitment and retention of key personnel, industrial relations issues and litigation.

Any such forward-looking statements, opinions and estimates in this Presentation (including any statements about market and industry trends) are based on assumptions and contingencies, all of which are subject to change without notice, and may ultimately prove to be materially incorrect. Accordingly, prospective investors should consider any forward-looking statements in this Presentation in light of those disclosures, and not place undue reliance on any forward-looking statements (particularly in light of the current economic climate and significant volatility, uncertainty and disruption caused by the COVID-19 pandemic and the Russian invasion of Ukraine). Forward-looking statements are provided as a general guide only and should not be relied upon as, and are not, an indication or guarantee of future performance. All forward-looking statements involve significant elements of subjective judgement, assumptions as to future events that may not be correct, known and unknown risks, uncertainties and other factors – many of which are outside the control of Vulcan.

Except as required by applicable law or regulation (including the ASX Listing Rules), Vulcan does not make any representations, and provides no warranties, concerning the accuracy of any forward-looking statements, and disclaims any obligation to update or revise any forward-looking statements, whether as a result of new information, future events or results, or otherwise. Neither Vulcan nor any of its directors, officers, agents, employees or advisors give any representation or warranty, express or implied, as to the fairness, accuracy, completeness or correctness of the information, opinions and conclusions contained in this Presentation.

Investment Risks

As noted above and contained in the Previous Disclosures, an investment in Vulcan is subject to both known and unknown risks, some of which are beyond the control of Vulcan. Vulcan does not guarantee any particular rate of return or its performance, nor does it guarantee any particular tax treatment. Prospective investors should have regard to the risks in the Previous Disclosures particularly the February 2022 Prospectus and September Equity Raise Presentation, when making their investment decision, and should make their own enquires and investigations regarding all information in this Presentation, including, but not limited to, the assumptions, uncertainties and contingencies that may affect Vulcan's future operations, and the impact that different future outcomes may have on Vulcan. There is no guarantee that any investment in Vulcan will make a return on the capital invested, that dividends will be paid on any fully paid ordinary shares in Vulcan, or that there will be an increase in the value of Vulcan in the future. Accordingly, an investment in Vulcan and Vulcan Shares should be considered highly speculative, and potential investors should consult their professional advisers before deciding whether to invest in Vulcan.

DISCLAIMER

Ore Reserves and Mineral Resources Reporting

It is a requirement of the ASX Listing Rules that the reporting of ore reserves and mineral resources in Australia comply with the Joint Ore Reserves Committee's Australasian Code for Reporting of Mineral Resources and Ore Reserves ("JORC Code"). Investors outside Australia should note that while ore reserve and mineral resource estimates of the Company in this document comply with the JORC Code (such JORC Code-compliant ore reserves and mineral resources being "Ore Reserves" and "Mineral Resources" respectively), they may not comply with the relevant guidelines in other countries and, in particular, do not comply with (i) National Instrument 43–101 (Standards of Disclosure for Mineral Projects) of the Canadian Securities Administrators (the "Canadian NI 43–101 Standards"); or (ii) subpart 1300 of Regulation S-K under the US Securities Act of 1933, as amended (the "Securities Act"), which governs disclosures of mineral reserves in registration statements filed with the US Securities and Exchange Commission ("SEC").

Information contained in this Presentation describing mineral deposits may not be comparable to similar information made public by companies subject to the reporting and disclosure requirements of Canadian or US securities laws. On 31 October 2018, the SEC adopted amendments to its disclosure rules to modernise the mineral property disclosure requirements for issuers whose securities are registered with the SEC under the US Exchange Act of 1934, as amended (the "Exchange Act"). These amendments became effective 25 February 2019, with compliance required for the first fiscal year beginning on or after 1 January 2021. Under these amendments, the historical property disclosure requirements for mining registrants included in Industry Guide 7 under the Securities Act were rescinded and replaced with disclosure requirements in subpart 1300 of Regulation S-K. As a result of the adoption of subpart 1300 of Regulation S-K, the SEC's standards for mining property disclosures are now more closely aligned to the JORC Code's requirements. For example, the SEC now recognises estimates of "measured mineral resources", "indicated mineral resources" and "inferred mineral resources." In addition, the SEC has amended its definitions of "proven mineral reserves" and "probable mineral reserves" to be "substantially similar" to the corresponding standards under the JORC Code. However, despite these similarities, SEC standards are still not identical to the JORC Code. Accordingly, investors are cautioned that there can be no assurance that the reserves and resources reported by the Company under the JORC Code would be the same had it prepared its reserve or resource estimates under the standards adopted under subpart 1300 of Regulation S-K.

Disclaimer

Vulcan, to the maximum extent permitted by law, expressly excludes and disclaims all liability (including, without limitation, any liability arising out of fault or negligence on the part of any person) for any direct, indirect, consequential or contingent loss or damage, or any costs or expenses, arising from the use of this Presentation or its contents, or otherwise arising in connection with it.

Industry data

Certain market and industry data used in connection with or referenced in this Presentation may have been obtained from public filings, research, surveys or studies made or conducted by third parties, including as published in industry-specific or general publications. Neither Vulcan nor its advisers, nor their respective representatives, have independently verified any such market or industry data. To the maximum extent permitted by law, each of these persons expressly disclaims any responsibility or liability in connection with such data.

Effect of rounding

A number of figures, amounts, percentages, estimates, calculations of value and fractions in this Presentation are subject to the effect of rounding. Accordingly, the actual calculation of these figures may differ from the figures set out in this Presentation.

DISCLAIMER

Financial data

All monetary values expressed as "\$" or "A\$" in this Presentation are in Australian dollars, unless stated otherwise. All monetary values expressed as EUR or € in this Presentation are in Euros, unless stated otherwise. All monetary values expressed as "US\$" in this Presentation are in US dollars, unless stated otherwise. The assumed exchange rate to convert Euros into Australian dollars or US dollars (as applicable) is shown in the footnote to each respective slide.

In addition, prospective investors should be aware that financial data in this Presentation includes "non-IFRS financial information" under ASIC Regulatory Guide 230 'Disclosing non-IFRS financial information' published by ASIC and also 'non-GAAP financial measures' within the meaning of Regulation G under the U.S. Securities Exchange Act of 1934.

The non-IFRS financial measures do not have standardised meanings prescribed by Australian Accounting Standards and, therefore, may not be comparable to similarly titled measures presented by other entities, one should they be construed as an alternative to other financial measures determined in accordance with Australian Accounting Standards. Although Vulcan believes the non-IFRS financial information (and non-IFRS financial measures) provide useful information to readers of this Presentation, readers are cautioned not to place any undue reliance on any non-IFRS financial information (or non-IFRS financial measures).

Similarly, non-GAAP financial measures do not have a standardised meaning prescribed by Australian Accounting Standards or International Financial Reporting Standards and therefore may not be comparable to similarly titled measures presented by other entities, nor should they be construed as an alternative to other financial measures determined in accordance with Australian Accounting Standards or International Financial Reporting Standards. Although Vulcan believes that these non-GAAP financial measures provide useful information to readers of this Presentation, readers are cautioned not to place undue reliance on any such measures.

Technical information

Vulcan has so far only carried out a pre-feasibility study (the results of which were announced to the ASX in the announcement "Positive PFS & Maiden JORC Ore Reserve: Zero Carbon Lithium™ Project" dated 15 January 2021) ('PFS') and a definitive feasibility study for Phase One of its Zero Carbon Lithium™ Project ('Project')(the results of which were announced to the ASX in the announcement "Vulcan Zero Carbon Lithium™ Project DFS Results, Resources and Reserves Update" dated 13 February 2023)('DFS'). Vulcan has not yet carried out a definitive feasibility study for Phase Two of its Project. This Presentation includes information relating to both the PFS and DFS. Investors should not rely on the results of the PFS as Vulcan considers that the material assumptions underpinning that study are no longer up to date in light of the additional studies undertaken in preparing the DFS.

The DFS is based on the material assumptions outlined elsewhere in the DFS announcement. While Vulcan considers all of the material assumptions to be based on reasonable grounds, there is no certainty that they will prove to be correct or that the range of outcomes indicated by the DFS will be achieved.

Funding Strategy

To achieve the range of outcomes indicated in the DFS, additional funding will be required. Investors should note that there is no certainty that Vulcan will be able to raise the amount of funding when needed. It is also possible that such funding may only be available on terms that may be dilutive to or otherwise affect the value of Vulcan's existing shares. It is also possible that Vulcan could pursue other financing strategies such as a partial sale or joint venture of the Project. If it does, this could materially reduce Vulcan's proportionate ownership of the Project.

Acknowledgement and agreement

By attending an investor presentation or briefing, or accepting, accessing or reviewing this Presentation, you acknowledge and agree to the terms set out in this "Disclaimer" section of the Presentation.

COMPETENT PERSON STATEMENT

The information in this presentation that relates to estimates of Mineral Resources and Ore Reserves is extracted from the following ASX announcement:

"Vulcan Zero Carbon Lithium™ Project Phase One DFS results and Resources-Reserves Update", released on 13 February 2023.

The above announcement is available to view on Vulcan's website at www.v-er.eu.

Vulcan confirms that, in respect of estimates of Mineral Resources and Ore Reserves included in this presentation:

- it is not aware of any new information or data that materially affects the information included in the original market announcement, and that all material assumptions and technical parameters underpinning the estimates in the original market announcement continue to apply and have not materially changed;
- the form and context in which the Competent Persons' findings are presented in this presentation have not been materially modified from the original market announcement; and
- all material assumptions underpinning the production targets (and the forecast financial information derived from such production targets) included in this presentation continue to apply and have not materially changed.

HIGHLIGHTS

ZERO CARBON LITHIUM™ PROJECT - Integrated Phase One DFS Targets¹

24Ktpa Lithium Hydroxide Monohydrate (**LHM**) p.a. production from EU, for EU.

>300GWh/a renewable power, >250GWh/a renewable heat production p.a.

>250% increase² in NPV₈: €3.9Bn pre-tax, €2.6Bn post-tax.

34% IRR pre-tax, **26%** IRR post-tax.

>€700Mpa revenues. EBITDA margin of 84%.


€1,496M CAPEX, **€4,359/t** LHM OPEX.

3.5-year payback (integrated project). Target start of production end-2025.

Net zero per tonne LHM carbon footprint: a **world first in lithium**³.

Zero scope 1 **fossil** fuels. Net water consumption very low.

Increase in Resources and Reserves relative to Integrated Phase One PFS: largest lithium Resource in EU⁴.



¹These are targets and may not be achieved. Please refer to the Forward-Looking Statemen disclaimer on slide 2. Note: for key assumptions and parameters used in DFS, please see economic analysis section CAPEX & OPEX and Appendix 14. For financial definitions please see slide 91, Output of 24ktpa is estimated as at the fully ramped-up commencement of production, for further information please see slide 41.

²Relative to Integrated Phase One PFS.

 3 Based on 20-year average production CO_2 equivalent footprint for Scopes 1, 2 and 3 calculations in Minviro Life Cycle Assessment (02/2023). According to Vulcan's research of public company data disclosed by other lithium companies, there are currently no other carbon neutral lithium projects in operation or development. Please see slide 81 for more information.

⁴According to public, JORC-compliant data

EXECUTIVE SUMMARY¹

1. COMPELLING ECONOMICS²

- >250% increase for Phase 1 NPV₈: €3.9Bn NPV₈ pre-tax, €2.6Bn NPV₈ post-tax.
- >40% increase in rate of return: 34% IRR pre-tax, 26% IRR post-tax.
- >200% revenue increase for Phase One: >€700Mpa, EBITDA margin of 84%.
- €4,359/t LHM OPEX potential to be one of the lowest cost operations⁴.
- Reduced 3.5-year payback (integrated project).

2. LARGER PROJECT. SUSTAINABLE, LONG-TERM PIPELINE²

- 60% increase in Phase One production target to 24ktpa LHM per annum. Associated increase in CAPEX mostly related to larger project and global inflation.
- Increase in Upper Rhine Valley Brine Field (URVBF) lithium Resource to **26.6Mt LCE**³; the **largest lithium resource in the EU**⁵. Phase One Proven and Probable Reserves 0.54Mt LCE, centred around current production wells in core of the URVBF field.
- Phase Two definitive feasibility study to follow, targeting **addition of** further modular **24ktpa** production, consistent with 2021 PFS study⁶, updated for new engineering data from Phase One DFS.



¹These are targets and may not be achieved. Please refer to the Forward-Looking Statement disclaimer on slide 2.

²Please see Economic Analysis section, CAPEX & OPEX section and Appendix 14 for more detailed assumptions, breakdown and analysis. Figures are comparative to Integrated PFS published in January 2021. For financial definitions please see Appendix 13. Please see environmental section referencing Minviro LCA report for green/environmental/decarbonisation credentials.

³ Subject to receipt of all approvals.

4Based on Fastmarkets 2025 onwards projections of lithium market, see economic analysis section

⁵According to public, JORC-compliant data

⁶See Vulcan Integrated PFS announcement, Jan 2021. Values from PFS are lower confidence than the DFS and should be treated with caution until they are updated with more recent


EXECUTIVE SUMMARY

3. TARGET OF WORLD-LEADING ENVIRONMENTAL METRICS

- Forecast net zero project Scope 1, 2 and 3 Greenhouse Gas Emissions per tonne LHM carbon footprint. A world-first in lithium industry¹.
- **Zero Scope 1** fossil fuels consumption in lithium production process.
- **Net producer** of renewable energy from Phase One.
- **Low water consumption** due to recycling. Only 1.36 tonnes of water per tonne of LHM produced, net of products: the lowest compared to current global production¹.

4. LEADING EDGE IN-HOUSE ENGINEERING

- >13,000 hrs of Vulcan's first pilot plant (PP1) operation on brine from production wells in the core of Phase One area since April '21 support Direct Lithium Sorption (DLS) process.
- VULSORB™, Vulcan's high-performing in-house sorbent, integrated into DFS.
- Vulcan's second, pressurised pilot plant (P1A), supports pressurised system value improvements, allowing for CAPEX and OPEX savings, and **enhanced environmental performance**. Further test work to be integrated into bridging phase of engineering.



EXECUTIVE SUMMARY

5. CLEAR PROJECT EXECUTION PLAN

- Projects delivered under single integrated projects group, strong governance model.
- Phase One contract strategy and delivery model in place, with Phase One project moving into **bridging engineering** with Hatch Ltd.
- Vulcan is ~280 personnel; increased focus on execution capability/operations readiness.
- **Demonstration plants** approvals in place, targeted start up mid-year, to train operations team, prior to Phase One commercial targeted start of production end-2025¹.

6. MULTI-PRONGED FINANCING PROCESS UNDER WAY

- **BNP Paribas** advising debt financing process which has initiated. Non-binding Letters of Intent (LOI) received from European Export Credit Agencies which is a positive step in the debt financing process.
- Discussions with **strategic funding partners** under way, with Vulcan assessing options to source Phase One equity requirements at a project level and/or parent level.
- Vulcan's binding lithium hydroxide offtake agreements with Stellantis, Volkswagen, Renault, LG Energy Solution and Umicore² support stability for financiers during payback period.



EXECUTIVE SUMMARY¹

Optional: Two distinct but inter-related business units

RENEWABLE ENERGY

Decarbonise energy supply in EU

>300gWh/a Power, >250gWh/a Heat

NPV₈: **€0.7Bn** Pre-tax, **€0.4Bn** Post-tax

IRR: 11% Pre-tax, 7% Post-tax

>**€174Mpa** Revenues

EBITDA³ margin of **85%**

6.5y payback

LITHIUM HYDROXIDE

Decarbonise the auto industry

24Ktpa LHM²


NPV₈: **€3.2Bn** Pre-tax, **€2.1Bn** Post-tax

IRR: 46% Pre-tax, 34% Post-tax

>**€616Mpa** Revenues

EBITDA³ margin of **72%**

2.5y payback




²Refer to "DFS Model Assumptions and Parameters" Appendix 14 for further information. ³Based on 20-year ayeraae production.

Separate business models assume a lithium brine usage fee being paid from the lithium business to the energy business, indexed on lithium hydroxide pricing.

CONTENTS

- 1. Project overview
- 2. Resources
- 3. Well planning, production study and Reserves
 - Site infrastructure
 - Geothermal energy plants
- Lithium Extraction Plants (LEPs)
- 7. Central Lithium Plant (CLP)
- 8. CAPEX & OPEX
- 9. Market dynamics
- 10. Economic analysis
- 11. Permitting
- 12. Sustainability and stakeholder engagement
- 13. Timeline and execution strategy
- 14. Conclusions
 - Appendices






OUR TARGET: ONE MILLION

We are aiming to become the world's first integrated lithium chemicals and renewable energy producer with net zero greenhouse gas emissions.

Vulcan's unique **Zero Carbon Lithium™** Project aims to produce both renewable geothermal energy, and lithium hydroxide for Electric Vehicle (EV) batteries, from the same deep brine source in the Upper Rhine Valley, Germany.



Based on average per capita per annum heat consumption in Germany of 6,200 kWh (https://www.destatis.de/).and the estimated capacity for heat production from Vulcan's long term development areas, in a pure heat (no power) scenario. ²Based on Phase One production target of 24ktpa from DFS, Phase Two production target of approx. similar figure from PFS (refer to technical information statement on slide 4), and Vulcan internal estimated average EV battery size and chemistry in Europe. ³CO2 emissions avoidance target based on Minviro LCA data on Vulcan project and lithium industry peer averages in the same LCA.

KEY ACHIEVEMENTS H2 2021-NOW

umicore

LG Energy Solution

ACOUISITION OF INSHEIM Research Permit in **GEOTHERMAL** Italy granted **POWER PLANT** "Cesano" Sustainability and ESG **BNP Paribas** FRANKFURT Framework appointed as STOCK 5 new launched financial advisor CAPITAL Acquisition of 2 **EXCHANGE** exploration **RAISE** PRIME licenses electric drill rigs **Enel Green** €124M granted & est. in-house **STANDARD** VUL in ASX300 Power drilling team **DUAL LISTING** Project **Q3 Q4** Q1 Q2 2021 2021 2022 2022 **5 BINDING OFFTAKE STELLANTIS AGREEMENT WITH** AGREEMENTS SIGNED Deconsolidation **BECOMES MAJOR NOBIAN - DEVELOPMENT SHAREHOLDER** of Norway OF CLP €50M(~8%) STELLANTIS assets through spinoff of Kuniko Limited **♦** NOBIAN STELLANTIS (Vulcan retains ~24% **VOLKSWAGEN** shareholdng) AKTIENGESELLSCHAFT FIRST HEAT OFF-TAKE **RENAULT GROUP AGREEMENT SIGNED MVV**

High grade, Lowest impurity LHM produced

DEVELOPMENT OF VULSORBTM

ONSITE CONSTRUCTION OF VULCAN'S SORPTION-DEMO PLANT

> O3 2022 - Now

Commencement of strategic French expansion

Announcement to conduct 3D seismic surveys

Agreement with Stellantis to support decarbonisation of Russelsheim plant.

Positive DFS announcement

FY22 Financial Year

FY23 Financial Year

WHAT IS PHASE ONE?

Production goals:

- Target of 24,000tpa of Lithium Hydroxide Monohydrate (LHM) production¹.
- Target of >300GWh of renewable power and >250GWh of renewable heat produced each year.

Why?

Vital project for Germany, the EU, the auto industry and the EU energy transition.

Where?

In the Upper Rhine Valley Brine Field, in Rhineland-Palatine for geothermal and lithium extraction, and in Frankfurt (Hesse) for lithium conversion.

When?

- Targeted start of construction in H2 2023 (drilling to increase brine production).
- Targeted start of production in late 2025².

How?

- Growing team: ~280 personnel working for Vulcan.
- Project financing planned through debt and equity.

Integrated execution plan using VUL expertise together with multiple experienced partner companies.



VULCAN'S RENEWABLE ENERGY AND LITHIUM CHEMICALS PROJECT

Reliable, high quality end product



Lithium hydroxide distributed to the EU customers










ONE CLP in Frankfurt converting LiCI to LHM





Lithium chloride transported to the





ONE existing and TWO new geothermal plants



Renewable heat, electricity and brine transferred to the sorption plant











Plant

TW0 new **LEPs** adjacent to geothermal plants




Wells are drilled into the deep, hot, lithium-rich brine resource,






Re-injection of brine. A closed loop, circular system




Note: LEP = Lithium Extraction Plant, CLP = Central Lithium Plant

FLEXIBLE BUSINESS STRUCTURE


Vulcan has the flexibility to adopt alternative business structures as part of project financing, instead of being fully integrated.





PROJECT LOCATION

- Large, 300km-long graben system containing consistent sedimentary-hosted geothermallithium reservoir.
- Vulcan's Upper Rhine Valley Brine Field
 (URVBF) within its Zero Carbon Lithium™
 Project, consisting of 15 licenses for a total
 area of 1,583 km², represents Europe's largest
 lithium resource, with 26.6Mt contained LCE
 from 10 of its 15 licenses¹.
- Strategically located in the middle of the European battery industry.
- Phased growth approach, starting from core of field where Vulcan already owns production/re-injection geothermal wells in operation.
- Phase One DFS consists of five license areas including Vulcan's geothermal production license, in the core of the field including existing geothermal production wells.



UPPER RHINE VALLEY BRINE FIELD: MINERAL RESOURCE UPDATE

Licence	Reservoir	Classification	GRV km ³	Avg. NTG	Avg.	Avg. Li	Elemental Li	LCE ³
				%	Phie	mg/L	t	kt
					%			
Mannheim	BST	Indicated	4	90	10	153	54,111	288
	BST	Inferred	32	65	9	153	290,312	1,545
Ludwig	BST	Indicated	7	90	10	153	93,220	496
	BST	Inferred	22	65	9	153	199,226	1,060
Therese	BST	Indicated	2	90	10	153	29,907	159
	BST	Inferred	22	65	9	153	200,708	1,068
Flaggenturm	BST	Indicated	7	90	10	181	115,215	613
	BST	Inferred	37	65	9	181	391,201	2,082
Kerner	BST	Indicated	5	90	10	181	76,242	406
	BST	Inferred	13	65	9	181	132.558	705
Kerner (East)	*MUS, BST, ROT	Indicated	4.3	73	8	181	66,708	355
Taro	*MUS, BST, ROT	Indicated	14.5	73	8	181	237,362	1,263
Landau (South)	*MUS, BST, ROT	Measured	7.4	73	8	181	102,383	545
	BST	Indicated	1.2	90	11	181	22,220	118
Insheim	*MUS, BST, ROT	Measured	9	73	8	181	127,779	680
Rift (north)	*MUS, BST, ROT	Measured	10.1	73	8	181	134,132	714
	*MUS, BST, ROT	Indicated	11.9	73	8	181	178,000	946
Ortenau	*MUS, BST, ROT	Indicated	57	73	8	181	659,013	3,507
	BST	Inferred	105	73	8	181	1,883,212	10,024
						mg/L		kt
Total LCE		Measured				181		1,939
		Indicated				178		8,151
		Inferred				172		16,484

Note 1: Mineral Resources are not Ore Reserves and do not have demonstrated economic viability. Note 2: The weights are reported in metric tonnes (1,000 kg or 2,204.6 lbs). Numbers may not add up due to rounding of the resource value percentages. Note 3: Reservoir abbreviations: MUS -Muschelkalk Formation, BST -Buntsandstein Group; ROT -Rotliegend Group. Note 4: To describe the resource in terms of industry standard, a conversion factor of 5.323 is used to convert elemental Li to Li₂CO₂, or Lithium Carbonate Equivalent (LCE). Note 5: NTG and Phie averages have been weighted to the thickness of the reservoir. Note 6: GRV refers to gross rock volume, also known as the aquifer volume. Note 7: Mineral Resources are considered to have reasonable prospects for eventual economic extraction under current and forecast lithium market pricing used in the DFS with application of Vulcan's DLS processing.

Total URVBF Resource: Inferred 16.5Mt LCE @ 172mg/I Li, Indicated 8.2 Mt LCE @ 178 mg/I Li, Measured 1.94 Mt LCE @ 181 mg/I Li.

Total Phase One Resource (Measured and Indicated): 4.6 Mt LCE @ 181 mg/l Li

Total Resource (all classifications): 26.6 Mt LCE @ 175 mg/l Li

Refer to Competent Person Statement on slide 5.

LIONHEART RESERVOIR FRAMEWORK AND PLANNED WELL PLACEMENT



Use existing production wells and add new wells to aim to achieve production/reinjection capacity of 600l/s¹ – approx. 16,000tpa LHM equivalent at SOP.

DFS focus of field development planning has been on sustainability of lithium production over time: flow rate assumptions for new wells reduced to improve "sweep" of lithium and reduce dilution: average of 75l/s per existing and planned producer.


7 Well sites (incl. 2 existing

8 Producers (incl. 2 existing) in red

10 Re-injectors (incl. 2 existing) in blue

Total 14 new wells

analysis, reservoir simulation and field development planning, and will need review after development well drilling is completed.



TARO RESERVOIR FRAMEWORK AND PLANNED WELL PLACEMENT



Add new wells to aim to achieve production/reinjection capacity of 300l/s¹ – approx. 8,000tpa LHM equivalent at SOP.

DFS focus of field development planning has been on sustainability of lithium production over time: flow rate assumptions for new wells reduced to improve "sweep" of lithium and reduce dilution: average of 60 l/s per planned producer.


2 Well sites

5 Producers (in red)

4 Re-injectors (in blue

Total 9 new wells

¹Production figures are estimates based on seismic analysis, reservoir simulation and field development planning and will need review after development well drilling is completed.



DEVELOPMENT DRILLING PLAN

Vulcan has established its own in-house geothermal drilling company, Vercana, due to a high demand for geothermal drilling for renewable energy projects and tightness of rig supply. In this regard, Vulcan has also acquired two electric drill rigs, and a drilling labour contract company with a sizeable workforce to staff the rigs.

Development drilling¹ is planned to focus initially on increasing existing brine production from Lionheart field in Phase One area.

Development drilling campaign duration: 2.5 years:

- ✓ Rig 1(owned by VUL): Lionheart 7 wells
- ✓ Rig 2 (owned by VUL): Lionheart 7 wells
- ✓ Rig 3²: Taro 6 Wells
- ✓ Rig 4²: Taro 3 Wells





Project area	Rig	2023	2024	2025
Lionheart	RIG 1	P		
Lionheart	RIG 1	<u> </u>		
Lionheart	RIG 1		P	
Lionheart	RIG 1			
Lionheart	RIG 1			P
Lionheart	RIG 1			
Lionheart	RIG 1			
Lionheart	RIG 2	P		
Lionheart	RIG 2			
Lionheart	RIG 2		F	
Lionheart	RIG 2			
Lionheart	RIG 2			P
Lionheart	RIG 2			I I
Lionheart	RIG 2			
Taro	RIG 3		P	
Taro	RIG 3			
Taro	RIG 3			P
Taro	RIG 3			
Taro	RIG 3			P
Taro	RIG 3			
Taro	RIG 4			
Taro	RIG 4			P
Taro	RIG 4			P

Subject to receipt of all permits. Preliminary EIAs approved for two drill sites to date, requiring no full EIA, and other permits are progressing in line with expectations. Planned to be sourced externally


PHASE ONE PRODUCTION STUDY AND RESERVES

- Detailed reservoir engineering and production simulation study conducted to achieve maximum "sweep" of lithium across the field.
- Planned well placement and brine flow rates optimised for sustainable lithium production over a long project life.
- Production simulation includes existing production wells within Phase One area and incorporates large database of well and seismic data.
- Simulation reviewed and audited by independent lithium brine specialists and 0&G industry reservoir engineering experts².
 - Phase One: 0.54Mt LCE Proven and Probable Reserves centered around production wells in core of the URVBF field.

Lionheart: INS, LAN, RND							
Reserves Classification	Lithium grade	Economic Reserves Volume at Wellhead Reference Point					
	mg/ILi	tonnes LCE					
Proved	181	196,353					
Probable	181	153,546					
TAR-KER							
		tonnes LCE					
Probable	181	189,070					


Phase One¹Mineral Reserves Estimation


Phase 2 Reserves currently not updated since 2021 PFS, to be updated during current Phase 2 feasibility studies 2 Refer to Competent Person Statement on slide 5.



SITE INFRASTRUCTURE: INDUSTRY WATER CYCLE AND PIPING

Vulcan intends to use an intermediate heat exchanger at the nine Phase One well sites to capture the heat from the geothermal brine into a closed loop industrial water cycle which will pipe hot water to the Organic Ranking Cycle plants (ORCs). Once the heat has been used at the ORC, the cool water is sent back to the heat exchanger. The Li-rich brine is sent from the heat exchanger to the LEP and then back to the injectors.






PROPOSED PIPELINE SYSTEM

Interconnecting Power and Piping network


Connecting multiple wells¹ with ORCs, LEPs and Well sites with:

- Hot/Cold water
- Li-rich/Depleted Li brine
- Power

Taro - 5km pipelines



Lionheart – 16km total of pipelines






GEOTHERMAL ENERGY PLANTS

Phase One: one existing geothermal plant and two new sites

	Insheim ORC (Existing)	Lionheart ORC ¹	Taro ORC ¹	Total ¹
Power Production (MW p/a)	4.2	24.5	8.4	37.1
Heat Production (MW p/a)	0.5	29.9	0.0	30.4
Power Production (MWh p/a)	34,856	203,326	69,712	307,893
Heat Production (MWh p/a)	4,150	248,140	-	252,290

Future ORC plant



Vulcan's existing Insheim ORC plant




wells

Water cold (65°C) to


Water Hot (155°C) from

RENEWABLE ENERGY PRODUCTION TARGET AND TARIFF

Power price forecast - (€/MWh, Germany)




Energy production (MWh/a)*



*Only part of the low temperature heat generated by planned Lionheart geothermal plant is estimated to be sold in the financial model

Shown production and timeline is a target, and should be treated with caution

ENERGY BALANCE: NET POSITIVE PRODUCER OF RENEWABLE ENERGY¹



VULCAN IN-HOUSE PILOTING AND TESTWORK

- In-house designed and operated lithium extraction pilot plant operational since April 2021 (PP1 low pressure).
- >13,000 of hours of continuous pilot plant test data from PP1, and latterly >1,000 hours of operation from high pressure P1A, to inform DFS.
- VULSORB™ lithium extraction sorbent developed in-house, shown to be best performing option.
- Test-work to continue to de-risk and inform engineering during bridging phase.
- In-house designed Demo Plant under construction, planned to start operation mid-year, training staff in precommercial environment prior to start of commercial production.

Pilot Plant Low Pressure (LP)







Demonstration Plant (LP & HP)





IMPROVED IN-HOUSE LITHIUM EXTRACTION FLOW SHEET


Improvement #1: VULSORB™

- Vertically integrated production
- 10% less OPEX¹
- €24M less CAPEX¹

Improvement #2: VULSORB™

- + High Pressure (HP) operation
- No degassing, no CO₂ compression
- No pre-treatment or post-treatment
- Removes lime and HCl consumption
- No undissolved silica waste stream
- Reduced risk of scaling/corrosion
- Lower OPEX¹(-31%/t LHM)
- **Lower CAPEX**¹(-€124M)
- Lower environmental impact:
 - Lower energy consumption
 - Lower reagents consumption

Upgrading to a High Pressure system with VULSORB™



LIHTIUMEXTRACTION PLANTS (LEPs)

Phase One

Two sorption-type LEPs:

LEP Taro: "standard" modular sized of 8,000tpa LHM equivalent fed by 300l/s Li-rich brine. Asset to be built next to Taro's ORC plant.

LEP Lionheart: "Double-size" 16,000tpa LHM equivalent fed by 600l/s Li-rich brine. Asset to be built next to Lionheart ORC.

From both LEPs, trucking of **Lithium Chloride Solution** to the CLP for transformation to LHM.

Modular build allows for further development across other phases in URVBF.





MODERN Li-BRINE PROJECTS CHOOSING DIRECT LITHIUM SORPTION (DLS)



										_				
Company ¹	Livent	Lanke Lithium	Zangge Lithium	Jintai Lithium	Eramet/ Tsingshan	Vulcan Energy	Rio Tinto	Compass Minerals	Berkshire Hathaway	Energy Source Minerals	CTR	Standard Lithium	Lake Resources/ Lilac	E3 Llthium
Asset name	Hombre Muerto	Qinghai	Qinghai	Qinghai	Centenario- Ratones	Zero Carbon Lithium™	Rincon	Great Salt Lake	Salton Sea	ATLiS	Hell's Kitchen	Smackover	Kachi	Clearwater Lithium
Jurisdiction	•	*3	*:	*‡	*	****	*						•	*
Lithium extraction technology	Sorption	Sorption	Sorption	Sorption	Sorption	Sorption	Sorption	Sorption	Sorption	Sorption	IX	IX	IX	IX
Technology provider		Undisclosed	Undisclosed	Undisclosed	Proprietary	AOFZOKR	Jndisclosed	ILiAD	Proprietary	Proprietary ILiAD	Lilac	Proprietary LiSTR	Lilac	Proprietary
Tech origin		*3	*3	*‡	*** * * * _{**} *	**** * * ***								*
Geothermal	X	X	X	X	X	/	X	X	/	\	/	×	X	×
Start date	1998	2017	2018	2019	Construction	Development	Development	Feasibility	Feasibility	Feasibility	Developmen	t Development	Development	Feasibility
Capacity (ktpa LCE)	50	20	20	7	24	48 ³	50	35	90	20	25	21	25	20
Zero fossil fuels in flow sheet	×	×	×	×	×	~	×	×	×	×	×	×	×	×
Disclosed strategic investments					Tsingshan \$375M 11/2021	Institutional Investors A\$320M ('21) Stellantis A\$76m ('22)	Rio Tinto \$825M 12/2021	Koch \$252M			GM \$?M 07/2021	Koch \$100M 11/2021	Lilac Up to \$50M 09/2021	Canadian Government \$27M
Offtakes (announced publicly)	TESLA	×	×	×	×	VOLKSWAGEN GROUPE GROUPE RENAULT UMICOTE	×	×	×	×	gin STEL Z ÑNTIS	×	×	×

LITHIUM CHLORIDE CONVERSION TO LHM: CLP

Phase One

- Conversion of lithium chloride to battery grade LHM using electrolysis.
- Process uses similar technology as used in the chlor-alkali industry, which has been used for over a century.
 Significant in-house expertise at Vulcan.
- CLP planned to be located in Frankfurt (Höchst Industrial Park). Close to 100,000sqm secured, enough for significant expansion.
- Höchst is one of Europe's largest industrial estates and is home to around 90 chemical and pharmaceutical companies.
- 24,000tpa LHM capacity with space for at least a further phase of equal size.
- **By-products** HCl 67kpa and Sodium Hypochlorite 3kpa.




LiCI from LEPs


CLP - Frankfurt 24,000tpa LHM



TARGET LITHIUM OUTPUT PHASE ONE - LHM EQUIVALENT

Lithium dilution at the well sites modelled over 30 years and remains above cut-off, with only ~1.6% annual grade decrease. Production levels could be increased by adding new wells in the future, not modelled here¹.





Lithium production levels could be increased by adding new wells in the future and keeping existing wells producing renewable heat only. Heat modelling shows no decrease over time.


Production and dilution is based on reservoir estimation, modelling and simulation, and is subject to further review as further development wells are drilled to increase brine production from Phase One area. Dilution is based on weighted average of two areas.


Note: See "Vulcan Zero Carbon Lithium™ Project Phase One DFS results and Resources-Reserves Update" dated 13 February 2023, material assumptions on slide 91, risk factors in Appendix 10, 11 and 12 and Competent Person Statement on slide 5.

20utput of 24ktpa is estimated as at the fully ramped up commencement of production as shown above.




CAPEX ESTIMATED BREAKDOWN¹






OPEX ESTIMATED BREAKDOWN - 20Y AVERAGE



GLOBAL COST CURVE LHM - PROJECTED 2025

Vulcan's Zero Carbon Lithium™ Project has the potential to be one of **the lowest cost integrated LHM projects** in the world.



Projected cost curve provided by Fastmarkets and Vulcan's OPEX estimate provided by the Company. Vulcan's OPEX converted from € to \$ using 1.05 EUR/USD FX. Vulcan has used a projected cost curve by Fastmarkets as it is the Price Reporting Agency (**PRA**) for lithium for the London Metals Exchange, and as in Vulcan's view it would be invalid to compare Vulcan's future projected costs with current costs from other companies. Fastmarkets' estimate of a project's costs uses a bottom-up approach based on assumptions about the operations. On top of this, costs for transport to a common location and any duties that would be applied are added to allow comparison from different sources.

ENERGY IN EUROPE: HELPING TO AVERT A CRISIS FOR ALL



Fraunhofer Institute:
Geothermal renewable energy
can meet a quarter of Germany's
heating needs



German government to provide support for renewable heating projects




The Upper Rhine Valley Brine Field has the hottest geothermal resource in central Europe



Vulcan is already commercially producing geothermal, baseload energy in Germany




Vulcan's is ramping up with the aim to supply a million people with renewable energy by 2030



LITHIUM IN EUROPE: HELPING TO AVERT A CRISIS FOR THE AUTO INDUSTRY


³Vulcan is not aware of any other such projects either in development or operation.




FORECAST MARKET FUNDAMENTALS

Fastmarkets outlook:

- Supply is forecast to struggle to keep up with demand
- Plenty of projects but they need TIME to come online this is one of the biggest problems
- Demand is forecast to reach 2.65Mt LCE by 2030, others are already at 3.2Mt
- There are at least one-to-two decades of strong growth ahead



European EV battery manufacturing and number of facilities (GWh)



STRATEGIC SUPPORT WITH LONG TERM LITHIUM SUPPLY CONTRACTS

Five key offtake agreements secured, binding, take-or-pay, with mixture of pricing mechanisms to provide stability but keep some exposure to upside in pricing



Binding lithium hydroxide offtake agreement, 10-year term.

TIS ✓ A\$76M(€50M) equity investment from Stellantis. This represents the world's first upstream investment in a listed lithium company by a top tier automaker. Stellantis is now Vulcan's second largest shareholder with ~8% shareholding.



✓ Binding lithium hydroxide offtake agreement, initial 5-year term.



✓ Binding lithium hydroxide offtake agreement, initial 6-year term.






✓ Binding lithium hydroxide offtake agreement, initial 5-year term.

LHM PRICE FORECAST

Lithium hydroxide price forecasts¹- €/t



LHM prices as of Feb. 2023 are reported at \$79,000/t (Fastmarkets)


	Forecast average price realised
	combining Fastmarkets price forecast
	and Vulcan offtake agreements
	pricing mechanisms (€/t)
Average	30,283
2026	37,524
2027	33,743
2028	21,153
2029	23,477
2030	19,209
2031	15,571
2032	22,385
2033	24,975
2034	26,177
2035	27,378
2036	28,580
2037	33,020
2038	34,353
2039	36,018
2040	37,017
Long term price	37,017

The average forecast realised price per tonne of LHM is taking into consideration Fastmarkets long term price forecast (min 57.5% LiOH)(\$/kg, EU & US) and combining it with Vulcan's pricing concluded in offtake agreements which includes price floors and ceilings, fix prices, and price indexed on indexes like Fastmarkets. Therefore, the average realised price forecast varies from the Fastmarkets long term price forecast. The average realised price forecast is taken into consideration in our financial model and is used to underpin forecast revenues. Lithium prices are subject to unpredictable fluctuations, driven in part by changes in the balance of global supply and demand as well as international, economic and geopolitical trends and developments.

Any decrease or significant volatility in the price of or demand for lithium could have a detrimental effect on Vulcan Group's business.



TARGET REVENUES - 20Y AVERAGE




Annual Revenue €M/y, 20y average (excluding 2026 ramp-up)

			SPV Geothermal			Total Phase 1		
))		Heat	Power	Li Brine	LHM	HCI	NaOCI	TOTAL PHASE I
	Revenues Geo	16.7	71.8	86.0				174.5 ²
	Revenues Li				605.8	9.4	0.8	615.9 ²
7	Revenues Phase One ¹	16.7	71.8	86.0	605.8	9.4	0.8	704.4 ²


¹LiCl is excluded as it is an internal sale if SPV1 and SPV2 are within the same entity

²Please refer DFS Model Assumptions Appendix 14 for the assumptions underpinning these target revenues. Project life is modelled for 30 years, average revenues displayed are based on 20 year forecast average to be more accurate, given power feed-in tariff should be in place during this period, and due to the difficulty in predicting longer term power prices.


TARGET REVENUES PER PRODUCTION STEP



TARGET REVENUES PHASE ONE



TARGET OPERATING MARGINS - SPV GEOTHERMAL & SPV LITHIUM1



TARGET PROJECT ECONOMICS SUMMARY¹

1		/	7
	Y		

Revei	nues €M/a¹
Net 0	p. Cash Flow €M/a*
NPV _I	ore-tax m€
NPV _I	oost-tax m€
IRR b	efore Tax
IRR a	fter Tax
Payba	ack in years
Total	CAPEX m€
Geoth	ermal
LEP	
CLP	
Avg C	PEX €/t LiOH

Geothermal	
	174
	111
	724
	435
	11.4%
	7.3%
	6.5
	657
	657 657

Lithium	
	616
	328
	3,192
	2,149
	45.9%
	34.0%
	2.5
	839
	517
	322
	4,359

Phase 1 Integrated
704
437
3,917
2,584
34.4%
26.1%
3.5
1,496
657
517
322
4,359

Notes: Lithium Hydroxide Battery Quality at €30,283/t

Comparison on a per tonne of LHM basis or €/MWh

Further project economics improvement compared to the PFS Phase One cases

		PFS			DFS			PFS vs D)FS (%)³	
	SPV Geothermal	SPV Lithium	Integrated Phase 1	SPV Geothermal	SPV Lithium	Integrated Phase 1	SPV Geothermal	SPV Lithium	Integrated Phase 1	Impact
LHM capacity (tpy)		15,000	15,000		24,000	24,000		60%	60%	•
Power capacity (MW)	21		21	37		37	76%		76%	•
Revenues €/t or €/MWh	252	12,467	15,467	567	25,667	29,333	125%	106%	90%	⊕
Net Operating Cash Flow €/t or €/MWh	178	9,333	11,400	363	13,654	18,208	104%	46%	60%	⊕
NPV pre-tax €/t or €/MWh ¹	889	64,733	74,267	2,358	133,000	163,208	165%	105%	120%	⊕
NPV post-tax €/t or €/MWh¹	568	42,933	46,867	1,416	89,542	107,667	149%	109%	130%	⊕
IRR before Tax ¹	13%	27%	23%	11%	46%	34%	-12%	70%	50%	⊕
IRR after Tax ¹	11%	22%	18%	7%	34%	26%	-34%	55%	45%	⊕
Payback in years ¹	4	4	5	6.5	2.5	3.5	58%	-38%	-34%	+
Total CAPEX €/t or €/MWh ²	1,297	31,600	46,667	2,139	34,958	62,333	65%	11%	34%	
Avg OPEX €/t LiOH	-	2,640	2,640	-	4,359	4,359	-	65%	65%	

Change versus PFS, on a per tonne of LHM basis4:

+90% Revenues

+130% NPV post-tax

+45% IRR post-tax


Larger project with generally more attractive metrics than Phase One PFS, including larger NPV and IRR, and shorter payback period.

²CAPEX increase mostly associated with project size increase of 60%, balance of increase mostly due to inflation, which in Vulcan's view is in line with industry norms


³Numbers in the table are rounded up, percentages are based on additional decimal places.

⁴Refer to the "technical information" disclaimer on Slide 4

TARGET PHASE ONE DFS FINANCIALS - 20Y AVERAGE¹



PHASE ONE NPV SENSITIVITIES





- EUR/USD: all LHM offtakes are linked to a Price Reporting Agency (PRA) with a USD index or a fixed price in USD
- Flow rate: fluctuation impacts both lithium extraction output and energy output. More conservative assumption of 69 I/s used in DFS, in line with current producer. More wells can be drilled (increased CAPEX) to offset lower flow rates.
- Lithium prices: impact revenues but their fluctuations are limited by the pricing mechanisms in place with offtakers
- CAPEX: Limited impact on NPV
- OPEX: as a low-cost operation, OPEX has a limited impact on financials
- Power price: limited impact as the price fluctuations impact both cost and revenues in a similar manner.


PERMITTING PROCESS - CURRENT UPDATE1

		Licenses	Exploration license •		
			Production license 2		
			Pre-EIA 🚯		
			Main operation plan (one well site, all wells)		
	orit	Drilling	Special operating plan: Well pad		
	ቱ		Special operating plan: Drilling		
	ng a		Secure land		
	Mining authority		Drilling start		
O			Pre-EIA		
inat			Secure land		
alat	Regional authority	Pipeline	Special Operating Plan: Pipeline		
Rhineland-Palatinate			Pipeline construction		
nela			Pre-EIA		
Rhi			Land acquisition		
		ORC	Building permit		
	2 a		ORC construction		
		LEP Demo	Operation plan 💠		
	rity		Pre-EIA		
	Mining authority		Land acquisition		
	g ar	LEP	Building permit		
	ië ië		Special Operating Plan		
	Σ		LEP construction		
	ity		Bimsch		
Hessen	Regional authority	CLP	Building permit		
	Re		CLP construction		









LEP Demonstration Plant operation plan approved

Vulcan notes that the permitting process for a geothermal project in Germany is continuous throughout integrated development, right up until the final permission to operate after the plants are built. Vulcan has initial approvals in place, and the permitting is progressing with finalisation expected within the planned development timeline. There is no guarantee that Vulcan will receive all of its permits within the planned time period or at all.

EIA = Environmental Impact Assessment

BBergG (Federal Mining Act), BauGB (Building Act), GEG (Building Energy Act), BImSchG (Fed. Immission Ctrl. Act) Exploration License (geothermal and lithium) (§ 7 Erlaubnis, BBergG) Extraction License (geothermal and lithium) (§ 8 Bewilligung, BBergG) Main operating Main operating plan Exploration Geothermal plant Main operating plan plan Seismic (Building Application) Extraction (geothermal & lithium) LBG ←→TÖB's Building and Zoning Code (LBauO). (Mining authority ←→public interest groups) LBG ←→TÖB's hazardous liquids tank Special operating plan Site construction (Mining authority ←→public interest (n-butane as working fluid) groups) Special operating plan Drilling (BImSchG § 10 vs. § 23b) BBergG (Federal Mining Act), GEG (Building Energy Act), BImSchG (Fed. Immission Ctrl. Act), WHG (Water Ressources Act), ROG (Spacial Planning Act)

Main or special operating plan

(Building Application)

Building and Zoning Code (LBauO falls under BBergG).

hazardous liquids tank (HCl storage)

(BlmSchG § 10 vs. § 23b)

(Zielabweichungsverfahren (objective deviation procedure) ROG for TAR)

BImSchG (Fed. Immission Ctrl. Act), WHG (Water Ressources Act), GEG (Building Energy Act), ROG (Spacial Planning Act)

© 23 b BImSchG application

CLP

(Building Application)

Building and Zoning Code (LBauO, falls under BImSchG)

LEP

BBergG (Federal Mining Act), ROG (Spatial Planning Act), UVPG (Environmental Impact Assessment Act), BauGB (Building Act), VwVfG (Administrative Procedure Act)

(Zielabweichungsverfahren (objective deviation procedure) ROG for TAR)

Competent authority: LGB or/and SGD Süd 1) Grunddienstbarkeit (Easement) and agreements with plot-owners Operating plan

2) Grundstückserwerb (Land purchase)

Pipelines

Genehmigung (Permit),
Pipeline Ordinance (RohrFLtgV),
Technical rules for pipelines (TRFL)

PERMITTING PROCESS EXTERNAL ASSESSMENTS

protection assessment

Acoustic emission

survey

Prelim. EIA

full EIA might be

necessary (unlikely)

specific species

protection assessment

(saP)

Acoustic emission

survey

Prelim. EIA

full EIA might be

necessary (unlikely)

specific species

protection assessment (saP)

Acoustic emission

survey

Prelim. **EIA** full EIA might be

necessary (obligation)*

*part of BImSchG

application

GEOTHERMAL ENERGY PLANT, WELLS

> UM EXTRACTION PLANT (LEP)

CENTRAL LITHIUM PLANT (CLP)

TER CONNECTING IPELINES (ICPP)

specific species protection assessment (saP)

Acoustic emission survey

Prelim. **EIA** full EIA might be necessary

specific species Ground survey

Fire and Explosive protection survey

Ordinance on plants for handling water-polluting substances assessment (AwSV) survey

Ground survey

Fire and Explosive protection survey

Radiation protection survey

Ordinance on plants for handling water-polluting substances assessment (AwSV) survey

Ground survey

Fire and Explosive protection survey

Ordinance on plants for handling water-polluting substances assessment (AwSV) survey

Ground survey

Fire and Explosive protection survey

Radiation protection survey

Ordinance on plants for handling water-polluting substances assessment (AwSV) survey Raumordnerische Verfahren (ROG

(no public participation)

MAIN PERMITS


and RoV [Sp. Plan. Ord.])
- Raumordnungsverfahren

(EIA obligation, public participation)
- Zielabweichungsverfahren

 Plangenehmigungsverfahren (plan approval procedure); without EIA obligation, no public participation
 Planfeststelllungsverfahren (plan determination procedure); EIA

 Planfeststelllungsverfahren (plan determination procedure); EIA obligation, public participation





OUR UNIQUE SELLING POINT: LEADING ENVIRONMENTAL CREDENTIALS



Low ESG Risk Rating from Sustainalytics (01/2023) First amongst peers and in the 2nd quartile Chemicals Industry



9,5kT CO₂ avoided from renewable energy generated at NatürLich Insheim in 2022.



ESG linked KPIs including individual and shared targets



Partnership with Karlsruhe Zoo Foundation supporting local biodiversity projects



Voluntary TCFD reporting company since 2021



Certified Carbon Neutral International Organisation from 2021¹



4 InfoCentres opened in Insheim, Landau, Karlsruhe, Mannheim and 1 mobile Infocentre for local community engagement



TNFD Forum Member assisting with framework development. Funds allocated for a biodiversity project




UNGC Member (Since February 2022)



AIMING FOR LOWEST CO₂ FOOTPRINT IN THE LITHIUM INDUSTRY

Vulcan is developing the first and only net zero carbon, zero fossil fuels lithium project in the world¹.




Sources: Fastmarkets projection for industry. Vulcan CO_2 value provided by Minviro. The CO_2 assessment is a cradle-to-gate study. It starts with the cradle: extraction of geothermal brine. Thermal energy of the brine is extracted and used for electricity and steam generation. Generated electricity is assumed to be exported to the German electrical grid. Part of the heat is exported for district heating, substituting natural gas use, and the rest of the heat is used for internal processes. It is assumed that of the electricity used throughout all processes 50% is sourced from the German grid and 50% is procured from additional wind generated electricity, on top of wind-based electricity that is already present in the German grid mix. Electricity, steam, hydrochloric acid (30% concentration) and sodium hypochlorite (15.8% concentration) are co-products of the lithium hydroxide monohydrate product for the assumptions described above is -1.7 kg CO_2 eq. per kg LiOH H_2O . Vulcan is not aware of any other net zero carbon, zero fossil fuels lithium projects either in operation or development.

OVERALL LEP AND CLP WATER BALANCE

Vulcan's Zero Carbon Lithium™ Project has been engineered to have an extremely small water footprint¹

Location	Tonnes Water/LHM
Taro LEP	
Net freshwater input	0.58
Lionheart	
Net freshwater input	1.16
CLP	
Net freshwater input	0.08
Net High Purity water input	1.89
Total Water Consumption	3.71
Water in HCI	1.92
Water in LHM	0.43
Water in Products	2.35
Water Consumption Net of Products	1.36




2023 - OUR SHORT TERM OBJECTIVES


DFS1	Phase One DFS (complete)
Demo	Demo Plants to commence operation and first LHM production from demo
Drilling	Start drilling of new production/re-injection wells in Phase One area
Permits	Grant of relevant permits in line with development timeline for 2023
Funding	Secure funding: equity for Phase One, pursue public funding, substantially advance debt funding process
Execution	Build and deliver project execution model: organisation in place and award of key packages & contracts for Phase One
Phase+	Complete Phase Two definitive feasibility study



TARGET PROJECT TIMELINE - PHASE ONE




MATRIX ORGANISATION GEARED FOR EXECUTION AND DELIVERY




INTEGRATED PROJECT DELIVERY MODEL

Strategy moving towards project execution and delivery model



ROBUST TARGET PROJECT FINANCIALS AND STRATEGIC PROJECT*

FUNDING TARGETED FROM A MIX OF EQUITY, DEBT AND GRANTS



MULTIPLE TARGET OPTIONS FOR VULCAN

Equity at project level - Phase 1

Equity at project level – SPV Geo

Equity at project level - SPV Li

Equity at parent level

Debt funding public institutions

Debt funding development and commercial banks


ECA guarantees



BNP PARIBAS appointed as Financial Advisor toward financing the Zero Carbon Lithium™ Project. Financing process commenced¹

CONCLUSIONS

- The first integrated renewable energy, lithium extraction and lithium hydroxide refining project development, seeking to supply the battery electric vehicle industry from Europe, for Europe.
 - **World-leading sustainability credentials**: engineered specifically to be world-first zero Scope 1 fossil fuels, net zero GHG emissions from Scope 1, 2 and 3, low water consumption project.
- Highly attractive financial model from DFS.
 - Company moving Phase One Project into **bridging engineering** phase, assisted by Hatch Ltd.
 - Focus going forward on **transitioning to project execution** and operations company.
- Demonstration Plant to assist with training operations team.
 - Team focused on **further de-risking** during project development, particularly during permitting process.
 - Targeted start of production end-2025.
 - **Financing process for Phase One commencing**, working with BNP Paribas as debt advisor. Equity financing at a project level, as well as parent level, being viewed as an option.



APPENDIX 1: BOARD OF DIRECTORS



Dr. Francis Wedin Managing Director & CEO

Founder of Vulcan Zero Carbon Lithium™ Project. Lithium industry executive since 2014. Previously Executive Director of ASX-listed Exore Resources Ltd. Track record of success in lithium industry as an executive since 2014, including the discovery of three resources on two continents. PhD in Geology, MBA in Renewable Energy, global experience in battery metals sector.



Annie Liu
Non-Executive Director

Annie is the Executive Director of Purchasing for the Ford Model e Line, for all electric products and technology. Annie started her 20+ year career as an engineer at Microsoft before moving to Tesla where she progressed to Head of Supply Chain, Battery and Energy at Tesla. Annie is experienced in building and leading teams from product incubation stage to scale up and mature market bringing a unique blend of entrepreneurial initiative and ability to meet organisation and market growth needs.

A wealth of multi-disciplinary experience across the span of industries that we cover



Gender-balanced, majorityindependent Board of Directors



Gavin Rezos Chair

Executive Chair/CEO positions of three companies that grew from start-ups to the ASX 300. Extensive international investment banking experience. Investment banking Director of HSBC with senior multiregional roles in investment banking, legal and compliance functions. Currently Chair of Resource and Energy Group, principal of Viaticus Capital, Non-Executive Director of Kuniko Limited and Non-Executive Chair Resources & Energy Group Limited.



Dr. Heidi Grön Non-Executive Director

Dr. Grön is a chemical engineer by background and an accomplished business leader with over 22 years' experience in the chemicals industry. Since 2007, Dr. Grön has been a senior executive with Evonik, one of the largest specialty chemicals companies in the world, with a market capitalization of €14B and 32,000 employees.



Dr. Günter Hilken
Non-Executive Director

Dr. Hilken has over 35 years' experience in and a deep understanding of the German chemicals, renewables and infrastructure investment sectors and, through leading industry advocacy associations, the German Government at the State and Federal level. Dr. Hilken is a Senior Advisor to Macquarie Asset Management, Director of Currenta and President and Chairman of the Board of the German Federation of Industrial Energy Consumers (VIK).



Ranya Alkadamani Non-Executive Director

Founder of Impact Group International. A communications strategist, focused on amplifying the work of companies that have a positive social or environmental impact. Experience in working across media markets and for high profile people, including one of Australia's leading philanthropists, Andrew Forrest and Australia's former Foreign Minister and former Prime Minister. Kevin Rudd.



Josephine Bush
Non-Executive Director

Member of the EY Power and Utilities Board. Led and delivered the EY Global Renewables and Sustainable Business Plan and spearheaded a series of major Renewable Market Transactions. Successfully advised on the first environmental yieldco London Stock Exchange listing, Greencoat UK Wind PLC. Ms. Bush is a Chartered Tax Advisor, holds an MA Law degree from St Catharine's College, Cambridge, and brings a wealth of experience in ESG strategic advisory.



Mark Skelton
Non-Executive Director

Mr Skelton has more than 35 years' experience including a 29-year tenure at BP and then at Fortescue Metals Group (Fortescue) in Project Development and general management. A senior leader and advisor with a proven record in delivering major projects, business transformation and developing organisational capability within the mining, energy and oil and gas industries, Mr Skelton has extensive project experience in Australia and internationally.

APPENDIX 2: SHARE PRICE AND CAPITAL STRUCTURE

Shares on Issue	143,435,301
Performance Shares	91,174

Performance Rights 8,742,801

Market Capitalisation at \$7.16 ~\$1.03B (undiluted as at 10 February 2023)

Cash Position (as at 31 Dec 2022) €134M

Top 20 Shareholders ~61%

Management (undiluted) ~17%

Frankfurt: VUL

ASX: VUL

KEY SHAREHOLDERS


Dr. Francis Wedin and related parties 11.50%

Stellantis Group (PSA Automobiles) 8.00%

Vivien Enterprises Pte Ltd 5.77%

Hancock Prospecting Pty Ltd 5.64%

VUL SHARE PRICE (AUD) (1 MAR 202FEB 2023)





APPENDIX 3: DLE/DLS PROJECTS AND ASSETS - REFERENCES

Livent	https://s22.q4cdn.com/453302215/files/doc_presentations/2022/2022.11-Livent-Investor-Presentation.pdf
Lanke Lithium	https://www.linkedin.com/pulse/from-catamarca-qinghai-commercial-scale-direct-lithium-alex-grant/ http://www.asianmetal.com/news/1665421/Lanke-lithium-plans-to-launch-commercial-production-of-battery-grade-lithium-carbonate
Zangge Lithium	https://www.linkedin.com/pulse/from-catamarca-qinghai-commercial-scale-direct-lithium-alex-grant/
Jintai Lithium	https://www.linkedin.com/pulse/from-catamarca-qinghai-commercial-scale-direct-lithium-alex-grant/
Eramet/Tsingshan	https://www.eramet.com/sites/default/files/2022-05/2022-05-Eramet%20Investor%20Presentation-May%202022.pdf
Standard Lithium	https://www.standardlithium.com/projects/arkansas-smackover
Vulcan Energy	https://v-er.eu/wp-content/uploads/2021/12/2021-AGM-MD-presentation.pdf
Rio Tinto	https://www.rinconmining.com/wp-content/uploads/2021/10/Rincon-FINAL-E-210921-FINAL.pdf
CTR	https://www.cthermal.com/projects
Berkshire Hathaway	https://www.ft.com/content/c9760a4e-1a76-11e9-9e64-d150b3105d21
Lake Resources/Lilac	https://lakeresources.com.au/wp-content/uploads/2023/01/lke_kachi-resource_11-jan-23.pdf
Compass Minerals	https://s22.q4cdn.com/834578860/files/doc_presentations/2022/12/DB-Lithium-Battery-Supply-Chain-Conf-v4-(12.02.22).pdf
E3 Metals	https://www.e3lithium.ca/_resources/presentations/corporate-presentation.pdf?v=0.084

APPENDIX 4: EUROPEAN LITHIUM PROJECTS PEER COMPARISON REFERENCES

COMPANY ¹	CODE	PROJECT	STAGE	RESOURCE CATEGORY	RESOURCES M ONNES	RESOURCE GRADE (LI20)	CONTAINED MT LCE TONNES	INFORMATION SOURCE
European Metals	ASX: EMH	Cinovec	PFS Complete	Indicated & Inferred	708.2	0.43	7.39	Annual Report June 22
Rio Tinto	ASX: RIO	Jadar	PFS Complete	Indicated & Inferred	144	1.80	6.12	Annual Report Dec 21
Infinity Lithium	ASX: INF	San Jose	PFS Complete	Indicated & Inferred	111.2	0.61	1.68	Annual Report June 22
Savannah Resources	AIM: SAV	Barroso	DFS Underway	Measured, Indicated & Inferred	27.0	1.06	0.71	Corporate Presentation December 2022 – Company Website



APPENDIX 5: WACC RATE: PEER COMPARISON

Project	1	Date	Discount rate	Deposit type	Country	Source
Cypress		2020	8%	clay	USA	https://cypressdevelopmentcorp.com/projects/nevada/clayton-valley-lithium-project-nevada/
Rock Tech		2022	8%	conversion	Germany	https://www.prnewswire.com/news-releases/rock-tech-lithium-completes-bankable-project-study-for-its-guben-converter-project-301668625.html
Savannah		2019	8%	open pit	Portugal	https://www.savannahresources.com/project/barroso-lithium-project-portugal/
Standard Li	ithium	2019	8%	DLE	USA	https://www.standardlithium.com/projects/arkansas-smackover
Lithium Sou	uth	2019	8%	Brine Evaporation	Argentina	https://www.lithiumsouth.com/posts/positive-results-from-hmn-lithium-project-pea/
Keliber		2022	8%	Open pit	Finland	https://www.sibanyestillwater.com/business/europe/keliber-lithium-project/
Bearing Liti	hium	2020	8%	Brine Evaporation	Chile	https://www.bearinglithium.com/maricunga-lithium/
Neo Lithiun	m	2021	8%	Brine Evaporation	Argentina	http://www.neolithium.ca/project.php
Litthium An	mericas	2018	8%	clay	USA	https://www.lithiumamericas.com/usa/thacker-pass/
Allkem		2022	10%	Brine Evaporation	Argentina	https://www.kitco.com/news/2022-10-07/Lithium-producer-Allkem-IFC-agree-on-200M-project-financing-for-Sal-de-Vida.html
Allkem		2021	8%	Open pit	Canada	https://www.allkem.co/projects/james-bay
Atlantic Lit	hium	2022	8%	Open pit	Ghana	https://www.nsenergybusiness.com/news/atlantic-lithium-pfs-ewoyaa-lithium-project/
E3 Lithium		2021	8%	DLE	Canada	https://e3lithium.ca/_resources/presentations/corporate-presentation.pdf?v=0.567
Piedmont		2021	8%	Open pit	USA	https://piedmontlithium.com/piedmont-completes-bankable-feasiblity-study-of-the-carolina-lithium-project-with-positive-results/
Lithium Pov	wer	2022	10%	Brine Evaporation	Chile	https://www.edisongroup.com/publication/riding-the-lithium-wave/30632/
Millenial		2019	8%	Brine Evaporation	Argentina	https://www.millenniallithium.com/projects/pastos-grandes-project/

APPENDIX 6: VULCAN STAKEHOLDER MANAGEMENT

NEEDS RESPOND PROCESS





Stakeholder needs

- Identification of Stakeholders and their needs including
 - community
 - employees
 - customers
 - government and regulators
 - investors and financials
 - partners
 - academia
 - next generation
- Dialogue and collaboration from the start
- Materiality Assessment and feedback monitoring

Vulcan responding

- Comprehensive engagement plan developed
- Regular monitoring and strategy assessment
- Networking and memberships
- Executive team KPIs
- Communication toolkit established
- Company and local project websites
- Active social media platforms
- Informational site visits
- Citizen phone / kontakt@ver.eu
- Citizen surveys
- Citizens` Advisory Council
- Stakeholder conferences
- Townhalls

Vulcan actions

- Investor Relations and communications team
- Regional Project managers
- Local community support including partnership with Karlsruhe Zoo Foundation Handball TSG Haßloch
- Established Info Centres and mobile Info Centre
- Information workshops conducted
- Roadshows and conferences
- Communication channels

Vulcan delivering



- Project Development Managers
- Regional communication
- Technical team
- Government relations
- Independent experts
- Research and Development projects



APPENDIX 7: EUROPEAN MACRO POLICY TAILWINDS IN VULCAN'S FAVOUR



European Commission President, Ursula von der Leyen

Ursula von der Leyen, President of the European Commission, said: "We have a once in a generation opportunity to show the way with speed, ambition and a sense of purpose to secure the EU's industrial lead in the fast-growing net-zero technology sector. Europe is determined to lead the clean tech revolution. For our companies and people, it means turning skills into quality jobs and innovation into mass production, thanks to a simpler and faster framework. Better access to finance will allow our key clean tech industries to scale up quickly."4 1 February 2023

European Policy Development



- Green Deal Industrial Plan
- New EU Battery Regulation
- Carbon Border Adjustment Mechanism
- **Battery Passport**
- ISO/TC 333 Lithium
- European Battery Alliance
- Critical Raw Materials List
- EIB new energy lending policy
- European Raw Materials Alliance

EV Mobility Transition

By the end of 2030 Europe aims to cut CO₂ emissions from cars by 55% and vans by 50%.

By 2035 the EU proposes to completely cut emissions from cars and vans. A significant increase in the uptake of electric vehicles will be needed to achieve these goals.⁵

Germany is aligned to the EU targets and has also set a target for 15 million EV's in the road by 2025.6

Commitments from our EV partners



100% of sales in Europe and 50% of sales in the United States to be battery electric vehicles (BEVs) by the end of this decade. We plan to have more than 75 BEVs and reach global annual BEV sales of five million vehicles by 2030.3



Volkswagen aims to be 100% carbon-neutral by 2050. Volkswagen's goal for 2030 is to reduce emissions per vehicle in Europe by 40 percent compared to 2018.1

RENAULT GROUP

Reducing CO₂ emissions in use (tailpipe & fuels production) by 50% by 2030 in Europe. Reach zero CO₂ in Europe by 2050.²

https://www.volkswagen-newsroom.com/en/on-the-way-to-zero-the-general-strategy-7226

2https://www.renaultgroup.com/en/our-commitments/respect-for-the-environment/carbon-footprint/

4https://ec.europa.eu/commission/presscorner/detail/en/IP_23_510

⁵https://www.eea.europa.eu/ims/new-registrations-of-electric-vehicles

6https://www.globaldata.com/media/power/german0electric-vechiles

APPENDIX 8: Q&A

Average well flow rates at 69 l/s are lower than in the PFS (>100 l/s). Why is this?

Our PFS was conducted using a class hydro-geothermal production model, where higher flow rates were desirable. In the DFS, we undertook detailed reservoir simulation modelling, optimised for lithium production, not geothermal energy. The simulations showed that, to achieve optimal and sustainable "sweep" of the lithium in the reservoir over the life of the project, lower flow rates were generally desirable depending on location. This new DFS average modelled average flow rate is approximately the same as our current geothermal operation at Insheim, and is a conservative assumption for the additional planned wells to increase production from the Phase One area. Higher flow rates are achievable but not necessarily desirable for sustainable lithium production over time.

What is DLS? Is it like DLE? I thought DLE wasn't proven?

We have coined the term Direct Lithium Sorption (DLS) to differentiate this commercially mature lithium production method, which is used by multiple lithium production companies from Argentina to China and has been used commercially since 1996, from other more novel technologies which collectively sit under the umbrella of Direct Lithium Extraction (DLE). Some types of DLE, such as ion exchange or solvent extraction, are promising but commercially unproven. We want to help our stakeholders differentiate between these commercially proven and commercially unproven technologies, hence the term DLS.

It is important to note with DLS that each brine is different and DLS does not work to extract lithium from all brines. Salinity needs to be high enough, and generally you need heat to drive the process, without too much in the way of deleterious elements such as silica and manganese which can foul the sorbent. 13,000 hours of continuous test work in our pilot plant, which has been operating since April 2021 and is still operating, gives us confidence that our brine is well suited to DLS. We have also developed our own in-house sorbent for our DLS process – an asset for the company and tailored for our brine geochemistry.

How will you fund your CAPEX?

We are building a fully integrated project: energy generation, lithium brine production, extraction and refining. Once we are in production our OPEX is targeted to be one of the lowest in the industry which gives us robust, attractive project metrics in our DFS. With the positive DFS we are initiating a debt funding process led by BNP Paribas's energy, chemicals and resources team. From preliminary discussions, we hope to have support from Export Credit Agencies and the European Union, which we anticipate would assist with our debt financing process. In addition, we are in discussions with strategic partners to provide equity funding. On the equity side, we are advised by several leading international banks. Through these processes we expect to secure funding in line with our project development timeline.

APPENDIX 9: Q&A 2

How are you ensuring your project is net zero?

We plan to use use zero fossil fuels to power our lithium extraction process, and renewable energy and heat we generate will aim to help decarbonise the German grid. We aim to produce more energy than we consume, giving our planned operation a net negative greenhouse gas emission footprint. We aim to therefore be "net zero". However, all anthropogenic activities result in some sort of "real" CO2 footprint, so Vulcan are committed to being as close to "real zero" emissions as possible. This means that we measure, mitigate, reduce and offset to balance greenhouse gas emissions (GHG) across Scopes 1, 2 and 3. We do this in a number of ways including defining in-house accountability and responsibility and regular reporting to the Board, the team and publicly. We are cognisant of our requirements for construction materials and work with the team and experts to choose the best options given current supply chain and innovation constraints. Key accomplishments to date include externally verifying the environmental credentials of our lithium product via Minviro Life Cycle Assessments (LCAs), certifying our Australian and Germany organisations as carbon neutral annually, starting from 2021 where we mapped our Scope 1, 2 and 3 emissions, offsetting emissions with VERRA standard carbon credits. We will continue to work on carbon emissions reduction initiatives as we scale up our project.

Does the community support your project?

- We continue to experience increasing positive momentum at a local level for the Zero Carbon Lithium™ Project. So far, the vast majority of local votes for Vulcan's work plan applications in our Phase One area have been positive, which is a strong endorsement for our Project, as well as for the reputation and professionalism for the Vulcan team; many of whom have worked in the geothermal industry and the local area for many years.
- For example, eight out of nine councils in the German state of Rhineland-Palatinate for Vulcan supported our 3D seismic work for our Phase One area, which meant that the programme could proceed largely as planned.
- We are engaging with the community and are committed to ensuring our people and our project are understood and accepted by all members of the communities in which we plan to operate.
- In areas that are close to historically mishandled projects caused by other companies, like in Strasbourg, the effort to inform the public is much more challenging. The support by the state and federal government as well as by the regional administration and stakeholders (local corporations and trade unions) will help to convince the city mayors and city councils of the opportunity which Vulcan represents and puts the risks into perspective.
- We published our environmental footprint for the development phase as well as when we are in operation. The planned footprint is tiny compared to lithium mining operations which predominantly use open pit mines or evaporation ponds.
- There's a precedent for building these geothermal projects recently in the Upper Rhine Valley which have been generally accepted by the majority of the public and the local communities and that gives us confidence it is needed and will work.
- A small amount of opposition is to be expected, not just in our geothermal projects but in the context of all building all new energy and infrastructure projects in Germany like, solar, wind, transmission lines, mobile phone transmitters, against logistic centres, train tracks and even kindergartens.

APPENDIX 10: KEY RISKS TECHNOLOGY / EXECUTION / RESOURCE

Risk Description	Mitigation
Technology: VULSORB™ industrial manufacturing capability still to be demonstrated.	Currently in discussions with a local toll manufacturer to manufacture VULSORB TM , who is already supplying Vulcan for its Demo Plant. Similar to other sorbents which have also been tested in Vulcan's pilot plants, are commercially available and could be used instead.
Technology: VULSORB™ + HP Operation has limited pilot scale testing so far.	If HP Operation is not seen as successful, the Project can revert back to the proven LP mode of Operation, which has many thousands of hours of successful testwork.
Technology: Electrolysers – widely used in salts industry but not yet commercially used on lithium salts.	Extensive Demonstration Plant testwork conducted by NORAM and other companies on LiCl electrolysis over many years. Planned to be further backed up by operational tests in Electrolysis Demo Plant, using a commercial scale electrolyser, which is aimed to optimise process parameters and operating conditions.
Technology: Demo Plant operational data after design freeze in April could lead to change during Bridging or Execution Phase	Extensive pilot plant data already provides some risk mitigation. Expedite Demo Plant data during bridging and execution to optimise process parameters and operating conditions.
Execution: Delay in order of Long Lead Items (LLI) of Equipment packages and award of EPC/EPCm contracts and further supply chain issues	All LLI have been identified and clear schedule to be awarded and clear advancement of vendor data to support 3D model to achieve 60% model review ASAP. Bridging moving to E&P Phase rather than just Engineering and clearly identified LLI and award of EPCm, see Hatch updated Bridging phase scope and deliverables.
Execution: Some critical decisions by authorities on permitting pathway – risk of delay. There is no guarantee that Vulcan Group will be able to obtain all required approvals, licences and permits for lithium and geothermal renewable energy production in time or at all.	Proactive engagement with authorities, selection of sites outside of environmentally sensitive areas.
Execution: Brine production expansion drilling programme dependent on continued success of land purchase, permits and then significant ramp up in capability and capacity.	Proactive engagement with local stakeholders and authorities, focus on first areas in schedule
Execution: Bridging phase is front-end loaded with numerous intensive and parallel work streams including approvals, engineering, contracts and procurement, financing to meet early milestones and protect overall execution phase.	Project Directorate in place and on the ground, Integrated Level 2 schedule now developed showing key links between projects and what risk and workstream pushes what
Execution: Speed and ramp up of Project Execution teams to deliver projects	Vulcan group rolling out transition to Functional Organisation with Execution focus, Project Directorate and other key roles identified and recruitment ongoing
Execution: The target execution schedule (27 months from detail design to start of production) is a tight schedule	27 months is well benchmarked across other key Battery related projects in Europe and globally, key execution risks need mitigating early on and supported by early decision making
Economics: FX EUR/USD: all LHM offtakes are linked to a PRA with a USD index or a fixed price in USD	Commercial team to explore converting offtakes to EUR-linked pricing index when the European lithium market matures.
Economics: DFS CAPEX estimate is combination of Class 3 (+/-15%), accuracy and Order of Magnitude accuracy for the late Value Improvements.	DFS Phase took budgetary quotes at the top of the commodity cycle with high inflationary conditions. Key budgetary quotes related to HP mode equipment were re-budgeted by suppliers and included in DFS Cost Estimate. Contingency and Design Allowance are included where applicable. These opportunities are planned to be developed to the same detail and accuracy as the original estimate during Bridging and an Open Book Estimate (OBE) approach is planned to be used during Bridging to understand trends against DFS.
Resource: Brine flow rate risk	Due to field development plan simulation results, lower "per well" brine flow rate has been shown to be more optimal for lithium sweep, therefore more conservative brine flow rate assumptions have already been used, of 69I/s average (>100I/s in PFS). This is in line with the Vulcan's current geothermal wells and plant in operation. Use of 3D seismic targeting fault zones correctly and optimised for flow are expected to further reduce risk. Finally, measures such as side-track/double-completion drilling can be used to increase flow rates.
Resource: Unforeseen geological conditions impacting total resource	Integration of 3D seismic data into work plan. Expedite new production/re-injection well drilling to further reduce risk.
Resource: Seismicity events during ramp up of the field	Incorporate experience of the team in managing seismicity from Vulcan's existing geothermal operations, including extensive monitoring and "traffic light" system of warnings. Manage ramp-up sensibly and conduct best practice seismicity risk studies prior to commencing ramp up.

APPENDIX 11: KEY RISKS GENERAL

Risk Description	Mitigation		
developments and other factors. Any such factors resulting in a decrease in the general demand for lithium	Vulcan closely monitors developments in the battery industry, and preferred battery chemistries. Vulcan notes that, whilst EU customers are investing in battery manufacturing which requires lithium hydroxide, other current battery types such as LFP us lithium carbonate, which Vulcan can switch the back-end of its process to making with relative simplicity. Future battery-types such as solid state, use LiCl, which Vulcan produces as a precursor, giving flexibility.		
continue to adversely affect, the availability and price of equipment, components and energy, supply chains,	Vulcan has the ability to produce most of the power it needs and consume it internally, so is somewhat insulated from sharp price increases in power. Vulcan does not directly consume any fossil fuels, providing further mitigation. Vulcan will seek to work with suppliers to mitigate effects of equipment and materials price fluctuation, however there may still be supply chain interruptions and increases in the cost of equipment.		
future ESG ratings and sustainability-related certifications, each of which could have a material adverse effect on	Vulcan has appointed a Head of ESG and has a Board Director with very extensive ESG-related experience. Vulcan engages with expert third party consultants, including ERM and Baringa, to provide up to date advice on the changing ESG landscape, to ensure it maintains its status as an ESG-leader. In addition, Vulcan is ensuring that sustainability related topics are embedded within its engineering and procurement practices including setting executive individual and group KPI's with ESG baseline metrics.		
supply and demand as well as international, economic and geopolitical trends and developments. Any decrease or significant volatility in the price of or demand for lithium could have a detrimental effect on Vulcan Group's	Vulcan has put in place a series of binding, take or pay lithium hydroxide offtake agreements for the first five years, and in one case the first ten years, of production. These offtake agreements are based on a basket of different mechanisms, providing some downside protection against lower prices. Vulcan is also targeting a very low OPEX, meaning it would be somewhat protected against lower prices.		
Markets: Any decrease in the price or demand for geothermal energy may have a detrimental effect on vuican	The portion of revenue derived from geothermal energy in Vulcan's financial model is very minor. In addition, Vulcan expects to sell power under a 20 year feed-in tariff under the German Renewable Energy Law. Finally, because Vulcan is a consumer as well as a seller of energy, the effect of lower prices would also be offset by lower OPEX costs.		
Financial: Significant future funding will be required by Vulcan Group to support the further implementation of its Zero Carbon Lithium™ Project. If Vulcan Group is unable to obtain additional financing as needed on acceptable terms or at all, it may need to abandon its development plans or reduce and/or change their scope which may, in turn, adversely affect Vulcan Group's operations.	Vulcan is taking a multi-pronged approach to financing, which involves assessing the possibility for equity financing at a project level (geothermal, lithium extraction, lithium refining, or a combination), equity financing at a top-co level, debt financing and grant funding from public bodies. Vulcan is working with a multi-disciplinary team at BNP Paribas on a debt financing process, and has already attracted non-binding letters of intent from Export Credit Agencies in Europe. Vulcan is expecting support at a German Federal and European level. Additionally, Vulcan aims to be supported by its existing shareholders, including institutional investors and large corporates.		
assumptions and interpretations which may prove to be inaccurate. Any material deviations may result in	Vulcan plans to regularly update its models as it gathers new data, including from the drilling of development wells in the Phase One areas, the sampling of brines from these wells, logging of core, and 3D seismic acquisition and processing. Resource estimates are planned to therefore be updated and refined accordingly, allowing Vulcan to progressively mitigate the risk as the project develops.		
Financial: As it is envisaged to incur significant debt in the future, an increase in interest rates would likely increase	Because of its sustainability credentials, Vulcan expects to qualify for so-called "green financing", which can involve a reduced borrowing interested rate. This would provide some mitigation for rising interest rates. In addition, Vulcan is in discussions with European public funding institutions, including the lending arm of the EU and Export Credit Agencies.		
	Vulcan has a granted utility patent and several patents pending, as well as granted and pending trademarks in a number of jurisdictions. Vulcan will continue to engage expert IP counsel to protect its rights going forward.		

APPENDIX 11: KEY RISKS GENERAL CONT.

Risk Description	Mitigation
Technical: Battery raw materials and geothermal energy exploration and development are high-risk undertakings and there is no assurance that Vulcan Group's exploration activities will result in the commercial extraction of lithium or sustainable production of geothermal renewable energy.	Vulcan uses modern geothermal industry best practice by incorporating 3D seismic data and analysis and has a world class team, with considerable local geological expertise to advance its exploration and consequently its production to progress towards sustainable production.
Social acceptance: Vulcan's projects may face opposition from local residents and other stakeholders, which may result in delays, additional costs, discontinuation of construction or operations and uncertainty.	All large-scale infrastructure projects require strong community engagement to ensure any concerns are addressed. Vulcan takes this extremely seriously and has resourced an experienced public and stakeholder relations team with deep local knowledge. We use geothermal industry best practice, and we are commencing community engagement in the various areas where we intend to develop projects. Our current engagement to date, which clearly and transparently explains our process to develop renewable heat and power, combined with sustainable lithium extraction has informed our view that we will achieve stakeholder acceptance and manage delays.
Loss of key personnel: Vulcan may lose its directors or other key personnel or may be unable to recruit or retain qualified personnel for key positions. Without such directors or key personnel Vulcan Group may not be able to successfully manage, develop and operate its business	Vulcan strives to create a safe, attractive, rewarding and engaged workplace to retain and incentivise its staff, including regularly engaging with staff through surveys and external remuneration consultants in an attempt to maintain this environment.

APPENDIX 12: PHASE ONE DFS EXPERT THIRD PARTY CONSULTANTS

- JORC Resources review, audit and sign-off: GLJ Ltd. and Groundwater Insight; reservoir engineering and deep lithium brine expertise.
- JORC Reserves review, audit and sign-off: GLJ Ltd., reservoir engineering, well planning, field development, process engineering, economic analysis, and brine expertise.
- LEP and CLP plant engineering and design: Hatch Ltd., lithium plant engineering expertise.
 - ICPP pipeline engineering and design: GEF Ingenieur AG.

APPENDIX 13: FINANCIAL DEFINITIONS

- CAPEX = Capital Expenditure in tangible and intangible assets
- EBIT = Earnings before interest and taxes
- EBITDA = Earnings before interest, taxes, depreciation and amortisation
- IRR = Internal Rate of Return
- Net Income (EAT) = Earnings after tax
- NPV = Net Present Value
- NPV₈ = Net Present Value using a discount rate of 8%
- OPEX= Operating expenditure including reagents, operating supplies, maintenance supplies, water, steam, nitrogen, energy, labour, trucking, services and other costs. Operating expenditure excludes corporate overhead costs for DFS Phase One purposes.
- Operating Margin = Profit on sales after costs of production, expressed as a percentage
- Payback = Period of time required for the return on an investment to repay the total initial investment



APPENDIX 14: DFS MODEL ASSUMPTIONS AND PARAMETERS

Key inputs and outputs of model

G	A	n	A	ra	ı
U	ᆫ	ш	S	ı a	Ц

General and economics

FX EUR/USD 1.05

NPV discount rate 8%1

Tax rate 30%

Construction time 2.5 years

State royalty 0%²

Brine royalty Applied on 2 wells

Life of Mine 30 years
Life of Mine production target 0.54Mt LHM

LHM grade 57%

CO₂ emissions/t of LHM³ -1.6t CO₂/of LHM

Production ramp-up LEP and CLP (%)

3	Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
/	2026	2026	2026	2026	2027	2027	2027	2027
Ramp	25%	50%	65%	80%	90%	95%	99%	100%
-up	20 70	30 78	00 70	00 76	30 78	33 76	33 76	10076

¹WACC rate is 8% which is based on peer industry average. See Appendix 5: WACC Rate: Peer Comparison for details of WACC used by peers.

²Geothermal exempt from royalty. Lithium expected to also be exempt due under § 32 BBergG, since it is classified as a strategic raw material by the EU – to be confirmed with state authorities during ongoing permitting process. Up to 10% royalty would apply if it was not exempt.

Wulcan CO2 value provided by Minviro. The CO2 assessment is a cradle-to-gate study. It starts with the cradle: extraction of geothermal brine. Thermal energy of the brine is extracted and used for electricity and steam generation. Generated electricity is assumed to be exported to the German electrical grid. Part of the heat is exported for district heating, substituting natural gas use, and the rest of the heat is used for internal processes. It is assumed that of the electricity used throughout all processes 50% is sourced from the German grid and 50% is procured from additional wind generated electricity, on top of wind based electricity that is already present in the German grid mix. Electricity, steam, hydrochloric acid (30% concentration) and sodium hypochlorite (15.8% concentration) are co-products of the lithium hydroxide monohydrate product. All co-products are accounted for using system expansion, meaning no allocation is required. The climate change impact for the lithium hydroxide monohydrate product for the assumptions described above is -1.6 kg CO₂ eq. per kg LiOH H₂O.

Input			Та	ro	
Number of production			5	5	
wells per area			8		
Average Flow rate (I/s) per well			69		
Average Flow rate (I/s)			600	30	0
Li grade (mg/I) at SOP			181	18	1
Li grade (mg/I) after 10 years			150	160)
ORC run/to be run by Vulcan	Yes	Yes		Yes	
ORC Power Capacity (MW)	4.2	24.5		8.4	
ORC Operating rates	95%	95%		95%	
Ramp up	None (operating)	6 months		6 months	
Heat capacity (MW)	0.5	30		0	
Steam generation (MW)	0.0	3.3		2.6	
LEP		Yes		Yes	
LEP Lithium recovery		93.9%		93.9%	
LEP Stream factor		86%		86%	
Ramp up		2 years		2 years	
LEP production		16,000	_	8,000	
capacity (tpa LHM eq.) CLP Li recovery	98.6%				
CLP Utilisation	86%				
CLP production	24,755 LHM at SOP				
capacity(tpa)			67,500 HCl at SOP		
	2,975 NaOCI at SOP				