



4th April 2024

Spodumene Bearing Pegmatite Swarm Mapped With Samples Up To 3.01% Li₂O – West Spargoville Project

HIGHLIGHTS:

- Ongoing mapping and sampling has delineated 10 individual spodumene bearing pegmatites at the West Spargoville Project.
- Recent High-Grade rock chip assay results with numerous results >1% Li₂O which include:
 - 3.01% Li₂O (24WS0010)
 - 2.76% Li₂O (24WS0017)
 - 2.60% Li₂O (23SW0039)
 - 2.36% Li₂O (24WS0004) &
 - 2.02% Li₂O (23WS0047)
- Detailed ground gravity data acquisition complete and data processing underway to target mineralised pegmatite bodies at depth.
- Drilling approvals partially complete with remaining items progressing to allow drilling to commence as soon as possible.
- The Company continues to collaborate closely with Joint Venture Partner Mineral Resources Limited (ASX:MIN) regarding all facets of the WSP Project and the ongoing 2024 exploration campaign.

Marquee Resources Limited (“Marquee” or “the Company”) (ASX:MQR) is pleased to provide an update of ongoing exploration and targeting activities at the West Spargoville Project (“WSP” or “The Project”). Recently, Company geologists completed further mapping and sampling to better define targets for the planned upcoming drilling programmes. Leveraging off previously acquired geochemical, geophysical and drilling data, the Company has identified a pegmatite swarm with over 40 fertile pegmatites identified with mapping, sampling and portable-XRF (p-XRF) analysis confirming the presence of spodumene in 10 of the individual pegmatites (Figure 2). The recent sampling returned a best rock chip assay of 3.01% Li₂O (24WS0010) with numerous results >1% Li₂O (Table 1). The Company continues to collaborate closely with Joint Venture Partner Mineral Resources Limited (ASX:MIN) regarding all facets of the WSP Project and the ongoing 2024 exploration campaign.

Exploration Update & Forward Work Plan

The Company has received assay results from 51 whole-rock samples taken during a recent mapping program of the Company’s focus area (Figure 2 & Table 1). An additional 156 p-XRF sample points were also collected from pegmatites to assist in delineating the prospectivity and strike extents of the mapped pegmatites (Table 3). Over ten pegmatites have been identified in the focus area with the tenor of mineralisation varying between the various pegmatites, but also within individual pegmatites. A peak assay from the recent rock chip sampling returned 3.01% Li₂O (24WS0010) while historical rock chip sampling previously returned a peak assay of 3.12% Li₂O (10686). Multiple assays from rock chip sampling have returned high-grade assays >1.0% Li₂O. The controls on the zonation of mineralisation are currently not fully understood with further work required to determine the controls on the location of high-grade mineralisation.

In conjunction with the recent mapping and sampling, p-XRF mapping program was undertaken to increase data density and assist in further delineation of fertile pegmatites. The use of a handheld p-XRF, while no substitute for whole-rock geochemical analysis, is standard industry practice and an effective and dynamic targeting tool used in LCT-pegmatite exploration. p-XRF data can be used to identify and assess granitic parent rock fertility with respect to the hosting potential of LCT pegmatites and can differentiate potential rare metal-bearing pegmatites from

barren, more typical pegmatites with granitic composition. When used in conjunction with whole-rock analysis, the p-XRF can assist in mapping fertile vs barren pegmatites at a fraction of the price and in a fraction of the time. When assessing granitic parent rock fertility, fertile granites exhibit elevated Rb, Cs, Sn, and Ta, as well as lower K/Rb ratios than typical granites. From analysis of whole-rock assay data Company geologists note:

- Where the sampled pegmatite contains economic mineralisation (>1.0% Li₂O), the K/Rb ratio is <10.
- However a K/Rb <10 in whole-rock assay data does not always correlate directly with economic lithium mineralisation.

Although the whole-rock assay data highlights the limitations of using the K/Rb in LCT-pegmatite exploration, correct application of both the p-XRF and K/Rb ratio can be an effective targeting tool to delineate more-prospective vs less-prospective pegmatites.



Figure 1: Spodumene (orange) bearing pegmatite 24SW0010 fluorescing under UV light.




Figure 2: Results from surface mapping of pegmatites at the West Spargoville Project

The Company also wishes to advise the market that it has completed a ~3,900 station, highly detailed ground gravity survey over the priority focus area. The detailed gravity survey is designed to aid in targeting the mineralised pegmatites at depth. The hypothesis is that the mapped pegmatites may converge and blow-out at depth and the gravity survey will assist in identifying the controlling structures to mineralisation. Data processing is now underway, with the results of this to be released once completed.

The Company is currently working through the approvals process to complete drilling over the main focus area. The Program of Work (PoW) has been approved by DMIRS, whilst liaison with the Native Title party to complete a Heritage Survey is still ongoing. The Company will update the market once all approvals have been received.



For personal use only




Figure 3: Ground gravity survey area

Executive Chairman Comment:

Marquee Executive Chairman, Mr Charles Thomas, commented:

“We are very excited about the identification of the new mineralised pegmatite swarm identified at WSP and we can’t wait to drill test these new targets in the coming months. Our interpretation is that the pegmatites mapped at surface may converge and potentially blow out at depth and the ground gravity survey is designed to assist with the targeting of these structures. We are currently proceeding through the drilling approvals process with a view to begin drilling as soon as possible.”



The West Spargoville Project

The West Spargoville Project is located in the core of the Southern Yilgarn Lithium Belt, an area that is well known for spodumene deposits that include; the Bald Hill Mine, the Mt Marion Mine, the Buldania Project and Pioneer Dome Project. The world-class Earl Grey deposit and the Mt Cattlin Mine are located further west and south respectively (Figure 4). Marquee has entered into a Farm-in Agreement with Mineral Resources Limited (ASX:MIN) over the lithium rights (only) at West Spargoville Project (refer ASX Release dated 2nd June 2022 and 9th June 2023) which consists of 80km² of highly prospective tenure with very limited drilling historically completed on the Project.

Northeast trending structures are the primary structural control on the location of pegmatites at the West Spargoville Project with high-grade lithium bearing pegmatites (Refer MXR ASX Release dated 15 Sept 2016) and recently mapped pegmatites situated along these structures, as observed in magnetics data. This structural trend is analogous to the orientation of spodumene bearing pegmatites at the Dome North Project 40km to the south (Refer ESS ASX Release dated 19 July 2021).

In the Yilgarn Craton, pegmatites are located within 10-kilometres of a common granitic source with proximal pegmatites the least evolved and poorly mineralised, containing only the general rock-forming minerals. More distal and evolved pegmatites may include beryl, beryl and columbite, tantalite and Li aluminosilicates, and pollucite in the most evolved pegmatites. The spatial zonation of pegmatites around a common granitic source is a fundamental starting point for exploration models (London, 2018). In these Archean settings, regional-scale structures control the distribution of pegmatites, being responsible for focusing and transporting fluids and magmas.




Figure 4: Location of the West Spargoville Project



COMPETENT PERSON STATEMENT

The information in this report which relates to Exploration Results is based on information compiled by Dr James Warren, a Competent Person who is a member of the Australian Institute of Geoscientists. Dr Warren is the Chief Technical Officer of Marquee Resources Limited. Dr Warren has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australian Code of Reporting of Exploration Results, Mineral Resources and Ore Reserves". Dr Warren consents to the inclusion in this report of the matters based on the information in the form and context in which it appears.

Forward Looking Statements

Statements contained in this release, particularly those regarding possible or assumed future performance, costs, dividends, production levels or rates, prices, resources, reserves or potential growth of Marquee Resources Limited, are, or may be, forward looking statements. Such statements relate to future events and expectations and, as such, involve known and unknown risks and uncertainties. Actual results and developments may differ materially from those expressed or implied by these forward-looking statements depending on a variety of factors.

This ASX Release has been approved by the Board of Directors.

Charles Thomas – Executive Chairman
Marquee Resources
info@marqueeresources.com.au

Table 1: Recently acquired MQR rock chip assays.

| Sample_ID | East | North | RL | Log | Description | Li2O_% | Cs_ppm | Ta_ppm | Rb_ppm | K/Rb |
|-----------|--------|---------|-----|-----------|--|--------|--------|--------|--------|------|
| 23WS0032 | 348887 | 6534867 | 456 | Pegmatite | Coarse quartz feldspar and mica. Grainsize variable from fine to coarse. | 0.02 | 20.0 | 0.4 | 790 | 63.2 |
| 23WS0033 | 348859 | 6534902 | 457 | Pegmatite | Coarse feldspar grains from pegmatite. | 0.00 | 19.5 | 0.6 | 1365 | 68.2 |
| 23WS0034 | 348674 | 6534957 | 465 | Pegmatite | Mica rich pegmatite also contains quartz and feldspar. | 0.01 | 11.1 | 4.1 | 500 | 25.8 |
| 23WS0035 | 348591 | 6535124 | 466 | Pegmatite | Quartz and feldspar lineations within pegmatite. | 0.00 | 18.5 | 0.4 | 762 | 98.3 |
| 23WS0036 | 348949 | 6535832 | 463 | Pegmatite | Pegmatite containing quartz feldspar and mica. | 0.01 | 9.5 | 1.2 | 358 | 69.5 |
| 23WS0037 | 348944 | 6535835 | 462 | Pegmatite | Coarse euhedral feldspar of pegmatite ~40 mm grainsize. | 0.00 | 12.5 | 0.1 | 1215 | 72.5 |
| 23WS0038 | 349001 | 6535827 | 468 | Pegmatite | Quartz and feldspar pegmatite. Moderate parallel alignment to crystal grains in flowbanding style texture. | 0.00 | 13.2 | 0.2 | 782 | 93.2 |
| 23WS0039 | 352409 | 6524006 | 395 | Pegmatite | Spodumene bearing pegmatite. | 2.60 | 44.5 | 43.5 | 382 | 8.4 |
| 23WS0040 | 353097 | 6523528 | 401 | Pegmatite | Two pegmatites at locality. Fine quartz and mica with coarse feldspar. | 0.01 | 54.8 | 55.4 | 1795 | 10.5 |
| 23WS0041 | 352917 | 6523831 | 412 | Pegmatite | Clusters of mica pseudomorphed after spodumene? | 0.03 | 202.0 | 39.2 | 1930 | 8.4 |
| 23WS0042 | 352973 | 6523692 | 404 | Pegmatite | White spodumene bearing pegmatite. Fine spodumene crystals ~10 mm long. | 1.96 | 116.5 | 41.9 | 1580 | 5.0 |
| 23WS0043 | 352973 | 6523693 | 399 | Pegmatite | Oxidised pegmatite adjacent to 23WS0042 as described above. Dirty green spodumene crystals in white oxidised rock. | 0.02 | 6.6 | 0.2 | 39 | 31.8 |
| 23WS0044 | 352964 | 6523694 | 407 | Pegmatite | Spodumene rich narrow and wide crystals high abundance pegmatite in creek. Quartz and minor mica present. | 1.48 | 204.0 | 85.9 | 2050 | 5.0 |
| 23WS0045 | 352941 | 6523685 | 411 | Pegmatite | Pegmatite with quartz feldspar and mica. | 0.02 | 180.0 | 286.0 | 3170 | 5.4 |
| 23WS0046 | 352992 | 6523896 | 437 | Pegmatite | Coarse- and fine-grained spodumene rich pegmatite. | 1.95 | 108.0 | 49.7 | 1215 | 8.5 |
| 23WS0047 | 353032 | 6523915 | 423 | Pegmatite | Coarse grained quartz feldspar mica and spodumene bearing pegmatite. | 2.02 | 127.5 | 51.5 | 1780 | 9.5 |
| 24WS0001 | 352947 | 6523855 | 396 | Pegmatite | Minor spodumene from edge of outcrop | 0.12 | 169.5 | 110.5 | 1280 | 8.5 |
| 24WS0002 | 352950 | 6523869 | 396 | Pegmatite | Minor spodumene from edge of outcrop | 1.74 | 264.0 | 73.6 | 2050 | 7.2 |
| 24WS0003 | 352961 | 6523866 | 390 | Pegmatite | Coarse grained pegmatite with medium to coarse grained spodumene. | 1.94 | 160.5 | 102.0 | 1625 | 8.3 |
| 24WS0004 | 352921 | 6523472 | 377 | Pegmatite | Coarse grained pegmatite with medium to coarse grained spodumene. | 2.36 | 164.0 | 78.6 | 2970 | 5.1 |
| 24WS0005 | 353069 | 6523833 | 370 | Pegmatite | Feldspar rich pegmatite. | 0.01 | 2.5 | 150.0 | 15 | 56.6 |
| 24WS0006 | 353001 | 6523776 | 382 | Pegmatite | Feldspar rich pegmatite. | 0.03 | 75.9 | 275.0 | 722 | 5.6 |
| 24WS0007 | 352986 | 6523773 | 382 | Pegmatite | Feldspar rich pegmatite. | 0.05 | 61.2 | 183.5 | 1230 | 5.1 |
| 24WS0008 | 352998 | 6523825 | 394 | Pegmatite | Fine to medium grained mica poor pegmatite | 0.02 | 92.2 | 31.3 | 1795 | 8.1 |
| 24WS0009 | 352846 | 6523739 | 394 | Pegmatite | Fine to medium grained mica poor pegmatite. | 0.01 | 15.2 | 20.8 | 633 | 22.7 |
| 24WS0010 | 352572 | 6523599 | 431 | Pegmatite | Spodumene rich pegmatite coarse grained laths in parallel orientation. | 3.01 | 82.3 | 134.5 | 409 | 8.1 |
| 24WS0011 | 352552 | 6523580 | 410 | Pegmatite | Spodumene rich pegmatite medium to coarse grained laths in parallel orientation. | 1.64 | 70.4 | 113.0 | 977 | 7.1 |
| 24WS0012 | 352557 | 6523583 | 412 | Pegmatite | Spodumene rich pegmatite medium grained laths in parallel orientation. | 1.74 | 181.0 | 71.6 | 1990 | 7.0 |
| 24WS0013 | 352559 | 6523572 | 412 | Pegmatite | Coarse grained feldspar and spodumene rich pegmatite | 2.00 | 84.3 | 63.3 | 877 | 7.6 |



| | | | | | | | | | | |
|----------|--------|---------|-----|-----------|---|------|--------|--------|---------|------|
| 24WS0014 | 352589 | 6523588 | 419 | Pegmatite | Manganese rich fine-grained pegmatite with minor fine grained spodumene | 0.04 | 62.9 | 32.6 | 937 | 10.6 |
| 24WS0015 | 352589 | 6523587 | 420 | Pegmatite | Striated' texture with abundant medium grained mica 'spotting' trace spodumene under UV | 0.04 | 48.1 | 58.2 | 1125 | 11.0 |
| 24WS0016 | 352541 | 6523629 | 410 | Pegmatite | Fine grained 'striated' texture with trace spodumene under UV | 0.05 | 92.1 | 70.1 | 1300 | 8.7 |
| 24WS0017 | 352389 | 6523988 | 409 | Pegmatite | Spodumene rich pegmatite medium to coarse grained laths in parallel orientation. | 2.76 | 76.5 | 45.8 | 785 | 9.1 |
| 24WS0018 | 352692 | 6524037 | 424 | Pegmatite | Coarse grained pegmatite with minor fine grained intergrown fluorescing minerals | 0.01 | 64.4 | 56.1 | 1960 | 16.3 |
| 24WS0019 | 352761 | 6523944 | 435 | Pegmatite | Fine to medium grained feldspar rich pegmatite with trace orange fluorescence. | 0.00 | 45.6 | 14.8 | 1585 | 19.0 |
| 24WS0020 | 352781 | 6523917 | 434 | Pegmatite | Coarse grained feldspar rich pegmatite with minor spodumene | 0.00 | 10.7 | 41.7 | 200 | 15.7 |
| 24WS0021 | 352687 | 6523961 | 426 | Pegmatite | Coarse grained quartz and feldspar pegmatite | 0.01 | 44.1 | 17.5 | 673 | 9.1 |
| 24WS0022 | 352690 | 6523256 | 434 | Pegmatite | Coarse grained mica rich pegmatite | 0.12 | 150.0 | 31.4 | 2870 | 11.7 |
| 24WS0023 | 352715 | 6523255 | 437 | Pegmatite | Aplite with minor spodumene | 0.02 | 119.5 | 124.5 | 2330 | 12.7 |
| 24WS0024 | 352681 | 6523227 | 431 | Pegmatite | Medium grained pegmatite with mica and spodumene | 0.09 | 231.0 | 26.8 | 3210 | 10.3 |
| 24WS0025 | 352715 | 6523237 | 439 | Pegmatite | Coarse grained feldspar rich pegmatite | 0.22 | 40.7 | 91.2 | 569 | 9.9 |
| 24WS0026 | 352709 | 6523154 | 439 | Pegmatite | Fine to medium grained pegmatite. | 0.06 | 51.8 | 38.3 | 654 | 13.4 |
| 24WS0027 | 352924 | 6522780 | 422 | Pegmatite | Coarse grained pegmatite with mica. | 0.05 | 54.0 | 27.3 | 1240 | 14.5 |
| 24WS0028 | 352972 | 6522711 | 431 | Pegmatite | Coarse grained feldspar rich pegmatite. | 0.04 | 596.0 | 40.0 | 4360 | 14.4 |
| 24WS0029 | 353021 | 6523303 | 444 | Pegmatite | Aplitic rock with coarse grained quartz and feldspar pegmatite. | 0.00 | 2.6 | 68.5 | 43 | 46.2 |
| 24WS0030 | 353009 | 6523850 | 441 | Aplite | Aplitic rock. | 0.00 | 14.5 | 194.5 | 409 | 6.1 |
| 24WS0031 | 353155 | 6524038 | 436 | Pegmatite | Aplite dominant with coarse feldspar mica and spodumene pegmatite. Coarse orange fluorescing minerals. | 0.01 | 123.0 | 40.3 | 3890 | 10.9 |
| 24WS0032 | 353044 | 6524061 | 452 | Pegmatite | Fine to medium grained quartz feldspar and mica pegmatite with fine grained aggregate of orange fluorescing minerals. | 0.00 | 9.3 | 28.1 | 25 | 30.4 |
| 24WS0033 | 352999 | 6524069 | 451 | Pegmatite | Coarse grained pegmatite with quartz feldspar and mica with minor coarse spodumene grains. | 0.01 | 135.5 | 71.7 | 2050 | 21.8 |
| 24WS0034 | 352943 | 6524077 | 449 | Pegmatite | Medium to coarse grained quartz feldspar mica and minor orange fluorescing minerals. | 0.03 | 59.9 | 19.8 | 1140 | 11.2 |
| 24WS0035 | 352958 | 6524098 | 450 | Pegmatite | Medium grained pegmatite with trace fine orange fluorescing minerals. | 0.03 | 35.1 | 14.7 | 770 | 11.1 |
| | | | | | | 3.01 | 596.00 | 286.00 | 4360.00 | 4.97 |

Table 2: Historical MQR rock chip assay results.

| Sample_ID | East | North | RL | Li2O_ % | Cs_ppm | Ta_ppm | Rb_ppm | K/Rb |
|-----------|--------|---------|-----|---------|--------|--------|--------|-------|
| 10678 | 352574 | 6523580 | 420 | 0.01 | 6.5 | 284.0 | 117 | 20.5 |
| 10679 | 352673 | 6523669 | 405 | 0.02 | 104.0 | 55.3 | 2060 | 7.9 |
| 10680 | 352939 | 6523865 | 411 | 0.10 | 99.6 | 216.0 | 938 | 9.0 |
| 10681 | 352577 | 6523601 | 416 | 0.06 | 32.7 | 192.0 | 723 | 12.1 |
| 10682 | 352724 | 6523974 | 432 | 0.00 | 134.0 | 33.4 | 3200 | 15.6 |
| 10683 | 352794 | 6524201 | 419 | 0.01 | 13.2 | 92.6 | 97 | 22.4 |
| 10684 | 352743 | 6524195 | 415 | 0.00 | 228.0 | 475.0 | 3290 | 3.1 |
| 10685 | 352419 | 6524019 | 396 | 0.03 | 21.1 | 19.7 | 271 | 12.9 |
| 10686 | 352382 | 6523990 | 396 | 3.12 | 145.0 | 36.9 | 442 | 9.3 |
| 10687 | 352497 | 6523806 | 401 | 0.00 | 97.7 | 0.4 | 3520 | 13.0 |
| 10688 | 353040 | 6523932 | 377 | 0.47 | 69.5 | 112.0 | 1320 | 9.6 |
| 10689 | 352977 | 6523881 | 399 | 0.95 | 246.0 | 64.5 | 2300 | 9.9 |
| 10690 | 353095 | 6524015 | 378 | 0.02 | 102.0 | 30.7 | 1330 | 8.1 |
| 10691 | 352982 | 6524127 | 0 | 0.01 | 70.1 | 36.5 | 2590 | 8.8 |
| 10692 | 352968 | 6524119 | 375 | 0.00 | 46.4 | 67.5 | 928 | 12.3 |
| 10693 | 353038 | 6523809 | 398 | 0.02 | 386.0 | 143.0 | 7770 | 4.6 |
| 10694 | 353063 | 6523824 | 394 | 0.01 | 15.9 | 145.0 | 254 | 7.8 |
| 10695 | 351946 | 6524796 | 417 | 0.00 | 14.0 | 66.2 | 101 | 14.2 |
| 10696 | 353109 | 6523550 | 413 | 0.04 | 16.5 | 279.0 | 202 | 8.3 |
| 10697 | 353100 | 6523533 | 416 | 0.01 | 39.0 | 101.0 | 1680 | 9.9 |
| 10698 | 353042 | 6523440 | 426 | 0.05 | 166.0 | 231.0 | 2570 | 5.3 |
| 10699 | 353073 | 6523442 | 425 | 0.02 | 5.2 | 251.0 | 3 | 161.2 |
| 10700 | 353068 | 6523437 | 427 | 0.01 | 5.7 | 370.0 | 55 | 11.8 |
| 10701 | 352980 | 6523500 | 431 | 0.01 | 102.0 | 199.0 | 2200 | 3.4 |
| 10702 | 352943 | 6523483 | 429 | 0.03 | 59.8 | 83.8 | 2480 | 5.6 |
| 10703 | 352876 | 6523430 | 435 | 0.01 | 115.0 | 432.0 | 1730 | 4.5 |
| 10704 | 352929 | 6522788 | 403 | 0.06 | 41.6 | 32.1 | 1200 | 11.3 |
| 10705 | 352965 | 6522708 | 409 | 0.02 | 105.0 | 2.9 | 3470 | 13.0 |
| 10706 | 352946 | 6522703 | 403 | 0.01 | 120.0 | 1.0 | 3590 | 13.9 |
| 10707 | 353012 | 6522466 | 414 | 0.01 | 22.9 | 63.4 | 949 | 11.1 |
| 10708 | 352986 | 6522412 | 408 | 0.01 | 26.5 | 124.0 | 670 | 13.9 |



| | | | | | | | | |
|--------|--------|---------|-----|------|-------|------|------|-------|
| 10709 | 352975 | 6522384 | 409 | 0.00 | 7.5 | 15.8 | 353 | 34.0 |
| 10710 | 353773 | 6521017 | 381 | 0.01 | 7.6 | 4.9 | 710 | 25.8 |
| 10711 | 352982 | 6522371 | 408 | 0.02 | 21.1 | 48.4 | 970 | 17.9 |
| 10712 | 348702 | 6531976 | 445 | 0.03 | 4.0 | 2.1 | 279 | 46.2 |
| 10713 | 348738 | 6531996 | 453 | 0.00 | 30.7 | 0.5 | 1120 | 53.3 |
| 10714 | 348898 | 6531946 | 451 | 0.00 | 0.7 | 1.7 | 22 | 60.8 |
| 10715 | 348585 | 6534354 | 449 | 0.02 | 8.6 | 5.6 | 374 | 52.1 |
| 10716 | 348622 | 6534141 | 463 | 0.00 | 5.3 | 0.4 | 181 | 56.9 |
| 10717 | 348637 | 6534144 | 459 | 0.00 | 1.1 | 25.8 | 21 | 61.0 |
| 10718 | 348642 | 6534060 | 460 | 0.00 | 16.2 | 1.0 | 1290 | 52.2 |
| 10719 | 348648 | 6533997 | 466 | 0.00 | 4.1 | 1.7 | 274 | 55.1 |
| 10720 | 348608 | 6534005 | 467 | 0.01 | 12.7 | 1.0 | 70 | 56.2 |
| 10721 | 348907 | 6535636 | 444 | 0.00 | 15.2 | 0.2 | 766 | 77.4 |
| 10722 | 348289 | 6535449 | 458 | 0.01 | 2.2 | 2.1 | 109 | 70.2 |
| 10723 | 354010 | 6520228 | 386 | 0.00 | 11.3 | 15.9 | 361 | 28.8 |
| 10724 | 349294 | 6534852 | 423 | 0.01 | 3.1 | 4.2 | 201 | 49.8 |
| 10725 | 349089 | 6534740 | 429 | 0.00 | 0.7 | 0.5 | 39 | 76.5 |
| 10726 | 348998 | 6534858 | 435 | 0.00 | 4.4 | 0.0 | 564 | 105.3 |
| 10727 | 349034 | 6534842 | 435 | 0.00 | 11.6 | 0.6 | 685 | 83.8 |
| 10728 | 349142 | 6535841 | 437 | 0.00 | 12.7 | 0.3 | 750 | 76.3 |
| 10729 | 348990 | 6535811 | 440 | 0.00 | 2.8 | 3.3 | 123 | 87.0 |
| 10730 | 348984 | 6535880 | 447 | 0.01 | 5.5 | 3.4 | 387 | 135.9 |
| 10731 | 349011 | 6535834 | 442 | 0.01 | 7.1 | 3.6 | 314 | 143.0 |
| 10732 | 348735 | 6535762 | 445 | 0.00 | 20.1 | 2.7 | 89 | 20.2 |
| 10733 | 348515 | 6535643 | 454 | 0.02 | 3.4 | 3.6 | 233 | 51.9 |
| 10734 | 348619 | 6535411 | 451 | 0.01 | 3.7 | 6.2 | 214 | 55.1 |
| 10735 | 348743 | 6534675 | 462 | 0.01 | 10.6 | 3.6 | 647 | 46.1 |
| 22WS01 | 348194 | 6533097 | 429 | 0.00 | 5.4 | 2.3 | 40 | 77.0 |
| 22WS02 | 348456 | 6533112 | 427 | 0.00 | 28.8 | 0.1 | 824 | 52.7 |
| 22WS03 | 348791 | 6532740 | 438 | 0.00 | 132.0 | 0.0 | 2120 | 24.7 |
| 22WS04 | 348607 | 6534128 | 451 | 0.00 | 26.4 | 0.0 | 1180 | 37.0 |
| 22WS05 | 348589 | 6534339 | 443 | 0.01 | 29.9 | 1.9 | 1170 | 37.4 |
| 22WS06 | 348436 | 6534696 | 444 | 0.00 | 1.2 | 8.3 | 12 | 116.8 |



| | | | | | | | | |
|--------|--------|---------|-----|------|--------|-------|------|-------|
| 22WS07 | 348738 | 6534675 | 436 | 0.00 | 18.1 | 0.2 | 1050 | 49.2 |
| 22WS08 | 349083 | 6534806 | 428 | 0.00 | 22.8 | 0.0 | 570 | 75.4 |
| 22WS09 | 354125 | 6518780 | 369 | 0.01 | 6.4 | 2.1 | 270 | 58.5 |
| 22WS10 | 355400 | 6519563 | 384 | 0.00 | 2.9 | 1.3 | 95 | 174.6 |
| 22WS11 | 354315 | 6520011 | 405 | 0.00 | 1.4 | 32.9 | 1 | 350.8 |
| 22WS12 | 353254 | 6521405 | 401 | 0.02 | 5.1 | 2.9 | 150 | 15.6 |
| 22WS13 | 353502 | 6521769 | 419 | 0.01 | 215.0 | 2.3 | 3920 | 11.2 |
| 22WS14 | 352974 | 6521734 | 389 | 0.77 | 1210.0 | 689.0 | 5520 | 3.7 |
| 22WS15 | 352976 | 6521734 | 385 | 0.23 | 273.0 | 230.0 | 925 | 4.0 |
| 22WS16 | 352976 | 6521737 | 385 | 0.03 | 71.1 | 75.2 | 303 | 7.9 |
| 22WS17 | 353005 | 6522212 | 393 | 0.01 | 142.0 | 2.2 | 3100 | 13.1 |
| 22WS18 | 352969 | 6522337 | 442 | 0.02 | 20.4 | 11.4 | 786 | 22.7 |
| 22WS19 | 352778 | 6522340 | 430 | 0.04 | 50.3 | 115.0 | 857 | 14.4 |
| 22WS20 | 352856 | 6522226 | 429 | 0.05 | 50.0 | 15.2 | 2020 | 18.4 |
| 22WS21 | 352482 | 6522844 | 393 | 0.01 | 135.0 | 1.3 | 3140 | 12.7 |
| 22WS22 | 352386 | 6523980 | 410 | 1.60 | 113.0 | 72.7 | 1360 | 10.1 |
| 22WS23 | 352624 | 6523623 | 411 | 0.02 | 158.0 | 38.5 | 3840 | 12.3 |
| 22WS24 | 353128 | 6523473 | 419 | 0.03 | 174.0 | 56.0 | 2900 | 5.9 |
| 22WS25 | 353084 | 6523438 | 420 | 0.01 | 201.0 | 5.4 | 5130 | 9.5 |
| 22WS26 | 353049 | 6523435 | 423 | 0.05 | 62.1 | 222.0 | 1970 | 5.5 |
| 22WS27 | 352926 | 6523471 | 418 | 0.91 | 260.0 | 116.0 | 4770 | 4.8 |
| 22WS28 | 353030 | 6523921 | 400 | 1.52 | 112.0 | 65.5 | 2010 | 8.7 |
| 22WS29 | 351581 | 6524794 | 414 | 0.01 | 34.5 | 11.0 | 1110 | 26.1 |
| 22WS30 | 351687 | 6524888 | 442 | 0.04 | 6.5 | 0.3 | 33 | 13.0 |
| 22WS31 | 353313 | 6522172 | 434 | 0.04 | 118.0 | 9.5 | 3480 | 11.6 |



Table 3: p-XRF data.

| Sample ID | East | North | Log | Sample Type | Notes | K_ppm | Rb_ppm | K/Rb |
|-----------|--------|---------|-----------|-------------|-------------|--------|--------|------|
| 23WS | 353128 | 6523550 | Pegmatite | In Situ | 1 | 13151 | 1388 | 9 |
| 23WS | 353124 | 6523534 | Pegmatite | In Situ | 2 | 99763 | 9976 | 10 |
| 23WS | 353094 | 6523536 | Pegmatite | In Situ | 3 | 378 | 35 | 11 |
| 23WS | 353094 | 6523533 | Pegmatite | In Situ | 4 | 482 | 43 | 11 |
| 23WS | 353096 | 6523530 | Pegmatite | In Situ | 5 | 315 | 15 | 21 |
| 23WS | 353097 | 6523521 | Pegmatite | In Situ | 6 | 22193 | 2772 | 8 |
| 23WS36 | 348951 | 6535830 | Pegmatite | In Situ | t | 3155 | 13 | 243 |
| 23WS36 | 348950 | 6535830 | Pegmatite | In Situ | 3 | 87334 | 1353 | 65 |
| 23WS36 | 348942 | 6535831 | Pegmatite | In Situ | 4 | 65120 | 1208 | 54 |
| 23WS36 | 348951 | 6535838 | Pegmatite | In Situ | 5 | 59586 | 789 | 76 |
| 23WS36 | 348950 | 6535842 | Pegmatite | In Situ | 6 | 78629 | 1367 | 58 |
| 23WS36 | 348947 | 6535860 | Pegmatite | In Situ | mica | 84332 | 2799 | 30 |
| 23WS36 | 348952 | 6535880 | Pegmatite | In Situ | 7 | 69916 | 548 | 128 |
| 23WS38 | 348991 | 6535881 | Pegmatite | In Situ | 1 | 100145 | 811 | 123 |
| 23WS38 | 348994 | 6535881 | Pegmatite | In Situ | 2 | 69875 | 825 | 85 |
| 23WS38 | 349007 | 6535849 | Pegmatite | In Situ | 3 | 62252 | 585 | 106 |
| 23WS38 | 348993 | 6535832 | Pegmatite | In Situ | 4 | 67739 | 753 | 90 |
| 23WS39 | 352425 | 6524030 | Pegmatite | In Situ | 8 | 89397 | 12469 | 7 |
| 23WS39 | 352421 | 6524035 | Pegmatite | In Situ | 9 | 85844 | 7382 | 12 |
| 23WS39 | 352422 | 6524037 | Pegmatite | In Situ | 9 | 79770 | 7038 | 11 |
| 23WS39 | 352425 | 6524024 | Pegmatite | In Situ | 9 | 35610 | 5267 | 7 |
| 23WS41 | 352910 | 6523830 | Pegmatite | In Situ | 1 | 11499 | 540 | 21 |
| 23WS41 | 352906 | 6523831 | Pegmatite | In Situ | 2 | 7474 | 1206 | 6 |
| 23WS42 | 352972 | 6523693 | Pegmatite | In Situ | 1 | 4892 | 701 | 7 |
| 23WS42 | 352981 | 6523690 | Pegmatite | In Situ | 2 | 20719 | 6187 | 3 |
| 23WS47 | 353038 | 6523928 | Pegmatite | In Situ | 3 | 3298 | 720 | 5 |
| 23WS47 | 353042 | 6523928 | Pegmatite | In Situ | 4 | 90596 | 8582 | 11 |
| 23WS47 | 353113 | 6524021 | Pegmatite | In Situ | 5 east hill | 1121 | 33 | 34 |
| 23WS47 | 353112 | 6524021 | Pegmatite | In Situ | 5 east hill | 99995 | 13760 | 7 |
| Peg1 | 352926 | 6523845 | Pegmatite | In Situ | a | 103107 | 17705 | 6 |
| Peg1 | 352933 | 6523842 | Pegmatite | In Situ | b | 109596 | 10861 | 10 |



| | | | | | | | | |
|-------|--------|---------|-----------|---------|--------|--------|-------|----|
| Peg10 | 352695 | 6524030 | Pegmatite | In Situ | a | 1294 | 376 | 3 |
| Peg11 | 352810 | 6523839 | Pegmatite | In Situ | h | 102918 | 8220 | 13 |
| Peg11 | 352723 | 6523960 | Pegmatite | In Situ | hill-b | 113732 | 5408 | 21 |
| Peg11 | 352773 | 6523931 | Pegmatite | In Situ | e | 34118 | 2160 | 16 |
| Peg11 | 352790 | 6523912 | Pegmatite | In Situ | g | 73311 | 3452 | 21 |
| Peg11 | 352779 | 6523925 | Pegmatite | In Situ | f | 73401 | 5008 | 15 |
| Peg11 | 352728 | 6523960 | Pegmatite | In Situ | b | 82986 | 5318 | 16 |
| Peg11 | 352769 | 6523944 | Pegmatite | In Situ | d | 86529 | 3995 | 22 |
| Peg11 | 352736 | 6523965 | Pegmatite | In Situ | c | 87477 | 4639 | 19 |
| Peg11 | 352729 | 6523966 | Pegmatite | In Situ | hill-a | 93167 | 5312 | 18 |
| Peg12 | 352692 | 6523240 | Pegmatite | In Situ | c | 105048 | 9125 | 12 |
| Peg12 | 352692 | 6523243 | Pegmatite | In Situ | d | 106937 | 9339 | 11 |
| Peg13 | 352702 | 6523243 | Pegmatite | In Situ | e | 100099 | 8410 | 12 |
| Peg13 | 352732 | 6523260 | Pegmatite | In Situ | a | 101951 | 8719 | 12 |
| Peg13 | 352698 | 6523243 | Pegmatite | In Situ | f | 103135 | 11496 | 9 |
| Peg13 | 352706 | 6523249 | Pegmatite | In Situ | d | 14112 | 1394 | 10 |
| Peg13 | 352731 | 6523258 | Pegmatite | In Situ | b | 21496 | 1957 | 11 |
| Peg13 | 352685 | 6523232 | Pegmatite | In Situ | g | 36199 | 1261 | 29 |
| Peg13 | 352682 | 6523233 | Pegmatite | In Situ | h | 85389 | 6841 | 12 |
| Peg13 | 352721 | 6523259 | Pegmatite | In Situ | c | 89953 | 6865 | 13 |
| Peg13 | 352671 | 6523230 | Pegmatite | In Situ | i | 99213 | 7280 | 14 |
| Peg14 | 352688 | 6523250 | Pegmatite | In Situ | c | 109118 | 12178 | 9 |
| Peg14 | 352687 | 6523257 | Pegmatite | In Situ | e | 66884 | 7117 | 9 |
| Peg14 | 352678 | 6523238 | Pegmatite | In Situ | a | 7248 | 571 | 13 |
| Peg14 | 352685 | 6523261 | Pegmatite | In Situ | d | 87968 | 6966 | 13 |
| Peg14 | 352686 | 6523242 | Pegmatite | In Situ | b | 91149 | 6862 | 13 |
| Peg15 | 352717 | 6523144 | Pegmatite | In Situ | a | 112576 | 7155 | 16 |
| Peg16 | 352924 | 6522787 | Pegmatite | In Situ | d | 103097 | 6618 | 16 |
| Peg16 | 352925 | 6522784 | Pegmatite | In Situ | a | 103636 | 8219 | 13 |
| Peg16 | 352918 | 6522784 | Pegmatite | In Situ | b | 105983 | 7067 | 15 |
| Peg16 | 352936 | 6522795 | Pegmatite | In Situ | e | 7871 | 2116 | 4 |
| Peg16 | 352916 | 6522788 | Pegmatite | In Situ | c | 94858 | 6945 | 14 |
| Peg16 | 352934 | 6522792 | Pegmatite | In Situ | f | 95134 | 5884 | 16 |



| | | | | | | | | |
|-------|--------|---------|-----------|---------|-----------|--------|-------|----|
| Peg17 | 352927 | 6522779 | Pegmatite | In Situ | e | 101983 | 6209 | 16 |
| Peg17 | 352944 | 6522776 | Pegmatite | In Situ | d | 74402 | 4332 | 17 |
| Peg17 | 352948 | 6522791 | Pegmatite | In Situ | a | 87318 | 5092 | 17 |
| Peg17 | 352955 | 6522798 | Pegmatite | In Situ | b | 95550 | 6039 | 16 |
| Peg17 | 352977 | 6522796 | Pegmatite | In Situ | c | 98968 | 6747 | 15 |
| Peg18 | 352958 | 6522706 | Pegmatite | In Situ | e | 104676 | 6158 | 17 |
| Peg18 | 352969 | 6522707 | Pegmatite | In Situ | a | 114447 | 7572 | 15 |
| Peg18 | 352965 | 6522705 | Pegmatite | In Situ | d | 86590 | 6069 | 14 |
| Peg18 | 352970 | 6522708 | Pegmatite | In Situ | c | 87372 | 6366 | 14 |
| Peg18 | 352982 | 6522716 | Pegmatite | In Situ | b | 96987 | 5818 | 17 |
| Peg18 | 352952 | 6522702 | Pegmatite | In Situ | f | 97932 | 6580 | 15 |
| Peg19 | 352866 | 6523015 | Pegmatite | In Situ | b-float | 127 | 18 | 7 |
| Peg1a | 352944 | 6523855 | Pegmatite | In Situ | c-zone | 49322 | 6957 | 7 |
| Peg1a | 352941 | 6523866 | Pegmatite | In Situ | d-zone | 103969 | 13084 | 8 |
| Peg1a | 352948 | 6523866 | Pegmatite | In Situ | e-boarder | 95705 | 14028 | 7 |
| Peg1a | 352945 | 6523866 | Pegmatite | In Situ | e-zone | 446 | 70 | 6 |
| Peg1a | 352964 | 6523865 | Pegmatite | In Situ | f | 102401 | 8154 | 13 |
| Peg1a | 352960 | 6523866 | Pegmatite | In Situ | f | 63577 | 11527 | 6 |
| Peg1a | 352963 | 6523877 | Pegmatite | In Situ | g1 | 82268 | 11218 | 7 |
| Peg1a | 352965 | 6523879 | Pegmatite | In Situ | g2 | 100065 | 10664 | 9 |
| Peg2 | 352943 | 6523480 | Pegmatite | In Situ | b | 59840 | 10307 | 6 |
| Peg2 | 353013 | 6523517 | Pegmatite | In Situ | d | 102002 | 24581 | 4 |
| Peg2 | 353019 | 6523521 | Pegmatite | In Situ | e | 1430 | 597 | 2 |
| Peg20 | 352864 | 6523427 | Pegmatite | In Situ | a | 107697 | 21624 | 5 |
| Peg20 | 352879 | 6523429 | Pegmatite | In Situ | b | 93797 | 17128 | 5 |
| Peg20 | 352892 | 6523444 | Pegmatite | In Situ | c | 84968 | 14319 | 6 |
| Peg20 | 352922 | 6523472 | Pegmatite | In Situ | d | 104936 | 15318 | 7 |
| Peg21 | 353068 | 6524067 | Pegmatite | In Situ | a | 28403 | 5321 | 5 |
| Peg21 | 353072 | 6524071 | Pegmatite | In Situ | b | 68807 | 6175 | 11 |
| Peg21 | 353076 | 6524069 | Pegmatite | In Situ | c | 111376 | 7450 | 15 |
| Peg21 | 353074 | 6524063 | Pegmatite | In Situ | d | 102324 | 10593 | 10 |
| Peg22 | 353019 | 6524077 | Pegmatite | In Situ | a | 99491 | 9758 | 10 |
| Peg22 | 353020 | 6524079 | Pegmatite | In Situ | b | 110368 | 6857 | 16 |



| | | | | | | | | |
|-------|--------|---------|-----------|---------|--------|--------|-------|----|
| Peg22 | 352988 | 6524085 | Pegmatite | In Situ | c | 54633 | 8958 | 6 |
| Peg22 | 352960 | 6524079 | Pegmatite | In Situ | d | 103580 | 8920 | 12 |
| Peg22 | 352952 | 6524088 | Pegmatite | In Situ | e | 24245 | 2250 | 11 |
| Peg23 | 352997 | 6524134 | Pegmatite | In Situ | a | 102053 | 9059 | 11 |
| Peg24 | 352976 | 6524114 | Pegmatite | In Situ | a | 89109 | 5924 | 15 |
| Peg24 | 352974 | 6524105 | Pegmatite | In Situ | b | 40646 | 3154 | 13 |
| Peg3 | 353060 | 6523817 | Pegmatite | In Situ | a | 341 | 37 | 9 |
| Peg3 | 353019 | 6523787 | Pegmatite | In Situ | b | 92056 | 24434 | 4 |
| Peg3 | 353003 | 6523784 | Pegmatite | In Situ | c | 103592 | 23669 | 4 |
| Peg3 | 352999 | 6523783 | Pegmatite | In Situ | d | 44153 | 11001 | 4 |
| Peg3 | 352993 | 6523786 | Pegmatite | In Situ | e | 95514 | 22353 | 4 |
| Peg3 | 352985 | 6523779 | Pegmatite | In Situ | f | 84792 | 15506 | 5 |
| Peg3 | 352977 | 6523775 | Pegmatite | In Situ | g | 109753 | 29126 | 4 |
| Peg3 | 352918 | 6523769 | Pegmatite | In Situ | j | 106451 | 11849 | 9 |
| Peg5 | 352703 | 6523806 | Pegmatite | In Situ | b | 87663 | 4446 | 20 |
| Peg5 | 352700 | 6523735 | Pegmatite | In Situ | d | 258 | 6 | 43 |
| Peg5 | 352662 | 6523718 | Pegmatite | In Situ | e | 2535 | 434 | 6 |
| Peg5 | 352664 | 6523717 | Pegmatite | In Situ | f | 69665 | 5889 | 12 |
| Peg5 | 352652 | 6523703 | Pegmatite | In Situ | g | 581 | 105 | 6 |
| Peg5 | 352653 | 6523697 | Pegmatite | In Situ | i | 211 | 78 | 3 |
| Peg5 | 352651 | 6523697 | Pegmatite | In Situ | j | 75349 | 6296 | 12 |
| Peg5 | 352648 | 6523694 | Pegmatite | In Situ | k | 101414 | 7493 | 14 |
| Peg5 | 352642 | 6523690 | Pegmatite | In Situ | l | 96313 | 8583 | 11 |
| Peg5 | 352633 | 6523682 | Pegmatite | In Situ | m | 27297 | 1784 | 15 |
| Peg5 | 352625 | 6523672 | Pegmatite | In Situ | n | 70588 | 5868 | 12 |
| Peg5 | 352577 | 6523598 | Pegmatite | In Situ | hill-a | 105182 | 11537 | 9 |
| Peg5 | 352568 | 6523591 | Pegmatite | In Situ | hill-b | 108225 | 12245 | 9 |
| Peg5 | 352559 | 6523585 | Pegmatite | In Situ | hill-c | 60262 | 6768 | 9 |
| Peg5 | 352554 | 6523584 | Pegmatite | In Situ | hill-d | 80669 | 12668 | 6 |
| Peg5 | 352550 | 6523579 | Pegmatite | In Situ | hill-e | 105726 | 9663 | 11 |
| Peg6 | 352595 | 6523595 | Pegmatite | In Situ | a | 84843 | 8871 | 10 |
| Peg6 | 352592 | 6523592 | Pegmatite | In Situ | b | 38465 | 3108 | 12 |
| Peg6 | 352532 | 6523563 | Pegmatite | In Situ | c | 101781 | 14868 | 7 |



| | | | | | | | | |
|-----------|--------|---------|-----------|---------|---|--------|-------|-----|
| Peg6 | 352539 | 6523568 | Pegmatite | In Situ | d | 101776 | 15489 | 7 |
| Peg6 | 352558 | 6523576 | Pegmatite | In Situ | e | 109999 | 11836 | 9 |
| Peg6 | 352566 | 6523574 | Pegmatite | In Situ | f | 2939 | 752 | 4 |
| Peg6 | 352571 | 6523578 | Pegmatite | In Situ | g | 63249 | 7056 | 9 |
| Peg6 | 352589 | 6523589 | Pegmatite | In Situ | h | 98122 | 8740 | 11 |
| Peg6 | 352595 | 6523593 | Pegmatite | In Situ | i | 97323 | 8936 | 11 |
| Peg7 | 352527 | 6523564 | Pegmatite | In Situ | h | 101022 | 15740 | 6 |
| Peg7 | 352575 | 6523579 | Pegmatite | In Situ | a | 101674 | 12678 | 8 |
| Peg7 | 352542 | 6523570 | Pegmatite | In Situ | e | 108266 | 13634 | 8 |
| Peg7 | 352566 | 6523581 | Pegmatite | In Situ | d | 47500 | 9500 | 5 |
| Peg7 | 352534 | 6523563 | Pegmatite | In Situ | g | 90280 | 16110 | 6 |
| Peg7 | 352569 | 6523578 | Pegmatite | In Situ | c | 95350 | 13337 | 7 |
| Peg7 | 352566 | 6523576 | Pegmatite | In Situ | b | 96761 | 11641 | 8 |
| Peg7 | 352535 | 6523565 | Pegmatite | In Situ | f | 99920 | 15458 | 6 |
| Peg8 | 352538 | 6523636 | Pegmatite | In Situ | b | 105746 | 9568 | 11 |
| Peg8 | 352542 | 6523635 | Pegmatite | In Situ | c | 1737 | 105 | 17 |
| Peg8 | 352551 | 6523638 | Pegmatite | In Situ | e | 886 | 5 | 177 |
| Peg8 | 352547 | 6523634 | Pegmatite | In Situ | d | 95567 | 7661 | 12 |
| Peg8 | 352537 | 6523627 | Pegmatite | In Situ | a | 98584 | 7183 | 14 |
| Peg9-Moth | 352407 | 6523996 | Pegmatite | In Situ | a | 88837 | 13215 | 7 |
| Peg9-Moth | 352434 | 6524028 | Pegmatite | In Situ | e | 92350 | 12907 | 7 |
| Peg9-Moth | 352417 | 6524016 | Pegmatite | In Situ | d | 93171 | 15909 | 6 |
| Peg9-Moth | 352410 | 6524003 | Pegmatite | In Situ | c | 98139 | 11202 | 9 |
| Peg9-Moth | 352406 | 6524007 | Pegmatite | In Situ | b | 98804 | 7237 | 14 |
| sample | 352874 | 6523895 | Pegmatite | In Situ | a | 4219 | 849 | 5 |
| test | 352910 | 6523825 | Pegmatite | In Situ | a | 90789 | 8890 | 10 |



JORC Code, 2012 Edition – Table 1 report

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

| Criteria | JORC Code explanation | Commentary |
|-----------------------|---|--|
| Sampling techniques | <ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. | <ul style="list-style-type: none"> Mapping and whole-rock sampling was completed on outcropping pegmatite units. Sampling involved collecting approx. 2kg of rock from in-situ pegmatite material in numbered calico bags. Sampling was carried out under the Company's protocols and QAQC procedures as per industry best practice. See further details below. An additional 152 p-XRF samples points have been collected during field mapping. |
| Drilling techniques | <ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). | <ul style="list-style-type: none"> No drilling results have been reported in the release. |
| Drill sample recovery | <ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential | <ul style="list-style-type: none"> No drilling results have been reported in the release. |



| Criteria | JORC Code explanation | Commentary |
|--|--|---|
| | <i>loss/gain of fine/coarse material.</i> | |
| Logging | <ul style="list-style-type: none"> • Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged. | <ul style="list-style-type: none"> • Whole-rock samples were qualitatively logged recording lithology, mineralogy, grain-size structural fabric and other relevant geological information. |
| Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. | <ul style="list-style-type: none"> • Samples were dried and crushed to 70% passing 2mm, riffle split off 1kg, pulverise split to better than 85% passing 75 microns. • This sample preparation technique is considered appropriate for the type and tenor of mineralisation. • The laboratory inserted certified reference material and blanks into the analytical sequence and analysed lab duplicates. These appear to confirm accuracy and precision of the sample assays. • A Vanta p-XRF was used in the field during mapping to assist in the identification of more-prospective vs less-prospective pegmatites. |
| Quality of assay data and laboratory tests | <ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. | <ul style="list-style-type: none"> • Assaying was completed by ALS Global laboratories, 26 Advantage Way, Wangara WA 6065. • Samples were initially characterised using the ME-MS81 method to determine trace elements and ME-MS81D method for whole-rock analysis and base metals. • ME-MS81: Lithium borate fusion followed by acid dissolution and ICP-AES measurement. • ME-MS81D: Four acid digestion followed by ICP-AES measurement. • For comparison, the samples were then submitted for Sodium peroxide fusion with ICP-MS measurement, method ME-MS89L • Sodium peroxide fusion allows for the complete analysis of samples with resistant minerals. This fusion is ideal when Li and/or B values are required, or for samples that contain a significant proportion of sulphides (> 4%). • Sodium peroxide fusion analysis returned values approx. 5-10% higher lithium grades in mineralised samples and are the values reported in the release. |



| Criteria | JORC Code explanation | Commentary |
|---|--|---|
| | | <ul style="list-style-type: none"> p-XRF results should never be considered a proxy or substitute for laboratory analysis. The p-XRF data is exploratory in nature and is used to assist in target prioritisation through an exploration program. p-XRF results of rock chip samples were reported using an Olympus Vanta M Series portable XRF in Geochem mode (3 beam) and a 20 second read time for each beam. No calibration factors were applied. Comparisons of p-XRF and laboratory data at the project highlight that the K/Rb ratio, as measured by the p-XRF, can be a useful tool to assist with target prioritisation. Duplicate p-XRF readings were taken at ~50 readings. A blank p-XRF reading was taken at the start and end of each day. |
| Verification of sampling and assaying | <ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. | <ul style="list-style-type: none"> Data was recorded digitally and in hard copy by on-site Company field staff. All field data is directly recorded in hard copy, then sent electronically to the Chief Technical Officer in the office. Assay files are received electronically from the Laboratory. All data is stored in an Access database system, and maintained by the Database Manager All results have been collated and checked by the Company's Chief Technical Officer. |
| Location of data points | <ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. | <ul style="list-style-type: none"> The coordinate system used is MGA_94 Zone 51. A handheld GPS was used to record the position of the auger holes. Horizontal accuracy was +/- 3 metres. Location accuracy at collars is considered adequate for this stage of exploration. |
| Data spacing and distribution | <ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. | <ul style="list-style-type: none"> Data spacing is random and focussed on outcropping pegmatite units. Due to the early stage of exploration, the spacing is appropriate for this stage of exploration. The samples are not appropriate for Mineral Resource estimation. |
| Orientation of data in relation to geological structure | <ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the | <ul style="list-style-type: none"> The stratigraphy within the Project area strikes NNW while interpreted pegmatite dykes strike NE and NW. Sampling was completed along the strike of outcropping pegmatite units. |



| Criteria | JORC Code explanation | Commentary |
|-------------------|--|--|
| | <i>orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> | |
| Sample security | <ul style="list-style-type: none"> The measures taken to ensure sample security. | <ul style="list-style-type: none"> Company samples were kept by the company representatives and submitted directly to the laboratory. |
| Audits or reviews | <ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. | <ul style="list-style-type: none"> No independent audits or reviews have been conducted on the exploration data. |

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria | JORC Code explanation | Commentary |
|---|--|--|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. | <ul style="list-style-type: none"> The sampling occurred on granted tenement E15/1743. Marquee owns 100% of the tenement and entered into an agreement with Mineral Resources Limited (ASX:MIN) (MIN) for MIN to farm-in to the tenement (refer to ASX release 09 June 2023). The tenement is in good standing. |
| Exploration done by other parties | <ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. | <ul style="list-style-type: none"> The area has been subject to historical gold prospecting with several deposits located and mined within the region. The extensive publicly available surface geochemistry database consists of approximately five-thousand data points, within the Project area, made up of predominantly auger soil samples, however less than 10% of the samples were assayed for lithium. By contrast, historical drilling completed within the Project area consists of only 123 wide-spaced RAB holes, with an average depth of 43m, and 16 reverse-circulation drill holes, with an average depth of 78m. |
| Geology | <ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. | <ul style="list-style-type: none"> Regionally the geology is dominated by Archean mafic/ultramafic and sedimentary lithologies intruded by granites and pegmatite dykes. Lithium mineralisation associated with LCT Pegmatites is being targeted by the exploration. |
| Drill hole Information | <ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill | <ul style="list-style-type: none"> Locations of sampling coordinates and appropriate maps have been provided in the body of the text. |



| Criteria | JORC Code explanation | Commentary |
|---|--|--|
| | <p><i>hole collar</i></p> <ul style="list-style-type: none"> ○ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> ○ <i>dip and azimuth of the hole</i> ○ <i>down hole length and interception depth</i> ○ <i>hole length.</i> <ul style="list-style-type: none"> ● <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> | |
| <i>Data aggregation methods</i> | <ul style="list-style-type: none"> ● <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> ● <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> ● <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> | <ul style="list-style-type: none"> ● No data aggregation methods have been used. |
| <i>Relationship between mineralisation widths and intercept lengths</i> | <ul style="list-style-type: none"> ● <i>These relationships are particularly important in the reporting of Exploration Results.</i> ● <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> ● <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg ‘down hole length, true width not known’).</i> | <ul style="list-style-type: none"> ● The whole-rock results require drill testing to determine if economic mineralisation exists at depth. ● Due to the nature of the sample media and sampling technique, further drilling is required to determine the relationship between mineralisation and widths. |
| <i>Diagrams</i> | <ul style="list-style-type: none"> ● <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> | <ul style="list-style-type: none"> ● Refer to the body of the release. |
| <i>Balanced reporting</i> | <ul style="list-style-type: none"> ● <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid</i> | <ul style="list-style-type: none"> ● Due to the nature of the sampling, the results are to be considered indicative only and not material. ● The ASX release is considered to represent balanced reporting. Further evaluation of these |



| Criteria | JORC Code explanation | Commentary |
|---|--|---|
| | <i>misleading reporting of Exploration Results.</i> | results is ongoing. |
| <i>Other substantive exploration data</i> | <ul style="list-style-type: none"><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> | <ul style="list-style-type: none">All available geological, geophysical and geochemical data has been integrated and interpreted by company geologists. |

For personal use only